1855: Online auction food processing machinery due to renewal of production location Hall's of Scotland in Prestwick (UK)

**END DATE** 31 July 2025 14:00

Industrial Auctions

Π



## General terms and conditions of the online auction

| End date                             | 31 July 2025 from 14:00 hrs.   |
|--------------------------------------|--|
| Viewing days                         | 51 July 2025 11 011 14.00 113.   |
| Organising company                   | Industrial Auctions BV<br>Looyenbeemd 11<br>5652 BH Eindhoven, Netherlands<br>Tel.: +31 (0)40 2409 208<br>E-mail: <u>info@industrial-auctions.com</u>  |
| Buyers premium                       | 18% over the highest bid   |
| VAT                                  | 20% over the highest bid including premium   |
| Pick up days                         | 07 August 2025 from 09:00 till 16:00 hrs.  |
| Pick up address                      | Glenburn Road<br>KA9 2NS Prestwick<br>United Kingdom   |
| Pick up instructions                 | The buyer is fully responsible for the dismantling, loading and<br>transportation of the bought lots. Industrial Auctions B.V. cannot accept<br>any responsibility unless indicated otherwise. The delivery (pick up bought<br>lots) will only take place on the mentioned delivery date/time and address.   |
| Payment details                      | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BIZ 310 601 81, IBAN: DE8331060181087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.   |
| Combinations                         | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.   |
| Prolongation                         | If a bid is placed in the last 5 minutes the lot closes, the closing time of that<br>lot will be extended by 5 minutes until no more bids are placed.  |



| Nr | Title                             | Description   | Start € |
|----|-----------------------------------|---|---------|
| 1  | Vemag                             | Vemag vacuum filling machine with lifter for 200 liter meat<br>bins, model: HP12E, number: 1650475, year of<br>construction: 2014, 400-460 V, 3 Ph, 50/60 Hz, 27 A, 16 kW,<br>Vemag vacuum pump, model: KC 0016, number:<br>090116702, year of construction: 2014, capacity: 16 m <sup>3</sup> per<br>hour, total dimensions: 2000 mm x 1400 mm x 1980 mm.<br>Incomplete. | 8500    |
| 2  | Loma Systems                      | Loma Systems mobile pipeline metal detector, model: IQ <sup>2</sup> ,<br>clearance: Ø 53 mm, total dimensions: 550 mm x 500 mm x<br>1530 mm.  | 1000    |
| 3  | Poly-Clip System<br>GmbH & Co. KG | Poly-Clip System GmbH & Co. KG automatic double clipper,<br>type: FCA 3442, number: 235, year of construction: 2005,<br>400 V, 3 Ph, 50/60 Hz, 4 A, 5-7 bar, plastic rollers, roller<br>width: 340 mm, total dimensions: 970 mm x 870 mm x<br>1820 mm.  | 8000    |
| 5  | Handtmann                         | Handtmann vacuum filling machine with lifter for 200 liter<br>meat bins, model: VF200B, number: 1741, 420 V, 50 Hz,<br>17.4 A, 7 kW, total dimensions: 1700 mm x 1320 mm x 1920<br>mm. Incomplete.  | 2500    |
| 6  | Handtmann                         | Handtmann mobile AL linking machine, type: 141-21,<br>number: 230, year of construction: 2005, dimensions: 1700<br>mm x 830 mm x 1360 mm.   | 1250    |
| 7  | Handtmann                         | Handtmann mobile AL linking machine, type: 115-21,<br>number: 683, year of construction: 2007, 420 V, 3 Ph, 50 Hz,<br>3.4 A, 2.5 kW, dimensions: 1400 mm x 710 mm x 1200 mm.  | 750     |
| 8  | Handtmann                         | Handtmann vacuum filling machine with lifter for 200 liter<br>meat bins, model: VF200B, number: 4467, year of<br>construction: 1999, 420 V, 50 Hz, total dimensions: 1700<br>mm x 1320 mm x 1920 mm. Incomplete.  | 2500    |
| 9  | Handtmann                         | Handtmann mobile AL linking machine, type: 141-01, year<br>of construction: 1998, 420 V, 50 Hz, 6.9 A, 5 kW,<br>dimensions: 1700 mm x 830 mm x 1360 mm.   | 1250    |
| 10 | Handtmann                         | Handtmann mobile AL linking machine, type: 115-21,<br>number: 317, year of construction: 2000, 420 V, 3 Ph, 50 Hz,<br>3.5 A, 2.5 kW, dimensions: 1400 mm x 710 mm x 1200 mm.  | 750     |
| 11 | Handtmann                         | Handtmann vacuum filling machine with lifter for 200 liter<br>meat bins, model: VF200, number: 13356, year of<br>construction: 2000, 420 V, 50 Hz, 21.6 A, 11 kW, total<br>dimensions: 1700 mm x 1320 mm x 1920 mm. Incomplete.   | 2500    |
| 12 | Handtmann                         | Handtmann mobile AL linking machine, dimensions: 1700 mm x 830 mm x 1360 mm.  | 1250    |
| 13 | Handtmann                         | Handtmann mobile AL linking machine, type: 115-21,<br>number: 694, year of construction: 2007, 420 V, 3 Ph, 50/60<br>Hz, 3.4 A, 2.5 kW, dimensions: 1400 mm x 710 mm x 1200<br>mm.  | 750     |



| Nr | Title                | Description   | Start € |
|----|----------------------|---|---------|
| 14 | Frigoscandia         | Frigoscandia spiral freezer, model: Gyrocompact, type:<br>GC76, North-South, 29 floors, distance between floors: 80<br>mm, s/s mesh belt, belt width: 710 mm, inside dimensions:<br>4810 mm x 6100 mm, total dimensions: 9140 mm x 9000<br>mm x 3900 mm. Without cooling compressor and<br>evaporative condensor, sold separately (lot 407 & 408) | 20000   |
| 15 | Frigoscandia         | Frigoscandia spiral freezer, model: Gyrocompact, type:<br>GC76, North-South, 29 floors, distance between floors: 80<br>mm, s/s mesh belt, belt width: 710 mm, inside dimensions:<br>4810 mm x 6100 mm, total dimensions: 9140 mm x 9000<br>mm x 3900 mm. Without cooling compressor and<br>evaporative condensor, sold separately (lot 407 & 408) | 20000   |
| 16 | Frigoscandia         | Frigoscandia spiral freezer, model: Gyrocompact, type:<br>GC76, North-South, 29 floors, distance between floors: 80<br>mm, s/s mesh belt, belt width: 710 mm, inside dimensions:<br>4810 mm x 6100 mm, total dimensions: 9140 mm x 9000<br>mm x 3900 mm. Without cooling compressor and<br>evaporative condensor, sold separately (lot 407 & 409) | 20000   |
| 17 | Frigoscandia         | Frigoscandia spiral freezer, model: Gyrocompact, type:<br>GC76, North-South, 29 floors, distance between floors: 80<br>mm, s/s mesh belt, belt width: 710 mm, inside dimensions:<br>4810 mm x 6100 mm, total dimensions: 9140 mm x 9000<br>mm x 3900 mm. Without cooling compressor and<br>evaporative condensor, sold separately (lot 407 & 409) | 20000   |
| 18 | NN transport<br>belt | Transport belt, s/s frame, plastic mesh belt, belt width: 700<br>mm, total dimensions: 1200 mm x 800 mm x 800 mm.   | 150     |
| 19 | NN elevating belt    | Elevating belt, s/s frame, plastic mesh belt with dividers, belt<br>width: 250 mm, elevating height: 2100 mm, total<br>dimensions: 5000 mm x 900 mm x 2300 mm.  | 650     |
| 20 | RMF                  | RMF s/s stacker, model: PS 6, serial number: 212, 6 lanes,<br>lane width (6x) 120 mm, total dimensions: 1400 mm x 900<br>mm x 1100 mm.  | 250     |
| 21 | Delta Systems        | Delta Systems transport belt, s/s frame, plastic belt, belt<br>width: 400 mm, total dimensions: 2700 mm x 800 mm x<br>850 mm.   | 250     |
| 22 | NN elevating belt    | Elevating belt, s/s frame, plastic mesh belt with dividers, belt<br>width: 400 mm, divider height: 20 mm, distance between<br>dividers: 200 mm, elevating height: 1400 mm, total<br>dimensions: 1400 mm x 800 mm x 1500 mm.   | 250     |
| 23 | Loma Systems         | Loma Systems metal detector, model: IQ <sup>2</sup> , serial number:<br>695225, 415/240V, 3 Ph, 50 Hz, plastic mesh belt, belt<br>width: 560 mm, clearance: 650 mm x 510 mm, total<br>dimensions: 1700 mm x 1300 mm x 1550 mm.  | 1500    |
| 24 | NN table             | S/s table, dimensions: 1900 mm x 900 mm x 800 mm.   | 200     |



| Nr | Title           | Description   | Start € |
|----|-----------------|---|---------|
| 25 | Henkelman       | Henkelman mobile double chamber vacuum machine, type:<br>600, machine number: 600406052, year of construction:<br>2004, 400 V, 3 Ph, 50 Hz, 12 A, 2.7 kW, seal length: 615 mm,<br>dimensions chamber: (2x) 620 mm x 570 mm, Busch   | 1500    |
|    |                 | vacuum pump, total dimensions: 1560 mm x 960 mm x 1300 mm. Incomplete, missing button at control panel.   |         |
| 26 | Webomatic       | Webomatic double chamber vacuum machine, seal length:<br>640 mm, dimensions chamber: (2x) 780 mm x 650 mm,<br>Busch vacuum pump, type: RA 0160 D 561 GQXX, number:<br>C0924000001, year of construction: 2009, capacity: 160 m <sup>3</sup><br>per hour, total dimensions: 1430 mm x 1080 mm x 1090<br>mm.  | 1500    |
| 27 | Wolfking Belam  | Wolfking Belam injector, type: MI-450, machine number:<br>9802-016.0052, year of construction: 1998, 415 V, 50 Hz,<br>16 A, 6 bar, s/s walking beam, beam width: 420 mm,<br>clearance: 450 mm x 240 mm, 105 needles, total<br>dimensions: 2250 mm x 1030 mm x 1950 mm. Technical<br>condition unknown.  | 1000    |
| 28 | Lutetia         | Lutetia brine mixer, type: MELANGEUR, number: 12317, year<br>of construction: 2010, 415 V, 3 Ph, 50 Hz, 4 A, 250 W,<br>volume: 1500 liter, total dimensions: 1550 mm x 1300 mm<br>x 2150 mm. Incomplete, missing pump.  | 750     |
| 29 | Schröder        | Schröder brine mixer, type: RB-FiF, number: RB.313.05, year<br>of construction: 2005, inside dimensions: Ø 1150 mm x<br>1100 mm, total dimensions: 1300 mm x 1220 mm x 2300<br>mm.  | 1250    |
| 30 | Lutetia         | Lutetia mobile meat press, type: Hydraulic, serial number:<br>12691, year of construction: 2013, 400 V, 50 Hz, 3.3 kW,<br>weight: 600 kg, clearance: 90 mm x 60 mm, total<br>dimensions: 1740 mm x 820 mm x 1980 mm.  | 1000    |
| 31 | Rex Technologie | Rex Technologie vacuum filling machine with lifter for 200<br>liter meat bins, type: RVF 436, machine number:<br>4362881020, year of construction: 2020, 400 V, 3 Ph, 50 /<br>60 Hz, 16 A, 8 kW, Busch vacuum pump, type: KC 0016 E<br>3ZO, serial number: CZM120350215, year of construction:<br>2020, capacity: 19 m <sup>3</sup> per hour, dimensions: 2150 mm x<br>1630 mm x 1900 mm. | 5000    |
| 32 | Dorit           | Dorit brine tank, volume: 800 liter, total dimensions: Ø<br>1000 mm x 1820 mm.  | 400     |
| 33 | Webomatic       | Webomatic belt vacuum machine, type: WBM 1350,<br>machine number: 6012MF131, 400 V, 3 Ph, 50 Hz, 38 A, 17<br>kW, plastic belt, belt width: 730 mm, built-in vacuum pump,<br>total dimensions: 3680 mm x 1550 mm x 2350 mm.  | 1500    |
| 34 | Verbufa         | Verbufa mobile waterwheel, 5 heads, dimensions heads: (5x)<br>70 mm x 60 mm, total dimensions: 1350 mm x 1100 mm x<br>1820 mm.  | 3000    |



| Nr | Title                        | Description  | Start € |
|----|------------------------------|--|---------|
| 35 | Supervac                     | Supervac shrink tunnel, type: AT-10E, number: 930065, 415<br>V, 50 Hz, 51.4 A, 36.3 kW, s/s belt, belt width: 690 mm,<br>clearance: 740 mm x 340 mm, total dimensions: 1240 mm x<br>2050 mm x 1360 mm.   | 1250    |
| 36 | Handtmann                    | Handtmann vacuum filling machine, type: VF 80, number:<br>16049, year of construction: 2002, 420 V, 3 Ph, 50 Hz, 11.6<br>A, 4 kW, dimensions: 860 mm x 730 mm x 1700 mm.   | 1750    |
| 37 | Webomatic                    | Webomatic belt vacuum machine, type: WBM 1350,<br>machine number: 6012MF134, 400 V, 3 Ph, 50 Hz, 38 A, 17<br>kW, plastic belt, belt width: 730 mm, seal length: 1340 mm,<br>total dimensions: 3700 mm x 1550 mm x 2430 mm.<br>Incomplete, technical condition unknown.             | 1500    |
| 38 | Scotnet<br>Automation        | Scotnet Automation mobile meat press, model: SS 500,<br>clearance: Ø 75 mm, total dimensions: 2070 mm x 500 mm<br>x 1180 mm.   | 400     |
| 39 | Handtmann                    | Handtmann mobile automatic double clipper, model:<br>CPX-25 SC, number: 376, clearance: Ø 90 mm, total<br>dimensions: 4120 mm x 1430 mm x 1850 mm.   | 2500    |
| 40 | Grundfos                     | S/s frame with 4 Grundfos circulation pump, type: (2x)<br>CRN30-10 A-F-G BBUV & (2x) CRN30-80/6 2990, model:<br>A34647101-9606 & 9748R, capacity: 30 m <sup>3</sup> per hour,<br>dimensions: 1620 mm x 670 mm x 2030 mm.   | 200     |
| 41 | Karl Schnell                 | Karl Schnell double shaft vacuum mixer, type: 750, machine<br>number: 1256, year of construction: 1993, volume: 750<br>liter, dimensions: 2490 mm x 2200 mm x 2350 mm.   | 3000    |
| 42 | T. Freemantle                | T. Freemantle cartoning machine, model: SO7, serial<br>number: 16-882, year of construction: May 2016, 240 V,<br>plastic belt, belt width: 250 mm, Nordson glue unit, model:<br>PROBLUE 4, serial number: SA16G25563, total dimensions:<br>4570 mm x 1350 mm x 1700 mm.            | 1500    |
| 43 | Urschel<br>Laboratories, Inc | Urschel Laboratories, Inc mobile comitrol processor, model:<br>3640, serial number: 406, Ø knife: 180 mm, clearance: 3<br>mm, total dimensions: 1270 mm x 1050 mm x 1360 mm.<br>Technical condition unknown.   | 1500    |
| 44 | Herbert & Sons<br>LTD        | Herbert & Sons LTD weighing scale, model: IH500, serial<br>number: HSAI 8610, year of construction: 1999, 240 V, 50<br>Hz, 0.1 A, maximum weight: 30 kg, minimum weight: 0.2 kg,<br>e= 0.01 kg, dimensions scale: 600 mm x 500 mm, total<br>dimensions: 940 mm x 800 mm x 1360 mm. | 150     |
| 45 | Loma Systems                 | Loma Systems mobile pipeline metal detector with rejector,<br>model: Pipeline IQ4, serial number: APL54383-50388D, year<br>of construction: 16.1.2020, 120-240 V, 1 Ph, 50/60 Hz, 1.5<br>A, 6 bar, clearance: 55 mm, total dimensions: 840 mm x 570<br>mm x 1470 mm.               | 1500    |



| Nr | Title                   | Description   | Start € |
|----|-------------------------|---|---------|
| 46 | Maja<br>Maschinenfabrik | Maja Maschinenfabrik mobile skinning machine, model: ESM<br>4550, serial number: M-49702, year of construction: 2011,<br>415 V, 3 Ph, 50 Hz, 2.15 A, 0.75 kW, weight: 170 kg, foot<br>control, working width: 550 mm, total dimensions: 970 mm<br>x 800 mm x 1010 mm.   | 750     |
| 47 | NN tenderizer           | Mobile tenderizer, working width: 400 mm, total<br>dimensions: 1500 mm x 870 mm x 1730 mm.  | 400     |
| 48 | Maja<br>Maschinenfabrik | Maja Maschinenfabrik mobile skinning machine, model: ESM<br>3550, serial number: 45536, year of construction: 2005,<br>415 V, 3 Ph, 50 Hz, 2.2 A, 0.75 kW, foot control, working<br>width: 550 mm, total dimensions: 940 mm x 800 mm x<br>1360 mm.  | 500     |
| 49 | AEW-THURNE LTD          | AEW-THURNE LTD vertical slicer, machine: APS 40, serial<br>number: 1400177, 415 V, 3 Ph, 50 Hz, weight: 1130 mm, 8<br>pockets, clearance: (8x) 200 mm x 105 mm, plastic outfeed<br>belt, belt width: (2x) 150 mm, total dimensions: 1260 mm x<br>2240 mm x 2100 mm.   | 500     |
| 50 | NN waterwheel           | Mobile waterwheel, dye: (4x) 40 mm x 30 mm, total<br>dimensions, 1020 mm x 740 mm x 1500 mm. Incomplete.  | 500     |
| 51 | Turbo Systems           | Turbo Systems mobile depositor, model: D158P, dimensions:<br>800 mm x 500 mm x 1900 mm.   | 200     |
| 52 | Holac                   | Holac slicer, dimensions chamber: 260 mm x 220 mm, total dimensions: 1790 mm x 1050 mm x 1320 mm. Incomplete, missing covers.   | 200     |
| 53 | Kolbe                   | Kolbe mobile mixer grinder, type: MWE 52, machine<br>number: 126 0390, year of construction: 2005, 400 V, 3 Ph,<br>50 Hz, 15.2+2.8 A, 7.5+1.1 kW, diameter plate: 130 mm,<br>total dimensions: 1300 mm x 770 mm x 1350 mm.  | 2500    |
| 55 | Handtmann               | Handtmann vacuum filling machine with lifter for 200 liter<br>meat bins, model: VF200, number: 1116, 420 V, 50 Hz, 17.4<br>A, 7 kW, Becker vacuum pump, type: U 1.16GSA-31, number:<br>B 2902468, year of construction: 2015, capacity: 16/19 m <sup>3</sup><br>per hour, total dimensions: 1800 mm x 1350 mm x 1880<br>mm. Incomplete. | 2500    |
| 56 | Riggs Autopack          | Riggs Autopack mobile depositor, dimensions: 1300 mm x 630 mm x 1340 mm.  | 250     |
| 57 | Koneteollisuus<br>OY    | Koneteollisuus OY mobile mixer grinder, type: LM-32A,<br>number: 97383, 415 V, 3 Ph, 50 Hz, 6.3/2.5 A, 3.0/1.1 kW,<br>weight: 250 kg, diameter plate: 100 mm, total dimensions:<br>860 mm x 680 mm x 1150 mm.   | 1000    |
| 58 | Marlen                  | Marlen twin piston vacuum filling machine, model: Opti<br>140, serial number: 128-140, year of construction: 1/00,<br>connection input diameter: 200 mm, output diameter: 95<br>mm, dimensions: 2300 mm x 1200 mm x 2150 mm   | 1500    |



| Nr       | Title   | Description   | Start € |
|----------|---|---|---------|
| 59       | Verbufa   | Verbufa mobile waterwheel, model: 51671-A-0017,             | 2500    |
|          |   | number: 212851, year of construction: 10/2011, 400 V, 50    |         |
|          |   | Hz, 10 A, 3 kW, weight: 450 kg, 2x dye: (4x) 75 mm x 60 mm, |         |
|          |   | plastic belt, belt width: 490 mm, total dimensions: 1450    |         |
|          |   | mm x 1050 mm x 1800 mm. Incomplete.                         |         |
| 60       | Townsend  | Townsend tenderizer, model: PMT-41, serial number:          | 400     |
|          |   | 176-467, 480 V, 3 Ph, 60 Hz, clearance: 400 mm x 150 mm,    |         |
|          |   | working width: 400 mm, total dimensions: 1200 mm x 900      |         |
|          |   | mm x 1500 mm.   |         |
| 61       | Poly-Clip System  | Poly-Clip System GmbH & Co. KG mobile automatic double      | 2000    |
|          | GmbH & Co. KG   | clipper, type: FCA 3441, dimensions: 1430 mm x 860 mm x     |         |
|          |   | 2000 mm.  |         |
| 62       | Belam   | Belam injector, type: MI-402-9/155, machine number:         | 750     |
|          |   | 9307-010-0012, 415 V, 50 Hz, 16 A, s/s walking beam, beam   |         |
|          |   | width: 400 mm, clearance: 400 mm x 260 mm, 155 needles,     |         |
|          |   | total dimensions: 2370 mm x 900 mm x 2000 mm. Technical     |         |
|          |   | condition unknown, incomplete.                              |         |
| 63       | Lutetia   | Lutetia brine mixer, volume: 1600 liter, total dimensions:  | 750     |
|          | 201010  | 1980 mm x 1400 mm x 2400 mm.                                |         |
| 64       | Belam   | Belam injector, type: MT-600/225, s/s walking beam, beam    | 500     |
| 01       | Deram   | width: 600 mm, clearance: 600 mm x 240 mm, 225 needles,     | 500     |
|          |   | total dimensions: 1660 mm x 1320 mm x 2060 mm.              |         |
| 65       | Handtmann   | Handtmann mobile AL linking machine, type: 115-21,          | 400     |
| 05       | nanatinann  | number: 507, year of construction: 2001, 420 V, 50 Hz, 3.8  | 400     |
|          |   | A, 2.5 kW, dimensions: 1600 mm x 710 mm x 1200 mm.          |         |
|          |   | Technical condition unknown, incomplete.                    |         |
| 66       | Handtmann   | Handtmann mobile AL linking machine, type: 115-21,          | 750     |
| 00       | Thanactinarin   | number: 696, year of construction: 2007, 420 V, 50 Hz, 3.4  | / 50    |
|          |   | A, 2.5 kW, dimensions: 1600 mm x 710 mm x 1200 mm.          |         |
| 67       | Siebeck   | Siebeck mobile netting machine for ham, type: FSM-900,      | 150     |
| 07       | SIEDECK   | number: 5671, year of construction: 1998, Ø clearance: 140  | 150     |
|          |   | mm, total dimensions: 1680 mm x 600 mm x 1040 mm.           |         |
|          |   | Incomplete, technical condition unknown.                    |         |
| 68       | Handtmann   | Handtmann mobile AL linking machine, type: 141-21,          | 400     |
| 00       | Hanutmann   |   | 400     |
|          |   | number: 217, year of construction: 1997, dimensions: 1700   |         |
|          |   | mm x 820 mm x 1350 mm. Incomplete, technical condition      |         |
| <u> </u> | the set of | unknown.  | 400     |
| 69       | Handtmann   | Handtmann mobile AL linking machine, type: 141-01,          | 400     |
|          |   | number: 376, year of construction: 2010, 420 V, 3 Ph, 50/60 |         |
|          |   | Hz, 6.9 A, 5 kW, dimensions: 1730 mm x 780 mm x 1380        |         |
|          |   | mm. Incomplete, technical condition unknown.                |         |
| 70       | Handtmann   | Handtmann mobile AL linking machine, type: 141-21,          | 400     |
|          |   | number: 289, year of construction: 2001, dimensions: 1780   |         |
|          |   | mm x 800 mm x 1310 mm. Incomplete, technical condition      |         |
|          |   | unknown.  |         |
| 71       | Grote   | Grote mobile slicer, model: S/A 530, serial number:         | 1250    |
|          |   | 1060801, dimensions: 2020 mm x 1310 mm x 1770 mm.           |         |
|          |   | Incomplete, missing knife.                                  |         |



| Nr | Title            | Description   | Start € |
|----|------------------|---|---------|
| 72 | Grote            | Grote slicer, model: S/A 530, serial number: 1052854,<br>dimensions: 2050 mm x 1270 mm x 2010 mm. Incomplete, | 1250    |
|    |                  | missing knife, technical condition unknown.   |         |
| 73 | Grote            | Grote mobile slicer, model: S/A 530 E, serial number:   | 1250    |
|    |                  | 1126583, 400 V, 3 Ph, 50 Hz, dimensions: 2000 mm x 1000   |         |
|    |                  | mm x 1700 mm. Incomplete, missing knife, technical  |         |
|    |                  | condition unknown.  |         |
| 74 | Grote            | Grote mobile slicer, model: S/A 530, serial number:   | 1250    |
|    |                  | 1049903, dimensions: 1970 mm x 1300 mm x 1800 mm.   |         |
|    |                  | Incomplete, missing knife, technical condition unknown.   |         |
| 75 | Grote            | Grote slicer, model: S/A 522, serial number: 1044648,   | 1250    |
|    |                  | dimensions: 1840 mm x 1300 mm x 1800 mm. Incomplete,  |         |
|    |                  | missing knife, technical condition unknown.   |         |
| 76 | Ravenwood        | Ravenwood Packaging LTD mobile sleeve machine, serial   | 750     |
|    | Packaging LTD    | number: 0236, year of construction: 2005, 220/240 V, 1 Ph,  |         |
|    |                  | 50/60 Hz, 11 A, plastic belt, belt width: 125 mm, total   |         |
|    |                  | dimensions: 1800 mm x 770 mm x 1520 mm.   |         |
| 77 | Ravenwood        | Ravenwood Packaging LTD mobile sleeve machine, serial   | 750     |
|    | Packaging LTD    | number: 0394, year of construction: 2008, 220/240 V, 1 Ph,  |         |
|    |                  | 50/60 Hz, 11 A, plastic belt, belt width: 125 mm, total   |         |
|    |                  | dimensions: 1830 mm x 950 mm x 1560 mm.   |         |
| 78 | Poly-Clip System | Poly-Clip System GmbH & Co. KG mobile automatic double  | 2000    |
|    | GmbH & Co. KG    | clipper, type: FCA 3441, number: 570, year of construction:   |         |
|    |                  | 1999, 400 V, 50 Hz, 4 A, 5/7 bar, dimensions: 1400 mm x   |         |
|    |                  | 1160 mm x 1810 mm. Technical condition unknown.   |         |
| 79 | Poly-Clip System | Poly-Clip System GmbH & Co. KG automatic double clipper,  | 2000    |
|    | GmbH & Co. KG    | type: FCA 3441, number: 461, year of construction: 1998,  |         |
|    |                  | 400 V, 50 Hz, 4 A, 5/7 bar, dimensions: 1400 mm x 1160 mm   |         |
|    |                  | x 1810 mm. Technical condition unknown.   |         |
| 80 | Proseal          | Proseal mobile traysealer, model: Fastpack 40, serial   | 1000    |
|    |                  | number: 1296, 240 V, 50 Hz, dimensions dye: (2x) 260 mm x   |         |
|    |                  | 160 mm, total dimensions: 2200 mm x 880 mm x 1950 mm.   |         |
|    |                  | Technical condition unknown.  |         |
| 81 | Weber            | Weber slicer, type: CCS 305 A 200, number: CCS 305-376,   | 7500    |
| 01 |                  | year of construction: 07/2013, 400 V, 50 Hz, 5 kW, 6 bar,   |         |
|    |                  | weight: 1055 kg, clearance: 300 mm x 130 mm, plastic string   |         |
|    |                  | belt, belt width: 320 mm, total dimensions: 2400 mm x   |         |
|    |                  | 1000 mm x 2060 mm.  |         |
| 82 | Weber            | Weber slicer, type: CCS 602, number: 288, year of   | 3500    |
| 52 |                  | construction: 04/2002, 400 V, 50 Hz, 10 kW, 6 bar,  |         |
|    |                  | clearance: 330 mm x 130 mm, total dimensions: 2530 mm x   |         |
|    |                  | 1150 mm x 2200 mm. Including box with knives.   |         |
|    |                  | Incomplete.   |         |
| 83 | Weber            | Weber slicer, type: CCS 602, number: 142, 380 V, 50 Hz, 10  | 3000    |
| 00 | Webei            |   | 5000    |
|    |                  | kW, clearance: 350 mm x 150 mm, total dimensions: 2570  |         |
|    |                  | mm x 1200 mm x 2270 mm. Incomplete, technical   |         |
|    |                  | condition unknown.  |         |



| Nr  | Title            | Description  | Start € |
|-----|------------------|--|---------|
| 84  | Thurne           | Thurne Engineering Company LTD slicer, type: SLICER, model:    | 1500    |
|     | Engineering      | JUNIOR, serial number: 16216, year of construction: 1997,      |         |
|     | Company LTD      | 415 V, 3 Ph, 50 Hz, clearance: 300 mm x 150 mm, plastic        |         |
|     |                  | outfeed belt, belt width: 320 mm, total dimensions: 2600       |         |
|     |                  | mm x 810 mm x 2150 mm.   |         |
| 85  | AEW-THURNE LTD   | AEW-THURNE LTD slicer, type: SLICER, model: JUNIOR, serial     | 1500    |
|     |                  | number: 16250, year of construction: 2000, 415 V, 3 Ph, 50     |         |
|     |                  | Hz, clearance: 300 mm x 150 mm, plastic outfeed belt, belt     |         |
|     |                  | width: 320 mm, total dimensions: 2500 mm x 850 mm x            |         |
|     |                  | 2050 mm.   |         |
| 87  | Kaufler          | Kaufler slicer, type: KR 1000, number: 10 100 750, year of     | 1200    |
|     |                  | construction: April 2007, 400 V, clearance: (4x) 210 mm x 80   |         |
|     |                  | mm, total dimensions: 2650 mm x 1700 mm x 2000 mm.             |         |
| 88  | Poly-Clip System | Poly-Clip System GmbH & Co. KG mobile double clipper,          | 2500    |
|     | GmbH & Co. KG    | type: DFC 8152 M, number: 397, year of construction: 2002,     |         |
|     |                  | 230 V, 50 Hz, 0.6 A, 0.2 kW, plastic belt, belt width: 200 mm, |         |
|     |                  | total dimensions: 2630 mm x 660 mm x 2070 mm.                  |         |
| 89  | Silverson        | Silverson pump on s/s frame, model: 450 LS, machine            | 450     |
|     |                  | number: 450LS, machine number: 450LSM2114, 380/415 V,          |         |
|     |                  | 3 Ph, 50 Hz, dimensions: 1300 mm x 750 mm x 1550 mm.           |         |
| 90  | Dorit            | Dorit meat press, type: Combipresse CP 50-C, serial number:    | 500     |
| 50  | Done             | 230, year of construction: 2010, working pressure: 8 bar,      | 500     |
|     |                  | clearance: Ø 140 mm, total dimensions: 2040 mm x 600 mm        |         |
|     |                  | x 1270 mm. Incomplete.   |         |
| 91  | Packaging        | Packaging Automation LTD traysealer, serial number:            | 750     |
| 51  | Automation LTD   | 1699V18214494, 415 V, 50 Hz, film width: 270 mm,               | /30     |
|     | Automation LID   | dimensions dye: (2x) 195 mm x 140 mm, total dimensions:        |         |
|     |                  | 2550 mm x 1050 mm x 1990 mm. Incomplete, technical             |         |
|     |                  | condition unknown.   |         |
| 92  | Ulma             | Ulma flowpacker, model: FLOW VAC 35, machine number:           | 7500    |
| 52  | Onna             | 1221854, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 16    | /300    |
|     |                  | A, 11.1 kW, plastic belt, belt width: 280 mm, seal width: 360  |         |
|     |                  | mm, total dimensions: 2730 mm x 1200 mm x 2150 mm.             |         |
|     |                  | Including film unwinding device, dimensions: 1400 mm x         |         |
|     |                  | 1400 mm x 860 mm.  |         |
| 93  | Currentiae       |  | 1250    |
| 93  | Supervac         | Supervac shrink tunnel, type: AT-15E D, number: 208022,        | 1250    |
|     |                  | year of construction: 2008, 400 V, 3 Ph, 50 Hz, 67 A, 45.6     |         |
|     |                  | kW, plastic mesh, belt width: 600 mm, clearance: 880 mm x      |         |
|     |                  | 350 mm, total dimensions: 1460 mm x 1230 mm x 1530             |         |
| ~ . |                  | mm.  | 1.5.0   |
| 94  | NN pallet lifter | S/s pallet lifter, fork length: 1000 mm, total dimensions:     | 150     |
|     |                  | 1350 mm x 700 mm x 1220 mm. Technical condition                |         |
|     |                  | unknown.   |         |
| 95  | Bruendler        | Bruendler mobile emulsifier, type: VKM 18, machine             | 2500    |
|     |                  | number: 30416, year of construction: 1989, dimensions:         |         |
|     |                  | 1280 mm x 800 mm x 1170 mm.                                    |         |
| 96  | Rexpol           | Rexpol cooking vessel, volume: 500 liter, dimensions: 1420     | 500     |
|     |                  | mm x 1400 mm x 1150 mm.  |         |



| Nr  | Title           | Description  | Start € |
|-----|-----------------|--|---------|
| 97  | Pols            | Pols 2 lane batcher, type: FPM-195, serial number: 04-119,     | 1500    |
|     |                 | year of construction: 2004, 380 V, 50/60 Hz, 2.0 A, 0.8 kW,    |         |
|     |                 | plastic belts, belt width: 500 mm & 60 mm, lane width: 270     |         |
|     |                 | mm, divider height: 75 mm, distance between dividers: 300      |         |
|     |                 | mm, Flintec weighing cells, total dimensions: 2330 mm x        |         |
|     |                 | 1250 mm x 1640 mm.   |         |
| 98  | Koneteollisuus  | Koneteollisuus OY bandsaw, type: 750, number: 103860,          | 1500    |
|     | OY              | 415 A, 3 Ph, 50 Hz, 9.0 A, weight: 430 kg, s/s rollers, roller |         |
|     |                 | width: (2x) 600 mm, dimensions table: 1740 mm x 1300           |         |
|     |                 | mm x 2200 mm. Including box with saw blades.                   |         |
| 99  | Winyard         | Winyard Engineering LTD depositor, type: ECO 500, serial       | 350     |
|     | Engineering LTD | number: ECO 160329 dimensions: 1060 mm x 400 mm x              |         |
|     |                 | 770 mm.  |         |
| 100 | NN bag sealing  | Horizontal Continuous mobile plastic bag sealing machine,      | 400     |
|     | machine         | model: Vertical FRM-1100BL, serial number: 20214, year of      |         |
|     |                 | construction: 04-2020, 220 V, 50 Hz, 1.08 kW, sealing speed:   |         |
|     |                 | 0~16 m/min, sealing thickness 0.04~0.4 mm, conveyor            |         |
|     |                 | lifting: 100~600 mm, plastic belt, belt width: 185 mm, seal    |         |
|     |                 | length: 140 mm, maximum bag weight: 5 kg, total                |         |
|     |                 | dimensions: 1150 mm x 500 mm x 1540 mm.                        |         |
| 101 | NN bag sealing  | Horizontal Continuous mobile plastic bag sealing machine,      | 400     |
|     | machine         | seal length: 340 mm, plastic belt, belt width: 170 mm, total   |         |
|     |                 | dimensions: 1370 mm x 480 mm x 1500 mm.                        |         |
| 102 | Biro            | Biro mobile mixer grinder, model: AFGM 48, serial number:      | 100     |
|     |                 | 50168, 7.5 kW diameter plate: 100 mm, total dimensions:        |         |
|     |                 | 1080 mm x 670 mm x 1400 mm. Incomplete, missing knives         |         |
|     |                 | and plates. Technical condition unknown.                       |         |
| 103 | Weber           | Weber outfeed belt for slicer, s/s frame, type: CCE, number:   | 300     |
|     |                 | 6142, plastic belt, belt width: 380 mm, total dimensions:      |         |
|     |                 | 3980 mm x 880 mm x 1350 mm. Incomplete, missing belt.          |         |
| 104 | Weber           | Weber outfeed belt for slicer, s/s frame, type: CCE, number:   | 300     |
|     |                 | 6289, plastic belt, belt width: 420 mm, total dimensions:      |         |
|     |                 | 4100 mm x 880 mm x 1350 mm. Incomplete, missing belt.          |         |
| 105 | Weber           | Weber mobile outfeed belt for slicer, type: CCE-MOV,           | 500     |
|     |                 | number: CCE 305-376, year of construction: 06/2013,            |         |
|     |                 | weight: 350 kg, plastic belt, belt width: 420 mm, total        |         |
|     |                 | dimensions: 2650 mm x 1100 mm x 1400 mm.                       |         |
| 106 | Hoegger         | Hoegger meat press, type: IP 320, number: 05-118, year of      | 3500    |
|     |                 | construction: 2006, 400/460 V, 50/60 Hz, inside                |         |
|     |                 | dimensions: 240 mm x 140 mm, total dimensions: 2700 mm         |         |
|     |                 | x 820 mm x 1720 mm. Including trolley with dye's,              |         |
|     |                 | dimensions trolley: 1200 mm x 930 mm x 1270 mm.                |         |
| 107 | Multivac        | Multivac traysealer, type: T400, serial number: 133583, year   | 1500    |
| •   |                 | of construction: 2010, 415 V, 3 Ph, 50 Hz, 22 A, 3.5 kW,       |         |
|     |                 | dimensions dye: (4x) 220 mm x 140 mm, film width: 320          |         |
|     |                 | mm, plastic belt, belt width: 180 mm, total dimensions:        |         |
|     |                 | 2750 mm x 1340 mm x 2140 mm.                                   |         |
|     |                 |  | I       |



| Nr  | Title                 | Description   | Start € |
|-----|-----------------------|---|---------|
| 108 | NN meat press         | Meat press with hydraulic unit, clearance: 130 mm x 60 mm,<br>total dimensions: 2460 mm x 770 mm x 2060 mm,<br>dimensions hydraulic unit: 1100 mm x 1000 mm x 1000<br>mm. Technical condition unknown.  | 1000    |
| 109 | PFM                   | PFM flowpacker, model: SHAMAL, serial number; D1717,<br>year of construction: 2012, 400 V, 50 Hz, 15 A, 10 kW, plastic<br>belt, belt width: 350 mm, seal width: 250 mm, seal length:<br>90 mm, total dimensions: 3280 mm x 1550 mm x 1740 mm. | 3500    |
| 110 | Lutetia               | Lutetia tumbler, type: 5, number: 16028, year of<br>construction: 2000, 400 V, 50 Hz, 7.5 kW, volume: 4000<br>liter, weight: 3000 kg, dimensions: 3400 mm x 2000 mm x<br>2600 mm. Incomplete.   | 1500    |
| 111 | Lutetia               | Lutetia tumbler, type: 5, number: 16734, year of<br>construction: 2006, 400 V, 50 Hz, 8.5 kW, volume: 4000<br>liter, weight: 3000 kg, dimensions: 3400 mm x 2000 mm x<br>2600 mm. Incomplete.   | 1500    |
| 112 | Lutetia               | Lutetia tumbler, type: 5, volume: 4000 liter, dimensions:<br>3700 mm x 2000 mm x 2500 mm. Incomplete.   | 1500    |
| 113 | Lutetia               | Lutetia tumbler, type: 5, volume: 4000 liter, dimensions:<br>3550 mm x 2030 mm x 2600 mm. Incomplete.   | 1500    |
| 114 | Lutetia               | Lutetia tumbler, type: 4, volume: 1800 liter, dimensions:<br>3330 mm x 1420 mm x 2050 mm. Incomplete.   | 1500    |
| 115 | Lutetia               | Lutetia tumbler, type: 4, number: 15878, year of<br>construction: 2000, 415 V, 65 Hz, 6.6 kW, volume: 1800<br>liter, weight: 1400 kg, dimensions: 3500 mm x 1460 mm x<br>2000 mm. Incomplete.   | 1250    |
| 116 | Lutetia               | Lutetia tumbler, type: 40, number: 15408, year of<br>construction: 1997, 415 V, 50 Hz, 6.6 kW, volume: 2200<br>liter, weight: 1500 kg, dimensions: 3500 mm x 1600 mm x<br>2150 mm. Incomplete.  | 1250    |
| 117 | Lutetia               | Lutetia tumbler, type: 3, number: 16677, year of<br>construction: 2005, 415 V, 50 Hz, 4.7 kW, volume: 1500<br>liter, weight: 1100 kg, dimensions: 1950 mm x 1750 mm x<br>1800 mm. Incomplete.   | 1250    |
| 118 | Lutetia               | Lutetia tumbler, type: 1, number: 15599, year of<br>construction: 1998, 415 V, 65 Hz, 4 kW, volume: 400 liter,<br>weight: 800 kg, dimensions: 2900 mm x 1450 mm x 2100<br>mm. Incomplete.   | 1250    |
| 119 | Premier<br>Processing | Premier Processing tumbler, dimensions: 1950 mm x 1750 mm x 1800 mm. Incomplete.  | 1000    |
| 120 | Premier<br>Processing | Premier Processing tumbler, dimensions: 1950 mm x 1800 mm x 1800 mm. Incomplete.  | 1000    |
| 121 | Lutetia               | Lutetia tumbler, number: 7426, dimensions: 2040 mm x<br>1230 mm x 1770 mm. Incomplete.  | 1250    |



| Nr  | Title             | Description  | Start € |
|-----|-------------------|--|---------|
| 122 | Repak             | Repak thermoformer, type: RE 20/5, machine number:                   | 2500    |
|     |                   | 2050021, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 21          |         |
|     |                   | A, 12 kW, film width: 420 mm, dimensions dye: (3x) 200 mm            |         |
|     |                   | x 110 mm, plastic outfeed belt, belt width: 400 mm, total            |         |
|     |                   | dimensions: 5850 mm x 1070 mm x 2070 mm.                             |         |
| 123 | Ross Industries   | Ross Industries Inc. traysealer, model: S45, serial number:          | 1500    |
|     | Inc.              | 1115, year of construction: January 2001, 400 V, 3 Ph, 50            |         |
|     |                   | Hz, 63 A, dimensions dye: (3x) 190 mm x 145 mm, plastic              |         |
|     |                   | mesh outfeed belt, belt width: 680 mm, total dimensions:             |         |
|     |                   | 4980 mm x 1500 mm x 2100 mm.   |         |
| 124 | Lutetia           | Lutetia s/s brine tank, dimensions: Ø 1150 mm x 2720 mm.             | 250     |
|     |                   | Without pump.  |         |
| 125 | Ross Industries   | Ross Industries Inc. traysealer, model: INPACKX-S45, serial          | 1500    |
| 125 | Inc.              | number: 2012, year of construction: January 2003, 400 V, 3           | 1000    |
|     | inc.              | Ph, 50 Hz, 63 A, dimensions dye: (3x) 220 mm x 130 mm,               |         |
|     |                   | plastic mesh outfeed belt, belt width: 560 mm, total                 |         |
|     |                   | dimensions: 4850 mm x 1300 mm x 2000 mm.                             |         |
| 127 | Soco System       | Soco System box closing machine with bottom taper, model:            | 250     |
| 127 | SUCO System       |  | 250     |
|     |                   | T-55, number: 38-94, year of construction: 1998, 415 V, 3            |         |
|     |                   | Ph, plastic rollers, roller width: 250 mm, total dimensions:         |         |
|     |                   | 1000 mm x 850 mm x 1100 mm.  |         |
| 128 | Applied           | Applied Vibration Ltd s/s vibrating gutter, gutter width: 1100       | 500     |
|     | Vibration Ltd     | mm, total dimensions: 2600 mm x 1500 mm x 500 mm.                    |         |
| 129 | Applied           | Applied Vibration Ltd s/s vibrating gutter, gutter width: 650        | 500     |
|     | Vibration Ltd     | mm, total dimensions: 2500 mm x 800 mm x 600 mm.                     |         |
| 130 | Yamato /          | Yamato / Dataweigh 14-heads multihead weigher,                       | 4000    |
|     | Dataweigh         | dimensions: 1800 mm x 1800 mm x 1400 mm.                             |         |
| 131 | Sandiacre         | Sandiacre vertical bag form-, fill- and seal machine, type:          | 1500    |
|     |                   | TG320L, number: 2138, year of construction: 1997, Markem             |         |
|     |                   | Imaje date printer, dimensions: 3400 mm x 1450 mm x 2100             |         |
|     |                   | mm. Including outfeed elevating belt, s/s frame, plastic mesh        |         |
|     |                   | belt, belt width: 400 mm, elevating height: 1000 mm,                 |         |
|     |                   | dimensions elevating belt: 1700 mm x 900 mm x 1100 mm.               |         |
| 132 | Loma Systems      | Loma Systems metal detector, model: IQ <sup>2</sup> , serial number: | 1500    |
|     |                   | 1904 45930, year of construction: 1999, 415 V, 3 Ph, 50 Hz,          |         |
|     |                   | plastic belt, belt width: 300 mm, total dimensions: 2600             |         |
|     |                   | mm x 800 mm x 1600 mm.   |         |
| 133 | NN transport      | Transport belt, s/s frame, plastic belt, belt width: 350 mm,         | 250     |
|     | belt              | total dimensions: 2700 mm x 700 mm x 900 mm.                         |         |
| 134 | NN elevating belt | Elevating belt, s/s frame, plastic belt with dividers, belt          | 1500    |
| 104 |                   | width: 350 mm, elevating height: 4000 mm, total                      |         |
|     |                   | dimensions: 5500 mm x 750 mm x 4100 mm.                              |         |
| 135 | NN slide          | S/s slide, dimensions: 1050 mm x 1400 mm x 900 mm.                   | 150     |
|     |                   |  |         |
| 136 | Loma Systems      | Loma Systems metal detector, model: IQ <sup>3</sup> , serial number: | 1500    |
|     |                   | MD302-15557D, year of construction: 2011, 230 V, 1 Ph, 50            |         |
|     |                   | Hz, 0.1 A, plastic belt, belt width: 600 mm, total dimensions:       |         |
|     |                   | 2330 mm x 1000 mm x 1300 mm.   |         |



| Nr  | Title                  | Description  | Start € |
|-----|------------------------|--|---------|
| 137 | NN transport<br>belt   | Transport belt, s/s frame, plastic belt, belt width: 600 mm,<br>total dimensions: 2200 mm x 900 mm x 400 mm.   | 350     |
| 138 | AJT                    | AJT transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 5500 mm x 800 mm x 300 mm.  | 500     |
| 139 | NN vibrating<br>gutter | S/s vibrating gutter, gutter width: 1100 mm, total dimensions: 2600 mm x 1500 mm x 500 mm.   | 500     |
| 140 | Yamato /<br>Dataweigh  | Yamato / Dataweigh 14-heads multihead weigher,<br>dimensions: 1800 mm x 1800 mm x 1400 mm.   | 4000    |
| 141 | NN transport<br>belt   | Transport belt, s/s frame, plastic belt, belt width: 700 mm,<br>total dimensions: 1700 mm x 900 mm x 500 mm.   | 150     |
| 142 | NN vibrating<br>gutter | S/s vibrating gutter, gutter width: 800 mm, total dimensions:<br>3000 mm x 1950 mm x 900 mm.   | 500     |
| 143 | Yamato /<br>Dataweigh  | Yamato / Dataweigh 14-heads multihead weigher,<br>dimensions: 2200 mm x 2400 mm x 1450 mm. Control<br>panel incomplete.  | 2500    |
| 144 | Soco System            | Soco System box closing machine with top taper, model:<br>T-10, machine number: 21-467-T10, year of construction:<br>2021, 415 V, 3 Ph, 50 Hz, 1.5 A, plastic rollers, roller width:<br>250 mm, total dimensions: 1100 mm x 950 mm x 1800 mm.                                      | 750     |
| 145 | Sandiacre              | Sandiacre vertical bag form-, fill- and seal machine, type:<br>TG320L, number: 2690, year of construction: 2000, film<br>width: 680 mm, total dimensions: 2400 mm x 1450 mm x<br>2000 mm.  | 1500    |
| 146 | NN elevating belt      | Elevating belt, s/s frame, plastic mesh belt, belt width: 400<br>mm, elevating height: 1000 mm, total dimensions: 1700<br>mm x 900 mm x 1100 mm.   | 250     |
| 147 | Loma Systems           | Loma Systems metal detector with retracting rejector,<br>model: IQ <sup>2</sup> , plastic belt, belt width: 450 mm, clearance: 450<br>mm x 120 mm, total dimensions: 2100 mm x 1100 mm x<br>1650 mm.   | 1500    |
| 148 | Sandiacre              | Sandiacre vertical bag form-, fill- and seal machine, film<br>width: 680 mm, total dimensions: 2500 mm x 1600 mm x<br>2100 mm. Incomplete.   | 500     |
| 149 | NN elevating belt      | Elevating belt, s/s frame, plastic mesh belt, belt width: 400<br>mm, elevating height: 1000 mm, total dimensions: 2600<br>mm x 700 mm x 1100 mm.   | 400     |
| 150 | Grote                  | Grote mobile horizontal slicer, working width: 1000 mm, 4<br>chambers, dimensions chamber: (4x) 195 mm x 95 mm,<br>total dimensions: 2600 mm x 1600 mm x 2100 mm. Lot<br>located in Kelloholm, United Kingdom. Viewing and picking<br>up in consultation with Industrial Auctions. | 1250    |



| Nr  | Title                   | Description  | Start € |
|-----|-------------------------|--|---------|
| 151 | Variovac                | Variovac thermoformer, type: 2000 VA, serial number:<br>420.378.00, machine number: 378, year of construction:<br>2000, 230/400 V, 32 A, 14.8 kW, bottom film width: 420<br>mm, top film width: 405 mm, dimensions dye: (4x) 160 mm<br>x 170 mm, total dimensions: 5600 mm x 1000 mm x 1950<br>mm. Without vacuum pump. Lot located in Kelloholm,<br>United Kingdom. Viewing and picking up in consultation<br>with Industrial Auctions. | 2000    |
| 152 | PR Industrial<br>S.r.l. | PR Industrial S.r.I. electrical pallet lifter, model: GX 12/29<br>STRADDLE PLUS, serial number: HLI0227794, year of<br>construction: 2015, capacity: 1200 kg, fork length: 1000<br>mm, total dimensions: 1380 mm x 1850 mm x 2000<br>mm. Lot located in Kelloholm, United Kingdom. Viewing<br>and picking up in consultation with Industrial Auctions.   | 500     |
| 153 | PR Industrial<br>S.r.l. | PR Industrial S.r.I. electrical pallet lifter, model: GX 12/25<br>STRADDLE, serial number: LLI0022447, year of construction:<br>2011, capacity: 1200 kg, fork length: 1000 mm, total<br>dimensions: 1380 mm x 1850 mm x 2000 mm. Including<br>Energetic Plus battery charger, model: RE 24-20. Lot located<br>in Kelloholm, United Kingdom. Viewing and picking up in<br>consultation with Industrial Auctions.                          | 500     |
| 154 | Jungheinrich            | Jungheinrich electrical pallet lifter, type: EJC 110, serial<br>number: 90340291, year of construction: 2009, capacity:<br>1000 kg, fork length: 1150 mm, total dimensions: 1900 mm<br>x 800 mm x 1750 mm. Lot located in Kelloholm, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.  | 500     |
| 155 | Seydelmann              | Seydelmann double shaft paddle mixer grinder, type: PG160,<br>machine number: 94072, 415 V, 50 Hz, 85 A, diameter plate:<br>160 mm, total dimensions: 2100 mm x 2700 mm x 2700<br>mm. Incomplete, missing knives and plates. Lot located in<br>Kelloholm, United Kingdom. Viewing and picking up in<br>consultation with Industrial Auctions.  | 3000    |
| 156 | Lutetia                 | Lutetia tumbler, type: 1, number: 15849, year of<br>construction: 2004, 400 V, 50 Hz, volume: 800 liter, total<br>dimensions: 2400 mm x 1500 mm x 2100 mm. Lot located<br>in Kelloholm, United Kingdom. Viewing and picking up in<br>consultation with Industrial Auctions.  | 2000    |
| 157 | Hyster                  | Hyster electric forklift, model: 31.60XMT, serial number:<br>G160A06099A, year of construction: 2013, weight with<br>battery: 3410 kg, capacity: 1110 kg, maximum loading<br>height: 5550 mm, dimensions: 3000 mm x 1100 mm x 2400<br>mm. Lot located in Kelloholm, United Kingdom. Viewing<br>and picking up in consultation with Industrial Auctions.  | 1500    |



| Nr  | Title             | Description   | Start € |
|-----|-------------------|---|---------|
| 158 | Hyster            | Hyster electric forklift, model: E1.50XM, serial number:  | 1000    |
|     |                   | D114A05184A, year of construction: 2003, capacity: 1160   |         |
|     |                   | kg, total dimensions: 2000 mm x 1100 mm x 2300 mm.  |         |
|     |                   | Missing forks. Lot located in Kelloholm, United Kingdom.  |         |
|     |                   | Viewing and picking up in consultation with Industrial  |         |
| 150 | Fui               | Auctions.   | 20000   |
| 159 | Frigoscandia      | Frigoscandia spiral freezer, GYROCOPMACT, model: SFM-   | 20000   |
|     |                   | GC92, refrigerant: ammonia, s/s mesh belt, belt width: 870  |         |
|     |                   | mm, 70 mm deep, 40 layers, height layers: 56 mm. Including  |         |
|     |                   | twin fan evaporation unit, control panel and internal coil  |         |
|     |                   | support framework and drive motors. Without cooling   |         |
|     |                   | compressor. Already professionally dismantled. Lot located  |         |
|     |                   | in Kelloholm, United Kingdom. Viewing and picking up in consultation with Industrial Auctions.                    |         |
| 160 | Lutetia           |   | 3500    |
| 100 | Lutella           | Lutetia vacuum tumbler, type: 5, number: 15144, year of<br>construction: 1996, 380 V, 50 Hz, 7500 W, volume: 4000 | 3500    |
|     |                   | liter, weight: 3000 kg, dimensions: 3400 mm x 2000 mm x   |         |
|     |                   | 2600 mm.  |         |
| 161 | Lutetia           | Lutetia vacuum tumbler, type: 5, volume: 4000 liter,  | 3500    |
| 101 | Lutella           | dimensions: 3400 mm x 2000 mm x 2600 mm.  | 3300    |
| 162 | Lutetia           | Lutetia vacuum tumbler, type: 5, volume: 4000 liter,  | 3500    |
| 102 | Lutella           | dimensions: 3400 mm x 2000 mm x 2600 mm.  | 3300    |
| 163 | Henneken          | Henneken brine mixer, type: L650, machine number:   | 1500    |
| 105 | Henneken          | L-08/12.5-5212, year of construction: 2016, 400 V, 50 Hz, 4   | 1500    |
|     |                   | kW, dimensions: 1980 mm x 1400 mm x 2400 mm.  |         |
| 164 | 4-Matic           | 4-Matic mobile elevating belt, type: Feed Elevator, serial  | 1000    |
| 104 |                   | number: 4M-5056-DF0917, year of construction: 2017,   | 1000    |
|     |                   | dimensions: 2000 mm x 1400 mm x 2400 mm. Belt missing.  |         |
| 165 | NN vibrating      | S/s vibrating gutter, gutter width: 650 mm, total dimensions:   | 500     |
| 100 | gutter            | 2500 mm x 800 mm x 600 mm.  |         |
| 166 | Ishida            | Ishida 14-heads multihead weigher, type: CCN-NZ-214WE-S/  | 4000    |
|     |                   | 50-WP, serial number: 550760, year of construction:   |         |
|     |                   | September 2000, 220 V, 1 Ph, 50 Hz, 11.5 A, 920 kg,   |         |
|     |                   | dimensions: 1800 mm x 1800 mm x 1400 mm.  |         |
| 167 | Sandiacre         | Sandiacre vertical bag form-, fill- and seal machine, type:   | 1500    |
|     |                   | TG320L, number: 2691, year of construction: 2000, Markem  |         |
|     |                   | Imaje date printer, total dimensions: 3400 mm x 1450 mm x   |         |
|     |                   | 2100 mm.  |         |
| 168 | NN elevating belt | Elevating belt, s/s frame, plastic mesh belt, belt width: 400   | 400     |
|     |                   | mm, elevating height: 1000 mm, total dimensions: 1700   |         |
|     |                   | mm x 900 mm x 1100 mm.  |         |
| 169 | Loma Systems      | Loma Systems metal detector, plastic belt, belt width: 300  | 1500    |
|     |                   | mm, total dimensions: 2600 mm x 800 mm x 1600 mm.   |         |
| 170 | 4-Matic           | 4-Matic mobile elevating belt, type: Feed Conveyor, serial  | 1000    |
|     |                   | number: 4M-6357-RW118, year of construction: 2018, 230  |         |
|     |                   | V, 50 Hz, 16 A, plastic belt with dividers, dimensions: 2000  |         |
|     |                   | mm x 1400 mm x 2400 mm.   |         |



| Nr  | Title              | Description  | Start € |
|-----|--------------------|--|---------|
| 171 | NN vibrating       | S/s vibrating gutter, gutter width: 650 mm, total dimensions:                              | 500     |
|     | gutter             | 2500 mm x 800 mm x 600 mm.   |         |
| 172 | Ishida             | Ishida 14-heads multihead weigher, dimensions: 1800 mm x                                   | 4000    |
|     |                    | 1800 mm x 1400 mm.   |         |
| 173 | Sandiacre          | Sandiacre vertical bag form-, fill- and seal machine, type:                                | 1500    |
|     |                    | TG320L, number: 2623, year of construction: 2000, Markem                                   |         |
|     |                    | Imaje date printer, total dimensions: 3400 mm x 1450 mm x                                  |         |
| 174 | NN elevating belt  | 2100 mm.<br>Elevating belt, s/s frame, plastic mesh belt, belt width: 400                  | 400     |
| 1/4 | Nin elevating bert | mm, elevating height: 1000 mm, total dimensions: 1700                                      | 400     |
|     |                    | mm x 900 mm x 1100 mm.   |         |
| 175 | Loma Systems       | Loma Systems metal detector, plastic belt, belt width: 300                                 | 1500    |
| 270 | 2011/00/0000110    | mm, total dimensions: 2600 mm x 800 mm x 1600 mm.  |         |
| 176 | 4-Matic            | 4-Matic mobile transport belt, type: Cross Feed Conveyor,                                  | 1000    |
|     |                    | serial number: 4M-6358-RW1118, year of construction:                                       |         |
|     |                    | 2018, 230 V, 50 Hz, 16 A, dimensions: 3500 mm x 1000 mm                                    |         |
|     |                    | x 2400 mm.   |         |
| 177 | Yamato /           | Yamato / Dataweigh 16-heads multihead weigher, model:                                      | 2500    |
|     | Dataweigh          | ADW-516MWH, serial number: WG980403, 220-240 V, 1  |         |
|     |                    | Ph, 50/60 Hz, 10 A, weighing range: 20 - 2000 gram,  |         |
|     |                    | dimensions: 1800 mm x 1800 mm x 3500 mm. Display   |         |
| 178 | NN batcher         | incomplete.<br>S/s batcher, 2 heads, dimensions: 2800 mm x 1400 mm x                       | 1000    |
| 170 | NN baccher         | 1000 mm. Belt missing.   | 1000    |
| 179 | Ishida             | Ishida 14-heads multihead weigher, type: CCW-MZ-214WE-S/                                   | 1500    |
|     |                    | 50-WP, year of construction: October 2000, 220 V, 1 Ph, 50                                 |         |
|     |                    | Hz, 11.5 A, 920 kg, dimensions: 1800 mm x 1800 mm x 1400                                   |         |
|     |                    | mm. Incomplete, technical condition unknown.   |         |
| 180 | Seydelmann         | Seydelmann cutter with lifter for meat bins and ejecter, type:                             | 15000   |
|     |                    | K504DC6 VA, machine number: 92260-1, 415 V, 50 Hz, 360                                     |         |
|     |                    | A, s/s bowl, volume: 500 liter, dimensions: 3000 mm x 2480                                 |         |
|     |                    | mm x 2200 mm. Including switch cabinet, dimensions:  |         |
| 181 | Kilia              | 1200 mm x 450 mm x 1800 mm.<br>Kilia cutter with lifter and ejecter, s/s bowl, volume: 500 | 9500    |
| 101 | Killd              | liter, dimensions: 3400 mm x 2120 mm x 2480 mm. Lifter                                     | 9300    |
|     |                    | incomplete, transport rollers not included.  |         |
| 182 | NN meat hooks      | Pallet with 70 s/s meat hooks.   | 350     |
| 183 | NN meat hooks      | Pallet with 70 s/s meat hooks.   | 350     |
| 184 | NN meat hooks      | Pallet with 70 s/s meat hooks.   | 350     |
| 185 | NN meat hooks      | 3 pallets with 70 s/s meat hooks per pallet.   | 1050    |
| 186 | NN meat hooks      | 3 pallets with 70 s/s meat hooks per pallet.   | 1050    |
| 187 | NN meat hooks      | 3 pallets with 70 s/s meat hooks per pallet.   | 1050    |
| 188 | NN meat hooks      | 3 pallets with 70 s/s meat hooks per pallet.   | 1050    |
| 189 | NN meat hooks      | 5 pallets with 70 s/s meat hooks per pallet.   | 1750    |
| 190 | NN meat hooks      | 3 pallets with 70 s/s meat hooks per pallet.   | 1750    |



| Nr  | Title             | Description   | Start € |
|-----|-------------------|---|---------|
| 191 | Foodlogistik      | Foodlogistik dicer, type: MS120JM, machine number:            | 2500    |
|     |                   | 202534, year of construction: 2002, 415 V, 3 Ph, 50 Hz, 3.8   |         |
|     |                   | kW, dimensions chamber: 520 mm x 125 mm x 125 mm,             |         |
|     |                   | total dimensions: 1800 mm x 1100 mm x 1400 mm.                |         |
| 325 | Nimo KG           | Nimo KG mobile tiling device for 200 liter meat bins, type:   | 750     |
|     |                   | SKV 200 HA, number: 9931, year of construction: 2003,         |         |
|     |                   | maximum capacity: 250 kg, tilting height: 950 mm, total       |         |
|     |                   | dimensions: 1200 mm x 1300 mm x 1100 mm. Lot located          |         |
|     |                   | in Heathhall, United Kingdom. Viewing and picking up in       |         |
|     |                   | consultation with Industrial Auctions.                        |         |
| 326 | NN meat           | Mobile mobile meat shredder used for pulled pork, inside      | 650     |
|     | shredder          | dimensions: Ø 450 mm x 450 mm, total dimensions: 1300         |         |
|     |                   | mm x 700 mm x 1600 mm. Lot located in Heathhall, United       |         |
|     |                   | Kingdom. Viewing and picking up in consultation with          |         |
|     |                   | Industrial Auctions.  |         |
| 327 | W.F.P.E. LTD      | W.F.P.E. LTD mobile batch weigher, type: UNIFILL, serial      | 850     |
|     |                   | number: 040415, gutter width: 340 mm and 80 mm, $\phi$        |         |
|     |                   | head: 80 mm, total dimensions: 1600 mm x 1100 mm x            |         |
|     |                   | 2100 mm. Lot located in Heathhall, United Kingdom.            |         |
|     |                   | Viewing and picking up in consultation with Industrial        |         |
|     |                   | Auctions.   |         |
| 328 | Weber             | Weber slicer, type: SLC 602, number: 1010, year of            | 3000    |
|     |                   | construction: 05/2007, 400 V, 50 Hz, 10 kW, 6 bar, weight:    |         |
|     |                   | 1680 kg, plastic infeed belt, belt width: 400 mm, total       |         |
|     |                   | dimensions: 2600 mm x 1500 mm x 2200 mm. Incomplete.          |         |
|     |                   | Lot located in Heathhall, United Kingdom. Viewing and         |         |
|     |                   | picking up in consultation with Industrial Auctions.          |         |
| 329 | Wolfking Belam    | Wolfking Belam injector, type: MT-450/210, machine            | 1000    |
|     |                   | number: 9506-016.0003, year of construction: 1995, 415 V,     |         |
|     |                   | 50 Hz, 19 A, 6 bar, s/s walking beam, beam width: 450 mm,     |         |
|     |                   | 102 needles, total dimensions: 2400 mm x 900 mm x 2100        |         |
|     |                   | mm. Lot located in Heathhall, United Kingdom. Viewing and     |         |
|     |                   | picking up in consultation with Industrial Auctions.          |         |
| 330 | Proseal           | Proseal mobile traysealer, model: Fastpack 40, serial         | 500     |
|     |                   | number: 1158, 240 V, 50 Hz, total dimensions: 2200 mm x       |         |
|     |                   | 880 mm x 1950 mm. Incomplete, missing dye's. Lot located      |         |
|     |                   | in Heathhall, United Kingdom. Viewing and picking up in       |         |
| 224 |                   | consultation with Industrial Auctions.                        | 1250    |
| 331 | MR                | MR Etikettiertechnik labelling machine, type: MR 4381, serial | 1250    |
|     | Etikettiertechnik | number: 26126/07/A, plastic belt, belt width: (2x) 85 mm,     |         |
|     |                   | total dimensions: 1600 mm x 900 mm x 2000 mm. Lot             |         |
|     |                   | located in Heathhall, United Kingdom. Viewing and picking     |         |
|     |                   | up in consultation with Industrial Auctions.                  | 500     |
| 332 | Fessman           | Fessmann cooking vessel, inside dimensions: 1100 mm x 850     | 500     |
|     |                   | mm x 680 mm, total dimensions: 1300 mm x 1400 mm x            |         |
|     |                   | 1300 mm. Lot located in Heathhall, United Kingdom.            |         |
|     |                   | Viewing and picking up in consultation with Industrial        |         |
|     |                   | Auctions.   |         |



| Nr  | Title            | Description  | Start € |
|-----|------------------|--|---------|
| 333 | Roser            | Roser metal mesh glove washer, type: 3723, serial number:<br>174, year of construction: 2010, 415 V, 50 Hz, 0.375 kW,<br>inside dimensions: Ø 370 mm x 400 mm, total dimensions:<br>900 mm x 600 mm x 2100 mm.   | 500     |
| 334 | NN pocket filler | Rotary pocket filler, 8 pockets, diameter pockets: 80 mm,<br>total dimensions: 1200 mm x 1200 mm x 950 mm. Lot<br>located in Heathhall, United Kingdom. Viewing and picking<br>up in consultation with Industrial Auctions.  | 250     |
| 335 | NN film holders  | Pallet with several film holders, total dimensions: 1200 mm<br>x 800 mm x 450 mm. Lot located in Heathhall, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.   | 100     |
| 336 | Nimo KG          | Nimo KG mobile tiling device for 200 liter meat bins, type:<br>SKV 200 HA 90 T, number: 10023, year of construction:<br>2003, maximum capacity: 250 kg, tilting height: 950 mm,<br>total dimensions: 1200 mm x 1300 mm x 1100 mm. Lot<br>located in Heathhall, United Kingdom. Viewing and picking<br>up in consultation with Industrial Auctions. | 750     |
| 337 | Nimo KG          | Nimo KG mobile tiling device for 200 liter meat bins, type:<br>SKV 200 HA 90 T, number: 10024, year of construction:<br>2003, maximum capacity: 250 kg, tilting height: 950 mm,<br>total dimensions: 1200 mm x 1300 mm x 1100 mm. Lot<br>located in Heathhall, United Kingdom. Viewing and picking<br>up in consultation with Industrial Auctions. | 750     |
| 338 | Handtmann        | Handtmann vacuum filling machine with lifter for 200 liter<br>meat bins, dimensions: 1600 mm x 1300 mm x 2000 mm.<br>Incomplete, technical condition unknown. Lot located in<br>Heathhall, United Kingdom. Viewing and picking up in<br>consultation with Industrial Auctions.   | 250     |
| 339 | Butcher Boy      | Butcher Boy double shaft paddle mixer, type: BM 1000,<br>number: S107, year of construction: 1995, 400 V, 3 Ph, 50<br>Hz, 2x 7.5 kW, volume: 1000 liter, dimensions: 1800 mm x<br>1600 mm x 2000 mm. Lot located in Heathhall, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.                              | 1750    |
| 340 | Metal Shark      | Metal Shark mobile pipeline metal detector, clearance: Ø70<br>mm, total dimensions: 1400 mm x 700 mm x 700 mm. Lot<br>located in Heathhall, United Kingdom. Viewing and picking<br>up in consultation with Industrial Auctions.  | 250     |
| 341 | Butcher Boy      | Butcher Boy grinder, model: AU 66 S 400, number: S123,<br>year of construction: 2001, 415 V, 3 Ph, 50 Hz, 43 A, 22 kW,<br>diameter plate: 220 mm, total dimensions: 2000 mm x 1900<br>mm x 700 mm. Lot located in Heathhall, United Kingdom.<br>Viewing and picking up in consultation with Industrial<br>Auctions.                                | 1000    |



| Nr  | Title                     | Description  | Start € |
|-----|---------------------------|--|---------|
| 342 | Frampton<br>Worldwide Ltd | Frampton Worldwide Ltd mobile roasting tunnel, model:<br>FR-1-3 S, serial number: 7766/0414, 415 V, 3 Ph, 20 kW, s/s<br>mesh belt, belt width: 130 mm, total dimensions: 2700 mm<br>x 900 mm x 1600 mm. Lot located in Heathhall, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.   | 1250    |
| 343 | Karl Schnell              | Karl Schnell mobile micro cutter, dimensions: 2900 mm x<br>1200 mm x 1300 mm. Lot located in Heathhall, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.   | 2500    |
| 344 | Weber                     | Weber slicer, type: CCS 402, number: 193, 400 V, 50 Hz, 10<br>kW, dimensions: 2400 mm x 1000 mm x 2200 mm.<br>Incomplete, missing outfeed string conveyor. Lot located in<br>Heathhall, United Kingdom. Viewing and picking up in<br>consultation with Industrial Auctions.  | 2500    |
| 345 | NN mixing tub             | S/s mixing tub, dimensions: 1300 mm x 1000 mm x 1700 mm. Lot located in Heathhall, United Kingdom. Viewing and picking up in consultation with Industrial Auctions.  | 750     |
| 346 | MR<br>Etikettiertechnik   | MR Etikettiertechnik labelling machine, type: MR 6312, serial<br>number: 27941/09/B, plastic belt, belt width: 200 mm,<br>total dimensions: 1600 mm x 1000 mm x 2000 mm.<br>Incomplete. Lot located in Heathhall, United Kingdom.<br>Viewing and picking up in consultation with Industrial<br>Auctions.   | 500     |
| 347 | 3M-Matic                  | 3M-Matic mobile box closing machine, top and bottom<br>tapers, model: 8000A, type: 11700, serial number: 50003,<br>year of construction: 2017, 400 V, 3 Ph, 50 Hz, 1.1 A, 260 W,<br>plastic rollers, roller width: 500 mm, total dimensions: 1500<br>mm x 1100 mm x 1600 mm. Lot located in Heathhall,<br>United Kingdom. Viewing and picking up in consultation<br>with Industrial Auctions.              | 750     |
| 348 | 3 M-Matic                 | 3M-Matic mobile box closing machine, top and bottom<br>tapers, model: 8000A, type: 11700, serial number: 50002,<br>year of construction: 2017, 400 V, 3 Ph, 50 Hz, 1.1 A, 260 W,<br>plastic rollers, roller width: 500 mm, total dimensions: 1500<br>mm x 1100 mm x 1600 mm. Lot located in Heathhall,<br>United Kingdom. Viewing and picking up in consultation<br>with Industrial Auctions.              | 750     |
| 349 | Safeline                  | Safeline mobile metal detector with elevating belt, type: F1,<br>serial number: 10834, 415 V, 50 Hz, 1.5 A, plastic belt, belt<br>width: 680 mm, clearance: 800 mm x 220 mm, elevating<br>height: 1300 mm, total dimensions: 2800 mm x 1350 mm x<br>1900 mm. Control panel cover damaged. Lot located in<br>Heathhall, United Kingdom. Viewing and picking up in<br>consultation with Industrial Auctions. | 500     |



| Nr  | Title          | Description   | Start € |
|-----|----------------|---|---------|
| 350 | NN ham press   | S/s ham press, inside dimensions: 1000 mm x 100 mm x 100      | 1500    |
|     |                | mm, total dimensions: (2x) 1100 mm x 1600 mm x 1300           |         |
|     |                | mm. Lot located in Heathhall, United Kingdom. Viewing and     |         |
|     |                | picking up in consultation with Industrial Auctions.          |         |
| 351 | NN ham press   | S/s ham press, inside dimensions: 1000 mm x 100 mm x 100      | 1500    |
|     |                | mm, total dimensions: (2x) 1100 mm x 1600 mm x 1300           |         |
|     |                | mm. Lot located in Heathhall, United Kingdom. Viewing and     |         |
|     |                | picking up in consultation with Industrial Auctions.          |         |
| 352 | NN ham press   | S/s ham press, inside dimensions: 1000 mm x 100 mm x 100      | 1500    |
|     |                | mm, total dimensions: (2x) 1100 mm x 1600 mm x 1300           |         |
|     |                | mm. Lot located in Heathhall, United Kingdom. Viewing and     |         |
|     |                | picking up in consultation with Industrial Auctions.          |         |
| 353 | Proseal        | Proseal infeed belt for traysealer, model: OC, serial number: | 450     |
|     |                | 1777, year of construction: 2009, 400 V, 50 Hz, s/s chain     |         |
|     |                | conveyor with dividers, belt width: 100 mm, distance          |         |
|     |                | between dividers: 200 mm, divider height: 15 mm, total        |         |
|     |                | dimensions: 7600 mm x 800 mm x 2000 mm. Lot located in        |         |
|     |                | Heathhall, United Kingdom. Viewing and picking up in          |         |
|     |                | consultation with Industrial Auctions.                        |         |
| 354 | CES            | CES liquid nitrogen freezing tunnel, model: LT-CES-           | 3500    |
|     |                | LN-4.00-0.66-PODB, serial number: C360, year of               |         |
|     |                | construction: 14.03.1996, 415 V, 3 Ph, 6 kW, weight: 1500     |         |
|     |                | kg, s/s mesh belt, belt width: 700 mm, total dimensions:      |         |
|     |                | 5700 mm x 1500 mm x 2300 mm. Lot located in Heathhall,        |         |
|     |                | United Kingdom. Viewing and picking up in consultation        |         |
|     |                | with Industrial Auctions.                                     |         |
| 355 | Riggs Autopack | Riggs Autopack transport belt, model: 1000, serial number:    | 750     |
|     |                | TT845, year of construction: 2006, s/s chain conveyor with    |         |
|     |                | dividers, belt width: 200 mm, distance between dividers:      |         |
|     |                | 300 mm, divider height: 25 mm, total dimensions: 7600         |         |
|     |                | mm x 700 mm x 1600 mm. Lot located in Heathhall, United       |         |
|     |                | Kingdom. Viewing and picking up in consultation with          |         |
|     |                | Industrial Auctions.  |         |
| 356 | Proseal        | Proseal mobile traysealer, model: Fastpack F45, serial        | 500     |
|     |                | number: 1363, 415 V, 50 Hz, plastic belt, belt width: 180     |         |
|     |                | mm, total dimensions: 3300 mm x 900 mm x 2100 mm.             |         |
|     |                | Incomplete, missing dye's. Lot located in Heathhall, United   |         |
|     |                | Kingdom. Viewing and picking up in consultation with          |         |
|     |                | Industrial Auctions.  |         |
| 357 | Carsø          | Carsø denester, type: denester, dimensions: 900 mm x 700      | 650     |
|     |                | mm x 1900 mm. Lot located in Heathhall, United Kingdom.       |         |
|     |                | Viewing and picking up in consultation with Industrial        |         |
|     |                | Auctions.   |         |



| Nr  | Title                           | Description   | Start € |
|-----|---------------------------------|---|---------|
| 358 | Saxon                           | Fischbein-Saxon Ltd mobile bag sealer, model: SB 1000,<br>machine number: 97353, year of construction: 2015,<br>220-230 V, 1 Ph, 50/60 Hz, 3.1 A, plastic belt, belt width:   | 550     |
|     |                                 | 310 mm, seal length: 600 mm, total dimensions: 2300 mm x<br>900 mm x 1600 mm. Lot located in Heathhall, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.  |         |
| 359 | Inox Behalter                   | Inox Behalter s/s double jacketed tub, number:<br>2003122233, year of construction: 2020, volume: 570 liter,<br>dimensions: 1300 mm x 1200 mm x 1600 mm. Lot located<br>in Heathhall, United Kingdom. Viewing and picking up in<br>consultation with Industrial Auctions.   | 500     |
| 360 | Orion                           | Orion pallet wrapper, serial number: 43716, year of<br>construction: 17-1-2011, diameter platform: 1700 mm,<br>total dimensions: 3000 mm x 1700 mm x 2300 mm. Lot<br>located in Heathhall, United Kingdom. Viewing and picking<br>up in consultation with Industrial Auctions.  | 750     |
| 361 | Robopac S.p.A.                  | Robopac S.p.A. pallet wrapper, model: MASTERPLAT PLUS<br>PGS, serial number: 30174090, year of construction: 2018,<br>230 V, 1 Ph, 50/60 Hz, 7.0 A, 1.9 kW, weight: 420 kg,<br>diameter platform: 1700 mm, total dimensions: 2500 mm x<br>1700 mm x 2500 mm. Lot located in Heathhall, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.   | 750     |
| 362 | Jacob White                     | Jacob White sleever, type: NSX 3.1, machine number:<br>M2782, serial number: 305/06e, 400/230 V, 3 Ph, 50/60 Hz,<br>plastic belt, belt width: 200 mm, total dimensions: 4700<br>mm x 1200 mm x 1800 mm. Incomplete, without glue<br>unit. Lot located in Heathhall, United Kingdom. Viewing and<br>picking up in consultation with Industrial Auctions.   | 1000    |
| 364 | NN pneumatic<br>pump            | Pneumatic pump, dimensions: 1900 mm x 900 mm x 900 mm. Lot located in Heathhall, United Kingdom. Viewing and picking up in consultation with Industrial Auctions.   | 500     |
| 365 | Lutetia                         | Lutetia tumbler, type: 5, number: 15218, year of<br>construction: 2011, 400 V, 50 Hz, 7.5 kW, volume: 4000<br>liter, weight: 3000 kg, dimensions: 3600 mm x 2100 mm x<br>2500 mm. Cover damaged. Lot located in Heathhall, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.   | 2000    |
| 366 | Günther<br>Maschinenbau<br>GmbH | Günther Maschinenbau GmbH vacuum tumbler, type: GPC<br>3000, machine number: 25693, year of construction: 1999,<br>415 V, 16 A, 5.5 kW, volume: 3000 liter, Busch vacuum<br>pump, type vacuum pump: RA 0100 F 5R3, serial number:<br>D18431009, year of construction: 2018, capacity: 100 m <sup>3</sup><br>per hour, dimensions: 2800 mm x 1800 mm x 2300 mm. Lot<br>located in Heathhall, United Kingdom. Viewing and picking<br>up in consultation with Industrial Auctions. | 3500    |



| Nr  | Title        | Description  | Start € |
|-----|--------------|--|---------|
| 367 | Lutetia      | Lutetia tumbler, type: 5, volume: 4000 liter, weight: 3000               | 3500    |
|     |              | kg, dimensions: 3600 mm x 2100 mm x 2500 mm. Lot                         |         |
|     |              | located in Heathhall, United Kingdom. Viewing and picking                |         |
|     |              | up in consultation with Industrial Auctions.                             |         |
| 368 | Lutetia      | Lutetia tumbler, type: 5, volume: 4000 liter, weight: 3000               | 3500    |
|     |              | kg, dimensions: 3600 mm x 2100 mm x 2500 mm. Lot                         |         |
|     |              | located in Heathhall, United Kingdom. Viewing and picking                |         |
|     |              | up in consultation with Industrial Auctions.                             |         |
| 369 | Günther      | Günther Maschinenbau GmbH vacuum tumbler, type: GPC                      | 2500    |
|     | Maschinenbau | 3000, machine number: 24144, year of construction: 1999,                 |         |
|     | GmbH         | 415 V, 16 A, volume: 3000 liter, dimensions: 2800 mm x                   |         |
|     |              | 1800 mm x 2300 mm. Incomplete, without vacuum                            |         |
|     |              | pump. Lot located in Heathhall, United Kingdom. Viewing                  |         |
|     |              | and picking up in consultation with Industrial Auctions.                 |         |
| 370 | Lutetia      | Lutetia tumbler, type: 400, number: 7110, 400 V, 50 Hz, 7                | 2500    |
|     |              | kW, volume: 2800 liter, weight: 1800 kg, dimensions: 2300                |         |
|     |              | mm x 1800 mm x 2500 mm. Lot located in Heathhall,                        |         |
|     |              | United Kingdom. Viewing and picking up in consultation                   |         |
|     |              | with Industrial Auctions.  |         |
| 371 | Lutetia      | Lutetia tumbler, type: 5, number: 15102, year of                         | 3000    |
|     |              | construction: 1995, 400 V, 50 Hz, 7.5 kW, volume: 4000                   |         |
|     |              | liter, weight: 3000 kg, dimensions: 3600 mm x 2100 mm x                  |         |
|     |              | 2500 mm. Lot located in Heathhall, United Kingdom.                       |         |
|     |              | Viewing and picking up in consultation with Industrial                   |         |
|     |              | Auctions.  |         |
| 372 | Günther      | Günther Maschinenbau GmbH vacuum tumbler, type: GPC                      | 2500    |
|     | Maschinenbau | 3000, volume: 3000 liter, Becker vacuum pump, type                       |         |
|     | GmbH         | vacuum pump: U.1.163A-91, number: B 2390832, year of                     |         |
|     |              | construction: 2009, capacity: 16-19 m <sup>3</sup> per hour,             |         |
|     |              | dimensions: 2800 mm x 1800 mm x 2300 mm. Lot located                     |         |
|     |              | in Heathhall, United Kingdom. Viewing and picking up in                  |         |
|     |              | consultation with Industrial Auctions.                                   |         |
| 373 | Dorit        | Dorit tumbler, dimensions: 5600 mm x 2400 mm x 2400                      | 5000    |
|     |              | mm. Lot located in Heathhall, United Kingdom. Viewing and                |         |
|     |              | picking up in consultation with Industrial Auctions.                     |         |
| 374 | Starfrost    | Starfrost spiral freezer, model: HS-500B-22.25V, North-East,             | 25000   |
|     |              | s/s mesh belt, , total dimensions: 6400 mm x 4600 mm x                   |         |
|     |              | 4500 mm. Including container with RV Cooling Tech cooling                |         |
|     |              | compressor installation, model: SDTAF 2MY 260-40, serial                 |         |
|     |              | number: 12363, year of construction: 16/11/15, 400 V, 3                  |         |
|     |              | Ph, 50 Hz, 491 A, 254 kW, refrigerant: R717 / 500 kg, weight:            |         |
|     |              | 12000 kg, consisting of 2 Mycom cooling compressors,                     |         |
|     |              | model; i160L-H, serial number: 8730063 / 8730070, year of                |         |
|     |              | construction: 07-2015, capacity: (2x) 749 m <sup>3</sup> per hour, total |         |
|     |              | dimensions: 7700 mm x 2900 mm x 2800 mm. Lot located                     |         |
|     |              | in Heathhall, United Kingdom. Viewing and picking up in                  |         |
|     |              | consultation with Industrial Auctions.                                   |         |



| Nr  | Title             | Description  | Start € |
|-----|-------------------|--|---------|
| 375 | Frigoscandia      | Frigoscandia twin spiral freezer, model:                       | 25000   |
|     |                   | GCM92-08/08-35/35-25/25 EW/WS TS CR, refrigerant:              |         |
|     |                   | ammonia, s/s mesh belt, belt width: 880 mm, 70 mm deep,        |         |
|     |                   | 2 Iane belt, 35 Iayers, height Iayers: 54 mm, twin fan         |         |
|     |                   | evaporation unit. Including control panel and internal coil    |         |
|     |                   | support framework and drive motors. Without cooling            |         |
|     |                   | compressor, Already professionally dismantled. Lot located     |         |
|     |                   | in Heathhall, United Kingdom. Viewing and picking up in        |         |
|     |                   | consultation with Industrial Auctions.                         |         |
| 376 | Safeline          | Safeline metal detector with elevating belt, plastic belt with | 2000    |
|     |                   | dividers, belt width: 700 mm, distance between dividers:       |         |
|     |                   | 650 mm, divider height: 100 mm, elevating height: 2650         |         |
|     |                   | mm, clearance: 800 mm x 320 mm, total dimensions: 4100         |         |
|     |                   | mm x 1400 mm x 2800 mm. Lot located in Heathhall,              |         |
|     |                   | United Kingdom. Viewing and picking up in consultation         |         |
|     |                   | with Industrial Auctions.                                      |         |
| 377 | NN elevating belt | Elevating belt, s/s frame, plastic belt with dividers, belt    | 1500    |
| 2   |                   | width: 400 mm, distance between dividers: 200 mm, divider      |         |
|     |                   | height: 70 mm, elevating height: 6500 mm, total                |         |
|     |                   | dimensions: 6000 mm x 1200 mm x 6700 mm. Lot located           |         |
|     |                   | in Heathhall, United Kingdom. Viewing and picking up in        |         |
|     |                   | consultation with Industrial Auctions.                         |         |
| 378 | Ishida            | Ishida 14 heads multihead weigher on s/s platform, model:      | 6500    |
| 570 | ISITICA           | CCW-RV-214W-1S/50-WP-QFP2, serial number: 560013784,           | 0500    |
|     |                   | year of construction: April 2019, 240 V, 1 Ph, 50 Hz, 3.6 A,   |         |
|     |                   | weight: 1050 kg, dimensions multihead: 1600 mm x 1600          |         |
|     |                   | mm x 2100 mm, working height platform: 2400 mm,                |         |
|     |                   | dimensions platform: 4400 mm x 4300 mm x 4300 mm. Lot          |         |
|     |                   | located in Heathhall, United Kingdom. Viewing and picking      |         |
|     |                   | up in consultation with Industrial Auctions.                   |         |
| 379 | Innotec           | Innotec vertical form-, fill-, and seal machine, film width:   | 2000    |
| 579 | millitec          | 750 mm, seal width: 420 mm, total dimensions: 2400 mm x        | 2000    |
|     |                   | 1600 mm x 2300 mm. Lot located in Heathhall, United            |         |
|     |                   |  |         |
|     |                   | Kingdom. Viewing and picking up in consultation with           |         |
| 200 |                   | Industrial Auctions.   | 250     |
| 380 | NN elevating belt | Elevating belt, s/s frame, plastic mesh belt, belt width: 400  | 350     |
|     |                   | mm, elevating height: 900 mm, total dimensions: 2800 mm        |         |
|     |                   | x 650 mm x 1300 mm. Lot located in Heathhall, United           |         |
|     |                   | Kingdom. Viewing and picking up in consultation with           |         |
|     |                   | Industrial Auctions.   |         |
| 381 | KME               | KME baler, model: ARIES BALER 1500 number: 12691, 415 /        | 3000    |
|     |                   | 110 V, weight: 9000 kg, dimensions: 6000 mm x 2300 mm x        |         |
|     |                   | 2000 mm. Lot located in Heathhall, United Kingdom.             |         |
|     |                   | Viewing and picking up in consultation with Industrial         |         |
|     |                   | Auctions.  |         |
| 382 | NN hydraulic      | Hydraulic unit, dimensions: 1900 mm x 1000 mm x 800            | 500     |
|     | unit              | mm. Lot located in Heathhall, United Kingdom. Viewing and      |         |
|     |                   | picking up in consultation with Industrial Auctions.           |         |



| Nr  | Title                | Description   | Start € |
|-----|----------------------|---|---------|
| 383 | NN hydraulic<br>unit | Hydraulic unit, dimensions: 2300 mm x 1200 mm x 1700 mm. Lot located in Heathhall, United Kingdom. Viewing and picking up in consultation with Industrial Auctions.   | 500     |
| 384 | NN container         | Steel container, dimensions: 3000 mm x 1500 mm x 3000 mm. Lot located in Heathhall, United Kingdom. Viewing and picking up in consultation with Industrial Auctions.  | 500     |
| 385 | NN wire holder       | Steel wire holder, dimensions: Ø 800 mm x 1200 mm. Lot<br>located in Heathhall, United Kingdom. Viewing and picking<br>up in consultation with Industrial Auctions.   | 50      |
| 386 | NN washing tub       | Washing tub for plastic with outfeed screw, dimensions:<br>7500 mm x 4500 mm x 3300 mm. Lot located in Heathhall,<br>United Kingdom. Viewing and picking up in consultation<br>with Industrial Auctions.  | 2500    |
| 387 | NN wire feeder       | Steel wire feeder. Lot located in Heathhall, United Kingdom.<br>Viewing and picking up in consultation with Industrial<br>Auctions.   | 300     |
| 388 | KME Ltd              | KME Ltd transport belt, steel frame, plastic belt with<br>dividers, belt width: 1200 mm, distance between dividers:<br>900 mm, divider height: 50 mm, total dimensions: 13000<br>mm x 2600 mm x 2000 mm. Lot located in Heathhall,<br>United Kingdom. Viewing and picking up in consultation<br>with Industrial Auctions. | 2500    |
| 389 | NN washing tub       | Steel washing tub for plastic, dimensions: 2600 mm x 4500<br>mm x 2900 mm. Lot located in Heathhall, United Kingdom.<br>Viewing and picking up in consultation with Industrial<br>Auctions.   | 2500    |
| 390 | NN sieve drum        | Steel sieve drum used for plastic diameter drum: 2000 mm,<br>total dimensions: 2800 mm x 6500 mm x 3300 mm.<br>Including hydraulic unit, dimensions hydraulic unit: 2400<br>mm x 1800 mm x 1900 mm. Lot located in Heathhall,<br>United Kingdom. Viewing and picking up in consultation<br>with Industrial Auctions.      | 2500    |
| 391 | NN conveyor          | Conveyor with blower and magnet, plastic belt, belt width:<br>1000 mm, total dimensions: 7200 mm x 2100 mm x 3600<br>mm. Lot located in Heathhall, United Kingdom. Viewing and<br>picking up in consultation with Industrial Auctions.  | 2500    |
| 392 | NN press             | Steel hydraulic press for cutting plastic, dimensions: 4000<br>mm x 1500 mm x 2500 mm. Lot located in Heathhall,<br>United Kingdom. Viewing and picking up in consultation<br>with Industrial Auctions.   | 2000    |
| 393 | NN elevating belt    | Elevating belt, steel frame, plastic belt, belt width: 800 mm,<br>elevating height: 2650 mm, total dimensions: 11000 mm x<br>1100 mm x 2800 mm. Lot located in Heathhall, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.  | 1000    |



| Nr  | Title                 | Description   |       |  |  |  |
|-----|-----------------------|---|-------|--|--|--|
| 394 | NN elevating belt     | Elevating belt, steel frame, plastic belt, belt width: 1200 mm,<br>elevating height: 2800 mm, total dimensions: 9100 mm x<br>1700 mm x 3000 mm. Lot located in Heathhall, United  | 1000  |  |  |  |
|     |                       | Kingdom. Viewing and picking up in consultation with Industrial Auctions.   |       |  |  |  |
| 395 | NN elevating belt     | Elevating belt, steel frame, plastic belt, belt width: 600 mm,<br>elevating height: 4000 mm, total dimensions: 12200 mm x<br>2100 mm x 4200 mm. Lot located in Heathhall, United<br>Kingdom. Viewing and picking up in consultation with<br>Industrial Auctions.                  | 1000  |  |  |  |
| 396 | Тоуота                | byota forklift, fuel: diesel, capacity: 3500 kg, total<br>imensions: 4600 mm x 1900 mm x 2150 mm. Lot located<br>n Heathhall, United Kingdom. Viewing and picking up in<br>onsultation with Industrial Auctions.  |       |  |  |  |
| 400 | Weber                 | Weber slicer with outfeed belt, type: CCS 402 UB, number:<br>351, year of construction: 11/2003, 440 V, 50 Hz, 7 kW, 6<br>bar, plastic belt, belt width: 370 mm, total dimensions:<br>2400 mm x 1000 mm x 2100 mm.  | 5000  |  |  |  |
| 401 | Multivac              | Multivac thermoformer, model: R 530, serial number: 1262,<br>year of construction: 1997, 415 V, 3 Ph, 50 Hz, 44 A, 17 kW,<br>dimensions dye: (2x) 265 mm x 240 mm, plastic outfeed belt,<br>belt width: 550 mm, total dimensions: 7700 mm x 1200<br>mm x 2100 mm.                 | 7500  |  |  |  |
| 402 | Loma Systems          | Loma Systems metal detector, model: IQ <sup>2</sup> , serial number:<br>894699, 415/240 V, 50 Hz, 3/1 Ph, plastic belt, belt width:<br>250 mm, clearance: 350 mm x 70 mm, total dimensions:<br>1500 mm x 900 mm x 1100 mm.  | 1500  |  |  |  |
| 403 | NN table              | S/s table, dimensions: 1500 mm x 700 mm x 850 mm.   | 200   |  |  |  |
| 404 | NN roller<br>conveyor | Roller conveyor, s/s frame, plastic roller, roller width: 300 mm, total dimensions: 1800 mm x 400 mm x 750 mm.  | 150   |  |  |  |
| 405 | Multivac              | Multivac thermoformer, model: R 530 MC, serial number:<br>327, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 41 A, 16<br>kW, film width: 550 mm, total dimensions: 6500 mm x 1200<br>mm x 1900 mm. Incomplete, missing control panel and<br>outfeed belt.                       | 2500  |  |  |  |
| 406 | Frigoscandia          | Frigoscandia spiral freezer, model: Classic GC400, North-<br>South, s/s mesh belt, belt width: 400 mm, total dimensions:<br>6700 mm x 3300 mm x 2350 mm.  | 15000 |  |  |  |
| 407 | EVAPCO Europe<br>NV   | EVAPCO Europe NV evaporative condensor, model:<br>5x18-12R/53T, serial number: 6-304238,, year of<br>construction: 2006, volume: 12340 liter, refrigerant: R-717,<br>dimensions: 9000 mm x 2900 mm x 4400 mm.   | 3500  |  |  |  |
| 408 | Sabroe                | Sabroe cooling compressor rack, consisting of: 2 Sabroe<br>cooling compressors and 1 isolated pressure vessel, type<br>cooling compressors: OHU 6022, year of construction: 1995,<br>medium: R717 (ammonia), volume: 1305 liter. Complete<br>rack was used for 2 spiral freezers. | 4000  |  |  |  |



| Nr  | Title                      | Description  | Start € |  |  |
|-----|----------------------------|--|---------|--|--|
| 409 | Sabroe                     | Sabroe cooling compressor rack, consisting of: 2 Sabroe<br>cooling compressors and 1 isolated pressure vessel, type<br>cooling compressors: OHU 6022, year of construction: 1992,<br>medium: R717 (ammonia), volume: 1305 liter. Complete<br>rack was used for 2 spiral freezers.                                    |         |  |  |
| 410 | Loma Systems               | Loma Systems metal detector, model: IQ <sup>3</sup> , plastic belt, belt<br>width: 280 mm, clearance: 450 mm x 120 mm, total<br>dimensions: 1500 mm x 1100 mm x 1650 mm.   |         |  |  |
| 411 | AJT                        | AJT transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 9000 mm x 800 mm x 850 mm.  |         |  |  |
| 412 | Technical<br>Machinery Ltd | Technical Machinery Ltd elevating belt, s/s frame, plastic belt<br>with dividers, belt width: 800 mm, distance between<br>dividers: 300 mm, elevating height: 5000 mm, total<br>dimensions: 7000 mm x 1000 mm x 5300 mm.   |         |  |  |
| 413 | Carnitech                  | Carnitech mixer grinder, type: CT 3126, machine number:<br>05.0118, year of construction: 2005, diameter plate: 280<br>mm, total dimensions: 2800 mm x 1500 mm x 2700 mm.<br>Including s/s tool trolley.   | 7500    |  |  |
| 414 | Wolfking                   | Wolfking elevating screw, s/s screw, diameter screw: 300<br>mm, tier: 400 mm, elevating height: 2100 mm, total<br>dimensions: 4700 mm x 1300 mm x 2700 mm. Incomplete,<br>missing drive.   | 2000    |  |  |
| 415 | Carnitech                  | Carnitech double shaft paddle mixer, type: CT 3045, number:<br>05-0177, year of construction: 2005, dimensions: 2500 mm<br>x 1600 mm x 2200 mm.  | 7500    |  |  |
| 416 | Lutetia                    | Lutetia injector with filter tub, type: ISMPB, serial number:<br>100007, year of construction: 2016, 400 V, 50 Hz, 8 kW, 6/7<br>bar, weight: 1000 kg, 200 needles, plastic mesh belt, belt<br>width: 400 mm, total dimensions: 2400 mm x 1700 mm x<br>2500 mm, dimensions filter tub: 1100 mm x 1700 mm x 700<br>mm. | 2500    |  |  |
| 417 | JBT Foodtech               | JBT FoodTech teflon grill, Formcook PRoGRILL, model:<br>Contact Cooker 1136 TF, manufacturing number:<br>32270062, year of construction: 2014, teflon belt, belt<br>width: 1100 mm, total dimensions: 7000 mm x 2200 mm x<br>2800 mm.  | 25000   |  |  |
| 418 | Stein Inc.                 | Stein Inc. tunnel oven, model: JSO-IV, serial number: 699,<br>415 V, 3 Ph, 50 Hz, 175 A, thermal oil and steam heated, s/s<br>mesh belt, belt width: 1000 mm, total dimensions: 13300<br>mm x 3000 mm x 4000 mm.   | 45000   |  |  |
| 419 | Stein Inc.                 | Stein Inc. tunnel oven, model: JSO-IV, serial number: 700,<br>415 V, 3 Ph, 50 hz, 175 A, thermal oil and steam heated, s/s<br>mesh belt, belt width: 1000 mm, total dimensions: 13300<br>mm x 3000 mm x 4000 mm. Incomplete, missing hoist, fans<br>and cabinet.   | 35000   |  |  |



| Nr  | Title                 | Description   | Start € |  |  |  |
|-----|-----------------------|---|---------|--|--|--|
| 420 | Wolfking              | Wolfking double shaft paddle mixer, type: TSMI 1250 L,<br>number: 61373, year of construction: 2001, 400 V, 50 Hz, 21<br>A, 11 kW, volume: 1250 liter, dimensions: 2200 mm x 1600<br>mm x 1800 mm. Technical condition unknown.   |         |  |  |  |
| 421 | Wolfking              | Wolfking double shaft paddle mixer, type: TSMI 1250 L,<br>number: 60287, year of construction: 1999, 400 V, 50 Hz, 54<br>A, 27 kW, weight: 2100 kg, volume: 1250 liter, dimensions:<br>2500 mm x 1400 mm x 2000 mm.   |         |  |  |  |
| 422 | Grasselli             | Grasselli mobile slicer, model: NSA1000XC, serial number:<br>U19R05/1188, year of construction: 2014, 400 V, 3 Ph, 50<br>Hz, 31 A, 19 kW, dimensions: 1950 mm x 2180 mm x 1500<br>mm. Belts removed for hygiene reasons.  |         |  |  |  |
| 423 | DoubleD<br>Revoband   | DoubleD Revoband tunnel oven, year of construction: 2004,<br>gas heated, s/s mesh belt, mesh belt, belt width: 950 mm,<br>dimensions: 13200 mm x 2200 mm x 3300 mm. Already<br>professionally dismantled.   | 25000   |  |  |  |
| 475 | Multivac              | Multivac thermoformer, model: R230, serial number: 388,<br>year of construction: 1998, 415 V, 3 Ph, 50 Hz, 20 A, 9 kW,<br>film width: bottom: 355 mm, top: 340 mm, index: 305 mm,<br>dimensions dye: (2x) 270 mm x 145 mm, plastic outfeed belt,<br>belt width: 285 mm, total dimensions: 5200 mm x 1000<br>mm x 2040 mm. | 5000    |  |  |  |
| 476 | Scotnet<br>Automation | Scotnet Automation tilting device for pallet boxes, model: DS<br>HOIST 1000, clearance: 1260 mm x 1020 mm x 820 mm,<br>tilting height: 1310 mm, total dimensions: 2000 mm x 1900<br>mm x 2160 mm.   | 1500    |  |  |  |
| 477 | Cryovac               | Cryovac dip tank, model: STI2IRHE, serial number:<br>A51500219, year of construction: 1999, 380/415 V, 50 Hz,<br>52 A, 30.5 kW, s/s mesh belt, belt width: 600 mm, clearance:<br>700 mm x 300 mm, total dimensions: 1250 mm x 1300 mm<br>x 2000 mm.   | 750     |  |  |  |
| 478 | Medoc S.A.            | Medoc S.A. bandsaw on s/s table, model: BG 220, number:<br>3792.842, year of construction: 2004, 230 V, 1 Ph, 50 Hz,<br>8.1 A, 1120 W, dimensions bandsaw: 630 mm x 580 mm x<br>980 mm, dimensions s/s table: 700 mm x 500 mm x 500<br>mm.  | 600     |  |  |  |
| 479 | Scotnet<br>Automation | Scotnet Automation tilting device for pallet boxes, model: DS<br>HOIST 1000, clearance: 1260 mm x 1020 mm x 820 mm,<br>tilting height: 1310 mm, total dimensions: 2000 mm x 1900<br>mm x 2160 mm.   | 1500    |  |  |  |
| 480 | Sap S.r.I.            | Sap S.r.l. bandsaw on s/s table, model: SM1830A, number:<br>7330521, 240 V, 50 Hz, 0.8 kW, weight: 40 kg, dimensions<br>bandsaw: 630 mm x 500 mm x 980 mm, dimensions s/s<br>table: 700 mm x 600 mm x 780 mm. Technical condition<br>unknown.   | 250     |  |  |  |



| Title  | Description  | Start €   |
|--------|--|---|
| Formax | Formax forming machine, model: F-26, serial number: 697,<br>year of construction: 2001, 420 V, 50 Hz, 37.6 KVA, plastic<br>belt, belt width: 690 mm, total dimensions: 2950 mm x<br>1400 mm x 2730 mm. Incomplete, technical condition | 3000  |
|        |  | Formax         Formax forming machine, model: F-26, serial number: 697, year of construction: 2001, 420 V, 50 Hz, 37.6 KVA, plastic belt, belt width: 690 mm, total dimensions: 2950 mm x |



### General terms of the online auction

#### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction; Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

#### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

#### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user. 3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids



made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request. Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;

- The impossibility of using the website (completely) and/or another malfunction in the website or the



supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons: - Not to recognize a bid as such;



- To exclude one or more users from the auction;

- To consolidate articles into lots, to split lots and take lots from the auction;

- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;

- Lots whether or not to allocate;

- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.



9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions. 11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial



Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a



lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

#### Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;

- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);

- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;

- Damage caused by environmentally harmful substances in or on the purchased;

- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);

- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

#### Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.
16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



| Notes |  |  |
|-------|--|--|
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |

W W W . I N D U S T R I A L - A U C T I O N S . C O M



| Notes |  |  |
|-------|--|--|
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |

W W W . I N D U S T R I A L - A U C T I O N S . C O M



| Notes |  |  |
|-------|--|--|
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |
|       |  |  |

W W W . I N D U S T R I A L - A U C T I O N S . C O M

# CONTACT



