



**Industrial
Auctions**

**1857: Online auction machinery for the food
industry in Bożacin (PL)**

END DATE

24 July 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	24 July 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	31 July 2025 from 09:00 till 16:00 hrs.
Pick up address	Ul. Ogrodowa 43 63-700 Bożacin Poland
Pick up instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Seydelmann	Seydelmann cutter, type: K61U Ras, serial number: 77 1888-1, steel bowl, diameter bowl: 810 mm, total dimensions: 950 mm x 1200 mm x 1200 mm, 750 mm x 400 mm x 200 mm.	2750
2	Vemag	Vemag vacuum filling machine wit lifter for 200 liter meat bins and mincing and portioning attachment, model: HP20E, number: 1630709, year of construction: 2014, 400-460 V, 3 Ph, 50-60 Hz, 38 A, 23 kW, dimensions: 1400 mm x 2000 mm x 1950 mm.	17500
3	Vemag	Vemag mobile Link grouper, model: SK5909, number: SK5909000000, year of construction: 2021, 400-460 V, 3 Ph, 50/60 Hz, 1 A, 1.5 kW, weight: 635 kg, sausage dimensions: 35 mm x 180 mm, total dimensions: 2000 mm x 1900 mm x 1440 mm. With Vemag mobile indexing conveyor, model: 712, number: 7120301, year of construction: 2021, 400-460 V, 3 Ph, 50/60 Hz, 2.7 A, 1.9 kW, weight: 650 kg, plastic belt, belt width: 1000 mm, total dimensions: 4850 mm x 1750 mm x 970 mm.	39500
4	Stephan	Stephan universal machine, type: UM 60 E, machine number: 715297.01, year of construction: 1989, 380 V, 50 Hz, 13/17 A, 5.5/7.5 kW, dimensions: 600 mm x 900 mm x 1500 mm.	750
5	Loma Systems	Loma Systems metal detector with rejector, model: MDP305, serial number: 20113D, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 0.5 A, plastic mesh belt, belt width: 505 mm, clearance: 550 mm x 165 mm, total dimensions: 2200 mm x 2200 mm x 1650 mm.	1250
6	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine, type: KONTI-E120, machine number: KE120007974, 400 V, 50 Hz, 5.1 kW, dimensions: 700 mm x 1150 mm x 1700 mm.	4500
7	Frey Maschinenbau	Frey Maschinenbau kebab filling machine, type: KEBAB-LINE 6, machine number: KL6 16 12 00, 220 V, 50 Hz, 6 stations, diameter each station: 300 mm, total dimensions: 1900 mm x 1250 mm x 1200 mm.	3750
8	Electrolux Professional AG	Electrolux Professional AG cooking vessel, model: PBEN08EJEM, serial number: 41510001, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 26 A, 18.2 kW, inside dimensions: 550 mm x 350 mm x 440 mm, total dimensions: 950 mm x 700 mm x 920 mm.	500



Nr	Title	Description	Start €
9	Webomatic	Webomatic mobile double-chamber vacuum machine, type: CD 110-PR, machine number: 5210GH543, 400 V, 3 Ph, 50 Hz, 5.4 A, 2.2 kW, seal length: (4x) 510 mm, dimensions chamber: (2x) 510 mm x 770 mm, Busch vacuum pump, total dimensions: 930 mm x 1160 mm x 1070 mm.	750
10	Electrolux Professional AG	Electrolux Professional AG cooking vessel, model: PBON06EJEM, serial number: 41510001, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 17.3 A, 12.2 kW, inside dimensions: ø 470 mm x 400 mm, total dimensions: 940 mm x 700 mm x 1170 mm.	500
12	Inotec	Inotec mobile sausage slicer, type: WT 99-S, machine number: 007-182, year of construction: 2008, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 2 kW, clearance: 30 mm x 60 mm, total dimensions: 900 mm x 780 mm x 1500 mm.	2000
13	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP10E, number: 1570058, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 18 A, 12 kW, Busch vacuum pump, dimensions: 2050 mm x 1300 mm x 2100 mm.	15000
14	Vemag	Vemag mobile linking and hanging line, model linker: LPG 208, number: 208890003, year of construction: 2009, 400-460 V, 3 Ph, 50/60 Hz, 10 a, 6 kW, dimensions: 1740 mm x 930 mm x 1300 mm, model hanging line: AHM, type: 204, number: 204 0119, year of construction: 2004, 220-240 / 400-460 V, 3 Ph, 50/60 Hz, 16 A, dimensions: 3250 mm x 760 mm x 1080 mm. Including extra belts.	7000
15	Vemag	Vemag shuttle conveyor, model: SCL361, number: 3610087, year of construction: 2021, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 3 kW, weight: 570 kg, plastic belt, belt width: 190 mm, total dimensions: 2440 mm x 750 mm x 1560 mm.	1500
16	Vemag	Vemag mobile vacuum filling machine, model: Robot 500, serial number: 1284785, year of construction: 2014, 400-460 V, 3Ph, 50/60 Hz, 13 A, 4.9 kW, grinder head diameter: 100 mm, total dimensions: 980 mm x 650 mm x 1750 mm. Including extra parts.	4500
17	Reiser	Reiser mobile portioning machine, plastic belt, belt width: 190 mm, infeed diameter: 95 mm, total dimensions: 1600 mm x 580 mm x 1380 mm.	4000
18	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP12E, number: 1650655, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 27 A, 16 kW, Vemag vacuum pump, type: KC 0040 D IZO, serial number: 090116600, dimensions: 2300 mm x 1380 mm x 2050 mm.	25000



Nr	Title	Description	Start €
19	Vemag	Vemag mobile linker and hanging line, model linker: LPG209, number: 2090231S, year of construction: 2015, 400-460 V, 8 A, 5.5 kW, weight: 637 kg, dimensions: 1800 mm x 850 mm x 1500 mm, model hanging line: AH212, number: 2120407, year of construction: 2015, 3 Ph, 50/60 Hz, 0.5 kW, weight: 298 kg, dimensions: 4500 mm x 800 mm x 1500 mm.	12000
20	Vemag	Vemag mobile linking and hanging line, model linker: FSL 210, number: 2100032, year of construction: 2011, 400/460 V, 3 Ph, 50/60 Hz, 9 A, 6.2 kW, dimensions linker: 2050 mm x 800 mm x 1250 mm, dimensions hanging line: 3500 mm x 760 mm x 1460 mm.	10000
21	Vemag	Vemag vacuum filling machine, model: sausage-linker, number: 1710232, year of construction: 2014, 400-460 V, 3 Ph, 50/60 Hz, 4.25 kW, dimensions: 900 mm x 700 mm x 1700 mm.	4000
22	Vemag	Vemag case holding device, number: 937500019 0284, dimensions: 360 mm x 330 mm x 160 mm.	1250
23	Kilia	Kilia z-arm mixer grinder with lifter for 200 liter meat bins, diameter plate: 130 mm, total dimensions: 2420 mm x 1340 mm x 2000 mm.	2500
25	Vemag	Vemag mobile s/s waterwheel, 3 diaphragms, diameter: (3x) 70 mm, total dimensions: 1400 mm x 1300 mm x 1400 mm.	5000
26	Fritsch	Fritsch mobile croissant rolling machine, type: CRH-120-400, machine number: 100003506-02410-01501, year of construction: 2014, belt width: 350 mm and 580 mm, dimensions: 1800 mm x 1100 mm x 1300 mm.	1500
29	Poly-clip System GmbH & Co. Kg	Poly-Clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 160, number: 184, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 6.0 A, 4.0 kW, 5-7 bar, dimensions: 1500 mm x 1120 mm x 1850 mm.	17500
33	Scharfen	Scharfen cutter on s/s trolley, type: TC11, number: 2143033, year of construction: 2014, 400 V, 3.6/5.1 A, 1400/1800 W, s/s bowl, volume: 11 liter, dimensions cutter: 850 mm x 500 mm x 580 mm, dimensions trolley: 770 mm x 580 mm x 800 mm.	500
35	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile clipper, type: FCA 3442, number: 478/12, 400 V, 3 Ph, 50/60 Hz, 4 A, 5/7 bar, 3.8 kW, weight: 370 kg, dimensions: 1200 mm x 1150 mm x 1950 mm.	14000
36	Scharfen	Scharfen cheese slicer, type: MKT 36, number: 979016 S, year of construction: 1999, 230/400 V, 2.1/1.2 A, 370 W, dimensions: 600 mm x 600 mm x 1100 mm.	450



Nr	Title	Description	Start €
37	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: Robot DP 10 C, number: 1530272, year of construction: 1998, 220-240 V, 3 Ph, 50/60 Hz, 35/63 A, dimensions: 2150 mm x 1280 mm x 2250 mm.	5000
40	Mettler Toledo	Mettler Toledo metal detector with rejector, model: V45 C, serial number: 121031, plastic belt, belt width: 240 mm, clearance: 350 mm x 120 mm, total dimensions: 2400 mm x 1100 mm x 1100 mm.	1000
41	NN batcher	Mobile batcher, 2 / 8 heads, dimensions: 1500 mm x 900 mm x 1550 mm.	500
42	TVM	TVM mobile portioning machine, dimensions dyes: (2x) 160 mm x 70 mm, total dimensions: 1750 mm x 650 mm x 2450 mm.	1200
43	Henkelman	Henkelman mobile double-chamber vacuum machine, type: Polar 2-50, machine number: H0P30170083, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 11.5 A, 3.5 kW, seal length: (4x) 620 mm, dimensions chamber: (2x) 690 mm x 620 mm, Busch vacuum pump, total dimensions: 900 mm x 1500 mm x 1150 mm.	1500
46	Urschel	Urschel mobile slicer, model: RA-A, serial number: 1113, working width: 140 mm, distance between knives: 3 mm, total dimensions: 1100 mm x 850 mm x 1800 mm.	1750
47	Thermo Goring Kerr	Thermo Goring Kerr metal detector, type: DSP-IP, plastic belt, belt width: 300 mm, clearance: 450 mm x 150 mm, total dimensions: 1300 mm x 850 mm x 1400 mm.	500
48	Skov & Weidemann	Skov & Weidemann frying belt, s/s belt, belt width: 440 mm, clearance: 440 mm x 70 mm, total dimensions: 3750 mm x 900 mm x 1280 mm.	1500
50	Heinrich Frey Maschinenbau	Heinrich Frey Maschinenbau piston filler, type: Kompakta 2, machine number: K2 30 08 10 90, 380 V, knee control, dimensions: 780 mm x 1000 mm x 1080 mm.	1500
52	NN sole cleaner	Sole cleaner, brush length: (2x) 720 mm, total dimensions: 1300 mm x 900 mm x 1300 mm.	750
53	Inotec	Inotec double shaft paddle-mixer on weighing cells, type: IM-1000, machine number: 300-00183, year of construction: 2005, 230/400V, 3 Ph, 50 Hz, 18.8 A, 11.2 kW, volume: 1500 litres, dimensions: 3300 mm x 1350 mm x 1800 mm.	2750
54	Mado	Mado bandsaw, dimensions: 900 mm x 800 mm x 1700 mm.	750
55	NN bandsaw	Bandsaw, dimensions: 800 mm x 880 mm x 1880 mm.	750



Nr	Title	Description	Start €
56	Vemag	Vemag mobile depositor, model: SK4675, number: SK4675000000, year of construction: 2009, 400-460 V, 3 Ph, 50/60 Hz, 1.5 A, 0.5 kW, 6 heads, inside dimensions vessel: Ø 350 mm x 400 mm, total dimensions: 800 mm x 950 mm x 1950 mm.	2500
57	Unimasz	Unimasz sole cleaner, type: MPB-02, serial number: 1658/17/002, year of construction: 2017, brush length: 1000 mm, total dimensions: 1900 mm x 1000 mm x 1250 mm.	750
58	Safeline	Safeline mobile pipeline metal detector with rejector, type: 477/SF/05_1, serial number: 80466, 230 V, 50 Hz, 4-6 A, clearance: Ø 55 mm, total dimensions: 700 mm x 600 mm x 1360 mm.	500
59	Solia	Solia mobile grinder / strip cutter, type: M30, machine number: 66/01 0200, 400 V, 3 Ph, 50 Hz, 3.3/3.9 A, 1.4/1.8 kW, diameter plate: 80 mm, working width strip cutter: 190 mm, distance between knives: 20 mm, total dimensions: 1000 mm x 600 mm x 950 mm.	500
60	Redpack	Redpack flowpacker, type: P3250, machine number: 846, year of construction: July 2011, 380/415 V, 3 Ph, weight: 1500 kg, dimensions: 5400 mm x 1200 mm x 2000 mm.	3500
61	NN stunning tong	Stunning tong, type: ET 212 F, dimensions: 220 mm x 530 mm x 90 mm.	200
62	Vemag	Vemag linking and case holding device, number: 061104504, dimensions: 430 mm x 560 mm x 180 mm.	1250
65	NN linking attachment	Linking attachment, dimensions: 390 mm x 310 mm x 115 mm.	150
66	Wolfking	Wolfking double shaft paddle mixer on weighing cells, type: TSM.1000L, number: 52325, volume: 1000 liter, dimensions: 2100 mm x 2300 mm x 3300 mm.	8500
67	Kolbe	Kolbe mobile bandsaw, type: K 330 S, serial number: 98 1645, year of construction: 2018, 400 VAC, 3 Ph, 50 Hz, 3.4 A, 1.5 kW, weight: 165-175 kg, dimensions: 760 mm x 720 mm x 1750 mm.	2500
68	NN boot cleaner	Boot cleaner, dimensions brush: (3x) 370 mm and (2x) 180 mm, total dimensions: 1200 mm x 760 mm x 1280 mm.	450
69	NN cooking vessel	S/s cooking vessel, volume: 100 liter, electric heated, dimensions: 650 mm x 650 mm x 850 mm.	200
70	Sepamatic	Sepamatic separator with infeed hopper with product screw and lifter for 200 liter meat bins, type: SEPA 1200 ST, machine number: 196186, 400 V, 50 Hz, 144 A, 7 kW, dimensions: 2000 mm x 1600 mm x 3100 mm. Including s/s trolley with machine parts.	15000



Nr	Title	Description	Start €
71	Mainca	Mainca piston filler, model: EM 25, number: 3139, year of construction: 1997, 380 V, 1 Ph, 50 Hz, 2.9 A, 1.1 kW, dimensions: 470 mm x 460 mm x 1110 mm. Including filling pipes.	650
72	Handtmann	Handtmann piston filler, type: F30 TOP, 420 V, 50 Hz, 3.8 A, 1.5 kW, dimensions: 850 mm x 500 mm x 1260 mm.	100
73	Roschermatic	Roschermatic mobile tumbler, type: MM-300, serial number: 1328, 50 Hz, 0.9 kW, volume: 300 liter, dimensions: 1080 mm x 1000 mm x 1680 mm.	750
74	Vemag	Vemag mobile minced meat portioner, model: MMP 220, serial number: 220 0042, year of construction: 2005, 220-240 / 400-460 / 575 V, 3 Ph, 50/60 Hz, 5.6/16 A, 1.2 kW, 6 bar, plastic belts, belt width: (2x) 250 mm, working width: 220 mm, clearance: 310 mm x 180 mm, total dimensions: 1730 mm x 650 mm x 1300 mm.	1500
75	Kolbe	Kolbe mobile bandsaw with infeed table, dimensions: 750 mm x 1640 mm x 1750 mm.	1750
76	NN bandsaw	Bandsaw, dimensions: 1050 mm x 1250 mm x 1900 mm.	750
78	NN ham press	S/s ham press, dimensions: 1550 mm x 550 mm x 1450 mm.	250
79	Rühle	Rühle injector with lifter for crates, type: IR 56, number: 0500, year of construction: 2014, 400 V, 3 Ph, 50/60 Hz, 16 A, 8.7 kW, s/s walking beam, walking beam width: 350 mm, clearance: 350 mm x 170 mm, 56 needles, dimensions: 1800 mm x 1000 mm x 2100 mm.	2500
80	Weber	Weber skinning machine, type: ASE 453, number: 511, 400 V, 50 Hz, 0.4 kW, working width: 395 mm, total dimensions: 660 mm x 610 mm x 1030 mm.	400
81	Bizerba	Bizerba strip cutter, type: S111, machine number: 1336725, 220/240 V, 50 Hz, 2.77 A, working width: 180 mm, dimensions: 400 mm x 330 mm x 450 mm. Including extra parts.	500
82	Maja	Maja flake-ice machine, type: SA 85 S, number: 35122, year of construction: 2005, 230 V, 50 Hz, 3.9 A, 0.53 kW, refrigerant: R 404 A, capacity: 85 kg per 24 hours, dimensions: 700 mm x 700 mm x 1350 mm.	1000
83	Cryovac	Cryovac shrink tunnel, model: 544-D, serial number: M 3007, year of construction: 1990, 380 V, 50 Hz, 1.2 A, s/s mesh belt, belt width: 430 mm, clearance: 450 mm x 290 mm, dimensions: 1500 mm x 900 mm x 1750 mm.	500



Nr	Title	Description	Start €
84	Cryovac	Cryovac drying tunnel, model: WR 16, serial number: M 29 95, year of construction: 1990, 380 V, 50 Hz, 10.5 A, s/s mesh belt, belt width: 430 mm, clearance: 450 mm x 290 mm, dimensions: 1250 mm x 700 mm x 1750 mm.	500
85	Kolbe	Kolbe mobile bandsaw, type: K 330, serial number: 98 0203, year of construction: 2011, 400 VAC, 3 Ph, 50 Hz, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions: 760 mm x 720 mm x 1750 mm.	1750
86	Handtmann	Handtmann vacuum filling machine, type: VF80, number: 14800, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 11 A, dimensions: 1000 mm x 850 mm x 1680 mm. Including linking attachment, type: 34-5, number: 11932.	2500
87	Kilia	Kilia bowl cutter, type: EX2000S, serial number: 3819178, 380 V, 35/44 A, 16/20 Watt, steel bowl and s/s knives, volume: 65 liter, dimensions: 1300 mm x 1100 mm x 1200 mm.	1750
88	Itra	Itra dividing belt, machine number: 06-06686, plastic mash belt, belt width: 795 mm, total dimensions: 1040 mm x 500 mm x 1400 mm.	250
89	Laska	Laska frozen-block grinder, type: WW 130 G, machine number: K 5786, year of construction: 1998, 380/400 V, 3 Ph, 50 Hz, 33 A, 17 kW, plate diameter: 130 mm, total dimensions: 1100 mm x 1250 mm x 1680 mm.	6000
90	Vemag	Crate with plates for Vemag grinder, diameter plates: 130 mm, diameter perforations: 7 mm and 2 mm.	150
91	Vemag	Crate with plates for Vemag grinder, diameter plates: 130 mm, diameter perforations: 7 mm and 2 mm.	150
92	Kolbe	Kolbe mobile bandsaw, type: K 330, serial number: 94 2390, year of construction: 2005, dimensions: 720 mm x 770 mm x 1820 mm.	1500
93	Vemag	Crate with plates for Vemag grinder, diameter plates: 130 mm, diameter perforations: 7 mm and 2 mm.	150
94	Westfalia	Westfalia bowl mixer, volume: 350 liters, inside dimensions: ø 1100 mm x 600 mm, total dimensions: 1700 mm x 1100 mm x 1540 mm.	1250
95	Inject Star	Inject Star vacuum tumbler, inside dimensions: ø 600 mm x 600 mm, total dimensions: 1150 mm x 700 mm x 840 mm.	950



Nr	Title	Description	Start €
96	Food Dosing Packing Machines SP. Z.O.O.	Food Dosing Packing Machines SP. Z.O.O. cup filling and sealing machine, type: PAK 5.0, machine number: 457, year of construction: 2015, 400 V, 3 Ph, 7.5 kW, 6-8 bar, weight: 1500 kg, plastic belt with dividers, belt width: 90 mm, divider height: 20 mm, distance between dividers: 115 mm, clearance: 260 mm x 85 mm, 2 lane cup denester, denester clearance: 100 mm x 80 mm, dimensions: 4900 mm x 1500 mm x 2300 mm.	10000
97	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH slicer, type: 23/100 C, serial number: 283-23-35, year of construction: 1999, 400 V, 50 Hz, 12.2 A, 4.6 kW, dimensions chamber: 950 mm x 220 mm x 220 mm, plastic belt, belt width: 250 mm, total dimensions: 1030 mm x 2700 mm x 1200 mm.	950
98	Safeline	Safeline mobile metal detector, type: R Series Profile, serial number: 100744, 100-240 Vac, 50/60 Hz, 340 W, plastic belt, belt width: 430 mm, clearance: 450 mm x 170 mm, total dimensions: 2300 mm x 1100 mm x 1300 mm.	1250
99	Jugema	Jugema cooking vessel, type: K80(P)-W, serial number: 438/211/14, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 6 bar, weight: 850 kg, inside dimensions: 1900 mm x 900 mm x 520 mm, total dimensions: 2500 mm x 1400 mm x 1500 mm.	3000
100	CAVE.CO s.r.l.	CAVE.CO s.r.l. mobile 1 head depositor, type: DPW, serial number: 5001, year of construction: 11/05/2001, 400 V, 50 Hz, dimensions: 1000 mm x 700 mm x 1070 mm.	400
101	Spako	Spako cooking vessel, inside dimensions: 1100 mm x 1100 mm x 500 mm, total dimensions: 2000 mm x 1700 mm x 1250 mm.	500
102	Risco	Risco double shaft paddle mixer with lifter for 200 liter meat bins, model: RS 1300 SF, number: 028, year of construction: 2008, dimensions: 2950 mm x 1350 mm x 1840 mm, dimensions lifter: 1000 mm x 1000 mm x 3000 mm.	3500
103	Risco	Risco double paddle mixer, volume: 2200 liter, dimensions: 3100 mm x 1600 mm x 2200 mm. Complete overhauled.	8000
104	Waldner	Waldner sleeve, type: Sleeve, machine number: 2654, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 36 A, 25 kW, 6.0 bar, weight: 3800 kg, jars/cups per hour : 3600, NORDSON glue unit, type: PROBLEU L7, Busch vacuum pump, type: SV 1040 C 000 INXX, dimensions: 5950 mm x 1900 mm x 2500 mm.	7000



Nr	Title	Description	Start €
105	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile bread slicer, model: Diskus, machine number: 601003.60168.5364, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.25 A, 0.9 kW, weight: 200 kg, chamber dimensions: 500 mm x 200 mm x 170 mm, total dimensions: 1000 mm x 700 mm x 1050 mm.	1000
107	Vakona GmbH	Vakona GmbH mobile vacuum tumbler, type: 100 IP, number: 9041, year of construction: 2001, 230/400 V, 50 Hz, 2.6 A, 1.0 kW, volume: 100 liter, Busch vacuum pump, type: RB 0009 D, dimensions: 1200 mm x 800 mm x 1300 mm. Without agitator.	1750
108	Höcker	Höcker sole cleaner, type: DSOWM-800, machine number: 1121390-2, 400 V, 3 Ph, 2 x 0.25 kW, brush length: (2x) 750 mm, total dimensions: 2100 mm x 1060 mm x 1200.	450
109	Webomatic	Webomatic double chamber vacuum machine, type: CD 110-PR, serial number: 5210GH543, 400 V, 3 Ph, 50 Hz, 5.4 A, 2.2 kW, seal length: (4x) 505 mm, chamber dimensions: (2x) 645 mm x 505 mm, total dimensions: 1150 mm x 900 mm x 1100 mm.	1000
110	Laska	Laska grinder, type: W-130-1, number: D-756 4, 220/380 V, 50 Hz, 7.5 kW, plate diameter: 130 mm, total dimensions: 1000 mm x 650 mm x 1000 mm.	3000
111	IBB	IBB cooled vacuum tumbler, type: Schinkomat 100, serial number: 811, 380 V, 50 Hz, 1400 W, pressure: 1-10 bar, Busch vacuum pump, KB 0010 D, capacity: 10 m ³ per hour, Lúnite Hermetique cooling compressor, type: CAE9460Z, refrigerant: R404A, total dimensions: 1570 mm x 750 mm x 1220 mm.	1250
112	Eillert	Eillert mobile vegetable slicer, type: G3300, serial number: 416-9211, 220 V, 1 Ph, plastic belt, belt width: 250 mm, clearance: 260 mm x 175 mm, total dimensions: 2300 mm x 850 mm x 2000 mm. Including box with extra parts.	1500
113	Hobart	Hobart double high speed cooker on s/s frame, model: 2227, serial number: 97-1063-109, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 39.2 A, 1.7-3.4 bar, dimensions: 800 mm x 600 mm x 1800 mm.	350
114	Henkelman	Henkelman mobile traysealer, type: Vortex, machine number: V1004008, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 6 A, 4 kW, dimensions dye: (2x) 160 mm x 210 mm, with Busch vacuum pump, type: RB 0021 B 3Z4, year of construction: 2008, capacity: 21 m ³ per hour, total dimensions: 630 mm x 900 mm x 1500 mm. With extra dye, dimensions: (6x) 100 mm x 80 mm.	3000
115	NN crates	Approximately 98 plastic crates, dimensions: (98x) 730 mm x 410 mm x 170 mm.	100



Nr	Title	Description	Start €
116	Kolbe	Kolbe mobile bandsaw, type: K 380 RS, serial number: 89 0011, year of construction: 2014, 400 VAC, 3 Ph, 50 Hz, 5.7 A, 2.5 kW, weight: 265-275 kg, s/s rollers, roller width: 380 mm, total dimensions: 600 mm x 860 mm x 1840 mm.	2000
117	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine with casing spooler and linking attachment, type: F-LINE F222, machine number: F222T036806SA, 400 V, 50 Hz, 14.75 kW, dimensions: 2000 mm x 1200 mm x 2200 mm.	7500
118	Frey Maschinenbau	Frey Maschinenbau vacuum filling machine with lifter for 200 liter meat bins, type: KONTI-T260, machine number: KT260044624, year of construction: 2004, 400 V, 50 Hz, 11.7 kW, dimensions: 2000 mm x 1400 mm x 2200 mm.	7500
119	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF80, number: 14800, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 11 A, 4 kW, dimensions: 900 mm x 1000 mm x 1670 mm.	1750
120	Weber	Weber mobile skinning and derinding machine, type: ASB 600, number: 1730, 400 V, 50 Hz, 0.85 kW, working width: 400 mm, plastic belt, belt width: 320 mm, total dimensions: 1800 mm x 800 mm x 1500 mm.	1000
121	Weber	Weber mobile skinning and derinding machine, type: ASB 560, number: 198, year of construction: 2006, 400 V, 50 Hz, 1.1 kW, weight: 400 kg, plastic belt, belt width: 500 mm, working width: 500 mm, total dimensions: 2100 mm x 1000 mm x 1250 mm. Missing derinding roll and knife.	1250
122	NN filter tub	Mobile s/s filter tub for injector, dimensions: 2000 mm x 1200 mm x 520 mm.	450
123	Maschinenfabrik Palmer GmbH	Maschinenfabrik Palmer GmbH slicer, type: G450, 458219, 3 Ph, 50 Hz, 1.0/2.0 kW, dimensions grid: 20 mm x 20 mm, total dimensions: 1100 mm x 600 mm x 1320 mm. Including extra parts.	1500
124	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG mobile double clipper, type: FCA 50, number: 115, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 6.0 A, 4.0 kW, 5-7 bar, dimensions: 1700 mm x 1000 mm x 1850 mm.	9500
125	Mado	Mado mobile grinder, type: MEW 515, number: 9631226, 230/400 V, 3 Ph, 50 Hz, 8.8/5.2 A, 2.2 kW, diameter plate: 100 mm, total dimensions: 950 mm x 500 mm x 1320 mm.	1000



Nr	Title	Description	Start €
128	Townsend	Townsend mobile sausage peeler with suction device, model: 2600, serial number: 10068, year of construction: 2008, 380 V, 3 Ph, 50 Hz, 2.07/8.0 A, 7.5/3.7 kW, diameter pipe: 65 mm, total dimensions: 2200 mm x 700 mm x 1450 mm.	2500
129	Grasselli	Grasselli mobile skinning and derinding machine, model: NX450-Line, serial number: 080897/2PN025, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 2.8 A, plastic belt, belt width: 360 mm, working width: 400 mm, total dimensions: 1850 mm x 1300 mm x 1630 mm. Including pallet with belts. Incomplete / technical condition unknown	2500
130	Stork Food System	Stork Food System mobile 5-heads filling machine, model: Masterfill, type: DTF, serial number: 0410609, year of construction: 2009, 400 V, 16 kW, temperature: -10/+ 40 ° Celsius, dimensions: 1500 mm x 935 mm x 1780 mm.	5500
131	Jasa Packaging Solutions B.V.	Jasa Packaging Solutions B.V. vertical bag form-, fill-, and seal machine, horizontal seal length: 270 mm, film width: 620 mm, total dimensions: 2800 mm x 1450 mm x 2350 mm.	2000
132	Laska	Laska frozen block cutter, type: G 644, number: B 705, 380/400 V, 3 Ph, 50 Hz, 26 A, 13 kW, working width: 640 mm, total dimensions: 1250 mm x 1900 mm x 2000 mm.	3500
133	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: BXM 554, serial number: M-48410, year of construction: 2009, 400 V, 3 Ph, plastic belt, belt width: 500 mm, plastic mesh belt, belt width: 500 mm, working width: 550 mm, total dimensions: 2700 mm x 1100 mm x 1230 mm.	2000
134	Glass	Glass mobile all-round high-speed mixer with emulsifier, machine type: VAS-150, machine number: 3388, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 31.5, 16.085 kW, weight: 950 kg, volume: 150 liter, total dimensions: 2100 mm x 1300 mm x 2200 mm.	7500
135	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning and derinding machine, type: VBA500A, machine number: 488933438, plastic belt, belt width: 450 mm, working width: 500 mm, total dimensions: 1300 mm x 880 mm x 1200 mm.	500
136	Pökelmaschinen G.m.b.H.	Pökelmaschinen G.m.b.H. separator, type: P-20, number: 342, year of construction: 2002, 380-400 V, 3 Ph, 50 Hz, 8.2 kW, dimensions: 1600 mm x 830 mm x 1800 mm.	5000



Nr	Title	Description	Start €
137	Handtmann	Handtmann mobile linking machine, type: 141-01, number: 299, year of construction: 2002, 420 V, 3 Ph, 50 Hz, 6.9 A, 5 kW, dimensions: 1700 mm x 850 mm x 1550 mm.	1250
138	Leventi	Leventi mobile conveyor oven, type: BAKERMATIC, number: 049070014, 380/415 V, 3 Ph, 50 Hz, 6.2 A, 9.4 kW, dimensions: 1700 mm x 810 mm x 1530 mm.	500
139	Atlas Copco	Atlas Copco water pump, type: WEL PST 100 CNP, serial number: ITH0028007, year of construction: 2019, 9.8 kW, capacity: 100 m ³ per hour, maximum: 20 m, speed: 2000 rpm, dimensions: 2400 mm x 1150 mm x 1570 mm.	4500
140	Bastra	Bastra cooking vessel, type: B110-2, number: 22884, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 0.150 kW, gas heated, volume: 200 liter, dimensions: 1400 mm x 840 mm x 1660 mm.	600
141	NN mixing tank	S/s heated mixing tank with agitator, inside dimensions: Ø 1050 mm x 600 mm, total dimensions: 1600 mm x 1300 mm x 1700 mm.	1250
142	Autojet	Autojet spraying/cleaning belt, brush width: (2x) 100 mm and (2x) 150 mm, plastic belt, belt width: 220 mm, total dimensions: 1670 mm x 650 mm x 1900 mm.	450
144	NN boot cleaning station	Boot cleaning station, dimensions: 600 mm x 500 mm x 1260 mm.	350
146	Sormac	Sormac potato slicer, serial number: Y05-151, year of construction: 2016, 230/400 V, 50/60 Hz, 1.5 kW, roller width: 600 mm, distance between knives: 120 mm, total dimensions: 2600 mm x 1200 mm x 1940 mm.	6500
147	NN dicer knives	Pallet with 11 dicer knives for Urschel dicer, working width: 260 mm, total dimensions: 1200 mm x 800 mm x 450 mm.	500
148	Laska	Laska double shaft z-arm mixer, type: V952, double jacketed, inside dimensions: 1010 mm x 760 mm x 700 mm, total dimensions: 1970 mm x 1050 mm x 1620 mm. Including switch cabinet, dimensions: 600 mm x 260 mm x 750 mm.	12000
149	Seewer Rondo	Seewer Rondo mobile dough sheeter, type: 391, number: 874002, dimensions: 3300 mm x 900 mm x 1150 mm.	500
150	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and mincing head, type: VF628, number: 24762, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 26.0 A, 18.0 kW, dimensions: 2200 mm x 1400 mm x 2300 mm.	7500



Nr	Title	Description	Start €
151	Ceia	Ceia metal detector, model: THS, serial number: 20500218010, plastic belt, belt width: 400 mm, clearance: 450 mm x 210 mm, total dimensions: 1240 mm x 1000 mm x 1200 mm.	900
152	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile meatball forming machine, model: ECONOBALL MACHINE, serial number: EB 18/08/073, 220/240 V, 1 Ph, 50/60 Hz, 0.31 kW, s/s mesh belt, belt width: 280 mm, total dimensions: 1550 mm x 640 mm x 1170 mm.	1250
153	Dieta Oy	Dieta Oy steam heated double jacketed cooking vessel, model: Maxer-400, serial number: 051008, 380-415 V, 3 Ph, 78 A, 54 kW, volume: 400 liter, dimensions: 1730 mm x 1480 mm x 1900 mm.	1500
154	Dieta Oy	Dieta Oy double tiltable cooking vessel, model: PEC, serial number: 2011, year of construction: 2011, 380-415 V, 3 Ph, 25-42 A, 15-27 kW, inside dimensions: Ø 700 mm x 350 mm and Ø 550 mm x 330 mm, total dimensions: 2450 mm x 950 mm x 1050 mm.	1000
155	Kilia	Kilia bowl cutter, serial number: 59814041, s/s bowl and knives, volume bowl: 60 liter, dimensions: 1200 mm x 1300 mm x 1300 mm, including switch cabinet, dimensions: 900 mm x 1100 mm x 500 mm.	4500
157	Winterhalter	Winterhalter dishwasher, type: GS 502, serial number: 1013738, 415 V, 3 Ph, 50 Hz, inside dimensions: 500 mm x 500 mm x 500 mm, total dimensions: 730 mm x 800 mm x 2150 mm.	750
158	Hobart	Hobart dishwasher, clearance: 500 mm x 500 mm, total dimensions: 750 mm x 650 mm x 1650 mm.	750
159	Poly-clip System GmbH&Co.KG	Poly-clip System GmbH&Co.KG mobile automatic double clipper with labeller, type: FCA 3430-18, number: 240, year of construction: 2008, 1.2 kW, total dimensions: 1600 mm x 1300 mm x 1900 mm. Overhauled.	25000
160	Risco	Risco cooled vacuum double shaft paddle mixer, model: RS 200 SV, number: 000109, year of construction: 1988, volume: 200 liter, total dimensions: 1400 mm x 800 mm x 1500 mm.	2500
161	Hobart	Hobart dishwasher, model: UX30EB, serial number: 86301996, 400 V, 3 Ph, 50 Hz, 22.5 A, s/s tray, dimensions tray: 570 mm x 670 mm, total dimensions: 770 mm x 820 mm x 1950 mm.	750
163	Steen	Steen mobile skinning machine, type: ST 600, serial number: 3G8/1598A, 380 V, 50/60 Hz, 5 A, 1750 W, dimensions: 2700 mm x 650 mm x 1450 mm. Incomplete.	750
166	Holac	Holac lifter for 200 liter meat bins, dimensions: 1200 mm x 600 mm x 3100 mm.	750



Nr	Title	Description	Start €
167	NN lifter for 200 liter meat bins	Lifter for 200 liter meat bins, dimensions: 1300 mm x 300 mm x 2900 mm.	500
168	Bizerba	Bizerba transport belt, plastic belt, belt width: 600 mm, total dimensions: 1900 mm x 700 mm x 800 mm.	350
170	Plastem	Plastem 90° curved conveyor, number: PT 865, year of construction: 2014, estimated belt width: 500 mm, total dimensions: 2700 mm x 1200 mm x 750 mm. Without belt.	150
172	Plastem	Plastem 90° curved conveyor, number: PT 865, year of construction: 2014, estimated belt width: 500 mm, total dimensions: 2700 mm x 1100 mm x 650 mm. Without belt.	150
173	Nederman / Scanio Technology	Nederman s/s hose reel with hose, article number: 800386, serial number: 886, year of construction: 1999, dimensions: 600 mm x 550 mm x 700 mm, with Scanio Technology satellite station, type: S 3100, dimensions: 500 mm x 400 mm x 200 mm. Never used,	200
174	Vemag	Vemag vacuum filling machine, model: ROBBY, number: 136 0192, year of construction: 2005, 400-460 V, 3 Ph, 50/60 Hz, 11 A, 5.4 kW, dimensions: 900 mm x 1000 mm x 1700 mm.	3500
175	Vemag	Vemag water wheel, 8 outfeed gaps, dimensions: 550 mm x 900 mm x 1400 mm.	1750
176	Flexbimec International srl	Flexbimec International srl s/s hose reel with plastic hose, serial number: 9062135355, dimensions: 400 mm x 300 mm x 550 mm.	100
177	Flexbimec International srl	Flexbimec International srl s/s hose reel with plastic hose and spray pistol, serial number: 8022024773, dimensions: 400 mm x 300 mm x 550 mm.	100
178	Vemag	Vemag multi-tray loader with shuttle conveyor, model: MTL280, number: 2800123, year of construction: 2018, 220/575 V, 3 Ph, 50/60 Hz, 14 A, 10 kW, plastic belts, belt width: 590 mm and 230 mm, total dimensions: 2600 mm x 2500 mm x 1650 mm.	20000
179	CFS	CFS emulsifier with outfeed belt, type: ECOCUT CAP2, machine number: 5000067485, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 357 A, 205 kW, dimensions emulsifier: 3300 x mm x 1800 mm x 1800 mm, dimensions hopper: 2000 mm x 2000 mm x 1500 mm, dimensions outfeed belt: 6400mm x 1000 mm x 400 mm, dimensions switch cabinet: 800 mm x 2100 mm x 600 mm.	10000
180	NN apron washer	S/s apron washer with knife sterilizer, dimensions: 1000 mm x 600 mm x 1850 mm.	50



Nr	Title	Description	Start €
181	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel with plastic hose and spray pistol, type: ST4-/10/2e, serial number: 033961, year of construction: 2002, dimensions: 450 mm x 300 mm x 600 mm.	100
182	NN platform with stairs	S/s platform with stairs, working height: 760 mm, total dimensions: 1840 mm x 580 mm x 1640 mm.	100
183	Flexbimec International srl	Flexbimec International srl s/s hose reel with plastic hose, serial number: 9021736579, dimensions: 400 mm x 300 mm x 550 mm.	100
184	K+G Wetter	K+G Wetter paddle mixer-grinder, machine number: 419/1048, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 42/50 A, 20 kW, diameter plate: 130 mm, inside dimensions: 600 mm x 530 mm x 550 mm, total dimensions: 1400 mm x 930 mm x 1330 mm.	4500
185	NN pump	Pump, dimensions: 1100 mm x 550 mm x 600 mm.	75
186	Marel	Marel elevating belt, type: INO210, plastic belt with dividers, belt width: 235 mm, distance between dividers: 45 mm, divider height: 20 mm, elevating height: 1900 mm, total dimensions: 3550 mm x 960 mm x 2080 mm.	1500
190	Multivac	Multivac traysealer, type: T700, number: 175549, year of construction: 2013, 400/230 V, 3 Ph, 50 Hz, 18/32 A, 4.2 kW, dye: (4x) 140 mm x 200 mm, plastic mesh belt, belt width: 200 mm, total dimensions: 5000 mm x 1000 mm x 2000 mm.	9500
192	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: KONTI-E120, machine number: KE120007974, 400 V, 50 Hz, 5.1 kW, dimensions: 1100 mm x 800 mm x 1710 mm.	4500
198	Risco / TAP Machinebouw BV	Risco / TAP Machinebouw BV mobile hamburger forming machine with denester, type forming machine: TVM260 PN, serial number: 090-09097, year of construction: 2012, dye: (2x) Ø 100 mm, plastic belt, belt width: (2x) 25 mm and 110 mm, total dimensions: 2000 mm x 1200 mm x 1660 mm.	3000
201	Pomac B.V.	Pomac B.V. centrifugal pump, type: 1FMOM07, serial number: 8701, 380/660 V, 50 Hz, capacity: 80 m³ per hour, dimensions: 720 mm x 400 mm x 400 mm.	250
205	KPA	KPA centrifugal pump, type: KN 45/5A, number: 180911, year of construction: 18, 50 Hz, pump weight: 139, capacity: 45 m³ per hour, dimensions: 1370 mm x 550 mm x 650 mm.	1250
209	NESS	NESS cooking chamber for 2 trolleys, steam heated, type: UNIGAR 5000S-BHD/ND, year of construction: 2004, dimensions chamber: 1350 mm x 2250 mm x 2100 mm, total dimensions: 2400 mm x 3020 mm x 3090 mm. Already professionally dismantled and stored in warehouse.	2500



Nr	Title	Description	Start €
210	NESS	NESS cooking, smoking and cooling chamber, for 2 trolley steam heated, type: UNIGAR 5000S-BHD/ND, year of construction: 2004, dimensions chamber: 1350 mm x 2250 mm x 2100 mm, total dimensions: 2400 mm x 3020 mm x 3090 mm. With friction smoke generator. Already professionally dismantled and stored in warehouse.	2500
214	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic clipper, type: FCA 3430, number: 859, year of construction: 2011, 400 V, 3 Ph, 50/60 Hz, 4 A, 2.8 kW, weight: 595 kg, dimensions: 1600 mm x 1250 mm x 2000 mm.	7000
216	Vemag	Vemag mobile hamburger forming machine, model: FM250, number: 2500630, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 2.5 kW, diameter clearance: 70 mm, plastic belt, belt width: 250 mm, total dimensions: 2100 mm x 860 mm x 1550 mm.	4500
218	Zacmi	Zacmi washing drum used for potatoes, diameter drum, 1180 mm, with steel platform, platform height: 2100 mm, total dimensions: 5500 mm x 2400 mm x 4250 mm.	3000
226	Rühle	Rühle cooled vacuum tumbler with lifter for 200 liter meat bins, model: MKR 300, Becker vacuum pump, year of construction: 2000, dimensions: 2000 mm x 1250 mm x 3000 mm.	2500
233	Spomasz	Spomasz autoclave, type: WSA 18, serial number: 106, year of construction: 2010, 3 x 400 V, 50 Hz, 16 A, dimensions: 5400 mm x 2600 mm x 2300 mm.	30000
236	NN elevating belt	Elevating belt, plastic belt, belt width: 300 mm, total dimensions: 3700 mm x 600 mm x 700 mm. Missing frame.	300
246	Pregebauer	Pregebauer plate washer, type: BPM-DFA 100/60, 380 V, 3 Ph, 10 A, 0.75 kW, dimensions plates: 600 mm x 400 mm, total dimensions: 2200 mm x 500 mm x 1400 mm.	1250
247	Danfoss	Danfoss frequency converter, 1.1 kW, dimensions: 200 mm x 180 mm x 420 mm.	100
248	Danfoss	Danfoss frequency converter, 1.5 kW, dimensions: 250 mm x 200 mm x 420 mm.	100
249	Danfoss	Danfoss frequency converter, 17.3 kVA, dimensions: 310 mm x 280 mm x 670 mm.	100
250	Danfoss	Danfoss frequency converter, 1.1 kW, dimensions: 300 mm x 270 mm x 670 mm.	100
251	Danfoss	Danfoss frequency converter, 31.6 kVA, dimensions: 350 mm x 270 mm x 810 mm.	100
252	Allen Bradley	Allen Bradley frequency converter, 2.2-3.7 kW, dimensions: 100 mm x 230 mm x 190 mm.	100



Nr	Title	Description	Start €
253	Danfoss	Danfoss frequency converter, 2.2 kW, dimensions: 80 mm x 280 mm x 170 mm.	100
254	Danfoss	Danfoss frequency converter, 2.2 kW, dimensions: 200 mm x 420 mm x 190 mm.	100
255	Koppens	Koppens mobile croquette rolling machine, type: CR 400, machine number: CR400-21, 380 V, 3 Ph, 50 Hz, 3 A, plastic belt, belt width: 400 mm, s/s mesh outfeed belt, belt width: 400 mm, total dimensions: 1750 mm x 750 mm x 2000 mm. Incomplete.	1000
260	NN sorting belt	Sorting belt, s/s frame, 12 stations, plastic belt, belt width: 250 mm, total dimensions: 7600 mm x 700 mm x 1600 mm.	750
261	NN lifter	S/s lifter for 200 liter meat bins, dimensions: 2600 mm x 800 mm x 1200 mm.	900
262	Stephan	Stephan universal mixer, type: VM450, machine number: 35451, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 4 kW, dimensions: 2150 mm x 2000 mm x 2880 mm.	10000
263	Marel Townsend Further Processing B.V.	Marel Townsend Further Processing B.V. mobile vacuum cleaner, machine: Dust Exhaust Unit, model: TDE TDO 202, type: 4/40012, serial number: 10112666, year of construction: 2013, dimensions: 900 mm x 1600 mm x 1650 mm. Incomplete, missing drum.	1000
267	Tipper Tie technopack	Tipper Tie technopack mobile clipper, number: 5451-456-054/400, dimensions: 1050 mm x 750 mm x 1820 mm.	750
268	Tipper Tie technopack	Tipper Tie technopack mobile clipper, model: TCV 1590 E-N, number: 5480.406.252/500, dimensions: 1100 mm x 700 mm x 1850 mm.	1000
270	Max Weishaupt GmbH	Max Weishaupt GmbH burner, type: GL3/1-E, serial number: 2528079, year of construction: 1983, 90-680 kW, 20-140 bar, 14.5-58 kg per hour, dimensions: 1100 mm x 700 mm x 500 mm.	100
272	CFS	CFS thermoformer, type: 660, machine number: 664/0559, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 31 A, 20 kW, index: 420 mm, dye: (9x) 160 mm x 120 mm, plastic outfeed belt, belt width: 375 mm, total dimensions: 9000 mm x 1100 mm x 1800 mm.	2500
273	Maskinfabrikken Hillerslev a/s	Maskinfabrikken Hillerslev a/s crate washer, plastic chain belt, belt width: 350 mm, clearance: 650 mm x 200 mm, total dimensions: 7300 mm x 1500 mm x 2000 mm.	3500
274	Debica	Debica screw compressor, type: SR200A-W fabrication number: 84SR002, year of construction: 1984, weight: 960 kg, dimensions: 4000 mm x 1400 mm x 2800 mm.	1000



Nr	Title	Description	Start €
275	Multivac	Multivac thermoformer, type: R230, serial number: 2333, year of construction: 2004, 400 / 230 V, 3 Ph, 50 Hz, 27 A, 9 kW, distance between chains: 360 mm, index: 290 mm, dimensions dye: (4x) Ø 100 mm, plastic mesh outfeed belt, belt width: 300 mm, total dimensions: 6380 mm x 1000 mm x 2060 mm.	9500
278	Ulbricht	Ulbricht s/s cooled vacuum tumbler, type: VKTH 8002, serial number: 0948, year of construction: 2000, volume: 8000 liter, weight: 4850 kg, 400 V, 15 kW, diameter infeed: 600 mm, Busch vacuum pump, type: RA 0100 F, total dimensions tumbler: 5050 mm x 2330 mm x 2640 mm. With Blue Box cooling unit, model: BETA 2002 ST / 1PS 6.2, serial number: BBOX074409, year of construction: 24-09-2008, 400 V, 3 Ph, 50 Hz, 677.6/188.6 A, refrigerant: R407C, dimensions: 2400 mm x 1200 mm x 1700 mm. Recently overhauled.	22000
280	Alfa Laval	Alfa Laval s/s tank, number: 03 36 SC 28, year of construction: 13/12/2017, volume: 2500 liter, dimensions: 3000 mm x 1600 mm x 1600 mm.	500
281	Technoinvest Engineering Ltd	Technoinvest Engineering Ltd belt fryer, model: FML-3M, number: 350, year of construction: 2008, s/s mesh belt with dividers, belt width: 680 mm, distance between dividers: 200 mm, divider height: 40 mm, total dimensions: 9800 mm x 1500 mm x 2350 mm.	9500
282	Fomaco	Fomaco injector, model: FGM 88 SC, machine number: 10354-2006, 400 V, 3 Ph, 50 Hz, 29 A, 6 bar, 88 needles, plastic mesh belt, belt width: 720 mm, total dimensions: 2300 mm x 1150 mm x 2240 mm. Missing display and covers.	3500
284	Inject Star / Pökemaschinen Ges.m.b.H.	Inject Star / Pökemaschinen Ges.m.b.H. vacuum tumbler, type: ES-3300-C, number: 308, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 6.4 kW, dimensions: 3200 mm x 1800 mm x 2700 mm.	3000
285	Wolfking	Wolfking mixer-grinder with option for side infeed, type: SSMG 200/140, serial number: 59287, year of construction: 1997, 380 V, 50 Hz, 23.8 A, 9 kW, weight: 475 kg, plate diameter: 140 mm, total dimensions: 1400 mm x 1000 mm x 1450 mm. With spare plates. Missing cover.	1500
286	Baader	Baader s/s separator with lifter for 200 liter meat bins, type separator: 695, perforations drum: 3 mm, serial number lift: 7046-1, dimensions: separator: 1650 mm x 860 mm x 1760 mm.	4500



Nr	Title	Description	Start €
287	W.R. Grace & Co	W.R. Grace & Co dip tank, model: C-106 E, serial number: 006 H 350, 380 V, 50 Hz, 25 kW, s/s mesh belt, belt width: 410 mm, s/s rollers, roller width: 450 mm, total dimensions: 1850 mm x 870 mm x 2100 mm. Incomplete.	200
288	Schomaker	Schomaker mobileslicer line, consisting of: infeed belt with plastic belt, belt width: 90 mm, total dimensions infeed belt: 1800 mm x 850 mm x 1200 mm, slicer, s/s mesh belt, belt width: 250 mm, working width: 250 mm, total dimensions slicer: 1120 mm x 1500 mm x 1700 mm, outfeed belt with s/s mesh belt, belt width: 250 mm, total dimensions outfeed belt: 2800 mm x 550 mm x 1200 mm.	3500
290	Webomatic	Webomatic packaging line, consisting of: Webomatic double chamber vacuum machine, type: PNC 20A-D-M2, machine number: 555912033, 220/380 V, 50 Hz, 3.5 A, seal length: (2x) 800 mm, chamber dimensions: 800 mm x 600 mm, total dimensions: 2000 mm x 1100 mm x 1350 mm; Webomatic shrinking tunnel, type: STP 60/80 D+E, number: 72911302, 380 V, 3 Ph, 50 Hz, 35 A, dimensions: 1300 mm x 900 mm x 1400 mm; s/s roller conveyor, dimensions: 2000 mm x 700 mm x 800 mm.	3500
291	S.A.M	S.A.M. slicing, packaging, weighing and labelling system, consisting of: S.A.M. automatic slicer, type: S.A.M. 310 f P2, serial number: 19983, year of construction: 2006, 3x400 V, 50 Hz, 1.54 A, string belt, belt width: 210 mm, dimensions slicer: 880 mm x 1100 mm x 700 mm; S.A.M. interleaver, model: S.A.M. P 21/21, serial number: 401641, year of construction: 2006, 230 V, 50 Hz, 0.96 A, pressure: 6-7 bar. 'S.A.M. sealing machine, type: S.A.M. IL-1-220, year of construction: 2006, plastic width: 210 mm, dimensions sealing machine: 800 mm x 400 mm x 380 mm; Digi/Teraoka weighing and labelling system, model: LI-3600E, serial number: 06166858, year of construction: 2007, 230 V, 50 Hz, 0.05 A, 150 W, maximum weight: 2 kg, minimum weight: 20 gram, e=1 gram, T=0.999 kg, belt width: 220 mm, dimensions weighing and labelling system: 780 mm x 600 mm x 650 mm.	1250
292	Handtmann	Handtmann mobile linking machine, type: 141-01, number: 233, year of construction: 1998, 400 V, 50 Hz, 7.6 A, 5 kW, dimensions: 1700 mm x 850 mm x 1550 mm.	1000



Nr	Title	Description	Start €
295	A.E.W. Engineering	A.E.W. Engineering bandsaw, model: 400M, serial number: LHS 410699, 380 V, 3 Ph, 50 Hz, 4.7 A, weight: 250 kg, table dimensions: 1600 mm x 900 mm, total dimensions: 1200 mm x 1000 mm x 2000 mm.	1000
298	BVM Brunner GmbH	BVM Brunner GmbH packaging and shrinking line consisting of: BVM Brunner GmbH packaging machine, type: BM 6030 W, machine number: 20101045341, year of construction: 2010, 400 V, 3 Ph, 50 Hz, plastic belts, belt width: 300 mm and 400 mm, total dimensions: 1700 mm x 2100 mm x 2000 mm. BVM Brunner GmbH shrinking tunnel, type: SC 6530 SD, machine number: 20101245342, year of construction: 2010, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 650 mm, total dimensions: 2400 mm x 1300 mm x 2000 mm.	2500
299	CFS	CFS injector, type: PRJ 450, machine number: 126, year of construction: 2005, 380 V, 3 Ph, 50 Hz, 18 A, 9 kW, weight: 1000 kg, s/s walking beam, beam width: 400 mm, total dimensions: 2200 mm x 950 mm x 2100 mm. Incomplete.	4000
303	Carnitech	Carnitech mixing buffer tank, type: Buffer ø 350, serial number: 10-0001, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 1.1 kW + 5.5 kW, capacity: 4200 liter, dimensions: 2000 mm x 3350 mm x 2570 mm.	5000
304	Sanamij	Sanamij double cooking vessel with agitators, type: Kookketel, number: 00.105, year of construction: 2000, 230/400 V, 4 kW, volume: 100 liter, water heated, dimensions: 2710 mm x 1000 mm x 900 mm.	1750
305	Rademaker B.V.	Filling line consisting of: Rademaker B.V. product pump with infeed funnel, dimensions: 1700 mm x 1100 mm x 2250 mm; S/s mobile dosing unit, dimensions: 1700 mm x 1100 mm x 2250 mm; Meyer transport belt, plastic mesh belt, belt width: 910 mm, total dimensions: 3400 mm x 1500 mm x 1690 mm; Including trolley with extra parts.	4000
306	Handtmann	Handtmann mobile linking and hanging line, consisting of: Linking machine, type: 220-16, year of construction: 2000, dimensions: 1700 mm x 700 mm x 1400 mm, hanging machine: 220-16, number: 956, year of construction: 2000, dimensions: 2600 mm x 600 mm x 1300 mm.	2500
310	NN tumbler	Mobile tiltable vacuum tumbler, inside dimensions: ø 600 mm x 550 mm, Busch vacuum pump, type: 010-112, number: 300219, capacity: 10 m³ per hour, total dimensions: 1000 mm x 880 mm x 1620 mm. Including extra drum.	2500



Nr	Title	Description	Start €
311	Rühle	Rühle mobile cooled vacuum tumbler, inside dimensions: Ø 580 mm x 500 mm, total dimensions: 1150 mm x 730 mm x 1250 mm.	2200
312	Rollfix	Rollfix dough sheeter, number: 3 630097717745, dimensions: 3000 mm x 1100 mm x 1200 mm.	500
316	Glass GmbH	Glass GmbH mobile tiltable vacuum tumbler, type: VSM 300, machine number: 2159, year of construction: 1995, 400 V, 50 Hz, 3.2 A, 1.12 kW, volume: 300 liter, with vacuum pump, dimensions: 1150 mm x 900 mm x 1500 mm.	1500
319	Europack Holland	Europack Holland mobile vacuum machine, type: HA.S.01, machine number: 86225, 220/380 V, 3 Ph, 50 Hz, 5 A, capacity: 63 m³ per hour, seal length: 545 mm, chamber dimensions: 545 mm x 480 mm, total dimensions: 610 mm x 580 mm x 1070 mm.	150
321	NN boot cleaner	S/s boot cleaning station, brush length: (2x) 400 mm, total dimensions: 700 mm x 400 mm x 950 mm.	400
324	Poly-clip System GmbH & Co. Kg	2 pallets with Poly-clip System GmbH & Co. KG clips, type: R 15-07 5x1.50 L and R-ID M 10-200.	500
325	Metos	Metos tiltable cooking vessel with agitator, type: Proveno Cool Pro 200E MC3P, serial number: 1091112130020, year of construction: 2011, 400/230 V, 3 Ph, 50 Hz, 62/64 A, 35.5 kW, inside dimensions: Ø 800 mm x 500 mm, total dimensions: 1400 mm x 1000 mm x 1300. Technical condition unknown.	2000
326	Danfoss	Danfoss frequency converter, 4.0 kW, dimensions: 200 mm x 420 mm x 190 mm.	100
327	NN elevating belt	Mobile extendable elevating belt, plastic belt, belt width: 700 mm, total dimensions: 18000 mm x 2500 mm x 7500 mm.	3500
328	NN conveyor	3 level conveyor, s/s mesh belt, belt width: 1500 mm, total dimensions: 16300 mm x 2400 mm x 3100 mm.	3000
329	Dohmeyer	Dohmeyer spiral freezer, model: DOH-SPK-D244-W26-E21-LIN-2017, type: Cryogenic Freezer Spiral, serial number: 201703033177, year of construction: 2017, 400 V, 3 Ph, 50 Hz, Cryogenic gas/operating pressure: LIN / 2-4 bar, Compressed air/pressure range: 6-8 bar, weight: 16000 kg. Lot located in Mława, Poland. Viewing and pick-up in consultation with Industrial Auctions BV.	75000
330	CFS	CFS pump grinder, type: PG 225, machine number: 61719, year of construction: 2002, 400 V, 50 Hz, 42 A, 22 kW, total dimensions: 1500 mm x 900 mm x 1500 mm.	2500



Nr	Title	Description	Start €
331	ENT Edelstahl- und Nahrungsmitteltechnik	ENT Edelstahl- und Nahrungsmitteltechnik cryogenic tunnel freezer, type: CFP 600, serial number: 03 133/2, year of construction: 2003. Lot located in Mława, Poland. Viewing and pick-up in consultation with Industrial Auctions BV.	7500
332	NN bandsaw	Bandsaw, number: 910298, table dimensions: 580 mm x 790 mm, total dimensions: 720 mm x 800 mm x 1700 mm. Incomplete.	750
333	Kittner-Bulgaria	Kittner-Bulgaria hygiene station, serial number: 08554, year of construction: 2007, 400 V, 50 Hz, 0.6 kW, dimensions: 1850 mm x 1100 mm x 1650 mm.	750
334	Maf Roda Agrobotic	Maf Roda Agrobotic s/s brush bed with 18 brushed, type: CEP. 18B1500-TDDI, serial number: 20R5200/2, year of construction: 19-02-2021, brush width: 1500 mm, total dimensions: 2500 mm x 1900 mm x 2200 mm.	7500
335	Soteco	Soteco double s/s brush bed with 12 brushes each, brush width: (2x) 2000 mm, total dimensions: 2600 mm x 1600 mm x 2900 mm, including pallet with 2 switch cabinets. Never used.	12500
336	NN linear weighing machine	Linear weighing machine, 4 gutters, dimensions: 630 mm x 1250 mm x 2000 mm.	650
337	V-TECH-2 Sp. z o.o.Sp.K.	V-TECH-2 Sp. z o.o.Sp.K. vibrating gutter, type: PRG-700/890-NM, serial number: 299/29, year of construction: 2019, 400 V, 50 Hz, 2.1 A, weight: 341 kg, dimensions: 1150 mm x 1450 mm x 2100 mm.	500
339	NN dicer	Dicer, chamber dimensions: 80 mm x 80 mm, total dimensions: 600 mm x 500 mm x 960 mm. Incomplete.	350
344	Handtmann	Handtmann mobile linking machine, type: 216-21, number: 805, year of construction: 2000, 400 V, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1450 mm x 680 mm x 1550 mm.	2000
345	Rhewa	Rhewa floor weighing scale with indicator, type: 82basic, 230 Vac, 50/60 Hz, 15 A, min/max: 2/300 kg, dimensions scale: 1000 mm x 800 mm, total dimensions: 1080 mm x 1000 mm x 300 mm.	500
346	Rhewa	Rhewa floor weighing scale with indicator, min/max: 2/200 kg, dimensions scale: 800 mm x 800 mm, total dimensions: 1020 mm x 800 mm x 140 mm.	400
348	NN chain hoist	Chain hoist, type: R6, number: 3567060, year of construction: 1979, dimensions: 500 mm x 600 mm x 400 mm.	150
352	Weisser	Weisser mobile fill- and portioning machine, model: AP1 - 200-SP, 230 V, 50 Hz, 1.1 kW, output: (2x) 35 mm, total dimensions: 850 mm x 820 mm x 1800 mm.	400



Nr	Title	Description	Start €
353	Handtmann	Handtmann piston filler, type: FA 40-1, number: 1097-1, 220/380 V, 50 Hz, 12.5/7.1 A, dimensions: 700 mm x 930 mm x 1370 mm.	750
355	Electrolux	Electrolux cooking vessel with agitator, type: 4280858, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 15/16.5 kW, pressure range: -0.5/1.5 bar, temperature range: -5°C/127°C, volume vessel: 150 liter, dimensions: 1340 mm x 1000 mm x 1030 mm.	950
356	Rühle	Rühle injector, type: PR 15, serial number: 2438, 380 V, 3 Ph, 50 Hz, 1.1 kW, s/s belt, belt width: 260 mm, clearance: 270 mm x 200 mm, total dimensions: 1250 mm x 450 mm x 1600 mm.	1000
357	Seydelmann	Seydelmann double shaft paddle-mixer, type: P 2000, machine number: 05220-1, year of construction: 2005, 400 V, 50 Hz, 39 A, 10 kW, 6-10 bar, volume: 2000 liters, dimensions: 3400 mm x 2100 mm x 2300 mm.	5500
360	Palmia	Palmia ribbon mixer with cooling function, type: BE 3000.7, number: 4684, inside dimensions: 2000 mm x 850 mm x 1000 mm, capacity: 3000 liter, total dimensions: 3300 mm x 1000 mm x 1730 mm.	6000
362	Velati VbA	Velati VbA mobile double shaft paddle mixer with lifter for 200 liter meat bins, type: IMP.1500 L. USDA, number: 1.93, 380 V, 50 Hz, volume: 1500 liter, type lifter: CARICATORE, number: 2.93, 380 V, 50 Hz, total dimensions: 1450 mm x 3750 mm x 2800 mm.	4500
364	Loos International	Loos International steam boiler, type: UL-S 2000, serial number: 97392, year of construction: 2003, maximum allowable pressure: 10 bar, maximum allowable temperature: 184°C, test pressure: 21.8 bar, steam capacity: 2000 kg/h, volume: 3313 liter, Loos International economizer, type: ECO1, serial number: 97392/1, year of construction: 2003, maximum allowable pressure: 31 bar, maximum allowable temperature: 238°C, test pressure: 56 bar, thermal capacity: 72 kW, total volume: 32 liter, Max Wieshaupt GmbH burner, model: ZMD, type: RL7, number: 5341885, year of construction: 2004, power: 320-1765 kW, dimensions: 4500 mm x 1800 mm x 2500 mm, Loos International water purification system, serial number: 35755, 230 V, 3 Ph, 50 Hz, dimensions: 2400 mm x 1500 mm x 2450 mm. Lot already professionally dismantled.	8000



Nr	Title	Description	Start €
367	CFT S.p.A.	CFT S.p.A. receiving hopper with drum sieve, type: VASCA di LAVAGGIO con ELEVATORE, model: L945 1/13, serial number: 24621, year of construction: 2013, plastic mesh belt with dividers, belt width: 540 mm, divider height: 30 mm, distance between dividers: 200 mm, elevating height: 1950 mm, sieve: 1 mm, total dimensions: 3400 mm x 2950 mm x 1950 mm.	4500
368	CFT S.p.A.	CFT S.p.A. inspection belt with s/s work platform, type: NASTRO di CERNITA, model: L945-3/13, serial number: 24622, year of construction: 2013, plastic belt, belt width: 600 mm, total dimensions: 4200 mm x 2800 mm x 1680 mm.	1750
369	NN bunker	S/s bunker with volume sensor, dimensions: 1750 mm x 1600 mm x 1250 mm.	250
370	CFT S.p.A.	CFT S.p.A. elevating belt, plastic belt with dividers, belt width: 600 mm, divider height: 120 mm, distance between dividers: 700 mm, elevating height: 3100 mm, total dimensions: 5000 mm x 1900 mm x 3900 mm.	850
371	CFT S.p.A.	CFT S.p.A. crusher with progressive cavity outfeed pump, type: TRITAGHIACCIO, model: CR 2, serial number: 24602, year of construction: 2013, inside dimensions hopper: 950 mm x 1000 mm x 900 mm, total dimensions: 5800 mm x 2100 mm x 3500 mm.	9500
372	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP6, number: 152 0068, year of construction: 2015, 220/240 V, 3 Ph, 50/60 Hz, 6.5 kW, Busch vacuum pump, type: KC 0016, serial number: CZM123160122, capacity: 16 m ³ per hour, dimensions: 1760 mm x 1280 mm x 2170 mm.	12500
373	Vemag	Vemag linking attachment and case holding device, linking attachment number: 859-0-1237, case holding device number: 8020036, dimensions: 480 mm x 310 mm x 130 mm.	1250
374	Vemag	Vemag mobile meat ball forming machine, model: BC236, name: Ball Control, number: 2361018, year of construction: 2021, 400-460 V, 3 Ph, 50/60 Hz, 18 A, 11.2 kW, 1400 kg, (2x) 12 lanes, meat ball weight: up to 20 g, dimensions meat ball: maximum Ø 30 mm or rolls: 30 mm x 120 mm, total dimensions: 1620 mm x 2500 mm x 1300 mm. Including tool trolley, dimensions: 2250 mm x 1100 mm x 1670 mm. With Vemag mobile indexing conveyor, model: 712, number: 7120300, year of construction: 2021, 400-460 V, 3 Ph, 50/60 Hz, 2.7 A, 1.9 kW, weight: 650 kg, plastic belt, belt width: 1000 mm, total dimensions: 4850 mm x 1750 mm x 970 mm.	52500



Nr	Title	Description	Start €
375	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP 7 E, number: 1600168, year of construction: 2008, 400-460 V, 3 Ph, 50-60 Hz, 15-20 A, 10 kW, Busch vacuum pump, dimensions: 1800 mm x 1380 mm x 2100 mm.	13000
376	Vemag	Vemag mobile linking and hanging line, model linker: LPG 208, number: 2080273, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 9 A, 6 kW, dimensions: 1560 mm x 800 mm x 1440 mm, model hanging line: AH 204, number: 2040417, year of construction: 2011, 400-460 V, 3 Ph, 50/60 Hz, 3.5 A, 1.5 kW, dimensions: 4000 mm x 800 mm x 1250 mm.	7500
377	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: DP 5, number: 151 0060, year of construction: 2015, 400-460 V, 3 Ph, 50/60 Hz, 10 A, 6 kW, dimensions: 1450 mm x 1300 mm x 3030 mm. Including filling pipes.	10000
378	Vemag	Vemag linking attachment, type linking attachment: 859 000 330, dimensions: 310 mm x 140 mm x 265 mm.	150
379	Vemag	Vemag vacuum filling machine with linker and case holding device, model: Robot 500, number: 1740288, year of construction: 2021, 220-240 V, 3 Ph, 50/60 Hz, 10 A, 5.5 kW, Vemag vacuum pump, serial number: CZM121121270, capacity: 19 m ³ /h, total dimensions: 1500 mm x 1000 mm x 2200 mm. Including crate with parts.	7500
380	Bizerba	Bizerba mobile weighing scale, number: 10807574, year of construction: 2012, scale dimensions: 300 mm x 250 mm, total dimensions: 900 mm x 700 mm x 1800 mm.	250
389	Food Dosing Packing Machines SP. Z.O.O.	Food Dosing Packing Machines SP. Z.O.O. cup filling and sealing machine, type: DOZOWNIK 2G, number: 439, year of construction: 2014, 400 V, 3 Ph, 2.5 kW, 6-8 bar, weight: 1150 kg, dimensions: 4200 mm x 1300 mm x 1800 mm.	1500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.


16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice. There are no margins, text, or other markings on the page.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

