



**Industrial  
Auctions**

**1862: Online auction machinery for the food  
industry in Boxtel (NL)**

**END DATE**  
30 July 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

End date	30 July 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	06 August 2025 from 09:00 till 16:00 hrs.
Pick up address	Schouwrooij 29 5281 RE Boxtel Netherlands
Pick up instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	G. Mondini S.p.a.	G. Mondini S.p.a. tray denester, model: A/C, serial number: A/11A-00292, year of construction: 07/2011, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 270 mm, tray dimensions: (4x) 140 mm x 175 mm, total dimensions: 5300 mm x 1330 mm x 2200 mm. Lot already professionally dismantled and transported to Bostel.	1500
2	Yamato Scale	Yamato Scale 10-heads multihead weigher with s/s platform, elevating belt and G. Mondini S.p.a. chain conveyor with tray holder, type Yamato Scale multihead weigher: ADW-410SV, serial number: WG060924, 220/240 V, 1 Ph, 50/60 Hz, 5 A, weight range: 8-1000 gram, type: Mondini S.p.a. chain conveyor: C/T, serial number: A/11/A-00292, year of construction: 07/2011, 400 V, 3 Ph, 50 Hz, elevating belt with dividers, plastic belt, belt width: 180 mm, distance between dividers: 150 mm, divider height: 30 mm, dimensions elevating belt: 3100 mm x 600 mm x 3500 mm, dimensions multihead weigher: 1800 mm x 2100 mm x 3500 mm, dimensions chain conveyor: 6000 mm x 1150 mm x 1650 mm, dimensions elevating belt: 3100 mm x 600 mm x 3500 mm and dimensions switch cabinet: 300 mm x 800 mm x 850 mm. Lot already professionally dismantled and transported to Bostel.	5000
3	Treif	Treif slicer, model: FALCON conti, machine number: 461004.61938.108350, year of construction: 2010, 380-480 V, 3 Ph, 50/60 Hz, 32 A, 8.6/11.7 kW, weight: 750 kg, plastic belt, belt width: 260 mm x 180 mm, total dimensions: 4600 mm x 1250 mm x 1830 mm.	10000
4	Inotec GmbH	Inotec GmbH sausage cutter, type: WT 99-S, machine number: 007-374, year of construction: 2009, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 2 kW, dimensions: 900 mm x 900 mm x 1830 mm.	1500
5	Gainsborough Craftsmen	Gainsborough Craftsmen packaging machine for sausages with tray denester, machine number: 1495, year of construction: oct 2005, 415 V, weight: 1500 kg, plastic belt, belt width: 50 mm, tray dimensions: 140 mm x 190 mm, total dimensions: 3350 mm x 1050 mm x 1950 mm. Incomplete.	1000
6	Vemag	Vemag vacuum filling machine, type: Robot 500, model: 700, machine number: 133/90, 380 V, 50 Hz, 12.2 A, 4 kW, dimensions: 750 mm x 1100 mm x 1600 mm.	1500
7	Kolbe	Kolbe bandsaw, dimensions: 900 mm x 1000 mm x 1800 mm.	1500
8	Bosgraaf	Bosgraaf s/s pallet lifter, fork length: 1150 mm, total dimensions: 1500 mm x 550 mm x 1200 mm. Technical condition unknown.	250
9	Gastrotec	Gastrotec s/s sink with faucet, dimensions: 1300 mm x 710 mm x 1150 mm. Faucet is broken.	150



Nr	Title	Description	Start €
10	NN table	Table, s/s frame, plastic worktop, dimensions: 1850 mm x 1000 mm x 800 mm.	200
11	NN cutter	Mobile cutter, dimensions: 800 mm x 800 mm x 1300 mm.	1000
12	Alexanderwerk	Alexanderwerk cutter, type: NCS 45, machine number: 04505022, 400 V, 50 Hz, 25.16/14.44 A, 7.5 kW, s/s bowl, volume: 45 liter, dimensions: 1150 mm x 950 mm x 1150 mm.	2500
13	Horst Glass	Horst Glass vacuum mixer, inside dimensions: 590 mm x 590 mm x 550 mm, total dimensions: 700 mm x 720 mm x 1320 mm. Without vacuum pump.	750
14	Bizerba	Bizerba bandsaw, type: FK 23, number: 1348453, 230/400 V, 50 Hz, 4.4/2.5 A, dimensions: 520 mm x 520 mm x 900 mm. Without saw.	500
15	Reich	Reich bandsaw, type: 200 T, number: 201820692, 380 V, 3 Ph, 50 Hz, 2.6 A, 1.1 kW, dimensions: 570 mm x 530 mm x 900 mm.	500
16	Lanico	Lanico can seamer, type: SVM336, machine number: 33663, year of construction: 1993, diameter cans: 95 mm, dimensions: 280 mm x 500 mm x 1500 mm.	500
17	Lanico	Lanico mobile can seamer, type: V110 P H, machine number: 110361, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 1.6 A, diameter cans, dimensions: 700 mm x 600 mm x 1640 mm.	1500
18	Townsend	Townsend mobile skinning machine, model: 7620, number: 5502, year of construction: 2002, 380 V, 3 Ph, 50 Hz, working width: 510 mm, total dimensions: 920 mm x 700 mm x 980 mm.	750
19	Inject Star	Inject Star mobile ham press, inside dimensions: 1000 mm x 350 mm, total dimensions: 1600 mm x 450 mm x 1340 mm.	500
20	Mainca	Mainca mobile paddle mixer, inside dimensions: 500 mm x 400 mm x 400 mm, total dimensions: 930 mm x 550 mm x 1600 mm.	1000
21	Ascobloc Gastro-Gerätebau GmbH	Ascobloc Gastro-Gerätebau GmbH mobile cooking vessel, inside dimensions: 1040 mm x 600 mm x 1900 mm, total dimensions: 1200 mm x 1000 mm x 980 mm.	500
22	Frey	Frey vacuum filling machine, type: JOBBER-50, serial number: JA 50 11 07 93, 380 V, 50 Hz, dimensions: 700 mm x 700 mm x 1600 mm. Including box with filling pipes.	1000
23	WSS	WSS mobile oven with proofer and hood, type oven: SBU8E-DE/1816, year of construction: 2002, 380 V, 3 Ph, 25 A, 12 kW, type proofer: GSU8M/2354, year of construction: 2002, 220 V, 1 Ph, 9.2 A, type hood: DAH-DK/7206, year of construction: 2002, 220 V, 1 Ph, 0.16 A, 0.63 kW, dimensions: 820 mm x 770 mm x 2150 mm.	500
24	Bartscher	Bartscher grill, dimensions: 330 mm x 540 mm x 310 mm.	50
25	Soehnle	Soehnle hook weighing scale with indicator, serial number: 28213350066, maximum weight: 150 kg, minimum weight: 1 kg, e= 50 gram, dimensions: 570 mm x 300 mm x 700 mm.	250



Nr	Title	Description	Start €
26	NN tub	Mobile s/s tub, dimensions: 1720 mm x 950 mm x 740 mm.	250
27	NN meat hooks	8 various meat hooks.	400
28	Hobart	Hobart washing machine, dimensions: 1200 mm x 750 mm x 1700 mm.	500
29	Busch	Busch vacuum pump, type: RC 1000 B 421 EKBN, number: C0136000074, capacity: 1000 m <sup>3</sup> per hour, dimensions: 2000 mm x 1000 mm x 1800 mm. Leaking oil.	500
30	NN rack	S/s rack, dimensions: 1660 mm x 600 mm x 1800 mm.	100
31	NN table	S/s table, dimensions: 2410 mm x 950 mm x 1000 mm.	200
32	NN trolley	S/s trolley, dimensions: 940 mm x 570 mm x 900 mm.	100
33	NN trolley	S/s trolley, dimensions: 1120 mm x 600 mm x 780 mm.	100
34	NN skinning and derinding machine	Mobile skinning and derinding machine, working width: 400 mm, total dimensions: 670 mm x 850 mm x 1200 mm. Incomplete.	400
35	Stork & Herrmann	Stork & Herrmann mobile mixer, type: M1, year of construction: 1978, inside dimensions: 750 mm x 750 mm x 400 mm.	500
36	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning and derinding machine, type: ASB 800/1, number: 452, 380 V, 50 Hz, 0.85 kW, working width: 380 mm, total dimensions: 670 mm x 850 mm x 1200 mm. Incomplete.	500
37	NN table	Table, s/s frame, plastic worktop, dimensions: 2000 mm x 900 mm x 800 mm.	200
38	NN table	Table, s/s frame, plastic worktop, dimensions: 2500 mm x 1300 mm x 850 mm.	200
39	Bizerba	Bizerba hook weighing scale, maximum weight: 150 kg, minimum weight: 1 kg, e=0.05 kg, dimensions: 600 mm x 700 mm x 1300 mm.	200
40	NN tub	S/s mobile tub, dimensions: 1250 mm x 660 mm x 810 mm.	250
41	NN table	S/s table, dimensions: 1810 mm x 920 mm x 950 mm.	200
42	NN table	S/s table, dimensions: 2400 mm x 930 mm x 1020 mm.	200
43	NN rack	S/s rack, dimensions: 1660 mm x 600 mm x 1800 mm.	100
44	Webomatic	Webomatic mobile vacuum machine, seal length: 420 mm, chamber dimensions: 420 mm x 450 mm, total dimensions: 500 mm x 620 mm x 950 mm. Seal damaged.	500
45	Komet	Komet mobile vacuum machine, type: I300, machine number: 269 94 88, 220/380 V, 16 A, 1.1 kW, seal length: 400 mm, chamber dimensions: 400 mm x 540 mm, total dimensions: 490 mm x 700 mm x 950 mm.	500
46	NN refrigerated sliding door	Refrigerated sliding door, thickness: 110 mm, dimensions door: 1500 mm x 2250 mm. Without rails.	200
47	Lachnit	Lachnit tilting device for pallet boxes, dimensions: 1400 mm x 1300 mm x 1610 mm.	750



Nr	Title	Description	Start €
48	MM Servis	MM Servis frozen block guillotine, model: MMG2, serial number: ISO 9001:2015, year of construction: 2020, 400 V, 50 Hz, 4 kW, volume: 2000-2500 kg/h, weight: 300 kg, working width: 470 mm, total dimensions: 1550 mm x 720 mm x 1500 mm.	4000
49	NN tub	S/s tub, dimensions: 1320 mm x 680 mm x 850 mm.	200
50	NN tub	S/s tub, dimensions: 1080 mm x 700 mm x 620 mm.	200
51	NN netting device	Netting device, diameter: 190 mm, total dimensions: 260 mm x 440 mm x 440 mm.	50
52	NN table	S/s table, dimensions: 810 mm x 910 mm x 960 mm.	200
53	NN rack	S/s rack, dimensions: 2330 mm x 680 mm x 1810 mm.	100
54	NN tub	S/s mobile tub, dimensions: 1720 mm x 950 mm x 740 mm.	200
55	NN trolley	Aluminium trolley, dimensions: 940 mm x 480 mm x 880 mm.	100
56	Uni Trock	Uni Trock boot dryer, dimensions: 700 mm x 350 mm x 1700 mm.	150
57	NN racks	2 s/s racks on s/s trolley, dimensions plates: (4x) 1950 mm x 830 mm and (4x) 1660 mm x 600 mm, dimensions trolley: 1400 mm x 750 mm x 880 mm.	200
58	Wiesheu GmbH	Wiesheu GmbH oven, 2 floors, floor dimensions: 510 mm x 720 mm, total dimensions: 720 mm x 860 mm x 800 mm.	100
59	Hobart	Hobart washing machine, model: UX30E, serial number: 86302783, 400 V, 3 Ph. 50 Hz, 22.5 A, 13.2 kW, dimensions: 770 mm x 820 mm x 1710 mm.	150
60	NN table	S/s table, dimensions: 2770 mm x 1300 mm x 900 mm.	200
61	NN table	S/s table, dimensions: 2100 mm x 920 mm x 940 mm.	200
62	Maja-Maschinenfabrik	Maja-Maschinenfabrik skinning machine, working width: 290 mm, total dimensions: 600 mm x 600 mm x 1000 mm.	300
63	WSS	WSS oven, type: Cention C 1011, serial number: 14GG440001, year of construction: 0125, 400 V, 3 Ph, 25 A, 12 kW, dimensions: 810 mm x 820 mm x 1200 mm.	300
64	Platz	Platz pump, type: 308029, year of construction: 2002, dimensions: 1140 mm x 760 mm x 1030 mm.	250
65	NN trolley	S/s trolley, dimensions: 1510 mm x 790 mm x 930 mm.	200
66	NN sink	S/s sink with faucet, dimensions: 2380 mm x 700 mm x 1900 mm.	200
67	NN table	Table, s/s frame, plastic worktop, dimensions: 1100 mm x 900 mm x 850 mm.	100
68	NN table	Table, s/s frame, plastic worktop, dimensions: 2000 mm x 600 mm x 800 mm.	150
69	NN tub	Aluminium tub, dimensions: 1400 mm x 650 mm x 810 mm.	100
70	Freund	Freund balancer, type: F20-2SK, serial number: 010588, year of construction: 2000.	50
71	NN tub	S/s tub, dimensions: 1550 mm x 670 mm x 800 mm.	200
72	NN rack	S/s rack, dimensions: 1580 mm x 470 mm x 1800 mm.	100
73	Kronen	Kronen vegetable/fruit slicer, dimensions: 470 mm x 900 mm x 920 mm.	200



Nr	Title	Description	Start €
74	NN motor	Motor, dimensions: 500 mm x 220 mm x 230 mm.	25
75	NN transport belt	Transport belt with rejecter, plastic belt, belt width: 250 mm, total dimensions: 1200 mm x 800 mm x 1350 mm.	75
76	SureService Ltd	SureService Ltd weighing and labelling machine, model: GEMINI, serial number: HS85195, maximum weight: 4 kg, minimum weight: 0.1 kg, e=d=0.002 kg, 60 packs per minute, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: 230 mm and (2x) 100 mm, total dimensions: 1700 mm x 800 mm x 2100 mm.	750
77	Unitrans	Unitrans s/s tank with pump, inside dimensions: 590 mm x 590 mm x 590 mm, total dimensions: 1300 mm x 700 mm x 1650 mm.	250
78	Alpma	Alpma cheese packaging machine, type: U-64/D, fabrication number: 6450.214.339, year of construction: 1988, capacity: 50 per minute, weight: 900 kg, dimensions: 1800 mm x 900 mm x 1600 mm. Including 2 pallets with parts.	1000
79	Ulma	Ulma transport belt for vision system, model: 6555580, year of construction: 2017, plastic belt, belt width: 300 mm, total dimensions: 1450 mm x 700 mm x 1240 mm.	200
80	Ulma	Ulma transport belt for vision system, model: 6555580, year of construction: 2017, plastic belt, belt width: 300 mm, total dimensions: 1450 mm x 700 mm x 1240 mm.	200
81	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 250 mm, elevating height: 1700 mm, total dimensions: 1800 mm x 450 mm x 1750 mm.	250
82	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 80 mm, total dimensions: 1000 mm x 350 mm x 1100 mm.	50
83	Rietschle	Rietschle vacuum pump, type: VF 251 01, number: 931508, year of construction: 1985, capacity: 250 m <sup>3</sup> per hour, dimensions: 850 mm x 650 mm x 1130 mm.	200
84	Cresta	Cresta mobile depositor, dimensions: 1100 mm x 630 mm x 1160 mm.	250
85	Loma Systems	Loma Systems metal detector, number: 894201, 415/240 V, 3 Ph, 50 Hz, clearance: 450 mm x 140 mm, plastic belt, belt width: 350 mm, total dimensions: 1500 mm x 900 mm x 1370 mm.	400
86	Loma Systems	Loma Systems checkweigher, metal detector with rejecter, 7000 series, plastic belt, belt width: 250 mm, total dimensions: 1650 mm x 1000 mm x 1370 mm.	500
87	Boekels	Boekels mobile metal detector, type: BMK (16) 180x30.3, year of construction: 2000, 230/400 V, 50 Hz, clearance: 300 mm x 350 mm, plastic belt, belt width: 300 mm, total dimensions: 2000 mm x 700 mm x 1320 mm. Incomplete.	500
88	Thermo Fischer	Thermo Fischer x-ray scanner with rejecter, type: EZX 420, serial number: 08243260, year of construction: JUNE 2008, 100-240 V, 50//60 Hz, 7.5-15 A, plastic belt, belt width: 310 mm, clearance: 380 mm x 190 mm, total dimensions: 2000 mm x 1100 mm x 1730 mm.	750



Nr	Title	Description	Start €
89	Arnott	Arnott spraying belt, number: OC.11443-4, year of construction: 07-06, s/s mesh belt, belt width: 250 mm, total dimensions: 1250 mm x 850 mm x 1200 mm.	400
90	Westfalia Separator AG	Westfalia Separator AG separator, type: MZA 6-69-905, machine number: 2204 463, dimensions: 900 mm x 800 mm x 1100 mm.	2000
91	Hamba	Hamba 4 lanes cup filling machine, type: BK 6004, machine number: 44045, year of construction: 1980, 220/80 V, 50 Hz, 16-20 A, diameter cup: 100 mm, total dimensions: 4300 mm x 1500 mm x 2150 mm.	1500
92	NN lane divider with blower	Lane divider with blower, plastic belt, belt width: 800 mm, total dimensions: 1500 mm x 1100 mm x 1050 mm.	250
93	NN transport belt	Transport belt, s/s frame, dimensions: 1000 mm x 750 mm x 1100 mm.	100
94	NN bagel forming machine	Mobile bagel forming machine, type: S/90, number: 25161, 220 V, 60 Hz, 0.73, cloth belt, belt width: 90 mm, total dimensions: 1800 mm x 530 mm x 1420 mm.	400
95	NN crumbling machine	Mobile crumbling machine, dimensions: 950 mm x 1200 mm x 1900 mm.	500
96	Stal Refrigeration	Stal Refrigeration mini screw compressor unit, dimensions: 1200 mm x 1200 mm x 1950 mm.	1000
97	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 460 mm, total dimensions: 1400 mm x 600 mm x 1600 mm.	200
98	Teknomek	Teknomek mobile s/s soak bath, dimensions: 1500 mm x 820 mm x 1250 mm.	100
99	Endoline	Endoline mobile box closing machine, model: SPT, serial number: 151175248-1, year of construction: 2015, 230 V, 1 Ph, 50 Hz, dimensions: 1400 mm x 950 mm x 1500 mm.	250
100	Robland	Robland saw, type: Z320, dimensions: 3500 mm x 2100 mm x 1400 mm.	950
101	Alma	Alma bag sealing machine, model: 91, serial number: F1617, 415 V, 3 Ph, 50 Hz, working width: 520 mm, seal width: (2x) 470 mm, total dimensions: 1640 mm x 750 mm x 1550 mm. Missing transport belt and motor.	50
102	Unifrost	Unifrost mobile refrigerator with saladette, dimensions: 1250 mm x 760 mm x 1130 mm.	100
103	L'unite Hermetique	L'unite Hermetique cooling compressor, type: AE4430Z HR, refrigerant: R404A, dimensions: 480 mm x 360 mm x 300 mm.	10
104	NN packaging machine	Packaging machine, seal length: (2x) 150 mm and 220 mm, total dimensions packaging machine: 740 mm x 450 mm x 400 mm.	10
105	NN plastic trays	3 pallets with approximately 9600 plastic CH335 PET trays, tray dimensions: 173 mm x 133 mm x 35 mm.	75
106	NN plastic trays	3 pallets with approximately 9600 plastic CH335 PET trays, tray dimensions: 173 mm x 133 mm x 35 mm.	75
107	NN sink	S/s sink, dimensions: 760 mm x 550 mm x 150 mm.	5





Nr	Title	Description	Start €
108	Hakvoort	Hakvoort s/s table, dimensions: 900 mm x 780 mm x 1200 mm.	10
109	Gram	Gram mobile refrigerator, type: K600, 4 floors, dimensions each floor: 525 mm x 590 mm, total dimensions: 700 mm x 850 mm x 2000 mm.	150
110	NN refrigerated cabinet	S/s refrigerated cabinet, 220-240 V, 50 Hz, 1.2 A, 170 W, weight: 81 Kg, refrigerant: R600a, dimensions: 900 mm x 700 mm x 880 mm.	75
111	NN cabinet	S/s cabinet, dimensions: 400 mm x 700 mm x 980 mm.	50
112	Ecofrost	Ecofrost refrigerator, 5 floors, dimensions each floor: 650 mm x 520 mm, total dimensions: 740 mm x 840 mm x 2000 mm.	300
113	Rhima	Rhima washing machine, model: DR 60, serial number: 95.811, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 25 A, 10 kW, dimensions: 800 mm x 700 mm x 1450 mm.	250
114	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5774, year of construction: 2003, 230 V, 50 Hz, 0.6 kVa, plastic belt, belt width: 140 mm, total dimensions: 1080 mm x 630 mm x 1600 mm.	50
115	Arneg	Arneg refrigerated showcase, model: Banco Genius G.I. H145 L100, serial number: 1D08881401, year of construction: 2004, 230 V, 50 Hz, refrigerant: R404A, dimensions: 1000 mm x 700 mm x 1450 mm.	75
116	Maja Maschinenfabrik	Maja Maschinenfabrik mobile slicer for cordon blue, type: FS 90-540-2, serial number: H0143, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2.4 A, 1.3 kW, plastic belt, belt width: (2x) 100 mm, total dimensions: 1800 mm x 1100 mm x 1150 mm. Missing knives and one of the belts is missing.	500
117	SES	SES mobile labelling machine, dimensions: 750 mm x 750 mm x 1760 mm.	300
118	Multifan	Multifan fan, type: K6E7110M11100, year of construction: 2015, dimensions: 800 mm x 800 mm x 450 mm.	30
119	Multifan	Multifan fan, dimensions: 800 mm x 800 mm x 450 mm.	30
120	Gram	Gram refrigerator, type: K 400 (H), serial number: 261/1, 230 V, 50 Hz, refrigerant: 120 gr R134a, inside dimensions: 500 mm x 450 mm x 1500 mm, total dimensions: 600 mm x 600 mm x 1720 mm.	10
121	NN vacuum machine	Vacuum machine with vacuum pump, seal length: 450 mm, chamber dimensions: 850 mm x 460 mm, total dimensions: 950 mm x 570 mm x 910 mm.	300
122	Tipper Tie Technopack	Tipper Tie Technopack mobile labelling system, type: Tag print TD-60, serial number: TD0045, year of construction: 2017, 240 V, 50-60 Hz, 2 A, dimensions: 600 mm x 600 mm x 1350 mm.	200
123	Tipper Tie Technopack	Tipper Tie Technopack mobile labelling system, type: Tag print TD-60, serial number: TD0049, year of construction: 2018, 240 V, 50-60 Hz, 2 A, dimensions: 600 mm x 600 mm x 1350 mm.	200



Nr	Title	Description	Start €
124	NN kitchen counter	S/s kitchen counter with 2 sinks, faucet, induction plate and grill, dimensions: 2100 mm x 1100 mm x 180 mm.	300
125	Bizerba	Bizerba hook weighing scale, number: 675 558-86, maximum weight: 150 kg, minimum weight: 5 kg, e=d= 100 gram, dimensions: 1200 mm x 600 mm x 600 mm.	50
126	NN refrigerated showcase	Refrigerated showcase, dimensions: 1000 mm x 1300 mm x 2040 mm.	300
127	NN roller conveyor	S/s roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 3100 mm x 660 mm x 900 mm.	50
128	Digi Europe Ltd	Digi Europe Ltd weighing scale, model: DS-515, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T= -5.998 kg, dimensions: 340 mm x 320 mm x 450 mm.	25
129	Lenze	Lenze gear motor, type: gks09-3m har 160c22, dimensions: 1200 mm x 390 mm x 340 mm.	400
130	Leventi	Leventi double stacked combi steamer with hood, 5 and 6 floors, dimensions each floor: 600 mm x 400 mm, total dimensions: 1050 mm x 900 mm x 2210 mm. Incomplete.	800
131	Bizerba	Bizerba slicer, dimensions: 600 mm x 900 mm x 500 mm.	100
132	Hoshizaki	Hoshizaki ice machine, model: IM-30CNE, serial number: E14493, 220-240 V, 50 Hz, 2 A, refrigerant: R134a, dimensions: 400 mm x 400 mm x 700 mm.	150
133	Capic	Capic grill, number: 120701053, dimensions: 650 mm x 650 mm x 550 mm.	100
134	NN cooking vessel	Mobile cooking vessel, inside dimensions: Ø 700 mm x 520 mm, total dimensions: 850 mm x 1150 mm x 1050 mm.	400
135	Antoine	Antoine 3-doors refrigerator, type: ANTOINE F.I. 2140 3DXG vitré - R290, number: 113238 339477, year of construction: 2020, 230 V, 50 Hz, 0.65 A, 0.15 kW, refrigerant: R290, 68 gram, dimensions: 2150 mm x 550 mm x 820 mm.	150
136	Avery Berkel	Avery Berkel weighing scale with indicator and label printer, model: MO200, 220-240 V, 50/60 Hz, 0.75 A, maximum weight: 6/15 kg, minimum weight: 40 gram, e = 2/5 gram, T = -2 kg, dimensions scale: 350 mm x 250 mm, total dimensions: 470 mm x 400 mm x 610 mm.	10
137	Teraoka Seiko Co., LTD	Teraoka Seiko Co., LTD weighing scale, model: S-WP, serial number: 12612669, max: 6 kg. Incomplete.	5
138	Embraco	Embraco cooling compressor, type: UNEK6210Z, R 134A, 220-240 V, 1 Ph, 50 Hz, dimensions: 350 mm x 400 mm x 400 mm.	100
139	NN refrigerator	Refrigerator, model: BB-B3, 220/240 V, 50 Hz, 220 Watt, refrigerant: R134a, 200 gram, dimensions: 1350 mm x 500 mm x 850 mm.	100
140	Unika	Unika table model vacuum machine, model: VT30, serial number: V1075, year of construction: 1999, 220/240 V, 50/60 Hz, 4.55/4.17 A, 1 kW, seal length: (1x) 340 mm, total dimensions: 540 mm x 420 mm x 400 mm. Incomplete.	40



Nr	Title	Description	Start €
141	SMEG	SMEG dishwasher, type: GW4190, serial number: 40624, 400 V, 3 Ph, 50 Hz, 12 A, 7000 W, dimensions: 900 mm x 600 mm x 850 mm. Without dishwasher basket.	75
142	Rational	S/s trolley for Rational combi steamer, 20 floors, dimensions each floors: 530 mm x 330 mm, dimensions trolley: 700 mm x 550 mm x 1780 mm.	100
143	NN vacuum machine	Table model vacuum machine, seal length: (1x) 260 mm, dimensions chamber: 390 mm x 285 mm, total dimensions: 500 mm x 340 mm x 400 mm. Missing cover.	50
144	Buffalo	Buffalo table model vacuum machine, model number: GF 439, serial number: M820131408000701, 230 V, 1 Ph, 50 Hz, 630 W, seal length: (1x) 295 mm, dimensions chamber: 350 mm x 300 mm, total dimensions: 430 mm x 360 mm x 350 mm.	50
145	Bartscher	Bartscher grill, type: AT-360B, year of construction: 2019, 230 V, 50 Hz, 3000 Watt, electric heated, dimensions: 440 mm x 250 mm x 400 mm.	50
146	Frilec	Frilec refrigerator, type: 175.6719, volume: 178/158/17 dm <sup>3</sup> , 220/240 V, 50 Hz, 100 W, 0.8 kWh/24 h, dimensions: 600 mm x 600 mm x 840 mm.	10
147	Nayati	Nayati electric teppanyaki grill, model: NETY 8.1 J, serial number: A20708AE003BDS, 8.1 kW, dimensions: 900 mm x 500 mm x 140 mm.	30
148	NN trolley	S/s trolley, 8 floors, dimensions each floors: 700 mm x 600 mm, total dimensions: 770 mm x 620 mm x 1320 mm.	10
149	Framec	Framec refrigerated showcase, type: E6106M0100, number: 626RA14002, 220/240 V, 50 Hz, 4.5 A, 940 W, refrigerant: R507, 2 floors, dimensions each floor: 285 mm x 900 mm, total dimensions: 600 mm x 980 mm x 2020 mm.	75
150	NN sink	S/s sink with faucet, dimensions: 450 mm x 500 mm x 1000 mm.	150
151	Hoszizaki	Hoszizaki ice machine, model: IM-45NE, serial number: F01155, 220-240 V, 50 Hz, 2.7 A, weight: 46 kg, refrigerant: R134a, 0.16 kg, dimensions: 500 mm x 440 mm x 850 mm.	200
152	Framec	Framec refrigerated showcase, type: E6106M0100, number: 626RA13997, 220/240 V, 50 Hz, 4.5 A, 940 W, 3 floors, dimensions each floor: 285 mm x 900 mm, total dimensions: 600 mm x 980 mm x 2020 mm.	75
153	Gamko	Gamko double doors refrigerator, type: GB/22GLMU, serial number: 201733000233, year of construction: 2017, 220-240 V, 50 Hz, 1.6 A, 245 Watt, refrigerant: R600A, dimensions: 1250 mm x 600 mm x 820 mm.	100
154	Centauro	Centauro refrigerator, model: APD-126, serial number: 10520, year of construction: 2010, 230 V, 50 Hz, 2 doors, dimensions: 1550 mm x 600 mm x 900 mm.	100
155	Diamond	Diamond refrigerator, 3 doors, model: TS3N/L, serial number: 1737.0006, 220-240 V, 50-60 Hz, refrigerant: R404a, dimensions: 1600 mm x 700 mm x 900 mm.	250



Nr	Title	Description	Start €
156	Giga	Giga grill, dimensions: 600 mm x 600 mm x 600 mm.	10
157	Bartscher	Bartscher grill, type: AT-360B, year of construction: 2019, 230 V, 50 Hz, 3000 Watt, electric heated, dimensions: 440 mm x 250 mm x 400 mm.	75
158	NN table	S/s table with drawer, dimensions: 700 mm x 520 mm x 1000 mm.	40
159	REA rack	(1x) REA rack, 2 floors, dimensions: 1950 mm x 520 mm x 900 mm and (2x) REA rack, 1 floor, dimensions: 1950 mm x 520 mm x 170 mm.	30
160	PBI Dansensor	PBI Dansensor gas mixing station, type: module TGC-2 122, serial number: 33030583, 207-253 VAC, 50/60 Hz, year of construction: 2003, dimensions: 460 mm x 360 mm x 300 mm.	10
161	NN slicer	Slicer on table with plastic worktop, dimensions: 1900 mm x 600 mm x 850 mm.	25
162	Frey	Frey piston filler, diameter piston: 320 mm, total dimensions: 770 mm x 700 mm x 1200 mm.	1000
163	Franstal	Franstal refrigerator, serial number: 141025007, 220-230 V, 50 Hz, 2,8 A, refrigerant: R404a, 400 gram, dimensions: 870 mm x 700 mm x 700 mm.	40
164	NN cabinet	Mobile s/s cabinet, dimensions: 1500 mm x 750 mm x 1700 mm.	300
165	NN plastic belt	Plastic belt, belt width: 225 mm, length: 1020 mm.	10
166	Maxima	Maxima double fryer, 230 V, 1 Ph, 50 Hz, 6500 Watt, volume: (2x) 8 liter, dimensions: 600 mm x 450 mm x 400 mm.	50
167	Tekno-Lam	Tekno-Lam heated cabinet, serial number: KTC2015, 230 V, 50 Hz, 10.86 A, 2500 W, dimensions: 1600 mm x 700 mm x 850 mm.	350
168	Aqualex	Aqualex water cooler and hot boiler, model: JCLASS IN 45 IB ACWG and HOT BOILER EVO, dimensions: 260 mm x 400 mm x 400 mm and 200 mm x 300 mm x 400 mm.	100
169	Aristarco	Aristarco dishwasher, model: Lavab. AL 40.28 V230M 1D, type: 3310, serial number: 7491001, 230 V, 1 Ph, 50 Hz, 16 A, 3050 W, dimensions: 480 mm x 550 mm x 750 mm. Including osmos maxi boiler.	200
170	NN grill	Grill, dimensions: 800 mm x 400 mm x 500 mm.	40
171	Rosieres	Rosieres grill, dimensions: 640 mm x 640 mm x 540 mm.	25
172	Eurogrill	Eurogrill rotary grill, model: TGW 50, serial number: 1120072, year of construction: 1997, 400 V, 4500 W, 50 Hz, 10,6 A, 3 floors, dimensions each floor: 320 mm x 350 mm, total dimensions: 1000 mm x 500 mm x 700 mm.	150
173	Gram	Gram mobile refrigerator, type: K 610 RG C 4N, serial number: 10012444, 230 V, 50 Hz, 1.50 A, 291 W, refrigerant: R600a, 102 gram, dimensions: 700 mm x 870 mm x 2000 mm.	200



Nr	Title	Description	Start €
174	Fri-Jado b.v	Fri-Jado b.v rotary grill, model: SRG5-P, number: 10002708, year of construction: 2005, 400/230 V, 50/60 Hz, 9 A, 6100 W, dimensions: 900 mm x 650 mm x 1750 mm.	300
175	NN refrigerated showcase	Refrigerated showcase, WKS560S, number: WKS560S1603160009, 220/240 V, 50 Hz, 6.8 A, 16 kW, 4 floors, dimensions each floor: 300 mm x 1240 mm, total dimensions: 1000 mm x 1300 mm x 2040 mm.	100
176	Foster	Foster refrigerator, model: EP1/2H, serial number: E5424341, 230 V, 1 Ph, 50 Hz, 2.0 A, 275 W, refrigerant: R290/150 g, dimensions: 850 mm x 700 mm x 1400 mm.	300
177	Rohema Maschinenbau GmbH	Rohema Maschinenbau GmbH mobile hanging line for sausages, dimensions: 2200 mm x 1200 mm x 1600 mm.	400
178	NN refrigerator	Refrigerator, dimensions: 2370 mm x 740 mm x 730 mm.	200
179	Diamond	Diamond mobile au bain-marie, model: CT331/D-N, serial number: 17090875, 230 V, 50/60 Hz, 2.1 kW, dimensions: 1280 mm x 600 mm x 920 mm. Damaged.	50
180	Wiesheu GmbH	Wiesheu GmbH mobile combi steamer, type: M216CR+TS350+P.C1, number: 62678, year of construction: 1999, 400 V, 50 Hz, 18.6 kW, 10 floors, dimensions each floor: 520 mm x 330 mm, total dimensions: 950 mm x 870 mm x 2050 mm.	750
181	Leventi	Leventi double combi steamer, type: BM 6 MM NG and BM 4 MM NG, number: 13 03 57830 and 13 03 57829, 400 V, 3 Ph, 50/60 Hz, 9 kW, 10 floors, total dimensions: 1000 mm x 900 mm x 2200 mm.	800
182	Robot Coupe S.A.	Robot Coupe S.A. cutter, type: R 25 a, number: 70/10 375, year of construction: 1996, 220/380 V, 3 Ph, 50 H, 10.7/18.5 A, 3500/4500 Watt, volume: 25 liter, dimensions: 790 mm x 400 mm x 880 mm.	1000
183	Porkka	Porkka refrigerator, type: TFUR720C-SS C 720 R/R OIK, number: 200527-144652.001, 230 V, 50 Hz, 334 Watt, refrigerant: R-134a, 375 gram, dimensions: 850 mm x 710 mm x 1980 mm.	150
184	Maja Maschinenfabrik	Part for Maja Maschinenfabrik ice machine, dimensions: 740 mm x 180 mm x 1020 mm.	25
185	Miele	Miele washing machine, model: PW 6080 AV ED, type: PW001, number: 00/120566184, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 16 A, 8.2 kW, dimensions: 730 mm x 700 mm x 1020 mm.	250
186	Loma Systems	Loma Systems mobile metal detector with rejector, year of construction: 1997, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 120 mm, total dimensions: 2200 mm x 1200 mm x 1100 mm.	750
187	IPSO	IPSP washing machine, model: IXU065XCHXU10, type: HD 65, serial number: 14030AB0055, 200-240 V, 50/60 Hz, 10 A. weight: 212 kg, dimensions: 680 mm x 660 mm x 1030 mm.	350



Nr	Title	Description	Start €
188	Electrolux	Electrolux washing machine, model: EW170P, type: FLI0641B5, serial number: 810 00002, 230 V, 50 Hz, 10 A, 2200 Watt, dimensions: 600 mm x 625 mm x 850 mm	250
189	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning machine, working width: 290 mm, total dimensions: 660 mm x 630 mm x 980 mm.	350
190	Cretel	Cretel mobile skinning machine, working width: 435 mm, total dimensions: 750 mm x 500 mm x 990 mm.	350
191	Mado	Mado mobile grinder, type: MEW 620, number: 1530211, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4 kW, plate diameter: 98 mm, total dimensions: 1000 mm x 840 mm x 1430 mm. Without plates and knives.	1500
192	Kiekens Products	Kiekens Products mobile dust/steam suction device, type: DM1258H-B1-Z22, serial number: W17-1359-01, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 16 A, 2,2 kW, weight: 330 kg, dimensions: 1150 mm x 920 mm x 2080 mm.	500
193	Foster	Foster mobile refrigerator with 4 drawers, type: G2, model: EP2/2H, serial number: E5370939, refrigerant: R290, 150 g, 230 V, 1 Ph, 50 Hz, 2.4/10 A, 305 W, dimensions: 1830 mm x 800 mm x 830 mm.	200
194	Scanveagt	Scanveagt weighing scale with indicator, type indicator: 411, serial number: BPE02571, type receptor: 1025.30, serial number: BPE02571, maximum weight: 60 kg, minimum weight: 0.4 kg, e= 20 gram, dimensions: 560 mm x 600 mm x 700 mm.	50
195	NN tray handler	Tray handler, plastic belt, belt width: (1x) 250 mm, (1x) 120 mm, (1x) 105 mm, (5x) 110 mm, total dimensions: 1700 mm x 1100 mm x 2200 mm.	500
196	Intray	Intray placing belt, type: easy loader, serial number: H-15015, year of construction: 2015, 230 V, 50 Hz, s/s frame, plastic belt, belt width: 370 mm and 375 mm, total dimensions: 1750 mm x 950 mm x 1080 mm.	500
197	Ziegra-Eismaschinen	Ziegra-Eismaschinen flake ice machine with BWT water softener, type: ZBE 350 EV, serial number: 140352, 400 V, 3 Ph, 50 Hz, 6 A, refrigerant: R744, dimensions: 700 mm x 750 mm x 1600 mm.	450
198	Handtmann	Handtmann mobile linker, type: 115-21, number: 337, year of construction: 2000, 400 V, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1300 mm x 700 mm x 1250 mm.	500
199	Youngsunpack	Youngsunpack box closing machine, type: MH-FJ-1A, serial number: 130508C S1-03, year of construction: 2012/2013/2014, 220 V, 1 Ph, 50 Hz, 600 W, aluminium rollers, roller width: (14x) 280 mm and (8x) 680 mm, total dimensions: 1100 mm x 800 mm x 900 mm. Incomplete.	30
200	Handtmann	Handtmann mobile linker, dimensions: 1300 mm x 700 mm x 1250 mm. Incomplete.	750



Nr	Title	Description	Start €
201	Risco	Risco vacuum filling machine, model: RS 505, serial number: C813007, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 24 V, 10 kW, weight: 980 kg, dimensions: 1200 mm x 1160 mm x 2110 mm. Incomplete, missing rotor, vanes and lifter.	500
202	Dixi	Dixi baler, type: DIXI 6s, dimensions: 980 mm x 680 mm x 1920 mm.	500
203	Fomaco	Fomaco injector/tenderiser, model: FGM 48/288T, machine number: 9020-2009R, 400 V, 3 Ph, 50 Hz, 8/25 A, 48 needles, s/s walking beam, beam width: 420 mm, total dimensions: 2400 mm x 800 mm x 2200 mm.	500
204	Square	Square Teflon belt grill, type: Lab Belt grill, number: 017431005, dimensions: 1600 mm x 1000 mm x 1200 mm. Incomplete.	250
205	Selo BV	Selo BV tray denester, type: SL Tray dispenser, serial number: T113-001-0001, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 1.7 kW, 2 lanes, lane width: (2x) 175 mm, total dimensions: 1300 mm x 1050 mm, 1900 mm.	200
206	Supertape	Supertape box closing machine, type: HF-7, machine number: 95-74301, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 4.5 A, weight: 195 kg, dimensions: 1700 mm x 1050 mm x 2200 mm.	150
207	Bunn	Bunn coffee machine, model: CWA-APS, serial number: CW00072262, 220-240 V, 50 Hz, dimensions: 210 mm x 500 mm x 620 mm.	10
208	NN knife sharpener	Knife sharpener, dimensions: 430 mm x 380 mm x 280 mm. Incomplete.	50
209	Jansen techniek	Jansen techniek knife sharpener, type: BLOM L.M.1, model: Messenslijper, serial number: 201801130-4, year of construction: 2018, dimensions: 430 mm x 250 mm x 250 mm.	50
210	VLB	VLB mobile bread slicer, type: BN 45/11, number: 3320, year of construction: 2000, 220-380 V, 50 Hz, 0.37 kW, belt width: 400 mm, total dimensions: 1550 mm x 700 mm x 1400 mm.	200
211	Fanuc	Fanuc palletizing robot with part for palletising system, pallet size: 1200 mm x 1000 mm x 145 mm, system: R-J3IC, type robot: A05B-2513-B010. dimensions robot: 2950 mm x 1200 mm x 2290 mm.	1000
212	NN strapping machine	Mobile strapping machine, model: TP-6000CE1, machine number: 71105366, year of construction: 2007, 230 V, 50 Hz, 1 Ph, 9 A, clearance: 850 mm x 600 mm, total dimensions: 1400 mm x 620 mm x 1450 mm. 1 wheel is missing.	75
213	NN rack	S/s rack, 7 floors, floor dimensions: 990 mm x 920 mm, total dimensions: 990 mm x 990 mm x 1300 mm.	75



Nr	Title	Description	Start €
214	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CV/VG-S, serial number: 2140-02/1, year of construction: 08/08/02, 400 V, 3 Ph, 50 Hz, dye: 270 mm x 270 mm, film width: 335 mm, total dimensions: 1100 mm x 1000 mm x 1630 mm.	300
215	NN dryer	Mobile dryer with plastic wired belt, belt width: 150 mm, clearance: 210 mm x 120 mm, total dimensions: 1410 mm x 600 mm x 1400 mm.	400
216	NN ham moulds	3 s/s ham moulds, dimensions: (3x) 510 mm x 350 mm x 110 mm.	200
217	Proseal	Proseal traysealer, model: GT2sX-Twin, serial number: SN-M-06010, year of construction: 2020, 415 V, 3 Ph, 50 Hz, 6 bar, plastic infeed belt, belt width: (2x) 160 mm, dye: (8x) 160 mm x 120 mm, plastic string outfeed belt, belt width: 335 mm, total dimensions: 4400 mm x 1220 mm x 2100 mm. Including s/s trolley to change dye's, serial number: SN-O-05608, year of construction: 2021, type: GT2sX-RH, weight: 123 kg, dimensions: 1400 mm x 1200 mm x 1400 mm and pallet with extra dye set.	20000
218	True	True mobile refrigerator, model: GDM-33, serial number: 5176500, refrigerant: R134A, 0.34 kg, dimensions: 1000 mm x 750 mm x 2080 mm.	75
219	CRM	CRM mobile ice cream machine, model: GEL20E SIF, serial number: 02/328, year of construction: 2000, 230 V, 3 Ph, 50 Hz, 2.2 A, dimensions: 640 mm x 460 mm x 1000 mm. Missing 1 cover.	800
220	Beko	Beko 5-pits gas stove with oven, type: G 03H04, 220-240 V, 50 Hz, 15.5 kW, 1127g/h, dimensions: 900 mm x 650 mm x 800 mm.	200
221	Beko	Beko 5-pits gas stove with oven, type: G 02 H04 X, 220-240 V, 50 Hz, 15.5 kW, 1127g/h, dimensions: 900 mm x 650 mm x 800 mm.	200
222	CFS Bakel B.V.	CFS Bakel B.V. mobile transport belt, type: CRL 400, machine number: 37, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 6 A, 3 kW, s/s mesh belt, belt width: 400 mm, total dimensions: 2520 mm x 900 mm x 1770 mm.	400
223	Part for denester	S/s trolley with part for denester and transport belt, plastic belt, belt width: 400 mm, dimensions trolley: 1450 mm x 500 mm x 950 mm.	20
224	Omori	Omori flowpacker, type: S-5015EU-BX, serial number: X18228, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 10 kW, weight: 1500 kg, seal length: 250 mm, plastic outfeed belt, belt width: 180 mm, total dimensions: 3900 mm x 1100 mm x 1850 mm.	2500
225	NN mixer	S/s mixer, model: TR200, 380 V, 3 Ph, 50 Hz, 6 A, volume: 20 liter, total dimensions: 340 mm x 400 mm x 770 mm.	350
226	Mammuth	Mammuth mobile foldable engine hoist, capacity: 1000 kg, dimensions: 780 mm x 1500 mm x 580 mm.	300





Nr	Title	Description	Start €
227	Collamat	Collamat labelling machine on s/s frame, consisting of Collamat labeller and Collamat label printer, type labeller: E 86, serial number: E 0029, year of construction: 04/07, type label printer: C8610/20, serial number: 1366, year of construction: 04/07, 110/240 V, 305 W, total dimensions: 1900 mm x 900 mm x 2060 mm.	400
228	Optima	Optima mobile bag clipping machine, type: CH3A, fabrication number: 20150, year of construction: 1988, dimensions: 1100 mm x 900 mm x 1050 mm.	150
229	NN refrigerated showcase	Refrigerated showcase, dimensions: 1100 mm x 720 mm x 690 mm.	50
230	Thermo Electron Corporation	Thermo Electron Corporation checkweigher with rejector, model: AC9000plus, serial number: 6858, year of construction: 2006, 230 V, 50 Hz, 0.6 kVA, weighing range: 35/1500 gram, e=0,5 gram, d=0.5 gram, T= 1500 gram, plastic belt, belt width: 150 mm, 190 mm, total dimensions: 1700 mm x 750 mm x 1950 mm.	100
231	Rhima/Wexiödisk AB	Rhima/Wexiödisk AB dishwasher with infeed roller conveyor, type: WD 211E, number: 037198, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 80 A, 42 kW, dimensions: 3400 mm x 1400 mm x 1800 mm.	1000
232	Langguth	Langguth can labelling machine, type: hotLAN 310, machine number: 310.0028, year of construction: 2011, s/s belt, belt width: 45 mm, Nordson glue unit, total dimensions: 5950 mm x 1500 mm x 2150 mm.	1000
233	NN trolleys	2 s/s trolleys, dimensions: (2x) 1130 mm x 730 mm x 930 mm.	40
234	Joinpack/DeWitt	Joinpack/DeWitt mobile strapping machine, model: A93NS, machine number: 113083046, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 3.3 A, weight: 235 kg, clearance: 660 mm x 590 mm, total dimensions: 1400 mm x 620 mm x 1450 mm. Damaged.	75
235	Tournus	Tournus s/s sink with faucet, dimensions: 330 mm x 330 mm x 400 mm.	5
236	Best Pack	Best Pack box closing machine, model: MSD22-2S, serial number: 081209, year of construction: 05/16/08, 400 V, 3 Ph, 50 Hz, s/s rollers, roller width: 640 mm, total dimensions: 1000 mm x 900 mm x 700 mm. Incomplete.	30
237	NN cup filling and sealing machine	Cup filling and sealing machine, diameter cups, 105 mm, belt width: 120 mm, total dimensions: 1300 mm x 2100 mm x 2350 mm.	3000
238	True	True mobile refrigerator, model: TS-23G-2, serial number: 7681744, 230 V, 50 Hz, 4 A, refrigerant: R134A, 0.34 kg, dimensions: 690 mm x 800 mm x 2070 mm.	75
239	NN refrigerated showcase	Mobile refrigerated showcase, dimensions: 1100 mm x 680 mm x 1850 mm.	150



Nr	Title	Description	Start €
241	Röschermatic	Röschermatic mobile mixer/tumbler, type: MM 80, number: 254, 380/220 V, 0.65 kW, inside dimensions: Ø 500 mm x 600 mm, total dimensions: 1250 mm x 750 mm x 1350 mm. Missing agitator.	400
242	NN plastic worktop	Plastic worktop, dimensions: 1500 mm x 700 mm.	20
243	Multifresh	5 Multifresh film rolls, film width: 245 mm, thickness: 0.125 mm.	25
244	C.R.M. srl	C.R.M. srl mobile hamburger forming machine on s/s trolley with plastic top, machine type: PLANUS H 200/94, serial number: 260, year of construction: 06-1997, 230 V, 0.37 kW, dye: 100 mm, belt width: 150 mm, total dimensions: 970 mm x 740 mm x 1630 mm.	500
245	Reflex Systems	Reflex Systems screen for weighing system on s/s trolley, type: VW1500, serial number: 500295-5-16, 1500 Kg, total dimensions: 860 mm x 1560 mm x 1850 mm. Incomplete.	20
246	Hoshizaki	Hoshizaki refrigerator, inside dimensions: 520 mm x 650 mm x 1300 mm, dimensions: 840 mm x 660 mm x 2000.	300
247	NN film roll holder	Mobile film roll holder, arm length: 280 mm, total dimensions: 630 mm x 500 mm x 980 mm.	5
248	NN frame	S/s frame, dimensions: 800 mm x 610 mm x 510 mm.	10
249	Liebherr	Liebherr refrigerator, dimensions: 550 mm x 620 mm x 1400 mm.	30
250	Electrolux	Electrolux blast chiller, model: RBC051, serial number: 11007005, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 3.3 A, 0.51 kW, refrigerant: R134a, 6 floors, dimensions each floor: 350 mm x 600 mm, total dimensions: 700 mm x 760 mm x 840 mm.	350
251	NN trolley with plates	S/s trolley with 10 plastic plates, dimensions trolley: 1300 mm x 910 mm x 1320 mm.	100
252	Ishida	Ishida 12-heads multihead weigher, model: CCW-NZ-214WE-S/15-WP, number: 41559, year of construction: 2000, 400 V, 50 Hz. 2.5 A, dimensions weigher: 850 mm x 850 mm x 1280 mm and pallet with weighing baskets.	2500
253	Unox	Unox combisteamer, type: XBC405E, serial number: 2014C0020325, 4 floors, floor dimensions: 360 mm x 600 mm, total dimensions: 860 mm x 560 mm x 700 mm.	500
254	Unox	Unox combisteamer, type: XBC404, serial number: 353, 4 floors, dimensions each floor: 360 mm x 600 mm, total dimensions: 860 mm x 560 mm x 700 mm.	500
255	IPSO	IPSO washing machine, model: BF3JXASG403EN01, serial number: 1605020085, 400 V, 3 Ph, 50 Hz, 9.8 A, 4800 Watt, dimensions: 730 mm x 680 mm x 1110 mm.	1000
256	NN chafing dishes	6 chafing dishes, dimensions: (6x) 560 mm x 360 mm x 240 mm.	30



Nr	Title	Description	Start €
257	NN plastic work tops	S/s trolley with 16 plastic work tops, dimensions work tops: (14x) 1000 mm x 600 mm x 20 mm, (1x) 950 mm x 550 mm x 40 mm and (1x) 420 mm x 550 mm x 40 mm, dimensions trolley: 700 mm x 700 mm x 1280 mm.	500
258	Electrolux	Electrolux blast chiller, model: RBC051, serial number: 31110001, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 3.3 A, 0.51 kW, refrigerant: R134a, 6 floors, dimensions each floor: 350 mm x 600 mm, total dimensions: 700 mm x 760 mm x 840 mm.	400
259	Vega	Vega refrigerated showcase, model: 81373, 220/240 V, 50 Hz, dimensions: 1200 mm x 400 mm x 470 mm.	150
260	Electrolux	Electrolux blast chiller, model: RBC051, serial number: 10307002, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 3.3 A, 0.51 kW, refrigerant: R134a, 6 floors, dimensions each floor: 350 mm x 600 mm, total dimensions: 700 mm x 760 mm x 840 mm.	300
261	Holland Techno Group	Mobile container with 4 Holland Techno Group gas cylinders, dimensions each cylinder: Ø 260 mm x 1380 mm, total dimensions container: 820 mm x 700 mm x 1700 mm.	10
262	Maxima	Maxima refrigerated showcase, model: MSHC98L.-W, serial number: 2107050299, 230 V, 1 Ph, 50 Hz, 180 W, refrigerant: R600a, volume: 98 liter, dimensions: 430 mm x 370 mm x 1100 mm.	50
263	NN refrigerator	S/s refrigerator with 6 drawers, model: 1000100026291, serial number: 6696 4227 1910 0705, 220/240 V, 50 Hz, 1.6 A, 240 W, refrigerant: R290, weight: 104 kg, 6 drawers, dimensions: 1370 mm x 1700 mm x 860 mm.	150
264	Liebherr	Liebherr freezer, type: 4 0035 2, 220-230 V, 50 Hz, 220 W, refrigerant: R134a, volume: 454 liter, freezing capacity: 36 kg/24	30
265	NN vegetable slicer	Vegetable slicer, type: TRS, number: UA57993, year of construction: 12/95, 400 V, 3 Ph, 50 Hz, dimensions: 260 mm x 510 mm x 470 mm.	100
266	Vama Maschinenbau GmbH	Vama Maschinenbau GmbH vacuum machine, type: VP280, machine number: 3001 -0210, year of construction: 2003, 230 V, 50 Hz, 5 A, 1 kW, seal length: 270 mm, dimensions chamber: 270 mm x 300 mm, total dimensions: 350 mm x 480 mm x 320 mm.	300
267	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with label printer, type: M-15S-EB, serial number: 2375801, 100-240 V, 50/60 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T=-9,995 kg, dimensions: 400 mm x 350 mm x 520 mm.	50
268	Dibal S.A.	Dibal S.A. weighing scale with label printer, model: DIBAL 4 A-650, serial number: 121226, 230 V, 50 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T=-995 gram, dimensions: 500 mm x 360 mm x 480 mm.	50



Nr	Title	Description	Start €
269	Unox	Unox combisteamer, type: XBC405E, serial number: 2015C0016006, 4 floors, floor dimensions: 360 mm x 600 mm, total dimensions: 860 mm x 560 mm x 700 mm.	650
270	NN plastic trays	3 pallets with approximately 9600 plastic CH335 PET trays, tray dimensions: 173 mm x 133 mm x 35 mm.	75
271	Thermo Scientific	Thermo Scientific checkweigher for cans with s/s switch cabinet, model: VW 8120 EU, serial number: 9228, year of construction: 2011, 230 V, 50 Hz, 1.2 KVA, chain belt, clearance: 95 mm, dimensions checkweigher: 4350 mm x 750 mm x 1620 mm, dimensions switch cabinet: 800 mm x 720 mm x 1810 mm.	1000
272	NN curve conveyor	180° curve conveyor, s/s frame, plastic mesh belt, belt width: 850 mm, total dimensions: 1800 mm x 1700 mm x 1140 mm.	150
273	Helmac Srl	Helmac Srl weighing scale with label printer, model: GP1 AP, serial number: 0232906342, 220/250 V, maximum weight: 12/30 kg, minimum weight: 0.04 kg, e= 2/5 kg, T=-12 kg, Lim: 54 kg, dimensions: 440 mm x 370 mm x 560 mm.	50
274	Dibal S.A.	Dibal S.A. weighing scale with label printer, model: DIBAL 4 A-650, serial number: 121226, 230 V, 50 Hz, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, T=-995 gram, dimensions: 500 mm x 360 mm x 480 mm.	50
275	Inomak S.A.	Inomak S.A. refrigerator, type: CE2140, number: 020713, 230 V, 50 Hz, 3.8 A, refrigerant: R134a, 0.670 kg, dimensions: 1390 mm x 840 mm x 2070 mm. Damaged.	250
276	NN ham press	4 parts for hampress with 1 pallet with parts, dimensions: (4x) 1250 mm x 700 mm x 1060 mm.	500
277	Combisteel	Combisteel refrigerator, model: SEC900, serial number: 277439, 230 V, 50 Hz, 1.6 A, 230 Watt, refrigerant: R134a, 165 gram, dimensions: 900 mm x 700 mm x 870 mm.	200
278	Vaiotec	Vaiotec freezer, model: SNACKH400BTV, serial number: SK2224VG08SAK400B066, 230 V, 50 Hz, 2.7 A, refrigerant: R290, 120 gram, dimensions: 750 mm x 700 mm x 1970 mm. Damaged.	400
279	Pesutekno	Pesutekno dishwasher, inside dimensions: 1080 mm x 650 mm, total dimensions: 1200 mm x 820 mm x 1720 mm.	100
280	Franklin Electric	Franklin Electric motor, model: 1302120102, 220-240/380-415 V, 3 Ph, 50 Hz, 1425 rpm, dimensions: 3701 mm x 190 mm x 180 mm.	10
281	Franklin Electric	Franklin Electric motor, model: 1302120102, 220-240/380-415 V, 3 Ph, 50 Hz, 1425 rpm, dimensions: 3701 mm x 190 mm x 180 mm.	10
282	Marvu	Marvu mobile s/s frame, dimensions: 2400 mm x 1000 mm x 1270 mm.	150
283	Marel	Marel film wrapper, model: ARANEA FILM WRAPPER, type: WM6201, serial number: AF558971, year of construction: 2019, plastic belt, belt width: 800 mm, seal length: 1200 mm, total dimensions: 1850 mm x 1450 mm x 2150 mm.	1000



Nr	Title	Description	Start €
284	CFS Tetra Laval Food	CFS Tetra Laval Food double shaft paddle mixer, type: MultiMix MM1400, machine number: 378/0001, year of construction: 1997, 415 V, 3 Ph, 50 Hz, 26/35 A, volume: 1400 liter, dimensions: 2400 mm x 2100 mm x 1550 mm. Incomplete	1500
285	NN heating plate	Wooden counter with s/s heating plate, dimensions: 1000 mm x 800 mm x 700 mm.	20
286	NN refrigerated showcase	Refrigerated showcase, dimensions: 2150 mm x 800 mm x 1000 mm.	50
287	Thermo Fischer	Thermo Fisher Scientific mobile metal detector, type: Apex 500, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 400 mm, clearance: 500 mm x 200 mm, 1750 mm x 900 mm x 1230 mm.	750
288	Kortho	Kortho label printer in s/s cabinet, type: 809518, dimensions: 960 mm x 750 mm x 1670 mm.	40
289	Verbufa	Verbufa mobile hamburger forming machine, type: VHM, serial number: 212730-1, year of construction: 09/2011, 230 V, 50 Hz, 10 A, 2.2 kW, weight: 580 kg, plastic belt, belt width: 400 mm, diameter forms: 100 mm, total dimensions: 2000 mm x 1050 mm x 1400 mm. Including 2 crates with parts.	2500
290	Part for washing machine	S/s part for washing machine, dimensions: 950 mm x 950 mm x 800 mm.	50
291	Loma Systems	Loma systems checkweigher with metal detector with double rejector, serial number: 71A001, 240 V, 1 Ph, 50 Hz, plastic belt, belt width: 300 mm, clearance: 450 mm x 130 mm, total dimensions: 2750 mm x 1000 mm x 1050 mm.	1000
292	Electrolux	Electrolux 2-door freezer, model: RE4142FF, serial number: 30210002, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 4.9 A, refrigerant: R404a, 0.29 kg, dimensions: 1430 mm x 840 mm x 2050 mm. Damaged.	250
293	Rubbens	Rubbens blast chiller, model: Y4, serial number: 184866, year of construction: 2019, 220-240 V, 1 Ph, 50 Hz, 2.6 A, refrigerant: R452A, 0.370 kg, dimensions: 720 mm x 510 mm x 2080 mm. Damaged.	300
294	Gram	Gram refrigerator, type: BAKER SF 1500 CBH, serial number: 10250379, 230 V, 50 Hz, 9.91 A, 2185 Watt, refrigerant: R404A, 580 gram, dimensions: 900 mm x 1050 mm x 2340 mm. Without content.	500
295	Marvu	Marvu transport belt, type: 380, serial number: 001, year of construction: 03-2009, 230/400 V, 50 Hz, weight: 750 kg, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 3600 mm x 810 mm x 1510 mm.	500
296	AEW Delford	AEW Delford slicer, model: PolySlicer 3000V, serial number: 1890055, 400 V, 3 Ph, 50 Hz, 40 A, weight: 1100 kg, dimensions: 2800 mm x 1400 mm x 2350 mm. Without outfeed belt.	4000



Nr	Title	Description	Start €
297	Hoshizaki	Hoshizaki refrigerator, model: RTE-1703A, 230 V, 50 Hz, 2.2 A, refrigerant: R134a, dimensions: 1700 mm x 700 mm x 850 mm.	300
298	NN trolley	Steel trolley, dimensions: 1400 mm x 600 mm x 1730 mm.	50
299	Robopack	Robopack box closing machine, model: ROBOTAPE 65 CF, serial number: KN/046851, year of construction: 10/2001, 400 V, 3 Ph, 50 Hz, 1.6 A, 0.6 kW, weight: 253 kg, dimensions: 2350 mm x 1200 mm x 2000 mm.	350
300	NN hood	Hood, dimensions: 1045 mm x 885 mm x 970 mm.	20
301	NN traysealer forms	Pallet with large amount of forms for traysealer, dimensions dyes: 260 mm x 175 mm, 180 mm x 135 mm and 260 mm x 175 mm.	20
302	Rouweler	Rouweler tilting device, type: 2004-2, serial number: 07, year of construction: 2005, crate width: 690 mm, total dimensions: 1850 mm x 1250 mm x 2100 mm.	50
303	NN dyes	Pallet with dyes for traysealer, dye: (6x) 230 mm x 180 mm.	10
304	NN frame	S/s frame, dimensions: 800 mm x 720 mm x 720 mm.	10
305	NN plates	S/s trolley with s/s plates, plate dimensions: 500 mm x 1000 mm, dimensions trolley: 1600 mm x 650 mm x 1150 mm.	150
306	NN vacuum machine	Mobile vacuum machine, chamber dimensions: 750 mm x 510 mm x 120 mm, seal length: 510 mm x 810 mm, total dimensions: 820 mm x 850 mm x 1550 mm.	300
307	Bizerba	Bizerba grinder, type: FW 82 T/22, machine number: 494732, 220/380 V, 3 Ph, 50 Hz, 6.9/4.0 A, 2.35 kW, plate diameter: 80 mm, total dimensions: 640 mm x 450 mm x 840 mm.	300
308	Berkel	Berkel grinder, type: BW 82II, number: 9652327, 230/400 V, 3 Ph, 50 Hz, 5.4/3.2 A, plate diameter: 80 mm, total dimensions: 450 mm x 300 mm x 420 mm.	300
309	NN table	S/s table, dimensions: 2000 mm x 1000 mm x 850 mm.	150
310	NN frames	2 s/s wall mounted frames, dimensions: (2x) 590 mm x 120 mm x 440 mm.	20
311	NN frame	S/s frame, dimensions: 560 mm x 960 mm x 670 mm.	10
312	PBI Dansensor	PBI Dansensor gas mixing station, model: MAP Mix 9001-3/200B, serial number: 40041550, year of construction: 2004, 90/264 V, 50/60 Hz, 20 W, dimensions: 240 mm x 460 mm x 190 mm.	10
313	Electrolux	Electrolux blast chiller, model: RBC051, serial number: 03507006, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 3.3 A, 0.496 kW, refrigerant: R134a, 6 floors, dimensions each floor: 350 mm x 600 mm, total dimensions: 700 mm x 760 mm x 840 mm.	500
314	Loma Systems	Loma Systems metal detector with rejecter, type IQ3, clearance: 250 mm x 125 mm, plastic belt, belt width: 140 mm, total dimensions: 1600 mm x 700 mm x 1350 mm. Lot already professionally dismantled and transported to Boxtel.	2500



Nr	Title	Description	Start €
315	Supertape	Supertape part for box closing machine, type: H7.1, machine number: 95-601593, year of construction: 1995, weight: 75 kg, dimensions: 900 mm x 1000 mm x 1070 mm.	20
316	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH hanging line for sausages, model: SwiStickM hanging system, serial number: 59013.197, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 2.6 A, weight: 552 Kg, max 6 bar, dimensions: 2900 mm x 1250 mm x 1900 mm.	500
317	Fomaco	Fomaco injector, type: FGM48 SC, machine number: 7829, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 17-32 A, 6 bar, (2x) 48 needles, plastic mesh belt, belt width: 400 mm, dimensions injector: 1270 mm x 750 mm x 2200 mm. Including Fomaco mobile filter unit, model: PFS 5/225 CS, machine number: 7831, year of construction: 1999, dimensions filter unit: 1700 mm x 650 mm x 700 mm. Filter unit is incomplete.	500
318	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 550 mm, divider height: 50 mm, distance between dividers: 300 mm, total dimensions: 4500 mm x 950 mm x 1800 mm. Missing frame.	400
319	T. Freemantle Ltd.	T. Freemantle Ltd. mobile semi automatic pre-glued sleeve, model: S11, serial number: 03-178, year of construction: 03-2004, 240 V, 1 Ph, plastic belt, belt width: 250 mm, total dimensions: 4200 mm x 1200 mm x 1700 mm.	500
320	Johnson Diversey	Johnson Diversey drip tray, dimensions: 1120 mm x 1260 mm x 1720 mm.	10
321	Fine Interkorea	Fine Interkorea checkweigher with rejecter, model: FAC-5500 W335 535, serial number: E065031, year of construction: 2006/06, weight range: 1-500 gram, plastic belt, belt width: 300 mm, total dimensions: 1670 mm x 900 mm x 1630 mm.	500
322	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999 / K5, chamber dimensions: 700 mm x 500 mm, seal length: 710 mm x 500 mm, total dimensions: 860 mm x 950 mm x 1100 mm. Without vacuum pump.	300
323	Metro	Metro refrigerated showcase, type: GHS1120, 220/240 V, 50 Hz, 1.1 A, 180 W, refrigerant: R600a, dimensions: 1200 mm x 400 mm x 470 mm.	100
324	NN drip tray	Plastic drip tray, dimensions: 1530 mm x 740 mm x 190 mm.	10
325	NN tub	Mobile s/s tub, dimensions: 1170 mm x 860 mm x 880 mm.	150
326	NN frame	S/s frame, dimensions: 1130 mm x 1040 mm x 1400 mm.	50
327	Intray	Intray tray denester, plastic belt, belt width: 275 mm, tray dimensions: 260 mm x 180 mm, total dimensions: 1700 mm x 780 mm x 1570 mm.	400
328	Sumitomo Heavy Industries Ltd.	Sumitomo Heavy Industries Ltd. motor, model: CHF8-4160-B-29, serial number: 08098016, dimensions: 780 mm x 320 mm x 320 mm.	50
329	NN steel cable	Steel cable.	10



Nr	Title	Description	Start €
330	Lenze	Lenze gear motor, dimensions: 1180 mm x 350 mm x 400 mm.	400
331	G. Mondini S.p.a.	G. Mondini S.p.a. tray denester with plastic belt, belt width: 270 mm, total dimensions: 3600 mm x 1800 mm x 2160 mm. Technical condition unknown.	500
332	Scanveagt	Scanveagt weighing scale with indicator, type: SV10, serial number: 60195371, 230 V, 50/60 Hz, maximum weight: 30 kg, minim weight: 0.2kg, e=0.01 kg, dimensions: 600 mm x 500 mm x 150 mm.	75
333	Ohaus	Ohaus weighing scale with indicator, model: T32XW, serial number: B301673758, maximum weight: 60 kg, minimum weight: 0.4 kg, e=0.02 kg, dimensions: 700 mm x 420 mm x 880 mm.	75
334	Consol Converging Solutions	Consol Converging Solutions infeed belt, plastic mesh belt, belt width: 520 mm, total dimensions: 1200 mm x 2100 mm x 1350 mm.	400
335	Rohema Maschinenbau GmbH	Rohema Maschinenbau GmbH mobile hanging line for sausages, type: AHV8000, number: 110, year of construction: 2012, 400 V, 50 Hz, 0.5 kW, 5-7 bar, dimensions: 2200 mm x 1200 mm x 1600 mm.	400
336	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 322, year of construction: 1990, 380 V, 3 Ph, 50 Hz, foot control, working width: 500 mm, total dimensions: 900 mm x 680 mm x 920 mm.	450
337	Thermo Ramsey	Thermo Ramsey checkweigher with rejecter, model: Sentron C, serial number: 5773, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, maximum weight: 1500 gram, minimum weight: 35 gram, e=: 0.5 gram, plastic belt, belt width: 195 mm, total dimensions: 900 mm x 800 mm x 1250 mm. With Thermo Ramsey control panel, dimensions: 500 mm x 430 mm x 1770 mm.	250
338	NN frame for curved conveyor	Mobile s/s frame for curved conveyor, dimensions: 1800 mm x 750 mm x 940 mm.	50
339	NN trolley	Aluminium trolley, 5 floors, dimensions each floor: 820 mm x 810 mm, total dimensions: 870 mm x 680 mm x 1350 mm.	5
340	NN film roll holder	S/s trolley for plastic film rolls, arm length: 425 mm, total dimensions: 650 mm x 480 mm x 1240 mm.	20
341	Kortlever	Kortlever transport belt, type: Eindelijns opstelling, machine number: 3110-4, year of construction: 2008, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 400 mm and 250 mm, plastic rollers, roller width: 430 mm, total dimensions: 3800 mm x 1650 mm x 1650 mm.	500
342	Marel	Marel portioning machine, type: Portio 4003S, serial number: 080S-0071, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, weight: 500 kg, plastic belt, belt width: 250 mm, total dimensions: 2700 mm x 800 mm x 3000 mm.	1500





Nr	Title	Description	Start €
343	NN vacuum machine	Vacuum machine with vacuum pump, seal length: 450 mm, chamber dimensions: 850 mm x 460 mm, total dimensions: 950 mm x 570 mm x 910 mm.	400
344	Henkovac	Henkovac mobile vacuum machine, seal length: (2x) 500 mm, dimensions chamber: 610 mm x 510 mm, built-in Busch vacuum pump, type: RA0063, capacity: 63 m³ per hour, total dimensions: 680 mm x 600 mm x 1070 mm.	500
345	NN trolley	S/s trolley, dimensions: 1000 mm x 900 mm x 650 mm.	20
346	NN chains	Pallet with chains, dimensions: 1200 mm x 1000 mm x 400 mm.	25
347	Thermo Ramsey	Thermo Ramsey checkweigher, model: RXM, serial number: 5466, year of construction: 2003, 230 V, 50 Hz, 0.6 kVA, plastic belt, belt width: 140 mm, total dimensions: 1260 mm x 670 mm x 1700 mm.	80
348	Kortho	Kortho mobile label printer, type: 809518, dimensions: 960 mm x 750 mm x 1670 mm.	20
349	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 0259001, year of construction: 2002, 400/230 V, 3 Ph, 50 Hz, 3 kW, dye: (2x) 145 mm x 210 mm, film width: 230 mm, total dimensions: 4550 mm x 700 mm x 1750 mm.	2500
350	Gamko	Gamko refrigerator, type: ECO/222MU, year of construction: 2013, 220-240 V, 50 Hz, 370 Watt, refrigerant: R134A, 160 gram, floor dimensions: 370 mm x 480 mm, total dimensions: 800 mm x 2000 mm x 1040 mm.	200
351	NN flattener	Mobile flattener, plastic belt, belt width: 250 mm, total dimensions: 2150 mm x 500 mm x 1300 mm.	400
352	Foodcrest Machinery LTD	Foodcrest Machinery LTD 2 heads depositor, machine number: WO 151-2, diameter heads: (2x) 40 mm, total dimensions: 850 mm x 1800 mm x 1440 mm.	300
353	Profinox	Profinox heated cabinet, serial number: 2020101805, 220-240 V, 1 Ph, 50/60 Hz, dimensions: 1200 mm x 400 mm x 250 mm.	200
354	Alco	Alco mobile coating machine, type: ADT 400, serial number: 02212214, year of construction: 2005, 400 V, 0.9 kW, s/s mesh belt, belt width: 400 mm, total dimensions: 2250 mm x 900 mm x 1680 mm.	1500
355	Antoine	Antoine 4-doors refrigerator, type: ANTOINE F.A. 2060 4DM SF vitré - LED, number: 112478 348411, year of construction: 2021, 230 V, 50 Hz, refrigerant: R134a, 0 gram, dimensions: 2060 mm x 550 mm x 820 mm. Without cooling compressor.	250
356	NN plates and knives for grinder	14 plastic crates with grinder knives and plates, diameter plate: 280 mm, total dimensions: 1200 mm x 800 mm x 1000 mm.	100
357	NN trolley	S/s trolley, dimensions: 600 mm x 500 mm x 1050 mm.	20



Nr	Title	Description	Start €
358	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0401005, year of construction: 2001, 400 V, 3 Ph, 50 Hz, max 21 A, Busch vacuum pump, type: RA 0100 E 501, capacity: 100 m <sup>3</sup> per hour, dye: (2x) 200 mm x 135 mm, total dimensions: 2950 mm x 900 mm x 1750 mm. 1 leg broken.	500
359	NN vacuum oven/microwave	Vacuum oven/microwave, inside dimensions: (2x) Ø 440 mm x 690 mm, dimensions plastic forms: 500 mm x 370 mm x 550 mm, total dimensions: 1020 mm x 1600 mm x 2200 mm.	300
360	NN vacuum oven/microwave	Vacuum oven/microwave, inside dimensions: (2x) Ø 440 mm x 690 mm, dimensions plastic forms: 500 mm x 370 mm x 550 mm, total dimensions: 1020 mm x 1600 mm x 2200 mm.	300
361	Jobo	Jobo mobile marker, year of construction: 2001, belt width: 280 mm, total dimensions: 1500 mm x 750 mm x 1100 mm. Missing belt.	400
362	Numatic	Numatic floor scrubbing machine, type: TTB4045/100, 220-240 V 50/60 Hz, 10 A, dimensions: 1250 mm x 800 mm x 1150 mm.	300
363	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/03DK, machine number: 0384457, 380 V, 3 Ph, 50 Hz, 9 kW, dimensions chamber: 950 mm x 430 mm x 150 mm, seal length: 950 mm x (2x) 450 mm, total dimensions: 1150 mm x 800 mm x 1050 mm.	400
364	NN tub	Mobile s/s tub with drain, dimensions: 2160 mm x 810 mm x 700 mm.	250
365	NN frame	S/s frame, dimensions: 2000 mm x 300 mm x 700 mm.	40
366	Rouweler	Rouweler lifter for crates, maximum crate width: 590 mm, total dimensions: 1900 mm x 1200 mm x 2050 mm.	50
367	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 210 mm, elevating height: 1400 mm, distance between dividers: 140 mm, dividers height: 50 mm, total dimensions: 1500 mm x 700 mm x 1550 mm. Lot already professionally dismantled and transported to Bostel.	1000
368	Electrolux	Electrolux combi steamer, type: Air-O-Steam, model: AOS061ETA1, serial number: 04304005, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 15 A, 10.1 A, dimensions: 900 mm x 900 mm x 850 mm.	500
369	NN machine parts	Plastic crate with various machine parts.	10
370	Röschermatic	Röschermatic mobile vacuum mixer, dimensions: 1500 mm x 900 mm x 1650 mm. Without vacuum pump.	500
371	Tramper	3 s/s frames for Tramper denester, dimensions: 740 mm x 620 mm x 1250 mm, including plastic crate with parts.	75



Nr	Title	Description	Start €
372	Thermo Fischer	Thermo Fischer metal detector with rejector, model: Apex500, serial number: 9627, year of construction: 2012, 230 V, 50 Hz, plastic belt, belt width: 250 mm, clearance: 300 mm x 100 mm, total dimensions: 1400 mm x 1100 mm x 1350 mm.	750
373	NN rejecter bin	S/s double rejecter bin, dimensions: 850 mm x 400 mm x 1100 mm.	50
374	Lock	Lock metal detector, model: MET30+, plastic belt, belt width: 460 mm, clearance: 550 mm x 220 mm, total dimensions: 2000 mm x 1050 mm x 1150 mm. is missing driving motor.	500
375	Thermo Fischer	Thermo Fisher metal detector with rejecter, model: Apex500, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 250 mm, clearance: 350 mm x 150 mm, total dimensions: 1750 mm x 800 mm x 1360 mm.	750
376	Thermo Fischer	Thermo Fisher metal detector with rejecter, model: Apex500, serial number: 9628, 120/230 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 250 mm, clearance: 350 mm x 150 mm, total dimensions: 1400 mm x 960 mm x 1460 mm.	750
377	Jex Engineering	Jex Engineering nitrogen freezer for 1 trolley, serial number: CB1000/3/368, year of construction: 2000, inside dimensions: 1150 mm x 750 mm x 1720 mm, total dimensions: 1550 mm x 1550 mm x 2650 mm.	400
378	Angelo Po	Angelo Po 2-doors refrigerator, dimensions: 1500 mm x 790 mm x 2000 mm.	400
379	Gernal	Gernal smoke chamber for wood dust, number: 11178, year of construction: 1995, dimensions: 1200 mm x 1100 mm x 1900 mm.	100
380	Electrolux	Electrolux double stacked dryer, model: T4300, serial number: 2330/0015489, dimensions: 1110 mm x 800 mm x 1940 mm.	400
381	Miele	Miele washing machine, type: WS 5141 EL, machine number: 4422680, dimensions: 950 mm x 800 mm x 1150 mm.	700
382	NN can washer	S/s can washer, clearance: 800 mm x 110 mm, plastic belt, belt width: (2x) 150 mm, total dimensions: 4230 mm x 850 mm x 1900 mm.	400
383	Yang	Yang traysealer, model: PERSEUS VAC, year of construction: 2005, 400 V, 3 Ph, dye dimensions: 290 mm x 225 mm, film width: 430 mm, total dimensions: 2850 mm x 900 mm x 1550 mm. Including Rietschle vacuum pump, type: VC 150 (20), year of construction: 2005, capacity: 150 m <sup>3</sup> per hour, dimensions: 850 mm x 900 mm x 600 mm and pallet with dye sets and film roll.	1500
384	Zumex	Zumex mobile juicer, model: SPEED PRO SELFSERVICE, serial number: 439369, year of construction: 09/2016, 220/240 V, 50/60 Hz, 0.300 kW, dimensions: 700 mm x 680 mm x 1750 mm.	500



Nr	Title	Description	Start €
385	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 432596, year of construction: 11-2015, 220/240 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	500
386	Zumex	Zumex mobile juicer, model: ZUMEX SPEED SELF-SERVICE, serial number: 413999, year of construction: 04/2013, 230 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	600
387	NN computer cabinet	S/s computer cabinet, dimensions: 1260 mm x 650 mm x 1920 mm.	50
388	NN refrigerator	S/s 3-door refrigerator, model: S903 PZ, serial number: D1504H404S93PZ243, 220/240 V, 50 Hz, 1.6 A, 230 W, refrigerant: R134a, weight: 170 kg, dimensions: 1400 mm x 700 mm x 830 mm.	200
389	NN frame	S/s frame with plastic rollers, roller width: 420 mm, dimensions: 700 mm x 470 mm x 150 mm.	10
390	Leonhardt	Leonhardt depositor, type: TG1/100, number: 0140/974, year of construction: 1998, dimensions: 1450 mm x 550 mm x 1280 mm.	1000
391	Ohaus	Ohaus weighing scale with indicator, model: T32XW, serial number: B246529613, maximum weight: 60 kg, minimum weight: 0.4 kg, e=0.02 kg, dimensions: 660 mm x 420 mm x 910 mm.	75
392	Ohaus	Ohaus weighing scale with indicator, model: T32XW, serial number: B425712170, maximum weight: 60 kg, minimum weight: 0.4 kg, e=0.02 kg, dimensions: 550 mm x 420 mm x 130 mm.	75
393	NN weighing scale	Weighing scale without indicator, dimensions: 610 mm x 450 mm x 160 mm.	50
394	Gamko	Gamko refrigerator, type: ECO/222MU, year of construction: 2007, 220/240 V, 50 Hz, 370 Watt, refrigerant: R134A, 160 gram, floor dimensions: 370 mm x 480 mm, total dimensions: 800 mm x 2000 mm x 1040 mm.	200
395	SEW	3 SEW motors.	100
396	Dörr Kampen BV	Dörr Kampen BV tray denester, type: verpakkingsmachine, serial number: 51879-526, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 200 Watt, tray dimensions: 230 mm x 170 mm, total dimensions: 1500 mm x 900 mm x 1800 mm.	500
397	NN turning table	S/s turning table, diameter table: 1100, total dimensions: 1200 mm x 1200 mm x 930 mm. Lot already professionally dismantled and transported to Boxtel.	1000
398	Zumex	Zumex mobile juicer, model: SPEED S PLUS SELF-SERV, serial number: 457262, year of construction: 10/2018, 220/240 V, 50/60 Hz, 0.300 kW, dimensions: 700 mm x 680 mm x 1750 mm.	600



Nr	Title	Description	Start €
399	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE, serial number: 430875, year of construction: 07/2015, 220/240 V, 50/60 Hz, 0.280 kW, dimensions: 700 mm x 680 mm x 1750 mm.	500
400	Pattfield	Pattfield electrical chain hoist, number: 000092, year of construction: 2019, 230 V, 50 Hz, dimensions: 350 mm x 230 mm x 130 mm.	150
401	Cegepac	Cegepac box closing machine, model: R 65 A, serial number: KN/026001, year of construction: 07/97, 380 V, 3 Ph, 50 Hz, 1.5 A, 0.6 kW, weight: 170 kg, dimensions: 1160 mm x 1070 mm x 1800 mm.	250
402	Pattfield	Pattfield electrical chain hoist, year of construction: 2019, dimensions: 350 mm x 230 mm x 130 mm.	150
403	NN curtains	4 plastic curtains, dimensions: (2x) 3000 mm x 990 mm and (2x) 1500 mm x 990 mm.	10
404	NN rack	S/s mobile rack, 4 floors, floor dimensions: 900 mm x 800 mm, total dimensions: 900 mm x 800 mm x 1625 mm.	50
405	NN rack	S/s rack, 6 floors, floor dimensions: 1070 mm x 1030 mm, total dimensions: 1070 mm x 1030 mm x 1880 mm.	50
406	NN frame for dyes	S/s frame for dyes, dimensions: 2140 mm x 680 mm x 1350 mm.	100
407	NN vacuum machine	Stephan Alvac mobile vacuum machine, type: ALVAC II SM, machine number: 8069-2384, 220-380 V, 3 Ph, 50 Hz, 1.5 kW, seal length: 500 mm, Rietschle vacuum pump, type: VCA 60, total dimensions: 600 mm x 800 mm x 1000 mm.	350
408	Siebeck	Siebeck mobile binding machine, type: FRT-ASB-G, machine number: 05/05307045, year of construction: 2005, 230 V, 3 Ph, 50 Hz, 1.7 kW, clearance: 295 mm x 195 mm, total dimensions: 850 mm x 700 mm x 2000 mm. Incomplete.	100
409	Inventum	Inventum boiler, type Eco 50 Mono, serial number: 2314076, 230 V, 1200 Watt, dimensions: 450 mm x 450 mm x 900 mm.	20
410	Liebherr	Liebherr refrigerator, serial number: 47.196.804.5, refrigerant: R600a, 22 gram, dimensions: 500 mm x 600 mm x 850 mm.	50
411	Diamond	Diamond fryer, model: GC477 SC, serial number: 1086443, gas heated, dimensions: 400 mm x 800 mm x 950 mm.	200
412	NN blender	Blender, dimensions: 300 mm x 200 mm x 250 mm. Incomplete.	5
413	NN table	S/s table, dimensions: 2500 mm x 700 mm x 890 mm.	100
414	NN table	S/s table, dimensions: 2500 mm x 700 mm x 890 mm.	100
415	NN trolleys	2 s/s trolleys, each 4 floors, floor dimensions: (4x) 1500 mm x 1000 mm, total dimensions (2x): 1500 mm x 1120 mm x 2200 mm.	50
416	NN racks	2 s/s racks, 7 floors, floor dimensions: 1060 mm x 1030 mm, total dimensions: (2x) 1060 mm x 1030 mm x 1910 mm.	200



Nr	Title	Description	Start €
417	NN racks	7 s/s racks, 7 floors, floor dimensions: 1550 mm x 1030 mm, total dimensions: (7x) 1070 mm x 1040 mm x 1770 mm.	700
418	NN racks	2 s/s rack, 7 floors, floor dimensions: 990 mm x 990 mm, total dimensions: (2x) 990 mm x 990 mm x 1920 mm.	150
419	NN rack	2 s/s racks, 6 floors, floor dimensions: 1000 mm x 930 mm, total dimensions: 1020 mm x 1010 mm x 1860 mm.	100
420	NN platform	S/s platform, working height: 1130 mm, total dimensions: 1070 mm x 700 mm x 2030 mm.	50
421	Mainca	Mainca paddle mixer, inside dimensions: 500 mm x 400 mm x 520 mm, total dimensions: 940 mm x 400 mm x 1290 mm. Technical condition unknown.	900
422	Tennant	Tennant floor scrubbing machine, model: 510E, dimensions: 1200 mm x 2100 mm x 1600 mm. With Chloride motive power battery charger, 36 V.	200
423	NN lifter for pallet boxes	S/s lifter for pallet boxes, lifting height: 2600 mm, capacity: 300 kg, total dimensions: 1200 mm x 1700 mm x 3500 mm.	300
424	NN fryer	Tiltable fryer, inside dimensions: 800 mm x 700 mm x 200 mm, total dimensions: 1250 mm x 1000 mm x 1100 mm.	500
425	Tawi	Tawi mobile lifter, model: PRO 120, serial number: 1207044, year of construction: 14-03, 100/240 V, 55 W, capacity: 50 kg, lifting height: 1980 mm, total dimensions: 1450 mm x 630 mm x 1990 mm.	250
426	Sine Pump	Sine Pump pump with infeed bin, model: SPS-3, serial number: 55570396, inside dimensions: 740 mm x 450 mm x 200 mm, total dimensions: 1550 mm x 800 mm x 1430 mm.	250
427	NN lobe pump	Mobile lobe pump with Danfoss frequency convertor, dimensions: 800 mm x 400 mm x 1200 mm.	250
428	Strautmann	Strautmann carton press, type: PP 1207, serial number: 150 00766, year of construction: 2007, 400 V, 50 Hz, 4 kW, press force: 580 kN, dimensions: 1850 mm x 1100 mm x 2250 mm.	2000
429	Strautmann	Strautmann carton press, type: PP1207, serial number: 53302625, year of construction: 2004, 400 V, 50 Hz, 4 kW, press force: 580 kN, dimensions: 1850 mm x 1100 mm x 2250 mm.	2500
430	Strautmann	Strautmann carton press, type: PP 1207, serial number: 533 02 111, year of construction: 2002, 400 V, 50 Hz, 4 kW, press force: 580 kN, dimensions: 1850 mm x 1100 mm x 2250 mm.	1800
431	Charot	Charot boiler, serial number: 229-98-2, year of construction: 09-93, 400 V, 48 kW, dimensions: 780 mm x 600 mm x 1800 mm.	500
432	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. mobile emulsifier, type: 212, machine number: 17987, year of construction: 1999, dimensions: 770 mm x 750 mm x 1770 mm.	1500



Nr	Title	Description	Start €
433	Grupo Epelsa SL	Grupo Epelsa SL, weighing scale with indicator, model: D.XAL, serial number: 7102352, 220-230 V, maximum weight: 60 kg, minimum weight: 400 g, scale dimensions: 600 mm x 600 mm, total dimensions: 700 mm x 650 mm x 1100 mm.	50
434	Domino	Domino mobile inkjet printer, model: A420i, serial number: AST000104778, 100-240 V, 50-60 Hz, 4 A, dimensions: 820 mm x 680 mm x 1430 mm. Incomplete.	100
435	NN water softener	Water softener consisting of 3 vessels and 1 plastic bin, on pallet.	150
436	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. product pump, type: 518, machine number: 21290, year of construction: 2001, 400 V, 50 Hz, 23 A, dimensions: 1550 mm x 1050 mm x 1400 mm.	2000
437	Dimtech SAS	Dimtech SAS mobile lifter for barrels, type: Elevateur Hydraulique Mobile, serial number: 1807027, year of construction: 2018, weight: 380 kg, capacity: 300 kg, maximum lifting height: 2460 mm, dimensions: 1250 mm x 1100 mm x 1940 mm.	750
438	AVC	AVC seal and shrink machine, model: CS, serial number: 1502390711, 400 V, 3 Ph, 50 Hz, 16 A, 7 kW, weight: 350 kg, film width: 410 mm, seal width: 515 mm and 430 mm, total dimensions: 2720 mm x 1250 mm x 1550 mm.	750
439	EFM machinery	EFM machinery filling and lid closing machine, type: 01, serial number: 1511, year of construction: 2007, chain belt, belt width: 40 mm, lid diameter: 80 mm, total dimensions: 3100 mm x 750 mm x 2050 mm.	500
440	NN tub for bowl mixer	S/s mobile tubs for bowl mixer, inside dimensions: 1100 mm x 1100 mm x 550 mm, total dimensions: 1250 mm x 1170 mm x 1010 mm.	200
441	Meissner GmbH & CO. KG.	Meissner GmbH. & CO. KG. bowl cutter, type: RSM-120, machine number: 138406, 380 V, 50 Hz, 54 A, 26.5 kW, steel bowl, diameter bowl: 950 mm, total dimensions: 1440 mm x 1200 mm x 1300 mm.	700
442	EFM machinery	EFM machinery mobile depositor, type: VD 5001, serial number: 1511, year of construction: 2007, total dimensions: 1400 mm x 650 mm x 1620 mm.	450
443	NN turning table	S/s turning table, dimensions: Ø 1230 mm x 880 mm.	250
444	Canapa	Canapa mobile turning table, type: Drehtisch, number: 33-2003, year of construction: 2003, 380 V, 50 Hz, diameter worktop: 1200 mm, total dimensions: 1200 mm x 1200 mm x 830 mm. 1 wheel broken.	100
445	NN meat bins	5 s/s meat bins, volume: 200 liter.	250
446	NN frame	S/s frame, dimensions: 820 mm x 630 mm x 260 mm.	50
447	NN slicer	Slicer, dimensions: 590 mm x 450 mm x 450 mm.	95
448	NN tub for bowl mixer	S/s mobile tub for bowl mixer, inside dimensions: 1100 mm x 1100 mm x 550 mm, total dimensions: 1250 mm x 1170 mm x 1010 mm.	200



Nr	Title	Description	Start €
449	Charot	Charot boiler vessel, dimensions: Ø 900 mm x 2500 mm.	200
450	Charot	Charot boiler vessel, dimensions: Ø 900 mm x 2500 mm.	200
451	Convotherm	Convotherm combi steamer, model: OGS 10.10 HS301813K40A00, serial number: HS3ID2407, 400 V, 3 Ph, 50/60 Hz, 1.2 kW, 11 floors, floor dimensions: 490 mm x 330 mm, total dimensions: 970 mm x 940 mm x 1160 mm.	300
452	Lequeux	Lequeux autoclave, serial number: 883347, year of construction: 1988, volume: 100 liter, operating temperature: 139°C, pressure: 2.5 bar, basket dimensions: (2x) 365 mm x 270 mm, dimensions: 500 mm x 400 mm x 850 mm.	100
453	NN transport belt	Mobile transport belt, plastic belt, belt width: 300 mm, total dimensions: 1250 mm x 750 mm x 1150 mm.	100
454	Talleres Vall SA	Talleres Vall SA cutter, number: 501, bowl diameter: 670 mm, total dimensions: 1000 mm x 880 mm x 1150 mm.	1500
455	Kolbe	Kolbe mobile grinder, type: SW 100, number: 68 1749, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 6.9 A, 2.9 kW, plate diameter: 100 mm, total dimensions: 920 mm x 530 mm x 1100 mm.	1500
456	Leventi	Leventi oven, type: BM MM Q3, serial number: 08050089, year of construction: 2008, 380-415 V, 3 Ph, 50/60 Hz, 18.2 kW, 8 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 970 mm x 850 mm x 1100 mm.	250
457	NN portioning belt	Mobile portioning belt, s/s frame, plastic belt, belt width: 150 mm, total dimensions: 1750 mm x 700 mm x 1400 mm.	500
458	NN depositor	S/s depositor, dimensions: 1350 mm x 820 mm x 1040 mm.	250
459	Robot Coupe S.A.	Robot Coupe S.A. slicer, model: CL52, knife diameter: total dimensions: 360 mm x 320 mm x 700 mm.	150
460	Robot Coupe S.A.	Robot Coupe S.A. slicer, model: CL52, knife diameter: total dimensions: 360 mm x 320 mm x 700 mm.	150
461	Edlund	Edlund can opener, model: A720, serial number: 603, can diameter: total dimensions: 340 mm x 260 mm x 500 mm.	250
462	D.C. Norris & Co.	D.C. Norris & Co. can opener, model: 150, can diameter: total dimensions: 400 mm x 280 mm x 900 mm.	250
463	NN hamburger forms	3 hamburger forms.	25
464	NN lid for cutter	Plastic lid for cutter, dimensions: 1120 mm x 500 mm x 180 mm. Broken.	50
465	Bizerba	Bizerba weighing scale, type: SC II 100, number: 10710037, maximum weight: 6/15 kg, minimum weight: 40 gram, e= 2/5 gram, T= -6/15 kg, 120-240 V, 50/60 Hz, 0.35-.025 A, dimensions: 420 mm x 370 mm x 200 mm.	50
466	Blackrow	Blackrow transport belt, type: tray transfer bend conveyor, serial number: 5018-127227, year of construction: 2015, s/s frame, plastic belt, belt width: 350 mm, total dimensions: 850 mm x 850 mm x 1000 mm.	250





Nr	Title	Description	Start €
467	Loma Systems	Loma Systems checkweigher, double metal detector with rejecter, clearance: 350 mm x 140 mm, plastic belt, belt width: 290 mm, total dimensions: 2500 mm x 800 mm x 1650 mm.	750
468	NN transport machine for 500 ml bottles	Transport machine for 500 ml bottles, dimensions: 5200 mm x 1100 mm x 2200 mm.	500
469	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 620 mm, total dimensions: 2000 mm x 800 mm x 1000 mm.	150
470	NN breaker	Breaker, plastic belt, belt width: 620 mm, total dimensions: 3250 mm x 1000 mm x 1850 mm.	1500
471	Becker	Becker vacuum pump, type: D 80 BY4 P, number: 28115144, dimensions: 450 mm x 250 mm x 320 mm.	100
472	Busch	Busch vacuum pump, type: SV 1040 C 000, serial number: C1528000505, year of construction: 2015, capacity: 48 m <sup>3</sup> per hour, dimensions: 600 mm x 500 mm x 550 mm.	200
473	Pearce Compaction Systems	Pearce Compaction Systems baler, model: HB180, serial number: 1049, year of construction: 11-14, 230 V, 1 Ph, 50 Hz, 13 A, weight: 850 kg, dimensions: 1200 mm x 900 mm x 2300 mm.	500
474	Carver	Carver compression molding press, model: CMG75H-24-CX-CE, serial number: 210499, year of construction: 02-2022, 415 V, 3 Ph, 50 Hz, 15000 Watt per plate, weight: 3036 kg, dimensions: 1550 mm x 1550 mm x 2000 mm.	2500
475	NN rack	S/s rack, dimensions: 1560 mm x 600 mm x 1770 mm.	150
476	NN meat hooks	Crate with meat hooks.	150
477	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 210 mm, total dimensions: 5200 mm x 500 mm x 1100 mm.	400
478	Revent	Revent proofer for 1 trolley, dimensions: 1150 mm x 1600 mm x 2200 mm.	500
479	Crown	Crown transport belt, serial number: 8495, s/s frame, plastic mesh belt, belt width: 310 mm, total dimensions: 1500 mm x 700 mm x 900 mm.	200
480	Berkel Prior/ Mectec	Berkel Prior checkweigher with 2 Mectec labelling machines, type checkweigher: weegmachine voor, serial number: Mc 22148, maximum weight: 15 kg, minimum weight: 0.1 kg, e=d=0.005, Mectec labeller, type: PCU III-AXX-E, serial number: 53606, year of construction: 2007 and Mectec labeller, type: A1160-50-100/100-L, serial number: 53608, year of construction: 2007, plastic belt, belt width: 400 mm, total dimensions: 2100 mm x 900 mm x 1640 mm.	500
481	NN HTST pasteurization installation	S/s HTST pasteurization installation, capacity: 1000 liters per hour, dimensions: 2100 mm x 1700 mm x 2000 mm. Never used.	2000
482	Unitech	Unitech transport belt, serial number: 142436, year of construction: 2022, 230 V, 50 Hz, s/s frame, plastic mesh belt, belt width: 260 mm, total dimensions: 1720 mm x 500 mm x 1200 mm.	200



Nr	Title	Description	Start €
483	Centurion	Centurion industrial vacuum cleaner, dimensions: 1800 mm x 600 mm x 1850 mm.	150
484	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 3500 mm x 600 mm x 950 mm.	200
485	Qualitech	Qualitech vibrating gutter, number: MM 1353 I.S., year of construction: 1997, gutter width: 250 mm, plastic belt, belt width: 550 mm, total dimensions: 2700 mm x 840 mm x 1650 mm.	500
486	Safeline	Safeline metal detector with rejecter, clearance: 310 mm x 140 mm, plastic belt, belt width: 250 mm, total dimensions: 2500 mm x 900 mm x 1850 mm.	500
487	Bizerba	Bizerba roller weighing scale, maximum weight: 30 kg, minimum weight: 0.2 kg, e=0.01 kg, plastic rollers, roller width: 320 mm, total dimensions: 720 mm x 800 mm x 850 mm.	250
488	Dlund	Dlund can opener, dimensions: 250 mm x 320 mm x 700 mm.	100
489	4-matic design	4-matic design mobile roller press, dimensions: 2200 mm x 1200 mm x 2200 mm.	1000
490	Digi Europe Ltd	Digi Europe Ltd weighing scale with Intermec label printer, model weighing scale, WPI-70, serial number: 091072102, dimensions: 850 mm x 1500 mm x 1800 mm.	150
491	NN elevating screw	Elevating screw, elevating height: 1330 mm, diameter screw: 280 mm, tier: 280 mm, total dimensions: 2100 mm x 1150 mm x 220 mm.	400
492	Gebr. Van den Heuvel	Gebr. Van den Heuvel mobile wooden cheese vat with agitator, inside dimensions: 1300 mm x 1300 mm x 680 mm, total dimensions: 1600 mm x 1450 mm x 1500 mm.	500
493	NN glazing machine	Mobile glazing machine, s/s mesh belt, belt width: 800 mm, total dimensions: 1700 mm x 1550 mm x 2440 mm.	2500
494	Ernst H. Furrer AG	Ernst H. Furrer AG chiller, type: WKL 560, serial number: 0560.004/21082, year of construction: 11/2010, 400 V, 3 Ph, 50 Hz, 55.2 A, 27.9 kW, refrigerant: R407C, dimensions: 2550 mm x 1050 mm x 1850 mm.	1500
495	NN table	S/s table, dimensions: 1200 mm x 600 mm x 850 mm.	25
496	NN sink	S/s sink with faucet, dimensions: 1200 mm x 600 mm x 850 mm.	50
497	NN sink	S/s sink with faucet, dimensions: 1200 mm x 750 mm x 1800 mm.	150
498	NN sink	S/s sink with faucet, dimensions: 1000 mm x 600 mm x 1000 mm.	50
499	NN tub	Mobile s/s tub, dimensions: 1300 mm x 700 mm x 1000 mm.	200
500	NN pump	Pump, dimensions: 500 mm x 480 mm x 1150 mm.	100
501	Mondomix	Mondomix mixing tank, dimensions: 1150 mm x 1050 mm x 1850 mm.	500



Nr	Title	Description	Start €
502	Classeq	Classeq washing machine, type: HYDRO 857, dimensions: 850 mm x 750 mm x 1530 mm. Incomplete.	100
503	Flexicon	Flexicon depositor, dimensions: 1100 mm x 500 mm x 300 mm.	100
504	NN pump	Pump, dimensions: 700 mm x 300 mm x 300 mm.	50
505	NN rack	S/s rack, dimensions: 1420 mm x 250 mm x 1100 mm.	100
506	Herbert	Herbert weighing machine with labeller, type: IH500, maximum: 3 kg, minimum weight: 0.02 kg, e= 0.001 kg, T = -1.000 kg, dimensions: 900 mm x 550 mm x 1600 mm.	200
507	Mettler-Toledo GmbH	Mettler-Toledo GmbH pipe line metal detector, diameter: 150 mm, total dimensions: 450 mm x 450 mm x 500 mm.	150
508	NN frame	S/s wall mounted frame, dimensions: 530 mm x 320 mm x 170 mm.	10
509	RotoPack	RotoPack traysealer, model: Rapida Plus, serial number: 532, year of construction: 2022, 220 V, 50 Hz, 2000 Watt, dimensions: 600 mm x 600 mm x 450 mm. Including crate with dyes, dye: (2x) 220 mm x 150 mm and (4x) 160 mm x 120.	150
510	NN electric parts	Pallet with various electric parts.	200
511	NN roller conveyor	Roller conveyor, s/s frame, s/s roller, roller width: 500 mm, total dimensions: 2040 mm x 850 mm x 850 mm.	400
512	Mono Equipment	Mono Equipment roll slicer, model: FG063-A12, serial number: 111492052 FA050274, year of construction: 24/11/2014, dimensions: 900 mm x 400 mm x 720 mm.	100
513	Global	Global mobile dough forming machine, cloth belt, belt width: 240 mm, total dimensions: 2600 mm x 550 mm x 1200 mm.	500
514	Kronen	Kronen peeler, type: PL 40, number: 289, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 1.52 kW, dimensions: 900 mm x 850 mm x 1400 mm.	750
515	Bosgraaf	Bosgraaf s/s writing desk, dimensions: 600 mm x 550 mm x 1200 mm. Damaged	100
516	Bosgraaf	Bosgraaf s/s writing desk, dimensions: 600 mm x 550 mm x 1200 mm.	100
517	Bosgraaf	Bosgraaf mobile s/s writing desk, dimensions: 600 mm x 550 mm x 1200 mm.	100
518	Rühle	Rühle dicer, type: SR2, plastic outfeed belt, belt width: 260 mm, clearance: 120 mm x 120 mm, total dimensions: 1450 mm x 1350 mm x 1700 mm.	2500
519	Tricool	Tricool chiller, model: TRE 051, serial number: SP260, year of construction: 05-04, 400 V, 3 Ph, 50 Hz, 16 A, weight: 300 kg, refrigerant: R407C, dimensions: 1150 mm x 850 mm x 1700 mm.	500
520	D.C. Norris & Co.	D.C. Norris & Co. Lifter for 200 liter meat bins, model: L 25, serial number: 2332, year of construction: 0908, 400 V, 3 Ph, 50 Hz, 0.75 kW, lifting height: 1800 mm, total dimensions: 1100 mm x 680 mm x 3000 mm.	750



Nr	Title	Description	Start €
521	Heatons Engineering	Heatons Engineering hood, model: HU40/250T, serial number: HE0109, year of construction: Dec-10	200
522	Tricool	Tricool chiller, model: TRE 051, dimensions: 1150 mm x 850 mm x 1700 mm.	500
523	Fans & Blowers Ltd	Fans & Blowers Ltd blower, weight: 160 kg, dimensions: 1250 mm x 950 mm x 940 mm.	200
524	Roser	Roser crate washer, type: 14706, serial number: 166, year of construction: 2007, 50 Hz, 16.5 kW, s/s mesh belt, belt width: 600 mm, total dimensions: 2800 mm x 1300 mm x 1650 mm.	500
525	Mettler-Toledo GmbH	Mettler-Toledo GmbH checkweigher with metal detector, type: XS 3 CC, serial number: 35002132, year of construction: 2010, maximum weight: 2000 gram, minimum weight: 7 gram, e= 0.5 gram, plastic belt, belt width: 200 mm, clearance: 250 mm x 120 mm, total dimensions: 1230 mm x 800 mm x 1700 mm.	500
526	Danfoss	Danfoss outside cooling unit, type: OP-MPHM026AJP00E, serial number: 028248CG4414, 400 V, 3 Ph, 50 Hz, dimensions: 1100 mm x 450 mm x 830 mm.	200
527	Danfoss	Danfoss outside cooling unit, type: OP-MPHM026AJP00E, serial number: 027931CG4114, 400 V, 3 Ph, 50 Hz, dimensions: 1100 mm x 450 mm x 830 mm.	200
528	Turbovac	Turbovac vacuum machine, model: T40, serial number: 20210450, year of construction: 2010, 220-240 V, 1 Ph, 50/60 Hz, seal length: 430 mm, chamber dimensions: 450 mm x 400 mm, total dimensions: 550 mm x 500 mm x 430 mm.	250
529	Polar	Polar 3-doors refrigerator, model: G622, 230 V, 50 Hz, 1.3 A, refrigerant: R600a, 100 gram, dimensions: 1370 mm x 700 mm x 900 mm.	150
530	Sharp	Sharp transport belt, number: SP4073, year of construction: 26-06-2018, plastic mesh belt, belt width: 470 mm, plastic roller ,roller width: 450 mm, total dimensions: 3100 mm x 1250 mm x 930 mm.	500
531	Polar	Polar 3-doors refrigerator, model: G622, 230 V, 50 Hz, 1.3 A, refrigerant: R600a, 100 gram, dimensions: 1370 mm x 700 mm x 900 mm.	150
532	Nilma	Nilma pasta cooker, model: Dough.O.Mat, type: C150 GM, serial number: 956203, year of construction: 1995, capacity: 370 liter, 240/415 V, 3 Ph, 50 Hz, 16 A, 2.3 kW, gas heated, dimensions: 1700 mm x 1450 mm x 1000 mm.	750
533	SandenVendo Europe S.p.A.	SandenVendo Europe S.p.A. coffee machine, model: SVE TSH, serial number: 2914003776, year of construction: 04/2019, 220-240 V, 50-60 Hz, 3200 Watt, dimensions: 420 mm x 490 mm x 365 mm.	100
534	NN sink	S/s sink with faucet, dimensions: 800 mm x 700 mm x 1540 mm.	150
535	NN table	S/s table, dimensions: 1200 mm x 790 mm x 925 mm.	100



Nr	Title	Description	Start €
536	NN sink	S/s sink with faucet, dimensions: 1060 mm x 745 mm x 2030 mm.	150
537	NN sink	S/s sink with faucet, dimensions: 1200 mm x 720 mm x 1900 mm.	150
538	NN cabinet	S/s cabinet, dimensions: 700 mm x 400 mm x 925 mm.	50
539	Gico	Gico grill, type: VF0014, number: A553338001, year of construction: 2014, grill plate dimensions: 660 mm x 360 mm, gas heated, total dimensions: 900 mm x 480 mm x 980 mm.	75
540	Cool Head	Cool Head refrigerated showcase, model: VRX 14/38/S/S, year of construction: 08 2017, dimensions: 1450 mm x 395 mm x 360 mm.	50
541	NN stove	Stove, gas heated, dimensions: 2600 mm x 840 mm x 915 mm.	200
542	Foster	Foster mobile refrigerated counter, model: 43-102 EP1/2H, serial number: E6029371, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 0.9 A, volume: 172.3 liter, refrigerant: R290, 110 gram, dimensions: 1370 mm x 700 mm x 860 mm.	200
543	Strapex	Strapex mobile binding machine, type: SMA10, serial number: 118071298, year of construction: 2018, 230 V, 50 Hz, dimensions: 900 mm x 600 mm x 750 mm.	200
544	NN frying pan	Tilttable frying pan, type: 700930, serial number: A507885001, 400 V, 3 Ph, 50 Hz, 7.8 kW, 500 kPa, inside dimensions: 600 mm x 430 mm x 200 mm, total dimensions: 810 mm x 750 mm x 1030 mm.	350
545	Hatco	Hatco foodwarmer, dimensions: 1800 mm x 300 mm x 695 mm.	50
546	NN lamppost	Lamppost, dimensions: 7100 mm x 1300 mm x 250 mm.	200
547	Bertos	Bertos grill, model: G7WG40M, type: A1, serial number: 16039/70312, grill dimensions: 500 mm x 360 mm, total dimensions: 700 mm x 400 mm x 1050 mm. With Bertos s/s cabinet, model: N7-4MC, serial number: 17264/02860, dimensions: 700 mm x 400 mm x 1050 mm.	50
548	Hakvoort	Hakvoort heated showcase, dimensions: 1200 mm x 700 mm x 930 mm.	100
549	Hakvoort	Hakvoort heated showcase, dimensions: 1200 mm x 700 mm x 930 mm.	100
550	Alpeninox	Alpeninox refrigerated counter with 6 drawers, model: HB2PNT, serial number: 61510001, inside dimensions: (6x) 300 mm x 520 mm x 100 mm, total dimensions: 1220 mm x 700 mm x 820 mm.	200
551	Infrico	Infrico refrigerator, model: BMGN1470II, 220-230 V, 50 Hz, 3.13 A, 3.27 kW, volume: 295 liter, refrigerant: R134a, dimensions each floor: 540 mm x 330 mm, total dimensions: 1470 mm x 700 mm x 960 mm.	350
552	G.G.T.	G.G.T. grinder, plate diameter: 70 mm, total dimensions: 470 mm x 230 mm x 380 mm.	100



Nr	Title	Description	Start €
553	Conpax	Conpax traysealer on s/s trolley, film width: 230 mm, dye: 220 mm x 170 mm, total dimensions: 780 mm x 480 mm x 1150 mm.	150
554	Electrolux	Electrolux dishwasher, model: EUCAI, serial number: 80310001, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 5.35 kW, crate dimensions: 495 mm x 495 mm, total dimensions: 610 mm x 600 mm x 840 mm.	100
555	NN decorer/ peeler	Decorer/peeler, dimensions: 600 mm x 340 mm x 300 mm.	100
556	Van Duijnen	Van Duijnen coffee machine, dimensions: 520 mm x 475 mm x 710 mm.	50
557	Bertrand	Bertrand 5-pits wok stove, type: ASIA II C5R, serial number: 25.07.10.10.2457, (2x) soup burner and (3x) jumbo burner, gas heated, 89.50 kW, 20/25 mbar, dimensions: 1800 mm x 900 mm x 1330 mm.	500
558	Giorik S.p.A.	Giorik S.p.A. oven, model: KB061W, serial number: 007759/09/20, 400 V, 3 Ph, 50 Hz, 7.9 kW, 10 floors, dimensions each floor: 330 mm x 430 mm, total dimensions: 520 mm x 800 mm x 760 mm.	500
559	Novameta	Novameta heated cabinet, model: LPK1, serial number: 002G1033706100101, 230 V, 50 Hz, 2.2 A, 500 Watt, dimensions: 600 mm x 700 mm x 1500 mm.	250
560	Lotus	Lotus au-bin marie, model: BM-78EM, number: 15070709, 230 V, 1 Ph, 50/60 Hz, 2.2 kW, dimensions: 800 mm x 1020 mm x 720 mm.	200
561	Electrolux/ Zanussi	Electrolux/Zanussi pasta cooker, model: Z7PCEH2KFO, serial number: 02420001, year of construction: 2020, 380-400 V, 3 Ph, 50/60 Hz, 12 kW, dimensions: 1200 mm x 750 mm x 1550 mm.	750
562	Bizerba	Bizerba slicer, type: VS 12, number: 1770463, year of construction: 2000, 230 V, 1 Ph, 50 Hz, 1.8 A, dimensions: 580 mm x 700 mm x 425 mm. Incomplete.	100
563	Ecomax	Ecomax dishwasher, crate dimensions: 495 mm x 495 mm, total dimensions: 595 mm x 575 mm x 810 mm.	200
564	Hakpro	Hakpro s/s heated cabinet, 4 floors, dimensions each floor: 380 mm x 400 mm, total dimensions: 485 mm x 450 mm x 870 mm.	75
565	Hakpro	Hakpro s/s mobile heated cabinet, model: Heating strip 1000 mm, 230 V, 50 Hz, 0.75 kW, dimensions cabinet: 630 mm x 860 mm, total dimensions: 1000 mm x 820 mm x 1520 mm.	250
566	Hobart	Hobart dishwasher, dimensions: 460 mm x 590 mm x 830 mm.	300
567	NN ice machine	Ice machine, model: IM-25, 220/240 V, 50 Hz, 240 Watt, refrigerant: R600a, 50 gram, capacity: 25 kg per hour, storage volume: 7 kg, dimensions: 400 mm x 540 mm x 690 mm.	200



Nr	Title	Description	Start €
568	Hatco	Hatco s/s kitchen counter with food warmer, model: GRAH-48, serial number: 7959302109, 220-230 V, 50-60 Hz, 5/5.2 A, 1100/1202 W, dimensions: 2600 mm x 720 mm x 1710 mm.	1000
569	Foodmate B.V.	Foodmate B.V. crate washer, model: FM.01.000.006, year of construction: 2010, weight: 395 kg, dimensions: 3150 mm x 1360 mm x 1615 mm.	1500
570	Gernal	Gernal vacuum tumbler, type: HBC120, 380 V, 3 PH, 50 Hz, 3 kW, volume: 2000 liter, capacity: 1000 kg, Busch vacuum pump, type: RA 0040 F 503, capacity: 40 m <sup>3</sup> per hour, dimensions: 2750 mm x 1500 mm x 1900 mm.	4000
571	Kolbe	Kolbe mobile mixer-grinder, type: MWE32, serial number: 125941, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 6.6 kW, weight: 480 kg, dimensions: 1350 mm x 770 mm x 1350 mm.	1500
572	K+G Wetter	K+G Wetter paddle mixer, type: 440/200 Ltr., machine number: 440/1006, year of construction: 2001, 400 V, 50 Hz, 5.6 A, 2.4 kW, dimensions: 1800 mm x 1000 mm x 2310 mm.	2500
573	Ceia	Ceia metal detector, model: T/21E, serial number: 21200247020, year of construction: 2012, 200-240 V, 1 Ph, 50/60 Hz, clearance: 540 mm x 260 mm, total dimensions: 1800 mm x 1210 mm x 1230 mm.	1000
574	Vakona	Vakona mobile vacuum mixer, type: VM 220 STL, machine number: 2726, year of construction: 2017, volume: 220 liter, 400 V, 3 Ph, 50 Hz, 16 A, 1.6 kW, weight: 225 kg, Vakona vacuum pump, capacity: 12 m <sup>3</sup> per hour, dimensions: 1250 mm x 1370 mm x 1000 mm.	1500
575	Stephanal alvac	Stephanal alvac mobile double chamber vacuum machine, type: GeminiXL, machine number: 1042-5357, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 19 A, 9 kW, seal length: (4x) 770 mm, chamber dimensions: (2x) 770 mm x 760 mm, Busch vacuum pump, type: RA 0302 D 5Z3 DIXX, capacity: 300 m <sup>3</sup> per hour, total dimensions: 1910 mm x 1160 mm x 1200 mm.	1500
576	Ceia	Ceia metal detector, model: THS, serial number: 20500202026, 230 V, 50-60 Hz, clearance: 600 mm x 300 mm, plastic mesh belt, belt width: 275 mm, total dimensions: 1800 mm x 1200 mm x 1380 mm.	1500
577	Enterpack/ Conpax	Enterpack/Conpax packaging machine, model: EPA-350AD, serial number: 3500E-01600, 230 V, 50 Hz, 340-480 Watt, maximum film width: 310 mm, dimensions: 452 mm x 354 mm x 410 mm.	150

## **General terms of the online auction**

### **Article 1. Definitions**

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### **Article 2. Applicability**

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### **Article 3. Registration on the website and the use**

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids



made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

## **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.




## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

