



**Industrial  
Auctions**

**1867: Online auction machinery for the food  
industry in Oirschot (NL)**

**END DATE**  
05 August 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

|                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| End date                             | 05 August 2025 from 14:00 hrs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Viewing days                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Organising company                   | Industrial Auctions BV<br>Looyenbeemd 11<br>5652 BH Eindhoven, Netherlands<br>Tel.: +31 (0)40 2409 208<br>E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>                                                                                                                                                                                                                                                                                                                                                              |
| Buyers premium                       | 18% over the highest bid                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| VAT                                  | 21% over the highest bid including premium                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Pick up days                         | 12 August 2025 from 09:00 till 16:00 hrs.<br>13 August 2025 from 09:00 till 16:00 hrs.                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Pick up address                      | De Stad 10<br>5688 NX Oirschot<br>Netherlands                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Pick up instructions                 | The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address.                                                                                                                                                                                                                                                             |
| Payment details                      | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.                                                                                                                                                                                                                                                                                                                                                                      |
| Combinations                         | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.                                                                                                                                                                                                                                            |
| Prolongation                         | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.                                                                                                                                                                                                                                                                                                                                                                                                            |



| Nr | Title                             | Description                                                                                                                                                                                                                                                                                                                                     | Start € |
|----|-----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 1  | TVI Entwicklung & Produktion GmbH | TVI Entwicklung & Produktion GmbH blast freezer, type: CBF 1000, serial number: 61, year of construction: 2017, 400 V, 3 Ph, maximum: 16 A, input power: 1.1 kW, weight: 2500 kg, width baskets: 700 mm, cycle time: 6 - 20 minutes, total dimensions: 2100 mm x 2550 mm x 2980 mm.                                                             | 3000    |
| 2  | Hermann Waldner GmbH & Co. KG     | Hermann Waldner GmbH & Co. KG cup filling and sealing machine, type: DOSOMAT 12.8, machine number: 2077, year of construction: 2004, 230/400 Vac, 50 Hz, 23000 W, 35.0 A, capacity: 16000 fillings/hour, weight: 3100 kg, diameter cups: (8x) 65 mm, total dimensions: 2550 mm x 3900 mm x 2350 mm.                                             | 5000    |
| 3  | Marel                             | Marel elevating belt with dividers, s/s frame, plastic mesh belt, usable belt width: 150 mm, distance between dividers: 150 mm, divider height: 80 mm, elevating height: 1600 mm, total dimensions: 1900 mm x 600 mm x 1750 mm.                                                                                                                 | 250     |
| 4  | NN vegetable slicer               | Vegetable slicer, infeed funnel, dimensions: 250 mm x 250 mm, diameter slicer: 500 mm, total dimensions: 1500 mm x 1200 mm x 1440 mm.                                                                                                                                                                                                           | 500     |
| 5  | CFS                               | CFS double paddle vacuum mixer on weighing cells, type: UNIMIX I V 3500, machine number: 5000065442, year of construction: 2007, 3 x 400 V, 50 Hz, 88.3 A, 41 kW, N2-nitrogen injection, dimensions mixer: 3650 mm x 2100 mm x 4300 mm, switch cabinet, dimensions: 2400 mm x 800 mm x 1860 mm, pallet with cables & weighing cells.            | 10000   |
| 6  | J. Lagarde                        | J. Lagarde autoclave, year of construction: 1994, diameter: 1300 mm, content: 6450 liter, 3 x 400 V, 50 Hz, 25.5 kW, heating: steam, working pressure: 5 bar, working temperature: 158 °C, Vicarb heat exchanger, type: V28-5054, automatic transport inside autoclave, 2-doors, total dimensions: 5800 mm x 1900 mm x 2400 mm.                 | 15000   |
| 7  | Longclose                         | Longclose autoclave, machine number: 13966, year of construction: 1995, inside diameter autoclave: 1280 mm, test pressure: 8.7 bar, design pressure: 5.5 bar, design temperature: 140C, dimensions: 6500 mm x 1750 mm x 2600 mm. Including 10 s/s autoclave racks, dimensions: (10x) 870 mm x 870 mm x 330 mm. Switch cabinet is missing cover. | 3000    |
| 8  | Econo-Pak                         | Econo-Pak straight-line carton closer, type: GVM65-LD-L, number: PRJ-15657/00-002, year of construction: 2009, 400 V, 50 Hz, 7.3 A, 5.1 kW, dimensions carton closer: 6400 mm x 1150 mm x 2500 mm, dimensions outfeed belt: 1500 mm x 500 mm x 1000 mm.                                                                                         | 1500    |
| 9  | NN elevating belt                 | Mobile elevating belt with dividers, s/s frame, plastic belt, belt width: 570 mm, divider height: 100 mm, distance between dividers: 350 mm, elevating height: 2150 mm, total dimensions: 3200 mm x 1000 mm x 2400 mm.                                                                                                                          | 750     |



| Nr | Title                              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Start € |
|----|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 10 | Hera<br>Maschinenfabrik            | Hera Maschinenfabrik press brake with hydraulic unit, type: JE 35, machine number: 4090, year of construction: 1978, 220/380 V, 50 Hz, 10 A, pressure: 430 bar, working width: 2000 mm, total dimensions: 2400 mm x 800 mm x 1850 mm, dimensions hydraulic unit: 600 mm x 600 mm x 2000 mm.                                                                                                                                                                                                                                                             | 500     |
| 11 | Lachnit                            | Lachnit lifter for pallet boxes, type: 322 L, model: D, year of construction: 2009, 3 x 400 V, 50 Hz, 3 kW, lifting height: 2250 mm, lifting speed: 6 m/min, infeed dimensions pallet boxes: 1200 mm x 800 mm x 800 mm, total dimensions: 2100 mm x 2500 mm x 4050 mm.                                                                                                                                                                                                                                                                                  | 1500    |
| 12 | Butcher Boy                        | Butcher Boy double shaft paddle mixer-grinder, type: 3000/1100 MG, serial number: S107, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 120 kW, diameter plate: 280 mm, volume: 3000 liter, air pressure: 8 bar, infeed height: 2500 mm, outfeed height: 760 mm, total dimensions: 4000 mm x 2000 mm x 3200 mm. Including tool trolley. Missing cover.                                                                                                                                                                                                  | 5000    |
| 13 | Butcher Boy                        | Butcher Boy double shaft paddle mixer-grinder, type: 3000/1100 MG, serial number: S106, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 120 kW, diameter plate: 280 mm, volume: 3000 liter, air pressure: 8 bar, infeed height: 2500 mm, outfeed height: 760 mm, total dimensions: 4000 mm x 2000 mm x 3200 mm. Including tool trolley. Missing top injection.                                                                                                                                                                                          | 5000    |
| 14 | Multivac                           | Multivac traysealer, type: T350, machine number: 41, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 30.5 A, dye: (2x) 314 mm x 190 mm, plastic mesh belt, belt width: 200 mm, Gardner Denver V/VC 150 (20) vacuum pump, capacity: 150 m <sup>3</sup> per hour, dimensions traysealer: 3750 mm x 1100 mm x 1950 mm, Multivac trolley for dyes, including dye: (2x) 210 mm x 130 mm, dimensions trolley: 800 mm x 750 mm x 1200 mm, Multivac mobile cooling unit for dyes, model: Chilly 35, dimensions: 800 mm x 700 mm x 550 mm and pallet with parts. | 2500    |
| 15 | Poly-Clip System<br>GmbH & Co. KG. | Poly-Clip System GmbH & Co. KG. mobile automatic hanging line, model: AHL, working width: 1000 mm, plastic outfeed belt, belt width: 110 mm, total dimensions: 3200 mm x 1900 mm x 1700 mm.                                                                                                                                                                                                                                                                                                                                                             | 3500    |
| 16 | Ness                               | Ness cooking chamber for 2 trolleys, inside dimensions: 1100 mm x 2100 mm x 1750 mm, total dimensions: 1650 mm x 2650 mm x 2450 mm, Ness Gartronic control panel.                                                                                                                                                                                                                                                                                                                                                                                       | 500     |
| 17 | Hellings<br>Machinebouw<br>B.V.    | Hellings Machinebouw B.V. tilting device for pallet boxes, year of construction: 2021, 380 - 480 V, 3 Ph, 50-60 Hz, 4.3 A, infeed dimensions: 1050 mm x 1300 mm x 990 mm, total dimensions: 1700 mm x 2100 mm x 1900 mm. Without hydraulic unit.                                                                                                                                                                                                                                                                                                        | 500     |



| Nr | Title               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Start € |
|----|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 18 | NN curve conveyor   | Mobile curve conveyor, s/s frame, plastic belt, belt width: 1000 mm, total dimensions: 2700 mm x 1200 mm x 980 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 500     |
| 19 | Graef GmbH & Co. KG | Graef GmbH & Co. KG slicing and packaging line, type: VA 800, serial number: 7549494, year of construction: 2018, 400 V, 50 Hz, 2.4 A, 500 W, s/s mesh belt, belt width: 250 mm, serial number slicer: 101084, year of construction: 2017, 230 V, 50 Hz, 0.43 A, film width: 140 mm, total dimensions: 1600 mm x 1400 mm x 1600 mm. Including plastic pallet box with large amount of film rolls, film width: 140 mm, dimensions pallet box: 1200 mm x 1000 mm x 580 mm.                                                                                                                                                                     | 400     |
| 20 | Anritsu             | Anritsu metal detector, model: KDB3018AHW, serial number: 4670362936, 220/230 V, 1 Ph, 50/60 Hz, plastic belt, belt width: 225 mm, clearance: 305 mm x 190 mm, total dimensions: 800 mm x 800 mm x 1200 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                  | 250     |
| 21 | NN mixer            | S/s mixer, bowl dimensions: Ø 500 mm x 550 mm, total dimensions: 1100 mm x 850 mm x 1840 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 500     |
| 22 | Rheon               | Rheon mobile encrusting machine, model: KN135, serial number: 096, year of construction: 2003, 380 V, 3 Ph, 50/60 Hz, 3.7 A, 1.09 kW, plastic belt, belt width: 130 mm, total dimensions: 1400 mm x 900 mm x 1400 mm.                                                                                                                                                                                                                                                                                                                                                                                                                        | 1500    |
| 23 | Ulma                | Ulma flowpacker, machine model: Artic, machine number: 1310487, year of construction: 2014, 400 V, 50 Hz, 17 A, 11.1 kW, seal length: 400 mm, plastic belt, belt width: 280 mm, ZODIAC HS inkjet printer, total dimensions: 3500 mm x 1600 mm x 1850 mm.                                                                                                                                                                                                                                                                                                                                                                                     | 3500    |
| 24 | Hoegger             | Hoegger meat press, type: IP 320, fabrication number: 07-141, year of construction: 2008, 400 / 480 V, 50 / 60 Hz, 23 / 26 kW, air pressure minimum / maximum: 6 / 10 bar, dimensions chamber: 600 mm x 250 mm x 130 mm, total dimensions: 2700 mm x 900 mm x 1700 mm.                                                                                                                                                                                                                                                                                                                                                                       | 1500    |
| 25 | Pujolàs             | Pujolàs automatic pressing, stuffing, stretching and clipping machine, model: LAPEG 1000 / 5, serial number: 0915197, year of construction: 2015, 400 V, maximum press length: 1000 mm, total dimensions: 4450 mm x 1200 mm x 2300 mm, Pujolàs / Poly-Clip System GmbH & Co. KG double clipper, type: PDC M 800, number: 106, year of construction: 2015, plastic belt, belt width: 200 mm, total dimensions: 2500 mm x 1400 mm x 2200 mm, Pujolàs netting machine, model: PMT 360, serial number: 091538, year of construction: 2015, 230 V, total dimensions: 1150 mm x 1200 mm x 2200 mm. Without loading belt. Complete line incomplete. | 2000    |
| 26 | TST Techniek        | TST Techniek s/s mobile mesh outfeed belt for fryer, belt width: 1050 mm, total dimensions: 1300 mm x 1400 mm x 1300 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 400     |



| Nr | Title              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Start € |
|----|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 28 | Marel              | Marel compact grader, machine: CG 60, model: gra-pa32-cg60, type: 004-0056-0004, serial number: E014936, year of construction: 2013, maximum: 0.6 kg / 1.5 kg / 3 kg, minimum: 40 gram / 100 gram / 200 gram, maximum: 120 loads / minute, plastic belt, belt width: 304 mm, total dimensions: 2950 mm x 600 mm x 800 mm.                                                                                                                                                                                                      | 1500    |
| 29 | Foss               | Foss mobile fat analysing machine, model: MeatMaster Compact, type: 88010, serial number: 520015913, 185-210/210-240/370-420/420-480 V, 3 Ph, 50/60 Hz, 8/4 A, plastic belt, belt width: 650 mm, total dimensions: 5400 mm x 1250 mm x 2620 mm.                                                                                                                                                                                                                                                                                | 500     |
| 30 | Rinc Europe        | Rinc Europe spreading unit with transport belt used for pizza line, plastic belt, belt width: 650 mm, total dimensions: 5950 mm x 1100 mm x 2290 mm.                                                                                                                                                                                                                                                                                                                                                                           | 500     |
| 31 | Loma Systems       | Loma Systems mobile metal detector, type: Harsh IQ3 ST, serial number: Q3W35R25-30293D, year of construction: 18/09/2015, 85/265 V, 50/60 Hz, plastic mesh belt, belt width: 300 mm, clearance: 300 mm x 200 mm, total dimensions: 1800 mm x 850 mm x 1380 mm.                                                                                                                                                                                                                                                                 | 2500    |
| 32 | Europack           | Europack wrapping and shrinking line, serial number: 02.10775.1, year of construction: 2002, 415 V, 3 Ph, 50 Hz, 29 kW, clearance infeed: 340 mm x 120 mm, film width: 780 mm, s/s belt, belt width: 660 mm, clearance shrink tunnel: 750 mm x 420 mm, outfeed belt width: 750 mm, total dimensions: 4650 mm x 3200 mm x 2000 mm. Including extra infeed wheels. Missing control panel.                                                                                                                                        | 1000    |
| 33 | Bradman Lake Group | Bradman Lake Group dual feed flowpacker, machine type: FT120CLX, serial number: 7097, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 10 kW, plastic infeed belt with dividers, belt width: (2x) 40 mm, distance between dividers: 300 mm, dividers height: 35 mm, seal width: 230 mm, total dimensions: 5750 mm x 1200 mm x 2500 mm, outfeed belt, plastic mesh belt, belt width: 300 mm, total dimensions: 2600 mm x 600 mm x 1250 mm, infeed belt, plastic belt width: 160 mm, total dimensions: 3500 mm x 980 mm x 1550 mm | 1000    |
| 34 | Bradman Lake Group | Bradman Lake Group dual feed flowpacker, machine type: FT120CLX, serial number: 7098, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 10 kW, plastic infeed belt with dividers, belt width: (2x) 40 mm, distance between dividers: 300 mm, dividers height: 35 mm, seal width: 230 mm, total dimensions: 5750 mm x 1200 mm x 2500 mm, outfeed belt, plastic mesh belt, belt width: 300 mm, total dimensions: 2600 mm x 600 mm x 1250 mm, infeed belt, plastic belt width: 160 mm, total dimensions: 3500 mm x 980 mm x 1550 mm | 1000    |



| Nr | Title                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Start € |
|----|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 35 | Cochran LTD / Unigas | Cochran LTD steam boiler, product type: ST23, serial number: 23/7750, year of construction: 2020, maximum allowable pressure: 11.00 bar g, maximum allowable temperature: 188°C, maximum heat output: 1254 kW, Unigas GP Burners (CIB) LTD burner, type: E190X, year of construction: 2020, fuel: gas / light oil, output: 360 - 1900 kW, dimensions steam boiler: 2350 mm x 4200 mm x 2600 mm, Cochran LTD economiser, serial number: 27/7752, year of construction: 2020, maximum allowable temperature: 300°C, maximum heat output: 78 kW, dimensions economiser: 1600 mm x 900 mm x 2200 mm. Including pallet with various piping's.                                                                                                                                        | 5000    |
| 36 | Cochran LTD / Unigas | Cochran LTD steam boiler, product type: ST23, serial number: 23/7749, year of construction: 2020, maximum allowable pressure: 11.00 bar g, maximum allowable temperature: 188°C, maximum heat output: 1254 kW, Unigas GP Burners (CIB) LTD burner, type: E190X, year of construction: 2020, fuel: gas / light oil, output: 360 - 1900 kW, dimensions steam boiler: 2350 mm x 4200 mm x 2600 mm, Cochran LTD economiser, serial number: 27/7751, year of construction: 2020, maximum allowable temperature: 300°C, maximum heat output: 78 kW, dimensions economiser: 1600 mm x 900 mm x 2200 mm. Including pallet with various pipings.                                                                                                                                         | 5000    |
| 37 | PFM Spa              | PFM Spa vertical form, fill and seal machine, model: ZENITH EW INOX SERVO, serial number: D2303, year of construction: 2013, 400 V, 60 Hz, 12.3 kW, 630 kg, vertical seal length: 460 mm, horizontal seal length: 350 mm, diameter filling pipe: 190 mm, total dimensions: 1500 mm x 2200 mm x 2300 mm, outfeed belt with dividers, s/s frame, plastic belt, belt width: 400 mm, divider height: 50 mm, distance between dividers: 380 mm, elevating height: 1100 mm, total dimensions: 1900 mm x 800 mm x 1300 mm, s/s frame with 2 filling pipes, diameter pipes: 188 mm / 138 mm, dimensions frame: 1300 mm x 700 mm x 1000 mm and s/s frame with 1 filling pipe, diameter: 138 mm, dimensions frame: 1050 mm x 700 mm x 980 mm. Including crate with parts. Missing screen. | 1000    |
| 38 | SIAT                 | SIAT box closing machine with top taper, model: S8/4-S, serial number: 53874, year of construction: 2011, 380/415 V, 3 Ph, 50 Hz, 1 A, 180 W, roll width: 660 mm, total dimensions: 1000 mm x 1000 mm x 1700 mm. Including additional taper.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 250     |
| 39 | Busch                | Busch vacuum pump, type: RA 1000 B 4ZI EKXX, number: C0350000168, capacity: 400 m³ per hour, dimensions: 1900 mm x 1000 mm x 1700 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 400     |





| Nr | Title             | Description                                                                                                                                                                                                                                                                                                                                                                                                     | Start € |
|----|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 40 | HP. Auriol        | HP. Auriol cooking vessel with mixing arm and agitator with scrapers, number: 2578 B, year of construction: 07/1999, 380 V, 50 Hz, volume: 300 liter, dimensions: 1950 mm x 1400 mm x 1870 mm. Control panel broken                                                                                                                                                                                             | 750     |
| 41 | Fomaco            | Fomaco injector, model: FGM 88 DC, machine number: 10861-2006, year of construction: 2006, 3 x 400 V, 50 Hz, 63 A, 37.0 kW, air: 6.0 bar, plastic mesh belt, belt width: 720 mm, dimensions injector: 2900 mm x 1300 mm x 2300 mm, Fomaco mobile filtration unit, model: PFS 7 / 225 R, dimensions: 1900 mm x 700 mm x 950 mm, mobile frame for belt, dimensions frame: 2900 mm x 900 mm x 1250 mm. Incomplete. | 2500    |
| 42 | NN screen         | Screen, s/s frame, plastic screen, dimensions: 1060 mm x 600 mm x 2100 mm.                                                                                                                                                                                                                                                                                                                                      | 25      |
| 43 | Econo-Pak         | Econo-Pak mobile transport belt, machine type: GKF900-KB254, year of construction: 2018, s/s frame, plastic mesh belt, belt width: 250 mm, total dimensions: 3950 mm x 600 mm x 1020 mm.                                                                                                                                                                                                                        | 250     |
| 44 | Klerks            | Klerks mobile transport belt, machine type: KPB 190065, serial number: 190065-02, year of construction: 2019, 400 V, s/s frame, plastic mesh belt, belt width: 246 mm, total dimensions: 4300 mm x 600 mm x 920 mm.                                                                                                                                                                                             | 250     |
| 45 | Klerks            | Klerks transport belt, type: KPB 190065, serial number: 190065-02, year of construction: 2019, 400 V, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2750 mm x 620 mm x 1050 mm.                                                                                                                                                                                                                | 150     |
| 46 | NN transport belt | Transport belt, s/s frame, plastic belt, belt width: 380 mm, total dimensions: 3900 mm x 480 mm x 100 mm.                                                                                                                                                                                                                                                                                                       | 150     |
| 47 | NN transport belt | Transport belt, s/s frame, plastic mesh belt, belt width: 460 mm, total dimensions: 3100 mm x 700 mm x 160 mm.                                                                                                                                                                                                                                                                                                  | 150     |
| 48 | NN curve conveyor | 90° curve conveyor, s/s frame, plastic mesh belt, belt width: (4x) 100 mm, total dimensions: 2850 mm x 2200 mm x 900 mm.                                                                                                                                                                                                                                                                                        | 250     |
| 49 | Memmert           | Memmert incubator, type: SFB 400, fabrication number: 0411.2329, 230 V, 50/60 Hz, 6.1 A, 1400 W, ambient temperature: 220C, dimensions: 550 mm x 480 mm x 670 mm.                                                                                                                                                                                                                                               | 100     |
| 50 | Memmert           | Memmert incubator, type: IPP30plus, fabrication number: V118.0055, 230 V, 1 Ph, 50/60 Hz, 0.7 A, 160 W, ambient temperature: 0 - 70C, dimensions: 600 mm x 500 mm x 730 mm.                                                                                                                                                                                                                                     | 100     |
| 51 | Linx              | Linx inkjet printer, model: 4900, serial number: BW959, year of construction: 2005, dimensions: 450 mm x 600 mm x 250 mm.                                                                                                                                                                                                                                                                                       | 50      |
| 52 | Tre Spade         | Tre Spade sous-vide-cooker, type: 76100, serial number: 16 / 60016, year of construction: 2016, 230 V, 50 Hz, 2.00 kW, dimensions: 300 mm x 400 mm x 150 mm.                                                                                                                                                                                                                                                    | 50      |





| Nr | Title                       | Description                                                                                                                                                                                                                                                                                | Start € |
|----|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 53 | NN hand injector            | Hand injector, type: HI-M, year of construction: 2006, 230 V, 50 Hz, 0.09 kW, dimensions: 240 mm x 410 mm x 300 mm.                                                                                                                                                                        | 50      |
| 54 | Sealpac                     | Sealpac rack for 4 dyes, including 2 dyes: (6x) 187 mm x 137 and (3x) 325 mm x 265 mm and 2 separate grippers, total dimensions rack: 4900 mm x 700 mm x 1300 mm.                                                                                                                          | 500     |
| 55 | NN Transport belt           | Transport belt, s/s frame, plastic belt, belt width: 200 mm, total dimensions: 4850 mm x 500 mm x 1100 mm.                                                                                                                                                                                 | 150     |
| 56 | Bizerba                     | Bizerba automatic checkweigher, model: CWP maxx, serial number: 11503687, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 3.0 A, maximum: 3000 gram, d = 1 gram, plastic belt, belt width: 200 mm, total dimensions: 1550 mm x 1000 mm x 2000 mm. Screen broken.                        | 400     |
| 57 | Reepack                     | Reepack traysealer, model: REETRAY 25-FS, serial number: 3908008, year of construction: 2008, 230 V, 1 Ph, 50-60 Hz, 2760 W, dye: (6x) 88 mm, film width: 420 mm, total dimensions: 700 mm x 1000 mm x 730 mm.                                                                             | 100     |
| 58 | Markem                      | Markem label printer, machine type: CIM300, serial number: 05C3D 4515, year of construction: 2005, 115/230 V, 1 Ph, 50/60 Hz, 300 VA, dimensions: 800 mm x 700 mm x 2000 mm.                                                                                                               | 75      |
| 59 | Urschel                     | Motor for Urschel Comitrol processor, dimensions wooden box: 1250 mm x 850 mm x 800 mm.                                                                                                                                                                                                    | 500     |
| 60 | NN cooking belt             | Cooking belt, s/s mesh belt, belt width: 1200 mm, plastic mesh belt with dividers, belt width: 1200 mm, distance between dividers: 350 mm, divider height: 25 mm, elevating height: 1800 mm, total dimensions: 9000 mm x 2200 mm x 3450 mm.                                                | 4000    |
| 61 | Koppens                     | Koppens belt fryer, type: BRN 4500/500, serial number: BRN 4500/500-554, 380 V, 3 Ph, 50 Hz, 11.67 A, 3.25 kW, 4200 kg, s/s mesh belt, belt width: 500 mm, total dimensions: 7300 mm x 1550 mm x 3500 mm. Incomplete, missing 1 belt, technical condition unknown, with pallet with parts. | 4000    |
| 62 | WMH                         | WMH 4 lane elevating belt, type: M0873, serial number: 10405-11, year of construction: Jan 2017, 230 V, s/s frame, plastic belts, belt width: (4x) 255 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1500 mm x 2450 mm.                                                       | 500     |
| 63 | WMH                         | WMH 4 lane elevating belt, s/s frame, plastic belts, belt width: (4x) 255 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1500 mm x 2450 mm.                                                                                                                                    | 500     |
| 64 | NN platform                 | S/s platform with washing table, platform height: 2570 mm, diameter clearance: 1360 mm x 1360 mm, total dimensions: 3600 mm x 3600 mm x 4000 mm.                                                                                                                                           | 1500    |
| 65 | Anko Food Machine Co., LTD. | Anko Food Machine Co., LTD. mobile horizontal dough mixer, model: ABM-33, serial number: PO202200591-2, year of construction: 2022, 380 V, 3 Ph, 50 Hz, volume: 80 liter, dimensions: 1100 mm x 1450 mm x 1300 mm.                                                                         | 1500    |



| Nr | Title                       | Description                                                                                                                                                                                                                                                                                                                                                              | Start € |
|----|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 66 | Anko Food Machine Co., LTD. | Anko Food Machine Co., LTD. dough sheeter, model: ABS-220, serial number: PO202200591-1, year of construction: 2022, 380 V, 3 Ph, 50 Hz, 2.25 kW, width sheet roller: 220 mm, capacity: 100 kg per hour, dimensions: 1300 mm x 950 mm x 1400 mm.                                                                                                                         | 3000    |
| 67 | Anko Food Machine Co., LTD. | Anko Food Machine Co., LTD. gyoza dumpling machine, model: AFD-188, serial number: 1501093, year of construction: 2022, 380 V, 3 Ph, 50 Hz, 3.5 kW, capacity: 6000 pieces per hour, hopper volume: 46 liters, weight: 1400 kg, total dimensions: 2450 mm x 2000 mm x 2050 mm.                                                                                            | 5000    |
| 68 | Skindeasy                   | Skindeasy alginate line, type: Skindeasy, serial number: 48201, year of construction: 2015, 3 x 400 V, 50 Hz, 0.4 kW, dimensions: 1800 mm x 650 mm x 1400 mm.                                                                                                                                                                                                            | 750     |
| 69 | Vemag                       | Vemag mobile forming machine, model: FM 250, number: 2500320, year of construction: 2012, 220-240 V, 3 Ph, 50/60 Hz, 6 A, 2.5 kW, weight: 340 kg, plastic belt, belt width: 246 mm, total dimensions: 2000 mm x 850 mm x 1650 mm.                                                                                                                                        | 3500    |
| 70 | Handtmann                   | Handtmann mobile linking and hanging line, consisting of: Handtmann linking machine, type: PLH216, number: 1340, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.5 kW, weight: 280 kg, dimensions: 1300 mm x 700 mm x 1250 mm, Handtmann hanging line, type: 220-16, number: 1318, year of construction: 2003, weight: 105 kg, dimensions: 2550 mm x 650 mm x 1450 mm. | 1500    |
| 71 | CFS                         | CFS declining belt, type: DCC 2500/650, machine number: 186, year of construction: 2001, 415 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 220 kg, s/s frame, plastic belt with dividers, infeed height: 2050 mm, outfeed height: 950 mm, belt width: 650 mm, distance between dividers: 250 mm, total dimensions: 2850 mm x 1250 mm x 2150 mm.                               | 750     |
| 72 | Handtmann                   | Handtmann linking machine, model: PVLH, type: 226-01, number: 734, year of construction: 2010, 420 V, 3 Ph, 50/60 Hz, calibre: 13 - 50 mm, portion length from 25 mm, total dimensions: 1800 mm x 800 mm x 1300 mm. Incomplete.                                                                                                                                          | 1500    |
| 73 | Handtmann                   | Handtmann linking machine, model: PVLH, type: 226-01, number: 352, year of construction: 2010, 420 V, 3 Ph, 50/60 Hz, calibre: 13 - 50 mm, portion length from 25 mm, total dimensions: 1800 mm x 800 mm x 1300 mm. Incomplete.                                                                                                                                          | 1500    |
| 74 | Freund                      | Freund bandsaw, type: TBS19KT, number: 700045, serial number: 2019 (never used), 400 V, 3 Ph, 50 Hz, 2.62 A, 1420 rates per minute, cutting height: maximum 230 mm, cutting width: maximum 190 mm, saw blade: 1750 mm x 16 mm x 0.45 mm, total dimensions: 490 mm x 620 mm x 1000 mm.                                                                                    | 500     |



| Nr | Title                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Start € |
|----|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 76 | Medoc S.A.              | Medoc S.A. bandsaw, model: STL 350 CE, number: 869.898, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 5.6 A, product height: 350 mm, cutting width: 275 mm, blade length: 2500 mm, total dimensions: 850 mm x 850 mm x 1650 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1250    |
| 77 | Stork / Marel           | Stork / Marel cordon bleu line consisting of Risco vacuum filling machine with grinding head, machine model: RS 303, serial number: T310021, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 7.7 kW, weigh: 830 kg, RS70 grinding head, plate diameter: 130 mm, total dimensions: 2100 mm x 1200 mm x 1950 mm, Karl Schnell vacuum filling machine, model: P10SE, type: 596P, machine number: 22045, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 22.6 A, 10.9 kW, weight: 1180 kg, total dimensions: 1000 mm x 1100 mm x 2000 mm, Stork Food System / Townsend masterslice / masterfill, type: DRST / MTFII, serial number: 0441010 / 0420410, year of construction: 2010, calibre: 50 mm, plastic belt, belt width: 170 mm, total dimensions: 2250 mm x 1500 mm x 1750 mm, Stork Titan B.V. MasterFormer / Townsend forming machine, model: TA1521, type: 4710851, serial number: 10080439, year of construction: 2010, plastic belt, belt width: 300 mm, total dimensions: 3300 mm x 1500 mm x 2150 mm and 2 pallet with parts. | 15000   |
| 78 | Ishida                  | Ishida 16-heads multihead weigher, type: CCW-RZ-216B-D/30, number: 25587, year of construction: 12/1996, dimensions multihead weigher: 1400 mm x 1400 mm x 1250 mm, dimensions multihead frame: 1600 mm x 1600 mm x 320 mm, 2 trolleys with multihead weigher bins, dimensions trolleys: (2x) 2200 mm x 550 mm x 1650 mm, pallet with large amount of parts for multihead weighers, dimensions pallet box: 1200 mm x 1000 mm x 780 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1500    |
| 79 | Newtec                  | Newtec 9-lanes batch weigher, type: PCB 2009, factory number: 3889, year of construction: 1997, weighing capacity: 5 kg, temperature range: 5° C - 35° C, 9 lanes, lane width: 165 mm, total dimensions: 1920 mm x 1250 mm x 1770 mm. Including outfeed funnel, dimensions: 800 mm x 350 mm x 1500 mm and s/s rack for weighing bins, dimensions rack: 1700 mm x 300 mm x 680 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 1500    |
| 80 | Qvision / Tomra Sorting | Qvision / Tomra Sorting mobile scanner, model: QV500, serial number: N-S-430222-14-00353, 240 V, 50/60 Hz, 500 W, dimensions: 3000 mm x 1100 mm x 1610 mm. Missing belt.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 1000    |
| 81 | Qvision / Tomra Sorting | Qvision / Tomra Sorting mobile scanner, model: QV500, serial number: QV14712 01P, 240 V, 50/60 Hz, 500 W, dimensions: 3000 mm x 1100 mm x 1610 mm. Missing belt.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 1000    |
| 82 | Thermo Scientific       | Thermo Scientific metal detector head, model: APEX 500, clearance: 250 mm x 175 mm, total dimensions: 350 mm x 700 mm x 500 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 250     |



| Nr | Title                      | Description                                                                                                                                                                                                                                                                                                                                                                                                                               | Start € |
|----|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 83 | Loma Systems               | Loma Systems metal detector with rejector, model: IQ2, head serial number: M001EU-36479, year of construction: 2004, coil gap: 120 mm, Rx distance: 210 mm, plastic belt, belt width: 300 mm, clearance: 350 mm x 115 mm, total dimensions: 1800 mm x 1100 mm x 1200 mm.                                                                                                                                                                  | 1500    |
| 84 | Ceia                       | Ceia metal detector with rejector, model: THS/21E, serial number: 21600226058, year of construction: 2016, 240 VAC, 1 Ph, 50 Hz, plastic belt, belt width: 295 mm, clearance: 350 mm x 125 mm, total dimensions: 1350 mm x 1150 mm x 1350 mm.                                                                                                                                                                                             | 1500    |
| 85 | GEA / Hellings Machinebouw | GEA / Hellings Machinebouw mobile infeed conveyor, type: 11248A, serial number: E050970105174, year of construction: 2018, s/s frame, plastic belt with dividers, belt width: 400 mm, divider height: 15 mm, distance between dividers: 100 mm, infeed height: 900 mm, outfeed height: 1250 mm, Packo centrifugal pump, type: FP/66-32/064, total dimensions: 1900 mm x 1250 mm x 1550 mm.                                                | 1500    |
| 86 | Frey Maschinenbau GmbH     | Frey Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins and grinding head, type: F-222, serial number: F222T1112200SA, year of construction: 2012, 3 x 400 V, 50 Hz, 15.1 kW, pump capacity: up to 6200 kg per hour, hopper: 300 liter, filling pressure: maximum 50 bar, grinding head: WK132, plate diameter: 130 mm, dimensions filling machine: 1300 mm x 1950 mm x 2050 mm. Including 2 crates with parts. | 7500    |
| 87 | Frey Maschinenbau GmbH     | Frey Maschinenbau GmbH mobile minced meat portioner, type: C-Linie CLB CAN, serial number: CLB 126495, year of construction: 2015, 230 VAC, 50 Hz, 0.5 kW, maximum: 75 portions per minute, plastic belt, belt width: 290 mm, total dimensions: 2000 mm x 500 mm x 1500 mm.                                                                                                                                                               | 3500    |
| 88 | Frey Maschinenbau GmbH     | Frey Maschinenbau GmbH burger former, type: DMFB90, serial number: DMFB90 123222, year of construction: 2013, 230 VAC, 50 Hz, 0.3 kW, plastic belt, belt width: 290 mm, maximum: 150 portions / minute, diameter: maximum 90 mm, total dimensions: 1850 mm x 800 mm x 1250 mm. Incomplete.                                                                                                                                                | 1500    |
| 89 | Franz Anlangenbau / Inotec | Franz Anlangenbau / Inotec strip cutter, type: MST 70/400 ZAB, machine number: 696018, year of construction: 1996, 400 V, 50 Hz, 1.87 kW, cutting width: 400 mm, cutting sets: 12 / 20 / 25 mm, dimensions strip cutter: 1050 mm x 600 mm x 1200 mm, dimensions tool trolley: 1200 mm x 600 mm x 750 mm.                                                                                                                                  | 1500    |
| 90 | Luceo                      | Luceo inspection machine, type: LABELSECURE, number: 03LS-008, year of construction: 11/09/2011, 230 V, 1 Ph, 50 Hz, 1.4 kW, plastic belt, belt width: 305 mm, clearance: 310 mm x 110 mm, total dimensions: 1200 mm x 850 mm x 2000 mm.                                                                                                                                                                                                  | 500     |



| Nr | Title             | Description                                                                                                                                                                                                                                                                                                                                                                                                                                    | Start € |
|----|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 91 | Loma Systems      | Loma Systems metal detector with checkweigher and double rejector, model metal detector: IQ <sup>3</sup> , serial number: MC301-15543D, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 0.1 A, clearance: 250 mm x 105 mm, belt width: 200 mm, model checkweigher: CW <sup>3</sup> , serial number: ACB46563-51475F, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 2.5 A, belt width: 200 mm, total dimensions: 3000 mm x 1100 mm x 1700 mm. | 1750    |
| 92 | Zentjes Food BV   | Zentjes Food BV mobile elevating belt with dividers, type: RMOP-2070-300, serial number: 049, year of construction: 2007, 3 x 400 V, 50 Hz, 16 A, s/s frame, plastic belt with dividers, belt width: 300 mm, divider height: 75 mm, distance between dividers: 260 mm, infeed height: 1200 mm, outfeed height: 2050 mm, total dimensions: 2850 mm x 1200 mm x 2700 mm.                                                                         | 750     |
| 93 | NN elevating belt | Mobile elevating belt with dividers, s/s frame, plastic belt with dividers, 3 x 400 V, 50 Hz, 0.3 kW, belt width: 400 mm, divider height: 80 mm, distance between dividers: 400 mm, infeed height: 770 mm, outfeed height: 1320 mm, total dimensions: 2000 mm x 600 mm x 1600 mm.                                                                                                                                                              | 500     |
| 94 | Van Rijn          | Van Rijn lid application and closing machine, number: 60201709, year of construction: 2021, plastic mesh belt, belt width: 305 mm, dimensions denesting mould: 230 mm x 130 mm, total dimensions: 3500 mm x 950 mm x 2250 mm.                                                                                                                                                                                                                  | 1500    |
| 95 | Gardner Denver    | Gardner Denver vacuum pump, type: V-VC 150 (76), serial number: SC10293462001, year of construction: 2016, capacity: 150.0 m <sup>3</sup> per hour, dimensions: 800 mm x 450 mm x 600 mm.                                                                                                                                                                                                                                                      | 250     |
| 96 | Busch             | Pallet with Busch vacuum pump, type: RA 0160 D 5Z1 GQZZ, number: C1048000339, year of construction: 2010, capacity: 160 m <sup>3</sup> per hour, dimensions: 850 mm x 550 mm x 500 mm, Busch vacuum pump, type: KB 0040 D IZO, number: 090029559, year of construction: 2009, capacity: 40 m <sup>3</sup> per hour, dimensions: 500 mm x 260 mm x 260 mm and vacuum pump, dimensions: 560 mm x 300 mm x 500 mm. Incomplete.                    | 300     |
| 97 | Fristam           | Pallet with Fristam centrifugal pump, dimensions: 300 mm x 560 mm x 350 mm, centrifugal pump, dimensions: 300 mm x 600 mm x 280 mm and 2 hoses.                                                                                                                                                                                                                                                                                                | 150     |
| 98 | Busch             | Pallet with Busch vacuum pump, type: RA 0100 F, number: 060124319, year of construction: 2006, capacity: 100 m <sup>3</sup> per hour, dimensions: 700 mm x 400 mm x 400 mm and Busch vacuum pump, type: RA 0250 D 563 XXXX, capacity: 250 m <sup>3</sup> per hour, dimensions: 900 mm x 600 mm x 500 mm. Incomplete.                                                                                                                           | 150     |



| Nr  | Title              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Start € |
|-----|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 99  | Busch              | Busch vacuum pump, type: RA 0100 F 503, number: 100026236, year of construction: 2010, capacity: 100 m <sup>3</sup> per hour, dimensions: 700 mm x 400 mm x 350 mm. Incomplete.                                                                                                                                                                                                                                                                                                                                          | 75      |
| 100 | NN hydraulic units | Pallet with 2 hydraulic units, dimensions: 400 mm x 300 mm x 700 mm and 450 mm x 300 mm x 400 mm.                                                                                                                                                                                                                                                                                                                                                                                                                        | 75      |
| 101 | Busch / Leybold    | Pallet with Busch vacuum pump, type: 100-132, vacuum: 0.5 mbar, capacity: 100 m <sup>3</sup> per hour, dimensions: 700 mm x 450 mm x 400 mm, Leybold vacuum pump, model: SV 898 305, dimensions: 600 mm x 400 mm x 300 mm. Incomplete.                                                                                                                                                                                                                                                                                   | 75      |
| 102 | Teknikeller Makina | Complete fully automatic sugar cubes production and packaging line, consisting of: Big bag infeed bunker, Teknikeller Makina forming machine for sugar cubes, type: T.T.O.R, drying and cooling belt, total length: 33500 mm, box forming machine, box closing machine, various conveyors, S/s infeed bunker with elevating belt, infeed system with 4 automatic vibrating gutters on weighing cells, devpack vertical bag form-, fill- and seal machine, type: 4 terazil on steel platform. Line is already dismantled. | 9500    |
| 103 | Busch              | Busch vacuum pump, type: RA 0305 D 561 CWBC, number: C0810000014, year of construction: 2008, capacity: 300 m <sup>3</sup> per hour, dimensions: 1300 mm x 600 mm x 750 mm.                                                                                                                                                                                                                                                                                                                                              | 300     |
| 104 | Becker             | Becker vacuum pump, type: U 4.400 SA / K, number: A2031826, year of construction: 2005, 9.7 / 11.6 kW, inlet capacity: 400 / 480 m <sup>3</sup> per hour, dimensions: 1400 mm x 700 mm x 1000 mm.                                                                                                                                                                                                                                                                                                                        | 400     |
| 105 | Busch              | Busch vacuum pump, type: 400-212, number: LG01200101, vacuum: 0.5 mbar, capacity: 400 m <sup>3</sup> per hour, dimensions: 1500 mm x 900 mm x 1100 mm.                                                                                                                                                                                                                                                                                                                                                                   | 400     |
| 106 | Stork              | Stork mobile s/s mesh belt, type: TGB400/72150, serial number: 4T210815, year of construction: 1993, 3 x 380 V, 50 Hz, 0.37 kW, s/s mesh belt, belt width: 400 mm, belt length: 4600 mm, total dimensions: 4600 mm x 750 mm x 1000 mm.                                                                                                                                                                                                                                                                                   | 750     |
| 107 | Webomatic          | Webomatic dryer, type: TRL10, serial number: 40DK112, 3 x 400 V, 50 Hz, 10 kW, s/s mesh belt, belt width: 540 mm, weight: 415 kg, built-in Busch vacuum pump, total dimensions: 1500 mm x 950 mm x 1600 mm. Including additional s/s mesh belt, belt width: 540 mm.                                                                                                                                                                                                                                                      | 1500    |
| 108 | Cryovac            | Cryovac belt vacuum machine, type: VS95, serial number: A03800712, year of construction: 1999, 3 x 400 V, 50 Hz, 17.5 kW, plastic belt, belt width: 730 mm, product length: 745 mm, product height: 225 mm, seal length: (2x) 1500 mm, built-in Gardner Denver booster pump, type: R-VWP 1500 (05), nominal: 1580 m <sup>3</sup> per hour, total dimensions: 3900 mm x 1400 mm x 2200 mm. Including rest film suction device and pallet with parts.                                                                      | 3500    |



| Nr  | Title        | Description                                                                                                                                                                                                                                                                                                                                                            | Start € |
|-----|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 109 | Webomatic    | Webomatic belt vacuum machine, type: WBM1350, serial number: 6012RF149, 400 V, 3 Ph, 50 Hz, 4 kW, weight: 2200 kg, pressure: 6 bar, capacity: 3 cycles/min, plastic belt, belt width: 800 mm, built-in Busch roots pump, type: Panda WV1500B roots, total dimensions: 3750 mm x 1500 mm x 2200 mm. Including trim removal unit, dimensions: 830 mm x 650 mm x 1380 mm. | 3500    |
| 110 | Proseal      | 2 Dolav pallet boxes and crate with dyes and grippers for Proseal traysealers, dimensions pallet boxes: (2x) 1200 mm x 1000 mm x 750 mm.                                                                                                                                                                                                                               | 500     |
| 111 | CFS          | CFS mobile shuttle conveyor, type: SHC900/600, machine number: 673, year of construction: 2001, 3 x 415 V, 50 Hz, 0.09 kW, s/s mesh belt, belt width: 600 mm, shooting length: 1000 mm, weight: 255 kg, dimensions: 2400 mm x 750 mm x 1600 mm.                                                                                                                        | 1500    |
| 112 | Key Superior | Key Superior mobile vibrating gutter, type: MVIFN, serial number: 8829, year of construction: 1998, gutter width: 340 mm, maximum stroke: 14 mm, total dimensions: 3000 mm x 1100 mm x 1600 mm.                                                                                                                                                                        | 1500    |
| 114 | Budé         | Budé cooling conveyor with 4 ventilators, type: 6000/600, serial number: E044183-1, 3 x 400 V, 50 Hz, 3.25 kW, s/s mesh belt, belt width: 600 mm, belt length: 6100 mm, total dimensions: 6100 mm x 1000 mm x 1550 mm.                                                                                                                                                 | 1500    |
| 115 | Henkelman    | Henkelman mobile double chamber automatic vacuum machine, type: Titaan 2-90, year of construction: 2015, 3 x 400 V, 50 Hz, 7 kW, cycle time: 30 - 50 sec, seal length: (4x) 840 mm, plastic belt, belt width: (2x) 790 mm, weight: 850 mm, total dimensions: 2500 mm x 1200 mm x 1400 mm. Without vacuum pump. Machine was used on central vacuum system.              | 3500    |
| 116 | MHS          | MHS slicer, type: IC700/24D, serial number: 081403, year of construction: 2003, 3 x 415 V, 50 Hz, 5.6 kW, product diameter: 250 mm x 240 mm, chamber length: 700 mm, slice thickness: 0.5 - 700 mm, speed: 300 slices / minute, total dimensions: 1950 mm x 950 mm x 1450 mm.                                                                                          | 1500    |
| 117 | Rühle        | Rühle frozen meat cutter, type: GR 50, serial number: 60040116, year of construction: 2021, 3 x 400 V, 50 Hz, 6.9 kW, weight: 630 kg, block size: 680 mm x 440 mm x 250 mm, speed: 45 cuts / minute, plastic belt, belt width: 260 mm, total dimensions: 1500 mm x 1950 mm x 1500 mm.                                                                                  | 3500    |
| 118 | Muvero       | Muvero frying pan with agitator and scrapers, diameter vessel: 1400 mm, height vessel: 500 mm, total dimensions: 2250 mm x 1600 mm x 2450 mm.                                                                                                                                                                                                                          | 1250    |
| 119 | Maja         | Maja skinning machine, type: ESM 435, number: 38376, year of construction: 1995, 380 V, 3 Ph, 50 Hz, working width: 430 mm, total dimensions: 800 mm x 750 mm x 1000 mm.                                                                                                                                                                                               | 250     |





| Nr  | Title                              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Start € |
|-----|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 120 | Marel                              | Marel checkweigher with top and bottom labeller, model: 9000, serial number: 96564-10414277, 230 V, 50 Hz, maximum capacity: 4.6 kg, minimum capacity: 80 gram, plastic belts, belt width: 300 mm and (2x) 140 mm, total dimensions: 2650 mm x 730 mm x 1800 mm.                                                                                                                                                                                                           | 250     |
| 121 | SAS Nijal                          | SAS Nijal slicer, type: MTC, serial number: 0270506, year of construction: 2006, plastic belt, belt width: 300 mm, clearance: 355 mm x 75 mm, total dimensions: 2100 mm x 1250 mm x 2180 mm.                                                                                                                                                                                                                                                                               | 500     |
| 122 | Digi                               | Digi weighing and labelling machine with top and bottom labeller, model: Lab Station, serial number: 21087170, weight: 200 kg, belt width: (2x) 100 mm, (1x) 230 mm, total dimensions: 1900 mm x 750 mm x 1750 mm.                                                                                                                                                                                                                                                         | 250     |
| 123 | Case Packing Systems               | Case Packing Systems sideloader, model: SL 105, year of construction: 2006, infeed belt, s/s frame, plastic belt, belt width: 750 mm, infeed belt, dimensions: (2x) 450 mm, outfeed belt, belt width: 950 mm, total dimensions: 4800 mm x 3000 mm x 2600 mm, 90° roller conveyor with elevating belt, s/s frame, plastic belt, belt width: 450 mm, elevating height: 960 mm, total dimensions: 3400 mm x 850 mm x 1000 mm, 2 spare transport belts and trolley with parts. | 3000    |
| 124 | NN shutter door                    | Electric shutter door in wooden crate, door width: 3500 mm, dimensions wooden box: 4060 mm x 550 mm x 860 mm.                                                                                                                                                                                                                                                                                                                                                              | 400     |
| 125 | Seuster Labex                      | Seuster Label electric shutter door, type: 1400 flexline, year of construction: 2018, 230 V, door width: 2600 mm, dimensions switch cabinet: 300 mm x 200 mm x 500 mm.                                                                                                                                                                                                                                                                                                     | 400     |
| 126 | Polyketting                        | Polyketting s/s mobile turning table, diameter: 1200 mm, height: 750 mm.                                                                                                                                                                                                                                                                                                                                                                                                   | 400     |
| 127 | Hellings Machinebouw & Engineering | Hellings Machinebouw & Engineering mobile 90° curve conveyor, type: BT-KS-BSPW, serial number: 5047-1, year of construction: 2008, plastic mesh belt, belt width: 610 mm, s/s mesh belt, belt width: 610 mm, total dimensions: 3300 mm x 2500 mm x 1330 mm.                                                                                                                                                                                                                | 500     |
| 128 | Alltrex                            | (3x) Alltrex ladder, height: 1030 mm, foldable ladder, height: 1020 mm and ladder, height: 650 mm.                                                                                                                                                                                                                                                                                                                                                                         | 25      |



| Nr  | Title                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Start € |
|-----|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 129 | Sealpac GmbH                 | Sealpac GmbH traysealer with tray loader, type tray loader: EL1200-R, serial number: ZEL-0765, year of construction: 2013, 400 V, 3 Ph, 50-60 Hz, 4.5 kW, weight: 1000 kg, tray mould dimensions: (14x) 195 mm x 145 mm, tray loader dimensions: 4160 mm x 1600 mm x 1800 mm, type traysealer: SEALPAC A10, serial number: A10-01-2374, year of construction: 2011, 400 V, 3 Ph, 50-60 Hz, 12 kW, weight: 2700 kg, plastic chain belt, total belt width: 330 mm, traysealer dimensions: 5100 mm x 1000 mm x 2100 mm, outfeed conveyor with lane divider, dimensions: 4250 mm x 800 mm x 1310 mm, type s/s tool trolley: SEALPAC WWW-A10, serial number: 1545, year of construction: 2017, weight: 200 kg, dimensions: 1800 mm x 1000 mm x 1370 mm. | 6000    |
| 130 | GEA Happel Klimatechnik GmbH | GEA Happel Klimatechnik GmbH heater, type: M311A.BB2, serial number: 07000265560002, year of construction: 1998, 3 x 400 V, 50 Hz, dimensions: 600 mm x 650 mm x 1200 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 50      |
| 131 | Mettler Toledo               | Mettler Toledo weighing scale with indicator, maximum: 100 kg, minimum: 0 kg, dimensions scale: 500 mm x 400 mm, total dimensions: 930 mm x 400 mm x 350 mm, Mettler Toledo indicator, type: ICS429g, serial number: B933098040, 100-240 V, 3 Ph, 50-60 Hz.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 25      |
| 132 | Scanvaegt                    | Scanvaegt weighing scale with indicator, maximum: 150 kg, minimum: 1 kg, e=50 gram, dimensions weighing scale: 500 mm x 600 mm x 180 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 25      |
| 133 | NN perforating device        | S/s perforating device, number: 08561, dimensions: 320 mm x 280 mm x 900 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 10      |
| 134 | Bravilor Bonamat             | Bravilor Bonamat coffee machine, model: MND2-021, type number: 8.040.201.200, 230 V, 1 Ph, 50/60 Hz, 2145 W, dimensions: 340 mm x 210 mm x 440 mm. Without pot.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 10      |
| 136 | Miller's Bakery Machinery    | Miller's Bakery Machinery mixer, type: BAT40, serial number: MPM 52/02, 415 V, 50 Hz, 3 A, 1.1 kW, dimensions: 850 mm x 420 mm x 1200 mm. Incomplete, missing whisk and bowl.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 150     |
| 137 | Baader                       | Baader mobile vacuum filling machine, model: Baader 752, dimensions: 700 mm x 800 mm x 1600 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 1500    |
| 138 | Nilfisk                      | Nilfisk floor scrubber, dimensions: 800 mm x 400 mm x 1800 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 150     |
| 139 | Günther Maschinenbau GmbH    | Günther Maschinenbau GmbH injector, type: INJEKTOR PI 21, machine number: 33203, year of construction: 2011, 400 V, 16 A, 2.3 kW, belt width: 260 mm, total dimensions: 1500 mm x 600 mm x 1800 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1000    |
| 140 | Siat                         | Siat box closing machine with top and bottom taper, model: SK2-S, serial number: 52440, year of construction: 2009, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 W, dimensions: 1000 mm x 750 mm x 1600 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 250     |



| Nr  | Title        | Description                                                                                                                                                                                                                       | Start € |
|-----|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 141 | Mado         | Mado mobile mixer-grinder, type: MEW 620, number: 31109, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz, 15.2/8/8 A, 4.0 kW, plate diameter: 100 mm, total dimensions: 1000 mm x 900 mm x 1350 mm. Incomplete.                | 1500    |
| 142 | Rinc Europe  | Rinc Europe 3-head depositor, year of construction: 09-1997, pressure: 6 bar, dye: (3x) 20 mm, total dimensions: 1200 mm x 750 mm x 1650 mm.                                                                                      | 250     |
| 143 | Pökomat      | Pökomat injector, type: P 8/270, serial number: 853 1, 380 V, 1.9 A, 0.75 kW, weight: 138 kg, belt width: 260 mm, total dimensions: 1300 mm x 550 mm x 1800 mm.                                                                   | 750     |
| 144 | NN peeler    | S/s peeler, inside dimensions: Ø980 mm x 450 mm, total dimensions: 1500 mm x 1050 mm x 1050 mm.                                                                                                                                   | 750     |
| 145 | NN tub       | Mobile s/s tub, dimensions: 750 mm x 380 mm x 800 mm.                                                                                                                                                                             | 10      |
| 146 | NN trolley   | S/s trolley, dimensions: 820 mm x 600 mm x 1100 mm.                                                                                                                                                                               | 25      |
| 147 | Seewer Rondo | Seewer Rondo dough sheeter, model number: STM 503, machine number: B3008030, working width: 500 mm, belt width: 470 mm, total dimensions: 1600 mm x 900 mm x 500 mm.                                                              | 150     |
| 148 | Deco Relief  | Deco Relief moulding machine, dimensions: 900 mm x 800 mm x 450 mm. Technical condition unknown.                                                                                                                                  | 10      |
| 149 | Rheon        | Rheon mobile double lane encrusting machine, model: WN055, serial number: 094, year of construction: 2005, 380 V, 3 Ph, 50/60 Hz, 4.3 kW, 11.3 A, dimensions 1850 mm x 900 mm x 1920 mm. Incomplete, technical condition unknown. | 950     |
| 150 | Rheon        | Rheon mobile double lane encrusting machine, model: WN055, serial number: 082, year of construction: 2004, 380 V, 3 Ph, 50/60 Hz, 4.3 kW, 11.3 A, dimensions 1850 mm x 900 mm x 1920 mm. Incomplete, technical condition unknown. | 950     |
| 151 | Rheon        | Rheon mobile double lane encrusting machine, model: WN055, serial number: 164, year of construction: 2008, 415 V, 3 Ph, 50/60 Hz, 4.3 kW, 10.3 A, dimensions 1850 mm x 900 mm x 1920 mm. Incomplete, technical condition unknown. | 950     |
| 152 | Rheon        | Rheon mobile double lane encrusting machine, dimensions: 1850 mm x 900 mm x 1920 mm. Incomplete, technical condition unknown.                                                                                                     | 950     |
| 153 | Rheon        | Rheon mobile double lane encrusting machine, model: WN055, serial number: 120, year of construction: 2006, 415 V, 3 Ph, 50/60 Hz, 4.3 kW, 10.3 A, dimensions 1850 mm x 900 mm x 1920 mm. Incomplete, technical condition unknown. | 950     |
| 154 | NN oven      | Oven, 9 floors, dimensions each floor: 590 mm x 860 mm, total dimensions: 800 mm x 1300 mm x 1500 mm.                                                                                                                             | 150     |
| 155 | Supertape    | Supertape mobile box closing machine, with top and bottom taper, dimensions: 1100 mm x 1000 mm x 1700 mm. Incomplete.                                                                                                             | 150     |



| Nr  | Title             | Description                                                                                                                                                                                                                                                                                                                                      | Start € |
|-----|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 156 | Linx              | Linx inkjet printer, model: 5900, serial number: GO410, year of construction: 2015, dimensions: 600 mm x 700 mm x 1550 mm.                                                                                                                                                                                                                       | 100     |
| 157 | Bosgraaf          | Plastic pallet box with various Bosgraaf s/s frames, hangers and cabinets, dimensions: 1200 mm x 1000 mm x 580 mm.                                                                                                                                                                                                                               | 250     |
| 158 | Hackman Metos     | Hackman Metos combisteamer, model: CPCM 20 G, type: B13/A3, serial number: G21CD04011105888, 230 V, 1 Ph, 50-60 Hz, 1.9 kW, water pressure: 200-600 kPa, gas heated, 73.4 kW, inside dimensions: 660 mm x 520 mm x 1530 mm, total dimensions: 1020 mm x 830 mm x 1900 mm. Without trolley.                                                       | 400     |
| 159 | Klerks            | Klerks s/s electrical roller conveyor, machine type: JK 450 1200, serial number: 2018 180279 2, year of construction: 2018, 400 V, 6 bar, roller width: 450 mm, total dimensions: 1200 mm x 550 mm x 900 mm.                                                                                                                                     | 250     |
| 160 | Tonnaer           | Tonnaer spiral mixer for dough, dimensions: 1700 mm x 1100 mm x 1900 mm. Including 2 s/s mobile bowls, inside dimensions: (2x) ø 800 mm x 400 mm, total dimensions: 950 mm x 850 mm x 850 mm.                                                                                                                                                    | 3750    |
| 161 | NN mesh belt      | Mobile s/s mesh belt, belt width: 400 mm, total dimensions: 3000 mm x 820 mm x 2100 mm.                                                                                                                                                                                                                                                          | 500     |
| 162 | Maurer-Atmos GmbH | Maurer-Atmos GmbH electrical s/s cooking vessel, type: FKS 3000, serial number: 0276235, year of construction: 2007, 400 V, 50 Hz, 40 A, 24 kW, inside dimensions: 800 mm x 900 mm x 450 mm, total dimensions cooking vessel"1800 mm x 1300 mm x 1300 mm, including pallet with 2 switch cabinets, dimensions pallet: 1200 mm x 800 mm x 500 mm. | 1000    |
| 163 | Grasselli         | Pallet with 2 Grasselli derinding rolls, roll width: (2x) 650 mm, total dimensions pallet: 1000 mm x 600 mm x 350 mm.                                                                                                                                                                                                                            | 50      |
| 164 | NN office table   | Office table, dimensions: 1800 mm x 900 mm x 730 mm.                                                                                                                                                                                                                                                                                             | 5       |
| 165 | Marel             | S/s floor weighing scale with Marel indicator, type: M2200-P02, serial number: A108915, 110-230 Vac, 0.24-0.12 A, dimensions scale: 900 mm x 900 mm.                                                                                                                                                                                             | 250     |
| 166 | AllScales Europe  | S/s floor weighing scale with AllScales Europe indicator, type: ISC-V, serial number: 703081325, 230 V AC, min: 10 kg, max: 800 kg, e= 0.5 kg, dimensions scale: 1050 mm x 860 mm.                                                                                                                                                               | 250     |
| 167 | Chefcut           | Chefcut mobile pineapple cutter, model: CC001, serial number: 012011-0011, dimensions: 950 mm x 500 mm x 950 mm, including crate with 3 extra knife sets and pineapple slicer.                                                                                                                                                                   | 300     |
| 168 | Maurer-Atmos GmbH | Maurer-Atmos GmbH smoke chamber, inside dimensions: 2050 mm x 1050 mm x 2100 mm, total dimensions: 2700 mm x 1900 mm x 3000 mm.                                                                                                                                                                                                                  | 1000    |



| Nr  | Title                      | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Start € |
|-----|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 169 | Kerres Anlagensysteme GmbH | Kerres Anlagensysteme GmbH smoke chamber installation, consisting of: 4 sections of Kerres Anlagensysteme GmbH smoke chambers, inside dimensions: (4x) 1100 mm x 1100 mm x 2100 mm, total dimensions smoke chambers: (4x) 1600 mm x 1200 mm x 3000 mm, Kerres Anlagensysteme GmbH smoke generator for wood chips, type: RE 203, fabrication number: 8.2296, year of construction: 02.2014, 400 V, 3 Ph, 2 kW, dimensions: 850 mm x 1300 mm x 1830 mm, Bitzer Kühlmaschinenbau GmbH cooling compressor, type: LH64/FS76, serial number: 1685003971, dimensions: 900 mm x 750 mm x 700 mm, 3 pallets with parts, dimensions: (3x) 1200 mm x 800 mm x 500 mm. | 2500    |
| 170 | NN ham moulds              | Wooden pallet box with various s/s ham moulds, dimensions moulds: 800 mm x 120 mm x 100 mm, total dimensions pallet box: 1200 mm x 1000 mm x 800 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 50      |
| 171 | NN dye's                   | Wooden pallet box and pallet with various dye's for traysealer, dimensions pallet box: 1200 mm x 1200 mm x 850 mm dimensions pallet: 1200 mm x 800 mm x 450 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 50      |
| 172 | NN trays                   | Pallet with large amount of plastic trays, dimensions each tray: 129 mm x 129 mm x 108 mm, dimensions pallet: 1200 mm x 800 mm x 1450 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 5       |
| 173 | CFS                        | CFS thermoformer, type: 660, machine number: 664/0486, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 33 A, 21.7 kW, dimensions: 4300 mm x 1200 mm x 2000 mm, 3100 mm x 900 mm x 1000 mm. Including box with parts, dimensions: 1200 mm x 800 mm x 900 mm and suction device for rest film, dimensions: 1200 mm x 800 mm x 1000 mm. Incomplete, technical condition unknown.                                                                                                                                                                                                                                                                              | 1500    |
| 174 | Nawi B.V.                  | Nawi B.V. double s/s rotating ritual slaughtering box for calves, type: 18000, year of construction: 2007, dimensions slaughtering box: 2600 mm x 3200 mm x 3000 mm, Nawi hydraulic unit, dimensions: 700 mm x 650 mm x 1000 mm, control panel, dimensions: 380 mm x 220 mm x 600 mm, dimensions switch cabinet: 770 mm x 300 mm x 770 mm, including various tube rail elevators and hanging table.                                                                                                                                                                                                                                                        | 7500    |
| 175 | Clayton                    | Clayton steam generator, model: EO-404-1, serial number: B7718, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 46.2 A, PS: 10 bar, TS: 184 °C, PT: 15 Barg, volume: 1495 liter, capacity: 626.3 kg/h, HS: 83.9 m <sup>2</sup> , 3928 kW, LCV-Hü: 42700 kJ/kg, maximum burner capacity: 4389 kW, minimum burner capacity: 878 kW, regular oil pressure: 5 bar, oil pressure at burner: 1-2.4 bar, oil flow: 370.0 kg/h, dimensions: 3000 mm x 1900 mm x 3350 mm, including water softener, 2 pump skids and steel tank and pallets with various parts.                                                                                                     | 2500    |
| 176 | NN steel beams             | Various steel beams and frames, dimensions: 300 mm x 150 mm x 4250 mm and 300 mm x 150 mm x 5650 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 750     |



| Nr  | Title                                            | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Start € |
|-----|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 177 | Morris                                           | Pallet with steel frame with Morris electrical chain hoist, dimensions pallet: 2400 mm x 1400 mm x 600 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 25      |
| 178 | NN tub                                           | Plastic tub for water softener, dimensions: Ø 930 mm x 1300 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 5       |
| 179 | Bila/Palomat                                     | Bila/Palomat pallet stacker, type: 102001-001/109446, number: 270067-1, year of construction: 2007, dimensions: 1300 mm x 1400 mm x 2380 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 500     |
| 180 | Reznor Europe N.V.                               | Reznor Europe N.V. gas heated air heater, type: EURO-T 20255, serial number: 981100063, dimensions: 520 mm x 900 mm x 1100 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 25      |
| 181 | NN rack                                          | 2 pallets with steel rack, dimensions uprights: 2000 mm x 550 mm, dimensions floors: 2000 mm x 380 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 25      |
| 182 | Nan Tong China Yong Tong Fan Manufacture Co. Ltd | Nan Tong China Yong Tong Fan Manufacture Co. Ltd air chiller, type: Cold Axial Fan, number: 81, year of construction: 20-12, flow rate: 8000 m³/h, power: 2.2 kW, dimensions: 1400 mm x 600 mm x 1020 mm, 800 mm x 800 mm x 1100 mm and 900 mm x 650 mm x 1000 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 150     |
| 183 | NN autoclave spacers                             | 5 pallets with large amount of plastic autoclave spacers, dimensions each spacer: 1220 mm x 1040 mm x 60 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 125     |
| 184 | NN roller conveyor                               | Roller conveyor, s/s frame, plastic rollers, roller width: 630 mm, total dimensions: 1100 mm x 700 mm x 200 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 20      |
| 185 | NN chain conveyor                                | Chain conveyor, dimensions: 7000 mm x 550 mm x 1100 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 250     |
| 186 | Nedcon B.V.                                      | Nedcon B.V. steel pallet rack, consisting of: 2 uprights, dimensions: 1100 mm x 3200 mm, 4 beams, length: 4300 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 50      |
| 187 | Weber Maschinenbau GmbH                          | Weber Maschinenbau GmbH slicer line, consisting of: Weber Maschinenbau GmbH, type: SLC 902, number: 2709, year of construction: 10-2008, 400 V, 50 Hz, 10 kW, 6 bar, 50 l/min, dimensions: 2900 mm x 1700 mm x 2600 mm, Weber Maschinenbau GmbH scanner, type: CPS, number: 266, year of construction: 2008, dimensions: 1400 mm x 1000 mm x 1900 mm, Weber Maschinenbau GmbH transport belt, type: CZB, number: 2709, year of construction: 2008, dimensions: 1000 mm x 800 mm x 1400 mm, Weber Maschinenbau GmbH weighing belt, type: CCR, number: 2709-01, year of construction: 10/2008, weight: 230 kg, dimensions: 1000 mm x 900 mm x 1300 mm, Weber Maschinenbau GmbH outfeed belt, dimensions: 1500 mm x 1400 mm x 2500 mm, 4 pallets with parts. Incomplete, technical condition unknown. | 1750    |
| 188 | Glass GmbH & Co. KG                              | Glass GmbH & Co. KG tiltable vacuum mixer, type: VSM/F 1000, machine number: 2634, year of construction: 2009, 400 V, 50 Hz, 4.82 kW, volume: 1000 liters, dimensions: 1600 mm x 2800 mm x 2300 mm. Incomplete.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 3500    |



| Nr  | Title                                       | Description                                                                                                                                                                                                               | Start € |
|-----|---------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 189 | Glass GmbH & Co. KG                         | Glass GmbH & Co. KG tiltable vacuum mixer, type: VSM/F 800, machine number: 3171, year of construction: 2009, 400 V, 50 Hz, 4.82 kW, volume: 800 liters, dimensions: 1600 mm x 2800 mm x 2300 mm. Incomplete.             | 3500    |
| 190 | De Jager RVS                                | De Jager RVS s/s tilting device for pallet boxes, year of construction: 2013, maximum dimensions pallet boxes: 1250 mm x 1050 mm x 1050 mm, total dimensions: 2500 mm x 1800 mm x 2450 mm. Technical condition unknown.   | 1500    |
| 191 | De Jager RVS                                | De Jager RVS s/s tilting and dosing device, year of construction: 2013, dimensions tub: 1100 mm x 1900 mm x 600 mm, total dimensions: 2700 mm x 1600 mm x 2150 mm. Technical condition unknown.                           | 1000    |
| 192 | De Jager RVS                                | De Jager RVS mobile elevating screw, year of construction: 2012, s/s screw, diameter: 300 mm, tier: 250 mm, elevating height: 2650 mm, total dimensions: 5300 mm x 200 mm x 3100 mm.                                      | 1500    |
| 193 | Inotec GmbH                                 | Inotec GmbH double shaft paddle mixer, machine type: IM-2500V, machine number: 301-00488, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 58 A, 28 kW, 34 kVA, 6 bar, 200 l/min, dimensions: 4200 mm x 2300 mm x 2200 mm. | 12500   |
| 194 | Anritsu Corp                                | Anritsu Corp transport belt, s/s frame, plastic belt, year of construction: 1999, belt width: 220 mm, total dimensions: 800 mm x 450 mm x 1050 mm.                                                                        | 25      |
| 195 | NN rack                                     | Steel rack, dimensions: 1150 mm x 850 mm x 1700 mm.                                                                                                                                                                       | 10      |
| 196 | Nawi B.V.                                   | Nawi B.V. s/s cooking trolley, 9 floors, dimensions each floor: 1200 mm x 1000 mm, total dimensions: 1280 mm x 1000 mm x 1640 mm.                                                                                         | 75      |
| 197 | Nawi B.V.                                   | Nawi B.V. s/s cooking trolley, 4 floors, dimensions each floor: 1200 mm x 1000 mm, total dimensions: 1280 mm x 1000 mm x 1640 mm.                                                                                         | 75      |
| 198 | NN cooking racks                            | 3 s/s cooking racks, dimensions: (3x) 1020 mm x 1000 mm x 1680 mm.                                                                                                                                                        | 150     |
| 199 | NN cleaning trolleys for battering machines | 2 s/s cleaning trolleys for battering machines, dimensions: (2x) 750 mm x 750 mm x 1650 mm.                                                                                                                               | 100     |
| 200 | NN trolleys for plates                      | 6 s/s trolleys for plates, 20 floors, dimensions each floor: 600 mm x 400 mm, distance between floors: 70 mm, total dimensions: (6x) 635 mm x 460 mm x 1780 mm.                                                           | 125     |
| 201 | NN trolleys for plates                      | 4 s/s trolleys for plates, (2x) 20 floors, dimensions each floor: 600 mm x 400 mm, distance between floors: 70 mm, total dimensions: (4x) 1000 mm x 1300 mm x 2000 mm.                                                    | 200     |
| 202 | NN cooking racks                            | 6 s/s cooking racks, dimensions: (6x) 1000 mm x 1000 mm x 2050 mm.                                                                                                                                                        | 300     |
| 203 | NN trolley                                  | S/s trolley, dimensions: 1010 mm x 1000 mm x 2000 mm.                                                                                                                                                                     | 50      |
| 204 | NN smoke trolleys                           | 7 s/s smoke trolleys, dimensions: (7x) 1020 mm x 1000 mm x 2000 mm.                                                                                                                                                       | 350     |



| <b>Nr</b> | <b>Title</b>            | <b>Description</b>                                                                                                                                                                                                                                                                                               | <b>Start €</b> |
|-----------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 205       | Schütz                  | 10 Schütz IBC tanks, dimensions: (10x) 1200 mm x 1000 mm x 1150 mm.                                                                                                                                                                                                                                              | 250            |
| 206       | NN mesh belt            | Mobile s/s mesh belt, belt width: 600 mm, total dimensions: 1100 mm x 800 mm x 1000 mm. Technical condition unknown.                                                                                                                                                                                             | 100            |
| 207       | NN frame for mesh belt  | Mobile s/s frame for mesh belt, dimensions: 4300 mm x 950 mm x 900 mm.                                                                                                                                                                                                                                           | 100            |
| 208       | Marel                   | Marel elevating belt with infeed hopper, model: tsm-p002-inf01, type: 008.0049-0081, serial number: E014937, year of construction: 2013, s/s frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 200 mm, elevating height: 1500 mm, total dimensions: 3200 mm x 1500 mm x 1600 mm. | 500            |
| 209       | NN lifter for meat bins | S/s lifter for meat bins, lifting height: 1850 mm, total dimensions: 1200 mm x 900 mm x 3070 mm.                                                                                                                                                                                                                 | 500            |
| 210       | NN lifter for meat bins | S/s lifter for meat bins, lifting height: 1500 mm, maximum capacity: 250 kg, total dimensions: 900 mm x 800 mm x 2500 mm.                                                                                                                                                                                        | 500            |
| 211       | ABB                     | Steel cabinet with ABB low voltage air circuit breaker, model: SACE E3N 25, serial number: BBA1003030, dimensions: 1600 mm x 700 mm x 1500 mm. Incomplete.                                                                                                                                                       | 100            |
| 212       | ECONO-PAK GmbH          | ECONO-PAK GmbH box closing machine, type: Dozensluiter, machine type: HV, project number: 2560/5, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 21 A, 8 kW, dimensions: 5400 mm x 1400 mm x 1900 mm. Including switch cabinet, dimensions: 1200 mm x 800 mm x 2200 mm.                                         | 1500           |
| 213       | Sesotec GmbH            | Sesotec GmbH metal detector head, type: C-Scan GHF 600/300/195/T1, serial number: 10006363-H, 110-230 VAC, 60/50 Hz, 0.46-0.23 A, clearance: 595 mm x 305 mm, total dimensions: 1100 mm x 500 mm x 570 mm.                                                                                                       | 500            |
| 214       | Sesotec GmbH            | Sesotec GmbH metal detector head, clearance: 495 mm x 140 mm, total dimensions: 1000 mm x 290 mm x 425 mm.                                                                                                                                                                                                       | 500            |
| 215       | Alinox                  | Alinox s/s refrigeration counter, model: Evolution 1, dimensions: 1610 mm x 680 mm x 700 mm.                                                                                                                                                                                                                     | 350            |
| 216       | Seydelmann              | Seydelmann s/s lifter for meat bins, lifting height: 2200 mm, maximum capacity: 250 kg, total dimensions: 1200 mm x 900 mm x 3050 mm.                                                                                                                                                                            | 750            |
| 217       | Holac                   | Holac dicer, dimensions chamber: 85 mm x 85 mm x 300 mm, total dimensions: 1100 mm x 600 mm x 1100 mm.                                                                                                                                                                                                           | 500            |
| 218       | Stork                   | Stork mobile breeding machine, belt width s/s mesh belt: 250 mm, total dimensions: 2600 mm x 600 mm x 1700 mm.                                                                                                                                                                                                   | 1500           |
| 219       | NN elevating belt       | Mobile elevating belt, s/s frame, plastic belt, belt width: 500 mm, elevating height: 900 mm, total dimensions: 2400 mm x 850 mm x 1000 mm.                                                                                                                                                                      | 250            |





| Nr  | Title                       | Description                                                                                                                                                                                                                                                                                                             | Start € |
|-----|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 220 | Sesotec GmbH                | Sesotec GmbH metal detector head, type: GLS 600/300/175/216/83, serial number: 11040001944-H, 100-240 VAC, 60/50 Hz, clearance: 460 mm x 240 mm, belt width: 445 mm, total dimensions: 3100 mm x 1000 mm x 1250 mm.                                                                                                     | 750     |
| 221 | Townsend                    | Townsend mobile backbone cutter, model: BBC 1500, serial number: 103173E196, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 kW, weight: 250 kg, clearance: 400 mm x 60 mm, total dimensions: 2200 mm x 1200 mm x 2000 mm. Missing belt.                                                                             | 600     |
| 222 | Cliopack                    | Cliopack mobile vacuum machine, type: VP 52, serial number: 522008004, year of construction: 2020, 380 V, 50-60 Hz, with Vakum Pack vacuum pump, type: RB 0040 OL, capacity: 40 m <sup>3</sup> /h, seal length: (2x) 500 mm, dimensions chamber: 600 mm x 500 mm x 100 mm, total dimensions: 770 mm x 650 mm x 1100 mm. | 400     |
| 223 | NN table with Kebab skewer  | S/s table with plastic top and Kebab skewer with weighing unit, model: BT 10, serial number: 20221021272, year of construction: 2022-06, 220 V, 50 Hz, dimensions: 800 mm x 550 mm x 1650 mm.                                                                                                                           | 250     |
| 224 | NN table with Kebab skewer  | S/s table with plastic top and Kebab skewer with weighing unit, model: BT 10, serial number: 20221021264, year of construction: 2022-06, 220 V, 50 Hz, dimensions: 800 mm x 550 mm x 1650 mm.                                                                                                                           | 250     |
| 225 | Itec Food Technology        | Itec Food Technology hand disinfection unit, type: 23765-li and MH-7, order number: 253834, year of construction 04/2015, 230/400 V, 2 Ph, 50-60 Hz, 0.1/6.5 kW, dimensions: 1000 mm x 380 mm x 800 mm.                                                                                                                 | 200     |
| 226 | Ecolab Hygiene Systems GmbH | Ecolab Hygiene Systems GmbH P3-Starmaxx AL disinfectant, article number: SOL 1001, serial number: 0092 FW, year of construction: 2008, dimensions: 440 mm x 700 mm x 370 mm.                                                                                                                                            | 25      |
| 227 | Berkel                      | Berkel weighing scale, type: PT, number: 9206, year of construction: 1971, capacity: 20 kg, dimensions: 600 mm x 590 mm x 780 mm.                                                                                                                                                                                       | 25      |
| 228 | ARI Makina                  | ARI Makina band saw, model: TES-300, serial number: TES-300/04, year of construction: 2019, 380/400 V, 50/60 Hz, 1.5 kW, 3.5 A, weight: 135 kg, dimensions saw table: 700 mm x 700 mm, total dimensions: 700 mm x 800 mm x 1700 mm.                                                                                     | 500     |
| 229 | ARI Makina                  | ARI Makina grinder, model: PKM 32, plate diameter: 100 mm, total dimensions: 800 mm x 500 mm x 1100 mm. Plate and knife are missing.                                                                                                                                                                                    | 500     |
| 230 | NN elevating belt           | Mobile elevating belt, s/s frame, plastic belt, belt width: 285 mm, elevating height: 1150 mm, total dimensions: 3300 mm x 600 mm x 1150 mm.                                                                                                                                                                            | 250     |



| Nr  | Title                                      | Description                                                                                                                                                                                                                                                                                                                                                                                                                                           | Start € |
|-----|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 231 | Backsaver / van Oirschot Roestvrijstaal BV | Backsaver / van Oirschot Roestvrijstaal BV s/s tilting device for pallet boxes, fork length: 800 mm, fork length: 450 mm, total dimensions: 1400 mm x 1000 mm x 1250 mm.                                                                                                                                                                                                                                                                              | 1250    |
| 232 | Pökomat                                    | Pökomat s/s tumbler, type: T100 / 350, dimensions drum: Ø 1150 mm x 600 mm, total dimensions: 1150 mm x 1600 mm x 1750 mm.                                                                                                                                                                                                                                                                                                                            | 1500    |
| 233 | NN lifter for 200 liter meat bins          | S/s lifter for 200 liter meat bins, lifting height: 1300 mm, maximum capacity: 250 kg, total dimensions: 1200 mm x 950 mm x 2100 mm.                                                                                                                                                                                                                                                                                                                  | 750     |
| 234 | Lets bv                                    | Lets bv s/s cleaning pump unit, type: HD 230 WS, serial number: 197615001, year of construction: 08/2023, dimensions: 450 mm x 400 mm x 900 mm.                                                                                                                                                                                                                                                                                                       | 400     |
| 235 | Itec Food Technology                       | Itec Food Technology s/s tilting device for pallet boxes, type: 27200, series: 216, order number: 260216, year of construction: 10/2016, 400 V, 3 Ph, 50-60 Hz, 1.5 kW, maximum dimensions pallet boxes: 1050 mm x 1000 mm, total dimensions: 1800 mm x 2800 mm x 2200 mm, including outfeed transport conveyor, dimensions: 3000 mm x 1430 mm x 1250 mm and s/s platform, dimensions: 3000 mm x 1850 mm x 1350 mm. Belt outfeed conveyor is missing. | 2500    |
| 236 | NN hygiene station                         | Hygiene station with sole cleaner, hand disinfection unit and tourniquet, brush diameter: (2x) 150 mm, brush length: (2x) 1300 mm, total dimensions: 2300 mm x 900 mm x 1660 mm.                                                                                                                                                                                                                                                                      | 1000    |
| 237 | NN elevating belt                          | Elevating belt, s/s frame, plastic belt with dividers, belt width: 460 mm, distance between dividers: 200 mm, divider height: 50 mm, elevating height: 2800 mm, total dimensions: 3300 mm x 900 mm x 2950 mm.                                                                                                                                                                                                                                         | 500     |
| 238 | Itec Food Technology                       | Itec Food Technology sole cleaner for dry cleaning, type: 23882, year of construction: 01-2017, 400 V, 3 Ph, 50-60 Hz, 0.5 kW, brush diameter: (2x) 150 mm, brush length: (2x) 1000 mm, total dimensions: 2100 mm x 800 mm x 1300 mm.                                                                                                                                                                                                                 | 1500    |
| 239 | Carnitech                                  | Carnitech lifter for 200 liter meat bins, type: L25, year of construction: 2002, 3x400 V, 50 Hz, 0.75 kW, 2.1 A, lifting height: 2000 mm, total dimensions: 1000 mm x 800 mm x 3000 mm.                                                                                                                                                                                                                                                               | 750     |
| 240 | NN aprons washer                           | Double s/s aprons washer, dimensions: 1120 mm x 840 mm x 1820 mm.                                                                                                                                                                                                                                                                                                                                                                                     | 250     |
| 241 | NN tubs                                    | 4 s/s tubs, dimensions: (4x) 900 mm x 900 mm x 1100 mm.                                                                                                                                                                                                                                                                                                                                                                                               | 300     |
| 242 | Elpress                                    | Elpress hygiene station with sole cleaner, hand disinfection unit and tourniquet, type: 83202027, serial number: 37450, year of construction: 2021-7, 400 V, 50 Hz, 16 A, 1 kW, 3 bar, maximum temperature: 40 °C, brush diameter: (2x) 200 mm, brush length: (2x) 650 mm, total dimensions: 1800 mm x 900 mm x 1600 mm.                                                                                                                              | 2500    |



| Nr  | Title                                 | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Start € |
|-----|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 243 | Kohlhoff Hygienetechnik GmbH & Co. KG | Kohlhoff Hygienetechnik GmbH & Co. KG double hand disinfection unit with tourniquet, type: SK 800 Twin, dimensions: 1300 mm x 1100 mm x 1550 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1000    |
| 244 | Kohlhoff Hygienetechnik GmbH & Co. KG | Kohlhoff Hygienetechnik GmbH & Co. KG double hygiene station with sole cleaner for dry cleaning, hand disinfection unit and tourniquet, machine type: DLSO-HD, machine number: 320823.020, year of construction: 01/2022, 3x400 V, 2 kW, brush diameter: (4x) 150 mm, brush length: (4x) 1100 mm, total dimensions: 2000 mm x 2100 mm x 1900 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                           | 3500    |
| 245 | Itec Food Technology                  | Itec Food Technology sole cleaner, type: 23874, series: 0320, year of construction: 01/2013, 400 V, 3 Ph, 50-60 Hz, 0,5 kW, brush diameter: (2x) 150 mm, brush length: (2x) 1000 mm, total dimensions: 1900 mm x 1100 mm x 1270 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 1500    |
| 246 | Itec Food Technology                  | Itec Food Technology sole cleaner for dry cleaning, type: 23871, series: 0652, year of construction: 09/09, 400 V, 3 Ph, 50 Hz, 0,5 kW, brush diameter: (2x) 150 mm, brush length: (2x) 1600 mm, total dimensions: 2700 mm x 950 mm x 1300 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 1750    |
| 247 | Elpress                               | Elpress hand disinfection unit with tourniquet, type: 83201065, serial number: 36214-003, year of construction: 2021-2, 230 V, 50 Hz, 16 A, 1.3 kW, 3 bar, maximum temperature: 40 °C, weight: 50 kg, dimensions: 1200 mm x 800 mm x 1200 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 500     |
| 248 | Elpress                               | Pallet with 2 Elpress hand disinfection units with tourniquet, type: 83201040, serial number: 17502, year of construction: 18.12.12, 230 V, 50 Hz, 16 A, 0.15 kW, 16 A, weight: 40 kg, dimensions: (2x) 1200 mm x 800 mm x 1200 mm. One tourniquet is missing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 500     |
| 249 | Schut Systems                         | Schut Systems carton packaging line, consisting of: Schut Systems carton erector, type: EM60, serial number: 832111, year of construction: 2020, 3x400 V, 50 Hz, 2.1 kW, cassette size: 180 mm x 110 mm x 35 mm, capacity: 60 cartons/min, weight: 480 kg, total dimensions carton erector: 1600 mm x 1250 mm x 2400 mm, Schut Systems loading conveyor, type: LB4200, serial number: 06-24153, year of construction: 2020, belt width: 185 mm, total dimensions loading conveyor: 4100 mm x 400 mm x 1000 mm, Schut carton closer, type: CM65, serial number: 572012, year of construction: 2020, 3x400 V, 50 Hz, 6.1 kW, 5-10 bar, capacity: maximum 60 cartons/minute, with Nordson ProBlue P4 glue unit, weight: 1100 kg, total dimensions carton closer: 4000 mm x 2000 mm x 1500 mm. | 27500   |
| 250 | NN floor weighing scale               | S/s floor weighing scale, dimensions: 1750 mm x 1500 mm. Without indicator.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 150     |
| 251 | NN floor weighing scale               | S/s floor weighing scale, dimensions: 1750 mm x 1500 mm. Without indicator.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 150     |



| Nr  | Title               | Description                                                                                                                                                                                                                                                                 | Start € |
|-----|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 252 | Schröter GmbH       | Schröter GmbH cooking chamber, type: K-BA 1 Wg, number: 247-0999/01, year of construction: 11-1999, inside dimensions: 1100 mm x 1100 mm x 2250 mm, total dimensions: 1620 mm x 1520 mm x 3200 mm. Including 2 switch cabinets, dimensions: (2x) 1000 mm x 750 mm x 350 mm. | 500     |
| 253 | Ammercurve          | Ammercurve 45° curve conveyor, serial number: 02822 K, plastic belt, belt width: 390 mm, total dimensions: 1500 mm x 1500 mm x 920 mm.                                                                                                                                      | 100     |
| 254 | Stephanal           | Stephanal mobile depositor, type: D 90, serial number: R18998, year of construction, dimensions: 850 mm x 650 mm x 2050 mm. Incomplete.                                                                                                                                     | 50      |
| 255 | NN infeed system    | Infeed system, s/s frame, plastic mesh belt with dividers, belt width: (2x) 700 mm, divider height: 15 mm, distance between dividers: 200, elevating height: 1340 mm, total dimensions: 1650 mm x 1630 mm x 1740 mm.                                                        | 250     |
| 256 | NN sorting conveyor | Mobile sorting conveyor, plastic belt, belt width: 80 mm, divider height: 15 mm, total dimensions: 1900 mm x 800 mm x 1800 mm.                                                                                                                                              | 75      |
| 257 | NN traysealer dyes  | Trolley with dyes for traysealer, dyes dimensions: 145 mm x 205 mm & 280 mm x 175 mm, total dimensions: 2050 mm x 600 mm x 1500 mm.                                                                                                                                         | 50      |
| 258 | Lachnit             | Lachnit lifter for 200 litres meat bins, type: 300, serial number: 1282, year of construction: 1999, 400 V, 50 Hz, 1.1 kW, loading capacity: 300 kg, elevating height: 3300 mm, total dimensions: 4000 mm x 650 mm x 1300 mm.                                               | 250     |
| 259 | Webomatic           | Webomatic transport belt, s/s frame, type: TB 3.5, number: 80JK531, 400 V, 3 PH, 50 Hz, 0.75 A, 0.25 kW, plastic belt, belt width: 560 mm, total dimensions: 3500 mm x 800 mm x 1000 mm. Incomplete.                                                                        | 150     |
| 260 | Marel               | Marel meat press, type: Presso 600, serial number: 082600-00001, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, weight: 800 kg, diameter form: ø 170 mm, plastic belt, belt width: 600 mm, total dimensions: 3050 mm x 2400 mm x 1800 mm.                               | 500     |
| 261 | NN trolley          | Mobile s/s trolley, dimensions: 750 mm x 500 mm x 600 mm.                                                                                                                                                                                                                   | 25      |
| 262 | NN forming machine  | Mobile s/s forming machine for skinless sausage, dimensions: 1000 mm x 450 mm x 1350 mm.                                                                                                                                                                                    | 150     |
| 263 | PBI Dansensor       | 4 PBI Dansensor gas mixing stations, model: MAP Mix 8000-3/400, serial number: 68110606, 68110607, 68110608 and 68110518, year of construction: 2011, 100/115/230 V, 50/60 Hz, dimensions: (4x) 470 mm x 360 mm x 180 mm.                                                   | 50      |
| 264 | NN switch cabinets  | 2 s/s switch cabinets, dimensions: (2x) 600 mm x 600 mm x 340 mm.                                                                                                                                                                                                           | 50      |



| <b>Nr</b> | <b>Title</b>                  | <b>Description</b>                                                                                                                                                                                                                       | <b>Start €</b> |
|-----------|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 265       | New Smith                     | New Smith basket stacker, number: KM2941, 400 V, 3 Ph, 50 Hz, 25 A, capacity: 140 kg, elevating height: 2520 mm, clearance: 800 mm x 470 mm, inside dimensions: 600 mm x 700 mm x 455 mm, total dimensions: 1260 mm x 1000 mm x 3000 mm. | 400            |
| 266       | Carnitech                     | Carnitech elevating belt, type: PM45, year of construction: 2005, 4.12 A, plastic mesh belt, belt width: 570 mm, elevating height: 1050 mm, total dimensions: 1000 mm x 900 mm x 1100 mm.                                                | 100            |
| 267       | Marel                         | Marel meat press, type: Presso-Automat V4.2, number: 123107, diameter form: 170 mm, plastic belt, belt width: 600 mm, total dimensions: 3050 mm x 2400 mm x 1800 mm.                                                                     | 500            |
| 268       | Strapex                       | Strapex binding machine, type: MINIMAT, machine number: 9401184, 230 V, 1 Ph, 50 Hz, 3.3 A, dimensions: 900 mm x 590 mm x 800 mm.                                                                                                        | 100            |
| 269       | Cryovac                       | Cryovac transport belt, model: TZ-35, serial number: AQ939, year of construction: 2015, 220 V, 50 Hz, 2.2 A, 0.37 kW, plastic mesh belt, belt width: 440 mm, total dimensions: 2250 mm x 650 mm x 1100 mm.                               | 150            |
| 270       | NN press                      | S/s press, working width: 900 mm, total dimensions: 1250 mm x 900 mm x 1900 mm.                                                                                                                                                          | 150            |
| 271       | NN parts for palletizing line | Parts for palletizing line, weight: maximum 1500 Kg, clearance palletizer: 1300 mm x 1000 mm, total dimensions: 1950 mm x 1330 mm x 450 mm. Including Duursma hydraulic unit.                                                            | 250            |
| 272       | NN parts for palletizing line | Parts for palletizing line, weight: maximum 1500 Kg, clearance palletizer: 1300 mm x 1000 mm, total dimensions: 1950 mm x 1330 mm x 450 mm. Including Duursma hydraulic unit.                                                            | 250            |
| 273       | Nawi b.v.                     | Nawi b.v. transport belt ,type: 03437, plastic belt, belt width: 465 mm, plastic rollers, rollers width: 530 mm and 440 mm, total dimensions: 7000 mm x 1450 mm x 1940 mm.                                                               | 500            |
| 274       | NN elevating belt             | Mobile elevating belt, plastic belt, belt width: 490 mm, elevating height: 1620 mm, total dimensions: 5600 mm x 600 mm x 1700 mm.                                                                                                        | 400            |
| 275       | Inauen Maschinen AG           | Inauen Maschinen AG mobile vacuum machine, type: VC999/07DK, machine number: 0784452, 380 V, 3 Ph, 50 Hz, 25 A, 9 kW, with Busch vacuum pump, total dimensions: 1200 mm x 850 mm x 1100 mm.                                              | 200            |
| 276       | SFK Systems A/S               | SFK Systems A/S mobile tenderizer, type: KT 110, serial number: 053, year of construction: 2007, 415 V, 3 Ph, 50 Hz, 3.3 A, 1.5 kW, plastic belt, belt width: 350 mm, total dimensions: 1450 mm x 1050 mm x 1330 mm. Incomplete.         | 150            |



| Nr  | Title             | Description                                                                                                                                                                                                                                                                          | Start € |
|-----|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 277 | Berief GmbH       | Berief GmbH lifter for 200 liter meat bins with platform, type: 08060.01.01, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 0.75 kW, lifting height: 1700 mm, total dimensions: 3200 mm x 1400 mm x 2620 mm.                                                                        | 1000    |
| 278 | Leybold GmbH      | Leybold GmbH hydraulic unit in s/s cabinet, type: V135B GrundpumpeS, serial number: 31302511388, year of construction: 2022, weight: 590 kg, dimensions: 1350 mm x 800 mm x 850 mm.                                                                                                  | 150     |
| 279 | Robbe             | Robbe weighing scale, number: 15282, maximum: 60 kg, minimum: 400 gram, dimensions scale: 500 mm x 500 mm, total dimensions: 1000 mm x 850 mm x 1930 mm.                                                                                                                             | 100     |
| 280 | NN cabinet        | S/s cabinet on frame, dimensions cabinet: 1200 mm x 300 mm x 800 mm, total dimensions: 1200 mm x 850 mm x 2000 mm.                                                                                                                                                                   | 150     |
| 281 | NN cabinet        | S/s cabinet on frame, dimensions cabinet: 1200 mm x 300 mm x 800 mm and 450 mm x 600 mm x 450 mm, total dimensions: 2000 mm x 850 mm x 2000 mm.                                                                                                                                      | 150     |
| 282 | NN cabinet        | S/s cabinet on frame, dimensions cabinet: 1200 mm x 300 mm x 800 mm, total dimensions: 1200 mm x 850 mm x 2000 mm.                                                                                                                                                                   | 150     |
| 283 | NN transport belt | Transport belt, plastic belt, belt width: 480 mm, plastic rollers, rollers width: 440 mm, total dimensions: 7850 mm x 1550 mm x 1910 mm.                                                                                                                                             | 500     |
| 284 | NN cabinet        | S/s cabinet on frame, dimensions cabinet: 1200 mm x 300 mm x 800 mm and 450 mm x 560 mm x 670 mm, total dimensions: 1350 mm x 950 mm x 2000 mm.                                                                                                                                      | 150     |
| 285 | Weber             | Weber labelling machine, model: W5100-TT-LH-U-S, serial number: WUK060910178A, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 1200 mm x 1620 mm.                                                                                                                      | 200     |
| 286 | Weber             | Weber labelling machine, model: W5100-TT-LH-U-S, serial number: WUK060910178C, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 1200 mm x 1620 mm.                                                                                                                      | 200     |
| 287 | Weber             | Weber labelling machine, model: W5100-TT-LH-U-S, serial number: WUK060910178B, plastic belt, belt width: 240 mm, total dimensions: 2000 mm x 1200 mm x 1620 mm.                                                                                                                      | 200     |
| 288 | NN smoke trolleys | 6 s/s smoke trolleys, 2 floors, dimensions: (6x) 1030 mm x 1000 mm x 2010 mm.                                                                                                                                                                                                        | 450     |
| 289 | NN mixer          | Mixer with bottom valve for unloading, s/s bowl, steel mixer, diameter bowl: 1150 mm, height bowl: 620 mm, total dimensions: 1900 mm x 1700 mm x 2280 mm.                                                                                                                            | 500     |
| 290 | Marel Limited     | Marel Limited vertical buffer, model: vertical buffer, serial number: 1970011, year of construction: 20-10-2011, 400 V, 3 Ph, 50 Hz, 6/10 A, weight: 410 Kg, belt width: 400 mm, 7 floors, dye: (24x each floor) Ø 40 mm, total dimensions: 2050 mm x 1200 mm x 1900 mm. Incomplete. | 150     |



| Nr  | Title                      | Description                                                                                                                                                                                                                                                                          | Start € |
|-----|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 291 | Marel Limited              | Marel Limited vertical buffer, model: vertical buffer, serial number: 1970010, year of construction: 10-01-2011, 400 V, 3 Ph, 50 Hz, 6/10 A, weight: 410 Kg, belt width: 400 mm, 7 floors, dye: (24x each floor) Ø 40 mm, total dimensions: 2050 mm x 1200 mm x 1900 mm. Incomplete. | 150     |
| 292 | NN trolleys                | 6 S/s trolleys, (6x) 18 floors, dimensions each floor: 550 mm x 330 mm, total dimensions: (6x) 560 mm x 340 mm x 1700 mm.                                                                                                                                                            | 450     |
| 293 | Robatech                   | Robatech sleever, plastic infeed belt, belt width: 170 mm, Robatech glue unit, type: Concept 4/2 3 phasig, total dimensions: 2800 mm x 950 mm x 1550 mm. Technical condition unknown.                                                                                                | 200     |
| 294 | Coolers & condensers       | Coolers & condensers s/s evaporator, model: CF 6/13-4R6mm, serial number: SOP0035179, 415 V, 3 Ph, 50 Hz, maximum temperature: 100°C, minimum temperature: -50°C, 1 fan, total dimensions: 1850 mm x 900 mm x 1350 mm.                                                               | 200     |
| 295 | Coolers & condensers       | Coolers & condensers s/s evaporator, model: CF 8/13-6R6mm, serial number: SOP0035177-2, 415 V, 3 Ph, 50 Hz, maximum temperature: 100°C, minimum temperature: -50°C, 1 fan, total dimensions: 1850 mm x 900 mm x 1350 mm.                                                             | 200     |
| 296 | NN brine tanks             | 2 polythene tanks used for brine, dimensions tanks: Ø 1320 mm x 1310 mm and Ø 1400 mm x 1760 mm, total dimensions: 2700 mm x 1800 mm x 2440 mm.                                                                                                                                      | 250     |
| 297 | ITT Jabsco                 | ITT Jabsco lobe pump, model: 24250-2310M, serial number: C2 8219, dimensions: 1150 mm x 900 mm x 450 mm.                                                                                                                                                                             | 500     |
| 298 | Umformtechnik Hausach GmbH | Umformtechnik Hausach GmbH s/s storage silo with manual valve, number: 701.8 0095, weight: 120 Kg, volume: 800 liter, diameter silo: 1100 mm, height silo: 1570 mm.                                                                                                                  | 150     |
| 299 | DST/Lutz                   | DSTfilter, number: DC-1001430, Lutz pump, type: MA II 7-230, dimensions pallet: 1200 mm x 1000 mm x 600 mm.                                                                                                                                                                          | 25      |
| 300 | Koppens                    | Koppens mobile forming machine, type: BVE400HD-236, dimensions: 2100 mm x 1000 mm x 2320 mm. Incomplete, technical condition unknown. Including crate with parts.                                                                                                                    | 1500    |
| 301 | NN trolleys                | 4 s/s trolleys, (4x) 20 floors, dimensions each floor: 540 mm x 330 mm, total dimensions: (4x) 750 mm x 500 mm x 1800 mm.                                                                                                                                                            | 300     |
| 302 | FAN                        | FAN solid-liquid separator with s/s infeed hopper, type: PSS 3.2-520, number: 2987, capacity: to 50 m³/h, 400 V, 3 Ph, 50 Hz, 3 Ph, 5.5 kW, dimensions: 2100 mm x 900 mm x 2000 mm.                                                                                                  | 1000    |
| 303 | DAT-Schaub                 | DAT-Schaub casing machine, type: CP, total dimensions: 1800 mm x 1400 mm x 1800 mm.                                                                                                                                                                                                  | 250     |
| 304 | De Jager BV                | De Jager BV s/s vibrating gutter, dimensions: 2250 mm x 780 mm x 1220 mm.                                                                                                                                                                                                            | 350     |
| 305 | De Jager BV                | De Jager BV s/s vibrating gutter, dimensions: 2080 mm x 880 mm x 1380 mm.                                                                                                                                                                                                            | 350     |



| Nr  | Title                       | Description                                                                                                                                                                                                                                     | Start € |
|-----|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 306 | NN frame                    | S/s frame, dimensions: 2250 mm x 330 mm x 480 mm.                                                                                                                                                                                               | 50      |
| 307 | Meyer Vi-Tech LTD           | Meyer Vi-Tech LTD vibrating gutter, number: VT 349, gutter width: 250 mm, total dimensions: 2140 mm x 500 mm x 600 mm.                                                                                                                          | 150     |
| 308 | Meyer Vi-Tech LTD           | Meyer Vi-Tech LTD vibrating gutter, number: 348, gutter width: 250 mm, total dimensions: 2730 mm x 600 mm x 600 mm.                                                                                                                             | 150     |
| 309 | Meyer Vi-Tech LTD           | Meyer Vi-Tech LTD vibrating gutter, number: 350, gutter width: 250 mm, total dimensions: 2140 mm x 500 mm x 600 mm.                                                                                                                             | 150     |
| 310 | Meyer Vi-Tech LTD           | Meyer Vi-Tech LTD vibrating gutter, number: 351, gutter width: 250 mm, total dimensions: 2730 mm x 600 mm x 600 mm.                                                                                                                             | 150     |
| 311 | NN tanks                    | 2 plastic tanks, dimensions: 1500 mm x 1500 mm x 2800 mm and 1560 mm x 1560 mm x 2800 mm. With parts.                                                                                                                                           | 250     |
| 312 | CFS Columnloader            | CFS Columnloader lifter for 200 liter meat bins, type: 300S, year of construction: 2009, 400 V, 50 Hz, 0.75 kW, weight: 300 kg, elevating height: 2600 mm (adjustable), total dimensions: 3800 mm x 1200 mm x 1000 mm.                          | 400     |
| 313 | Roser                       | Roser knife basket washing machine, type: 21737, serial number: 0101, year of construction: 2001, 415 V, 19.7 kW, dimensions: 3100 mm x 930 mm x 2160 mm.                                                                                       | 500     |
| 314 | Sugden Ltd                  | Sugden Ltd top grill, serial number: 7578, year of construction: 2016, grill surface: 420 mm x 260 mm, total dimensions: 1500 mm x 900 mm x 1850 mm. Including switch cabinet.                                                                  | 1500    |
| 315 | GEI Turbo                   | GEI Turbo mobile 4-heads depositor, type: M102 P, machine number: M102P4707.015 and M102P4707.016, year of construction: 1997, dimensions: 1600 mm x 1100 mm x 2100 mm. Including s/s trolley for parts, dimensions: 950 mm x 820 mm x 1650 mm. | 200     |
| 316 | NN injector                 | Mobile injector, plastic belt, belt width: 260 mm, clearance: 270 mm x 180 mm, 8 needles, total dimensions: 1300 mm x 530 mm x 1670 mm.                                                                                                         | 250     |
| 317 | Lange                       | Lange water sampler, type: 4010, dimensions: 600 mm x 600 mm x 1300 mm.                                                                                                                                                                         | 75      |
| 318 | Consol Converging Solutions | Consol Converging Solutions mobile line dividing belt, plastic belt, belt width: 180 mm, vertical belt, belt width: 260 mm, total dimensions: 3500 mm x 1200 mm x 1600 mm.                                                                      | 400     |
| 319 | NN inliner                  | 4 to 1 inliner, plastic belts, belt width: (4x) 80 mm, (12x) 120 mm, (2x) 75 mm, (1x) 660 mm, total dimensions: 2300 mm x 1100 mm x 1150 mm.                                                                                                    | 250     |
| 320 | Ravenwood Packaging LTD     | Ravenwood Packaging LTD linerless label applicator with ZodiacHS inkjet printer, serial number: 0803/2015, 220/240 V, 1 Ph, 50/60 Hz, 11 A, total dimensions: 1300 mm x 800 mm x 1600 mm. Missing belts.                                        | 250     |





| Nr  | Title                   | Description                                                                                                                                                                                                                                                                                          | Start € |
|-----|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 321 | Ravenwood Packaging LTD | Ravenwood Packaging LTD linerless label applicator with ZodiacHS inkjet printer, serial number: 0801/2015, 220/240 V, 1 Ph, 50/60 Hz, 11 A, total dimensions: 1300 mm x 800 mm x 1600 mm. Missing belts.                                                                                             | 250     |
| 322 | Ishida                  | Ishida automatic weigh and price labeller with rejector, model: WPL-AI-S20R-RH, serial number: 100281947, 230 V, 2 Ph, 50 Hz, maximum: 2 Kg, minimum: 0.125 Kg, plastic belt, belt width: (2x) 140 mm, total dimensions: 3200 mm x 1600 mm x 1900 mm.                                                | 400     |
| 323 | Bartscher/Simix         | Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, number: 21455MG22, year of construction: 2008, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.              | 500     |
| 324 | Bartscher/Simix         | Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, number: 21460MG22, year of construction: 2008, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.              | 500     |
| 325 | Bartscher/Simix         | Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, number: 22508MN22, year of construction: 2009, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.              | 500     |
| 326 | Bartscher/Simix         | Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, number: 21456MG22, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm.                                          | 500     |
| 327 | Bartscher/Simix         | Bartscher cooking vessel with Simix mobile height adjustable mixer, type: PM1IE500, year of construction: 2008, 400 V, 3 Ph, 50 Hz, volume: 500 liter, dimensions cooking vessel: 1150 mm x 1300 mm x 1250 mm, dimensions mobile mixer: 1500 mm x 1400 mm x 2800 mm. Missing motor, including parts. | 400     |
| 328 | Marel Iceland ehf.      | Marel Iceland ehf. Streamline outfeed belt, machine: StreamLine Outfeed, model: KM4113, type: 4635429, serial number: A187510, year of construction: 2019, s/s frame, plastic belt, belt width: 610 mm, total dimensions: 2450 mm x 1600 mm x 1750 mm.                                               | 250     |
| 329 | CFS Slagelse A/S        | CFS Slagelse A/S pump grinder, type: PUMP GRINDER 225, machine number: 5000067258 POS. 709, year of construction: 2009, 3 x 400 V, 50 Hz, 42.5 A, 22 kW, plate diameter: 225 mm, total dimensions: 1000 mm x 1700 mm x 1850 mm.                                                                      | 1500    |



| Nr  | Title                   | Description                                                                                                                                                                                                                                                                                                                                    | Start € |
|-----|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 330 | NN trolley              | Plastic trolley, dimensions: 1600 mm x 750 mm x 650 mm.                                                                                                                                                                                                                                                                                        | 25      |
| 331 | Ravenwood Packaging LTD | Ravenwood Packaging LTD linerless label applicator with ZodiacHS inkjet printer, serial number: 0746/2014, 220/240 V, 1 Ph, 50/60 Hz, 11 A, plastic belt, belt width: (2x) 100 mm, total dimensions: 1300 mm x 1150 mm x 1550 mm.                                                                                                              | 250     |
| 332 | Ravenwood Packaging LTD | Ravenwood Packaging LTD linerless label applicator with ZodiacHS inkjet printer, serial number: 0770/2014, 220/240 V, 1 Ph, 50/60 Hz, 11 A, plastic belt, belt width: (2x) 100 mm, total dimensions: 1200 mm x 1050 mm x 1550 mm. Incomplete.                                                                                                  | 250     |
| 333 | Bitzer                  | Bitzer cooling compressor, type: F 400 H, number: 4810377, year of construction: 1995, volume: 39 liter, dimensions: 2800 mm x 1300 mm x 1900 mm. Including storage tank and Grundfos circulation pump, dimensions: Ø 1100 mm x 2600 mm and pallet with 2 switch cabinets, dimensions: 850 mm x 1300 mm x 350 mm and 600 mm x 400 mm x 250 mm. | 1500    |
| 334 | Atlas Copco             | Atlas Copco air compressor, type: ZT18, serial number: API787704, year of construction: 2012, 380 V, 3 Ph, 60 Hz, 18 kW, capacity: 40.6 l/s, dimensions: 1820 mm x 1020 mm x 1700 mm.                                                                                                                                                          | 1000    |
| 335 | Lohenner GmbH & Co. KG  | Lohenner GmbH & Co. KG pressure vessel, serial number: 211589, year of construction: 2013, capacity: 1000 liter, dimensions: 930 mm x 800 mm x 2450 mm.                                                                                                                                                                                        | 150     |
| 336 | Samag                   | Samag electric pallet lifter, type: EL 16, number: 20831, year of construction: 2006, capacity: 1600 kg, fork length: (2x) 1150 mm, lifting height: 2000 mm, total dimensions: 2000 mm x 900 mm x 2050 mm. With P.B.M. battery charger.                                                                                                        | 500     |
| 337 | Wittkamp                | Wittkamp mobile elevating belt, year of construction: 09/2014, plastic belt, belt width: 300 mm, elevating height: 2100 mm, total dimensions: 5000 mm x 1000 mm x 2200 mm. Switch cabinet incomplete.                                                                                                                                          | 250     |
| 338 | NN transport belt       | Transport belt, s/s frame, plastic mesh belt, belt width: 460 mm, total dimensions: 770 mm x 700 mm x 800 mm.                                                                                                                                                                                                                                  | 100     |
| 339 | NN curve conveyor       | Curve conveyor, plastic mesh belt, belt width: 305 mm, total dimensions: 5500 mm x 1150 mm x 2150 mm.                                                                                                                                                                                                                                          | 200     |
| 340 | Protech Food Systems    | Protech Food Systems S-shaped conveyor, serial number: ET2002, plastic mesh belt, belt width: 305 mm, total dimensions: 3800 mm x 1250 mm x 1000 mm.                                                                                                                                                                                           | 200     |



| Nr  | Title                             | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Start € |
|-----|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 342 | TVI Entwicklung & Produktion GmbH | TVI Entwicklung & Produktion GmbH portioning line consisting of TVI portioning machine, type: GMS 500, plastic mesh belt, belt width: 300 mm, total dimensions: 1600 mm x 1000 mm x 3100 mm, 2 TVI tray denesters, plastic mesh belts, belt width: (2x) 250 mm, total dimensions: (2x) 5000 mm x 800 mm x 2000 mm, 1 TVI tray denester, type: TDS 300, serial number: 131, year of construction: 2014, 1 x 230 V, 50 Hz, 185 kg, total dimensions: 1600 mm x 900 mm x 1900 mm, double switch cabinet, total dimensions: 1000 mm x 1000 mm x 2200 mm and s/s frame for double weighing scale, total dimensions: 700 mm x 300 mm x 1000 mm. Complete portioning line is incomplete. | 1500    |
| 343 | TVI                               | TVI portioning machine, type: GMS 500, serial number: 200, year of construction: 2012, weight: 700 kg, 400 V, 3 Ph, dimensions: 1400 mm x 1000 mm x 2900 mm. Incomplete, technical condition unknown.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 400     |
| 344 | Hobart                            | Hobart crate washer, clearance: 600 mm x 450 mm, belt width: 55 mm, divider height: 17 mm, distance between dividers: 340 mm, total dimensions: 3100 mm x 1000 mm x 1490 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 1000    |
| 345 | TVI                               | TVI portioning machine, type: GMS 500, pressure: max 8 bar, plastic mesh belt, belt width: 300 mm, total dimensions: 1550 mm x 1000 mm x 3120 mm. Incomplete.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 500     |
| 346 | Eagle                             | Eagle x-ray scanner, clearance: 550 mm x 330 mm, total dimensions: 1950 mm x 1310 mm x 2350 mm. Belt is missing.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 750     |
| 347 | Marel                             | Marel transport belt, model: JM0080, year of construction: 2019, plastic belt, belt width: 610 mm, working width: 575 mm, total dimensions: 1500 mm x 800 mm x 1250 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 100     |
| 348 | Freund                            | Freund mobile vacuum suction device, type: VSS, number: 909-900-002, year of construction: 45/2017, with Becker vacuum pump, number: H 2944877, year of construction: 2015, total dimensions: 1500 mm x 1300 mm x 2200 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 250     |
| 349 | NN cooking vessel                 | S/s sooking vessel, inside dimensions: 1300 mm x 645 mm x 245 mm, total dimensions: 1800 mm x 970 mm x 1650 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 250     |
| 350 | NN pump                           | Pump, dimensions: 1200 mm x 800 mm x 800 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 75      |
| 351 | NN tumbler                        | S/s double jacketed tumbler with scraper, inside diameter: Ø 950 mm, clearance: 890 mm x 450 mm, total dimensions: 2200 mm x 1900 mm x 2400 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 500     |
| 352 | NN tank with pump                 | S/s tank with centrifugal pump and Calpeda self priming centrifugal pump, type: A 65-150B/B, total dimensions: 1900 mm x 1000 mm x 2530 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 500     |
| 353 | Multivac                          | Multivac labelling machine with bottom and top labeller, model: MR335 TQ1519BS4000BD, type: MR335, number: 177321, year of construction: 2013, 230 V, 50 Hz, plastic belt, belt width: (2x) 85 mm, total dimensions: 1500 mm x 1000 mm x 2100 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1250    |



| Nr  | Title                       | Description                                                                                                                                                                                                                                                                                                                                     | Start € |
|-----|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 354 | Atlas Copco                 | Atlas Copco air dryer, type: FD 95, serial number: CAQ614415, year of construction: 2013, 230 V, 1 Ph, 60 Hz, 1.48 kW, working pressure: 13 bar, working temperature: 1/60 °C, dimensions: 860 mm x 475 mm x 810 mm.                                                                                                                            | 300     |
| 355 | NN Fan                      | S/s cabinet with fan, type: NICOTRA, year of construction: 11-2015, 230 V, 6.9 A, 0.59 kW, dimensions air intake: Ø 500 mm, total dimensions: 1550 mm x 1060 mm x 1075 mm.                                                                                                                                                                      | 50      |
| 356 | Fluidair Compressors        | Fluidair Compressors rotary screw compressor, type: RS 22 T, serial number: F 311183 T, year of construction: 05-2008, 380-420 V, 50 Hz, 22 kW, 7 bar, capacity: 3.6 M³/H, dimensions: 1230 mm x 800 mm x 1410 mm.                                                                                                                              | 250     |
| 357 | CFS                         | CFS double shaft paddle mixer-grinder, model: TMG 2200/280, number: 372/0107-01, year of construction: 2001, 230/400 V, 50 Hz, diameter plate: 280 mm, total dimensions: 2380 mm x 2500 mm x 3000 mm. Including 2 tool trolleys, dimensions: 700 mm x 650 mm x 1150 mm and 1120 mm x 800 mm x 980 mm. With bone elimination system. Incomplete. | 3500    |
| 358 | NN trolley for dyes         | S/s trolley for dyes, dimensions: 1200 mm x 750 mm x 1270 mm.                                                                                                                                                                                                                                                                                   | 50      |
| 359 | NN cage for tilting device  | S/s cage for tilting device for pallet boxes, total dimensions: 4200 mm x 1800 mm x 2300 mm.                                                                                                                                                                                                                                                    | 400     |
| 360 | NN tumbler                  | S/s tumbler, diameter drum: 1600 mm, length drum: 1500 mm, total dimensions: 1900 mm x 1800 mm x 2000 mm. Incomplete.                                                                                                                                                                                                                           | 400     |
| 361 | Lutetia                     | Lutetia tumbler, type: 2, number: 15691, year of construction: 1998, 415 V, 50 Hz, 4 kW, total dimensions: 1500 mm x 2600 mm x 1900 mm. Incomplete. Missing lids.                                                                                                                                                                               | 400     |
| 362 | NN blower                   | Blower, dimensions: 1160 mm x 220 mm x 220 mm.                                                                                                                                                                                                                                                                                                  | 10      |
| 363 | Lutetia                     | Lutetia tumbler, type: 2, number: 15690, year of construction: 1998, 415 V, 50 Hz, 4 kW, total dimensions: 1500 mm x 2600 mm x 1900 mm. Incomplete. Missing lids.                                                                                                                                                                               | 400     |
| 364 | Sogevac                     | Sogevac vacuum pump, type: SV 585, 200-230/460 V, 60 Hz, 1800 rpm, capacity: 580 m³/h, dimensions: 1150 mm x 800 mm x 1200 mm.                                                                                                                                                                                                                  | 200     |
| 365 | NN mobile packaging machine | Mobile packaging machine, roller width: 785 mm, total dimensions: 1390 mm x 1100 mm x 1750 mm.                                                                                                                                                                                                                                                  | 150     |
| 366 | Scotnet                     | Scotnet automatic mobile double ham press, model: DST 200 pb, dimensions: 2400 mm x 800 mm x 1100 mm. Incomplete.                                                                                                                                                                                                                               | 150     |
| 367 | Secomac                     | Secomac blower on s/s isolated frame, serial number: S 44481, dimensions: 960 mm x 575 mm x 645 mm.                                                                                                                                                                                                                                             | 150     |
| 368 | Danfotech                   | Danfotech hydraulic unit on s/s frame, type: 9/120, serial number: 001, year of construction: 2013, 3x415 V, 50 Hz, 63 A, 22 kW, working pressure: 90 bar, dimensions: 1500 mm x 1140 mm x 1820 mm.                                                                                                                                             | 350     |



| Nr  | Title                | Description                                                                                                                                                                                                                                                                                       | Start € |
|-----|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 369 | Officine NE S.p.A.   | Officine NE S.p.A. bottle dryer, model: RAI 24, serial number: 78B84, year of construction: 1984, dimensions: 2550 mm x 1550 mm x 1770 mm.                                                                                                                                                        | 500     |
| 370 | Lieder Maschinenbau  | Lieder Maschinenbau CIP unit, year of construction: 1986, 380 V, 3 Ph, 50 Hz, 20 A, dimensions: 1900 mm x 1300 mm x 2230 mm.                                                                                                                                                                      | 150     |
| 371 | Scanio a/s           | Scanio a/s tumbler, type: VT5S, serial number: 8115, year of construction: 1997, 415 V, 50 Hz, 10.3 A, 7.4 kW, dimensions: 1340 mm x 2020 mm x 1520 mm. Including switch cabinet, dimensions: 940 mm x 480 mm x 1400 mm. Without drum.                                                            | 300     |
| 372 | Krones Canmatic      | Krones Canmatic can labeller, fabrication number: 073-F84, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 23 A, diameter cans: 80 mm, total dimensions: 2700 mm x 2400 mm x 2400 mm. Including outfeed conveyor for cans, dimensions: 5500 mm x 1300 mm x 400 mm and various pallets with parts. | 3500    |
| 373 | Krones AG            | Krones AG 12-heads bottle labelling machine, type: 720-12-6-4-180, machine number: K 790-121, year of construction: 2002, 230/500 V, 3 Ph, 50 Hz, 20 A, belt width: 80 mm, total dimensions: 2750 mm x 2600 mm x 2500 mm. Including 90° curve conveyor, dimensions: 3050 mm x 1850 mm x 2000 mm.  | 1500    |
| 374 | Krones AG            | Krones AG empty bottle inspection machine, type: Linatronic, number: K735875, year of construction: 2012, 400/230 V, 50 Hz, 10 A, dimensions: 4300 mm x 1300 mm x 2500 mm.                                                                                                                        | 950     |
| 375 | Terlet               | Terlet double jacketed s/s cooking vessel, serial number: 87.671 1, volume: 500 l, inside dimensions: Ø 1200 mm x 525 mm, total dimensions: 1320 mm x 1520 mm x 1400 mm.                                                                                                                          | 350     |
| 376 | Rembrandt Packaging  | Rembrandt Packaging carton erector, type: RCE-1-T, serial number: 20034015, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 0.5 kW, infeed working width: maximum 910 mm, clearance: 425 mm x 615 mm, distance between belts: 210 mm, total dimensions: 2510 mm x 1700 mm x 1880 mm.              | 300     |
| 377 | Modernpack Sepamatic | Modernpack Sepamatic separator, type: SEPA 4000T, serial number: 196607, 400 V, 50 Hz, 30 A, 15 kW, diameter drum: 380 mm, perforations drum: 4 mm, total dimensions: 1900 mm x 1600 mm x 1920                                                                                                    | 1500    |
| 378 | Metronic             | Metronic sealing machine / printer, serial number: MT4000-001563, year of construction: 2008, 230 V, 50/60 Hz, 2.8 A, roller width: 305 mm, total dimensions: 980 mm x 540 mm x 900 mm.                                                                                                           | 25      |
| 379 | Atlas Copco          | Atlas Copco steel pressure vessel, type:900-3119, serial number: AC 8101 0182 68, year of construction: 01-02-1996, capacity: 900 liter, pressure: 11 bar, dimensions: 1170 mm x 1100 mm x 2300 mm.                                                                                               | 100     |



| Nr  | Title                | Description                                                                                                                                                                                                                                                                                                                                                                                                          | Start € |
|-----|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 380 | Piovan               | Piovan hopper, model: T600 1x, number: otr.5634, year of construction: 2004, dimensions: 1850 mm x 1850 mm x 3250 mm.                                                                                                                                                                                                                                                                                                | 250     |
| 381 | NN suction device    | Plastic hose used as suction device, length hose: 3700 mm.                                                                                                                                                                                                                                                                                                                                                           | 5       |
| 382 | Contitech            | S/s mobile soap mixing system, dimensions: 1000 mm x 400 mm x 1050 mm.                                                                                                                                                                                                                                                                                                                                               | 75      |
| 383 | NN information board | Information board on s/s mobile frame, dimensions: 2050 mm x 900 mm x 1900 mm.                                                                                                                                                                                                                                                                                                                                       | 10      |
| 384 | Sameto Technifil     | Sameto Technifil lifter for pallet boxes, type: E B, number: 520 257 001, year of construction: 05 - 2002, 400 V, 50 Hz, elevating height: 2200 mm, total dimensions: 3500 mm x 3200 mm x 2750 mm.                                                                                                                                                                                                                   | 1250    |
| 385 | Sidel                | Sidel infeed bunker with elevating belt, type: Distributeur de Preformes A3 Elevateur, year of construction: 2001, 400 V, 50/60 Hz, 1.25 kW, 5 A, 345 kg, inside dimensions hopper: 2600 mm x 2000 mm x 1300 mm, elevating belt width divider, plastic belt, belt width: 400 mm, distance between dividers: 200 mm, divider height: 40 mm, elevating height: 4250 mm, total dimensions: 3900 mm x 3400 mm x 4950 mm. | 1000    |
| 386 | Sidel                | Sidel sorting conveyor, type: Distributeur De Preformes A3 Chassis + Coffret, machine number: DBG M 5279, year of construction: 2001, 400 V, 50/60 Hz, 5 A, 1.25 kW, 200 kg, infeed height: 3800 mm, outfeed height: 2800 mm, total dimensions: 4350 mm x 1800 mm x 3800 mm. Including 2 steel protection frames.                                                                                                    | 1000    |
| 387 | Berief               | Berief Teflon belt grill, belt width: 650 mm, total dimensions: 6750 mm x 1700 mm x 2300 mm, switch cabinet, dimensions: 1200 mm x 950 mm x 320 mm. Missing Teflon belt.                                                                                                                                                                                                                                             | 3000    |
| 388 | AFA                  | AFA steam generator, year of construction: 2008, capacity: 357 kW, volume: 900 liter, empty weight: 610 kg, total dimensions: 3300 mm x 2400 mm x 2050 mm, including isolated steel pressure vessel, dimensions: 1800 mm x 800 mm x 1150 mm and pallet with valves, dimensions: 1500 mm x 800 mm x 900 mm.                                                                                                           | 500     |
| 389 | NN load cells        | Plastic crate with load cells, dimensions: 800 mm x 400 mm x 200 mm.                                                                                                                                                                                                                                                                                                                                                 | 25      |
| 390 | Mainca               | Mainca paddle mixer, model: RM-60, year of construction: 2000, 3 Ph, 50 Hz, 2.5 A, 0.74 kW, inside dimensions: 500 mm x 350 mm x 395 mm, total dimensions: 1000 mm x 470 mm x 1050 mm.                                                                                                                                                                                                                               | 500     |
| 391 | NN rack              | Steel storage rack, dimensions: 2000 mm x 1000 mm x 700 mm. Already dismantled.                                                                                                                                                                                                                                                                                                                                      | 25      |



| Nr  | Title                                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Start € |
|-----|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 392 | Leonhardt                            | Leonhardt mobile dosing machine, type: TGS SERVO, serial number: 0140 1561 year of construction: 2018, s/s infeed hopper, dimensions hopper: Ø 560 mm x 500 mm, total dimensions: 1400 mm x 1000 mm x 1950 mm. Incomplete.                                                                                                                                                                                                                                                                                 | 100     |
| 393 | CFS                                  | CFS Scanbrine brine mixer, capacity: 1500 liter, dimensions: 2600 mm x 1520 mm x 2000 mm. Including infeed funnel, pipes and pump.                                                                                                                                                                                                                                                                                                                                                                         | 1500    |
| 394 | CFS                                  | CFS Scanbrine brine mixer, capacity: 1500 liter, total dimensions: 1500 mm x 1400 mm x 1900 mm.                                                                                                                                                                                                                                                                                                                                                                                                            | 1500    |
| 395 | Lets B.V. / Speck Kolbepumpen Fabrik | Lets B.V. / Speck Kolbepumpen Fabrik high pressure pump installation, type pump: P52/100-150, year of construction: 08-2011, 29.7 kW, capacity: 98.3 l/min, 150 bar, dimensions: 1750 mm x 920 mm x 2000 mm.                                                                                                                                                                                                                                                                                               | 350     |
| 396 | Babcock Wanson                       | Babcock Wanson steam boiler, type: BWB, model: 65, identity number: 15417   PF112745, year of construction: 2011, 400 V, 50 Hz, 2.25 kW, maximum fluid temperature: 192 °C, useful power: 457 kW, dimensions: 3500 mm x 1700 mm x 2060 mm. Including pallet with isolated Alfa Laval heat exchanger.                                                                                                                                                                                                       | 1500    |
| 397 | DP pumps                             | DP pumps centrifugal pump, type: DPV 2/18 B, 50 Hz, 1.5 kW, 2900 rpm, capacity: 1.92 m³/h, dimensions: 900 mm x 200 mm x 240 mm.                                                                                                                                                                                                                                                                                                                                                                           | 100     |
| 398 | Babcock Wanson                       | Babcock Wanson thermal oil boiler, model: TPC 800 LNE, serial number: 1105213903, year of construction: 2011, 400/230 V, 50 Hz, working pressure: 10 bar, working temperature: 300 °C, nominal flow rate: 41.63 m³/h, total volume: 518 liter, nominal rating: 930.23 kW, dimensions: 3400 mm x 1520 mm x 2120 mm. Damaged. Including pallet with pipes, valves and a pump, dimensions pallet: 3200 mm x 800 mm x 700 mm.                                                                                  | 1000    |
| 399 | Voltman vessel                       | Voltman vessel for oil boiler on steel frame, used to storage oil to keep pressure on the oil level, dimensions vessel: Ø 800 mm x 1340 mm, volume: approximately 670 liter, total dimensions: 1000 mm x 1600 mm x 3100 mm.                                                                                                                                                                                                                                                                                | 200     |
| 400 | NN vessel                            | NN vessel for steam boiler on steel frame, used to storage water to keep pressure on the water level, dimensions vessel: Ø 700 mm x 1400 mm, volume: approximately 530 liter, total dimensions: 1900 mm x 840 mm x 3550 mm.                                                                                                                                                                                                                                                                                | 200     |
| 401 | Babcock Wanson                       | Babcock Wanson thermal oil boiler, model: TPC 450 LN-MP, serial number: 1421313903, year of construction: 2014, 400/230 V, 50 Hz, working pressure: 10 bar, working temperature: 350 °C, nominal flow rate: 24.42 m³/h, total volume: 287.9 liter, nominal rating: 523.26 kW, empty weight: 2380 kg, dimensions: 3150 mm x 1400 mm x 2000 mm. Including 3 pallets with pipes, valves and pumps, dimensions pallets: 1800 mm x 1000 mm x 1330 mm, 2500 mm x 1400 mm x 400 mm and 1500 mm x 800 mm x 700 mm. | 1750    |



| Nr  | Title                       | Description                                                                                                                                                                                                                 | Start € |
|-----|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 402 | HKB b.v Venlo               | HKB b.v Venlo boiler, dimensions: 2740 mm x 1570 mm x 2000 mm. Including switch cabinet, dimensions: 1200 mm x 800 mm x 460 mm.                                                                                             | 500     |
| 403 | NN vessel                   | Vessel for oil boiler, dimensions vessel: Ø 640 mm x 1470 mm, volume: approximately 470 liter, total dimensions: 1980 mm x 830 mm x 2320 mm.                                                                                | 50      |
| 404 | DC Norris & CO              | DC Norris & CO cooking vessel, serial number: 1980, year of construction: 04.04, capacity: 750 liter, dimensions: 4650 mm x 2450 mm x 1900 mm. Including pipes.                                                             | 1250    |
| 405 | Zanotti S.p.A.              | Zanotti S.p.A. cooling unit for containers, model: BAS135T1000F, serial number: 1542229L, 400 V, 3 Ph, 50 Hz, 3.8 A, 1.7 kW, refrigerant: R404a, dimensions: 1450 mm x 750 mm x 1050 mm.                                    | 100     |
| 406 | NN elevating belt           | Elevating belt with dividers, V-shaped plastic belt, divider height: 25 mm, divider width: (2x)280 mm, distance between dividers: 295 mm, elevating height: 1600 mm, total dimensions: 3200 mm x 1220 mm x 2250 mm.         | 300     |
| 407 | Elpress                     | Elpress cleaning station with Grundfos circulation pump, type: CRI10-22 A-P-I-E-HQQE, model: A96501261P31329, capacity: 10 m3 per hour, dimensions: 1300 mm x 1000 mm x 1750 mm.                                            | 150     |
| 408 | Marel                       | Marel bandsaw, model: 350 bandsaw, serial number: 1392184, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 10 A, plastic belt with dividers, belt width: 310 mm, total dimensions: 1550 mm x 1000 mm x 1670 mm. Incomplete. | 250     |
| 409 | NN lockers                  | (26x) 6-doors lockers, dimensions: 300 mm x 300 mm x 1900 mm. Missing keys.                                                                                                                                                 | 100     |
| 410 | Probe                       | Probe 8-doors locker with bench, dimensions: 610 mm x 620 mm x 2100 mm and (2x) Probe 12-doors lockers, dimensions: (2x) 920 mm x 300 mm x 1780 mm. Missing keys.                                                           | 25      |
| 411 | AEW Thurne                  | AEW Thurne bandsaw, model: 400 RH, serial number: 1344699, year of construction: 2003, 415 V, 3 Ph, 50 Hz, 6 A, dimensions table: 1050 mm x 880 mm, total dimensions: 1050 mm x 1020 mm x 1880 mm. Missing blade.           | 150     |
| 412 | NN bandsaw                  | Bandsaw, number: 11663, dimensions: 1550 mm x 1000 mm x 1560 mm.                                                                                                                                                            | 150     |
| 413 | NN bandsaw                  | Bandsaw, plastic belt, belt width: 310 mm, total dimensions: 1000 mm x 690 mm x 1680 mm. Incomplete, missing saw blade.                                                                                                     | 200     |
| 414 | AEW                         | AEW bandsaw, plastic belt, belt width: 380 mm, total dimensions: 1860 mm x 1190 mm x 1750 mm. Incomplete.                                                                                                                   | 250     |
| 415 | NN pump                     | Pump, dimensions: 150 mm x 150 mm x 600 mm.                                                                                                                                                                                 | 25      |
| 416 | NN guide wheels for bandsaw | Pallet with guide wheels for bandsaw, diameter: 425 mm.                                                                                                                                                                     | 50      |





| Nr  | Title                   | Description                                                                                                                                                                                                                                                                                             | Start € |
|-----|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 417 | AER                     | (3x) AER transport belt and roller conveyor, plastic mesh belts, belt width: 500 mm, plastic roller, roller width: 500 mm, total dimensions: 3150 mm x 800 mm x 1500 mm. Including pallet with s/s legs, dimensions: 1200 mm x 1000 mm x 500 mm.                                                        | 500     |
| 418 | NN roller conveyor      | Roller conveyor on s/s frame, plastic rollers, roller width: 390 mm, total dimensions: 1185 mm x 485 mm x 950 mm.                                                                                                                                                                                       | 50      |
| 419 | NN frame                | S/s frame, dimensions: 1050 mm x 250 mm x 1220 mm.                                                                                                                                                                                                                                                      | 25      |
| 420 | The Hillard Corporation | The Hillard Corporation star plate and frame filter press, type: Star Filter, model: 18A/HCSPPSCE, year of construction: 05/03, diameter perforations: 3 mm, diameter filters: 457 mm, filtering area: 4.39 m <sup>2</sup> , sludge capacity: 61.2 liter, total dimensions: 2750 mm x 960 mm x 1970 mm. | 300     |
| 421 | Handtmann               | Handtmann mobile hanging line, type: 220-16, number: 991, year of construction: 2001, dimensions: 2580 mm x 580 mm x 1460 mm.                                                                                                                                                                           | 250     |
| 422 | NN transport belt       | Mobile transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 3350 mm x 1100 mm x 2400 mm.                                                                                                                                                                                 | 300     |
| 423 | Rinc Europe             | Rinc Europe wet coating machine, s/s mesh belt, belt width: 650 mm, total dimensions: 2300 mm x 1500 mm x 1800 mm.                                                                                                                                                                                      | 1500    |
| 424 | NN apron washer         | S/s apron washer, total dimensions: 1970 mm x 655 mm x 1460 mm.                                                                                                                                                                                                                                         | 100     |
| 425 | Cat pumps               | Cat pumps high pressure plunger pump system, s/s frame, model: 56 / 56.B01, total dimensions: 1700 mm x 800 mm x 1810 mm.                                                                                                                                                                               | 500     |
| 426 | Modernpack Sepamatic    | Modernpack Sepamatic separator, type: SEPA 2000T, serial number: 196313, 400 V, 50 Hz, 22 A, 11 kW, diameter drum: 300 mm, total dimensions: 1560 mm x 1600 mm x 2250 mm.                                                                                                                               | 1750    |



| Nr  | Title               | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Start € |
|-----|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 427 | Weber               | Weber slicer line, consisting of: Weber product scanner, type: SCA, number: 312, year of construction: 04-2010, plastic belt, belt width: 500 mm, total dimensions product scanner: 1530 mm x 1050 mm x 2040 mm, Weber slicer, type: CCS 904, number: 7370, year of construction: 03-2010, 415 V, 50 Hz, 10 kW, 6 bar, plastic belt with 2 infeed lanes, lane width: 195 mm/245 mm, plastic bottom belt, belt width: 455 mm, total dimensions slicer: 4100 mm x 1650 mm x 2650 mm, Weber rocker, type: CCR-100, number: CTR 904-7376, year of construction: 05-2012, weight: 285 kg, infeed wire belt, belt width: 525 mm, 2 dividing lanes, lane width: 235 mm, total dimensions lane dividing belt: 1340 mm x 700 mm x 1200 mm, Weber transport belt with 2 lanes, type: CCQ 200, number: CCQ02001-10496, year of construction: 10-2020, weight: 320 kg, plastic belt with 2 lanes, lane width: 200 mm/155 mm, total dimensions transport belt: 1350 mm x 1050 mm x 2000 mm. Incomplete. | 4000    |
| 428 | Formax              | Formax slicer, model: S-180, serial number: 043, year of construction: 1996, 420 V, 50 Hz, 7.2 kW, plastic outfeed belt, belt width: 420 mm, total dimensions: 3300 mm x 1350 mm x 2700 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 400     |
| 429 | Proseal             | Proseal transport belt, serial number: SN-M-06308, year of construction: 2021, 415 V, 3 Ph, 50 Hz, plastic belt, belt width: 200 mm/125 mm, total dimensions: 1085 mm x 700 mm x 1350 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 250     |
| 430 | Weber GmbH & Co. KG | Weber GmbH & Co. KG slicer line, consisting of: Weber GmbH & Co. KG infeed belt, type: CZB, number: 207, year of construction: 2007, plastic rollers, roller width: 445 mm, total dimensions infeed belt: 1010 mm x 830 mm x 1340 mm, Weber GmbH & Co. KG product scanner, type: SCA, number: 207, year of construction: 2007, belt width: 400 mm, total dimensions: 1550 mm x 1050 mm x 1860 mm, Weber GmbH & Co. KG slicer, dimensions: 3100 mm x 1470 mm x 2250 mm, Weber GmbH & Co. KG outfeed conveyor, belt width: 370 mm, total dimensions: 600 mm x 480 mm x 1030 mm. Incomplete.                                                                                                                                                                                                                                                                                                                                                                                                  | 2500    |
| 431 | NN elevating belt   | Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 510 mm, total dimensions: 3500 mm x 840 mm x 1860 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 100     |
| 432 | Hellings            | Hellings transport belt, s/s frame, plastic belt, belt width: 395 mm, total dimensions: 3000 mm x 700 mm x 845 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 100     |
| 433 | Jansen Techniek     | Jansen transport belt, type: verdeelbaan, year of construction: 2022, plastic mesh belt, belt width: 655 mm, total dimensions: 2200 mm x 1100 mm x 1170 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 400     |



| Nr  | Title                 | Description                                                                                                                                                                                                                                                                                                 | Start € |
|-----|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 434 | Loma Systems          | Mobile Loma Systems metal detector with elevating belt, type: IQ4, serial number: Q4W35-20-41471D, year of construction: 09-01-2018, 110-240 V, 50/60 Hz, s/s frame, plastic belt, belt width: 320 mm, clearance: 305 mm x 170 mm, elevating height: 1000 mm, total dimensions: 2800 mm x 780 mm x 2060 mm. | 750     |
| 435 | NN mesh belt          | Mobile s/s mesh belt, belt width: 400 mm, total dimensions: 7050 mm x 980 mm x 1060 mm.                                                                                                                                                                                                                     | 300     |
| 436 | Scanvaegt             | Scanvaegt weighing and sorting line, checkweigher, belt width: 270 mm, total dimensions: 1100 mm x 800 mm x 1580 mm, sorting belt, belt width: 200 mm, total dimensions: 5450 mm x 800 mm x 1600 mm.                                                                                                        | 400     |
| 437 | NN transport belt     | Transport belt, plastic belt, belt width: 190 mm, total dimensions: 5350 mm x 550 mm x 1050 mm.                                                                                                                                                                                                             | 50      |
| 438 | NN transport belt     | Transport belt, s/s frame, plastic belt, belt width: 485 mm, total dimensions: 5080 mm x 820 mm x 1500 mm.                                                                                                                                                                                                  | 150     |
| 439 | NN autoclave trolleys | 4 autoclave trolleys, plate dimensions: 915 mm x 915 mm x 20 mm, total dimensions: 1000 mm x 1060 mm x 1300 mm.                                                                                                                                                                                             | 200     |
| 440 | NN protection frames  | 8 steel protection frames, various lengths.                                                                                                                                                                                                                                                                 | 25      |
| 441 | Vesa                  | Vesa lifting system consisting of: 2 lifters, dimensions: 1300 mm x 900 mm x 2800 mm, 1 attachment, dimensions: 1050 mm x 900 mm x 1900 mm, 2 s/s beams, dimensions: 500 mm x 500 mm x 2200 mm, total dimensions pallet: 3000 mm x 2300 mm x 400 mm.                                                        | 200     |
| 442 | Loma Systems          | Protech transport belt with Loma systems metal detector, type: IQ4, serial number: Q4w35-20-41471D, 85-265 V, 50-60 Hz, s/s frame, plastic mesh belt, belt width: 510 mm, total dimensions: 3050 mm x 970 mm x 1605 mm.                                                                                     | 250     |
| 443 | NN transport belt     | Mobile transport belt, s/s frame, plastic belt, belt width: 680 mm, total dimensions: 3100 mm x 1500 mm x 1440 mm.                                                                                                                                                                                          | 250     |
| 444 | TVI                   | TVI weighing and controlling unit with rejectors, type: GMI 500 Multitray, year of construction: 2012, 400 V, 50 Hz, 16 A, plastic mesh belt, belt width: (3x) 250 mm, total dimensions: 3600 mm x 1400 mm x 1600 mm. Incomplete.                                                                           | 200     |
| 445 | Tromp Engineering     | Tromp Engineering wet coating machine, type: PR 519 / PR 529, s/s mesh belt, belt width: 600 mm, total dimensions: 1060 mm x 2420 mm x 1800 mm.                                                                                                                                                             | 500     |
| 446 | Cryovac               | Cryovac belt vacuum machine, type: VS 85, plastic belt, belt width: 530 mm, total dimensions: 2700 mm x 1120 mm x 2000 mm. Without vacuum pump.                                                                                                                                                             | 750     |
| 447 | Danfotech             | Danfotech vacuum tumbler, type: MA3000SDC, serial number: 845, year of construction: 2000, 3x415 V, 50 Hz, 2.2/7.5/1.5 kW, capacity: 3000 liter, total dimensions: 3750 mm x 2250 mm x 2500 mm. Without vacuum pump.                                                                                        | 2000    |



| Nr  | Title              | Description                                                                                                                                                                                                                                                         | Start € |
|-----|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 448 | Protech            | Protech shredder, model: 23743-01, serial number: 23743-0101-A, year of construction: 11-07-2017, 0.37 kW, infeed clearance: 460 mm x 275 mm, total dimensions: 860 mm x 920 mm x 1880 mm.                                                                          | 500     |
| 449 | NN roller conveyor | Mobile roller conveyor, s/s rollers, roller width: 530 mm, total dimensions: 2025 mm x 700 mm x 915 mm.                                                                                                                                                             | 50      |
| 450 | Syspal             | Syspal tilting device for pallet boxes, type: HT300 1026, serial number: K4158, year of construction: 2013, capacity: 700 kg, dimensions: 2620 mm x 2400 mm x 2250 mm.                                                                                              | 1250    |
| 451 | NN elevating belt  | Mobile elevating belt, s/s frame, plastic belt, belt width: 390 mm, infeed clearance: 560 mm x 560 mm, elevating height: 1100 mm, total dimensions: 3000 mm x 750 mm x 1400 mm.                                                                                     | 250     |
| 452 | Rademaker          | Rademaker transport belt, s/s frame, plastic belt, belt width: 740 mm, total dimensions: 4750 mm x 1150 mm x 1405 mm.                                                                                                                                               | 350     |
| 453 | Feltracon          | Feltracon box filling machine, serial number: 3279-72K1, year of construction: 2006, clearance funnel: 525 mm x 735 mm, lane width: 250 mm, total dimensions: 2780 mm x 1110 mm x 1580 mm. Including switch cabinet, dimensions: 1170 mm x 940 mm x 2005 mm.        | 250     |
| 454 | Multivac           | Multivac labelling machine with 2 top and 1 bottom labeller, type: MR336, machine number: 183111, year of construction: 2014, 230 V, 50/60 Hz, plastic belts, belt width: (2x) 85 mm, total dimensions: 2080 mm x 1280 mm x 2060 mm. Missing inkjet printer.        | 850     |
| 455 | Marco              | Marco checkweigher and grader, model: D135812, serial number: 10217878, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm.             | 1000    |
| 456 | Marco              | Marco checkweigher and grader, model: D136151, serial number: 10217879, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm.             | 1000    |
| 457 | Marco              | Marco checkweigher and grader, model: D136151, serial number: 10217880, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm. Incomplete. | 750     |
| 458 | Marco              | Marco checkweigher and grader, model: D135812, serial number: 10217877, year of construction: 2021, 400 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 405 mm and 455 mm, total dimensions: 2000 mm x 1200 mm x 1050 mm and 900 mm x 1200 mm x 1600 mm. Incomplete. | 750     |
| 459 | NN frame           | S/s frame, dimensions: 660 mm x 460 mm x 710 mm.                                                                                                                                                                                                                    | 10      |



| Nr  | Title                          | Description                                                                                                                                                                                                                                                                                                                                                                                                                                          | Start € |
|-----|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 460 | Laska                          | Laska cutter with ejector, type: KT130-3M, serial number: A0 4341, steel bowl, volume: 130 liter, dimensions: 2600 mm x 1500 mm x 1700 mm, including s/s switch cabinet, dimensions: 1040 mm x 800 mm x 430 mm.                                                                                                                                                                                                                                      | 2500    |
| 461 | R. Dunnink<br>Metaal en handel | R. Dunnink Metaal en handel walz machine, model: 201201, year of construction: 2017, 230 V, 1.2 kW, 4 bar, roller width: 265 mm, belt width: 400 mm and 385 mm, working width: 140 mm, total dimensions: 1730 mm x 1610 mm x 1290 mm, including elevating belt, aluminium frame, plastic belt, belt width: 455 mm, distance between dividers: 430 mm, divider height: 55 mm, elevating height: 900 mm, total dimensions: 3000 mm x 820 mm x 1710 mm. | 300     |
| 462 | Rademaker                      | Rademaker transport belt, s/s frame, plastic belt, type: VRIEZERINVOERBAAN, serial number: 6655-702, year of construction: 2004, weight: 350 KG, belt width: 670 mm, total dimensions: 1750 mm x 1080 mm x 1890 mm.                                                                                                                                                                                                                                  | 200     |
| 463 | NN tub                         | Plastic tub with various parts, dimensions: 1350 mm x 750 mm x 840 mm.                                                                                                                                                                                                                                                                                                                                                                               | 25      |
| 464 | BDL                            | BDL mobile elevating belt, s/s frame, plastic belt, type: 110, serial number: 114b1874, 0.225 Kw, belt width: 365 mm, elevating height: 1250 mm, total dimensions: 2850 mm x 670 mm x 1500 mm.                                                                                                                                                                                                                                                       | 200     |
| 465 | NN elevating belt              | Mobile elevating belt, s/s frame, belt width: 245 mm, working width: 190 mm, elevating height: 400 mm, total dimensions: 2050 mm x 730 mm x 975 mm.                                                                                                                                                                                                                                                                                                  | 250     |
| 466 | SF engineering                 | SF engineering mobile transport belt, s/s frame, plastic mesh belt, serial number: 432513-590, year of construction: 23-07-2013, belt width: (2x) 600 mm, total dimensions: 1620 mm x 1120 mm x 1030 mm. Incomplete.                                                                                                                                                                                                                                 | 300     |
| 467 | Townsend                       | Townsend mobile skinning machine, working width: 500 mm, total dimensions: 800 mm x 710 mm x 980 mm. Incomplete.                                                                                                                                                                                                                                                                                                                                     | 300     |
| 468 | Townsend                       | Townsend mobile skinning machine, working width: 500 mm, total dimensions: 800 mm x 770 mm x 980 mm.                                                                                                                                                                                                                                                                                                                                                 | 1000    |
| 469 | Jasa                           | Jasa sleever, model: PGS-1000, serial number: 14607, year of construction: 2019, 400 V, 3 Ph, 16 A, 1.5 kW, 6 bar, weight 300 kg, belt width: 80 mm, working width: 40 mm, total dimensions: 1420 mm x 630 mm x 1900 mm.                                                                                                                                                                                                                             | 750     |
| 470 | Ceia                           | Ceia metal detector with rejector, type: THS/21E, 200-240 V, 50-60 Hz, 11.4 A, plastic belt, belt width: 300 mm, total dimensions: 1700 mm x 800 mm x 1200 mm. Incomplete.                                                                                                                                                                                                                                                                           | 500     |
| 471 | Omori                          | Omori flowpacker, model: STC-V, serial number: EJ359-96.10, year of construction: 1996, 415 V, 3 Ph, 20 A, weight: 570 kg, plastic infeed belt, belt width: 170 mm, seal length: 230 mm, plastic outfeed belt, belt width: 285 mm, total dimensions: 3500 mm x 850 mm x 2000 mm.                                                                                                                                                                     | 400     |
| 472 | NN autoclave<br>trolleys       | 13 autoclave trolleys, dimensions: (13x) 1050 mm x 900 mm x 1290 mm.                                                                                                                                                                                                                                                                                                                                                                                 | 650     |



| Nr  | Title                  | Description                                                                                                                                                                                                                                    | Start € |
|-----|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 473 | NN autoclave trolleys  | 13 autoclave trolleys, dimensions: (13x) 1050 mm x 900 mm x 1465 mm.                                                                                                                                                                           | 650     |
| 474 | Hellings               | Hellings mobile elevating belt on s/s frame, type: BT-KS-L1211aW, serial number: 4785, year of construction: 2007, weight: 200 kg, plastic belt, belt width: 500 mm, elevating height: 1020 mm, total dimensions: 3500 mm x 1100 mm x 1160 mm. | 300     |
| 475 | Convotherm             | Convotherm oven, type: AR 28, number: 24 0353077, 380 V, 14.5 A, 9.1 kW, 7 floors, dimensions each floor: 530 mm x 430 mm, total dimensions: 640 mm x 590 mm x 660 mm.                                                                         | 50      |
| 476 | Williams Refrigeration | Williams Refrigeration refrigerator, 220/240 V, 1 Ph, 50 Hz, 4 A, 4 floors, dimensions each floor: 530 mm x 330 mm, total dimensions: 700 mm x 700 mm x 800 mm.                                                                                | 25      |
| 477 | NN covers              | Pallet with s/s covers for Townsend machine, dimensions: 1200 mm x 800 mm x 500mm.                                                                                                                                                             | 75      |
| 478 | Stork                  | 2 Stork roller conveyors, plastic rollers, rollers width: 445 mm and 435 mm, total dimensions: 900 mm x 650 mm x 350 mm and 1100 mm x 530 mm x 330 mm.                                                                                         | 25      |
| 479 | Packtech b.v           | Packtech b.v. case packer, type: Doosopzetter, machine number: 97055/3, year of construction: 1998, 380 V, 3 Ph, 1 kW, maximum working width: 450 mm, total dimensions: 1900 mm x 2600 mm x 1920 mm.                                           | 150     |
| 480 | Herkules Hebeteknik    | Herkules Hebeteknik mobile press, type: Herkules-Lift DOS-03, fabrication number: 106, year of construction: 1989, dimensions: 800 mm x 750 mm x 2200 mm.                                                                                      | 100     |
| 481 | Siat                   | Siat box closing machine, model: S8-S, serial number: S8S0000000001554275, year of construction: 2016, 380/415 V, 3 Ph, 50 Hz, 1 A, 180 W, dimensions: 1000 mm x 900 mm x 1600 mm.                                                             | 100     |
| 482 | Siat                   | Siat box closing machine, model: SM35-S, serial number: 50224, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2.6 A, 260 W, dimensions: 1240 mm x 920 mm x 1600 mm.                                                                           | 150     |
| 483 | Ishida                 | Ishida transport belt, number: 14575 105, year of construction: 09/14, plastic belt, belt width: 302 mm, total dimensions: 1900 mm x 750 mm x 1430 mm.                                                                                         | 150     |
| 484 | NN transport belt      | Transport belt, s/s frame, plastic belt with rollers, belt width: 110 mm, total dimensions: 1970 mm x 380 mm x 930 mm.                                                                                                                         | 150     |
| 485 | NN transport belt      | Transport belt, s/s frame, plastic belt with rollers, belt width: 110 mm, total dimensions: 1820 mm x 480 mm x 930 mm.                                                                                                                         | 150     |
| 486 | NN transport belt      | Transport belt, s/s frame, plastic belt with rollers, belt width: 110 mm, total dimensions: 1970 mm x 380 mm x 930 mm.                                                                                                                         | 150     |
| 487 | Siat                   | Siat box closing machine, model: SM35/4, serial number: 41569, year of construction: 2003, 240 V, 1 Ph, 50 Hz, 2.6 A, 260 W, dimensions: 1240 mm x 920 mm x 1600 mm. Incomplete.                                                               | 100     |



| Nr  | Title                                 | Description                                                                                                                                                                                                            | Start € |
|-----|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 488 | Siat                                  | Siat box closing machine, model: SM35/4-S, serial number: 50291, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2.6 A, 260 W, dimensions: 1240 mm x 920 mm x 1600 mm. Incomplete.                                     | 100     |
| 489 | NN infeed slides                      | Mobile frame with 2 pneumatic infeed slides, dimensions: 600 mm x 820 mm x 1100 mm.                                                                                                                                    | 75      |
| 490 | NN trolleys with dyes                 | 2 s/s trolleys with dyes, dimensions dyes: (16x) 65 mm x 118 mm, (4x) 245 mm x 128 mm.                                                                                                                                 | 50      |
| 491 | Moorwood Vulcan                       | Moorwood Vulcan au bain Marie, model: EWGBMA, serial number: E002070994, dimensions: 610 mm x 600 mm x 260 mm.                                                                                                         | 25      |
| 492 | NN frame                              | S/s frame, dimensions: 440 mm x 680 mm x 950 mm.                                                                                                                                                                       | 5       |
| 493 | NN trolley                            | S/s trolley for traysealer dyes, dimensions: 760 mm x 580 mm x 1300 mm.                                                                                                                                                | 50      |
| 494 | NN waste containers                   | 3 s/s waste containers, dimensions: (2x) 350 mm x 350 mm x 700 mm, (1x) 300 mm x 300 mm x 450 mm.                                                                                                                      | 15      |
| 495 | Fagor                                 | Fagor roasting pan, type: SB-G910, serial number: 8100971848, year of construction: 07/2017, 230 V, 1 Ph, 50 Hz, 2 A, 18 kW, inside dimensions: 700 mm x 600 mm x 200 mm, total dimensions: 1000 mm x 800 mm x 850 mm. | 250     |
| 496 | Bosgraaf                              | Bosgraaf hygiene equipment, including: (1x) s/s drinking fountain, (8x) s/s waste bag holders, (8x) s/s cabinets, dimensions pallets: (2x) 1200 mm x 1000 mm x 1150 mm, (1x) 1200 mm x 800 mm x 850 mm.                | 100     |
| 497 | KBA Metronic GmbH                     | KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-013072, year of construction: 2009, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.                                                   | 25      |
| 498 | KBA Metronic GmbH                     | KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-013076, year of construction: 2009, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.                                                   | 25      |
| 499 | NN infeed slides                      | Mobile frame with 2 pneumatic infeed slides, dimensions: 600 mm x 820 mm x 1100 mm.                                                                                                                                    | 75      |
| 500 | NN forms                              | S/s trolley with forms for forming machine, diameter: (2x) 75 mm and (1x) 70 mm, total dimensions: 700 mm x 520 mm x 880 mm.                                                                                           | 250     |
| 501 | NN trolley                            | Trolley and parts, dimensions trolley: 670 mm x 480 mm x 800 mm, total dimensions: 1200 mm x 800 mm x 1050 mm.                                                                                                         | 75      |
| 502 | Townsend                              | Townsend 3-way valve, type: 3weg-klep, serial number: F15e291, year of construction: 2006, dimensions: 1250 mm x 600 mm x 1200 mm.                                                                                     | 50      |
| 503 | VP Vacuum Pump SpA                    | VP Vacuum Pump SpA mobile dye set for traysealer, model: STGV801, serial number: 123230209, dye: 300 mm x 160 mm, total dimensions: 1250 mm x 530 mm x 1300 mm.                                                        | 75      |
| 504 | Machinefabriek Geurtsen Deventer B.V. | Machinefabriek Geurtsen Deventer B.V. mobile cutting machine, type: 2012620, serial number: 001, dimensions: 700 mm x 650 mm x 1250 mm.                                                                                | 50      |



| Nr  | Title                  | Description                                                                                                                                                                                                      | Start € |
|-----|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 505 | Supertape Systems      | Supertape Systems box closing machine with 2 top tapers, type: H-7.2, machine number: 95-700713, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 0.85 A, dimensions: 950 mm x 870 mm x 1150 mm.                  | 250     |
| 506 | NN box closing machine | Mobile box closing machine, roller width: 500 mm, total dimensions: 1770 mm x 770 mm x 1600 mm. Incomplete.                                                                                                      | 50      |
| 507 | NN box closing machine | Box closing machine, model: EXC-103SDS, serial number: C811S976, 220 V, 50 Hz, plastic rollers, roller width: 680 mm and 250 mm, total dimensions: 1100 mm x 1100 mm x 1150 mm. Incomplete.                      | 100     |
| 508 | NN transport belt      | Transport belt, s/s frame, plastic mesh belt, belt width: 315 mm, total dimensions: 2240 mm x 650 mm x 1300 mm.                                                                                                  | 150     |
| 509 | NN transport belt      | Transport belt, s/s frame, plastic belt, belt width: 115 mm, total dimensions: 1800 mm x 500 mm x 800 mm.                                                                                                        | 150     |
| 510 | Kersting               | Kersting transport belt, type: Förderband, serial number: 19525, year of construction: 07-2009, 400 V, 0.37 kW, s/s frame, plastic roller belt, belt width: 190 mm, total dimensions: 1800 mm x 700 mm x 900 mm. | 150     |
| 511 | NN transport belt      | Transport belt, s/s frame, plastic roller belt, belt width: 110 mm, total dimensions: 1300 mm x 500 mm x 1000 mm.                                                                                                | 150     |
| 512 | Ernst Jäger            | Ernst Jäger mobile binding machine, type: TP-501, serial number: 131119018, year of construction: 2013, 230 V, 50 Hz, dimensions: 850 mm x 560 mm x 780 mm.                                                      | 50      |
| 513 | Kathagen               | Kathagen floor scrubbing machine, dimensions: 550 mm x 400 mm x 1160 mm. Incomplete.                                                                                                                             | 50      |
| 514 | Endress+Hauser         | Plastic crate with Endres+Hauser capacitance point level detection, model: Minicap FTC260, dimensions: 600 mm x 400 mm x 240 mm.                                                                                 | 100     |
| 515 | Dantherm Filtration    | Pallet with parts for Dantherm Filtration filter, dimensions: 600 mm x 400 mm x 520 mm.                                                                                                                          | 25      |
| 516 | NN dye cleaner         | Trolley with cleaner for dyes, dimensions: 700 mm x 500 mm x 1100 mm.                                                                                                                                            | 50      |
| 517 | HM                     | HM mobile weighing scale, type: ISCI-R, serial number: ISCI1009, maximum weight: 15 kg, minimum weight: 100 gram, e= 5 gram, dimensions: 600 mm x 450 mm x 1300 mm.                                              | 20      |
| 518 | Videojet               | Videojet inkjet printer on mobile s/s frame, model: Excel/170i, serial number: 033160027WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, capacity: 3.4 m³ hour, dimensions: 900 mm x 750 mm x 2150 mm.                      | 25      |
| 519 | KBA Metronic GmbH      | KBA Metronic GmbH inkjet printer, number: MI2500-15101, year of construction: 2005, 230 V, 50 Hz, 0.5 A, dimensions: 300 mm x 330 mm x 660 mm.                                                                   | 25      |
| 520 | KBA Metronic GmbH      | KBA Metronic GmbH inkjet printer on s/s frame, number: MI2500-015119, year of construction: 2011, 230 V, 0.5 A, dimensions: 2260 mm x 950 mm x 1430 mm. Missing display.                                         | 25      |





| Nr  | Title                   | Description                                                                                                                                                                                                                                                                                                          | Start € |
|-----|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 521 | KBA Metronic GmbH       | KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-011697, year of construction: 2008, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.                                                                                                                                                 | 25      |
| 522 | Proseal                 | Proseal control system on s/s frame, serial number: 1684, 240 V, 50 Hz, dimensions: 1900 mm x 430 mm x 1400 mm.                                                                                                                                                                                                      | 50      |
| 523 | KBA Metronic GmbH       | KBA Metronic GmbH inkjet printer on mobile s/s frame, number: MI2500-011785, year of construction: 2008, 230 V, 50 Hz, 0.5 A, dimensions: 870 mm x 750 mm x 1320 mm.                                                                                                                                                 | 25      |
| 524 | NN frame                | Steel frame with rollers, roller width: 430 mm, total dimensions: 1350 mm x 680 mm x 900 mm.                                                                                                                                                                                                                         | 20      |
| 525 | BT products             | BT products forklift safety cage, number: 835881, year of construction: 2004, weight: 110 kg, capacity: 200 kg, dimensions: 1250 mm x 1000 mm x 1950 mm.                                                                                                                                                             | 50      |
| 526 | Videojet                | Videojet inkjet printer on mobile s/s frame, model: 1520, serial number: 1318361C22ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 830 mm x 800 mm x 1500 mm. Incomplete.                                                                                                                             | 10      |
| 527 | NN box closing machine  | Box closing machine, belt width: 70 mm, total dimensions: 1100 mm x 750 mm x 1580 mm.                                                                                                                                                                                                                                | 50      |
| 528 | NN transport belt       | Mobile transport belt on s/s frame, plastic belt, belt width: 300 mm, total dimensions: 4100 mm x 850 mm x 1235 mm.                                                                                                                                                                                                  | 250     |
| 529 | NN elevating belt       | Mobile elevating belt on s/s frame, plastic belt with dividers, belt width: 400 mm, divider height: 17 mm, divider width: 335 mm, distance between dividers: 400 mm, elevating height: 1270 mm, total dimensions: 3700 mm x 850 mm x 1900 mm.                                                                        | 300     |
| 530 | NN elevating belt       | Mobile elevating belt on s/s frame, with infeed funnel, clearance: 55 mm, plastic belt, belt width: 405 mm, elevating height: 1230 mm, total dimensions: 3600 mm x 955 mm x 1600 mm.                                                                                                                                 | 300     |
| 531 | Vemag Maschinenbau GmbH | Vemag Maschinenbau GmbH sausage cutting and linking line, consisting of: Vemag Maschinenbau GmbH sausage mobile linker, type: LGP208 Servo, dimensions: 1600 mm x 800 mm x 1320 mm, Vemag Maschinenbau GmbH mobile sausage cutter, type: TM203, dimensions: 700 mm x 680 mm x 1600 mm. Both machines are incomplete. | 4000    |
| 532 | Steen                   | Steen mobile skinning machine, type: ST600/K, serial number: 247100393A, 380 V, 50 Hz, 1200 W, 3.2 A, plastic belt, belt width: 430 mm, total dimensions: 2750 mm x 650 mm x 1600 mm. Incomplete.                                                                                                                    | 400     |
| 533 | NN roller conveyor      | Roller conveyor, s/s frame, plastic rollers, roller width: 480 mm, total dimensions: 1360 mm x 920 mm x 740 mm.                                                                                                                                                                                                      | 50      |
| 534 | NN elevating belt       | Mobile elevating belt, s/s frame, plastic belt, belt width: 1200 mm, elevating height: 350 mm, total dimensions: 1670 mm x 1730 mm x 1070 mm.                                                                                                                                                                        | 50      |



| Nr  | Title                       | Description                                                                                                                                                                                                                                                                                 | Start € |
|-----|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 535 | Cryovac                     | Cryovac shrink tunnel, model: ST98-600 ELECTRIC, serial number: SNO1629, year of construction: 2008, 400 V, 50 Hz, 125 A, 82 kW, s/s mesh belt, belt width: 550 mm, clearance: 550 mm x 300 mm, total dimensions: 1500 mm x 1000 mm x 1850 mm. Missing cover.                               | 500     |
| 536 | NN transport belt           | Mobile transport belt, s/s frame, plastic belt, belt width: 400 mm, working width: 135 mm, total dimensions: 2030 mm x 880 mm x 1940 mm.                                                                                                                                                    | 150     |
| 537 | NN transport belt           | Mobile transport belt, s/s frame, plastic belt, belt width: 600 mm, working width: 545 mm, total dimensions: 1240 mm x 1050 mm x 1765 mm.                                                                                                                                                   | 50      |
| 538 | Rembrandt                   | Rembrandt mobile case erector, type: RCE-1-T-P, machine number: 20024294, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 0.5 kW, dimensions: 3320 mm x 2400 mm x 2100 mm.                                                                                                                  | 950     |
| 539 | Carsoe                      | Carsoe transport belt, s/s frame, year of construction: 2016, 3x 400 V, 0.37 kW, s/s mesh belt, belt width: 610 mm, total dimensions: 2050 mm x 1030 mm x 1200 mm.                                                                                                                          | 750     |
| 540 | CFS                         | CFS transport belt, s/s frame, s/s mesh belt, belt width: 1000 mm, total dimensions: 1180 mm x 560 mm x 740 mm.                                                                                                                                                                             | 350     |
| 541 | Meyn                        | Meyn mobile onion extruder, type: REM, machine number: 43850, year of construction: 1991, s/s mesh belt, belt width: 600 mm, total dimensions: 2540 mm x 1180 mm x 1820 mm.                                                                                                                 | 300     |
| 542 | Meurer                      | Meurer cartoner machine, type: CM/TPB 25, machine number: 27354362/07, year of construction: 12/2007, 415/240 V, 1 Ph, 9 kW, working width: 290 mm, total dimensions: 3600 mm x 2080 mm x 2080 mm.                                                                                          | 750     |
| 543 | Thermo Allen Coding Limited | Thermo Allen Coding Limited packaging machine with date printer, model number: 4ACC, serial number: 030491, 240/110 V, 1 Ph, 50/60 Hz, dimensions: 1330 mm x 670 mm x 1470 mm.                                                                                                              | 100     |
| 544 | Stephanal                   | Stephanal mobile depositor, type: D 92, number: R-16083, dimensions: 1000 mm x 600 mm x 1400 mm. Incomplete.                                                                                                                                                                                | 50      |
| 545 | Protech                     | Protech 90° curve conveyor, type: 17787, serial number: 17781-0200-A, year of construction: 23-09-2011, 1.0 kW, weight: 310 kg, plastic mesh belt, belt width: 315 mm, total dimensions: 1200 mm x 2150 mm x 1300 mm.                                                                       | 300     |
| 546 | Cryovac                     | Cryovac shrink tunnel, serial number: SNO0203, year of construction: 2012, 400 V, 50 Hz, 80 A, 54 kW, s/s mesh belt, belt width: 860 mm, total dimensions: 1540 mm x 1250 mm x 1860 mm. Incomplete.                                                                                         | 500     |
| 547 | Treif                       | Treif dicer, model: Phoenix 120-CE SP V, number: 3050S7.130295.101489, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 25 A, 9 kW, weight: 2150 KG, dimensions chamber: 120 mm x 120 mm, plastic belt, belt width: 270 mm, total dimensions: 3050 mm x 1500 mm x 2200 mm. Without grid set. | 750     |



| Nr  | Title                    | Description                                                                                                                                                                                                                                                                         | Start € |
|-----|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 548 | EPHI                     | EPHI smart formation conveyor, model: SFC, serial number: SFC-002, year of construction: 2017, 0.3 kW, 6 bar, roller width: 255 mm, total dimensions: 1200 mm x 950 mm x 730 mm.                                                                                                    | 100     |
| 549 | NN case packer           | Case packer, plastic belts, belt widths: (4x) 35 mm and (1x) 350 mm, total dimensions: 2600 mm x 1100 mm x 1750 mm.                                                                                                                                                                 | 200     |
| 550 | Jenton Dimaco            | Jenton Dimaco label verification machine, model: VeriPACK, number: 102460-T601-A001, serial number: 1783-N01, year of construction: 2020, 230 V, 50 Hz, 5 A, plastic belt, belt width: 245 mm and (2x) 115 mm, total dimensions: 1660 mm x 900 mm x 1580 mm.                        | 750     |
| 551 | Marel                    | Marel weighing belt, model: GR8250, serial number: 187640, year of construction: 2019, 208-230 V, 50/60 Hz, 2 A, plastic belt, belt width: 605 mm, total dimensions: 1180 mm x 1090 mm x 1550 mm.                                                                                   | 400     |
| 552 | NN film unwinding device | Film unwinding device with film roll, film width: 385 mm, total dimensions: 900 mm x 380 mm x 350 mm.                                                                                                                                                                               | 100     |
| 553 | Empteezy                 | Empteezy post, model: HST 01, serial number: 70557, year of construction: 01-08-2018, dimensions: 110 mm x 900 mm x 2320 mm.                                                                                                                                                        | 25      |
| 554 | Dimaco                   | Dimaco optical sorting machine with rejector, plastic belt, belt width: 300 mm, clearance: 340 mm x 280 mm, total dimensions: 1650 mm x 750 mm x 1660 mm. Display broken.                                                                                                           | 150     |
| 555 | Starflex                 | Starflex checkweigher with rejector, model: CW2500, serial number: 10397, year of construction: 2010, plastic belts, belt widths: 265 mm and 300 mm, total dimensions: 1600 mm x 1050 mm x 1700 mm. Technical condition unknown.                                                    | 150     |
| 556 | Delford-Sortaweigh Ltd   | Delford-Sortaweigh Ltd checkweigher, model: INT 800, serial number: INT 054, year of construction: 2003, 230 V, 50 Hz, 3 A, maximum weight: 3000 gram, minimum weight: 40 gram, e= 2 gram, T= 1 kg, plastic belt, belt width: 195 mm, total dimensions: 1150 mm x 700 mm x 1550 mm. | 150     |
| 557 | AEW Delford              | AEW Delford checkweigher, type: 8060, factory number: 81086, year of construction: 2004, 230 V, 50/60 Hz, maximum: 5500 gram, minimum: 40 gram, e=d= 2 gram, plastic belt, belt width: 200 mm, dimensions scale: 310 mm x 280 mm, total dimensions: 1160 mm x 680 mm x 1500 mm.     | 150     |
| 558 | Saimo                    | Saimo checkweigher, model: 30A-350x150, serial number: P0911178, year of construction: 11/2009, 240 V, 50 Hz, 0.4 kW, maximum capacity: 3000 gram, plastic belt, belt width: 250 mm, total dimensions: 700 mm x 500 mm x 1800 mm.                                                   | 50      |



| Nr  | Title                             | Description                                                                                                                                                                                                                                                                                | Start € |
|-----|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 559 | Herbert                           | Herbert checkweigher, model: CW3310, serial number: SO 14584/1/10, year of construction: 2010, 240 V, 50 Hz, plastic belt, belt width: 375 mm, total dimensions: 930 mm x 820 mm x 1440 mm.                                                                                                | 150     |
| 560 | NN roller conveyor                | Mobile de-elevating roller conveyor, s/s rollers, roller length: 790 mm, de-elevating height: from 1000 mm to 800 mm, total dimensions: 1170 mm x 850 mm x 1350 mm.                                                                                                                        | 150     |
| 561 | Royal Pas Reform                  | Royal Pas Reform mobile semi-automatic egg transfer system, working width: 360 mm, total dimensions: 1200 mm x 800 mm x 1830 mm. Incomplete.                                                                                                                                               | 150     |
| 562 | NN sorting table                  | S/s mobile sorting table, dimensions: 1900 mm x 1400 mm x 1200 mm.                                                                                                                                                                                                                         | 150     |
| 563 | MR Etikettiertechnik GmbH & Co.KG | MR Etikettiertechnik GmbH & Co.KG checkweigher with rejector, model: DACS-W-012-SB/WP-I-N, serial number: 560214, year of construction: 04/2010, 240 V, 1 Ph, 50 Hz, 2 A, plastic belt, belt width: 220 mm, total dimensions: 1250 mm x 950 mm x 1600 mm.                                  | 250     |
| 564 | Cintex                            | Cintex metal detector and checkweigher with rejector, type: CS4000, serial number: 79835, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 1 A, plastic belt, belt width: 120 mm, clearance: 230 mm x 100 mm, total dimensions: 1350 mm x 900 mm x 1900 mm. 1 belt missing.                 | 200     |
| 565 | Loma Systems                      | Loma Systems mobile metal detector with rejector, model: SUPERSCAN MICRO ISC, serial number: 895721, year of construction: 1995, 415 V 350 W, 50 Hz, plastic belt, belt width: 275 mm, clearance: 350 mm x 160 mm, total dimensions: 2100 mm x 1100 mm x 1630 mm.                          | 250     |
| 566 | Herbert Industrial LTD            | Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS585530, maximum weight: 2 kg, minimum weight: 0.1 kg, e=01 kg, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: (2x) 100 mm, dimensions: 1400 mm x 800 mm x 1500 mm. Incomplete, technical condition unknown. | 150     |
| 567 | Herbert Industrial Ltd.           | Herbert checkweigher, model: GEMINI, serial number: HS 85484, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, maximum weight: 4 kg, minimum weight: 0.1 kg, e=d=02 kg, plastic belts, belt width: (2x) 100 mm, total dimensions: 1250 mm x 800 mm x 1500 mm.                    | 200     |
| 568 | Herbert Industrial Ltd.           | Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS108029, maximum weight: 2 kg, minimum weight: 0.4 kg, e=01 kg, plastic belt, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, dimensions: 1400 mm x 800 mm x 1000 mm.                                                                   | 200     |
| 569 | Herbert Industrial LTD            | Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS85430, maximum weight: 2 kg, minimum weight: 0.1 kg, e=01 kg, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: (2x) 100 mm, dimensions: 1400 mm x 800 mm x 1500 mm. Incomplete, technical condition unknown.  | 150     |



| Nr  | Title                   | Description                                                                                                                                                                                                                                                              | Start € |
|-----|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 570 | Lock Inspection Systems | Lock Inspection Systems metal detector, serial number: 55685-1, year of construction: 11-13, 200-230 V, 50/60 Hz, 3 A, 206 kg, plastic mesh belt, belt width: 350 mm, clearance: 400 mm x 170 mm, total dimensions: 2300 mm x 900 mm x 1420 mm. Missing rejecter bin.    | 400     |
| 571 | Herbert Industrial LTD  | Herbert Industrial LTD checkweigher, model: GEMINI, serial number: HS82830, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, plastic belt, belt width: (2x) 100 mm, total dimensions: 1450 mm x 950 mm x 1730 mm. Incomplete, technical condition unknown.                                 | 75      |
| 572 | Mettler Toledo          | Mobile s/s table with Mettler Toledo weighing scale, dimensions: 2040 mm x 1300 mm x 1520 mm.                                                                                                                                                                            | 250     |
| 573 | NN roller conveyor      | S/s roller conveyor, plastic rollers, roller width: 500 mm, total dimensions: 1200 mm x 530 mm x 1000 mm.                                                                                                                                                                | 150     |
| 574 | Ishida/Safeline         | Ishida/Safeline metal detector, checkweigher and rejector, type: DACS-W-012-SB/WP I, number: 550713, year of construction: 08-2000, 240 V, 1 Ph, 50 Hz, 2 A, plastic belt, belt width: 220 mm, clearance: 270 mm x 100 mm, total dimensions: 1850 mm x 950 mm x 1450 mm. | 250     |
| 575 | Herbert Industrial Ltd. | Herbert Industrial Ltd. checkweigher, model: Gemini, serial number: HS108632, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 4.5/0.4 A, capacity: 150 packages/minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1330 mm x 820 mm x 1730 mm.             | 200     |
| 576 | Herbert Industrial Ltd. | Herbert Industrial Ltd. checkweigher, model: Gemini, serial number: HS 85531, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 1.3/0.4 A, capacity: 150 packages/minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1330 mm x 820 mm x 1730 mm.             | 200     |
| 577 | NN rack                 | S/s rack, dimensions: 1400 mm x 250 mm x 750 mm.                                                                                                                                                                                                                         | 50      |
| 578 | Selo                    | Selo mobile ergolift, fork length: 800 mm x 350 mm, lifting height: 1000 mm, total dimensions: 1250 mm x 600 mm x 1950 mm. Missing cover.                                                                                                                                | 150     |
| 579 | Smiths                  | Smiths X-ray scanner, type: Eagle Pack TN100925, serial number: 100925, year of construction: DEC 2006, 220 V, 50/60 Hz, 20.0/16.0 A, dimensions: 1130 mm x 800 mm x 2100 mm. Missing belt.                                                                              | 400     |
| 580 | Sartorius               | Sartorius checkweigher and metal detector with rejector, type: EWK 2000PLUS/WS 2kg M, number: BO-GC0101AA0031-0001, year of construction: 2005, 230 V, 50 Hz, plastic belt, belt width: (3x) 200 mm, total dimensions: 2000 mm x 1250 mm x 1900 mm.                      | 500     |
| 581 | Loma Systems            | Loma Systems mobile pipeline metal detector, serial number: DPL40362-34647, year of construction: 17-05-2004, 220 V, 1 Ph, 60 Hz, 2.0 A, clearance: 90 mm x 90 mm, total dimensions: 900 mm x 500 mm x 1270 mm.                                                          | 200     |



| Nr  | Title                     | Description                                                                                                                                                                                                                                                                                                                                                                                   | Start € |
|-----|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 582 | Loma Systems              | Loma Systems metal detector head, model: Superscan Micro ISC, head serial number: MD37308, date of manufacturing: Nov 97, clearance: 700 mm x 300 mm, total dimensions: 1250 mm x 500 mm x 840 mm.                                                                                                                                                                                            | 500     |
| 583 | Meyn                      | Meyn forming machine for "Pommes Duchess Potatoes", type: PD-B, machine number: 34965, year of construction: 1991, approximate belt width: 450 mm, total dimensions: 1440 mm x 780 mm x 1080 mm.                                                                                                                                                                                              | 100     |
| 584 | Minebea Intec             | Minebea Intec checkweigher and metal detector with rejector, checkweigher model: Synus 15 WS 2kg WZEDP, serial number: SYNUS2_1-42337732, year of construction: 2022, 230 V, 1 Ph, 50 Hz, metal detector model: Vistus-S 37,5 x 15, serial number: 7-08050-000-20-42337733, year of construction: 2021, plastic belt, belt width: (3x) 300 mm, total dimensions: 1800 mm x 1150 mm x 2050 mm. | 750     |
| 585 | NN turning table          | S/s turning table with plastic top, dimensions: Ø 1010 mm x 860 mm.                                                                                                                                                                                                                                                                                                                           | 250     |
| 586 | Bizerba                   | Bizerba metal detector, type: GENIUS+ GLS+ 350-200 230V (GLM-I), serial number: MD10670757, 100/240 VAC, 50/60 Hz, 0.25/0.12 A, clearance: 345 mm x 200 mm, total dimensions: 950 mm x 600 mm x 760 mm.                                                                                                                                                                                       | 200     |
| 587 | Apha Pack Europe s.r.l.   | Apha Pack Europe s.r.l. wrapping machine, model: SWING-600, serial number: 160659, film width: 410 mm, total dimensions: 1450 mm x 1000 mm x 1900 mm.                                                                                                                                                                                                                                         | 100     |
| 588 | MR Etikettiertechnik GmbH | MR Etikettiertechnik GmbH checkweigher with rejector, model: DACS-W-012-SB/WP-I-N(CTS), serial number: 560215, year of construction: 04/2010, 240 V, 1 Ph, 50 Hz, 2 A, plastic belt, belt width: 220 mm, total dimensions: 1900 mm x 970 mm x 1650 mm.                                                                                                                                        | 400     |
| 589 | Mettler Toledo/ Ishida    | Mettler Toledo/ Ishida metal detector, checkweigher and double rejector, model: DASS-W-030-SB/W P-I, serial number: 500733, year of construction: 08-1999, 240 V, 1 Ph, 50 Hz, 2 A, weighing range: 3000 G, clearance: 350 mm x 130 mm, total dimensions: 2500 mm x 800 mm x 1600 mm. Incomplete.                                                                                             | 150     |
| 590 | Goring Kerr               | Goring Kerr metal detector, plastic belt, belt width: 300 mm, clearance: 350 mm x 100 mm, total dimensions: 1600 mm x 800 mm x 1850 mm.                                                                                                                                                                                                                                                       | 200     |
| 591 | Safeline / Ishida         | Safeline / Ishida metal detector and checkweigher with rejector, model Safeline: 30 H, 100-240 V, 50/60 Hz, 300 W, model checkweigher: DACS-W-012-SB/WP I, serial number: 500732, year of construction: sept 1999, 240 V, 1 Ph, 50 Hz, 2 A, weighing range: 1200 gram, total dimensions: 1800 mm x 900 mm x 1680 mm. Incomplete, technical condition unknown.                                 | 200     |



| Nr  | Title              | Description                                                                                                                                                                                                                                                                      | Start € |
|-----|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 593 | Sartorius          | Sartorius metal detector with checkweigher and 2 rejectors, type: SYNUS 10 WS 1kg WZGP, number: SYNUS2_0-26137068, year of construction: 2011, 230 V, 50 Hz, 500 VA, plastic belt, belt width: 150 mm, clearance: 230 mm x 46 mm, total dimensions: 1620 mm x 1050 mm x 2300 mm. | 750     |
| 594 | Sartorius          | Sartorius checkweigher and metal detector with rejector, plastic belt, belt width: (3x) 300 mm, clearance: 300 mm x 165 mm, total dimensions: 2350 mm x 1350 mm x 2030 mm.                                                                                                       | 1250    |
| 595 | Sartorius          | Sartorius checkweigher and metal detector with rejector, plastic belt, belt width: (3x) 230 mm, clearance: 230 mm x 135 mm, total dimensions: 2300 mm x 1300 mm x 1900 mm.                                                                                                       | 750     |
| 596 | NN turning table   | Mobile turning table with plastic top, diameter top: 1220 mm, total dimensions: ø 1220 mm x 950 mm.                                                                                                                                                                              | 250     |
| 597 | Zomerdam           | Zomerdam checkweigher with rejector, serial number: 3357, year of construction: 2014, 240 V, 4 A, 1.0 kW, belt width: 195 mm, dimensions: 1420 mm x 900 mm x 1490 mm.                                                                                                            | 500     |
| 598 | Digi Europe        | Digi Europe checkweigher, model: HI-700, serial number: 090456008, 230 V, 1 Ph, 50 Hz, 1.15/0.4 A, maximum weight: 3 kg, minimum weight: 50 gram, e= 1 gram, d= 1 gram, 4 bar, dimensions: 900 mm x 600 mm x 1450 mm. Incomplete, technical condition unknown.                   | 150     |
| 599 | Teraoka            | Teraoka automatic weigh/wrap/label system, model: AW-600, serial number: 09166180, 220-240 V, 1 Ph, 50/60 Hz, 7.5 A, 1.7 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e= 1/2 gram, dimensions: 1460 mm x 1250 mm x 1480 mm.                                              | 500     |
| 600 | NN filter          | S/s mobile filter, dimensions: 1530 mm x 750 mm x 700 mm.                                                                                                                                                                                                                        | 75      |
| 601 | NN casing spooler  | Casing spooler on s/s table, dimensions table: 600 mm x 500 mm x 740 mm, dimensions spooler: 570 mm x 390 mm x 350 mm. Incomplete.                                                                                                                                               | 50      |
| 602 | Machine Alimentari | Machine Alimentari s/s band saw, dimensions saw table: 1000 mm x 625 mm, total dimensions: 1000 mm x 900 mm x 1450 mm. Saw blade is missing.                                                                                                                                     | 300     |
| 603 | Lincoln Electric   | Lincoln electric mobile welding machine, type: Invertec V300-TC, serial number: I2 98 03 00887, 400 V, 3 Ph, 50/60 Hz, 28.5 A, dimensions: 850 mm x 400 mm x 800 mm.                                                                                                             | 500     |
| 604 | Bras               | Bras s/s band saw, dimensions saw table: 1040 mm x 850 mm, total dimensions: 1050 mm x 1050 mm x 1450 mm.                                                                                                                                                                        | 300     |
| 605 | Loma Systems       | Loma Systems metal detector head, model: IQ3, head serial number: MH310-11146D, date of manufacturing: 16.10.2009, 85-264 V, 50-60 Hz, clearance: 650 mm x 400 mm, total dimensions: 1330 mm x 680 mm x 950 mm.                                                                  | 500     |



| Nr  | Title                         | Description                                                                                                                                                                                                                                                                                                                        | Start € |
|-----|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 606 | Teraoka Seiko Co., LTD        | Teraoka Seiko Co., LTD mobile semi automatic weigh, wrap and labelling machine, model: AW-3600CP, serial number: 05160908, 380-415/220-240 V, 1/3 Ph, 50/60 Hz, 6 A, 1.4 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=2.999 kg, dimensions: 1060 mm x 850 mm x 1660 mm.                                      | 150     |
| 607 | Teraoka Seiko Co., LTD        | Teraoka Seiko Co., LTD weigh/wrap/label system, model: AW-4600e, serial number: 10166611, year of construction: 2010, 220-240 V, 1 Ph, 50 Hz, 7.5 A, 1.7 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=2.999 kg, plastic belts, belt width: 400 mm and 150 mm, total dimensions: 1350 mm x 1250 mm x 1500 mm. | 500     |
| 608 | NN depositor                  | Mobile depositor, dimensions: 1100 mm x 620 mm x 1500 mm.                                                                                                                                                                                                                                                                          | 100     |
| 609 | Bran & Lubbe                  | Bran & Lubbe dosing pump, type: N-K11, number: 51-72557, dimensions: 550 mm x 230 mm x 1000 mm.                                                                                                                                                                                                                                    | 10      |
| 610 | NN pneumatic parts            | Pallet with large amount of pneumatic parts, dimensions: 1750 mm x 1250 mm x 300 mm.                                                                                                                                                                                                                                               | 75      |
| 611 | Isco                          | Isco refrigerator, model: 6700FR, 230 V, 50 Hz, 20 A, inside dimensions: 520 mm x 540 mm x 610 mm, total dimensions: 640 mm x 600 mm x 1400 mm.                                                                                                                                                                                    | 50      |
| 612 | NN tub                        | Tub for water softening with Sera tank, volume: 500 liter, dimensions: 1200 mm x 1200 mm x 2100 mm.                                                                                                                                                                                                                                | 75      |
| 613 | NovoTraqua                    | Plastic tank with NovoTraqua cooling water treatment, dimensions tank: 900 mm x 680 mm x 1150 mm, total dimensions: 1450 mm x 1400 mm x 1400 mm.                                                                                                                                                                                   | 50      |
| 614 | NN gearbox                    | Gearbox, dimensions: 530 mm x 400 mm x 400 mm.                                                                                                                                                                                                                                                                                     | 25      |
| 615 | NN gearbox                    | Gearbox, dimensions: 530 mm x 400 mm x 400 mm.                                                                                                                                                                                                                                                                                     | 25      |
| 616 | Formax                        | Pallet with Formax gearbox, dimensions pallet: 1200 mm x 1000 mm x 600 mm.                                                                                                                                                                                                                                                         | 25      |
| 617 | ZAE                           | ZAE motor, type: E 200 G 1300/11, number: 502662, dimensions: 700 mm x 280 mm x 600 mm.                                                                                                                                                                                                                                            | 50      |
| 618 | NN valve and gearbox          | Valve and gearbox, dimensions: 800 mm x 600 mm x 350 mm.                                                                                                                                                                                                                                                                           | 50      |
| 619 | NN floor weighing scale       | Floor weighing scale, dimensions: 1500 mm x 1450 mm x 300 mm.                                                                                                                                                                                                                                                                      | 100     |
| 620 | NN work bench                 | Steel work bench with vice, wooden top, dimensions: 2230 mm x 610 mm x 910 mm.                                                                                                                                                                                                                                                     | 10      |
| 621 | Aerzener Maschinenfabrik GmbH | Aerzener Maschinenfabrik GmbH positive displacement pump, type: GM 19 X, serial number: K48446, dimensions: 950 mm x 800 mm x 1200 mm.                                                                                                                                                                                             | 250     |
| 622 | Sharp                         | Sharp microwave, type: R239(W), serial number: 071054358, 230 V, 50 Hz, 1.25 kW, dimensions: 460 mm x 320 mm x 260 mm.                                                                                                                                                                                                             | 5       |
| 623 | Sterling Sihi GmbH            | Sterling Sihi GmbH pump, year of construction: 2016, dimensions: 1620 mm x 530 mm x 400 mm.                                                                                                                                                                                                                                        | 100     |





| Nr  | Title                                | Description                                                                                                                                                                                                     | Start € |
|-----|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 624 | NN hydraulic unit                    | Hydraulic unit, dimensions: 650 mm x 430 mm x 650 mm.                                                                                                                                                           | 50      |
| 625 | NN hydraulic unit                    | Hydraulic unit, dimensions: 1050 mm x 900 mm x 820 mm.                                                                                                                                                          | 75      |
| 626 | NN infeed bunker with transport belt | S/s infeed bunker with transport belt, plastic belt, belt width: 370 mm, total dimensions: 2800 mm x 930 mm x 940 mm.                                                                                           | 250     |
| 627 | Steen                                | Steen mobile skinning machine, type: ST600 KIP, serial number: 247211293A, 380 V, 50 Hz, plastic belt, belt width: 430 mm, total dimensions: 1850 mm x 900 mm x 1650 mm. Incomplete.                            | 250     |
| 628 | Rittal                               | Rittal s/s switch cabinet, dimensions: 900 mm x 860 mm x 350 mm.                                                                                                                                                | 50      |
| 629 | NN forming plates                    | 4 plastic pallet boxes with large amount of forming plates, dimensions: (4x) 1000 mm x 1200 mm x 1200 mm x 850 mm.                                                                                              | 600     |
| 630 | Townsend                             | Townsend mobile skinning machine, type: SK 11-320, serial number: 10302, year of construction: 2008, 380 V, 3 Ph, 50 Hz, 3.0 A, 0.75 kW, working width: 500 mm, total dimensions: 800 mm x 800 mm x 970 mm.     | 1000    |
| 631 | Townsend                             | Townsend mobile skinning machine, type: SK 11-320, serial number: 11311, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 3.0 A, 1.5 kW, working width: 500 mm, total dimensions: 800 mm x 800 mm x 970 mm.      | 1000    |
| 632 | Townsend                             | Townsend mobile skinning machine, type: SK 11-320, serial number: 10100156, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 3.1 A, 1.5 kW, working width: 500 mm, total dimensions: 800 mm x 800 mm x 970 mm.   | 1000    |
| 633 | Townsend                             | Townsend mobile skinning machine, working width: 500 mm, total dimensions: 800 mm x 800 mm x 970 mm. Incomplete.                                                                                                | 500     |
| 634 | Townsend                             | 4 pallets with parts for Townsend skinning machines, dimensions pallets: (1x) 1200 mm x 1000 mm x 500 mm, (1x) 1200 mm x 800 mm x 300 mm and (2x) 1200 mm x 800 mm x 600 mm.                                    | 600     |
| 635 | NN trolley                           | S/s trolley, dimensions: 1200 mm x 990 mm x 1100 mm.                                                                                                                                                            | 25      |
| 636 | NN parts                             | Pallet with large amount of parts, dimensions: 1250 mm x 800 mm x 550 mm.                                                                                                                                       | 25      |
| 637 | Trans-Tech Hysek GmbH                | 5 Trans-Tech Hysek GmbH can invertors, clearance: 150 mm x 80 mm, dimensions: 380 mm x 195 mm x 200 mm, 240 mm x 390 mm x 260 mm, 600 mm x 300 mm x 180 mm, 380 mm x 180 mm x 200 mm, 380 mm x 200 mm x 200 mm. | 25      |
| 638 | NN filter                            | S/s filter, dimensions: 900 mm x 730 mm x 1100 mm.                                                                                                                                                              | 10      |
| 639 | Vikan                                | 10 Vikan lids for waste bins.                                                                                                                                                                                   | 10      |
| 640 | NN fan covers                        | 5 covers for fans, dimensions: (3x) Ø 620 mm x 100 mm, (2x) Ø 840 mm x 110 mm.                                                                                                                                  | 10      |



| Nr  | Title                | Description                                                                                                                                                             | Start € |
|-----|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 641 | NN part for clipper  | Part for clipper, dimensions: 500 mm x 280 mm x 630 mm.                                                                                                                 | 10      |
| 642 | Tork                 | Pallet with 6 Tork paper dispensers and 8 Tork soap dispensers.                                                                                                         | 15      |
| 643 | Stiletto             | 5 Stiletto vibrator motors, type: VR90N-50, serial numbers: 0903-5, 0903-7, 0903-8, 0903-9, 0903-10, 380 V, 3 Ph, 3.9 A, dimensions: (5x) 400 mm x 200 mm x 350 mm.     | 125     |
| 644 | Stiletto             | 3 Stiletto vibrator motors, type: VR90N-50, serial numbers: 0903-11, 0903-4, 0903-6, dimensions: (3x) 400 mm x 200 mm x 350 mm.                                         | 75      |
| 645 | Handtmann            | Handtmann part for ConPro line, type: T150-1, number: 203, year of construction: 2005, 420 V, 3 Ph, 50 Hz, 0.7 A, 0.2 kW, dimensions: 1000 mm x 300 mm x 600 mm.        | 25      |
| 646 | Boska Holland        | Boska Holland cheese slicer, working width: 475 mm, total dimensions: 680 mm x 410 mm x 90 mm.                                                                          | 10      |
| 647 | Magnehelic           | Magnehelic pressure meter, dimensions: 350 mm x 300 mm x 180 mm.                                                                                                        | 5       |
| 648 | Witt Gasetechnik     | Witt Gasetechnik gas mixing unit, type: KM60-2V, serial number: 789, year of construction: 1982, gas: N2/CO2, dimensions: 260 mm x 400 mm x 310 mm.                     | 25      |
| 649 | ASI                  | ASI hydraulic unit, dimensions: 500 mm x 350 mm x 900 mm.                                                                                                               | 150     |
| 650 | NN worms for grinder | S/s trolley with worms for grinder, dimensions worm: 1200 mm x 300 mm and 850 mm x 170 mm, total dimensions: 1500 mm x 500 mm x 1030 mm.                                | 75      |
| 651 | NN tubs              | (2x) Plastic tubs (1x) with metering pump, volume: 100 liter, 60 liter.                                                                                                 | 10      |
| 653 | NN capping machine   | Capping machine, dimensions caps: 20 mm, total dimensions: 600 mm x 500 mm x 750 mm.                                                                                    | 25      |
| 654 | SMC                  | SMC filters, model: AME550C-F10, dimensions: 1200 mm x 800 mm x 250 mm.                                                                                                 | 50      |
| 655 | NN switch cabinet    | Switch cabinet, dimensions: 500 mm x 200 mm x 500 mm.                                                                                                                   | 10      |
| 656 | NN chain conveyors   | 2 plastic chain conveyors, belt width: 40 mm, total dimensions: 1200 mm x 800 mm x 250 mm.                                                                              | 50      |
| 657 | Garvens              | 2 Garvens weighing cells, dimensions: (2x) 360 mm x 190 mm x 200 mm.                                                                                                    | 25      |
| 658 | Pfeiffer             | Pfeiffer vacuum pump, type: OnTool DryPump, serial number: 53005526, year of construction: 11/2014, 230 V, 3 Ph, 50/60 Hz, weight: 121 Kg.                              | 50      |
| 659 | Deta                 | Deta charger, type: E230 G24/50 B-FEN I, serial number: 3278845, year of construction: 2004, 230 V, 3 Ph, 50-60 Hz, 14.5 A, 24 V, dimensions: 590 mm x 490 mm x 560 mm. | 50      |
| 660 | NN charger           | Charger, type: EC E24-60, fabrication number: 200406107/4, 230 V, 50 Hz, 16 A, 24 V, dimensions: 400 mm x 320 mm x 240 mm.                                              | 50      |



| Nr  | Title                              | Description                                                                                                                                                                                                                                                   | Start € |
|-----|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 661 | NN lights                          | Pallet with lights, dimensions pallet: 1200 mm x 1000 mm x 550 mm.                                                                                                                                                                                            | 10      |
| 662 | API Schmidt - Bretten GmbH & Co.KG | 2 API Schmidt - Bretten GmbH & Co.KG heat exchangers, model: SIGMA 7 NBN, year of construction: 2000, dimensions: 740 mm x 400 mm x 260 mm.                                                                                                                   | 150     |
| 663 | Frey                               | 4 Frey Maschinenbau GmbH casing closing machines, type: Clipex, machine number: CX 0230222, CX 0052137, CX 0100833 and CX 0470562, 220 V, 50/60 Hz, 0.7 kW, dimensions: (4x) 400 mm x 160 mm x 300 mm.                                                        | 100     |
| 664 | NN inkjet printer                  | S/s frame with inkjet printer, dimensions: 1050 mm x 500 mm x 700 mm.                                                                                                                                                                                         | 25      |
| 665 | PMB                                | PMB packaging machine, type: FASTPACK MK II, 220/240 V, 50 Hz, 530 W, dimensions: 480 mm x 600 mm x 420 mm and 380 mm x 620 mm x 300 mm. Technical condition unknown.                                                                                         | 25      |
| 666 | Elotec                             | Pallet with Elotec lights, dimensions pallet: 1200 mm x 800 mm x 500 mm.                                                                                                                                                                                      | 25      |
| 667 | NN casing spoolers                 | 2 casing spoolers, dimensions: (2x) 520 mm x 350 mm x 400 mm. Incomplete.                                                                                                                                                                                     | 150     |
| 668 | NN casing spoolers                 | 2 casing spoolers, dimensions: (2x) 520 mm x 350 mm x 400 mm. Incomplete.                                                                                                                                                                                     | 150     |
| 669 | NN casing spoolers                 | 3 casing spoolers, dimensions: (3x) 520 mm x 350 mm x 400 mm.                                                                                                                                                                                                 | 150     |
| 670 | NN casing spoolers                 | 2 casing spoolers, dimensions: (2x) 520 mm x 350 mm x 400 mm.                                                                                                                                                                                                 | 100     |
| 671 | Weber                              | Weber knife sharpener, type: MSG460/2, number: 733, year of construction: 01/2003, 400 V, 50 Hz, 0.18 kW, dimensions: 600 mm x 550 mm x 800 mm.                                                                                                               | 150     |
| 672 | NN pumps                           | Pallet with various pumps, dimensions pallet: 1200 mm x 800 mm x 200 mm.                                                                                                                                                                                      | 50      |
| 673 | NN valves                          | Pallet with various valves, dimensions pallet: 1200 mm x 800 mm x 500 mm.                                                                                                                                                                                     | 50      |
| 675 | Ari                                | Ari valve.                                                                                                                                                                                                                                                    | 25      |
| 676 | Avery Berkel / Scanvaegt           | 4 Avery Berkel / Scanvaegt / Marsden weighing scales, dimensions: (3x) 300 mm x 300 mm x 400 mm and (1x) 300 mm x 220 mm x 120 mm.                                                                                                                            | 25      |
| 677 | Scanvaegt                          | Scanvaegt weighing scale, type: TW156, dimensions: 600 mm x 500 mm x 700 mm. Without indicator.                                                                                                                                                               | 25      |
| 678 | Aja / Buvv-Brown                   | Pallet with 2 Aja weighing scales, dimensions scales: 240 mm x 240 mm, 1 scale missing, Weighing scale without indicator, dimensions: 800 mm x 600 mm, Buvv-Brown weighing scale, dimensions scale: 185 mm x 230 mm. Incomplete, technical condition unknown. | 25      |
| 679 | NN weighing scale                  | Weighing scale, dimensions: 600 mm x 750 mm x 1470 mm.                                                                                                                                                                                                        | 10      |



| Nr  | Title                      | Description                                                                                                                                                                                                                                          | Start € |
|-----|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 680 | Scanvaegt                  | Scanvaegt weighing scale, type: 1025.30, serial number: 97166210, type indicator: 8312, serial number: 97147147B, 230 V, maximum weight: 30 kg, minimum weight: 0.2 kg, e=dd=dT=0.01 kg, dimensions: 640 mm x 600 mm x 680 mm. Incomplete.           | 10      |
| 681 | Scanvaegt                  | Scanvaegt indicator for weighing scale, type: 816, serial number: BQD00314 B, 110-260 V, 50-60 Hz, dimensions: 600 mm x 460 mm x 200 mm.                                                                                                             | 25      |
| 682 | NN weighing scale          | S/s weighing scale, dimensions: 500 mm x 400 mm x 80 mm. Without indicator.                                                                                                                                                                          | 25      |
| 683 | Berkel                     | Berkel weighing scale, model: 280 ED, serial number: 063229, 220 V, 50 Hz, maximum weight: 150 kg, minimum weight: 2.5 kg, e=0.05 kg, T=-150 kg, dimensions: 500 mm x 700 mm x 1250 mm.                                                              | 25      |
| 684 | Ohaus / Avery Berkel       | Pallet with 2 Ohaus and 1 Avery Berkel weighing scales, Ohaus weighing scales, model: (2x) D60WL, capacity: 60 kg, Avery Berkel weighing scale, model: HL275, dimensions pallet: 1200 mm x 600 mm x 600 mm. Incomplete, technical condition unknown. | 50      |
| 685 | Witt                       | Witt gas mixing station, dimensions: 340 mm x 340 mm x 380 mm.                                                                                                                                                                                       | 25      |
| 686 | Wilux                      | Wilux thermoprinter, dimensions: 285 mm x 285 mm x 300 mm.                                                                                                                                                                                           | 10      |
| 687 | Berkel                     | Berkel weighing scale, dimensions scale: 600 mm x 500 mm.                                                                                                                                                                                            | 25      |
| 688 | NN cage for tilting device | Mobile s/s cage with various s/s plates, dimensions each plate: 400 mm x 600 mm.                                                                                                                                                                     | 25      |
| 689 | Swedot                     | Swedot label printer, type: 1952, serial number: 1574, dimensions: 350 mm x 200 mm x 170 mm.                                                                                                                                                         | 10      |
| 690 | Sampos                     | Sampos cash register, model: ECR-1810, dimensions: 430 mm x 400 mm x 270 mm.                                                                                                                                                                         | 10      |
| 691 | PMB                        | PMB packaging machine, total dimensions: 820 mm x 470 mm x 330 mm.                                                                                                                                                                                   | 10      |
| 692 | PMB                        | Pallet with 2 PMB packaging machines, type: (2x) FASTPACK, machine number: 458B95A107 and A59920012211, dimensions: (2x) 700 mm x 450 mm x 320 mm. Incomplete.                                                                                       | 25      |
| 693 | Servo Wrap B.V.            | Servo Wrap B.V. packaging machine, type: Klappack, serial number: AK 180, year of construction: 1995, dimensions: 600 mm x 480 mm x 400 mm.                                                                                                          | 10      |
| 694 | Philips                    | Philips industrial light, type: HDK/400, 220 V, 50 Hz, 2.15 A, dimensions: 400 mm x 500 mm x 200 mm.                                                                                                                                                 | 10      |
| 695 | Coppens                    | Coppens packaging machine, machine number: 47590000152, dimensions dye: 215 mm x 145 mm, total dimensions: 770 mm x 400 mm x 250 mm.                                                                                                                 | 10      |
| 696 | NN tub                     | Plastic tub, dimensions: Ø 550 mm x 1050 mm.                                                                                                                                                                                                         | 10      |
| 697 | Hulme Martin               | Hulme martin heat sealer, number: 305CTD/1187, 220/240 V, 50 Hz, 2 A, seal length: 300 mm, total dimensions: 440 mm x 230 mm x 230 mm.                                                                                                               | 10      |



| Nr  | Title                    | Description                                                                                                                                                                                                                                                                                                   | Start € |
|-----|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 698 | NN pipe                  | S/s pipe, dimensions: 400 mm x 400 mm x 750 mm.                                                                                                                                                                                                                                                               | 10      |
| 699 | TSC                      | TSC label printer, model: TTP-346M, serial number: 34M0220034, dimensions: 500 mm x 270 mm x 300 mm.                                                                                                                                                                                                          | 10      |
| 700 | NN parts                 | Pallet with parts, dimensions pallet: 1200 mm x 800 mm x 450 mm.                                                                                                                                                                                                                                              | 25      |
| 701 | A&D weighing             | A&D; Weighing indicator for weighing scale, type: AD-4328, year of construction: 1999, minimum: 10 Kg, maximum: 600 Kg, dimensions: 600 mm x 400 mm x 200 mm.                                                                                                                                                 | 10      |
| 702 | NN table                 | S/s table, dimensions: 965 mm x 600 mm x 820 mm.                                                                                                                                                                                                                                                              | 25      |
| 703 | NN film wrapping machine | Film wrapping machine, 230 V, 50 Hz, 350 W, film width: 400 mm, total dimensions: 500 mm x 720 mm x 280 mm.                                                                                                                                                                                                   | 5       |
| 704 | NN film wrapping machine | Film wrapping machine, 230 V, 50 Hz, 350 W, film width: 400 mm, total dimensions: 500 mm x 720 mm x 280 mm.                                                                                                                                                                                                   | 5       |
| 705 | NN netting machine       | Netting machine, dimensions: 680 mm x 870 mm x 1970 mm. Incomplete.                                                                                                                                                                                                                                           | 50      |
| 706 | Jarvis                   | Jarvis saw, blade diameter: 215 mm, total dimensions: 600 mm x 350 mm x 300 mm.                                                                                                                                                                                                                               | 250     |
| 707 | Carl Stahl               | Carl Stahl balancer, type: 7230 0000 06, fabrication number: 1031991, year of construction: 2022, load range: 16.0-21.0 kg, dimensions: 250 mm x 180 mm x 125 mm.                                                                                                                                             | 25      |
| 708 | Jarvis                   | Jarvis saw, blade diameter: 215 mm, total dimensions: 600 mm x 350 mm x 300 mm.                                                                                                                                                                                                                               | 250     |
| 709 | NN table                 | S/s table, dimensions: 820 mm x 610 mm x 600 mm.                                                                                                                                                                                                                                                              | 25      |
| 710 | NN table                 | Mobile s/s table, dimensions: 1000 mm x 910 mm x 960 mm.                                                                                                                                                                                                                                                      | 25      |
| 711 | N&N Jerzy Nadratowski    | N&N Jerzy Nadratowski vacuum tumbler, type: MV - 300, serial number: 051, year of construction: 2008, 400 V, 50 Hz, 2.3 kW, weight: 380 kg, with Busch vacuum pump, type: RC 0021 B 303, number: 080038619, capacity: 21 m³per hour, volume: 300 liter, dimensions: 1250 mm x 1450 mm x 1800 mm. Missing lid. | 500     |
| 712 | Townsend                 | Townsend mobile skinning and derinding machine, type: 9000EURO-EL, serial number: 7968, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 3.64 A, 1.5 kW, working width: 520 mm, plastic mesh belt, belt width: 505 mm, total dimensions: 2150 mm x 1400 mm x 1520 mm. Incomplete, technical condition unknown. | 300     |
| 713 | Attec Food Technology    | Attec Food Technology film wrapping machine, type: FWAL, number: 11917, year of construction: 1998, seal length: 1050 mm, plastic belt, belt width: 1000 mm, total dimensions: 1400 mm x 1120 mm x 1860 mm.                                                                                                   | 1000    |



| Nr  | Title                    | Description                                                                                                                                                                                                                                                                                                              | Start € |
|-----|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 714 | Marel Meat Processing    | Marel Meat Processing mobile skinning and derinding machine, model: SK15-345 26 Inch, type: 9826745, serial number: 10141634, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 3.5 A, 5 kA, weight: 447 kg, plastic mesh belt, belt width: 655 mm, working width: 665 mm, total dimensions: 2150 mm x 1200 mm x 1320 mm.  | 1750    |
| 715 | Townsend                 | Townsend mobile skinning and derinding machine, working width: 655 mm, plastic mesh belt, belt width: 665 mm, total dimensions: 2050 mm x 1150 mm x 1250 mm. Incomplete.                                                                                                                                                 | 1000    |
| 716 | Marel Inc                | Marel Inc mobile skinning and derinding machine, model: SK 15-350 INCH, type: 9833263, serial number: 10398701, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.5 A, 5 kA, weight: 356 kg, plastic mesh belt, belt width: 350 mm, working width: 360 mm, total dimensions: 2100 mm x 900 mm x 1240 mm. Incomplete.     | 1500    |
| 717 | Marel Inc                | Marel Inc mobile skinning and derinding machine, model: SK 15-350 INCH, type: 9833265, serial number: 10398702, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 3.5 A, 5 kA, weight: 356 kg, plastic mesh belt, belt width: 350 mm, working width: 360 mm, total dimensions: 2100 mm x 900 mm x 1240 mm.                 | 1750    |
| 718 | Townsend                 | Townsend mobile skinning and derinding machine, working width: 310 mm, plastic mesh belt, belt width: 355 mm, total dimensions: 2000 mm x 840 mm x 1450 mm.                                                                                                                                                              | 1500    |
| 719 | Marel Meat Processing    | Marel Meat Processing mobile skinning and derinding machine, model: SK15-34 26 Inch, type: 9813403, serial number: 10114564, year of construction: 2013, 415 V, 3 Ph, 50 Hz, 4 A, 5 kA, plastic mesh belt, belt width: 655 mm, working width: 665 mm, total dimensions: 2220 mm x 1150 mm x 1240 mm. Incomplete.         | 1500    |
| 720 | Townsend                 | Townsend mobile skinning and derinding machine, type: SK 15-340, serial number: 11910, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3.55 A, 1.5 kW, working width: 665 mm, plastic mesh belt, belt width: 655 mm, total dimensions: 2200 mm x 1150 mm x 1290 mm. Incomplete, technical condition unknown. Incomplete. | 1500    |
| 721 | Liebherr-Hausgeräte GmbH | Liebherr-Hausgeräte GmbH s/s freezer, model: HHPv 1490 Index 43F / 001, serial number: 85.202.678.4, 220-240 V, 50 Hz, 4.0 A, brut volume: 1361 liter, net volume: 1056 liter, refrigerant: R290/99gram, dimensions: 1420 mm x 820 mm x 2140 mm.                                                                         | 250     |
| 722 | Liebherr-Hausgeräte GmbH | Liebherr-Hausgeräte GmbH s/s freezer, model: HHPv 1490 Index 43F / 001, serial number: 85.134.255.7, 220-240 V, 50 Hz, 4.0 A, brut volume: 1361 liter, net volume: 1056 liter, refrigerant: R290/99gram, dimensions: 1420 mm x 820 mm x 2140 mm.                                                                         | 250     |
| 723 | NN table                 | S/s inspection table, dimensions: 1200 mm x 780 mm x 1070 mm.                                                                                                                                                                                                                                                            | 25      |



| Nr  | Title                        | Description                                                                                                                                                                                                                                                          | Start € |
|-----|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 724 | NN rack                      | S/s rack, dimensions: 1100 mm x 550 mm x 2020 mm.                                                                                                                                                                                                                    | 50      |
| 725 | NN cabinet                   | S/s cabinet, dimensions: 880 mm x 810 mm x 1850 mm.                                                                                                                                                                                                                  | 50      |
| 726 | Metronic/<br>Alphajet        | Metronic printer, number: 1340, year of construction: 03/2004, 230 V, 50/60 Hz, 2.8 A, dimensions: 940 mm x 500 mm x 880 mm. Including Alphajet inkjet printer, dimensions: 340 mm x 320 mm x 460 mm.                                                                | 75      |
| 727 | Webomatic                    | Webomatic dip tank, type: ST 60/80, machine number: 71AG1343, 380 V, 3 Ph, 50 Hz, 35 A, 18 kW, inside dimensions: 800 mm x 600 mm x 400 mm, total dimensions: 1100 mm x 800 mm x 970 mm.                                                                             | 100     |
| 728 | NN cabinet                   | S/s cabinet, dimensions: 600 mm x 600 mm x 350 mm.                                                                                                                                                                                                                   | 10      |
| 729 | NN crates                    | Pallet with plastic crates, dimensions each crate: 600 mm x 395 mm x 75 mm, total dimensions: 1200 mm x 800 mm x 920 mm.                                                                                                                                             | 25      |
| 730 | NN tub                       | Plastic tub with circulation pump, inside dimensions: 1950 mm x 1180 mm x 370 mm, total dimensions: 2700 mm x 1300 mm x 700 mm.                                                                                                                                      | 25      |
| 731 | Profill                      | Profill s/s infeed hopper, dimensions: 1300 mm x 800 mm x 1660 mm.                                                                                                                                                                                                   | 50      |
| 732 | NN lifting device            | S/s lifting device for pallet boxes, dimensions: 1450 mm x 1350 mm x 1100 mm.                                                                                                                                                                                        | 400     |
| 733 | Air-o-steam                  | Air-o-steam combi steamer, inside dimensions: 460 mm x 690 mm x 1470 mm, total dimensions: 995 mm x 840 mm x 1800 mm. Including 2 s/s trolleys for plates, 20 floors each, dimensions each floor: 335 mm x 500 mm, total dimensions: (2x) 780 mm x 380 mm x 1690 mm. | 500     |
| 734 | KAYGEE<br>ENGINEERING<br>LTD | KAYGEE ENGINEERING LTD s/s tilting device for pallet boxes, type: DOLAV TILTER, serial number: 15093-3, year of construction: 2023, 220 V, 8 bar, weight: 250 kg, fork length: 880 mm, fork width: 650 mm, total dimensions: 1070 mm x 1800 mm x 1170 mm.            | 1000    |
| 735 | NN crates                    | Pallet with large amount of various plastic crates, dimensions: 1200 mm x 800 mm x 2060 mm.                                                                                                                                                                          | 10      |
| 736 | NN crates                    | Pallet with large amount of various plastic crates, total dimensions: 1200 mm x 1000 mm x 1400 mm.                                                                                                                                                                   | 10      |
| 737 | NN denester<br>frame         | Frame for denester, dye: (3x) 150 mm x 85 mm, total dimensions: 450 mm x 300 mm x 400 mm.                                                                                                                                                                            | 10      |
| 738 | NN crates                    | 2 pallets with large amount of various plastic crates, dimensions: (2x) 1200 mm x 1000 mm x 1500 mm.                                                                                                                                                                 | 20      |
| 740 | NN crates                    | Pallet with approximately 20 crates, dimensions each crate: 760 mm x 460 mm x 180 mm, total dimensions: 1200 mm x 1000 mm x 1860 mm.                                                                                                                                 | 20      |
| 741 | NN crates                    | Pallet with approximately 30 crates, dimensions each crate: 760 mm x 460 mm x 180 mm, total dimensions: 1200 mm x 1000 mm x 1860 mm.                                                                                                                                 | 20      |



| Nr  | Title                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Start € |
|-----|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 742 | ATS                     | ATS mobile mesh belt, number: 20031/2, year of construction: 11/02, s/s mesh belt, belt width: 400 mm, total dimensions: 6350 mm x 700 mm x 1000 mm.                                                                                                                                                                                                                                                                                                                                    | 250     |
| 743 | Loma Systems            | Loma Systems double metal detector with rejector, belt width: 305 mm, clearance: 370 mm x 135 mm and 345 mm x 135 mm, total dimensions: 2400 mm x 950 mm x 1700 mm.                                                                                                                                                                                                                                                                                                                     | 500     |
| 744 | NN curve conveyor       | Mobile curve conveyor with 180°, type: 180 GR. BOCHT, serial number: 500398-04, year of construction: 1995, s/s frame, s/s mesh belt, belt width: 450 mm, total dimensions: 2050 mm x 1500 mm x 1000 mm.                                                                                                                                                                                                                                                                                | 250     |
| 745 | NN transport belt       | Transport belt, plastic belt with dividers, width dividers: 950 mm, distance between dividers: 2050 mm, height dividers: 75 mm, total dimensions: 3100 mm x 1400 mm x 1500 mm. Motor missing.                                                                                                                                                                                                                                                                                           | 150     |
| 746 | Lamber                  | Lamber dish washer, model: L20, serial number: 992472, 400 V, 3 Ph, 50 Hz, 16 A, 6.65 kW, dimensions: 590 mm x 440 mm x 1420 mm.                                                                                                                                                                                                                                                                                                                                                        | 150     |
| 747 | Vemag Maschinenbau GmbH | Vemag Maschinenbau GmbH mobile sausage cutter, model: TM 203, number: 2030767, year of construction: 2015, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 3 kW, weight: 225 kg, dimensions: 900 mm x 600 mm x 1650 mm. Incomplete.                                                                                                                                                                                                                                                                     | 1500    |
| 748 | NN ham press            | Mobile ham press, dimensions: 2350 mm x 780 mm x 1420 mm.                                                                                                                                                                                                                                                                                                                                                                                                                               | 250     |
| 749 | NN drip tray            | Plastic drip tray, dimensions: 2000 mm x 1480 mm x 750 mm.                                                                                                                                                                                                                                                                                                                                                                                                                              | 25      |
| 750 | Stork Townsend B.V.     | Stork Townsend B.V. meat harvester, model: DMM-50, serial number: B27176, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 30 kW, weight: 3700 kg, dimensions: 4150 mm x 1000 mm x 2200 mm, including Stork Townsend B.V. infeed hopper, model: HU 40, serial number: b73093, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 7.5 kW, weight: 675 kg, dimensions: 2600 mm x 1100 mm x 2500 mm, Stork Townsend B.V. hydraulic unit with platform, dimensions: 2150 mm x 750 mm x 2500 mm. | 5000    |
| 751 | NN mesh belt            | Mobile mesh belt, s/s frame, s/s mesh belt, belt width: 580 mm, total dimensions: 3900 mm x 760 mm x 1850 mm.                                                                                                                                                                                                                                                                                                                                                                           | 350     |
| 752 | NN lifter               | S/s lifter, lifting height: 950 mm, total dimensions: 3000 mm x 1510 mm x 950 mm.                                                                                                                                                                                                                                                                                                                                                                                                       | 75      |
| 753 | NN ham forms            | 6 pallet boxes with large amount of ham forms, dimensions each form: 800 mm x 400 mm x 160 mm.                                                                                                                                                                                                                                                                                                                                                                                          | 1200    |
| 754 | Pentair Water           | Pentair Water water softening installation, consisting of 3 Structural Composite tanks with PE inner shell, year of construction: 2005, volume: 712 liter, max/min operating pressure: 0/10 bar, operating temperature: 1/50 °C, diameter tanks: 800 mm, height: 2100 mm, total height: 2450 mm, plastic storage barrel for salt, diameter vessel: 1100 mm, height: 1300 mm.                                                                                                            | 750     |





| Nr  | Title                          | Description                                                                                                                                                                                                                | Start € |
|-----|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 755 | NN ham forms                   | 6 pallet boxes with large amount of ham forms, dimensions each form: 800 mm x 400 mm x 160 mm.                                                                                                                             | 1200    |
| 756 | NN ham forms                   | 11 pallet boxes with large amount of ham forms, dimensions each form: 800 mm x 400 mm x 160 mm.                                                                                                                            | 2200    |
| 757 | NN trolleys                    | 2 s/s trolleys, (1x) 20 floors, (1x) 19 floors, floor dimensions: 675 mm x 530 mm, total dimensions: (2x) 680 mm x 585 mm x 1760 mm.                                                                                       | 25      |
| 758 | NN trolleys                    | 8 s/s trolleys, 18 floors, floor dimensions: (18x) 555 mm x 330 mm, total dimensions: (8x) 620 mm x 450 mm x 1620 mm.                                                                                                      | 120     |
| 759 | NN trolleys                    | 5 s/s trolleys, 18 floors, floor dimensions: (18x) 555 mm x 330 mm, total dimensions: (5x) 620 mm x 450 mm x 1620 mm.                                                                                                      | 75      |
| 760 | NN trolley                     | 2 s/s trolleys, (2x) 18 floors, floor dimensions: 760 mm x 455 mm x 80 mm, total dimensions: (2x) 760 mm x 520 mm x 1845 mm.                                                                                               | 25      |
| 761 | Sunroc Corp.                   | Sunroc Corp. water dispenser, model: CCTAC, serial number: 022703635, 220-240 V, 1 Ph, 50 Hz, 0.75 A.                                                                                                                      | 5       |
| 762 | Zebra Technologies Corporation | Zebra Technologies Corporation S4M label printer, serial number: 03J114801430, dimensions: 450 mm x 260 mm x 300 mm.                                                                                                       | 5       |
| 763 | Espera                         | Espera display, dimensions: 390 mm x 450 mm x 340 mm.                                                                                                                                                                      | 5       |
| 764 | Alfa Laval                     | Alfa Laval plate heat exchanger, type: M10-MFG, serial number: 30105-44445, year of construction: 2006, volume: 69.6/70.6 liter, PS: 0/0.10 bar, TS: 0/140 °C, PT: 14.3 bar, total dimensions: 1800 mm x 560 mm x 1680 mm. | 350     |
| 765 | V-Cons Group NV                | V-Cons Group NV V-shaped slaughtering roller conveyor for sheep, serial number: 11733, year of construction: 08-2017, plastic rollers, roller width: 220 mm, total dimensions: 5500 mm x 850 mm x 870 mm.                  | 400     |
| 766 | NN trolleys                    | 3 steel trolleys, dimensions: (1x) 1500 mm x 760 mm x 440 mm, (1x) 1180 mm x 650 mm x 960 mm, (1x) 1050 mm x 700 mm x 1050 mm.                                                                                             | 50      |
| 767 | Cryovac                        | 3 Cryovac sealing machine, model number: (3x) BW 18 E, year of construction: 2009, 24 V, 50 Hz, 0.2 A, dimensions: (3x) 470 mm x 180 mm x 135 mm.                                                                          | 10      |
| 768 | NN frame for slicer            | S/s frame for slicer, dimensions: 480 mm x 260 mm x 300 mm. Incomplete.                                                                                                                                                    | 5       |
| 769 | Weda                           | Weda indicator, dimensions: 270 mm x 130 mm x 200 mm.                                                                                                                                                                      | 5       |
| 770 | Microwa AG                     | Microwa AG weighing machine, type: 6641 Prozentwaage, number: 67116, dimensions: 370 mm x 230 mm x 440 mm.                                                                                                                 | 5       |
| 771 | sterilAir                      | sterilAir light, model: WR2036, number: 70810, dimensions: 910 mm x 100 mm x 100 mm.                                                                                                                                       | 5       |
| 772 | Serpack                        | Serpack tray denester, clearance: (5x) 185 mm x 155 mm, plastic mesh belt, belt width: 180 mm, total dimensions: 1500 mm x 900 mm x 1820 mm.                                                                               | 100     |



| Nr  | Title                   | Description                                                                                                                                                                                                                                                           | Start € |
|-----|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 773 | Rusty Sales             | Rusty Sales knife sterilizer, dimensions: 200 mm x 210 mm x 710 mm.                                                                                                                                                                                                   | 25      |
| 774 | Handtmann               | Handtmann casing spooler, type: 76-5, number: 431, 220/240 V, 50 Hz, 0.1 / 0.12 kW.                                                                                                                                                                                   | 200     |
| 775 | NN cabinet              | S/s cabinet, dimensions: 280 mm x 310 mm x 550 mm.                                                                                                                                                                                                                    | 25      |
| 776 | NN transport belts      | Aluminium trolley with various plastic mesh belts, belt width: 300 mm, total dimensions: 1200 mm x 800 mm x 1250 mm.                                                                                                                                                  | 25      |
| 777 | NN parts for grinder    | Pallet with parts for grinder, dimensions pallet: 800 mm x 600 mm x 300 mm.                                                                                                                                                                                           | 50      |
| 778 | Clipser                 | Plastic crate with various Clipser hand clippers, dimensions crate: 600 mm x 400 mm x 130 mm.                                                                                                                                                                         | 10      |
| 779 | NN mesh belt            | Mobile transport belt, s/s mesh belt, belt width: 400 mm, total dimensions: 680 mm x 2750 mm x 1260 mm.                                                                                                                                                               | 250     |
| 780 | Multivac                | Multivac traysealer, type: T400, machine number: 110097, year of construction: 2006, 415 V, 3 Ph, 50 Hz, 23 A, 7 kW, dye: (4x) 310 mm x 100 mm, outfeed belt, belt width: 180 mm, total dimensions: 5800 mm x 1300 mm x 2050 mm. Vacuum pump is missing.              | 1500    |
| 781 | NN curve conveyor       | Curve conveyor with 180 ° curve, s/s frame, plastic mesh belt, belt width: 600 mm, total dimensions: 3800 mm x 3200 mm x 1380 mm. Belt is taken of and onto a pallet.                                                                                                 | 350     |
| 783 | NN wall board           | Wall board for hygiene equipment, dimensions: 880 mm x 1600 mm.                                                                                                                                                                                                       | 5       |
| 784 | Handtmann               | Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300, number: 13707, year of construction: 2000, 420 V, 50 Hz, 21.8 A, 9 kW, dimensions: 1700 mm x 1300 mm x 2000 mm. Rotor is incomplete.                                               | 3500    |
| 785 | Handtmann               | Handtmann mobile sausage linker, type: 241-01, number: 445, year of construction: 1999, 420 V, 50 Hz, 6.9 A, 5 kW, dimensions: 1750 mm x 900 mm x 1380 mm.                                                                                                            | 500     |
| 786 | Inox Meccanica          | Inox Meccanica press, stuffing and automatic clipping machine, type: Pic 99B, number: 1822, year of construction: 2007, 380 V, 1 Ph, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 4700 mm x 1300 mm x 2100 mm. Incomplete, technical condition unknown. | 400     |
| 787 | BT                      | BT pallet lifter, type: LHM230 WS, fork length: 1150 mm, total dimensions: 1600 mm x 500 mm x 1200 mm.                                                                                                                                                                | 50      |
| 788 | Safeline/Mettler Toledo | Safeline/Mettler Toledo metal detector, model: V4-RAD, 100-240 VAC, 50/60 Hz, 340 W, clearance: 460 mm x 120 mm, plastic belt, belt width: 440 mm, total dimensions: 10700 mm x 1100 mm x 1400 mm.                                                                    | 400     |
| 789 | NN table                | Mobile s/s table, dimensions: 2900 mm x 1300 mm x 870 mm.                                                                                                                                                                                                             | 100     |



| Nr  | Title                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Start € |
|-----|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 800 | Koppens B.V.            | Koppens B.V. forming line, consisting of: Koppens B.V. forming machine with double infeed hopper, type: VM 600HD-TWR, machine number: 666, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 16.48 A, 7.68 kW, weight: 1425 kg, dye: 30 mm, total dimensions forming machine: 3400 mm x 2000 mm x 2440 mm, infeed bunker, dimensions: 4700 mm x 1900 mm x 1900 mm, 2 hydraulic units, dimensions: (2x) 1300 mm x 870 mm x 1700 mm, pallet with switch cabinets and extra forms, dye: 40 mm x 25 mm and 40 mm x 90 mm, dimensions pallet: 1200 mm x 800 mm x 500 mm. | 2500    |
| 801 | Bauer Südlohn           | Bauer Südlohn fork lift truck attachment, type: SCH-G 150, serial number: 420460, year of construction: 2012, weight: 172 kg, dimensions: 1600 mm x 1500 mm x 500 mm.                                                                                                                                                                                                                                                                                                                                                                                             | 100     |
| 802 | Multivac                | Multivac thermoformer, type: R530, serial number: 1236, year of construction: 1997, 415 V, 3 Ph, 50 Hz, 17 kW, 45 A, dye: (6x) 150 mm x 170 mm, index: 550 mm, total dimensions: 8500 mm x 1200 mm x 2000 mm. Incomplete, technical condition unknown.                                                                                                                                                                                                                                                                                                            | 1000    |
| 803 | NN deboning belt        | Deboning belt, number: S083 5350, year of construction: 1996, s/s frame, plastic belt, belt width: 640 mm, plastic rollers, roller width: 440 mm, total dimensions: 12700 mm x 1620 mm x 1410 mm.                                                                                                                                                                                                                                                                                                                                                                 | 500     |
| 804 | NN cage                 | S/s double cage for lifter, dimensions: 2050 mm x 1380 mm x 4100 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 250     |
| 805 | Kelvion                 | Kelvion evaporator, model: GOEDHART VRE-62715, serial number: 200346971, year of construction: 10/2019, 400 V, 3 Ph, 50 Hz, 4.8 A, 1880 W, weight: 490 kg, volume: 61 dm <sup>3</sup> , min/max temperature: -40 °C/55 °C, dimensions: 1850 mm x 1200 mm x 1520 mm. Missing fan.                                                                                                                                                                                                                                                                                  | 400     |
| 806 | Kelvion                 | Kelvion evaporator, model: SPB 35-F32 MARKET, serial number: 2020/11002277/1/1, year of construction: 2020, 230 V, 1 Ph, 50/60 Hz, 360 W, weight: 490 kg, min/max temperature: -40 °C/100 °C, dimensions: 1800 mm x 540 mm x 500 mm.                                                                                                                                                                                                                                                                                                                              | 400     |
| 807 | NN platform with stairs | S/s platform with stairs, working height: 1000 mm, total dimensions: 1600 mm x 760 mm x 2050 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 100     |
| 808 | NN frame                | Steel frame, dimensions: 1200 mm x 870 mm x 1770 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 10      |
| 809 | NN rack                 | Galvanized rack, dimensions: 1200 mm x 800 mm x 1800 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 25      |
| 810 | NN frame                | Galvanized frame, dimensions: 1230 mm x 1000 mm x 900 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 10      |
| 811 | NN air handling unit    | Air handling unit, dimensions: 1330 mm x 500 mm x 570 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 25      |
| 812 | NN racks                | 4 s/s racks with 9 floors, dimensions floors: 500 mm x 990 mm, dimensions racks: (4x) 1050 mm x 1050 mm x 1930 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                | 200     |
| 813 | NN tables               | 2 s/s tables with frames, dimensions: (2x) 600 mm x 840 mm x 2000 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 50      |



| Nr  | Title                | Description                                                                                                                                                                                                                                                                  | Start € |
|-----|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 814 | NN frame             | S/s frame, dimensions: 1140 mm x 740 mm x 710 mm.                                                                                                                                                                                                                            | 10      |
| 815 | NN platform          | Mobile s/s platform, working height: 1000 mm, total dimensions: 2100 mm x 1000 mm x 2000 mm.                                                                                                                                                                                 | 100     |
| 816 | GEA Goedhart         | GEA Goedhart evaporator, 2 fans, type: VCI-B 126310 G, manufacturing number: PJV120314, VK1200284/320207000, year of construction: 2012, volume: 94 dm <sup>3</sup> , PS: 28 bar, TS: +55/-18 °C, PT: 40 bar, refrigerant: R507 Dx, dimensions: 2900 mm x 1050 mm x 1100 mm. | 400     |
| 817 | Friga-Bohn           | Friga-Bohn condenser, type: Neostar, serial number: ND 0077, 400 V, 3 Ph, 50 Hz, 8 fans, dimensions: 5100 mm x 2310 mm x 1350 mm.                                                                                                                                            | 500     |
| 818 | Packo                | Packo s/s tank with agitator, dimensions: 3400 mm x 2150 mm x 2100 mm.                                                                                                                                                                                                       | 500     |
| 820 | NN screen filter     | S/s screen filter for water treatment, width sieve: (3x) 656 mm, total dimensions: 2450 mm x 1700 mm x 2750 mm.                                                                                                                                                              | 1250    |
| 821 | NN hood              | S/s hood, dimensions: 3200 mm x 1200 mm x 660 mm.                                                                                                                                                                                                                            | 25      |
| 822 | CFS                  | CFS s/s platform, type: PLATFORM, machine number: 500006/262. POS. 717, year of construction: 2009, working height: 1300 mm, total dimensions: 2400 mm x 2000 mm x 2420 mm.                                                                                                  | 300     |
| 823 | NN trolley           | S/s trolley with parts for slicer, dimensions: 1350 mm x 700 mm x 1600 mm.                                                                                                                                                                                                   | 25      |
| 824 | NN frame             | Mobile s/s frame, dimensions: 950 mm x 650 mm x 930 mm.                                                                                                                                                                                                                      | 10      |
| 825 | NN pallets           | 11 plastic pallets, dimensions: 1200 mm x 800 mm x 140 mm.                                                                                                                                                                                                                   | 50      |
| 826 | NN pallets           | 38 plastic pallets, dimensions: 1200 mm x 1000 mm x 180 mm.                                                                                                                                                                                                                  | 200     |
| 827 | NN autoclave baskets | 10 steel round autoclave baskets, diameter: (2x) 1070 mm / height: (2x) 500 mm and diameter: (8x) 900 mm / height: (8x) 750 mm.                                                                                                                                              | 250     |
| 828 | CRM                  | CRM trolley for knife sets, dimensions: 660 mm x 900 mm x 850 mm.                                                                                                                                                                                                            | 25      |
| 829 | NN trolley           | S/s trolley, 2 floors, dimensions: 550 mm x 800 mm x 850 mm.                                                                                                                                                                                                                 | 25      |
| 830 | NN waste bag holders | 3 steel waste bag holders, dimensions: (3x) 520 mm x 550 mm x 1300 mm.                                                                                                                                                                                                       | 15      |
| 831 | NN frame             | S/s frame, dimensions: 2200 mm x 1000 mm x 200 mm.                                                                                                                                                                                                                           | 50      |
| 832 | NN stairs            | S/s stairs, dimensions: 2500 mm x 700 mm x 920 mm.                                                                                                                                                                                                                           | 50      |
| 833 | NN platform          | S/s platform.                                                                                                                                                                                                                                                                | 150     |
| 834 | NN trolley           | S/s trolley, dimensions: 1000 mm x 700 mm x 950 mm.                                                                                                                                                                                                                          | 5       |
| 835 | NN rack              | S/s rack, 3 floors, dimensions: 610 mm x 590 mm x 470 mm.                                                                                                                                                                                                                    | 10      |
| 836 | NN tool trolley      | S/s tool trolley, dimensions: 1360 mm x 770 mm x 1430 mm.                                                                                                                                                                                                                    | 25      |
| 837 | NN frame             | Mobile s/s frame, dimensions: 2150 mm x 700 mm x 400 mm.                                                                                                                                                                                                                     | 25      |



| Nr  | Title                       | Description                                                                                                           | Start € |
|-----|-----------------------------|-----------------------------------------------------------------------------------------------------------------------|---------|
| 838 | NN rack for forming plates  | S/s rack for forming plates.                                                                                          | 50      |
| 839 | NN writing desk             | S/s writing desk, dimensions: 1000 mm x 600 mm x 1200 mm.                                                             | 25      |
| 840 | Sealpac                     | 3 s/s racks for Sealpac dyes, dimensions racks: (1x) 3900 mm x 1300 mm x 1350 mm and (2x) 3700 mm x 780 mm x 1740 mm. | 300     |
| 841 | NN trolley                  | S/s trolley, dimensions: 1000 mm x 650 mm x 840 mm.                                                                   | 25      |
| 842 | NN trolley                  | S/s trolley, dimensions: 840 mm x 520 mm x 900 mm.                                                                    | 25      |
| 843 | NN waste bag holder         | S/s waste bag holder, dimensions: 460 mm x 460 mm x 740 mm.                                                           | 5       |
| 844 | NN rack                     | Mobile steel rack, 20 floors, dimensions floors: (20x) 430 mm x 650 mm, total dimensions: 485 mm x 700 mm x 1615 mm.  | 10      |
| 845 | NN table                    | S/s mobile table with writing desk, dimensions: 540 mm x 650 mm x 1220 mm.                                            | 25      |
| 846 | NN plate                    | S/s plate, dimensions: 1500 mm x 1000 mm.                                                                             | 10      |
| 847 | NN floor weighing scale     | S/s floor weighing scale, dimensions: 1500 mm x 1500 mm x 70 mm and 1720 mm x 1250 mm x 70 mm.                        | 100     |
| 848 | NN frame                    | S/s frame, dimensions: 1000 mm x 420 mm x 700 mm.                                                                     | 10      |
| 849 | NN trolley                  | Aluminium trolley, dimensions: 1400 mm x 620 mm x 930 mm.                                                             | 10      |
| 850 | NN rollies                  | 31 aluminium rollies, inside dimensions: 780 mm x 500 mm, total dimensions: (31x) 850 mm x 510 mm x 150 mm.           | 150     |
| 851 | NN trolley                  | S/s trolley, dimensions: 1650 mm x 580 mm x 920 mm.                                                                   | 10      |
| 852 | NN infeed station           | Double infeed station, clearance: (2x) 550 mm x 500 mm, total dimensions: 2000 mm x 900 mm x 1100 mm.                 | 75      |
| 853 | NN table                    | Aluminium table, dimensions: 1030 mm x 720 mm x 900 mm.                                                               | 10      |
| 854 | NN roller conveyor          | Roller conveyor, s/s frame, s/s rollers, roller width: 690 mm, total dimensions: 830 mm x 500 mm x 850 mm.            | 25      |
| 855 | NN trolley                  | S/s trolley, dimensions: 840 mm x 640 mm x 970 mm.                                                                    | 25      |
| 856 | NN gutter                   | S/s gutter, gutter width: 700 mm, total dimensions: 1500 mm x 710 mm x 1280 mm.                                       | 25      |
| 857 | NN filter tubs              | 3 filter tubs, dimensions: Ø 860 mm x 1100 mm, Ø 1300 mm x 1100 mm, Ø 400 mm x 600 mm. 1 tub is broken.               | 10      |
| 858 | NN rollies                  | 10 aluminium rollies, inside dimensions: 780 mm x 500 mm, total dimensions: (10x) 850 mm x 510 mm x 150 mm.           | 50      |
| 859 | NN rollies                  | 26 aluminium rollies, inside dimensions: 780 mm x 500 mm, total dimensions: (26x) 850 mm x 510 mm x 150 mm.           | 130     |
| 860 | NN rollies                  | 10 aluminium rollies, inside dimensions: 780 mm x 500 mm, total dimensions: (10x) 850 mm x 510 mm x 150 mm.           | 50      |
| 861 | NN frame for transport belt | S/s frame for transport belt, dimensions: 1100 mm x 500 mm x 2000 mm.                                                 | 25      |
| 862 | NN rollies                  | 16 aluminium rollies, inside dimensions: 770 mm x 470 mm, total dimensions: (16x) 830 mm x 480 mm x 150 mm.           | 80      |



| Nr  | Title                 | Description                                                                                                                   | Start € |
|-----|-----------------------|-------------------------------------------------------------------------------------------------------------------------------|---------|
| 863 | Soco System           | Soco System roller conveyor, steel frame, plastic rollers, roller width: 410 mm, total dimensions: 2950 mm x 480 mm x 750 mm. | 25      |
| 864 | NN trolley            | S/s trolley, dimensions: 650 mm x 600 mm x 1150 mm.                                                                           | 25      |
| 865 | NN table with buckets | S/s table with 3 s/s buckets, dimensions: 2500 mm x 500 mm x 1100 mm.                                                         | 50      |
| 866 | NN gutter             | Mobile s/s gutter, gutter width: 480 mm, total dimensions: 1130 mm x 670 mm x 1450 mm.                                        | 25      |
| 867 | NN frame              | S/s frame, dimensions: 700 mm x 690 mm x 1520 mm.                                                                             | 25      |
| 868 | NN frame              | S/s frame, dimensions: 800 mm x 630 mm x 1030 mm.                                                                             | 25      |
| 869 | NN trolleys           | 2 steel trolleys, dimensions: (1x) 960 mm x 560 mm x 840 mm, (1x) 960 mm x 560 mm x 960 mm.                                   | 10      |
| 870 | Vink Lisse            | Vink Lisse steel trolley with wooden plates, capacity: 250 kg, dimensions: 1100 mm x 700 mm x 950 mm.                         | 25      |
| 871 | NN rollies            | 21 s/s rollies, dimensions: (21x) 770 mm x 470 mm x 170 mm.                                                                   | 25      |
| 872 | NN trolley            | S/s trolley, dimensions: 900 mm x 750 mm x 750 mm.                                                                            | 25      |
| 873 | Jures                 | Jures s/s foam mixing trolley, dimensions: 900 mm x 380 mm x 1050 mm.                                                         | 25      |
| 874 | Jures                 | Jures s/s foam mixing trolley, dimensions: 900 mm x 380 mm x 1050 mm.                                                         | 25      |
| 875 | Jures                 | Jures s/s foam mixing trolley, dimensions: 800 mm x 400 mm x 1100 mm.                                                         | 25      |
| 876 | Jures                 | Jures s/s foam mixing trolley, dimensions: 800 mm x 400 mm x 1100 mm.                                                         | 25      |
| 877 | NN sieves             | 4 s/s sieve tubs, dimensions: (3x) 550 mm x 750 mm x 100 mm and (1x) 670 mm x 490 mm x 120 mm.                                | 10      |
| 878 | NN kitchen equipment  | Plastic crate with various s/s kitchen equipment.                                                                             | 5       |
| 879 | NN kitchen equipment  | Various s/s kitchen equipment.                                                                                                | 5       |
| 880 | NN pushers            | 3 s/s pushers, length: (3x) 1030 mm.                                                                                          | 10      |
| 881 | NN writing desk       | S/s writing desk, dimensions: 740 mm x 600 mm x 300 mm.                                                                       | 25      |
| 882 | NN table              | S/s table, dimensions: 5000 mm x 650 mm x 800 mm. Without content.                                                            | 150     |
| 883 | NN rack for dyes      | S/s rack for dyes, dimensions: 1200 mm x 800 mm x 1500 mm.                                                                    | 50      |
| 884 | NN cabinet            | S/s mobile cabinet, dimensions: 600 mm x 760 mm x 1760 mm.                                                                    | 50      |
| 885 | NN table frames       | 2 s/s table frames, dimensions: (2x) 580 mm x 380 mm x 850 mm.                                                                | 10      |
| 886 | NN frame              | S/s frame for crates, crate clearance: 610 mm x 405 mm, total dimensions: 1300 mm x 850 mm x 1330 mm.                         | 50      |
| 887 | NN frame for crates   | 4 s/s frames for crates, crate clearance: 610 mm x 405 mm, total dimensions: (4x) 1300 mm x 1640 mm x 1290 mm.                | 300     |
| 888 | NN frame for crates   | 4 s/s frames for crates, crate clearance: 610 mm x 405 mm, total dimensions: (4x) 1300 mm x 1640 mm x 1290 mm.                | 300     |



| Nr  | Title                            | Description                                                                                                                                                                                                                                     | Start € |
|-----|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 889 | NN platform with stairs          | S/s platform with stairs, working height: 1450 mm, total dimensions: 3000 mm x 700 mm x 2440 mm.                                                                                                                                                | 250     |
| 890 | NN table                         | S/s table with writing desk, dimensions: 900 mm x 560 mm x 1040 mm.                                                                                                                                                                             | 25      |
| 891 | Kersting                         | Kersting 90° elevating curve conveyor, type: FB 90° Kurve, number: 24101, year of construction: 2011, 400 V, 50 Hz, s/s frame, plastic mesh belt, belt width: 610 mm, elevating height: 1620 mm, total dimensions: 3650 mm x 2150 mm x 1680 mm. | 250     |
| 892 | NON Food Machinery               | NON Food Machinery s/s turning table, type: 3540019000, serial number: 25.5.89, year of construction: 1989, ø top: 1750 mm, total dimensions: ø 1750 mm x 730 mm.                                                                               | 150     |
| 893 | Sunlight                         | Sunlight steel trolley, dimensions: 970 mm x 660 mm x 1680 mm.                                                                                                                                                                                  | 10      |
| 894 | NN table                         | S/s table, dimensions: 810 mm x 600 mm x 660 mm.                                                                                                                                                                                                | 25      |
| 895 | Carnitech a/s                    | Carnitech a/s lifter for 200 liter meat bins, type: L25, number: 69900, year of construction: 1998, 400 V, 3 Ph, 1.8 A, 0.55 kW, elevating height: 2200 mm, total dimensions: 1470 mm x 1100 mm x 3050 mm. Incomplete.                          | 200     |
| 896 | NN container trolley             | Galvanized container trolley, dimensions: 800 mm x 660 mm x 1700 mm.                                                                                                                                                                            | 10      |
| 897 | NN platform                      | S/s platform, dimensions: 1900 mm x 760 mm x 260 mm.                                                                                                                                                                                            | 50      |
| 898 | NN outfeed station               | S/s outfeed station with double slide used for ice machine, outfeed slides: (2x) 355 mm x 300 mm, total dimensions: 1580 mm x 1015 mm x 1300 mm.                                                                                                | 100     |
| 899 | NN tub                           | S/s mobile tub, dimensions: 965 mm x 1550 mm x 985 mm.                                                                                                                                                                                          | 100     |
| 900 | NN trolleys with gastronorm bins | 5 s/s trolleys with s/s gastronorm bins, 12 floors, dimensions each floor: 650 mm x 530 mm, total dimensions: (5x) 600 mm x 700 mm x 1800 mm.                                                                                                   | 125     |
| 901 | Hordijk                          | 2 Hordijk container trolleys, dimensions: (2x) 700 mm x 800 mm x 1620 mm.                                                                                                                                                                       | 10      |
| 902 | NN tables                        | 2 s/s tables with drains, dimensions: (2x) 600 mm x 600 mm x 860 mm.                                                                                                                                                                            | 50      |
| 903 | NN tables                        | 3 s/s tables with drains, dimensions: (3x) 600 mm x 600 mm x 860 mm.                                                                                                                                                                            | 75      |
| 904 | NN trolleys with gastronorm bins | S/s trolley with s/s gastronorm bins, 17 floors, dimensions each floor: 660 mm x 530 mm, total dimensions: 600 mm x 670 mm x 1680 mm.                                                                                                           | 25      |
| 905 | NN trolleys with bins            | 4 s/s trolleys with 66 s/s bins, dimensions bins: (66x) 520 mm x 640 mm x 65 mm dimensions trolleys: (4x) 600 mm x 720 mm x 1780 mm.                                                                                                            | 200     |
| 906 | NN trolleys with bins            | 8 s/s trolleys with large amount of s/s bins with drains, diameter drains: 6 mm, dimensions bins: 750 mm x 440 mm x 100 mm, dimensions trolleys: (5x) 550 mm x 820 mm x 1660 mm and (3x) 550 mm x 820 mm x 1780 mm.                             | 200     |



| Nr  | Title                   | Description                                                                                                                                                                                                                                                     | Start € |
|-----|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 907 | NN trolleys with bins   | 5 s/s trolleys with 61 s/s bins, dimensions bins: (61x) 750 mm x 440 mm x 80 mm, dimensions trolley: (5x) 520 mm x 800 mm x 1770 mm.                                                                                                                            | 250     |
| 908 | NN trolleys with bins   | 2 s/s trolleys with 28 s/s bins, dimensions bins: (28x) 520 mm x 640 mm x 65 mm, dimensions trolleys: (2x) 600 mm x 720 mm x 1780 mm.                                                                                                                           | 100     |
| 909 | NN trolleys with bins   | 3 s/s trolleys with 39 s/s bins, dimensions bins: 750 mm x 440 mm x 80 mm and 750 mm x 520 mm x 1100 mm, dimensions trolleys: (3x) 520 mm x 800 mm x 1770 mm.                                                                                                   | 150     |
| 910 | Carnitech               | Carnitech 3-lane sorting belt, s/s frame, type: PM45 number: CN24440.00, year of construction: 2005, 4 plastic mesh belts, belt width: (1x) 350 mm, (2x) 200 mm, (1x) 200 mm, 7 places for ergo steps, total dimensions: 8000 mm x 1250 mm x 1950 mm.           | 500     |
| 911 | Holland Healing BV      | Holland Healing BV fan, type: H-CDA 182, 220-380 V, dimensions: Ø 920 mm x 800 mm.                                                                                                                                                                              | 25      |
| 912 | WMH                     | WMH 4-lane elevating belt, model: incline conveyor, serial number: 10405-10, year of construction: 01/2017, 230 V, weight: 420 kg, s/s frame, plastic belts, belt width: (4x) 225 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1600 mm x 2400 mm. | 400     |
| 913 | WMH                     | WMH 4-lane elevating belt, s/s frame, plastic belts, belt width: (4x) 225 mm, elevating height: 1600 mm, total dimensions: 5700 mm x 1500 mm x 2450 mm.                                                                                                         | 400     |
| 914 | NN transport belt       | Transport belt, s/s frame, plastic belts, belt width: (2x) 230 mm, 500 mm and 1000 mm, total dimensions: 5200 mm x 2100 mm x 1500 mm.                                                                                                                           | 400     |
| 915 | L.A.C. Conveyor Systems | L.A.C. Conveyor Systems mobile elevating belt, s/s frame, plastic mesh belt, belt width: 300 mm, elevating height: 1460 mm, total dimensions: 3200 mm x 800 mm x 1500 mm.                                                                                       | 75      |
| 916 | L.A.C. Conveyor Systems | L.A.C. Conveyor Systems curve conveyor with elevating belt, s/s frame, plastic mesh belt, belt width: 300 mm, elevating height: 1500 mm, total dimensions: 3700 mm x 1500 mm x 1520 mm. Incomplete.                                                             | 75      |
| 917 | L.A.C. Conveyor Systems | L.A.C. Conveyor Systems curve conveyor, type: Modular Conveyor, serial number: CP1024-200, year of construction: 2016, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 3300 mm x 1000 mm x 920 mm.                                          | 150     |
| 918 | NN transport belt       | Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 3300 mm x 600 mm x 930 mm.                                                                                                                                                       | 75      |
| 919 | NN elevating belt       | Mobile elevating belt with dividers, s/s frame, plastic mesh belt, belt width: 700 mm, divider height: 50 mm, distance between dividers: 600 mm, elevating height: 2200 mm, total dimensions: 5700 mm x 900 mm x 2400 mm.                                       | 400     |





| Nr  | Title                        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Start € |
|-----|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 920 | ENE ltd                      | ENE ltd S-shaped conveyor, type: S Bend Conv., serial number: 302725, year of constructions: 2006, s/s frame, plastic mesh belt, belt width: 450 mm, total dimensions: 2850 mm x 1600 mm x 740 mm and 2300 mm x 2500 mm x 740 mm.                                                                                                                                                                                                                               | 300     |
| 921 | Proseal                      | Proseal double transport belt, s/s frame, plastic mesh belt, belt width: (2x) 230 mm, belt length: 2450 mm / 1550 mm, total dimensions: 2500 mm x 1200 mm x 1070 mm.                                                                                                                                                                                                                                                                                            | 150     |
| 922 | NN table                     | S/s table, dimensions: 1000 mm x 450 mm x 600 mm.                                                                                                                                                                                                                                                                                                                                                                                                               | 50      |
| 923 | NN curve conveyor            | Curve conveyor, s/s frame, plastic mesh belt, belt width: 500 mm, total dimensions: 2400 mm x 2500 mm x 1100 mm.                                                                                                                                                                                                                                                                                                                                                | 150     |
| 924 | NN rollies                   | 2 steel rollies, dimensions: (2x) 800 mm x 600 mm x 170 mm.                                                                                                                                                                                                                                                                                                                                                                                                     | 5       |
| 925 | GRT Maintenance BV.          | GRT Maintenance BV. s/s frame for curve conveyor, type: L90-600, machine number: 03, year of construction: 2014, 266 / 460 V, 3 Ph, 50 Hz, belt width: 600 mm, total dimensions: 2000 mm x 1150 mm x 1250 mm.                                                                                                                                                                                                                                                   | 75      |
| 926 | L.A.C. Conveyor Systems      | L.A.C. Conveyor Systems mobile elevating belt, s/s frame, plastic mesh belt, belt width: 300 mm, elevating height: 1520 mm, total dimensions: 4500 mm x 600 mm x 1550 mm. Incomplete.                                                                                                                                                                                                                                                                           | 75      |
| 927 | NN table                     | S/s table with dip tray, dimensions: 2320 mm x 1450 mm x 910 mm.                                                                                                                                                                                                                                                                                                                                                                                                | 100     |
| 928 | NN platform                  | S/s platform with steel step, dimensions: 1000 mm x 720 mm x 600 mm.                                                                                                                                                                                                                                                                                                                                                                                            | 25      |
| 929 | NN part of hanging line      | 2 conveyors for hanging line, total dimensions: 3700 mm x 1400 mm x 700 mm.                                                                                                                                                                                                                                                                                                                                                                                     | 150     |
| 930 | NN tub                       | S/s tub, dimensions: 630 mm x 630 mm x 740 mm.                                                                                                                                                                                                                                                                                                                                                                                                                  | 50      |
| 931 | Schutz                       | 7 Schutz plastic IBC tanks and 1 pallet with cage, volume: 1000 liter, dimensions: (8x) 1200 mm x 1000 mm x 1150 mm.                                                                                                                                                                                                                                                                                                                                            | 60      |
| 932 | E.S.A. Group Odor Technology | E.S.A. Group Odor Technology gas washing installation, consisting of: 4 plastic gas washing tanks, dimensions: (3x) 3000 mm x 4200 mm x 4450 mm, (1x) 3200 mm x 2900 mm x 4450 mm, blower, dimensions: 2700 mm x 3700 mm x 2850 mm, switch cabinet, dimensions: 1800 mm x 500 mm x 2200 mm, 4 plastic cabinets with Prominent dosing pump, capacity: 13.5 liter per hour, dimensions cabinets: (4x) 700 mm x 550 mm x 1000 mm. Lot has already been dismantled. | 1500    |
| 933 | NN protection railing        | 21 pieces of steel protection railing, dimensions: (21x) 4800 mm x 310 mm.                                                                                                                                                                                                                                                                                                                                                                                      | 50      |
| 934 | NN dye's                     | Dye's for traysealer, dimensions: (2x) 220 mm x 150 mm and (2x) Ø 230 mm.                                                                                                                                                                                                                                                                                                                                                                                       | 20      |
| 935 | Witt                         | Witt gas mixing station, number: 35554, year of construction: 1999, dimensions: 320 mm x 240 mm x 210 mm.                                                                                                                                                                                                                                                                                                                                                       | 25      |



| Nr  | Title                 | Description                                                                                                                                                                                                                                                                                                                                                                      | Start € |
|-----|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 936 | NN switch cabinets    | Pallet with 4 switch cabinets, dimensions each: 800 mm x 240 mm x 150 mm.                                                                                                                                                                                                                                                                                                        | 25      |
| 937 | NN fan                | Fan, diameter fan: 470 mm, total dimensions: 600 mm x 520 mm x 1070 mm.                                                                                                                                                                                                                                                                                                          | 25      |
| 938 | Spar                  | Spar mixer, model: 22HI-B, serial number: 2006122, 230 V, 1 Ph, 50 Hz, 0.55 kW, dimensions: 460 mm x 450 mm x 880 mm.                                                                                                                                                                                                                                                            | 50      |
| 939 | Ca.Ve.Co.             | Ca.Ve.Co. mobile traysealer, type: LC1-TV GAMMA EX, serial number: 22 03, year of construction: 04-07-2003, 400 V, 50 Hz, 16 A, 11 kW, dye: (5x) Ø 100 mm, total dimensions: 3100 mm x 1400 mm x 2000 mm. Incomplete, technical condition unknown.                                                                                                                               | 1000    |
| 940 | NN coating machine    | Coating machine, s/s mesh belt, belt width: 710 mm, total dimensions: 1300 mm x 750 mm x 1150 mm.                                                                                                                                                                                                                                                                                | 650     |
| 941 | NN denesters          | 2 s/s denesters, clearance: (2x) 220 mm x 105 mm, total dimensions: (2x) 980 mm x 690 mm x 1900 mm. Including spare parts, clearance: 160 mm x 130 mm and 170 mm x 130 mm.                                                                                                                                                                                                       | 300     |
| 942 | NN cooling cell       | Cooling cell, dimensions: 2100 mm x 1400 mm x 1450 mm. Lot is located on another location in Middelbeers (NL). Pick-up in consultation with Industrial Auctions BV.                                                                                                                                                                                                              | 50      |
| 943 | NN refrigerated doors | 4 refrigerated doors, dimensions: 2600 mm x 3600 mm, 2550 mm x 2000 mm, 2550 mm x 1950 mm and 1400 mm x 2020 mm. Lot is located on another location in Middelbeers (NL). Pick-up in consultation with Industrial Auctions BV.                                                                                                                                                    | 50      |
| 944 | Grasso                | Grasso piston compressor, type: RC49, serial number: 93121723, year of construction: 1994, refrigerant: NH3, maximum volume flow rate: 281.1 m <sup>3</sup> /hour, maximum design pressure: 21 bar, 1450 rates per minute, dimensions: 2000 mm x 1000 mm x 1600 mm. Lot is located on another location in Middelbeers (NL). Pick-up in consultation with Industrial Auctions BV. | 1800    |
| 945 | Grasso                | Grasso piston compressor, type: RC29, serial number: 7031571, year of construction: 1987, refrigerant: NH3, maximum volume flow rate: 140.6 m <sup>3</sup> /hour, maximum design pressure: 21 bar, 1450 rpm, dimensions: 2000 mm x 1000 mm x 1600 mm. Lot is located on another location in Middelbeers (NL). Pick-up in consultation with Industrial Auctions BV.               | 1400    |

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a



lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

## **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



## This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

