



**Industrial
Auctions**

**1869: Online auction machinery for the food
industry in Emmerich am Rhein (DE)**

END DATE
06 August 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	06 August 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	13 August 2025 from 09:00 till 16:00 hrs.
Pick up address	Dechant-Sprünken-Straße 51B 46446 Emmerich am Rhein Germany
Pick up instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN spiral mixer	Spiral mixer with infeed gutter, s/s bowl, diameter bowl: 900 mm, height: 500 mm, total dimensions: 1750 mm x 1500 mm x 2270 mm.	3000
2	Mettler Toledo	Mettler Toledo grinder, diameter plate: 98 mm, total dimensions: 900 mm x 520 mm x 1080 mm.	250
3	Berkel	Berkel grinder, plate diameter: 98 mm, total dimensions: 900 mm x 560 mm x 1200 mm. Missing plate.	250
4	Verbufa	Verbufa mobile forming machine, type: 51478-C-0011, serial number: 206880, 230 V, 50 Hz, 16 A, weight: 580 kg, plastic belt, belt width: 400 mm, total dimensions: 1800 mm x 1100 mm x 1620 mm. Including crate with parts.	4000
5	Still	Still electric pallet lifter, type/model: EXD-SF 20, serial number: F20284J00192, year of construction: 2018, capacity: 2000 kg, weight (without battery): 949 kg, weight battery: 209 kg, lifting height: 1780 mm, working hours: 1745.2 hour, dimensions: 2000 mm x 720 mm x 1540 mm.	800
6	Mainca	Mainca bandsaw, type: SM-182, serial number: 2359, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 2,9 A, 0,92 kW, dimensions: 530 mm x 750 mm x 950 mm.	200
7	Glass	Glass vacuum tumbler, type: VSM 600 K, machine number: 2164, year of construction: 1997, 400 V, 50 Hz, 12.6 A, 4.05 kW, diameter tub: 930 mm, height: 820 mm, total dimensions: 1950 mm x 1400 mm x 2050 mm. Incomplete, defect.	1000
8	H. Wichelmann	H. Wichelmann mobile slicer for fish and chicken, type: SägeA1, machine number: 3132, year of construction: 2008, plastic belt, belt width: 200 mm, 13 knives, distance between knives: 20 mm, working width: 250 mm, total dimensions: 2980 mm x 1100 mm x 2080 mm.	1000
9	Magurit	Magurit mobile slicer, plastic belt, belt width: (2x) 380 mm, clearance: 380 mm x 140 mm, 32 knives, distance between knives: 10 mm, working width: 390 mm, total dimensions: 2500 mm x 1600 mm x 1750 mm. Including 3 tool trolleys and 2 extra knives, (1x) 63 knives, distance between knives: 5 mm, (1x) 23 knives, distance between knives: 15 mm, (2x) working width: 390 mm.	6000
11	Koppens	Koppens mobile transport belt, type: TG 1000/600, machine number: TG 1000 / 600-797, 380 V, 3 Ph, 50 Hz, 0.35 A, 0.09 kW, machine weight: 80 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1050 mm x 800 mm x 1020 mm.	300
13	Busch	2 Busch vacuum pumps on s/s rack, type: 251-512 023, vacuum: 0.5 mbar and type: CB 0220 D 1, number: 03050125, year of construction: 2003, capacity: 220 m³ per hour, dimensions: 1000 mm x 400 mm x 1630 mm.	400



Nr	Title	Description	Start €
14	Dixie Union	Dixie Union transport belt, type: HV090.9731, year of construction: 1999, plastic wire belt, belt width: 330 mm, total dimensions: 980 mm x 620 mm x 1160 mm.	50
15	Erdmann GmbH & Co.KG	Erdmann GmbH & Co.KG mobile cleaning tub, type: W1-US/SP, number: 211-226, year of construction: 10/2011, 24 V, 6/9 kW, 2x 1000 W, inside dimensions: 900 mm x 720 mm x 850 mm, total dimensions: 1570 mm x 1100 mm x 1200 mm.	400
16	NN infeed bunker	S/s infeed bunker, inside dimensions: 1250 mm x 1230 mm x 850 mm, diameter pipe: 100 mm, total dimensions: 1550 mm x 1350 mm x 930 mm.	400
17	Varmec	Varmec s/s turning table, type: RCV 202A NF120 I=37.31 IEC 63 D.19X40, number: 1902333, year of construction: 10/04/2019, diameter table: 980 mm, total dimensions: 1100 mm x 1000 mm x 900 mm.	300
18	Stöber	Stöber s/s turning table, type: C102G-0350-C002F-, number: 960763 0280-D63K4, diameter table: 1000 mm, total dimensions: 1020 mm x 1080 mm x 930 mm.	300
19	Florin	Florin mobile transport belt, type: Met 30 + 1H 660x254 SO 13686/1, number: 2931, year of construction: 02/03, 230/400 V, 50 Hz, plastic belt, belt width: 610 mm, total dimensions: 5000 mm x 900 mm x 900 mm. Plastic belt melted.	300
20	Höfelmeyer	Höfelmeyer floor weighing scale, type: HTF60E, serial number: 1601625 / 536227 1216, 230 V, 50/60 Hz, scale dimensions: 1500 mm x 1250 mm, total dimensions: 2050 mm x 1500 mm x 210 mm.	250
21	Treif	Treif dicer, type: 1401, machine number: 140106.75051.0315, year of construction: 1993, 220/380 V, 3 Ph, 50 Hz, 13/25 A, dimensions chamber: 120 mm x 120 mm, total dimensions: 700 mm x 750 mm x 1200 mm. Including extra grids	1000
22	Hoegger	Hoegger ham press, type: SP280, serial number: 02-168, year of construction: 2014WR, 240 V, 50/60 Hz, 10/13 A, weight: 2000 kg, dimensions forms: 120 mm x 60 mm and 170 mm x 70 mm, dimensions: 2300 mm x 780 mm x 1670 mm.	2500
23	Glass	Glass tumbler, type: VSM/F 600, machine number: 2350, year of construction: 1998, 8 A, 3.2 kW, dimensions: 1700 mm x 1300 mm x 2100 mm. Defect.	2000
24	Rühle	Rühle cooled vacuum tumbler, machine number: 319, Busch vacuum pump, type: KC 0016 D IZO, serial number: 080087865, year of construction: 2008, capacity: 16 m ³ per hour, dimensions: 1950 mm x 1300 mm x 2300 mm. Technical condition unknown, without lifter for meat bins.	1500



Nr	Title	Description	Start €
25	H. Wichelmann	H. Wichelmann elevating belt, type: TRANSPB, machine number: 000406, year of construction: 2000, TRM037 kW, plastic belt, belt width: 400 mm, elevating height: 1350 mm, total dimensions: 1950 mm x 600 mm x 1600 mm.	300
26	Steiner	Steiner tumbler, type: TB 2500, machine number: 06-1142, year of construction: 11-2006, 400 V, 0.75 kW, capacity: 2500 liter, dimensions: 4800 mm x 2900 mm x 2350 mm.	1500
27	Food Process Technology	Food Process Technology mobile contact cooker, type: BV90-4, serial number: 61112-2, year of construction: 2019, teflon belt, belt width: (2x) 430 mm, total dimensions: 2700 mm x 1050 mm x 1540 mm.	4500
28	NN press	Hydraulic press, dimensions pressing device: 75 mm x 75 mm, total dimensions: 780 mm x 600 mm x 1750 mm.	50
29	Garvens Automation GmbH	Garvens Automation GmbH checkweigher belt, type: VS3, machine number: 51773, year of construction: 1996, 230 V, 50 Hz, weight max/min: 2 kg/1 g, focus range: 2600 mg, e=0,5 g, pack./minute: 60, plastic belt, belt width: 300 mm, total dimensions: 1350 mm x 750 mm x 1380 mm. Machine is not working.	300
30	Heinrich	Heinrich s/s turning table, diameter table: 980 mm, total dimensions: 1100 mm x 1040 mm x 920 mm.	300
31	Sartorius	Sartorius weighing device for 200 liter meat bins, type indicator: DX BQ 300, number: D02-09-007, dimensions: 1100 mm x 800 mm x 1150 mm.	150
32	Frey	Frey piston filler, type: Kompakta 2, dimensions: 700 mm x 750 mm x 1200 mm.	500
33	NN pump	S/s pump, diameter pipe: 100 mm, total dimensions: 1800 mm x 1700 mm x 1270 mm.	1500
34	NN slicer	Mobile slicer, dimensions: 1380 mm x 500 mm x 1040 mm.	50
35	H. Wichelmann	H. Wichelmann mobile breading system for the drum coater using potato starch, type: Tro 03, machine number: 2300/3, year of construction: 2000, s/s mesh belt, belt width: 600 mm, diameter drum: 730 mm, screw diameter: 230 mm, tier: 230 mm, total dimensions: 5300 mm x 1800 mm x 1880 mm.	7000
36	Cryovac	Cryovac dip tank, type: CUVE 600 FRM ELEC, serie: CF 137.00.00, number: 06, year of construction: 11/90, 380 V, 3 Ph, 50 Hz, 24 kW, clearance: 540 mm x 325 mm, total dimensions: 1550 mm x 900 mm x 2450 mm. Fan motor defect.	200
37	NN paddle mixer	Mobile paddle mixer, inside dimensions: 780 mm x 1700 mm x 950 mm, total dimensions: 2300 mm x 1250 mm x 1930 mm. Including product pump. Technical condition unknown.	750



Nr	Title	Description	Start €
38	Convenience Food Systems	Convenience Food Systems mobile dividing belt, type: ZWEILAGENB. 991.2182, number: 778.0296, year of construction: 2004, belt width: 400 mm, total dimensions: 4050 mm x 970 mm x 1830 mm.	400
39	Memmert/Melag	Memmert incubator, 2 floors, dimensions floors: (2x) 1000 mm x 480 mm, total dimensions: 1100 mm x 700 mm x 1100 mm with Melag incubator, type: 80, nr: F80623, 220 V, 50 Hz, 0.55 A, 120 W, floor dimensions: 140 mm x 110 mm, inside dimensions: 140 mm x 110 mm x 310 mm, total dimensions: 270 mm x 130 mm x 420 mm.	50
40	Rühle	Rühle cooled vacuum tumbler, inside dimensions: Ø 570 mm x 480 mm, total dimensions: 1130 mm x 1100 mm x 1270 mm.	700
41	Horbach	Horbach mobile tumbler, type: HUT 400, serial number: 0393002, year of construction: 1998, volume: 400L, dimensions: 950 mm x 1400 mm x 1850 mm.	1000
42	Handtmann	Handtmann mobile linking machine, dimensions: 1500 mm x 700 mm x 1250 mm. Incomplete.	200
43	H. Wichelmann	H. Wichelmann mobile wet coating machine, type: DIPPER, machine number: 000120, year of construction: 2000 mm, 037-055 kW, s/s mesh belt, belt width: 620 mm, total dimensions: 2300 mm x 1150 mm x 1640 mm.	200
44	Koppens	Koppens mobile battering machine, type: PRS 600, machine number: PRS 600-989, 380 V, 3 Ph, 50 Hz, 9.07 A, 3.67 kW, weight: 450 kg, s/s mesh belt, belt width: 620 mm, roll length: 600 mm, total dimensions: 2650 mm x 1100 mm x 1800 mm. Incomplete.	1500
45	Haacon	Haacon mobile lifter, type: 220-0.3, year of construction: 1993, lifter width: 530 mm, length forks: (2x) 600 mm, lifting height: 1650 mm, total dimensions: 1040 mm x 600 mm x 2000 mm.	50
46	Koppens	Koppens mobile pre-duster, type: PRM600MEG, machine number: 1365, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 13.75 A, 4.05 kW, weight: 875 kg, s/s mesh belt, belt width: 600 mm, clearance: 620 mm x 110 mm, Ø screw: 180 mm, total dimensions: 3300 mm x 1100 mm x 1800 mm.	1500
47	CFS	CFS mobile coating machine, type: WTC 600, machine number: 1721, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 8.95 a, 3.81 kW, weight: 195 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1350 mm x 1150 mm x 1850 mm.	500
48	NN coating machine	Mobile coating machine, s/s mesh belt, belt width: 600 mm, total dimensions: 1730 mm x 900 mm x 1550 mm.	500
49	NN gutter	Mobile s/s gutter, gutter width: 425 mm, total dimensions: 1450 mm x 700 mm x 1420 mm.	50



Nr	Title	Description	Start €
50	NN brine mixer	Mobile brine mixer, volume: 200 liter, dimensions: 1000 mm x 800 mm x 1180 mm. Technical condition unknown, Incomplete	200
51	NN transport belt	Transport belt, plastic belt, belt width: 290 mm, clearance: 310 mm x 140 mm, s/s rollers, roller length: 300 mm, total dimensions: 1700 mm x 700 mm x 1530 mm.	200
52	Dito-Sama	Dito-Sama mobile mixer, type: TBS120, number: B581, year of construction: 12/96, 400 V, 3 Ph, 50 Hz, 4.2/2.4 A, 900 Watt, dimensions: 1400 mm x 650 mm x 1020 mm.	500
53	Boekels	Boekels checkweigher, type: EWK 438, number: 7.89.91.05.127, year of construction: 1992, 220 V, 50 Hz, plastic wire belt, belt width: 205 mm, total dimensions: 1150 mm x 1100 mm x 1850 mm.	50
54	Günther	Günther injector, type: PI 21, machine number: 23585, 380 V, 16 A, 21 needles, plastic mesh belt, belt width: 260 mm, clearance: 280 mm x 200 mm, total dimensions: 1450 mm x 580 mm x 1950 mm.	250
55	Baader	Baader separator frame, type: 695, machine number: 12 5537 0695, year of construction: 1979, 380 V, 3 Ph, 50 Hz, 5.4 kW, dimensions: 1100 mm x 1250 mm x 1460 mm. Incomplete.	200
56	NN elevating belt	Elevating belt, plastic belt, belt width: 260 mm, elevating height: 1530 mm, total dimensions: 2250 mm x 720 mm x 2070 mm.	200
57	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 280 mm, dividers height: 35 mm, distance between dividers: 160 mm, elevating height: 1870 mm, total dimensions: 1800 mm x 650 mm x 2000 mm.	500
58	NN mixer tank	Mobile mixer tank, dimensions tank: Ø 790 mm x 700 mm, total dimensions: 1200 mm x 900 mm x 1300 mm.	300
60	NN table	S/s table with plastic work top dimensions: 620 mm x 520 mm x 1200 mm.	25
61	NN brushing machine	Mobile s/s brushing machine, brush length: 175 mm, total dimensions: 1200 mm x 610 mm x 1000 mm.	50
62	NN mixer tank	Mobile mixer tank, dimensions tank: Ø 790 mm x 700 mm, total dimensions: 1200 mm x 900 mm x 1300 mm.	300
63	Cyklop	Cyklop mobile strapping machine, type: BETA90-500, machine number: 812.542, year of construction: 1990, 380 V, 50 Hz, working width: 500 mm, total dimensions: 1160 mm x 500 mm x 1550 mm.	75
64	NN elevating belt	Elevating belt, plastic belt, belt width: 500 mm, elevating height: 1430 mm, total dimensions: 2800 mm x 800 mm x 1850 mm.	400



Nr	Title	Description	Start €
65	NN rollies	4 rollies and 1 frame, dimensions rollies: (2x) 620 mm x 420 mm x 160 mm, (1x) 670 mm x 420 mm x 160 mm, (1x) 810 mm x 510 mm x 180 mm, dimensions frame: 900 mm x 550 mm x 140 mm.	150
66	NN tub	S/s tub, inside dimensions: 1800 mm x 800 mm x 570 mm, total dimensions: 1850 mm x 950 mm x 1070 mm.	200
67	NN meat bin	S/s meat bin, volume: 200 liter. Missing wheel.	100
68	NN trolley	Trolley, dimensions: 1000 mm x 600 mm x 650 mm.	25
69	NN trolley with hooks	S/s trolley with hooks, dimensions: 1800 mm x 940 mm x 1700 mm.	100
70	NN tub	S/s tub, inside dimensions: 2300 mm x 1280 mm x 520 mm, total dimensions; 2380 mm x 1380 mm x 970 mm.	400
71	NN infeed gutter	S/s mobile infeed gutter for Henneken tumbler, dimensions: 1100 mm x 1050 mm x 1930 mm.	25
72	NN table	S/s table, dimensions: 1400 mm x 1100 mm x 1000 mm.	50
73	NN table	S/s table with plastic work top, dimensions: 1550 mm x 1400 mm x 830 mm.	75
74	NN table	S/s table with plastic work top, dimensions: 1550 mm x 1400 mm x 830 mm. Plastic top is to big.	75
75	NN evaporator	Evaporator, 4 fans, dimensions: 2700 mm x 900 mm x 680 mm. Technical condition unknown.	25
76	GEA	3 GEA evaporators, dimensions: (1x) 2650 mm x 550 mm x 670 mm, (1x) 1680 mm x 600 mm x 650 mm, (1x) 1880 mm x 700 mm x 700 mm. Incomplete, missing fans.	50
77	NN meat bins	5 s/s meat bins, volume: (5x) 120 liter.	750
78	NN rack	S/s rack, dimensions: 2900 mm x 600 mm x 1820 mm.	50
79	CFS	CFS dyes for forming machine, dye dimensions: (10x) 105 mm x 900 mm, (19x) 50 mm x 30 mm, total dimensions: 1200 mm x 800 mm x 160 mm.	150
80	L'Unite Hermetique / Tecumseh	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: TFH2511X and TFH2511Z, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions: 1200 mm x 800 mm x 800 mm.	100
81	L'Unite Hermetique / Tecumseh	L'Unite Hermetique / Tecumseh condensing unit, year of construction: 02/07/21, 380-420 V, 3 Ph, 50 Hz, 5.3 A, dimensions: 1200 mm x 800 mm x 700 mm. Including 2 switch cabinets.	100
82	August Sauter	August Sauter hook weighing scale, type: FN, number: 429 428, maximum weight: 200 kg, minimum weight: 5 kg, e=d= 100 gram, dimensions: 600 mm x 300 mm x 1400 mm.	25
83	Roller	Roller evaporator, 1 fan, type: HVS 705, serial number: 00 251 65 0059, year of construction: 2000, dimensions: 720 mm x 400 mm x 600 mm.	25



Nr	Title	Description	Start €
84	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: II, year of construction: 1976, capacity: 2.2/4.4 m ³ per hour, dimensions: 700 mm x 460 mm x 450 mm.	50
85	NN evaporator	Evaporator, 3 fans, dimensions: 1150 mm x 500 mm x 50 mm.	10
86	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 4V-10.2, capacity: 33.07 m ³ per hour, dimensions: 1300 mm x 800 mm x 1300 mm.	250
87	Roller	Roller evaporator, 1 fan, type: HVS 705, serial number: 00 251 65 0059, year of construction: 2000, dimensions: 720 mm x 400 mm x 600 mm.	25
88	Roller	Roller evaporator, 3 fans, type: HVU 108-S, number: 2406-4, 380 V, 3 Ph, 50 Hz, dimensions: 1800 mm x 600 mm x 620 mm.	100
89	Roller	Roller evaporator, 3 fans, type: HVU 108-S, number: 2406-4, 380 V, 3 Ph, 50 Hz, dimensions: 1800 mm x 600 mm x 620 mm.	100
90	NN curved conveyor	45° curved conveyor, plastic belt, belt width: 80 mm, total dimensions: 1300 mm x 550 mm x 900 mm.	50
91	NN ramp	S/s ramp, dimensions: 4500 mm x 1050 mm x 300 mm.	50
92	NN hook weighing scale	Hook weighing scale with indicator, type indicator: IT3000, dimensions: 600 mm x 650 mm x 1300 mm.	25
93	NN transport belt	Transport belt, plastic belt, belt width: 600 mm, total dimensions: 1000 mm x 780 mm x 1070 mm.	200
94	NN floor weighing scale	Floor weighing scale, dimensions: 2600 mm x 1350 mm x 200 mm.	50
95	Therma Grossküchen Produktion AG	Therma Grossküchen Produktion AG cooking vessel, type: BEN300S.S25,F981, serial number: 01500094, 230 V, 1 Ph, 50 Hz, 0.2 A, 0.25, inside dimensions: 1050 mm x 550 mm x 550 mm, total dimensions: 1400 mm x 1000 mm x 1400 mm.	150
96	NN frame	S/s frame, dimensions: 1220 mm x 900 mm x 60 mm.	10
97	Audion Elektro	Audion Elektro seal bar, type: 820 MGM-2, serial number: 1006690, year of construction: 2011, 230 V, 50 Hz, 8 A, 1300 W, seal length: 900 mm, total dimensions: 940 mm x 200 mm x 240 mm.	25
98	NN trolley	S/s trolley, dimensions: 1030 mm x 900 mm x 900 mm.	25
99	NN meat bin	S/s meat bin, volume: 200 liter.	200
100	Siegfried Frenzen	Siegfried Frenzen mobile assembly crane, type: 500 GK, fabrication number: 8008 7794, capacity: 500 kg, weight: 350 kg, dimensions: 1550 mm x 800 mm x 1700 mm.	100
101	NN trolley	S/s trolley, 2 floors, dimensions: 450 mm x 240 mm x 770 mm.	10
102	NN platform	S/s mobile platform, 2 steps, working height: 500 mm, total dimensions: 1500 mm x 780 mm x 500 mm.	25



Nr	Title	Description	Start €
103	NN meat bins	3 s/s meat bins, volume: (3x) 200 liter.	500
104	NN trolley	S/s trolley, 3 floors, total dimensions: 1450 mm x 730 mm x 1790 mm.	25
105	NN meat bin	S/s meat bin, inside dimensions: 700 mm x 630 mm x 500 mm, total dimensions: 900 mm x 670 mm x 670 mm.	250
106	NN smoke trolley	S/s smoke trolley, 7 floors with plates, floor dimensions: (7x) 1000 mm x 940 mm, plate dimensions: (14x) 1000 mm x 470 mm, total dimensions: 1030 mm x 1030 mm x 1920 mm.	50
107	NN table	Aluminum table, dimensions: 1510 mm x 910 mm x 850 mm.	100
109	NN stairs	S/s stairs, 3 steps, working height: 600 mm, total dimensions: 960 mm x 800 mm x 1580 mm.	25
110	NN lids	2x s/s lid, dimensions: (2x) 750 mm x 690 mm x 100 mm.	10
111	NN smoke trolley	S/s smoke trolley, 7 floors, 4 plates, plate dimensions: 900 mm x 900 mm, total dimensions: 950 mm x 1000 mm x 1810 mm.	50
112	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: (6x) 950 mm x 930 mm, total dimensions: 1000 mm x 1010 mm x 1990 mm.	50
113	NN smoke trolley	S/s smoke trolley, 6 floors, floor dimensions: 950 mm x 950 mm, total dimensions: 1020 mm x 950 mm x 1900 mm.	50
114	NN smoke trolleys	3 smoke trolleys, (1x) 9 floors, floor dimensions: (9x) 1020 mm x 940 mm, total dimensions: 1050 mm x 1050 mm x 1860 mm, (1x) 8 floors, floor dimensions: (8x) 990 mm x 960 mm, total dimensions: 1000 mm x 1020 mm x 1940 mm, (1x) 7 floors, floor dimensions: (7x) 960 mm x 950 mm, total dimensions: 980 mm x 1020 mm x 1860 mm.	150
115	NN smoke trolley	S/s smoke trolley, 8 floors, floor dimensions: 950 mm x 950 mm, total dimensions: 1020 mm x 960 mm x 1860 mm.	50
116	NN filling pipes	Trolley with filling pipes, diameter pipes: (1x) Ø 150 mm, (1x) Ø 110 mm, (1x) Ø 145 mm, (1x) Ø 115 mm, total dimensions: 1650 mm x 800 mm x 1470 mm.	50
117	NN filling pipes	Trolley with filling pipes, diameter pipes: (1x) Ø 125 mm, (1x) Ø 130 mm, (1x) Ø 135 mm, (1x) Ø 145 mm, total dimensions: 1730 mm x 940 mm x 1470 mm.	50
118	NN table	S/s table, dimensions: 700 mm x 700 mm x 900 mm.	25
119	NN cooking vessel	Cooking vessel, inside dimensions: 1490 mm x 1000 mm x 750 mm, total dimensions: 1720 mm x 1350 mm x 1050 mm.	350
120	NN cooking vessel	Cooking vessel, inside dimensions: 1490 mm x 1000 mm x 750 mm, total dimensions: 1720 mm x 1350 mm x 1050 mm.	350



Nr	Title	Description	Start €
121	NN cooking vessel	Cooking vessel, inside dimensions: 1490 mm x 1000 mm x 750 mm, total dimensions: 1720 mm x 1350 mm x 1050 mm.	350
122	NN cooking vessel	Cooking vessel, inside dimensions: 1490 mm x 1000 mm x 750 mm, total dimensions: 1720 mm x 1350 mm x 1050 mm.	350
123	Tecnodom S.P.A	Tecnodom S.P.A cooling cabinet, 3 doors, total dimensions: 1880 mm x 700 mm x 840 mm.	150
124	NN trolley	S/s trolley, dimensions: 1400 mm x 500 mm x 1450 mm.	25
125	NN trolley	Steel trolley, dimensions: 1450 mm x 750 mm x 1800 mm.	50
126	NN solar panels	6 solar panels, dimensions: 1650 mm x 990 mm x 50 mm.	100
127	TVM	TVM portioning machine, plastic belt, belt width: 200 mm, total dimensions: (1x) 1600 mm x 750 mm x 1260 mm, (1x) 1080 mm x 610 mm x 990 mm. Incomplete. Technical condition unknown.	100
128	NN doors	2 doors, dimensions door: (2x) 1640 mm x 2050 mm, total dimensions: 3600 mm x 1700 mm x 900 mm.	50
129	Scholl	Scholl au bain-marie, serial number: 511621-001, 400 V, 50 Hz, 4.0 kW, inside dimensions: 1280 mm x 510 mm x 210 mm, total dimensions: 1550 mm x 600 mm x 300 mm.	25
130	Berto's SPA	Berto's SPA frying pan, type: E9BM8M, serial number: 11021/61671, 230 V, 50/60 Hz, 3 kW, inside dimensions: 690 mm x 630 mm x 170 mm, total dimensions: 900 mm x 800 mm x 950 mm. Technical condition unknown.	250
131	NN frame	S/s frame, dimensions: 1200 mm x 580 mm x 530 mm.	5
132	NN frame	Frame, dimensions: 1600 mm x 900 mm x 860 mm.	50
133	NN hooks	Plastic crate with hooks, dimensions: 600 mm x 400 mm x 150 mm.	10
134	NN frames	2 s/s frames, dimensions: (2x) 1450 mm x 950 mm x 100 mm.	20
135	NN rack	Steel rack, 2 floors, dimensions: 1520 mm x 650 mm x 1780 mm.	75
136	NN hooks	Large amount of organ hangers, length: 1500 mm and 1300 mm, total dimensions: 1900 mm x 800 mm x 650 mm.	100
137	NN trolley	S/s trolley for dyes, dimensions: 1300 mm x 1340 mm x 700 mm. Incomplete.	100
138	NN trolley	S/s trolley for dyes, dimensions: 1300 mm x 1340 mm x 700 mm. Incomplete.	100
139	NN protection frames	5 steel protection frames, length: (2x) 1700 mm, (1x) 2370 mm, (1x) 5700 mm and (1x) 7650 mm.	100



Nr	Title	Description	Start €
140	Colasit	2 Colasit Deutschland GmbH radial ventilators, type: CMV 200, number: 30534, year of construction: 10/05, capacity: 2100 m ³ per hour, dimensions: (2x) 550 mm x 630 mm x 640 mm.	100
141	NN pallet rack	Pallet rack, dimensions stands: 2170 mm x 200 mm x 200 mm, dimensions beams: 1800 mm x 500 mm x 220 mm.	100
142	NN protection frames	2 s/s protection frames, dimensions: (1x) 2170 mm x 200 mm x 200 mm and (1x) 1800 mm x 500 mm x 220 mm.	25
143	NN sauce mixer	Mixer for sauce, diameter mixer: 200 mm, dimensions: 1200 mm x 1150 mm x 2020 mm.	400
144	NN smoke trolley	Smoke trolley, 6 floors, length smoke sticks: 1000 mm, total dimensions: 1030 mm x 1010 mm x 1950 mm.	50
145	Sabroe	Sabroe oil separators, type: OVUR 3206 D, dimensions: (2x) 850 mm x 450 mm x 450 mm.	50
146	BBC Brown Boveri	BBC Brown Boveri motor, dimensions: 1230 mm x 800 mm x 700 mm.	750
147	Schorch	Schorch motor, dimensions: 1260 mm x 860 mm x 750 mm.	750
148	NN lifter	Lifter for 200 liter meat bins, lifting height: 2200 mm, total dimensions: 1380 mm x 1100 mm x 3100 mm.	250
149	Sanpack Lagertechnik GmbH	Sanpack Lagertechnik GmbH pallet wrapper, type: Sanpack-Mat, number: MAT21.010.147.1-V, 3x 380 V, 50 Hz, 4.57 A, 0.99 kW, film width: 500 mm, diameter platform: 1550 mm, total dimensions: 2850 mm x 1750 mm x 900 mm.	400
150	NN rack	S/s trolley, 2 floors, floor dimensions: 1370 mm x 750 mm, dimensions: 1450 mm x 750 mm x 1510 mm.	100
151	PR Industrial S.r.l.	2 PR Industrial S.r.l. pallet lifters, fork length: (2x) 1150 mm, fork width: (2x) 520 mm, total dimensions: (2x) 1550 mm x 520 mm x 1200 mm. Technical condition unknown.	100
152	EP Equipment Co., LTD	2 EP Equipment Co., LTD electric pallet lifters, fork length: (2x) 1150 mm, fork width: (2x) 560 mm, total dimensions: (2x) 1500 mm x 560 mm x 1250 mm. Technical condition unknown.	100
153	Wichelmann Metallbau	2 Wichelmann Metallbau 45° curve conveyors, type: S-BAND, machine number: 020301, year of construction: 2002, 0.75 kW, plastic mesh belt, plastic belt width: 600 mm, s/s mesh belt, s/s belt width: 600 mm, total dimensions: (2x) 3800 mm x 1750 mm x 1060 mm.	300
154	GMST	Large amount of GMST cutter knives, model: CS500TC266 R350, dimensions crates: (3x) 600 mm x 450 mm x 150 mm.	50
155	NN slicer knives	5 knives for vegetable slicer, diameter knives: Ø 675 mm.	50
156	NN belts	S/s mesh belts for spiral freezer, belt width: 660 mm and 760 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	150



Nr	Title	Description	Start €
157	NN belts	S/s mesh belts for spiral freezer, belt width: 760 mm and 1060 mm, total dimensions: 1200 mm x 800 mm x 700 mm.	150
158	NN belts	S/s mesh belts for spiral freezer, belt width: 1060 mm and 1040 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	150
159	Ernst Jäger	Ernst Jäger pallet wrapper, machine number: W0 300 47 03, 400 V, 50 Hz, 16 A, film width: 500 mm, diameter platform: 1500 mm, total dimensions: 2360 mm x 1500 mm x 2350 mm.	600
160	NN transport belt	Transport belt, plastic mesh belt, belt width: 600 mm, total dimensions: 5250 mm x 900 mm x 1100 mm.	350
161	NN transport belt	Transport belt, plastic belt, belt width: 300 mm, total dimensions: 3430 mm x 490 mm x 1120 mm.	200
162	NN metal detector	S/s frame with pipe line metal detector, diameter metal detector: 100 mm and 65 mm, total dimensions: 1120 mm x 750 mm x 1850 mm. Technical condition unknown.	200
163	Stork	Stork switch cabinet, dimensions 2200 mm x 800 mm x 400 mm.	50
164	NN belt grill	Belt grill, s/s mesh belt, belt width: 700 mm, clearance: 800 mm x 90 mm, total dimensions: 5860 mm x 1150 mm x 1720 mm.	600
165	NN paddle mixer	Double shaft paddle mixer, volume: 1000 litre, dimensions: 1300 mm x 1600 mm x 2100 mm.	150
166	NN paddle mixer	Double shaft paddle mixer, volume: 1000 litre, dimensions: 1300 mm x 1600 mm x 2100 mm. Missing 1 shaft.	150
167	Walter	Walter injector, 8 needles, plastic belt, belt width: 260 mm, total dimensions: 1300 mm x 450 mm x 1480 mm.	400
168	SRD	SRD mobile labelling machine, type: E110, number: 4.2057, year of construction: 06.2003, 230/400 V, 50/60 Hz, 6 A, plastic belt, belt width: 180 mm, total dimensions: 1300 mm x 800 mm x 1350 mm.	100
169	ARI Makina	Ari Makina paddle mixer, type: KRT-300, serial number: KRT-300 /06/001, year of construction: 2006, 400 V, 50/60 Hz, 10.3 A, 5.5 kW, weight: 600 kg, capacity: 1200 kg, dimensions: 2070 mm x 820 mm x 1400 mm.	750
171	Espera	Espera weighing and top and bottom labelling machine, model: ESD 213, number: 103 06 05360, type label head: ESD 243, number: 108 03 00653, type display: ESC 903, number: 70 53 02636, plastic belt, belt width: (2x) 130 mm, total dimensions: 1800 mm x 550 mm x 1700 mm.	300



Nr	Title	Description	Start €
172	Espera	Espera weighing and top labelling machine, model: ESD 233, number: 106 00 2132, type labeller: ESG 53, number: 138 03 3311, type display: ESC 903, number: 70 08 3832, plastic belt, belt width: (2x) 130 mm, label width: 70 mm, total dimensions: 1300 mm x 750 mm x 1600 mm.	250
173	NN metal detector	Metal detector, plastic belt, belt width: 400 mm, clearance: 500 mm x 370 mm, total dimensions: 2170 mm x 875 mm x 800 mm.	300
174	Potis	Potis kebab grill, model: GD5-S, serial number: 20034.05.14, gas heated, length stick: 900 mm, total dimensions: 1000 mm x 1200 mm x 1300 mm.	500
175	NN dip tank	S/s dip tank, inside dimensions: 1250 mm x 800 mm x 500 mm, total dimensions: 1580 mm x 1260 mm x 800 mm.	200
176	NN transport belt	Mobile transport belt, plastic belt, belt width: 605 mm, total dimensions: 2110 mm x 1090 mm x 1110 mm.	100
177	Nieros	Nieros hygiene station with sole cleaner, hand disinfection unit and tourniquette, type: URK/W, serial number: N3Z49-04, year of construction: 12/2009, 400 V, 3 Ph, 50 Hz, 0.71 kW, dimensions: 2330 mm x 1630 mm x 980 mm.	750
178	T. Perabel	T. Perabel double z-arm vacuum mixer with lifter for 200 liter meat bins, type: ZV 600, serial number: 1105, 380 V, 50 Hz, 20 A, 5,6 kW, dimensions: 2400 mm x 2400 mm x 2150 mm. Including vacuum pump, type: EU65/B, serial number: IT2217N045, year of construction: 04/2022, 69 m³ per hour.	2000
179	Tecno MCM S.L.	Tecno MCM S.L. rotisserie grill, type: 4EE, serial number: 200-159, 400 V, 50 Hz, 13,2 kW, dimensions: 1170 mm x 500 mm x 1000 mm.	25
180	Igloo	Igloo refrigerated showcase, type: GASTROLINE CUBE 1.3G, serial number: NS-215042, year of construction: 05 2017, 230 V, 50 Hz, dimensions: 1300 mm x 800 mm x 1250 mm.	100
181	DWM Copeland	DWM Copeland cooling compressor, type: D9RC - 750 - EWM - 000, fabrication number: 245035, year of construction: 1991, 380-420 V, 3 Ph, 50 Hz, 71-78 A, 38 m³ per hour, dimensions: 680 mm x 360 mm x 460 mm.	100
182	DWM Copeland	DWM Copeland cooling compressor, type: DLFD-301-EWL-600, fabrication number: 445508, year of construction: 1988, 220-240 V, 3 Ph, 50 Hz, 11.8 A, 12.9 m³ per hour, dimensions: 680 mm x 360 mm x 460 mm.	100
183	SEW-Eurodrive	SEW-Eurodrive motor, type: R77 DR590M8/2BE1HR, serial number: 90.7547058701.0001.18, year of construction: 2018, 400 V, dimensions: 500 mm x 500 mm x 300 mm.	50



Nr	Title	Description	Start €
185	Rietschle	Rietschle vacuum pump, type: CLFH 220 V [01], machine number: 891143, year of construction: 1985, 5,5 kW, 220 m ³ per hour, pressure: 0.5 mbar, vacuum pump dimensions: 900 mm x 500 mm x 400 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	350
186	Busch	Busch vacuum pump, type: RA 0302 D 561 QMXX, serial number: C0017000240, capacity: 302 m3 per hour.	350
188	Rietschle	Rietschle vacuum pump, type: VFS 201, number: 702889, year of construction: 1982, 220/380 V, 50 Hz, 21/12 A, 5.5 kW, capacity: 200 m ³ per hour, dimensions: 980 mm x 440 mm x 750 mm.	350
210	Wolfking/Scanio	Wolfking/Scanio lifter for 200 liter meat bins, type: K 7, serial number: 9222, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 2 A, 1.4 kW, capacity: 300 kg, dimensions: 1800 mm x 1410 mm x 2900 mm.	500
211	ABAC	ABAC air compressor, model: B 4000-200 CT 4 V400 URTEX, year of construction: 1999, dimensions: 1000 mm x 500 mm x 500 mm.	200
212	Oslos	Oslos mobile lifter for meat bins, type: Column Loader 300S, serial number: E011270605362/7534, year of construction: 03-2018, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, capacity: 300 kg.	500
213	Rico	Rico air compressor, type: RKE 1010, number: 029886, year of construction: 1981, 4 kW, 10 bar, dimensions: 1200 mm x 800 mm x 800 mm.	200
214	NN lifter for meat bins	Lifter for meat bins, lifting height: 1900 mm, total dimensions: 700 mm x 700 mm x 2800 mm.	250
215	NN lifter for meat bins	Lifter for meat bins, lifting height: 1900 mm, total dimensions: 650 mm x 1200 mm x 3000 mm.	250
216	Noblelift Intelligent Equipment	Noblelift Intelligent Equipment electric pallet lifter, type: PR 20l, serial number: 20220702960, year of construction: 2022, capacity: 2000 kg, 24 V, 1.3 kW, weight without battery.	250
222	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile sharpening machine, type: KSG, number: 392, year of construction: 03/2008, 400 V, 50 Hz, 0.18 kW, dimensions: 800 mm x 800 mm x 1200 mm.	500
224	Jungheinrich	Jungheinrich electric pallet lifter, serial number: 90308302, capacity: 1000 kg, lifting height: 2350 mm.	250
256	DWM Copeland	DWM Copeland condensing unit, model compressor: DKLP-15X-EWL, serial number: 10D060750 M, capacity: 7.35 m ³ per hour, dimensions 430 mm x 430 mm x 340 mm.	50

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.


16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

