



**Industrial
Auctions**

**1873: Online auction food processing machinery,
bakery and catering equipment in Eindhoven (NL)**

END DATE
12 August 2025 12:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	12 August 2025 from 12:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	19 August 2025 from 09:00 till 16:00 hrs. 20 August 2025 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT HP 15C, type: 143/350 B-1, number: 1430917, 220/240/400/460 V, 3 Ph, 50/60 Hz, 80/50 A, dimensions: 2450 mm x 1400 mm x 2100 mm.	5800
2	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH mobile slicer with mobile outfeed belt, slicer type: CC 750 / 21K Belt, serial number: 020608, year of construction: 2008, 400/230 V, 3 Ph, 6.5 A, 2.6 kW, chamber: 200 mm x 200 mm, plastic belt, belt width: 290 mm, total dimensions: 3000 mm x 850 mm x 1200 mm.	1900
3	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 liter meat bins, model: RS 4001, serial number: 0398008, year of construction: 1998, 220 V, 3 Ph, 60 Hz, 7.7 kW, weight: 900 kg, Busch vacuum pump, type: RB 0018 D 100, capacity: 18 m ³ per hour, dimensions: 1950 mm x 1250 mm x 1900 mm.	2700
4	Handtmann	Handtmann vacuum filling machine, type: VF200, number: 11764-1, Becker vacuum pump, type: U 1.16SA-31, capacity: 16/19 m ³ per hour, dimensions: 950 mm x 900 mm x 1860 mm.	2700
5	Rex	Rex vacuum filling machine with linking attachment and case holding device, type: RVF80, number: 800426042, year of construction: 2005, Busch vacuum pump, type: R5 KC 0016 B, capacity: 16/19 m ³ per hour, dimensions: 1200 mm x 1150 mm x 2200 mm.	2900
6	Yuanchang Food Machanism	Yuanchang Food Machanism vacuum filling machine with lifter for 200 liter meat bins, linking attachment and case holding device, type: ZK4, model: 3500, serial number: 151/02, year of construction: 2018, Busch vacuum pump, type: KB 0020 D 100, capacity: 24 m ³ per hour, dimensions: 2400 mm x 1150 mm x 1860 mm.	2200
7	Webomatic	Webomatic double chamber vacuum machine, type: PNC 20 A D, machine number: 559DB2203, 400 V, 3 Ph, 50 Hz, 14.5 A, 5.5 kW, seal length: 4x) 850 mm, chamber: (2x) 860 mm x 600 mm, s/s rollers, roller width: 860 mm, total dimensions: 2150 mm x 1000 mm x 1500 mm. Including external Busch vacuum pump, type: 160-132, number: 38825, capacity: 160 m ³ per hour, dimensions: 800 mm x 550 mm x 500 mm.	2100
8	Inject Star	Inject Star mobile injector, 16 needles, s/s belt, belt width: 300 mm, total dimensions: 1600 mm x 600 mm x 1950 mm.	800
9	NN chiller	Chiller, dimensions: 700 mm x 400 mm x 500 mm.	250



Nr	Title	Description	Start €
10	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack consisting of 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4PES-10Y-40P, capacity: 48.5/68.6 m ³ per hour, dimensions: 1050 mm x 800 mm x 750 mm.	590
11	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack consisting of 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4PES-12Y-40S, capacity: 48.5/58.5 m ³ per hour, dimensions: 1050 mm x 800 mm x 1000 mm.	590
12	NN chiller	Chiller, dimensions: 9750 mm x 2200 mm x 2500 mm. Including 3 fans, dimensions: (3x) Ø 2000 mm x 1150 mm.	2500
13	Boku	Boku Maschinenfabrik GmbH mixer with 3 mobile tubs, type: SK M240 ASCS, serial number: 11844, 400 V, 50 Hz, 32.8 A, 16.3 kW, s/s tubs, inside dimensions: Ø 960 mm x 530 mm, total dimensions tubs: (3x) 1100 mm x 100 mm x 950 mm, total dimensions mixer: 1700 mm x 1100 mm x 1450 mm.	4800
14	Krämer + Grebe	Krämer + Grebe grinder, type: SC-WW, number: 282/118, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 117/160 A, plate diameter: 200 mm, total dimensions: 1750 mm x 1350 mm x 2550 mm.	6500
15	ETT Verpackungstechnik GmbH	ETT Verpackungstechnik GmbH carton erector, type: A 863 SKB, machine number: 63-00-0055-5, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 16 A, plastic string conveyor, belt width: 850 mm, total dimensions: 2550 mm x 2000 mm x 2150 mm. With pallet with parts, dimensions: 1550 mm x 1200 mm x 1550 mm.	5000
16	Garvens Automations GmbH	Garvens Automations GmbH metal detector with checkweigher with double rejectors, type: S3 combi, serial number: 330069, year of construction: 1999, 230 V, 50 Hz, weighing range: 20-3500 gram, e=d= 0.5 gram, T= - 3500 gram, plastic belt, belt width: 290 mm, clearance: 350 mm x 210 mm, total dimensions: 1300 mm x 700 mm x 1850 mm and 1100 mm x 950 mm x 1370 mm.	1500
17	Mettler Toledo Garvens	Mettler Toledo Garvens checkweigher with rejecter, type: C 3331, fabrication number: 1433743880010, year of construction: 2019, 100-240 V, 50-60 Hz, maximum weight: 500-2000 gram, minimum weight: 30 gram, e=d=: 0.5-1 gram, T= 500 gram, plastic belt, belt width: 280 mm, total dimensions: 3000 mm x 900 mm x 1200 mm.	3000



Nr	Title	Description	Start €
18	Multipond	Multipond 14-heads multihead weigher, type: MP 1434-FF, serial number: M 1819, year of construction: 2005, 416 V, 3 Ph, 50/60 Hz, maximum weight: 10000 gram, minimum weight: 200 gram, T= 750 gram, dimensions: 1550 mm x 1900 mm x 1300 mm. With 2 pallets with parts.	2000
19	Mado	Mado bowl cutter with lifter for 200 liter meat bins and ejector, type: MSM 769 SL, number: 30155, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 80.0 kW, 125.0 A, bowl volume: 220 liter, dimensions: 3400 mm x 2550 mm x 2150 mm. Can be upgraded with cooling, heating and vacuum.	27500
20	Laska Maschinenfabrik	Laska Maschinenfabrik grinder, type: WW 280 2 GX, number: 12325, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 230 A, 127 kW, weight: 2700 kg, plate diameter: 280 mm, total dimensions: 2400 mm x 1910 mm x 2200 mm.	50000
21	NN piston filler	Piston filler, type: 02/1, number: 779, year of construction: 1981, volume: 11 liter, dimensions: 730 mm x 380 mm x 1250 mm.	750
22	Desa	Desa mobile tiltable mixer, type: D60, fabrication number: 0910, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 1.2 A, volume: 60 liter, dimensions: 840 mm x 500 mm x 980 mm.	950
23	Kolbe	Kolbe bandsaw, type: K310, serial number: 916071, year of construction: 1987, 380 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, dimensions: 830 mm x 740 mm x 1700 mm.	750
24	Vemag	Vemag mobile linking machine, model: LPG208 Servo, number: 2080626, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 7 A, 4.5 kW, 517 kg, dimensions: 1500 mm x 850 mm x 1270 mm. Incomplete, without pipes and belts..	26000
25	Vemag	Vemag mobile sausage cutter, model: TM203, number: 2031009, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 3 kW, 225 kg, dimensions: 650 mm x 550 mm x 1570 mm. Incomplete, without belts.	7800
26	Stephanal	Stephanal piston filler, type: E.25.1, 380 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, dimensions: 500 mm x 320 mm x 1130 mm.	750
27	Alexanderwerk	Alexanderwerk grinder, type: HWN 114/1, machine number: 04302135, plate diameter: 130 mm, total dimensions: 1070 mm x 660 mm x 1250 mm.	1500
28	Frey	Frey piston filler, dimensions: 560 mm x 480 mm x 1220 mm.	750



Nr	Title	Description	Start €
29	Gamar	Gamar sole cleaner with hand disinfection station, model: Sterijob, serial number: 10095433, year of construction: 2010, 230/115 V, 1 Ph, 50/60 Hz, 0.5 A, 20 W, dimensions: 1620 mm x 1000 mm x 1440 mm.	500
30	HFE vacuum systems bv	HFE vacuum system mobile vacuum machine, type: E-173, serial number: 20070106, year of construction: 2007, 220-240 V, 1 Ph, 50 Hz, 6 A, seal length: 450 mm, chamber dimensions: 460 mm x 360 mm, Busch vacuum pump, type: RB 0021 B 324 ZZXX, number: C0649000390, year of construction: 2006, capacity: 20m³ per hour, total dimensions: 550 mm x 600 mm x 1000 mm.	750
31	Webomatic	Webomatic mobile dip tank, dimensions: 850 mm x 620 mm x 1130 mm.	500
32	Stephan	Stephan mobile vacuum mixer, type: VM 100, machine number: 718.949.01, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, volume: 100 liter, dimensions: 1100 mm x 1400 mm x 1400 mm. Missing vacuum pump.	1000
33	Holac	Holac mobile dicer, type: Cubixx 100L, machine number: 003-40-34, year of construction: 2002, 400 V, 50 Hz, 6 A, 2.3 kW, dimensions chamber: 100 mm x 100 mm, total dimensions: 1400 mm x 700 mm x 1160 mm.	1500
34	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, fork length: 1150 mm, total dimensions: 1700 mm x 730 mm x 1350 mm.	250
35	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, fork length: 1150 mm, total dimensions: 1700 mm x 730 mm x 1350 mm.	250
36	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, fork length: 1000 mm, total dimensions: 1500 mm x 730 mm x 1350 mm.	250
37	Jungheinrich	Jungheinrich electric pallet lifter, model: EJE 116, fork length: 1000 mm, total dimensions: 1500 mm x 730 mm x 1350 mm.	250
38	Lamers	Lamers floor sweeping machine, type: 700ET, machine number: 1023, year of construction: 02.88, dimensions: 1600 mm x 900 mm x 900 mm.	100
39	Henkovac	Henkovac mobile dip tank, dimensions: 950 mm x 760 mm x 1330 mm.	1500



Nr	Title	Description	Start €
40	Glass	Glass cooking vessel with lifter for meat bins and oil heater, type: WOK 300, machine number: 2894, year of construction: 2006, 400 V, 50 Hz, 6.3 A, 2.44 kW, volume: 300 liter, dimensions cooking vessel: 2400 mm x 1600 mm x 1650 mm, dimensions lifter: 1300 mm x 750 mm x 2300 mm, dimensions heater: 1700 mm x 600 mm x 1550 mm.	10000
41	Stork PMT B.V.	Stork PMT B.V. breast skinner, model: BX, type: 1225503, serial number: 400238/600, year of construction: 2000, working width: 200 mm, total dimensions: 6800 mm x 900 mm x 1800 mm.	4800
42	Servo Wrap B.V.	Servo Wrap B.V. packaging machine, plastic string belt, belt width: 120 mm, film width: 185 mm, total dimensions: 1150 mm x 520 mm x 820 mm.	75
43	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2JC-07.2Y-40S, serial number: 1676906585, capacity: 5.2/6.3 m ³ per hour, total dimensions: 600 mm x 600 mm x 600 mm.	150
44	Busch	Busch vacuum pump, dimensions: 1700 mm x 900 mm x 1300 mm.	1050
45	Marel	Marel mobile linking machine, model: FL 0240, serial number: 10445932, year of construction: 2020, 480 V, 3 Ph, 60 Hz, dimensions: 3000 mm x 800 mm x 1860 mm.	15000
46	Marel	Marel mobile hanging line, model: H04030, serial number: 10453380, year of construction: 2020, 400-480 V, 3 Ph, 50/60 Hz, 370 kg, dimensions: 3700 mm x 650 mm x 1450 mm.	5000
47	Rühle	Rühle cooled vacuum tumbler with attachment for meat bins, type: MKR 200, number: 255, year of construction: 1997, volume: 200 liter, including Busch vacuümpump, type: RB 0016 D IZO, number: 458314/MMAG/OA, year of construction: 1997, capacity: 16 m ³ per hour, total dimensions: 1600 mm x 1400 mm x 1800 mm. Motor lid is broken.	1500
48	Rühle	Rühle cooled vacuum tumbler, dimensions tub: Ø 680 mm x 560 mm, total dimensions: 1300 mm x 850 mm x 1350 mm. Display broken.	500
49	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 150, number: 549, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 16 A, 3.0 kW, volume: 150 liter, dimensions: 1200 mm x 1000 mm x 1650 mm.	2500



Nr	Title	Description	Start €
50	NN vacuum machine	Belt vacuum machine, plastic belts, belt width: 400 mm, seal length: 1070 mm, dimensions chamber: 1070 mm x 500 mm, total dimensions vacuum machine: 1600 mm x 700 mm x 1050 mm, dimensions transport belt: 1450 mm x 900 mm x 1250 mm. Technical condition unknown, incomplete, electrical cabinet inside missing.	500
51	Mai	Mai bandsaw, type: 51 A, number: 650013, year of construction: 1987/1988, 380 V, 3 Ph, 50 Hz, 6.2 A, dimensions: 1000 mm x 820 mm x 2000 mm.	750
52	Vemag	Vemag vacuum filling machine, model: Robby, type: 134, number: 1340691, year of construction: 1996, 220-240/380-460 V, 3 Ph, 50/60 Hz, 25/20 A, dimensions: 950 mm x 900 mm x 1700 mm.	2500
54	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF80, number: 1964, 380 V, 50 Hz, 10.8 A, 4 kW, dimensions: 900 mm x 1000 mm x 1700 mm.	2500
55	Rex / Düker	Rex / Düker mobile grinder, plate diameter: 114 mm, total dimensions: 1100 mm x 600 mm x 1200 mm.	500
56	NN oven	Oven, 10 floors, dimensions each floor: 530 mm x 320 mm, total dimensions: 860 mm x 750 mm x 1700 mm. With 5 plates.	150
57	Kilia	Kilia grinder, diameter plate: 110 mm, total dimensions: 1000 mm x 750 mm x 1100 mm.	500
58	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: CLS 200, number: 60000011, year of construction: 2013, 230 V, 50 Hz, plastic belt, belt width: 300 mm, clearance: 300 mm x 35 mm, total dimensions: 1800 mm x 1200 mm x 1700 mm.	1500
59	Röschermatic	Röschermatic mobile mixer, number: 344, 380/220 V, 0.85 kW, inside dimensions: Ø 750 mm x 750 mm, total dimensions: 1300 mm x 1000 mm x 1600 mm. Defect.	500
60	Rudolf Schad	Rudolf Schad mobile binding machine, type: E, number: 40, year of construction: 1985, dimensions: 800 mm x 700 mm x 1200 mm.	500
61	Alexanderwerk	Alexanderwerk cutter, type: NCS 65, machine number: 05106086, 400 V, 48.8 A, 26 kW, s/s bowl, volume: 65 liter, dimensions: 1300 mm x 1100 mm x 1250 mm.	2500
62	Berkel	Berkel bandsaw, type: BS 1750 RN, number: 50470, year of construction: 2009, 230/400 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1.1 kW, table dimensions: 500 mm x 540 mm, total dimensions: 500 mm x 540 mm x 1000 mm.	300



Nr	Title	Description	Start €
63	Berkel	Berkel bandsaw, type: BS 1750 RN, number: 50450, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1.1 kW, table dimensions: 500 mm x 540 mm, total dimensions: 500 mm x 540 mm x 1000 mm.	300
64	Berkel	Berkel bandsaw, type: BS 1750 RN, number: 50368, year of construction: 2001, 230/400 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1.1 kW, table dimensions: 500 mm x 540 mm, total dimensions: 500 mm x 540 mm x 1000 mm.	300
65	Berkel	Berkel bandsaw, type: BS 1750 RN, nr: 50336, year of construction: 2000, 230/400 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1,1 kW, table dimensions: 500 mm x 540 mm, total dimensions: 500 mm x 540 mm x 1000 mm.	300
66	Kramer + Grebe	Kramer + Grebe cutter with s/s switch cabinet, type: SM 65, machine number: 1 8/623/1 83, year of construction: 1993, 380/220 V, 3 Ph, 50 Hz, 53 A, steel bowl, volume: 65 liter, dimensions: 1600 mm x 1150 mm x 1400 mm, dimensions switch cabinet: 1000 mm x 300 mm x 850 mm. Including extra knives.	2000
67	Kilia	Kilia cutter with ejector and switch cabinet, model: 120 1 EX 2000S, machine number: 18710870, year of construction: 1987, 380 V, 57/68 A, 28/25 kW, steel bowl, volume: 120 liter, dimensions: 2050 mm x 1750 mm x 1950 mm, dimensions switch cabinet: 660 mm x 200 mm x 760 mm.	2500
68	Alexanderwerk	Alexanderwerk cutter with switch cabinet, type: SSK65 SS, machine number: 7183, 380 V, 50 Hz, 1.2/165 A, 0.37/0.55 kW, steel bowl, volume: 65 liter, dimensions: 1300 mm x 1100 mm x 1100 mm, dimensions switch cabinet: 760 mm x 200 mm x 600 mm. Defect.	3000
69	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT DP 10 C, type: 153/250 B-1, number: 153 0428, year of construction: 2002, 220/240/400/460/575 V, 3 Ph, 50/60 Hz, 63/35/25 A, dimensions: 2250 mm x 1300 mm x 2000 mm.	2500
70	Treif	Treif mobile dicer, type: 06603, machine number: 08032.66511.0880-1, year of construction: 1987, 380/220 V, 3 Ph, 50 Hz, 2.7/16 A, chamber: 85 mm x 85 mm, total dimensions: 1100 mm x 600 mm x 980 mm.	1500



Nr	Title	Description	Start €
71	Mitsubischi	Mitsubischi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 4017762, year of construction: 2014, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	300
72	Mitsubischi	Mitsubischi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 3005028, year of construction: 2013, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	300
73	Mitsubischi	Mitsubischi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 3005070, year of construction: 2013, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	300
74	Seydelmann	Seydelmann cutter with lifter for 200 liter meat bins, ejector and s/s switch cabinet, type: K120U, machine number: 97235-1, 400 V, 50 Hz, 100 A, s/s bowl, volume: 120 liter, cutter dimensions: 1900 mm x 1300 mm x 1750 mm, lifter dimensions: 1250 mm x 1100 mm x 1200 mm, switch cabinet dimensions: 800 mm x 800 mm x 260 mm. Including extra knives.	7500
75	Repak	Repak s/s switch cabinet, type: RE3, machine number: 20370, year of construction: 2004, 240/400 V, 3 Ph, 50 Hz, 40 A, 16 kW, dimensions: 1150 mm x 350 mm x 1700 mm.	180
76	Variovac	Variovac s/s switch cabinet, type: 4000, machine number: 300, year of construction: 1997, 400/230 V, 50/46 A, 23.2 kW, dimensions: 1300 mm x 400 mm x 1700 mm.	180
77	Maxima	Maxima potato peeler, serial number: 17HL7045-684, 230 V, 1 Ph, 50 Hz, 950 W, capacity: 20 kg, dimensions: 620 mm x 470 mm x 1130 mm.	300
78	Reepack	Reepack mobile traysealer, model: Reetray 255KIN, serial number: 3812045, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 16 A, dye: (2x) 175 mm x 130 mm, Busch vacuum pump, type: RA 0040 F 4S3, capacity: 40 m ³ per hour, total dimensions: 1050 mm x 700 mm x 1600 mm.	2500
79	DWM Copeland	Compressor rack with 3 DWM Copeland scroll cooling compressors, compressor type: (1x) D4DH5-250X-AWM/D, (2x) D4DA5-200X-AWM/D, dimensions: 2550 mm x 900 mm x 1800 mm.	1500



Nr	Title	Description	Start €
80	Ishida	Ishida elevating belt, model: TAKEAWAY CONVEYOR, serial number: 581350, year of construction: 01/2015, 240 V, 1 Ph, 50 Hz, 10 A, weight: 60 kg, plastic belt, belt width: 230 mm, total dimensions: 2050 mm x 450 mm x 935 mm.	250
81	AHS	AHS mobile extendable roller conveyor, s/s rollers, roller width: 600 mm, total dimensions: 13500 mm x 870 mm x 830 mm.	500
82	HPSL	HPSL weighing scale on s/s frame, serial number: H5108515, year of construction: 2011, 230 V, 50 Hz, scale dimensions: 275 mm x 225 mm, total dimensions: 820 mm x 520 mm x 1610 mm.	150
83	Packaging Automation Ltd	Packaging Automation Ltd weigh cell unit, serial number: WEIGHCELL-00020, year of construction: 2018, 24 V, dimensions: 900 mm x 800 mm x 1660 mm.	250
84	Packaging Automation Ltd	Packaging Automation Ltd weigh cell unit, serial number: WEIGHCELL-00023, year of construction: 2018, 24 V, dimensions: 900 mm x 800 mm x 1660 mm.	250
85	Blake & Boughton	Blake & Boughton weighing station with labelling machine, machine number: 83287, min/max kg: 0.4/60 kg, e=0.02 kg, scale dimensions: 600 mm x 500 mm, total dimensions: 950 mm x 700 mm x 1880 mm.	250
86	NN mixer	Mobile s/s mixer, model: MIXER, number: 96/4/1295, year of construction: 1995, dimensions: 850 mm x 700 mm x 1950 mm.	300
87	Munters	Munters dehumidifier, type: ML180, fabric number: 2001/41/37033, 240 V, 1 Ph, 50 Hz, 0.3/2.1 kW, dimensions: 1700 mm x 700 mm x 1500 mm.	250
88	Proseal	Proseal traysealer, type: Fastpack F45, serial number: 1202, 50 Hz, wire belt, belt width: 175 mm, film width: 215 mm, total dimensions: 2980 mm x 850 mm x 1950 mm. Incomplete, missing dye.	500
89	NN pallet box	Plastic pallet box with large amount of electric parts, dimensions: 1200 mm x 1000 mm x 750 mm.	500
90	Mobility Engineering Limited	Mobility Engineering Limited transport belt, type: Merge Unit, serial number: CN9403879, year of construction: November 2009, plastic mesh belt, belt width: 920 mm, total dimensions: 1850 mm x 1300 mm x 1315 mm.	200



Nr	Title	Description	Start €
91	Rgdmape	Rgdmape flowpacker, model: VR-6 genio, serial number: 285110, year of construction: 2010, 220 V, 1500 W, max weight: 600 kg, max rpm: 120, plastic velt, belt width: 250 mm, s/s chain belt with dividers: belt width: 20 mm, distance between dividers: 260 mm, divider height: 35 mm, total dimensions: 3750 mm x 1000 mm x 1580 mm. Technical condition unknown.	1000
92	NN transport belt	Plastic transport belt, dimensions: 880 mm x 850 mm x 560 mm.	50
93	Treif	Treif mobile slicer, model: Jaguar, machine number: 342307.61683.0109, year of construction: 2001, 230/400 V, 50 Hz, 6,2/10 A, 2,6 kW, chamber: 200 mm x 200 mm, total dimensions: 1850 mm x 800 mm x 1300 mm.	2000
94	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with labeller, type checkweigher: PAS 3012, serial number: 17000505, year of construction: 2007, 230 V, 50 Hz, maximum: 7.5 kg, minimum: 0.020 kg, e=: 0.001 kg, d=: 0.001 kg, T=: 7.5 kg, plastic belt, belt width: (3x) 300 mm, total dimensions: 2250 mm x 850 mm x 730 mm.	1500
95	Herco	Herco mobile pressure vessel for adding oxygen, type: MD 005-2, serial number: 521-149, year of construction: 2007, minimum/maximum working pressure: -1/+15 bar, minimum/maximum working temperature: 0/20 °C, volume: 109 liter, dimensions: 900 mm x 600 mm x 1100 mm.	250
96	NN tumbler	S/s tumbler, dimensions tumbler: Ø 600 mm x 950 mm, total dimensions: 1050 mm x 800 mm x 1450.	500
97	Treif	Treif mobile slicer, model: PUMA-CE 700 FB, machine number 192407.61646.3850, year of construction: 2003, 230/400V, 3 Ph, 50 Hz, 8.2/16 A, 3 kW, type: SM-061, chamber: 220 mm x 220 mm, total dimensions: 2700 mm x 1050 mm x 1720 mm.	1500
98	NN grill	Mobile grill, s/s mesh belt, belt width: (2x) 350 mm, total dimensions: 2000 mm x 700 mm x 1210 mm.	500
99	Schröder	Schröder meat press, type: HAMAX 800, number: HA 805 03, year of construction: 2003, 400 V, 50 Hz, 10 A, 4 kW, pipe diameter: 95 mm, total dimensions: 2750 mm x 850 mm x 1700 mm.	2500
100	Crimex Compressor	Crimex Compressor mobile air compressor, type: CMV 460, fabric number: 1368 85, year of construction: 1985, stroke volume in L per min: 460, max pressure: 10, dimensions: 1300 mm x 500 mm x 1130 mm.	400



Nr	Title	Description	Start €
101	Atlas Copco	Atlas Copco mobile air compressor, 220 V, 1 Ph, 50 Hz, 7.3 A, 1.1 kW, dimensions: 730 mm x 370 mm x 900 mm.	400
102	ALUP	ALUP chiller, type: ADQ 21 (0), serial number: ITJ471519, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 0.173 kW, weight: 19 kg, max pressure: 15 bar, refrigerant: R513A, dimensions: 500 mm x 350 mm x 440 mm.	400
103	CSL SRL	CSL SRL pressure tank, type: 0060, bumper: 10467, year of construction: 2010, volume: 500 liter, max pressure: 11 bar, max temperature: 120 C°, dimensions: Ø 600 mm x 2170 mm.	400
104	KTC	KTC air compressor, model: COMPACT 2 SP 90, serial number: AK100014397, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 3 kW, weight: 78 kg, maximum working pressure: 10 bar, dimensions: 1160 mm x 480 mm x 930 mm.	400
105	NN dishwasher	Dishwasher, clearance: 510 mm x 440 mm, total dimensions: 600 mm x 600 mm x 1480 mm.	200
107	Krämer + Grebe	Krämer + Grebe grinder, type: WW130, machine number: 223/524/1, year of construction: 1985, diameter plate: 130 mm, total dimensions: 1250 mm x 900 mm x 1280 mm.	2500
108	Rex-maschinen	Rex-Maschinen cutter with switch cabinet, type: RK 65 SN, machine number: 261068, 380 V, 50 Hz, 31/43 A, 15/20 kW, steel bowl, volume bowl: 65 liter, s/s knives, total dimensions: 1350 mm x 1100 mm x 1250 mm. Including switch cabinet, dimensions: 1200 mm x 600 mm x 200 mm.	2000
109	Winterhalter	Winterhalter dishwasher, model: GS 502, clearance: 500 mm x 500 mm, total dimensions: 800 mm x 740 mm x 1530 mm.	200
110	Stephan	Stephan universal machine, type: UM 40, year of construction: 1985, 380 V, 50 Hz, 10.5 / 13.8 A, 4 / 5.5 kW, volume: 40 liter, dimensions: 900 mm x 650 mm x 1220 mm.	800
111	Stephan	Stephan mixer, model: Bäcker-Boy, type: BB 100, number: 1267699, 380 V, 50 Hz, dimensions bowl: Ø 650 mm x 380 mm, total dimensions: 1200 mm x 1050 mm x 1100 mm.	850
112	Jegerings	Jegerings salad spinner, type: LS-ES, serial number: 11101.906.7006.05, 230 V, 1 Ph, 50 Hz, 3.6 A, 0.55 kW, 550 rpm, dimensions basket: Ø 420 mm x 350 mm, total dimensions: 760 mm x 580 mm x 900 mm.	850



Nr	Title	Description	Start €
113	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type compressors: (3x) 4FES-5Y-40S, serial number: 1684813915, 1684904907 and 1684614500, capacity: 18.1/21.8 m ³ per hour and type: (2x) 2GES-2Y-40S, serial number: 1684901824, 1684901823, capacity: 7.6/9.1 m ³ per hour, 220-240/265-290 380-420/440-480 V, 3 Ph, 50/60 Hz, 10.8 A, total dimensions: 2000 mm x 910 mm x 1900 mm.	1500
114	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with Bitzer Kühlmaschinenbau GmbH cooling compressor, type cooling compressor: 2JC-07.2Y-40S, serial number: 1683008954, capacity: 5.2/6.3 m ³ per hour, dimensions: 670 mm x 500 mm x 570 mm.	200
115	Easy Systems	Easy Systems transport belt, s/s frame, serial number: 20210134, year of construction: 2021, plastic belt, belt width: 370 mm, total dimensions: 1800 mm x 700 mm x 1440 mm.	200
116	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with Bitzer Kühlmaschinenbau GmbH cooling compressor, type cooling compressor: 4 EES-4Y-40S, serial number: 1689206104, capacity: 22.7/27.4 m ³ per hour, dimensions: 1050mm x 700 mm x 920 mm.	300
117	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. refrigerated counter with 5 drawers, refrigerant: R290, 2x 2 floors, dimensions each floor: 540 mm x 320 mm, total dimensions: 1220 mm x 760 mm x 720 mm.	100
118	Easy Systems	Easy Systems transport belt, s/s frame, serial number: 20210135, year of construction: 2021, plastic belt, belt width: 370 mm, total dimensions: 1200 mm x 900 mm x 1270 mm.	200
119	Trapo Nederland B.V.	Trapo Nederland B.V. 90° curve conveyor, plastic rollers, roller width: 200 mm, total dimensions: 1100 mm x 670 mm x 900 mm.	250
120	Bandall	Bandall mobile binding machine, type: BA72-30, machine number: 11185255, year of construction: 2005, 230 V, 50 Hz, clearance: 680 mm x 360 mm, dimensions: 1300 mm x 520 mm x 1450 mm.	1000
121	NN transport belt	Transport belt with rejector, s/s frame, plastic belt, belt width: 285 mm, total dimensions: 1600 mm x 650 mm x 1350 mm.	250



Nr	Title	Description	Start €
122	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF616, serial number: 16327, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 8.7 kW, 6 kW, Busch vacuum pump, dimensions: 1700 mm x 1400 mm x 1950 mm.	10000
123	Handtmann	Handtmann mobile linking machine, type: 226-01, serial number: 260, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 9 A, 5 kW, dimensions: 1800 mm x 750 mm x 1450 mm.	3000
124	Handtmann	Handtmann mobile hanging line, type: 242-16, serial number: 542, year of construction: 2005, dimensions: 3400 mm x 700 mm x 1700 mm.	1500
125	NN netting machine	Netting machine, diameter clearance: 215 mm, total dimensions: 840 mm x 670 mm x 1040 mm.	300
126	Holac	Holac dicer, chamber dimensions: 90 mm x 90 mm, total dimensions: 1050 mm x 550 mm x 1000 mm.	750
127	Holac	Holac dicer, chamber dimensions: 90 mm x 90 mm, total dimensions: 1050 mm x 550 mm x 1000 mm.	750
128	Inject Star	Inject Star injector, type: BI 13 B, number: 161, 380 V, 3 Ph, 50 Hz, 2200 Watt, 13 needles, s/s belt, belt width: 300 mm, dimensions: 1350 mm x 550 mm x 1750 mm.	500
129	Ilpra	Ilpra cup filling and sealing machine, model: 4000 cip, number: FS 502, year of construction: 2003, 380 V, cup diameter: 70 mm, plastic belt, belt width: 210 mm, total dimensions: 1800 mm x 1600 mm x 1700 mm. Including s/s tank, dimensions: 1100 mm x 500 mm x 600, and pallet with s/s pipes, dimensions: 2700 mm x 1100 mm x 450 mm.	4000
130	LETS bv	LETS bv sole cleaner, type: LZ15, serial number: 174201008, year of construction: 08/2022, 400 V, 50 Hz, 500 Watt, total dimensions: 2600 mm x 850 mm x 1250 mm.	1750
131	LETS bv	LETS bv hygiene unit with sole cleaner, hand disinfection unit and tourniquet, type: LHE9, serial number: 174201007, year of construction: 06/2021, total dimensions: 1820 mm x 900 mm x 1600 mm.	4000
132	Bizerba	Bizerba weighing and labelling machine, type weigher: GS, serial number: 2029258, 230 V, 50 Hz, maximum weight: 10 kg, minimum weight: 0.4 kg, e= 2 kg, plastic belt, belt width: (6x) 135 mm and (1x) 295 mm, total dimensions: 2650 mm x 650 mm x 1950 mm/	750



Nr	Title	Description	Start €
133	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and linking attachment, type: VF300B, number: 965, 380 V, 50 Hz, 23.6 A, 9.5 kW, numbers attachment: 34-4/1071 and 60-6/4898, dimensions: 1650 mm x 1250 mm x 2020 mm. Including crate with parts.	4000
134	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile double clipper, type: KDCN 317.471, dimensions: 1170 mm x 650 mm x 1850 mm.	750
135	Stephan	Stephan mobile microcutter, type: MC10, machine number: 727.581.01, year of construction: 2001, 230 V, 50 Hz, 27.5 A, 7.5 kW, dimensions: 650 mm x 630 mm x 1070 mm.	3000
136	Weber	Weber slicer with outfeed belt, type: CC5402UB, serial number: 276, year of construction: 01/2003, 380 V, 50 Hz, 7 kW, 6 bar, plastic belt, belt width: 375 mm, diameter knife: 460 mm, total dimensions: 3800 mm x 950 mm x 2250 mm.	4000
137	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF610, number: 30865, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 3.5 kW, number attachment: 34-5/13325773, dimensions: 870 mm x 780 mm x 1770 mm.	10000
138	Henkovac/HFE vacuum Systems bv	Henkovac/HFE vacuum Systems bv mobile double chamber vacuum machine, type: R-503 XL, serial number: 20090159, year of construction: 2009, 380-400 V, 3 Ph, 50 Hz, 20 A, weight: 807 kg, seal length: (4x) 960 mm, chamber dimensions: (2x) 2100 mm x 1200 mm x 1320 mm, Busch vacuum pump, type: RA 0302 D 5Z1 QMXX, capacity: 300 m ³ per hour, total dimensions: 2100 mm x 1200 mm x 1320 mm.	4000
139	Frey	Frey vacuum filling machine with linking attachment, type: KONTI-A50, type: KA 800171763, year of construction: 2003, 400 V, 50 Hz, 3 kW, dimensions: 730 mm x 980 mm x 1600 mm.	1500
140	Atlas Copco	Atlas Copco air dryer, type: FD 95 ASTD 230, serial number: CAQ108210, year of construction: 2003, 230 V, 1 Ph, 50 Hz, 1.12 kW, air press maximum: 13 bar, refrigerant: R 134 A, dimensions: 650 mm x 480 mm x 920 mm.	500
141	Baader	Baader separator, type: 603, machine number: 12-5537-0603, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 9.0 A, diameter drum: 270 mm, diameter perforations: 2 mm, total dimensions: 1270 mm x 1100 mm x 1710 mm.	8000



Nr	Title	Description	Start €
142	Vemag	Vemag vacuum filling machine with grinding head, model: R 500, number: 128 3333, year of construction: 2005, 220-240/400-460 V, 3 Ph, 50/60 Hz, 17.8/20 A, dimensions: 1000 mm x 800 mm x 1830 mm. Including crate with parts.	2000
143	Rühle	Rühle cooled vacuum tumbler with lifter for 200 liter meat bins, type: MKR, including Busch vacuümpump, type: KC 0016 D ZO, number: 458314/MMAG/OA, year of construction: 1997, capacity: 16 m ³ per hour, total dimensions: 1900 mm x 1250 mm x 2380 mm.	3000
144	TEN Packaging	TEN Packaging mobile packaging machine, model: Fastpack, number: 465K-20A-367, 22-240 V, 50-60 Hz, 530 W, film width: 230 mm, total dimensions: 750 mm x 480 mm x 1130 mm.	25
145	Risco S.P.A.	Risco S.P.A. sausage binding machine, type: RS 19 AL P, serial number: L1004008, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 0.55 kW, weight: 146 kg, dimensions: 1230 mm x 400 mm x 1080 mm.	500
147	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG double clipper, type: FCA 3 441, number: 513, year of construction: 1998, 400 V, 50 Hz, 4 A, dimensions: 1200 mm x 650 mm x 1880 mm.	3500
148	Fessman	Fessman cooking vessel, type: K G 809, number: 143, year of construction: 1998, 230 V, 1 Ph, 36 kW, gas heated, volume: 400 liter, dimensions: 1380 mm x 1320 mm x 1120 mm.	500
149	Fessman	Fessman cooking vessel, type: NOVA 809, number: 160, year of construction: 1985, 220 V, 50 Hz, 6 A, gas heated, volume: 400 liter, dimensions: 1380 mm x 1320 mm x 1120 mm.	500
150	Fessman	Fessman cooking vessel, type: NOVA 809, number: 106, year of construction: 1990, 220 V, 50 Hz, 6 A, 36 kW, gas heated, volume: 400 liter, dimensions: 1380 mm x 1320 mm x 1120 mm.	500
151	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 4517, year of construction: 1999, 400 V, 50 Hz, 17 A, 6.5 kW, dimensions: 1900 mm x 1320 mm x 2300 mm.	3500
152	Serman & Tipsmark A/S	Serman & Tipsmark A/S mobile filling station, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 16 A, 6 kA, dimensions mixing drum: Ø 390 mm x 500 mm, Fristam lobe pump, type: FKFNH 40, number: 0620470006, total dimensions: 1350 mm x 900 mm x 1720 mm.	500
153	M-Tek	M-Tek modified atmospheric packaging machine, serial number: 533, seal length: 1350 mm, total dimensions: 1440 mm x 900 mm x 2100 mm.	1000



Nr	Title	Description	Start €
154	Mado	Mado mobile grinder, type: MEW 621, number: 32030, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 12.4 A, 5.5 kW, plate diameter: 98 mm, total dimensions: 1100 mm x 820 mm x 1500 mm. Without knives and plates.	1500
155	Mado	Mado grinder, type: MEW 619, number: 30426, year of construction: 2004, 230/400 V, 50 Hz, 3 kW, plate diameter: 110 mm, total dimensions: 930 mm x 560 mm x 1210 mm. Without screw, plates and knives.	1000
156	Mado	Mado grinder, type: MEW 723, number: 104200, year of construction: 2009, 400 V, 50 Hz, 6.6 kW, plate diameter: 110 mm, total dimensions: 930 mm x 560 mm x 1210 mm. Without screw, plates and knives.	1250
157	Friginox	Friginox shockfreezer, model: MX 75-35A E452A TS, serial number: 71426A-2743744011, year of construction: 10/2021, 400 V, 3 Ph, 50 Hz, 10 A, 4000 Watt, refrigerant: CO2, 12 floors, floor dimensions: 530 mm x 390 mm, dimensions: 820 mm x 770 mm x 1920 mm.	850
158	Rosières	Rosières stove with 2 ovens, dimensions: 1170 mm x 650 mm x 980 mm.	300
159	Dito Sama	Dito Sama mobile mixer, model: TBS-140, number: 11951 9939, 400 V, 3 Ph, 50 Hz, 5.5/3.7 A, 2200/1500 Watt, dimensions: 1700 mm x 680 mm x 1260 mm.	500
160	NN cooking vessel	Cooking vessel, inside dimensions: 540 mm x 540 mm x 500 mm, total dimensions: 840 mm x 780 mm x 860 mm.	250
161	ISA	ISA ice cream machine, dimensions: 550 mm x 550 mm x 980 mm.	100
162	Berkel	Berkel weighing scale, number: 54 023, maximum weight: 75 kg, dimensions: 700 mm x 670 mm x 1200 mm.	150
163	Rhima/Wexiodisk AB	Rhima/Wexiodisk AB dishwasher, type: WD-7, number: 1021762, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 16 A, 10.8 kW, dimensions: 750 mm x 700 mm x 1500 mm.	200
164	Meiko	Meiko dishwasher, type: M-iClean UL, serial number: 10346182, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 15 A, 6.8 kW, dimensions: 680 mm x 600 mm x 1500 mm.	500
165	Ariston	Ariston stove with oven, model: XC 902 GH DC 3 NL, type: C9S 51BM2063, serial number: 403050130, 230 V, 50-60 Hz, 3100 Watt, gas heated, dimensions: 900 mm x 600 mm x 980 mm.	150



Nr	Title	Description	Start €
166	Metos/Wexiodisk AB	Metos/Wexiodisk AB dishwasher, type: WD-6E, number: 032756, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 25 A, 13.8 kW, dimensions: 740 mm x 680 mm x 1440 mm. Technical condition unknown.	250
167	Ziegra	Ziegra ice machine, serial number: 105484, dimensions: 800 mm x 650 mm x 1570 mm.	400
168	Holtrop & Jansma	Holtrop & Jansma extractor, type: EKM300, serial number: 8004439B, year of construction: 2000, weight: 125 kg, dimensions: 850 mm x 700 mm x 1050 mm.	50
169	Wessamat Eismaschinenfabrik GmbH / Follett	Wessamat Eismaschinenfabrik GmbH / Follett ice machine with bunker on s/s frame, type ice machine: M 400 ZP-1, serial number: 52366, year of construction: 2012, 400 V, 50 Hz, 1.5 A, refrigerant: R404a / 1500 g, model bunker: E-ITS700SG-30, total dimensions: 1220 mm x 800 mm x 2450 mm.	1250
170	Wessamat Eismaschinenfabrik GmbH / Follett	Wessamat Eismaschinenfabrik GmbH / Follett ice machine with bunker on s/s frame, type ice machine: M 400 ZP-1, serial number: 52367, year of construction: 2012, 400 V, 50 Hz, 1.5 A, refrigerant: R404a / 1500 g, model bunker: E-ITS700SG-30, total dimensions: 1220 mm x 800 mm x 2450 mm. Including Seaplast mobile plastic bin.	1250
171	Maja-Maschinenfabrik GmbH	Maja-Maschinenfabrik flake ice machine with bunker, type: RVE 700 S, machine number: 34586, inside dimensions bunker: 1350 mm x 900 mm x 1150 mm, total dimensions: 1520 mm x 1200 mm x 2400 mm.	1800
172	NN fryer	Double fryer, dimensions baskets: (2x) 460 mm x 400 mm x 450 mm, total dimensions: 1600 mm x 940 mm x 1300 mm.	700
173	Garos	Garos injector and tenderizer, type: 128/576 PLC, machine number: 39910026, 400/480 V, 50/60 Hz, 6 bar, 1670 kg, 128 needles, clearance: 550 mm x 310 mm, width s/s walking beam: 550 mm, total dimensions: 3200 mm x 920 mm x 2170 mm.	4500
174	Ulma	Ulma flowpacker, model Florida-E, serial number: 141723, year of construction: 2012, 415 V, 50 Hz, 7 A, 4.6 kW, chain infeed belt with plastic dividers, seal width: 200 mm, plastic outfeed belt, belt width: 300 mm, total dimensions: 4200 mm x 1200 mm x 1730 mm.	1500
175	Record	Record flowpacker, model: Panda 1000, serial number: 03-00-343, year of construction: 2000, 4 kW, weight: 810 kg, seal length: 250 mm, plastic belt, belt width: 200 mm, total dimensions: 4650 mm x 1300 mm x 1600 mm.	1500



Nr	Title	Description	Start €
176	MAPE	MAPE flowpacker, model: VB-1BIS, S4, serial number: 190303, year of construction: 2003, 220 V, 1500 W, 450 kg, seal width: 250 mm, plastic belts, belt width: 220 mm and 50 mm, total dimensions: 5920 mm x 850 mm x 1670 mm.	1500
177	Record	Record flowpacker, model: Panda 1000, serial number: 03-97-203, year of construction: 1997, 4 kW, weight: 810 kg, seal length: 250 mm, plastic belt, belt width: 200 mm, total dimensions: 3450 mm x 1150 mm x 1540 mm.	1000
178	Strapex	Strapex pallet wrapper, model: DELTA, machine number: 118, 380 V, 3 Ph, 50 Hz, 2.2 A, plate diameter: 1500 mm, total dimensions: 4000 mm x 1500 mm x 2320 mm.	500
179	MR Etikettiertechnik	MR Etikettiertechnik top and bottom labeller, model: MR 233, machine type: BS5212BO, machine number: 17884/00, year of construction: 2000, 230 V, 50 Hz, 700 VA, dimensions: 1300 mm x 1300 mm x 1740 mm. Missing belt.	50
180	Ulma	Ulma flowpacker, model: ATLANTA, machine number: 1110595, year of construction: 2002, 380 V, 50 Hz, 9 A, 1.5 kW, plastic belt, belt width: 300 mm, seal width: 375 mm, total dimensions: 3350 mm x 1150 mm x 1640 mm and 1300 mm x 800 mm x 1600 mm.	1500
181	SIAT	SIAT pallet wrapper, model: F0-STRETCH, serial number: 50064, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2 A, 600 W, diameter platform: 1450 mm, total dimensions: 2200 mm x 1500 mm x 2300 mm and 1670 mm x 1200 mm x 240 mm.	500
182	LR Rimopack S.L.	LR Rimopack S.L. flowpacker, type: AGRO, seal width: 250 mm, plastic belt width: 250 mm and 50 mm, total dimensions 6450 mm x 1100 mm x 1500 mm.	500
183	Van Dijk	Van Dijk heater, model: SL315-55, number: 254, year of construction: 5-96, dimensions: 1300 mm x 1100 mm x 1200 mm.	50
184	Cyclop	Cyklop mobile strapping machine, model: SS-80ODM, 380 V, 3 Ph, 50 Hz, 0.85 KVA, clearance: 850 mm x 600 mm, total dimensions: 1380 mm x 600 mm x 1530 mm.	100
185	Freshtech Solutions	Freshtech Solutions tray denester, clearance: 400 mm x 300 mm, plastic belt, belt width: 380 mm, total dimensions: 1600 mm x 1030 mm x 1560 mm.	250
186	Freshtech Solutions	Freshtech Solutions tray denester, clearance: 400 mm x 300 mm, plastic belt, belt width: 380 mm, total dimensions: 1600 mm x 1030 mm x 1560 mm.	250



Nr	Title	Description	Start €
187	Key Technology	Key Technology vibrating gutter, model: MVESF, number: 4210817, year of construction: 2007, gutter width: 340 mm, total dimensions: 2250 mm x 960 mm x 800 mm.	500
188	Bergmann	Bergmann waste press, type: PS 8100-29 SB F, factory number: 01 4443 3270 / 91, year of construction: 01.1991, weight: 800 kg, dimensions: 1640 mm x 1300 mm x 2500 mm.	1500
189	Sander	Sander mobile strapping machine, model: TZ/3, number: 0075722, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 1.0 kW, clearance: 850 mm x 600 mm, total dimensions: 1420 mm x 630 mm x 1570 mm.	250
190	Mactech	Mactech mobile strapping machine, type: MTZ600, number: 071950, year of construction: 1999, 230 V, 1 Ph, 50 Hz, clearance: 700 mm x 610 mm, total dimensions: 1260 mm x 520 mm x 1530 mm.	250
191	NN fan	Fan, 500 V, 3 Ph, 4.1-6 A, dimensions: 920 mm x 770 mm x 1090 mm.	50
192	Leybold SA	Leybold SA vacuum pump, model: SV 40, number: J 89 11 00306, year of construction: 09 04, dimensions: 660 mm x 380 mm x 350 mm.	50
193	Nash Elmo	Nash Elmo side channel vacuum pump, dimensions: 520 mm x 380 mm x 400 mm.	50
194	Schutten Machines BV	Schutten Machines BV water cup filling and closing machine, model: TML-250-1 number: 01005, year of construction: 2002, diameter cutps: 75 mm, total dimensions: 4160 mm x 1690 mm x 2210 mm.	500
195	Stork	Stork flow pump, type: 100 C4, number: A 02 46, 380/660 V, 50 Hz, 2.2 kW, N: 1390, dimensions: 1650 mm x 750 mm x 500 mm.	250
196	Wamma	Wamma s/s UV disinfection cabinet, dimensions: 1000 mm x 650 mm x 150 mm.	50
197	NN heater	Heater, dimensions: 900 mm x 900 mm x 850 mm.	50
198	NN fan	Fan, dimensions: 750 mm x 750 mm x 1000 mm.	50
199	Meiko	Meiko dishwasher, type: M-iClean UL, serial number: 10362868, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 15 A, 6.8 kW, dimensions: 710 mm x 600 mm x 820 mm.	100
200	Hobart	Hobart dishwasher, model: FXLS-10A, serial number: 866642478, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 15.9 A, 7.7 kW, dimensions: 600 mm x 600 mm x 810 mm.	200
201	Kilia	Kilia cutter with ejector, type: 90 L EX 2000 S, machine number: 10829577, year of construction: 1982, 380 V, 40/55 A, 20/25 kW, steel bowl, volume: 90 liter, s/s knives, dimensions: 2200 mm x 1850 mm x 1800 mm. Including switch cabinet, dimensions: 800 mm x 800 mm x 350 mm.	4000



Nr	Title	Description	Start €
202	MBM Deutschland GmbH	MBM Deutschland GmbH dishwasher, model: MK 6 1P, serial number: 990 29192, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 15 A, 6750 W, dimensions: 800 mm x 700 mm x 1480 mm.	100
203	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile cooled vacuum tumbler, type: GPA 200 K, machine number: 33298, year of construction: 2012, 400 V, 16 A, 2 kW, capacity: 200 liter, total dimensions: 1800 mm x 850 mm x 1800 mm.	2000
204	Multivac	Multivac thermoformer, type: R7000 PC, machine number: 10192/33, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 48 A, 18 kW, film width: 455 mm, dye: (12x) 85 mm x 150 mm, total dimensions: 7350 mm x 1100 mm x 1950 mm. Including suction device for rest film, dimensions: 530 mm x 530 mm x 1060 mm.	3000
205	Bizerba	Bizerba weighing and bottom labelling system with rejector, type: GLM-I, number: 10808032, 230 V, 50 Hz, 2.4 A, type Bizerba labeller: GLI, number: 10808031, plastic belt, belt width: (6x) 295 mm, total dimensions: 4300 mm x 1000 mm x 2130 mm.	2000
206	Henkelman	Henkelman dip tank, type: Diptank 200A, machine number: H0D20200003, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 32 A, 23 kW, plastic mesh belt, belt width: 575 mm, clearance: 600 mm x 380 mm, total dimensions: 1550 mm x 1150 mm x 1420 mm.	2500
207	OK Packaging Systems	OK Packaging Systems box closing machine, type: HF-7, machine number: 99-74376, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.0 A, weight: 200 kg, plastic belt, belt width: 100 mm, s/s rollers, roller width: 580 mm and 390 mm, total dimensions: 2250 mm x 1400 mm x 2070 mm.	2500
208	Bizerba	Bizerba weighing and labelling unit, type: GLM-I, number: 10807907, 400 V, 3 Ph, 50 Hz, 6 A, type labeller: GLI, number: 10807930, plastic belt, belt width: (3x) 580 mm, total dimensions: 2500 mm x 1400 mm x 1900 mm.	2000
209	NN switch cabinet	Steel switch cabinet, dimensions: 1090 mm x 360 mm x 1780 mm.	50



Nr	Title	Description	Start €
210	Galdi /Variopak	Galdi /Variopak forming and filling machine, model: RG 21, serial number: 200012, year of construction: 2000, 380 V, 50 Hz, 9 kW, weight: 1600 kg, package size: 74 mm x 74 mm, total dimensions: 1630 mm x 3250 mm. With outfeed roller conveyor, roller width: 50 mm, total dimensions: 1100 mm x 300 mm x 160 mm and s/s double jacketed infeed pipe, diameter infeed: 150 mm, total dimensions: 1300 mm x 250 mm x 350 mm and pallet with spare parts, dimensions: 800 mm x 600 mm x 700 mm.	2000
211	ECO	ECO evaporator, model: CTE029M6, serial number: AC201603135, year of construction: 25/03/2016, 230 V, 1 Ph, 50/60 Hz, 0.47 A, 75 W, 1 fan, dimensions: 660 mm x 730 mm x 430 mm.	50
212	ACC	ACC cooling compressor, type: CMX18TB3N, number: 258134, 220/240 V, 50 Hz, dimensions: 450 mm x 330 mm x 360 mm.	75
213	NN paraffine tank	S/s paraffine tank, dimensions: 1250 mm x 830 mm x 1000 mm.	50
214	Delaval	Delaval cooling compressor with condenser, type: ASR500 SD, 360/420 V, 3 Ph, 50 Hz, dimensions: 900 mm x 940 mm x 820 mm.	75
215	Cabinplant	Cabinplant elevating belt, type: DRAINSYSTEM, number: 8252-04, year of construction: 2002, 400 V, 3 Ph, plastic mesh belt, belt width: 710 mm, elevating height: 1200 mm, total dimensions: 3200 mm x 1350 mm x 1530 mm.	500
216	Alup	Alup screw compressor, type: SCK 22-10, 15 kW, flow rate: 1.83 m³ per minute, dimensions: 630 mm x 1200 mm x 1460 mm.	75
217	NN mixer	S/s blade mixer, insulated, , volume: 850 liter, Outlet: 2,5", DIN, outlet height: 600 mm, dimensions: 1150 mm x 1500 mm x 1920 mm.	250
218	Bizerba	Bizerba checkweigher, type: CWE, number: 10995391, year of construction: 2014, 240 V, 50 Hz, 3/5 A, min weight: 150 g, max: 3000/6000 g, e=d= 1/2 g, plastic belt, belt width: (4x) 400 mm, total dimensions: 2250 mm x 970 mm x 1760 mm.	500
219	NN pressure vessel	Steel pressure vessel, dimensions: 510 mm x 600 mm x 1860 mm.	150
220	L'unite Hermetique	L'unite Hermetique cooling compressor, type: CAE9470Z MHR, serial number: 12H23 093512 4B89030239, 220/240 V, 50 Hz, 4.6 A, refrigerant: R404A, dimensions: 550 mm x 320 mm x 340 mm.	50
221	Danfoss	Danfoss cooling compressor, model: SC12GXT0, serial number: 2917153954, 220/240 V, 50 Hz, refrigerant: R134A, max pressure: 20 bar, dimensions: 450 mm x 320 mm x 430 mm.	75



Nr	Title	Description	Start €
222	Dantherm	Dantherm mobile air dryer, type: CD-E 3000e, 380/420 V, 3 Ph, 50 Hz, 10 A, 5.5/9.8 kW, dimensions: 680 mm x 610 mm x 1030 mm.	75
223	NN paraffine tank	S/s paraffine tank, dimensions: 1150 mm x 530 mm x 880 mm.	50
224	NN fat filter	S/s fat filter, double jacketed hopper on top of 15 liter tank with membrane filter, infeed diameter: 340 mm, total dimensions: 600 mm x 600 mm x 510 mm.	60
225	NN paraffine tank	S/s paraffine tank, dimensions: 900 mm x 870 mm x 600 mm.	75
226	Miromatic	Miromatic mobile mixing uni, type: MRA 1-2-C-K, 380 V, IKA head reactor, type: 1000/25, number: 96-2138, year of construction: 1996, ORLITA pump, type: MF 15.30, serial number: 660124, voume tank: 30 liter, dimensions: 1560 mm x 910 mm x 1800 mm.	500
227	APV Crepaco	APV crepaco lobe rotor pump on s/s platform with plastic infeed hopper specially for cheese, serial number: F-0272, capacity: 100 liter per hour, dimensions: 1400 mm x 1400 mm x 1500 mm.	200
228	Weileder	Weileder packaging machine, model: FSG-45/55, serial number: H1692030075, 230 V, 1 Ph, 50 Hz, 3 kW, film width: 505 mm, seal length: 550 mm and 450 mm, total dimensions: 1350 mm x 760 mm x 1120 mm.	500
229	Ishida	Ishida metal detector and checkweigher, model: DACS-W-012-SB-WP-I, serial number: 551513, year of construction: 2001, 240 V, 1 Ph, 50 Hz, 2 A, clearance: 270 mm x 100 mm, plastic belt, belt width: (3x) 220 mm, total dimensions: 1670 mm x 1000 mm x 1470 mm.	500
230	IndelB	IndelB refrigerator, serial number: 0530W181625218510149, 220/240 V, 50/60 Hz, 65 W, volume: 32 liter, refrigerant: R600a, weight: 13.2 kg, dimensions: 410 mm x 440 mm x 540 mm.	50
231	May	May 4-pits induction stove, model: PCCT-63ET, number: 19050739, 400 V, 2 Ph, 50/60 Hz, 3 kW, dimensions: 610 mm x 600 mm x 380 mm.	50
232	Brema Group S.p.A.	Brema Group S.p.A. ice machine, model: IFT 65W R290, number: 2019040958144, year of construction: 2019, 220/240 V, 50 Hz, 275 W, refrigerant: R290, dimensions: 500 mm x 580 mm x 690 mm.	80
233	NN paraffine tunnel	S/s paraffine tunnel, s/s mesh belt, belt width: 430 mm, clearance: 430 mm x 180 mm, plastic outfeed belt, belt width: 430 mm, total dimensions: 2100 mm x 900 mm x 2900 mm.	300



Nr	Title	Description	Start €
234	Zetterströms Rostfria AB	Zetterströms Rostfria AB vessel with plate heat exchanger, model: SHG · 300 · LR, serial number: 89115, year of construction: 1989, volume: 300 liter, max pressure: 8 bar, max temperature: 175 C°, dimensions: 870 mm x 950 mm x 2380 mm.	200
235	E. Olsson's Maskinfabrik ApS	E. Olsson's Maskinfabrik ApS paraffine tunnel, model: BOVM 400, serial number: 02.190.01, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 16 A, clothed infeed belt, belt width: 350 mm, brush length: 400 mm, s/s mesh belt, belt width: 410 mm, clearance: 400 mm x 30 mm, total dimensions: 4100 mm x 950 mm x 2200 mm.	150
236	NN paraffine tunnel	S/s paraffine melting tunnel, s/s mesh belt, belt width: 430 mm, clearance: 430 mm x 180 mm, total dimensions: 3200 mm x 870 mm x 1800 mm.	100
237	Still	Still reachtruck with battery charger, model: EGD, serial number: 710219015669, year of construction: 2006, capacity: 1600 kg, weight: 900 kg, battery weight: 196 kg, fork length: 1190 mm, fork width: 565 mm, total dimensions: 2000 mm x 700 mm x 1540 mm.	850
238	Still	Still electric pallet lifter, type: EGU - 16, serial number: 710115017930, year of construction: 2000, capacity: 1600 kg, weight: 310 kg, battery weight: 165 kg, fork length: 1140 mm, fork width: 560 mm, total dimensions: 1600 mm x 700 mm x 1400 mm.	750
239	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1140 mm, fork width: 550 mm, total dimensions: 1600 mm x 720 mm x 1300 mm. Technical condition unknown.	250
240	Jungheinrich	Jungheinrich reachtruck, type: ERC-Z 14, serial number: 90079063, year of construction: 2003, working hours: 961 hour, capacity: 1400 kg, weight: 1305 kg, battery weight min/max: 274/303 kg, fork length: 1150 mm, fork width: 560 mm, total dimensions: 2150 mm x 850 mm x 1950 mm.	750
241	Jungheinrich	Jungheinrich reachtruck, type: EJD 16 G-20-119-166 ZT, serial number: 7988367 04, year of construction: 1991, capacity: 1600 kg, weight: 720 kg, battery weight min/max: 150/166 kg, fork length: 1170 mm, fork width: 570 mm, total dimensions: 1950 mm x 700 mm x 1280 mm.	750
242	Mondomix	Monodomix continuous aerating machine, type: UA15, mixer, dimensions: 1900 mm x 800 mm x 1550 mm. Incomplete.	200



Nr	Title	Description	Start €
243	Mainca	Mainca piston filler, model: EM-20, number: 4375, year of construction: 2000, 230 V, 3 Ph, 50 Hz, 4.3 A, 0.92 kW, dimensions: 480 mm x 420 mm x 1110 mm.	650
244	Wagner	Wagner autoclave, type: KORIMAT KA160, factory number: 991608, year of construction: 1999, 230/400 V, 3 Ph, 9 kW, volume: 120 liter, dimensions: 1150 mm x 800 mm x 1250 mm.	1500
245	Maja	Maja mobile skinning and derinding machine, type: SKINNY, number: 41146, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2, 0.75 kW, plastic belt, belt width: 385, working width: 425 mm, total dimensions: 850 mm x 1150 mm x 1220 mm.	700
246	Multivac	Multivac mobile labelling machine with bottom and top labeller and rejector, model: MR335 TQ3019BA40000RG, type: MR335, machine number: 242158, year of construction: 2017, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: (2x) 190 mm, total dimensions: 2700 mm x 1200 mm x 2300 mm.	6500
247	Reepack	Reepack traysealer, model: ReeMarket, serial number: 2518003, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 20 A, dye: (4x) 220 mm x 180 mm, (2x) 180 mm x 135 mm, plastic mesh belt, belt width: (2x) 255 mm, total dimensions: 4100 mm x 930 mm x 1820 mm. With Busch vacuum pump, type: RA 0100 F 4S3, number: 130021742, year of construction: 2013, capacity: 100 m ³ per hour and 2 crates with spare parts.	5500
248	Maja	Maja flake-ice machine, type: RVE3100 S, machine number: 34038, dimensions: 1550 mm x 600 mm x 600 mm.	2100
249	Maja	Maja flake-ice machine, type: RVE3100 SL, machine number: 36546, dimensions: 1550 mm x 600 mm x 600 mm.	2200
250	Inject Star	Inject Star vacuum tumbler, type: ES-1100, number: ES1100-408, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 2.2 kW, volume: 1100 liter, Rietschle vacuum pump, type: VCE 15 (01), number: 2104538, year of construction: 2000, capacity: 15/10 m ³ per hour, dimensions: 1400 mm x 2100 mm x 1720 mm.	3500
251	Inject Star	Inject Star vacuum tumbler, type: ES-800, number: 030, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 1.8 kW, volume: 800 liter, Rietschle vacuum pump, dimensions: 1330 mm x 2100 mm x 1580 mm.	2200



Nr	Title	Description	Start €
252	Inject Star	Inject Star vacuum tumbler, type: ES-1100, number: 390, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 2.2 kW, volume: 1100 liter, Busch vacuum pump, type: RC 0025 E, number: 04022585, year of construction: 2004, capacity: 25 m ³ per hour, dimensions: 1330 mm x 2100 mm x 1670 mm.	2300
253	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
254	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
255	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
256	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
257	Sealpac	Sealpac traysealer, dye: 315 mm x 265 mm, Busch vacuum pump, total dimensions: 950 mm x 1200 mm x 1770 mm.	2300
258	Lăcovac	Lăcovac injector, type: Jet, number: 168, 380 V, dimensions: 400 mm x 200 mm x 260 mm.	150
259	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
260	Haka	Haka frying pan, type: EBT600, year of construction: 09/2014, 400 V, 3 Ph, 6 kW, dimensions: 650 mm x 600 mm x 1000 mm.	150
261	Talsa	Talsa mobile mixer, type: MIX 60P, serial number: 112250, 230/400 V, 3 Ph, 50 Hz, 1.55 A, 0.43 kW, volume: 60 liter, dimensions: 800 mm x 600 mm x 1000 mm.	1200
262	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
263	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
264	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
265	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
266	Clean srl	Clean srl hose reel with hose and spray pistol, dimensions: 650 mm x 520 mm x 230 mm.	150



Nr	Title	Description	Start €
267	Maja	Maja mobile skinning machine used for fresh meat with foot control, type: EVM 5006 Entvliesser, serial number: M-53529, year of construction: 2017, 400 V, 2 Ph, 50 Hz, 1.97 A, 0.75 kW, weight: 200 kg, working width: 540 mm, total dimensions: 980 mm x 400 mm x 300 mm.	2700
268	Henkelman	Henkelman vacuum machine, type: Mini Jumbo, number: 00207317, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 3 A, 0.6 kW, chamber dimensions: 280 mm x 270 mm, seal length: 275 mm, total dimensions: 400 mm x 335 mm x 300 mm.	200
269	NN smoke sticks	S/s trolley with approximately 600 Y-shaped s/s smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
270	NN ham press	S/s ham press, dimensions: 1000 mm x 1000 mm x 1300 mm.	1100
271	EDT	EDT apron cleaning machine, type: SRSI07, number: 292, year of construction: 2007, 400 V, 1 Ph, 50 Hz, 2/10 A, 0.5 kW, brush length: 35 mm, total dimensions: 1420 mm x 480 mm x 980 mm.	500
272	Brahner	Brahner grinder, model: P 22-82, number: 454.198, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 7.7 A, 746 W, plate diameter: 82 mm, total dimensions: 500 mm x 350 mm x 520 mm.	700
273	Mohn & Co. GmbH	Mohn & Co. GmbH smoke stick washer, type: RSWA-L, machine number: 53-06, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 9 kW, diameter drum: 600 mm, total dimensions: 2150 mm x 920 mm x 1030 mm.	4200
274	Sirman S.p.A.	Sirman S.p.A. mobile mixer, model: IP 190 BAXP CE, serial number: 16L02328, year of construction: 2016/08, 400 V, 3 Ph, 50 Hz, 2.7 A, 1840 W, weight: 157 kg, dimensions: 1300 mm x 740 mm x 1200 mm.	2300
275	Still	Still electric tow tractor, type: CX-T, serial number: 711050A01016, year of construction: 2010, working hours: 4037 hour, towing capacity: 4000 kg, unladen weight: 740 kg, battery voltage: 24 V, battery weight: min. 489 kg, rated drive power: 3 kW, towing force: 4000 N, front axle load (N°05): 572 kg, rear axle load (N°05): 578 kg, dimensions: 1650 mm x 800 mm x 1300 mm.	1000
276	Holac	Holac dicer, type: CUBIXX 100 L, serial number: 003,43,07, year of construction: 2003, 400 V, 50 Hz, 8.2 A, 2.3 kW, chamber dimensions: 100 mm x 100 mm, total dimensions: 1220 mm x 600 mm x 1080 mm. Defect.	650



Nr	Title	Description	Start €
277	Dorit	Dorit smoke stick washer, type: DOR-300-S, serial number: 36900-155, 400 V, 3 Ph, 50 Hz, 1.6 A, 0.55 kW, dimensions drum: Ø 600 mm x 1070 mm, total dimensions: 1400 mm x 800 mm x 1540 mm.	2200
278	Still	Still electric pallet lifter, type: SU 20, serial number: F21610G00172, year of construction: 2016, working hours: 548.5 hour, capacity: 2000 kg, weight: 697 kg, battery voltage: 24 V, battery weight: min. 352 kg / max. 475 kg, rated drive power: 2.0 kW, fork length: 1140 mm, fork width: 170 mm, total dimensions: 1980 mm x 800 mm x 1330 mm.	1500
279	Inauen Maschinen AG	Inauen Maschinen AG traysealer, model: VC999/TS 300 N, serial number: 0431133, 400 V, 3 Ph, 50 Hz, 16 A, dye: (2x) 185 mm x 135 mm, operating air pressure: 6–8 bar, Rietschle vacuum pump, type: VCA 40 (00), number: 602608440003, year of construction: 2004, capacity: 10 m ³ per hour, total dimensions: 1120 mm x 600 mm x 1610 mm.	2500
280	Holac	Holac mobile dicer, type: CUBIXX 100 N, serial number: 003-30-31, year of construction: 2006, 400 V, 50 Hz, 8.2 A, 2.3 kW, chamber dimensions: 100 mm x 100 mm, total dimensions: 1170 mm x 600 mm x 1140 mm.	2700
281	Koppens	Koppens fryer, type: BR 2000/400, machine number: BR 2000/400-622, 380 V, 3 Ph, 50 Hz, 70 A, 45 kW, weight: 1050 kg, s/s belt, belt width: 400 mm, frying length: 2000 mm, total dimensions: 4350 mm x 1500 mm x 1500 mm.	8000
282	Rühle	Rühle mobile traysealer with label printer, type: VR 1, number: 71, year of construction: 2004, 230 V, 50 Hz, 1.5 kW, dimensions dye: 300 mm x 240 mm, film width: 335 mm, with Busch vacuum pump, type: PC 0008 A, total dimensions: 650 mm x 700 mm x 1700 mm. Including 1 extra dye. Screen broken.	400
340	Handtmann	Handtmann case spooling device, type: 78-6, number: 712, code: 1997, 230 V, 50 Hz, 0.67 A, 0.19 kW.	200
341	Kromer	Crate with 4 Kromer balancers.	200
342	NN frequency controllers	Crate with frequency controllers.	100
343	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 650 mm x 300 mm x 450 mm.	100
344	NN centrifugal pump	Centrifugal pump, dimensions: 670 mm x 640 mm x 350 mm.	100
345	NN centrifugal pump	Centrifugal pump, dimensions: 940 mm x 640 mm x 350 mm.	100
346	SEW-Eurodrive	Pallet with 7 SEW-Eurodrive motors.	100



Nr	Title	Description	Start €
347	Busch	Busch vacuum pump, type: 160-132, number: 45271, capacity: 160 m ³ per hour, dimensions: 1200 mm x 800 mm x 450 mm.	250
349	Boge	Boge air compressor, type: SK 46, number: 5022427, year of construction: 2008, 11,0 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	400
350	Busch	Busch vacuum pump, type: RA 0302 D 503, serial number: C1822000584, year of construction: 2018, weight: 250 kg, capacity: 300 m ³ per hour, dimensions: 1050 mm x 550 mm x 600 mm.	750
351	Embraco	Embraco condensing unit, model: NJ2212GK / UNJ2212GK, 200-240 V, 1 Ph, 50 Hz, R 404A, dimensions: 480 mm x 400 mm x 330 mm.	50
352	Rietschle	Rietschle booster pump, type: VWP 1000 (05), number: 2287043, year of construction: 2002, capacity: 1072 m ³ per hour, dimensions: 950 mm x 650 mm x 550 mm.	200
353	Bock Compressors	Bock Compressors cooling compressor, type: HGX4/465-4S, number: AL11055A008, capacity: 40.5/48.6 m ³ per hour, dimensions: 750 mm x 400 mm x 400 mm.	250
354	L'Unite Hermetique	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CAET4440YHR, serial number: 06F01 195956 3B66230202, 220/240 V, 1 Ph, 50 Hz, 3.8 A, refrigerant: R134A, dimensions: 650 mm x 630 mm x 460 mm.	200
355	L'Unite Hermetique	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CEJ2428Z BR, serial number: 07G24 115320 4278430203, 220/240 V, 1 Ph, 50 Hz, 3.8 A, refrigerant: R404A, dimensions: 650 mm x 630 mm x 460 mm.	200
356	Busch	Busch vacuum pump, type: RA 0302 D 5S1 CUZZ, number: C1033000032, year of construction: 2010, capacity: 300 m ³ per hour, dimensions: 1300 mm x 650 mm x 830 mm.	500
357	NN mixer	Mixer, dimensions: 440 mm x 440 mm x 1150 mm.	100
358	Gebr. Creemers B.V.	Gebr. Creemers B.V. air compressor, type: GS 220 L, factory number: 28095.84, year of construction: 1984, vessel capacity: 90 liter, dimensions: 1100 mm x 300 mm x 850 mm.	150
359	Pomac B.V.	Pomac B.V. centrifugal pump, type: P16644/1302, number: 7849, capacity: 5 m ³ per hour, dimensions: 500 mm x 350 mm x 500 mm.	500
360	DWM Copeland	DWM Copeland cooling compressor, model: DLHA-50X-EWL, serial number: 2153089, capacity: 26.80 m ³ , dimensions: 500 mm x 350 mm x 630 mm.	10



Nr	Title	Description	Start €
361	NN condensing unit	Condensing unit, dimensions: 735 mm x 680 mm x 530 mm.	5
362	Bock	Bock condensing unit with cooling compressor, type: HGX3/190-4, capacity: 16.7/20.1 m ³ per hour, total dimensions: 900 mm x 900 mm x 600 mm.	200
363	Bock	Bock cooling compressor, type: HBX34P/215-4, capacity: 18.8 m ³ per hour, dimensions: 560 mm x 400 mm x 630 mm.	10
364	Frascold	Frascold cooling compressor, type: F 7 25 Y, number: 2B0001703, year of construction: 2000, capacity: 25.2 M ³ per hour, dimensions: 480 mm x 250 mm x 350 mm.	75
365	Busch	Busch vacuum pump, type: RA 0040 E 5Z1, number: 00035073, capacity: 40 m ³ per hour, dimensions: 610 mm x 300 mm x 320 mm.	75
366	Bock	Bock condensing unit with cooling compressor, type: HGX3/190-4, capacity: 16.7/20.1 m ³ per hour, total dimensions: 900 mm x 900 mm x 600 mm.	200
367	Helpmann	Helpmann evaporator, type: LEX-6n-E, 220/240 V, 1 Ph, 50 Hz, dimensions: 650 mm x 650 mm x 440 mm.	5
368	Rietschle	Rietschle vacuum pump, type: DTA 100/1(01), serial number: 000202430003, year of construction: 2006, capacity: 100 m ³ per hour, dimensions: 950 mm x 450 mm x 400 mm.	300
369	Rietschle	Rietschle vacuum pump, type: DTA 100/1(01), year of construction: 2007, serial number: 2553547, capacity: 100 m ³ per hour, dimensions: 950 mm x 450 mm x 600 mm.	300
370	NN motors	Pallet with 4 motors.	20
371	Taconic	Taconic PTFE belting repair kit with electric heat sealer, type: SG55-180URGA, serial number: 1491068, 230 V, 1 kW, with Meyer temperature controller, type: SG55-180RG-L. Includes ceramic press block, aluminum pressure plate, and PTFE repair belts, dimensions: 460 mm x 330 mm x 160 mm..	50
372	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, condensing unit type: LH44E, serial number: 1692308937, type cooling compressor: 2EES-2Y-40S, serial number: 1692306160, capacity: 11.2/13.7 m ³ per hour, dimensions: 1050 mm x 800 mm x 630 mm.	400
373	Elmo Rietschle	Elmo Rietschle vacuum pump, dimensions: 1500 mm x 750 mm x 460 mm.	400
374	Dell	Dell monitor with 2 monitor stands, serial number: CN-0WPDV1-14G-4CCL, screen dimensions: 510 mm x 290 mm.	10



Nr	Title	Description	Start €
375	NN locker	Steel locker, dimensions: 360 mm x 480 mm x 1820 mm.	10
376	NN tables and chairs	2 steel tables, dimensions: (2x) Ø 700 mm x 720 mm, 2 chairs.	10
377	KSB	KSB circulation pump, type: ETABLOC-MN 40-200/154, serial number: 0005046887 001000 04, year of construction: 2004, dimensions: 460 mm x 280 mm x 300 mm.	30
378	Hilge GmbH & Co. KG	Hilge GmbH & Co. KG centrifugal pump, type: DURIETTA.I-200-10/1.1/2, serial number: 88 7016, 220/380 V, 50 Hz, 54 IP, dimensions: 350 mm x 230 mm x 250 mm.	25
379	NN ham moulds	Plastic pallet box with large amount of s/s ham moulds, ham mould dimensions: 550 mm x 115 mm x 75 mm, total dimensions: 1200 mm x 1000 mm x 750 mm.	150
380	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 20-4.2, capacity: 22/14 m3 per hour, dimensions: 1250 mm x 650 mm x 6830 mm.	150
381	Totor-NL	Totor-NL motor, dimensions: 550 mm x 370 mm x 300 mm.	20
382	Viereck & Co. Bosch-Hydraulik	Viereck & Co. Bosch-Hydraulik hydraulic unit, type number: 2841 HA1-0, hydraulic unit: V 25 L, machine number: 2015, dimensions: 600 mm x 400 mm x 700 mm.	100
383	Stöber	Stöber motor, type: R86-1044-1100-4, number: 583916, 230 V, dimensions: 1150 mm x 600 mm x 500 mm.	50
384	NN cooling unit	Cooling unit, dimensions: 850 mm x 570 mm x 530 mm.	50
385	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1828021 0007, year of construction: 2017, capacity: 500/1000 kg with Kratos balancer.	150
386	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1828021 0001, year of construction: 2017, capacity: 500/1000 kg with Kratos balancer.	150
387	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1917771 0003, year of construction: 2018, capacity: 500/1000 kg with Kratos balancer.	150
388	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1876721 0052, year of construction: 2017, capacity: 500/1000 kg with Kratos balancer.	150
389	L'unite Hermetique	L'unite Hermetique cooling compressor, dimensions: 550 mm x 350 mm x 400 mm.	40



Nr	Title	Description	Start €
390	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, compressor type: 2EC-3.2Y-40S, serial number: 1680402324, capacity: 11.4/13.7 m ³ per hour, dimensions: 700 mm x 980 mm x 920 mm.	400
391	NN condensing unit	Condensing unit with cooling compressor, dimensions: 830 mm x 730 mm x 750 mm.	40
392	Cubigel	Cubigel cooling compressor, type: CMX18TB3M, dimensions: 500 mm x 460 mm x 340 mm.	75
393	Electrolux	Electrolux cooling compressor, dimensions: 450 mm x 500 mm x 460 mm.	75
394	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KES-05Y-40S, capacity: 4,1/4,9 m ³ per hour, dimensions: 850 mm x 850 mm x 600 mm.	400
395	NN ham moulds	Plastic pallet box with large amount of s/s ham moulds, ham mould dimensions: 550 mm x 115 mm x 75 mm, total dimensions: 1200 mm x 1000 mm x 750 mm.	150
396	Pfeiffer Vacuum	Pfeiffer Vacuum pump, model: DUO 2.6, serial number: 21122910, year of construction: 2005, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: 310 mm x 120 mm x 190 mm.	50
397	Pfeiffer Vacuum	Pfeiffer Vacuum pump, model: DUO 3, serial number: 22064160, year of construction: 2010, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: 310 mm x 120 mm x 190 mm.	50
398	Pfeiffer Vacuum	2 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, serial number: 21482229, year of construction: 2010 and 2006, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (2x) 310 mm x 120 mm x 190 mm.	100
399	Pfeiffer Vacuum	3 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, serial number: 21577376, year of construction: 2010, capacity: 2.9 m ³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	200
400	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH portioning machine, type: GMS 1200, serial number: 113, year of construction: 2017, 400 V, 3 Ph, 11.5 kW, 25 A, weight: 2200 kg, plastic mesh belt, belt width: 250 mm, 650 mm, total dimensions: 1750 mm x 2900 mm x 2150 mm. Including 2 s/s trolleys and pallet box with parts, trolley dimensions: (2x) 1050 mm x 1000 mm x 1300 mm, pallet box dimensions: 1200 mm x 1000 mm x 760 mm.	5000



Nr	Title	Description	Start €
401	Kronen	Kronen corer used for cabbages and lettuce, type: CORER 3 B, number: 164, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 2.6 kW, 3 lanes, maximum diameter product: 240 mm, total dimensions: 3500 mm x 1500 mm x 2200 mm.	8000
402	Treif	Treif dicer, model: Phoenix-CE, type: 3040, machine number: 304000.76161.0318, year of construction: 1998, 400 V, 50 Hz, 10/16 A, 4.40 kW, weight: 1400 kg, dimensions chamber: 120 mm x 120 mm, total dimensions: 2300 mm x 1150 mm x 1950 mm. Including extra grids and knife.	2500
403	Alexanderwerk	Alexanderwerk vacuum filling machine with linking attachment, type: NFV 50, machine number: 04808669, 230/400 V, 50 Hz, 6.9 A, 3 kW, dimensions: 1000 mm x 630 mm x 1600 mm.	2500
404	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 300 B, number: 635, 380 V, dimensions: 2100 mm x 1300 mm x 2020 mm.	2500
405	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP 7 E, number: 160 0002, year of construction: 2005, 400-460 V, 50-60 Hz, 18-20 A, 12 kW, Vemag vacuum pump, type: KC 0016, serial number: D15411584, year of construction: 2015, capacity: 16 m³ per hour, dimensions: 2100 mm x 1520 mm x 2200 mm.	10000
406	CFS Bakel B.V.	CFS Bakel B.V. mobile breeding machine, type: ECB 400, machine number: 1230, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 3.67 A, 1.2 kW, weight: 295 kg, s/s mesh belt, belt width: 405 mm, total dimensions: 2450 mm x 950 mm x 2100 mm. Revised in 2019.	4000
407	Risco S.P.A.	Risco S.P.A. vacuum filling machine, model: RS 110, serial number: A815035, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 5.0 kW, weight: 340 kg, dimensions: 1100 mm x 700 mm x 1750 mm.	1000
408	Handtmann	Handtmann vacuum filling machine, type: VF50, number: 20243, year of construction: 2005, 16 A, 4 kW, dimensions: 900 mm x 700 mm x 1630 mm.	3500
409	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile automatic double clipper, type: SFC, number: 125, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 4.3 A, 2.4 kW, 5/7 bar, weight: 310 kg, dimensions: 1850 mm x 900 mm x 1800 mm.	5900
411	Turbo Tools	Turbo Tools mobile depositor, model: Obrut, serial number: SD234680, dimensions: 1300 mm x 710 mm x 1820 mm.	450



Nr	Title	Description	Start €
412	Kalmeijer	Kalmeijer mobile dough divider, plastic belt, belt width: 265 mm, total dimensions: 1600 mm x 610 mm x 1620 mm.	300
413	Kalmeijer	Kalmeijer proofer, type: KRV 272, number: 9021, 400 V, 3 Ph, 50 Hz, 13.0 A, 6.25 kW, weight: 1100 kg, basket width: 490 mm, total dimensions: 3000 mm x 1100 mm x 2650 mm.	300
414	Kalmeijer	Kalmeijer forming machine, belt width: 150 mm, roller width: 215 mm, total dimensions: 2350 mm x 1100 mm x 1580 mm.	300
415	Kerres	Kerres smoke chamber with trolley and friction smoke generator, trolley with 5 floors, trolley dimensions: 1000 mm x 830 mm x 1600 mm, total dimensions: 1660 mm x 1000 mm x 2130 mm. Type smoke generator: RE 891-C, factory number: 15.020, year of construction: 09/1990, 380 V, 0.5 kW, dimensions: 750 mm x 400 mm x 1380 mm. Technical condition unknown.	1000
416	Sealpac	Sealpac traysealer, type: SEALPAC 800, serial number: TVG 01 1733 01, year of construction: 2007, 400/230 V, 3 Ph, 50-60 Hz, 10 kW, total dimensions: 6200 mm x 900 mm x 2100 mm. Without dyes.	3000
417	Garos	Garos tumbler for 200 liter meat bins, type: GAT 300, machine number: 41015048, year of construction: 2000, 380/220 V, 50 Hz, 2.3 A, weight: 685 kg, capacity: 400 kg, dimensions: 1750 mm x 1600 mm x 1300 mm. Without rolleys.	3500
418	Marel	Marel part for batch weigher, s/s frame, plastic belt, belt width: 530 mm, total dimensions: 2120 mm x 950 mm x 2230 mm.	750
419	Mado	Mado mobile grinder, type: MEW 622, number: 9830025, 230/400 V, 3 Ph, 50/60 Hz, 19.5 A, 9.0 kW, plastic worms, maximum plate diameter: 114 mm, total dimensions: 1250 mm x 1000 mm x 1350 mm. Without outfeed worm, plates and knives.	500
420	Rühle	Rühle vacuum tumbler, type: MTR130, number: 293, year of construction: 1987, volume: 130 liter, dimensions: 1040 mm x 750 mm x 1200 mm.	600
421	Henkovac	Henkovac mobile double chamber vacuum machine, seal length: (4x) 620 mm, chamber: (2x) 780 mm x 620 mm, total dimensions: 1570 mm x 1080 mm x 1230 mm.	3500
422	IFP Packaging	IFP Packaging s/s turning table, model: Turning Table, serial number: F4719, year of construction: 2017, 400 V, 50/60 Hz, 2.46 A, 0.22 kW, weight: 60 kg, dimensions: Ø 1400 mm x 800 mm.	650



Nr	Title	Description	Start €
423	CFS	CFS thermoformer, type: PowerPak 500 Typ3, machine number: 35000101, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, 21 kW, film width: 505 mm with PBI Dansensor gas mixing station, type: MAP Mix 9001-2/250B, serial number: 40041535, year of construction: 2004, CFS top and bottom cross web labeller, type: TL-200, machine number: 602/1237, year of construction: 2010, total dimensions: 9300 mm x 1500 mm x 2550 mm.	2000
424	NN transport belt	Mobile transport belt, s/s frame, s/s mesh belt, belt width: 200 mm, total dimensions: 1080 mm x 650 mm x 1210 mm.	100
425	CFS	CFS mobile steaker, type: TRC 400 SCR, machine number: 141, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 135 kg, s/s mesh belt, belt width: 400 mm, working width: 400 mm, total dimensions: 1800 mm x 600 mm x 1230 mm.	1000
426	Frey	Frey mobile vacuum filling machine, type: KONTI A50, number: KA 80038221, 400 V, 50 Hz, 3.0 kW, dimensions: 1000 mm x 750 mm x 1650 mm.	1000
427	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: PDC 600, number: 1207/03, 5-7 bar, dimensions: 650 mm x 1050 mm x 1920 mm. Including S 632 clips.	1800
428	Talleres Ramon S.L.	Talleres Ramon S.L. mobile piston filler, serie: SC, model: 25, number: 2305, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 2.05 A, 0.75 kW, volume: 25 liter, dimensions: 650 mm x 400 mm x 1220 mm.	250
429	Treif dicer	Treif dicer, type: 1304, machine number: 130400.67241.0396, year of construction: 1988, 220-380 V, 3 Ph, 50 Hz, 3.5/10 A, chamber: 85 mm x 85 mm, total dimensions: 1000 mm x 665 mm x 795 mm. Including extra grids.	750
430	Treif	Treif mobile dicer, model: Felix 100, machine number: 027114.179409.116192, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 3/10 A, 1.0 kW, weight: 173.5 kg, dimensions chamber: 120 mm x 120 mm, total dimensions: 1000 mm x 700 mm x 1050 mm.	3000
431	Tender Star	Tender Star mobile tenderizer, model: T.S.E. serial number: 2012344, year of construction: 2001, 220/380 V, 3 Ph, 50 Hz, 0.9 kW, clearance: 400 mm x 160 mm, total dimensions: 970 mm x 850 mm x 1800 mm.	500
432	Eberhardt GmbH	Eberhardt GmbH mobile s/spindle-type boiling press with 32 moulds, year of construction: 2020, inside dimensions moulds: 120 mm x 750 mm, total dimensions: 1000 mm x 900 mm x 2000 mm.	3100



Nr	Title	Description	Start €
433	CFS Bakel B.V.	CFS Bakel B.V. mobile coating machine, type: WTC 400, machine number: 1617, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 2.25 A, 0.62 kW, weight: 165 kg, s/s mesh belt, belt width: 405 mm, total dimensions: 1360 mm x 760 mm x 1500 mm. Revised in 2019.	4000
434	Alco flattening machine	Alco mobile flattening machine, type: ASP 250, serial number: 19301213, year of construction: 2002, 400 V, (2x) 0.18 kW, 260 kg, plastic belt, belt width: (1x) 245 mm, (1x) 250 mm, total dimensions: 1600 mm x 650 mm x 1410 mm. Technical condition unknown.	1000
435	NN turning table	Turning table with plastic top, dimensions: Ø 1250 mm x 920 mm.	200
436	NN cooking vessel	Cooking vessel, inside dimensions: 850 mm x 850 mm x 450 mm, total dimensions: 1050 mm x 1400 mm x 1000 mm.	400
437	Groba BV	Groba horizontal cheese divider, type: HHDM 520-S, year of construction: 1999, belt width: 340 mm and 235 mm, roll width: 2 x 250 mm, consisting of 2 parts, dimensions: 3250 mm x 1100 mm x 2100 mm and 2800 mm x 1100 mm x 2080 mm.	1000
438	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector with filter tub, model: FGM 48 SC, machine number: 10450-2006, 400 V, 3 Ph, 50 Hz, 22/63 A, 6 bar, 192 needles, plastic mesh belt, belt width: 390 mm, total dimensions: 2400 mm x 950 mm x 2300 mm, dimensions filter tub: 2000 mm x 750 mm x 900 mm.	3700
439	Multivac	Multivac thermoformer, type: R 230 MC, machine number: 179, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 15 kW, 36 A, film width: 340 mm, dimensions dye: (2x) 310 mm x 215 mm, total dimensions: 5500 mm x 950 mm x 2000 mm. Without vacuum pump and outfeed belt. Including Multivac suction device for rest film, type: F-CEVF 3718-3, dimensions: 600 mm x 700 mm x 1400 mm. Machine will be provided with steel transport support beam.	2000
440	Ishida	Ishida checkweigher with rejector, model: QC220-VT-1B-F-R-HD-RL, serial number: 560011122, year of construction: 10/2016, 240 V, 1 Ph, 50 Hz, 5 A, weight: 450 kg, plastic belts, belt width: 220 mm, total dimensions: 1950 mm x 1000 mm x 1680 mm.	600
441	Hofelmeyer	Hofelmeyer weigher for 200 liter meat bins, type indicator: HTF200, dimensions: 1200 mm x 900 mm x 1200 mm.	150



Nr	Title	Description	Start €
442	Kolbe	Kolbe bandsaw, table dimensions: 780 mm x 580 mm, total dimensions: 850 mm x 750 mm x 1700 mm.	900
443	Talleres Ramon S.L.	Talleres Ramon S.L. mobile piston filler, serie: SC, model: 25, number: 2201, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.05 A, 0.75 kW, volume: 25 liter, dimensions: 650 mm x 400 mm x 1220 mm.	250
444	Berkel	Berkel grinder, type: HP 32, number: 2488, 220 V, 2.2 kW, diameter plate: 98 mm, total dimensions: 980 mm x 510 mm x 1240 mm. Including extra knife and plate.	650
445	Kolbe GmbH	Kolbe GmbH mobile portioning machine, type: PM 150, machine number: 75 0052, year of construction: 2005, 400/230 V, 3 Ph, 50 Hz, 0.87 A, 0.25 kW, plastic belt, belt width: 200, clearance: 160 mm x 80 mm, total dimensions: 1400 mm x 600 mm x 940 mm. Incomplete.	500
446	Rühle	Rühle injector and tenderizer, type: IR 56, 56 needles, s/s walking beam, beam width: 290 mm, clearance: 340 mm x 150 mm, total dimensions: 1350 mm x 800 mm x 2030 mm.	1500
447	Inject Star	Inject Star cooled vacuum tumbler, type: ES-800-COOL, number: K-101, year of construction: 1999, 400/230 V, 3 Ph, 50 Hz, 3.3 kW, volume: 800 liter, Rietschle vacuum pump, type: VCE 15, number: 1976467, capacity: 15/18 m³ per hour, dimensions: 2550 mm x 1100 mm x 1600 mm. Including cooling unit, dimensions: 750 mm x 820 mm x 1300 mm.	2000
448	Holac	Holac dicer, type: AUT 30, number: 202-30-35, year of construction: 2001, 400 V, 50 Hz, chamber: 175 mm x 160 mm, total dimensions: 2450 mm x 1600 mm x 2150 mm.	1900
449	Treif	Treif mobile dicer with outfeed belt, model: Argon, machine number: 410006.163958.110930, year of construction: 2011, 380-480 V, 3 Ph, 50/60 Hz, 16 A, 2 kW, weight: 415 kg, chamber dimensions: 100 mm x 100 mm, plastic belt, belt width: 240 mm, total dimensions: 1750 mm x 1300 mm x 1200 mm.	2000
450	Treif	Treif dicer, type: 1322, machine number: 132201.68021.0958, year of construction: 1993, 380/220 V, 3 Ph, 50 Hz, 3.5/10 A, chamber dimensions: 85 mm x 85 mm, total dimensions: 1070 mm x 620 mm x 1000 mm. Without grid sets.	900
451	Mado	Mado mobile mixer-grinder, type: MEW 621, serial number: 30418, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 12.4 A, 5.5 kW, maximum plate diameter: 98 mm, total dimensions: 800 mm x 1100 mm x 1470 mm. Without plates, knives and outfeed worm.	1000



Nr	Title	Description	Start €
452	Meiko	Meiko washing machine, type: BTA 160, serial number: 10381724, year of construction: 03/2018, 400 V, 3 Ph, 50 Hz, 51.22 A, 32.99 kW, clearance: 330 mm x 80 mm, dimensions: 8700 mm x 5200 mm x 1850 mm. Without pallet with parts.	1500
453	Maja Maschinen Fabrik GmbH	Maja Maschinen Fabrik GmbH flake ice machine, type: RVE 1500 S, serial number: I-40477, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 1.07 A, 0.28 kW, refrigerant: R 404a, working width: 680 mm, total dimensions: 1550 mm x 550 mm x 500 mm.	1300
454	HFE vacuum systems bv	HFE vacuum systems bv mobile traysealer, model: TPS COMPACT XL, serial number: 08131, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5 A, weight: 132 kg, film width: 420 mm, dye: (2x) 221 mm x 163 mm, Busch vacuum pump, type: KB 0020 D I00, capacity: 20 m ³ per hour, total dimensions: 850 mm x 600 mm x 1300 mm.	750
455	Kilia	Killia cutter, type: K.u. 1 2000S, machine number: 28510303, 35/41 A, 16/20 kW, steel bowl, bowl dimensions: Ø 800 mm x 160 mm, total dimensions: 1300 mm x 1100 mm x 1250 mm. Including extra knife.	2500
456	Stephan universal machine	Stephan universal machine, type: UM / VM 44, machine number: 724640.01, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 9.4/12.4, 50 Hz, inside dimensions: Ø 500 x 300 mm, total dimensions: 920 mm x 665 mm x 1100 mm. Including extra mixing arm, without vacuum pump.	3500
457	Tecnovac	Tecnovac traysealer with denester for 3 trays, model: Linvac 500, film width: 560 mm, Busch vacuum pump, type: RA 0250 C461 QMXX, capacity: 250 m ³ per hour, total dimensions: 6700 mm x 1100 mm x 2050 mm. Including pallet with dye, dimensions: (3x) 140 mm x 190 mm, and 4 pallets with trays, tray dimensions: 150 mm x 130 mm and 205 mm x 150 mm.	1250
458	Multivac	Multivac thermoformer with suction device for rest film, type: R 230, machine number: 1182, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 27 A, 8 kW, dye: (2x) 387 mm x 174 mm, plastic belt, belt width: 350 mm, total dimensions: 4250 mm x 1050 mm x 2050 mm. Dimensions suction device: 700 mm x 520 mm x 1150 mm.	8000
459	NN guillotine	Mobile guillotine, working width: 1050 mm, total dimensions: 2000 mm x 1450 mm x 1800 mm.	2000
460	Hoyer	Hoyer continuous ice-cream machine, type: KF400, serial number: 1139/65, dimensions: 1850 mm x 650 mm x 1650 mm.	1000



Nr	Title	Description	Start €
461	Meiko	Meiko crate washing machine, clearance: 500 mm x 450 mm, total dimensions: 1800 mm x 750 mm x 1950 mm.	750
463	NN curve conveyor	90° curve conveyor, plastic belt, belt width: 1200 mm, total dimensions: 3100 mm x 1600 mm x 1100 mm.	400
464	Foodmate	Foodmate chicken thigh deboner with outfeed belt and deboning belt, model: OPTI THIGH DEBONER, serial number: FM.00.620.030, year of construction: 2017, weight: 2275 kg, plastic belts, belt width: (2x) 370 mm, total dimensions deboner: 7600 mm x 1800 mm x 2200 mm, 90° curved outfeed belt, plastic mesh belt, belt width: 210 mm, total dimensions: 6100 mm x 2850 mm x 1300 mm. Deboning belt, 8 work stations, plastic belts, belt width: (1x) 150 mm, (1x) 370 mm, total dimensions: 4700 mm x 1050 mm x 1800 mm.	35000
465	Vestergaard	Vestergaard s/s pallet lifter, fork length: 1150 mm, total dimensions: 1530 mm x 520 mm x 1150 mm.	400
466	SNL	SNL 45° curve conveyor, machine number: 10454-2-00, year of construction: 2015-02, plastic mesh belt, belt width: 150 mm, total dimensions: 3800 mm x 1200 mm x 970 mm.	500
467	Frampton International LTD	Frampton International LTD inline belt grill, model: BM-1-2/P, serial number: 7725281011, 415 V, 3 Ph, 18 kW, s/s mesh belt, belt width: 305 mm, grill belt, belt width: 370 mm, total dimensions: 2500 mm x 1100 mm x 1350 mm.	1500
468	Unika	Unika grinder, model: S-32, number: 1996-0628, 220/380 V, 7.4 A, 3 kW, maximum worm dimensions: Ø 60 mm, total dimensions: 610 mm x 410 mm x 400 mm. Incomplete.	100
469	Holdijk + Haamberg GmbH	Holdijk + Haamberg GmbH s/s casing tubing machine, type: H.H TBI, serial number: 220999, year of construction: 1999, dimensions: 1000 mm x 1050 mm x 1850 mm.	75
470	H.Glass	H.Glass mobile vacuum tumbler, type: VSM 150, machine number: 2065, year of construction: 1999, 220/380 V, 1 Ph, 50 Hz, 1.12 kW, volume: 150 liter, Busch vacuum pump, type: 016-116, number: 343191, total dimensions: 950 mm x 750 mm x 1400 mm.	1000
471	Pierre Guerin	Pierre Guerin homogenizer, type: ALM 10 LISSEUSE, number: B8180680, s/s tub, inside dimensions: Ø 700 mm x 700 mm, total dimensions: 1500 mm x 950 mm x 1900 mm.	2000



Nr	Title	Description	Start €
472	Kolbe	Kolbe bandsaw, table dimensions: 750 mm x 580 mm, total dimensions: 750 mm x 800 mm x 1700 mm.	500
473	NN table	Mobile s/s table with plastic work top, dimensions: 2250 mm x 1450 mm x 1400 mm.	50
474	Rex-maschinen	Rex-maschinen grinder, machine number: 3654, 220 V, 50 Hz, 9 A, 2.2 kW, plate diameter: 100 mm, total dimensions: 950 mm x 480 mm x 1240 mm. Including extra plates and knives.	750
475	NN platform	S/s platform, working height: 2000 mm, total dimensions: 2850 mm x 4500 mm x 3100 mm.	950
476	NN pneumatic cylinder	Pneumatic cylinder, length: 770 mm, diameter: 90 mm.	100
477	NN pneumatic cylinder	Pneumatic cylinder, length: 770 mm, diameter: 90 mm.	100
478	NN pneumatic cylinder	Pneumatic cylinder, length: 770 mm, diameter: 90 mm.	100
479	NN pneumatic cylinder	Pneumatic cylinder, length: 770 mm, diameter: 90 mm.	100
480	Townsend	Townsend mobile skinning and derinding machine, model: 9000EURO, number: 4813, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 3.8 A, plastic mesh belt, belt width: (2x) 505 mm, working width: 490 mm, total dimensions: 2150 mm x 900 mm x 1350 mm.	1000
481	Loma	Loma checkweigher with metal detector, type: 6000, serial number: CB22554, year of construction: 1995, 220 V, 1 Ph, 50 Hz, weight: 173 kg, maximum weight: 1500 gram, minimum weight: 200 gram, e=d= 1 g. T= 300 g, plastic belt, belt width: 245 mm, clearance: 350 mm x 70 mm, total dimensions: 1300 mm x mm x 950 mm.	450
482	NN switch cabinet	S/s switch cabinet, dimensions: 1300 mm x 560 mm x 2320 mm.	500
483	Unimasz	Unimasz boot cleaning station, type: MPB-05, factory number: 084/05, year of construction: 08/2005, brush length: (3x) 350 mm, total dimensions: 1150 mm x 900 mm x 1100 mm.	500
484	Krämer+Grebe	Krämer+Grebe bowl cutter, steel bowl, bowl dimensions: Ø 750 mm x 120 mm, total dimensions: 1170 mm x 1000 mm x 1150 mm.	300
485	NN transport belt	Transport belt, plastic belt, belt width: 300 mm, total dimensions: 2150 mm x 800 mm x 1100 mm.	400
486	Rühle	Rühle injector, 56 needles, s/s walking beam, beam width: 345 mm, clearance: 350 mm x 170 mm, total dimensions: 1350 mm x 900 mm x 2040 mm.	1000



Nr	Title	Description	Start €
487	Holac	Holac lifter for 200 liter meat bins, type: HE 4/3, machine number: 4.032.00.4, year of construction: 2004, 400 V, 50 Hz, 2.6 A, 1.1 kW, lifting height: 1950 mm, total dimensions: 1750 mm x 1250 mm x 2750 mm.	1500
488	Ulma	Ulma mobile vertical bag form-, fill- and seal machine, model: ETNAHI-TECH 380, machine number: 60381054, year of construction: 2005, 380 V, 50 Hz, 24 A, 9 kW, film width: 800 mm, filling pipe diameter: 200 mm, vertical seal length: 400 mm, horizontal seal length: 400 mm, total dimensions: 2200 mm x 1600 mm x 2450 mm.	2000
489	NN turning table	S/s turning table, dimensions top: Ø 990 mm, total dimensions: Ø 1270 mm x 1040 mm.	500
490	Herma	Herma labelling machine with Videojet date printer, type: 152 CP, machine number: 837113, year of construction: 2022, plastic belt, belt width: 950 mm, total dimensions: 2050 mm x 1350 mm x 1320 mm.	2500
491	Allround Engineering B.V.	Allround Engineering B.V. transport belt for depositor, serial number: 22345, year of construction: 2022, s/s frame, plastic belt, belt width: 150 mm, total dimensions: 2950 mm x 550 mm x 1550 mm.	500
492	Alco breeding machine	Alco mobile breeding machine, type: APT 250 N, serial number: 01798225, year of construction: 2015, 400 V, 50 Hz, 16 A, s/s mesh belt, belt width: (3x) 250 mm, total dimensions: 2200 mm x 900 mm x 1810 mm.	4000
493	Koppens Alco	Koppens Alco mobile teflon belt grill, type: BG 1800/600, machine number: 509, 380 V, 3 Ph, 50 Hz, 126 A, 83 A, weight: 1650 kg, teflon belt, belt width: 610 mm, total dimensions: 3500 mm x 1200 mm x 1900 mm.	15000
494	Fillpack	Fillpack infeed hopper, type: DV2, number: 90105, year of construction: 1999, plastic belt, belt width: 680 mm, gutter width: 210 mm, total dimensions: 840 mm x 900 mm x 1800 mm.	1500
495	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double automatic clipper, type: DFC 8161, number: 12879, 380 V, 1 Ph, 50 Hz, 5/7 bar, plastic belt, belt width: 185 mm, total dimensions: 2200 mm x 1100 mm x 1950 mm.	750



Nr	Title	Description	Start €
496	Coeman Packaging	Coeman Packaging strapping machine, model: TP-601A, machine number: 61103010, year of construction: 11/2006, 400 V, 3 Ph, 50 Hz, 4A, clearance: 850 mm x 600 mm, steel rollers, roller width: 750 mm, total dimensions: 1600 mm x 820 mm x 1550 mm.	50
497	Marel TVM	Marel TVM mobile skewering machine, type: Spiedo 1200, serial number: 08620-00004, year of construction: 2002, 400 V, 3 Ph, 50/60 Hz, 3.5 A, weight: 400 kg, 9/6 bar, plastic outfeed belt, belt width: 200 mm, total dimensions: 2400 mm x 1100 mm x 1550 mm.	100
498	Nilma	Nilma universal cooker with agitator, double jacketed, can cook and cool down product, type: MIX-MATIC 300 E C/F, serial number: 0821704, year of construction: 2008, 220/380 V, 3 Ph, 50 Hz, 100 A, 36.5 kW, weight: 750 kg, volume: 300 liter, electric heated, dimensions: 1750 mm x 1370 mm x 1730 mm.	7500
499	Ilapak	Ilapak flowpacker, model: Carrera 1000 M, serial number: 99 171, 400 V, 3 Ph, 50 Hz, 8 A, plastic belts, belt width: (2x) 60 mm, (1x) 250 mm, distance between dividers: 300 mm, seal length: 280 mm, total dimensions: 4050 mm x 1300 mm x 1550 mm.	1000
500	Mafo Howden B.V.	Mafo Howden B.V. crate washing machine, serial number: MAFO 230 SN, year of construction: 1993, clearance: 860 mm x 530 mm, total dimensions: 3800 mm x 1100 mm x 1630 mm. Incomplete.	1000
502	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100B, number: 12164, year of construction: 1999, 400 V, 50 Hz, 14.4 A, 5.5 kW, Becker vacuum pump, type: U1.165A-31, number: B3312970, year of construction: 2019, 16/19 m ³ per hour, dimensions: 1650 mm x 1350 mm x 2100 mm.	2000
503	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, model: VC10, number: AS 116 RH, s/s rollers, roller width: 300 mm, chamber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	350
504	Muvero	Muvero cooking vessel, type: MKR 200, number: 981243, year of construction: 23-3-1999, 230 V, 50 Hz, gas heated, volume: 200 liter, dimensions: 950 mm x 950 mm x 1200 mm.	300



Nr	Title	Description	Start €
505	Maja	Maja ice machine, type: SA 70, machine number: 29799, year of construction: 2001, 230 V, 50 Hz, 3.9 A, 0.53 kW, refrigerant: R 404, 0.7 kg, capacity: 70 kg per 24 hours, dimensions: 1000 mm x 850 mm x 1150 mm.	500
506	Convotherm	Convotherm combisteamer, model: OSP 12.20, number: 05R04030507, 380-415 V, 3 Ph, 50/60 Hz, 46-50 A, 30-36 kW, inside dimensions: 710 mm x 660 mm x 1000 mm, total dimensions: 1100 mm x 1280 mm x 1370 mm.	650
507	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: S3, serial number: 330243, year of construction: 2000, 230 V, 50 Hz, maximum capacity: 5500 g, minimum capacity: 20 g, e= 1 g d= 1 g, maximum temperature: 40°, minimum temperature: 0°, plastic belts, belt width: (2x) 400 mm, (1x) 380 mm, total dimensions: 2520 mm x 1100 mm x 1900 mm.	200
508	Frey	Frey piston filler, type: KOMPAKTA 2, machine number: K2 30 23 06 97, 400 V, 50 Hz, dimensions: 760 mm x 700 mm x 1240 mm. Technical condition unknown.	1500
509	Electro Calorique	Electro Calorique regeneration cabinet, 6 floors, floor dimensions: 300 mm x 225 mm, total dimensions: 580 mm x 440 mm x 1330 mm. 1 floor is missing.	50
510	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF50, number: 4070, year of construction: 1997, 400 V, 50 Hz, 11 A, 4 kW, linking attachment type: 34-4, number: 4222, dimensions: 850 mm x 900 mm x 1650 mm.	1500
511	Bizerba	Bizerba bandsaw, table dimensions: 770 mm x 750 mm, total dimensions: 770 mm x 750 mm x 1600 mm. Without saw blade.	700
512	TVM	TVM mobile portioning machine, plastic outfeed belt, belt width: 200 mm, total dimensions: 1700 mm x 1150 mm x 2100 mm.	500
513	NN sieve	S/s sieve, sieve width: 600 mm, total dimensions: 1250 mm x 700 mm x 1930 mm.	750
514	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100, number: 1337, year of construction: 1997, 400 V, 50 Hz, 12.5 A, dimensions: 1700 mm x 1250 mm x 1830 mm.	2000
515	Nagama	Nagama frozen block guillotine, model: GFS, number: 13351310, year of construction: 1984, 380 V, 3 Ph, 50 Hz, 11/25.1 A, working width: 520 mm, total dimensions: 1650 mm x 1050 mm x 2000 mm.	500



Nr	Title	Description	Start €
516	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile automatic clipper, type: FCA 3411, number: 84768, 380 V, 50 Hz, 4 A, 5/7 bar, dimensions: 1450 mm x 1400 mm x 2050 mm.	750
517	NN denester	Denester, dye: (1x) 190 mm x 130 mm, (1x) 120 mm x 120 mm, total dimensions: 1265 mm x 770 mm x 1800 mm.	150
518	BL Products AB	BL Products AB vertical packaging machine, type: BLP-X9/S, serial number: X9/S-008, with Crizaf elevating belt with dividers, model: LD, serial number: 27905, year of construction: 06/2002, Rietschle side channel vacuum pump, type: SAP 150 (01), capacity: 150 m³ per hour, belt width: 380 mm, distance between dividers: 150 mm, divider height: 100 mm, total dimensions: 3200 mm x 800 mm x 2900 mm.	1250
519	Rema Holland B.V.	Rema Holland B.V. s/s pallet lifter, type: HPT, serial number: 210469, year of construction: May 2022, weight: 73 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1550 mm x 520 mm x 1230 mm.	200
520	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. vacuum filling machine with lifter for 200 liter meat bins, type: 595, machine number: 21598, year of construction: 2001, 400 V, 3 Ph, 50 Hz 18.2 A, dimensions: 1700 mm x 1400 mm x 1880 mm.	4000
521	Suhner AG	Suhner AG vacuum tumbler, type: VT-250, machine number: 8325001, 380 V, 50 Hz, 2.1 A, inside dimensions tub: Ø 800 mm x 600 mm, total dimensions: 1200 mm x 750 mm x 2000 mm. Without lid and vacuum pump.	300
522	Proseal	Proseal dye for Proseal GT1V, model: Weizoplast 1-6 GM-50H, dimensions: 800 mm x 350 mm x 470 mm.	150
523	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG mobile double manual clipper, type: PDC 600, number: 1459, year of construction: 04, 5/7 bar, dimensions: 1200 mm x 850 mm x 1920 mm.	5000
524	Frey	Frey vacuum filling machine, type: KONTI-EP80E, machine number: KEP80E/070800, 400 V, 50 Hz, dimensions: 950 mm x 700 mm x 1620 mm. Without rotor and vanes.	2000
525	Fristam	Fristam pump, type: FKN40/45, number: 4020050, dimensions: 1150 mm x 370 mm x 670 mm. Incomplete.	100
526	NN tank with agitator	S/s double jacketed tank with agitator, inside dimensions: Ø 900 mm x 900 mm, total dimensions: 1250 mm x 1200 mm x 1700 mm.	500



Nr	Title	Description	Start €
527	Scanvaegt / Marel	Scanvaegt / Marel double lane portion cutter, type: B-22, serial number: 80.0790, year of construction: 2008, 400 V, 3 Ph, 50/60 Hz, 16/32 A, 8 kW, dimensions: 8300 mm x 1500 mm x 2000 mm.	5000
528	Multivac	Multivac mobile traysealer, type: T200, serial number: 265063, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 20 A, 3.7 kW, film width: 380 mm, dye: (1x) 303 mm x 242 mm, built-in Busch vacuum pump, type: RA 0040 F 503, serial number: D18120526, year of construction: 2018, capacity: 40 m ³ per hour, total dimensions: 750 mm x 1550 mm x 1610 mm.	4300
529	Nijal	Nijal vacuum filling machine with lifter for 200 liter meat bins, type: PSV 330 N, serial number: 0790304, year of construction: 04 March, dimensions: 2050 mm x 1600 mm x 1950 mm.	950
530	NN turning table	S/s turning table, diameter table: 1250 mm, height table: 750 mm.	500
531	NN curve conveyor	90° curve conveyor, plastic belt, belt width: 1200 mm, total dimensions: 2750 mm x 1700 mm x 1250 mm.	400
532	K+G Wetter	K+G Wetter paddle mixer-grinder with lifter for 200 liter meat bins, type: MWW E130-443, machine number: 443/1030, year of construction: 2018, 230/400 V, 3 Ph, 50 Hz, 40/50 A, 19 kW, plate diameter: 130 mm, total dimensions: 2600 mm x 1750 mm x 1840 mm.	25000
533	TAP Machinebouw	TAP Machinebouw mobile double lane transport belt with denester, type: TRBON2, serial number: 042-011161, year of construction: 2015, mobile double transport belt with denester, tray size: 230 mm x 100 mm, belt width top belt: 305 mm, bottom belt width: 105 mm, total dimensions: 4150 mm x 1400 mm x 1800 mm.	500
534	IDM	IDM kebab grill, model: IDM 2R07, serial number: 536, year of construction: 12/08/16, 220 V, 50/60 Hz, 2 A, 450 W, clearance: Ø 500 mm x 1100 mm, total dimensions: 1150 mm x 1100 mm x 1800 mm.	400
535	Audion Elektro	Audion Elektro mobile bag sealing machine, type: VIS 1000-2, serial number: 1007583.01, year of construction: 2010, 230 V, 50 Hz, 2200 W, seal length: 1050 mm, total dimensions: 1100 mm x 850 mm x 1200 mm.	100
536	NN trolley	S/s trolley with parts for multihead weigher, dimensions: 1350 mm x 600 mm x 1100 mm.	60
537	Senking	Senking mobile tilttable braising pan, inside dimensions: 870 mm x 760 mm x 180 mm, total dimensions: 1070 mm x 1300 mm x 970 mm.	400



Nr	Title	Description	Start €
538	Key	Key mobile vibrating gutter, type: MVTDV, number: 12758, year of construction: 2002, gutter width: 400 mm, total dimensions: 3150 mm x 1130 mm x 2400 mm.	500
539	Dixie Union	Dixie Union slicer, type: Uni-Slicer, number: 450.1823, year of construction: 1999, 3x 400 V, 50/60 Hz, 9 A, with plastic outfeed belt, belt width: 350 mm, total dimensions: 3820 mm x 900 mm x 2070 mm.	800
540	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: S5, serial number: 330971, year of construction: 2001, 230 V, 50 Hz, maximum capacity: 4000 g, minimum capacity: 20 g, e= 1 g, d= 1 g, maximum temperature: 40°, minimum temperature: 5°, plastic belt, belt width: 400 mm, total dimensions: 850 mm x 680 mm x 1420 mm.	160
541	APV-Rannie	APV-Rannie homogenizer, number: 1-94-198, dimensions: 1300 mm x 900 mm x 1450 mm.	5000
542	Scanvaegt	Scanvaegt weighing scale with indicator, type indicator: 8402, serial number: BEF03472, type weighing scale: 1025.20, serial number: BEF03472, maximum weight: 6 kg, minimum weight: 40 gram, e=d= 2 gram, dimensions: 500 mm x 550 mm x 1250 mm.	20
543	Rietschle Thomas	Rietschle Thomas side channel vacuum pump, type: SAP 1060 1012, number: 2609852, 1200 m³ per hour, dimensions: 1050 mm x 600 mm x 750 mm.	400
544	Sealpac	Sealpac traysealer, type: Sealpac 350, serial number: TVG 0122901, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 1.5 kW, film width: 305 mm, dye: 300 mm x 260 mm, total dimensions: 4050 mm x 800 mm x 1850 mm.	2000
545	Wilux	Wilux labelling machine, type: LP-40/S, serial number: ZP/1501508, 230 V, 50/60 Hz, 125 W, plastic infeed belt, belt width: 40 mm, s/s rollers, roller width: 125 mm, total dimensions: 2270 mm x 1200 mm x 1900 mm.	800
546	Vemag	Vemag mobile linking machine, model: LPG208, number: 2080203, year of construction: 2010, 400-460 V, 50-60 Hz, 9 A, 6 kW, dimensions: 1550 mm x 800 mm x 1330 mm.	5000
547	NN pie/pizza/cake slicer	Mobile pie/pizza/cake slicer, dimensions: 870 mm x 800 mm x 1700 mm. Including crate with extra knives.	400



Nr	Title	Description	Start €
548	CFS	CFS slicer, name: UniSlicer, type: L PPC2100, number: 4044502375, year of construction: 2005, 400 V, 3 Ph, 50/60 Hz, 9 A, 6 kW, plastic infeed belt, belt width: 230 mm, clearance: 240 mm x 130 mm, plastic outfeed belt, belt width: 280 mm, total dimensions: 2650 mm x 900 mm x 2150 mm. Without knife.	5000
549	DWM Copeland	DWM Copeland compressor rack consisting of: 4 DWM Copeland cooling compressor type: (1x) D4DH3-2500-EWM, capacity: 70.9 m³ per hour, (1x) D3DC5-100X-AWM/D, capacity: 38 m³ per hour, (1x) D3DA5-75X-AWM/D, capacity: 32.2 m³ per hour, (1x) DKSJP-15X-EWL, capacity: 6.33 m³ per hour, dimensions compressor rack: 3150 mm x 1100 mm x 1400 mm, dimensions pressure vessel: 480 mm x 480 mm x 1450 mm, dimensions switch cabinet: 1680 mm x 420 mm x 2200 mm.	750
551	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector, model: FGM 80 / 320 F DW, machine number: 8539, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 20 A, s/s walking beam, beam width: 675 mm, 320 needles, total dimensions: 2460 mm x 1080 mm x 1940 mm. Including s/s Fomaco Food Machinery Company A/S filter tub, model: PFS 200 RC, number: 8605, year of construction: 2001, 4.5 A, dimensions: 1540 mm x 840 mm x 850 mm. Including Fomaco Food Machinery Company A/S UV filter, type: FM 80/UV/OZON, number: 8540, year of construction: 2001, , 400 V, 3 Ph, 50 Hz, 2.0 A, dimensions: 740 mm x 650 mm x 1240 mm.	6500
552	Schröter Technologie GmbH & Co. KG	Schröter Technologie GmbH & Co. KG, baking tunnel, type: BT, number: 055-0308, year of construction: 04-2008, s/s belt, belt width: 300 mm, dimensions heating unit: 1600 mm x 650 mm x 450 mm, total dimensions: 5300 mm x 850 mm x 2080 mm. Including switch cabinet, dimensions: 850 mm x 350 mm x 1400 mm. With 6 pallets with pipes and blowers, dimensions: (2x) 1200 mm x 800 mm x 500 mm, (1x) 2530 mm x 800 mm x 650 mm, (1x) 2600 mm x 800 mm x 900 mm, (1x) 3200 mm x 800 mm x 650 mm.	750
553	Polimoon	Polimoon traysealer, model: 1911VG, serial number: 1203007, year of construction: 2003, 220 V, 3 Ph, 50 Hz, 31 A, dye: (2x) 250 mm x 150 mm, film width: 430 mm, total dimensions: 5550 mm x 1000 mm x 1900 mm.	1250



Nr	Title	Description	Start €
554	Huckepack	Huckepack vacuum pump, type: 437 013, machine number: 2065, year of construction: 1980, capacity: 400 m³ per hour, dimensions: 1400 mm x 850 mm x 1300 mm.	400
555	Mettler Toledo	Mettler Toledo weighing scale, plastic string belt, belt width: 120 mm, total dimensions: 1200 mm x 680 mm x 700 mm. Incomplete.	50
556	NN sink	S/s sink with 4 faucets and 3 soap dispensers, dimensions: 2000 mm x 460 mm x 750 mm.	200
557	Espera	Espera weighing and top and bottom labelling machine, type weigher: ESW 2514, maximum weight: 6 kg, e=d= 2 gram, T=6 kg, minimum weight: 40 gram, plastic belt, belt width: (8x) 140 mm, type top labeller: ESD 524, type bottom labeller: ESD 564, total dimensions: 1900 mm x 700 mm x 1680 mm.	1250
558	Belca	Belca flowpacker, model: BF 300 H plus inox, serial number: B-7013 M, year of construction: 2022, 220 V, 3 kW, distance between dividers: 445 mm, clearance: 125 mm x 160 mm, s/s rollers, roller width: 330 mm, seal width: 260 mm, plastic belt, belt width: 280 mm, film width: 560 mm, total dimensions: 5000 mm x 1350 mm x 1680 mm.	2500
559	NN spraying belt	Spraying belt, s/s belt, belt width: 590 mm, clearance: 550 mm x 440 mm, total dimensions: 1850 mm x 1300 mm x 1750 mm.	500
560	Bock	Bock condensing unit with cooling compressor, type: AM2/58-4S, number: W24452, year of construction: 1990, 220/380 V, 50 Hz, 5.4/3.1 A, capacity: 4.93 m³ per hour, dimensions: 650 mm x 550 mm x 630 mm.	150
561	NN transport belt	Mobile s/s transport belt, plastic belt, belt width: 250 mm, total dimensions: 1630 mm x 500 mm x 1000 mm.	250
562	Unimasz	Unimasz sole cleaning station, type: MPB-02, factory number: 121/05, year of construction: 11/2005, brush length: (2x) 1000 mm, total dimensions: 1400 mm x 1100 mm x 1100 mm.	400
563	NN lifting device	Lifting device used for apples, 5 lanes, dimensions lifting platform: 140 mm x 160 mm, total dimensions: 1280 mm x 1200 mm x 3000 mm. Missing motor.	250
564	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 01-90-01, year of construction: 1997, 400/230 V, 50-60 Hz, 1.5 kW, weight: 450 kg, dye: (2x) 215 mm x 130 mm, total dimensions: 4250 mm x 900 mm x 1800 mm.	1500



Nr	Title	Description	Start €
565	NN tray filling belt	Tray filling belt with infeed funnel, plastic mesh belt with rollers, belt width: 390 mm, total dimensions: 3300 mm x 750 mm x 1880 mm.	150
566	ETT Verpackungstechnik GmbH	ETT Verpackungstechnik GmbH box closing machine, type: V 872 ESKB, machine number: 22-00-0100-5, year of construction: 2014, 400 V, 3 Ph, 50 Hz, weight: 1010 kg, plastic belts, belt width: (1x) 400 mm, (2x) 120 mm, s/s rollers, roller width: 700 mm, total dimensions: 2150 mm x 1250 mm x 2050 mm.	1500
567	NN infeed bunker	S/s infeed bunker, outfeed diameter: 160 mm, total dimensions: 1360 mm x 1200 mm x 1460 mm.	200
568	NN refrigerated counter	Refrigerated counter, dimensions: 1055 mm x 680 mm x 710 mm. Without cooling compressor.	150
569	Fiorini	Fiorini tank with insulated jacket, type: ACC AC TFB 2000L VERT + 2x2" COIB #, serial number: 6518 4 092015 1, capacity: 2054.1 liter, dimensions: Ø 1300 mm x 2500 mm.	350
570	Schur	Schur mobile continuous bag sealer, type: Joker 225, 400 V, 3 Ph, 50 Hz, 16/9 A, plastic belt, belt width: 200 mm, total dimensions: 3700 mm x 1000 mm x 1600 mm.	850
571	Pronova Specialmaskiner	Pronova Specialmaskiner continuous bag sealer, type: 425 UR, number: 2227, plastic belt, belt width: 190 mm, seal length: 1170 mm, total dimensions: 4540 mm x 800 mm x 1620 mm.	400
572	Busch	Busch vacuum pump on steel trolley, type: RA 0160 C 401 QLXX, number: PF00250106, year of construction: 1998, capacity: 160 m ³ per hour, dimensions: 1050 mm x 720 mm x 1230 mm.	200
573	Rademaker	Rademaker mobile 2 head depositor, type: DEPOSITOR, serial number: 6320-712, year of construction: 2003, weight: 260 kg, outfeed diameter: 25 mm, total dimensions: 920 mm x 1400 mm x 2100 mm.	500
574	Mondomix Howden B.V.	Mondomix Howden B.V. continuous aeration mixer, type: A15L, year of construction: 1996, 415 V, 3 Ph, 50 Hz, 18 A, weight: 600 kg, dimensions: 1980 mm x 670 mm x 1730 mm.	1000
575	Rademaker	Rademaker mobile depositor, type: DEPOSITOR, serial number: 7138-708, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2 A, weight: 395 kg, dimensions: 920 mm x 1400 mm x 2100 mm.	750
576	Rademaker	Rademaker mobile depositor, type: DEPOSITOR, serial number: 7138-709, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2 A, weight: 395 kg, dimensions: 1050 mm x 1500 mm x 1970 mm.	750



Nr	Title	Description	Start €
577	Nilma	Nilma salad spinner, type: drover 50, serial number: 991626, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 16 kW, 8 kg, 720 RPM, capacity: 8 kg, inside dimensions: Ø 460 mm x 260 mm, total dimensions: 660 mm x 820 mm x 950 mm.	400
578	Unica	Unica oil / water separator, dimensions: 450 mm x 350 mm x 820 mm.	5
579	Sollas	Sollas packaging machine, type: AB50 M.P.C. serial number: 010-003, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 6 A, clearance: 340 mm x 175 mm, total dimensions: 2160 mm x 970 mm x 1430 mm. With pallet with parts.	300
580	Ulma	Ulma thermoformer, type: TF-SUPRA, number: 3063346, year of construction: 2002, 415 V, 50 Hz, 50 Hz, 18 A, dye: (6x) 118 mm x 87 mm, plastic belts, belt width: 300 / 255 mm, Busch vacuum pump, type: RA 0160 D, number: C0926000200, capacity: 160 m ³ per hour, total dimensions: 6550 mm x 1100 mm x 1860 mm.	2000
581	Garos	Garos injector, type: GSI 160, machine number: 67100001, 400 V, 50 Hz, 30 A, weight: 1200 kg, s/s walking beam, beam width: 550 mm, 160 needles, total dimensions: 2350 mm x 980 mm x 2350 mm. Including mobile filter tub, dimensions: 1950 mm x 750 mm x 800 mm.	1250
582	Parker Hiross	Parker Hiross air dryer, type: SPE040-A2301DF16EXS, serial number: 399468300002, 230 V, 1 Ph, 50/60 Hz, 3.52 A, 0.58 kW, refrigerant: 134a, 0.340 g, dimensions: 720 mm x 400 mm x 800 mm.	50
583	Grunwald GmbH	Grunwald GmbH cup/can filling and closing machine, type: HITPAC AKH-019SE/1, number: 23/11, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 22 A, 14 kW, diameter cups/cans: 100 mm, total dimensions: 5000 mm x 2100 mm x 2800 mm. Including pallet with parts.	5000
584	SIAP	SIAP steel pressure vessel, year of construction: 2008, volume: 900 liter, maximum temperature: 80° Celsius, minimum temperature: -10° Celsius, maximum pressure: 16.5 bar, dimensions: Ø 800 mm x 2350 mm.	100
585	Ariana Technology LTD	Ariana Technology LTD packaging machine, serial number: 3481-3481, year of construction: 2004, plastic belts, belt width: (2x) 250 mm, (1x) 570 mm, 16 heads, head diameter: Ø 120 mm, total dimensions: 3400 mm x 1040 mm x 1800 mm.	750



Nr	Title	Description	Start €
586	Viscon	Viscon lid applicator, type: Dekselmachine, serial number 67331-430, year of construction: 2007, weight 270 kg, plastic belt, belt width: 195 mm / (2x) 20 mm, lid size: 120 mm x 140 mm / 190 mm x 150 mm, total dimensions: 3800 mm x 1000 mm x 2000 mm.	1000
587	Maja Maschinen Fabrik GmbH	Maja Maschinen Fabrik GmbH Ice machine, type: RVE 200 S, serial number: I-41459, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 1.07a, 0.24 Kw, output dimensions: 165 mm x 80 mm, total dimensions: 1000 mm x 550 mm x 520 mm.	200
588	Busch	Busch booster pump, type: WP 1000 D 2H1 MX11, number: C0646000671, year of construction: 2008, capacity: 1000 m³ per hour, dimensions: 1400 mm x 800 mm x 450 mm. Frame is bend.	400
589	Transvac / Swissvac	Transvac / Swissvac belt vacuum machine, type: SYSTEMATIC, serial number: 2291 87, year of construction: 1987, 3x 400 V, 50 Hz, plastic belts, belt width: 535 mm / 410 mm, total dimensions: 3350 mm x 1180 mm x 1950 mm.	750
590	NN breaker	Breaker, working width: 540 mm, total dimensions: 720 mm x 430 mm x 870 mm. Without knife.	500
591	Multivac	Multivac thermoformer, type: R530, machine number: 498, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 42 A, 16 kW, film width: 422, dye: (4x) 220 mm x 182 mm, plastic belt, belt width: 380 mm, total dimensions: 6700 mm x 1050 mm x 2000 mm. Including extra parts.	8000
592	Krämer+Grebe	Krämer+Grebe cooking cutter with lifter for 200 liter meat bins and ejector, type: SM200, number: 185/395, year of construction: 1994, s/s bowl, volume bowl: 200 liter, dimensions: 3000 mm x 2630 mm x 2200 mm, dimensions switch cabinet: 1100 mm x 320 mm x 1750 mm. Including pallet with parts.	8000
593	Scharff Technik BV / DP Industries	Water softener consisting of 2 Scharff Technik BV cylinders, plastic tub for salt bricks, and DP Industries break unit, type: HUV2 DW Megacontrol DOL, dimensions: 1200 mm x 800 mm x 2100 mm.	300
600	Arco / Bitzer Kühlmaschinenbau GmbH	Arco compressor rack with Bitzer Kühlmaschinenbau GmbH cooling compressors, type: R404A-SL32, serial number: 001760, year of construction: 03-10-00, 2 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (1x) 6F-40.2 Y, serial number: 15850136, capacity: 151.6/181.9 m³ per hour, type: (1x) 6GE-34Y-40P, serial number: 1606614761, capacity: 127/153 m³ per hour, dimensions: 2300 mm x 1100 mm x 2050 mm.	1500



Nr	Title	Description	Start €
601	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS76, serial number: 1678310039, type cooling compressor: 2CC-3.2Y-40S, serial number: 1677012201, capacity: 16.2/19.6 m ³ per hour, dimensions: 670 mm x 940 mm x 920 mm.	400
602	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS36, serial number: 1678304237, type cooling compressor: 2JC-07.2Y-40S, serial number: 1678309172, capacity: 5.2/6.3 m ³ per hour, dimensions: 680 mm x 900 mm x 635 mm.	350
603	Linde / Bitzer Kühlmaschinenbau GmbH	Linde / Bitzer Kühlmaschinenbau GmbH compressor rack, type: VHM 316-4521, serial number: 10309, year of construction: 1993, 25/13 bar, refrigerant: R22, (3x) Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (1x) S4G-12.2 Y, (2x) S4G-12.2-40P, 380 / 420 / 440 / 480 V, 3 Ph, 50/60 Hz, capacity: 42.3/51 m ³ per hour, dimensions: 2930 mm x 830 mm x 1870 mm.	1000
604	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS76, serial number: 1676702501, type cooling compressor: 2CES-3Y-40S, serial number: 1696313488, capacity: 16.2/19.4 m ³ per hour, dimensions: 900 mm x 1070 mm x 930 mm.	400
605	Prestcold	Prestcold cooling unit with Prestcold cooling compressor, model: I2HL, serial number: AUW 01113, dimensions: 1100 mm x 1800 mm.	400
606	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH shock cooling installation for 40 m ² , consisting of: Bitzer Kühlmaschinenbau GmbH compressor rack with twin cooling compressor, type: 6GE-34Y-40P, capacity: 127/153 m ³ per hour, dimensions compressor rack: 1700 mm x 1100 mm x 1650 mm, switch cabinet, dimensions switch cabinet: 1000 mm x 450 mm x 2000 mm.	2000
607	NN vacuum machine	Mobile vacuum machine, number: 199053156, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 5.3 A, 2.1 kW, seal length: 590 mm, dimensions chamber: 590 mm x 450 mm, with Busch vacuum pump, total dimensions: 670 mm x 600 mm x 1030 mm.	350
608	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: RCA, number: 136, year of construction: 2002, 5-2 bar, diameter pipe: 60 mm, total dimensions: 860 mm x 1060 mm x 1930 mm.	1750



Nr	Title	Description	Start €
609	Henkovac	Henkovac mobile vacuum machine, type: H-2000, machine number: 208089165, 220/380 V, 3 Ph, 50 Hz, seal length: (2x) 505 mm, chamber dimensions: 510 mm x 610 mm, Busch vacuum pump, type: 063-122, capacity: 63 m ³ per hour, total dimensions: 650 mm x 680 mm x 1080 mm.	475
610	Rühle	Rühle mobile dicer with elevating belt, type: SR2-Turbo, number: 0532, year of construction: 2014, dimensions chamber: 120 mm x 120 mm, plastic belt, belt width: 260 mm, total dimensions: 1600 mm x 2500 mm x 1700 mm. Including s/s trolley with grids, knives and display, dimensions trolley: 1300 mm x 500 mm x 1200 mm. Lifter for E2-crates incomplete.	5400
611	NN bandsaw	Mobile bandsaw, model: KSH 2020, serial number: 12HL7305-006, year of construction: 25-12-2012, 380 V, 1 PH, 50 Hz, 1500 W, dimensions table: 650 mm x 570 mm, total dimensions: 650 mm x 580 mm x 1560 mm. Without saw.	600
612	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, dimensions: 1100 mm x 750 mm 1450 mm.	2000
613	Robot Coupe	Robot Coupe automatic sieve, model: C 200, serial number: N0030113610, 220/380 V, 3 Ph, 50 Hz, 6.9/4.1 A, 1800 W, drum perforations: 3 mm, total dimensions: 850 mm x 500 mm x 880 mm. Including extra sieve, drum perforations: 1 mm.	750
614	Tender Star	Tender Star mobile tenderizer, model: T.S.E., serial number: 200308, year of construction: 2000, 220/380 V, 3 Ph, 50 Hz, 6.4/3.7 A, 0.9 kW, working width: 250 mm, total dimensions: 1220 mm x 570 mm x 1800 mm.	850
615	Tramatic	Tramatic electric pallet lifter, fork length: 1200 mm, lifting height: 1400 mm, total dimensions: 1650 mm x 900 mm x 2000 mm. Including "De Drie B.V." battery charger, 220 V, 12 DC and VARTA battery.	800
616	NN sieve	Electric driven scraped filter tubular sieve, 6 steel scraper blades, dimensions sieve drum: Ø 300 mm x 650 mm, perforations: 2 mm, total dimensions: 770 mm x 770 mm x 1600 mm.	1250
617	Berko	Berko air compressor, type: BL30/90/10, number: ITRO722973, year of construction: 2013, 2.2 kW, 10 bar, dimensions: 1000 mm x 550 mm x 1000 mm.	150
618	Pökomat	Pökomat mobile injector, type: P8/270, serial number: 335.1, 400 V, 1.5 A, 550 W, weight: 98 kg, 8 needles, plastic belt, belt width: 260 mm, total dimensions: 1250 mm x 500 mm x 1720 mm.	650



Nr	Title	Description	Start €
619	Stephan Alvac	Stephan Alvac mobile vacuum machine, seal length: (2x) 500 mm, dimensions chamber: 500 mm x 460 mm, built-in vacuum pump, total dimensions: 650 mm x 600 mm x 1100 mm.	350
620	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 571, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 510 mm, total dimensions: 900 mm x 850 mm x 1100 mm.	650
621	NN transport belt	Transport belt with display, plastic belt, belt width: 120 mm, total dimensions: 1250 mm x 950 mm x 1650 mm.	100
622	HMF KRAMPE&CO GmbH	HMF KRAMPE&CO GmbH laboratory whipping machine, diameter infeed tub: 320 mm, total dimensions: 1100 mm x 500 mm x 1550 mm.	3000
623	Inotec	Inotec mobile sausage cutter, type: WT 99, machine number: 9110, year of construction: 2002, 200/240/400/460 V, 50/60 Hz, 12/10/6/5 A, 2 kW, plastic belts, belt width: 30 mm, total dimensions: 900 mm x 750 mm x 1500 mm.	2800
624	Ross Industries, Inc.	Ross Industries, Inc. mobile slicer, model: 950-6, serial number: 1648, year of construction: 4/2015, 380/415 V, 3 Ph, 50 Hz, 20/13/8 A, plastic mesh belts, belt width: (2x) 180 mm, total dimensions: 1660 mm x 800 mm x 1660 mm. Including extra knife and parts.	1250
625	Primus	Primus washing machine, model: P06, serial number: 6P011239NC, year of construction: 2008, 380-415 V, 3 Ph, 50 Hz, 16 A, capacity: 6 kg, dimensions: 640 mm x 685 mm x 1260 mm.	300
626	Marel TVM	Marel TVM mobile portioning machine, type: TVM - Portio 4000, serial number: 08010-00305, year of construction: 2002, weight: 380 kg, plastic belt, belt width: 200 mm, total dimensions: 2350 mm x 760 mm x 2150 mm.	200
627	Variovac	Variovac traysealer with gas flush, type: 828 VGS, serial number: 024-111, machine number: 164, year of construction: 2002, 400 V, 15 A, 2 kW, dye: (2x) 150 mm x 260 mm, Busch vacuum pump, type: RA 0063, capacity: 63 m³ per hour, total dimensions: 960 mm x 600 mm x 1410 mm.	1000
628	NN bunker	S/s bunker, dimensions: 1300 mm x 850 mm x 2000 mm.	150
629	Cryovac	Cryovac shrink tunnel, s/s rollers, roller width: 430 mm, clearance: 480 mm x 330 mm, total dimensions: 1020 mm x 850 mm x 1920 mm.	1000



Nr	Title	Description	Start €
630	Jansen Techniek	Jansen Techniek checkweigher, model: JCS 50, 200-240 V, 50/60 Hz, capacity: 135 pieces per minute, maximum weight: 4000 gram, minimum weight: 50 gram, e=d= 2 gram, plastic mesh belt, belt width: 260 mm, total dimensions: 2200 mm x 1100 mm x 1420 mm.	250
631	NN cooking vessel	Cooking vessel, inside dimensions: Ø 840 mm x 600 mm, total dimensions: 1650 mm x 810 mm x 2000 mm.	450
632	Espera	Espera checkweigher with top labeller, type machine: ES 5000, type checkweigher: ESW 2514, maximum weight: 6 kg, minimum weight: 40 gram, e = 2 gram, T = -6000 kg, type labeller, type: ESG 334, plastic belt, belt width: (2x) 150 mm, total dimensions: 1500 mm x 900 mm x 1500 mm.	1750
633	NN box closing machine	Mobile box closing machine, plastic belts, belt width: 75 mm, s/s rollers, roller width: 500 mm, total dimensions: 2000 mm x 750 mm x 1500 mm.	150
634	Möller & Co	Möller & Co mobile vacuum machine, type: SB 500, number: 85025509, 220/380 V, 3 Ph, 50 Hz, 11.4/8.2 A, seal length: (2x) 510 mm, chamber dimensions: 510 mm x 450 mm, Busch vacuum pump, type: 063-122 123150, capacity: 63 m³ per hour, total dimensions: 650 mm x 700 mm x 1120 mm.	250
635	Vemag	Vemag vacuum filling machine, model: Robot 500, type: 128/40, number: 128.1087-1, 380/280 V, 50 Hz, 25 A, Rietschle vacuum pump, type: VVL I5 (01), capacity: 15 m³ per hour, dimensions: 580 mm x 1020 mm x 1320 mm.	4000
636	Ziegra-Eismaschinen	Ziegra-Eismaschinen ice machine, type: ZBE 550 EV, serial number: 105485, 400 V, 3 Ph, 50 Hz, 6 A, refrigerant: R 404A, dimensions: 800 mm x 660 mm x 1550 mm. Missing cover, technical condition unknown.	200
637	Voltman	Voltman mobile coating machine, s/s mesh belt, belt width: 400 mm, total dimensions: 3700 mm x 950 mm x 1640 mm.	500
638	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG System double clipper, type: FCA 3461, number: 22339, 380 V, 50 Hz, 20 A, 6/7 bar, dimensions: 1100 mm x 1400 mm x 2100 mm.	500
639	Cryovac	Cryovac shrink tunnel, model: CJ51TLH, serial number: 03103, year of construction: 1995, 380 V, 50 Hz, 23 A, 15 kW, roller belt, belt width: 280 mm, clearance: 280 mm x 150 mm, total dimensions: 2100 mm x 880 mm x 1450 mm.	500



Nr	Title	Description	Start €
640	Food Logistik	Food Logistik mobile dicer, dimensions chamber: 100 mm x 100 mm, total dimensions: 1450 mm x 690 mm x 1060 mm.	3000
641	SCHWARTE	SCHWARTE milk reception unit, with 2 hydraulic self-priming pumps, air eliminator, flow meter, milk filter and interconnecting piping, capacity: 30000 liter per hour, CIP cleanable, inside dimensions: Ø 600 mm x 600 mm, total dimensions: 1500 mm x 800 mm x 1050 mm.	1000
642	Pago Etikettiersysteme	Pago Etikettiersysteme top labelling machine, type: PAGOMat 15/120E-i, year of construction: 2006, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 130 mm, total dimensions: 1360 mm x 800 mm x 1400 mm.	200
643	Detectronic	Detectronic X-ray scanner, type: Detex-30 400, serial number: 2651-6, year of construction: September 2014, 80 kV, weight: 400 kg, plastic belt, belt width: 400 mm, clearance: 440 mm x 160 mm, total dimensions: 1270 mm x 640 mm x 1780 mm.	400
644	NN film	Pallet with approximately 20 rolls of black film, film width: 306 mm, length per roll: 1000 meter.	75
645	Repak	Repak thermoformer, type: RF 3, machine number: 21006, year of construction: 2002, 220/380 V, 3 Ph, 50 Hz, 26 A, 11 kW, bottom film width: 425 mm, dye: (8x) 165 mm x 80 mm, top film width: 416 mm, plastic belt, belt width: 375 mm, Rietschle vacuum pump, type: V05 100 0017, capacity: 100/120 m³ per hour, total dimensions: 8800 mm x 1100 mm x 2100 mm. Including s/s trolley with 3 dye's, dye: (6x) 182 mm x 112 mm, (6x) 182 mm x 112 mm, (16x) 82 mm x 77 mm, total dimensions: 700 mm x 700 mm x 1750 mm.	2000
646	Marel	Marel Opticut portion cutter, type: OptiCut, serial number: A039406, year of construction: 2006, 380/480 V, 3 Ph, 50/60 Hz, 5/11 A, 7 kW, plastic belt, belt type: intralox 1100 FTAC, belt width: 250 mm, total dimensions: 2050 mm x 750 mm x 2150 mm.	2500
647	Samag	Samag s/s pallet lifter, fork length: 1150 mm, total dimensions: 1450 mm x 470 mm x 170 mm. Defect.	400
648	NN frame	S/s frame, dimensions: 1500 mm x 480 mm x 400 mm.	25
649	Robotanno	Robotanno mobile bubble ice tea machine, model: MT-C-SJYB02-02, serial number: RA992022082501, year of construction: 2023-11-30, 220 V, 50 Hz, touch screen, smart monitor, dimensions: 1700 mm x 1300 mm x 2000 mm. Can deliver customizable (ice, tea, milk, sugar levels) completely autonomously in less than 80 seconds.	5800



Nr	Title	Description	Start €
650	KJ PLAST JAN KAC	KJ PLAST JAN KAC s/s boot heater for 30 pairs, type: typ-p-30, year of construction: 01/2019, 230 V, 2.25 kW, weight: 120 kg, dimensions: 1850 mm x 500 mm x 1850 mm.	400
651	NN belt grill	Mobile belt grill, s/s mesh belt, belt width: 610 mm, clearance: 800 mm x 55 mm, total dimensions: 2380 mm x 1330 mm x 1300 mm.	750
652	Röscherwerke GmbH	Röscherwerke GmbH mobile double chamber vacuum machine, type: VM-61/2/C, number: 6311007, year of construction: 06/99, 230/400 V, 50 Hz, 6.2 kW, weight: 640 kg, seal length: (4x) 860 mm, chamber: (2x) 880 mm x 640 mm, Busch vacuum pump, type: RA 0250 D 561 QMZZ, number: C9920000012, capacity: 250 m³ per hour, total dimensions: 1950 mm x 920 mm x 1100 mm.	2500
653	Magurit	Magurit frozen block flaker, model: 345, year of construction: 1994, maximum block size: 550 mm x 820 mm, total dimensions: 2150 mm x 1070 mm x 1850 mm.	3000
654	NN meat bins	3 s/s meat bins, volume: 200 liter.	225
655	NN meat bins	3 s/s meat bins, volume: 200 liter.	225
656	NN meat bins	3 s/s meat bins, volume: 200 liter.	225
657	Videojet	2 Videojet inkjet printers on mobile s/s frame, models: EXCEL/170i and EXCEL/170IUHS, serial numbers: 032880020WD and 983650010WD, 100/240 V, 1 Ph, 50/60 Hz, 2-1 A, 6.9 bar, dimensions: 850 mm x 850 mm x 1500 mm.	100
658	NN heater	S/s mobile heater, dimensions: 800 mm x 1000 mm x 1800 mm.	100
659	Bizerba	Bizerba mobile slicer, type: A 510, number: 10354430, 400 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 300 mm, total dimensions: 2300 mm x 800 mm x 1800 mm.	4000
660	Digi/Tereoka Seiko Co. LTD	Digi/Tereoka Seiko Co. LTD packaging machine, model: FX-3600 XL, serial number: 01164105, 400 V, 3 Ph, 50/60 Hz, 1.5 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e = 1/2 gram, T = 0.999 kg, dimensions: 860 mm x 940 mm x 1390 mm.	150
661	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	200
662	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	200
663	NN meat bins	2 s/s meat bins, volume: (2x) 200 liter.	200
664	Alexanderwerk	Alexanderwerk piston filler, dimensions: 800 mm x 650 mm x 1500 mm.	1500
665	Eillert B.V.	Eillert B.V. mobile slicer, type: G 4400 VS, year of construction: 2000, 230 V, 1 Ph, 10-9 A, plastic belts, belt width: 240 mm, total dimensions: 2350 mm x 1000 mm x 1650 mm. Including extra knife.	1000



Nr	Title	Description	Start €
666	Guangzhou Ming Rui Trading Co.,Ltd	Guangzhou Ming Rui Trading Co.,Ltd mobile ultrasonic welding machine, model: MR 1604, serial number: 20200610, year of construction: 2020.05.30, 320 V, 1.5 kW, packing size: 1200 mm x 780 mm x 1400 mm, chain belt with dividers, belt width: 175 mm, dividers height: 20 mm, distance between dividers: 15 mm, total dimensions: 890 mm x 600 mm x 1460 mm.	200
667	Wolfking Belam B.V.	Wolfking Belam B.V. mobile infeed belt with mobile steaker, infeed belt, 400 V, 50 Hz, plastic belt, belt width: 410 mm, steaker type: IT-4 S, machine number: 9801-953.0032, year of construction: 1998, 400 V, 50 Hz, 6 A, working width: 440 mm, total dimensions: 3650 mm x 1400 mm x 1370 mm.	3000
668	NN transport belt	Transport belt, s/s belt, belt width: 600 mm, total dimensions: 2000 mm x 800 mm x 1000 mm.	400
669	Läcovac	Läcovac mobile vacuum machine, type: CV-super, number: 1585, 220/380 V, 1.5 kW, seal length: 460 mm, dimensions chamber: 490 mm x 490 mm, with Busch vacuum pump, total dimensions: 750 mm x 570 mm x 1100 mm.	500
670	Henkovac	Henkovac mobile vacuum machine, type: H2000, machine number: 208077793, 220/380 V, 3 Ph, 50 Hz, 8.9/8.7 A, 2.5 kW, seal length: (2x) 500 mm, dimensions chamber: 550 mm x 500 mm, with Busch vacuum pump, type: 063-122, number: 154573, total dimensions: 700 mm x 620 mm x 1100 mm.	500
671	ATIB Electronica Srl	ATIB Electronica Srl battery charger, type: 5STT48/120, serial number: 100383 5STT 1209, 400 V, 50 Hz, dimensions: 560 mm x 460 mm x 900 mm.	50
672	Katridg Pak Co. Anyl-ray	Katridg Pak Co. Anyl-ray mobile fat analyser, model: M201-4, serial number: F-8, year of construction: 08-1987, 220 V, 50 Hz, 1 Ph, 1.0 A, 1000 Amps max, dimensions pipe: 200 mm x 200 mm x 230 mm, total dimensions: 670 mm x 500 mm x 1720 mm.	75
673	Kronen	Kronen vegetable and salad spin-dryer, type: KS-7 ECO, machine number: 277, year of construction: 2023, 230 V, 1 Ph, 50 Hz, capacity: 10 kg, dimensions: 850 mm x 580 mm x 930 mm. Including 9 baskets. Never used.	7500
674	Alexanderwerk	Alexanderwerk grinder, type: WSL 130II, machine number: 04503009, 400 V, 50 Hz, 25.2/21.4 A, 8.1/13.2 kW, plate diameter: 130 mm, total dimensions: 1050 mm x 1000 mm x 1260 mm.	3500
675	NN flattener	Mobile flattener, plastic belts, belt width: 250 mm, total dimensions: 1300 mm x 750 mm x 1630 mm.	100



Nr	Title	Description	Start €
676	Bandall	Bandall mobile banding machine, type: BA-24-60, machine number: 9132640, 230 V, 50 Hz, dimensions: 1020 mm x 650 mm x 1820 mm.	1200
677	Kolbe	Kolbe mobile bandsaw, dimensions table: 880 mm x 780 mm, total dimensions: 900 mm x 940 mm x 1860 mm. Incomplete.	1250
678	Digi Europe LTD	Digi Europe LTD checkweigher, model: HI3600, serial number: 030851001, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 1600 mm x 700 mm x 1400 mm.	150
679	ITEC	ITEC knife holder washing machine, type: 22510, serial number: 22510-0021, year of construction: 03/2017, 400 V, 3 Ph, 50-60 Hz, 16 kW, dimensions: 1350 mm x 1100 mm x 1820 mm.	1500
680	NN traysealer	Traysealer, dimensions: 1270 mm x 1220 mm x 1340 mm.	100
681	Selo	Selo mobile steak scorer, type: JB-BSR, serial number: 201501, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 0.2 kW, plastic belt, belt width: 250 mm, working width: 260 mm, total dimensions: 1050 mm x 740 mm x 1300 mm.	250
682	Sealpac	Sealpac traysealer, type: Sealpac MINI, serial number: TVG0218001, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 160 kg, dye: (2x) 210 mm x 155 mm, film width: 305 mm, total dimensions: 1000 mm x 980 mm x 1550 mm. Without vacuümpump.	150
683	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector, model: FGM 20 40, machine number: 3520 1986, s/s mesh belt, belt width: 235 mm, clearance: 280 mm x 240 mm, total dimensions: 1450 mm x 580 mm x 1880 mm.	1000
685	Hoegger Alpina	Hoegger Alpina bowl cutter with ejector, type: PB 90 20, machine number: 805020, 400 V, 3 Ph, 50 Hz, s/s bowl and knives, volume: 90 liter, dimensions: 2000 mm x 1200 mm x 1750 mm.	3800
686	KG	KG s/s lifter for 200 liter meat bins, lifting height: 1600 mm, dimensions: 1150 mm x 550 mm x 2700 mm.	750
687	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 410 mm, total dimensions: 3970 mm x 1200 mm x 980 mm.	600
688	NN injector	Mobile injector, 14 needles, s/s mesh belt, belt width: 300 mm, total dimensions: 1430 mm x 600 mm x 1830 mm. Cover damaged.	100



Nr	Title	Description	Start €
689	Bewo	Bewo saw on working bench, type: CPO 250 LT 400V, serial number: 23059801, year of construction: 2003, diameter saw: 285 mm, total dimensions: 800 mm x 550 mm x 1780 mm.	250
690	Talleres Ramon S.L.	Talleres Ramon S.L. mixer on trolley, type: AMH, number: 2077, year of construction: 1994, 380 V, 50 Hz, 1.1 kW, dimensions: 1070 mm x 680 mm x 1250 mm.	500
691	Maja-Maschinenfabrik	Maja-Maschinenfabrik mobile skinning machine, type: EEM1435, machine number: 359228225, working width: 430 mm, total dimensions: 760 mm x 600 mm x 950 mm.	500
692	Tender Star	Tender Star mobile tenderizer, working width: 205 mm, dimensions: 810 mm x 520 mm x 1600 mm. Technical condition unknown.	400
693	NN flattener	Mobile flattener, plastic belts, belt width: 250 mm, total dimensions: 1800 mm x 650 mm x 1910 mm.	150
695	Strapex	Strapex mobile strapping machine, type: DBC 101s, dimensions: 1460 mm x 630 mm x 1880 mm.	350
696	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector, 52 needles, s/s mesh belt, belt width: 330 mm, clearance: 400 mm x 280 mm, total dimensions: 2120 mm x 720 mm x 2000 mm. Including extra needles.	1750
697	NN checkweigher with labeller	Checkweigher with labeller, plastic belts, belt width: 500 mm, total dimensions: 1700 mm x 900 mm x 1670 mm.	500
698	APV / Crepaco	APV / Crepaco scraped surface cooler with built-in Freon compressor, serial number: 02213, dimensions: 1600 mm x 1000 mm x 1450 mm.	300
699	Krämer + Grebe	Krämer + Grebe grinder, type: WW 130, machine number: 223/266/1 81, plate diameter: 130 mm, total dimensions: 1200 mm x 900 mm x 1360 mm. Including crate with plates and knives.	2000
700	Jungheinrich	Jungheinrich electric forklift with TBI-ELST BV battery charger, type: FB 115, serial number: FR396857, year of construction: 2004, weight forklift: 2440 kg, weight battery: 642 / 730 kg, lifting capacity: 1450 kg, fork length: 1150 mm, total dimensions: 3000 mm x 1050 mm x 1100 mm, battery charger type: S2, serial number: 794026, 380 V, 3 Ph, 50/60 Hz, 120 A, 3.8 kW, dimensions battery charger: 450 mm x 500 mm x 1000 mm.	750
701	Elbanton	Elbanton water bath, type: WATERBAD spec., serial number: 9911668, year of construction: 1999, 230 V, 16 A, refrigerant: R 134 A, 1100 g, clearance: (4x) Ø 160 mm x 230 mm, total dimensions: 1250 mm x 580 mm x 920 mm.	200



Nr	Title	Description	Start €
702	Magurit	Magurit frozen block cutter, working width: 485 mm x 230 mm, total dimensions: 1950 mm x 750 mm x 1580 mm. Incomplete.	4000
703	Eillert	Eillert mobile vegetable slicer, type: G3300, serial number: 382-9037, 220 V, 4.2 A, plastic belt, belt width: 250 mm, total dimensions: 4170 mm x 1140 mm x 1900 mm.	1000
704	Spako	Spako smoking / cooking chamber, with aditec control panel, type: MRA 810, 7 floors, dimensions each floor: 695 mm x 615 mm, total dimensions: 970 mm x 840 mm x 2000 mm. Technical condition unknown.	500
705	Alfa Laval	Alfa Laval chiller, model: DXD/S 505 SX H20 FL. CE, serial number: 1078095, year of construction: 29/04/2009, dimensions: 2900 mm x 700 mm x 810 mm.	500
706	Marel	Marel checkweigher, type: M-Check RFB 8023.30, serial number: E014590, type load cell: Z6F C3, serial number: 31036805, maximum: 31036805, minimum: 0.05 kg, e=0.001 kg, T= -Max, plastic belt, belt width: 230 mm, total dimensions: 1400 mm x 850 mm x 1680 mm. Missing one transport belt.	100
707	Air Liquide	Air Liquide nitrogen freezing tunnel, type: ZIP-FREEZE, serial number: 712, 300 V, 111 kW, belt width: 650 mm, clearance: 670 mm x 360 mm, total dimensions: 6750 mm x 1200 mm x 1450 mm.	1000
708	Anritsu	Anritsu checkweigher with metal detector, type checkweigher: KW5505AMW, serial number: K 039004, year of construction: 1999, type metal detector: KD802AEN, plastic belt, belt width: 325 mm, total dimensions: 830 mm x 1300 mm x 1430 mm. Incomplete and technical condition unknown.	20
709	Nawi	Nawi s/s computer cabinet, type: 5201021, number: 24254, dimensions: 1870 mm x 600 mm x 650 mm.	25
710	Foss	Foss mobile analyser, model: MeatMaster, type: 78010, serial number: 2309200501, 370-420 V, 3 Ph, 50-60 Hz, 2000 VA, plastic belt, belt width: 650 mm, total dimensions: 5350 mm x 1150 mm x 2700 mm. Screen damaged.	1000
711	Cintex LTD	Cintex LTD metal detector with 2 metal detector heads and rejecting belt, type: KHRB30, serial number: 79959, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 3 A, plastic mesh belt, belt width: 300 mm, total dimensions: 2720 mm x 880 mm x 1100 mm. Damaged.	750



Nr	Title	Description	Start €
712	Digi Europe LTD	Digi Europe LTD mobile double heads labelling machine, model: HC-700, serial number: 100654003, 230 V, 50 Hz, 1.15 / 0.4 A, maximum speed: 285 packages per minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1800 mm x 800 mm x 1800 mm. Technical condition unknown.	500
713	Schuy	Schuy mobile CIP installation with 2 s/s tanks, type: CIP, machine number: 7023, inside dimensions tanks: (2x) Ø 800 mm x 900 mm, total dimensions: 2550 mm x 1100 mm x 1950 mm.	2500
714	Leonhardt	Leonhardt mobile dosing machine, type: TGS 1, number: 0140 1198, year of construction: 2010, s/s tub, tub dimensions: Ø 500 mm x 440 mm, total dimensions: 900 mm x 650 mm x 1700 mm.	250
715	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 524, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1300 mm x 720 mm x 1280 mm.	700
716	NN meat bin	S/s meat bin, volume: 200 liter.	75
717	Schröter	Schröter s/s switch cabinet for smoke chamber, type: KR-5, factory number: 250-1212, year of construction: 01/13, dimensions: 750 mm x 450 mm x 1050 mm.	300
718	Schröter	Schröter s/s switch cabinet for smoke chamber, type: KR-5, factory number: 250-1212, year of construction: 01/13, dimensions: 750 mm x 450 mm x 1050 mm.	300
719	Baeten	Baeten insulated mobile mixer, inside dimensions: Ø 750 mm x 750 mm, total dimensions: 1050 mm x 900 mm x 1500 mm. Incomplete.	800
720	Alfa Laval	Alfa Laval separator, type: 2171 M, dimensions: 1000 mm x 650 mm x 1350 mm.	1000
721	Strapex	Strapex mobile strapping machine, type: Canaria V, serial number: 01071, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 4.0 A, clearance: 650 mm x 650 mm, total dimensions: 1320 mm x 850 mm x 1870 mm.	350
722	Poly-clip system GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 133, year of construction: 1998, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	1000



Nr	Title	Description	Start €
723	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH flake ice machine, type: SE 400, machine number: 28102, working width: 190 mm, Maneurop cooling compressor, model: MTZ28JE4AVE, serial number: KF 2759193, 460/400 V, 3 Ph, 50/60 Hz, 7.5/23 A, refrigerant: R134a-R1507-R404A-R407C, dimensions: 800 mm x 650 mm x 1080 mm.	150
724	Helios / Xu-Yuan	Helios / Xu-Yuan packaging, labelling, shrinking and cooling line for pots, consisting of: Helios packaging and labelling machine, model: XYZ-250S, serial number: HSA-250S-026, 380 V, 3 Ph, 0.75 kW, maximum belt width: 90 mm, clearance: 130 mm x 480 mm, dimensions: 3650 mm x 1050 mm x 2250 mm. Xu-Yuan steam shrinking tunnel, model: ST-2280, number: 1201167, 380 V, 3 Ph, clearance: 200 mm x 480 mm, total dimensions: 2800 mm x 500 mm x 1150 mm. Pneumatic cooling machine for pots, clearance: dimensions: 1500 mm x 1000 mm x 2000 mm. Including transport belts with uprights, pallet with blower and pallet extra parts.	1000
725	NN homogenizer	Homogenizer, dimensions: 1200 mm x 850 mm x 1130 mm.	500
726	Maja Maschinen Fabrik GmbH	Maja Maschinen Fabrik GmbH flake ice machine on s/ s frame with plastic mobile tub, type: RVE200S-RVE6000S, working width: 190 mm, total dimensions: 990 mm x 900 mm x 1180 mm.	500
727	NN dicer	Dicer, plastic belt, belt width: 450 mm, working width: 420 mm, distance between knives: 20 mm x 20 mm, total dimensions: 1400 mm x 900 mm x 2000 mm.	1000
728	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 3462, plastic belt, belt width: 120 mm, total dimensions: 1450 mm x 1450 mm x 2000 mm.	2600
729	Tenderstar	Tenderstar tenderizer, number: 9285, working width: 210 mm, total dimensions: 600 mm x 410 mm x 1700 mm.	100
730	Silverstone AB	Silverstone AB electric pallet lifter, model: EPT20-15ETL, serial number: 426100404, capacity: 1000 kg, fork length: 800 mm, fork width: 520 mm, total dimensions: 1300 mm x 600 mm x 1300 mm. Without charger.	175
731	Silverstone AB	Silverstone AB electric pallet lifter, model: EPT20-15ETL, serial number: 426100409, capacity: 1000 kg, fork length: 800 mm, fork width: 520 mm, total dimensions: 1300 mm x 600 mm x 1300 mm. Without charger.	175



Nr	Title	Description	Start €
732	GEI Turbo	GEI Turbo mobile depositor, type: D100P, machine number: D100P4909500, year of construction: 1999, s/s hopper, hopper dimensions: Ø 280 mm x 470 mm, total dimensions: 1200 mm x 620 mm x 1820 mm.	750
733	Meyn Egg Handling B.V.	Meyn Egg Handling B.V. egg shell centrifuge, type: MC-2, machine number: 3102, year of construction: 1982, dimensions: 1000 mm x 1000 mm x 1600 mm.	1000
734	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: DFC-8161, number: 33819, 380 V, 1 Ph, 50 Hz, 6 A, 5/7 bar, dimensions: 2400 mm x 1100 mm x 1950 mm.	4000
735	Siat	Siat box folding and closing machine, model: F145 SX, serial number: 50131, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 4.84 A, 1200 W, 5 infeed chains, chain width: 900 mm, plastic belts, belt width: 80 mm, total dimensions: 2300 mm x 2000 mm x 1800 mm.	250
736	Marel	Marel Opticut portion cutter, type: OptiCut, serial number: A039404, year of construction: 2006, 380/480 V, 3 Ph, 50/60 Hz, 5/11 A, 7 kW, plastic belt, belt type: intralox 1100 FTAC, belt width: 250 mm, total dimensions: 2050 mm x 750 mm x 2630 mm.	2500
737	Stephan	Stephan mobile micro cutter, type: MCH-D50C, machine number: 724.794.02, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 95 A, 55 kW, dimensions: 2000 mm x 1050 mm x 840 mm. Without switch cabinet.	5000
738	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, s/s rollers, roller width: 300 mm, camber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	350
739	Ulma	Ulma mobile traysealer, model: SCORPIUS 600, number: 7500195, year of construction: 2011, 400 V, 50 Hz, dye: (4x) 120 mm x 170 mm, plastic belts, belt width: (2x) 310 mm, total dimensions: 2500 mm x 1200 mm x 2050 mm. Including pallet with parts and Busch vacuum pump, type: RA 0100 B, number: 178966, capacity: 100 m ³ per hour.	4000
740	FDI Sambron	FDI Sambron forklift attachment, capacity: 700 kg.	100
741	Strapex	Strapex mobile strapping machine, model: SMA 10, year of construction: 2012, 230 V, 1 Ph, 50 Hz, dimensions: 900 mm x 600 mm x 800 mm.	100
742	SPXFlow	SPXFlow cylinder for scraped surface heat exchanger, dimensions: 2540 mm x 370 mm x 280 mm. Including extra parts.	200



Nr	Title	Description	Start €
743	Marcelissen	Marcelissen mobile depositor, s/s frame, machine number: 99.101.005, dimensions hopper: 520 mm x 400 mm x 450 mm, working width: 400 mm, total dimensions: 1150 mm x 800 mm x 1860 mm.	50
744	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S brine mixer, model: FBM 1000, machine number: 9595, year of construction: 2004, volume: 500 liter, Inoxpa centrifugal pump, type: SE-26 E, number: 207671 A, year of construction: 2020, dimensions: 1800 mm x 1300 mm x 2080 mm.	1500
745	Kolbe	Kolbe mobile bandsaw, dimensions table: 880 mm x 780 mm, total dimensions: 880 mm x 950 mm x 1880 mm. Incomplete.	1250
746	Rühle	Rühle mobile traysealer with label printer, type: VR 1, number: 0322 G, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 16 A, 1.5 kW, dye: (2x) 232 mm x 186 mm, total dimensions: 700 mm x 600 mm x 1720 mm.	800
747	NN keg filling station	Mobile keg filling station for 2 kegs, Lowara pump, type: CEAM70/5/A-V, serial number: 02463, year of construction: 20120719, 220-240 V, 1 Ph, 50 Hz, 4.55 A, 0.97 kW, dimensions: 850 mm x 850 mm x 1460 mm.	250
748	Safeline	Safeline metal detector with rejector, serial number: 86712, 415 V, 3 Ph, 50 Hz, 300 W, plastic belt, belt width: 200 mm, clearance: 250 mm x 170 mm, total dimensions: 2000 mm x 1100 mm x 1360 mm.	700
749	Adelphi Manufacturing Ltd	Adelphi Manufacturing Ltd mobile depositor, model: ADELPHI RESPONSE, serial number: R3-0181, year of construction: 2008, dimensions: 1050 mm x 940 mm x 2470 mm.	1000
750	Rühle	Rühle mobile injector, type: IR 17, number: 0115, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 11 A, 6.1 kW, 17 needles, s/s mesh belt, belt width: 250 mm, total dimensions: 1900 mm x 700 mm x 1850 mm.	1500
751	Hema	Hema volumetric filling machine, type 3.2, serial number: 877, dimensions: 1600 mm x 1500 mm x 1900 mm.	750
752	Kramer Grebe	Kramer Grebe steel bowl cutter, type: SM 45, number: 68.673.66, steel bowl dimensions: Ø 735 mm x 185 mm, total dimensions: 1200 mm x 950 mm x 1120 mm.	400
753	Tipper Tie technopack	Tipper Tie technopack mobile automatic clipper, model: TCV 1590, number: 4330.1161.067, 230 V, 50 Hz, dimensions: 1600 mm x 800 mm x 1900 mm.	750



Nr	Title	Description	Start €
754	Unimasz	Unimasz hygiene station, type: KSH-01, number: 123/05, year of construction: 11-2005, dimensions: 1750 mm x 850 mm x 1420 mm.	300
755	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 142, year of construction: 1999, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	1000
756	Grasselli S.p.A.	Grasselli S.p.A. mobile skinning machine, model: RST520-M, serial number: R21Q12/M230, year of construction: 2001, 380 V, 3 Ph, 50 Hz, air pressure: 6 bar, working width: 480 mm, total dimensions: 700 mm x 700 mm x 970 mm.	400
757	NN extraction unit	S/s extraction unit for rest film, dimensions: 960 mm x 1000 mm x 1390 mm.	250
758	Altech s.r.l.	Altech s.r.l. labelling machine with turning table, serial number: 2207040028071, 400 V, 3 Ph, 50/60 Hz, 5 A, 2000 W, plastic belts, belt width: (2x) 55 mm, (1x) 115 mm, total dimensions: 2850 mm x 1150 mm x 1900 mm. S/s turning table, diameter: 800 mm, total dimensions: 1050 mm x 900 mm x 930 mm.	15000
759	Koma	Koma proofer, dimensions: 1900 mm x 1300 mm x 2370 mm.	300
760	Capsulcn	Capsulcn fully automatic capsule filling machine, model: NJP-400C, serial number: 93695, year of construction: 06/2021, 380 V, 3 Ph, 50 Hz, 3.7 kW, dimensions: 850 mm x 750 mm x 1930 mm. Including extraction unit for dust, dimensions: 750 mm x 450 mm x 1150 mm.	15000
761	Frey	Frey vacuum filling machine with linking attachment, type: Konti-E120, machine number: KE1201111320GU, year of construction: 2010, 400 V, 50 Hz, 4.8 kW, Busch vacuum pump, operating hours: 28406, dimensions: 950 mm x 700 mm x 1620 mm.	5500
762	HPSL	HPSL weighing scale with label printer on s/s frame, serial number scale: HS108814, year of construction: 2011, 230 V, 50 Hz, maximum capacity: 3 kg, minimum capacity: 0.02 kg, e=0.001 kg, T=-1.000 kg, scale dimensions: 275 mm x 225 mm, total dimensions: 860 mm x 520 mm x 1575 mm.	400
763	Dito-Sama	Dito-Sama salad spinner, model: EL65, serial number: 0504 9804 001, 3 Ph, 2A, 370 W, clearance: Ø 350 mm, inside dimensions: Ø 450 mm x 400 mm, dimensions: 620 mm x 720 mm x 1000 mm.	350



Nr	Title	Description	Start €
764	Iseco	Iseco regeneration cabinet, type: F-10130 SAINT PHAL, serial number: 12 07 4192, 230 V, 1 Ph, 50 Hz, 14.7 A, 3.4 kW, dimensions: 560 mm x 560 mm x 900 mm.	100
765	Rademaker	Rademaker mobile 2 head depositor, type: DEPOSITOR, serial number: 6320-709, year of construction: 2003, weight: 260 kg, outfeed diameter: 25 mm, total dimensions: 920 mm x 1400 mm x 2100 mm.	500
766	Iseco	Iseco regeneration cabinet, type: F-10130 SAINT PHAL, serial number: 12 07 4198, 230 V, 1 Ph, 50 Hz, 14.7 A, 3.4 kW, dimensions: 560 mm x 560 mm x 900 mm.	100
767	AL Tech	AL Tech labelling machine, model: Albelt, serial number: 0507020006374, year of construction: 2005, 230 V, 1 Ph, 50 Hz, 800 W, plastic belt, belt width: 300 mm, total dimensions: 1720 mm x 1200 mm x 1730 mm.	500
768	Intraboss	Intraboss scissor-lift table, model: M500LB, serial number: 80770, year of construction: 2009, capacity: 500 kg, weight: 160 kg, dimensions: 1620 mm x 1000 mm x 600 mm.	200
769	FAM	FAM vegetable slicer, type: FV, number: 10044/2013, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6 A, 2.2 kW, weight: 280 kg, working width: 120 mm, total dimensions: 1330 mm x 800 mm x 1140 mm.	4000
770	Steck	Steck mobile depositor, tub dimensions: Ø 660 mm x 550 mm, total dimensions: 1600 mm x 700 mm x 1220 mm.	750
771	New Motion B.V.	New Motion B.V. s-shaped curve conveyor, type: MBC-C, serial number: 21416-03-000, year of construction: 2022, plastic mesh belt, belt width: 190 mm, total dimensions: 1870 mm x 900 mm x 670 mm.	400
772	Steck	Steck mobile depositor, tub dimensions: Ø 660 mm x 550 mm, total dimensions: 1600 mm x 700 mm x 1220 mm.	750
773	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1268, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	750
774	Steck	Steck mobile depositor, tub dimensions: Ø 660 mm x 550 mm, total dimensions: 1600 mm x 700 mm x 1220 mm.	750



Nr	Title	Description	Start €
775	Ilpra	Ilpra traysealer, model: 400 V/G, number: FP 5433, year of construction: 2003, 400 V, film width: 315 mm, Busch vacuum pump, type: RA 0063 E 5K3, capacity: 63 m ³ per hour, total dimensions: 1000 mm x 960 mm x 1420 mm.	1000
776	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1270 11, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	750
777	Winterhalter	Winterhalter dishwasher, type: GS 315, dimensions: 690 mm x 600 mm x 820 mm.	250
778	Friginox	Friginox shockfreezer, model: condens air, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 10 A, 4000 Watt, refrigerant: R404A, 1.5 kg, 12 floors, floor dimensions: 530 mm x 390 mm, dimensions: 820 mm x 770 mm x 1920 mm.	800
779	Automatic Products	Automatic Products vending machine, dimensions: 850 mm x 700 mm x 820 mm.	350
780	Primus	Primus washing machine, model: C8, serial number: 8C000267JV, year of construction: 2006, 380-415 V, 3 Ph, 50 Hz, 16 A, 6 kW, capacity: 7.5 kg, dimensions: 690 mm x 650 mm x 1070 mm.	350
781	IPSO	IPSO double dryer, capacity: 13.6 kg and 6.8 kg, dimensions: 1120 mm x 760 mm x 1990 mm.	400
782	IPSO	IPSO double dryer, dimensions: 1120 mm x 760 mm x 1990 mm.	400
783	Strautmann	Strautmann baler type: PP 1207, serial number: 533 02 122, year of construction: 2004, 400 V, 50 Hz, 4 kW, dimensions: 1850 mm x 1100 mm x 2250 mm.	1500
784	Strautmann	Strautmann baler, type: PP 1207, serial number: 53302374, year of construction: 2003, 400 V, 50 Hz, 4 kW, dimensions: 1850 mm x 1100 mm x 2250 mm.	1500
785	NN locker	15 doors steel locker, dimensions: 1150 mm x 500 mm x 1960 mm.	60
786	NN locker	(2x) 15 doors steel locker, dimensions: 1150 mm x 500 mm x 1960 mm.	120
787	NN locker	(3x) 15 doors steel locker, dimensions: 1150 mm x 500 mm x 1960 mm.	180
799	NN drills	Wooden box with 10 drills, dimensions box: 300 mm x 260 mm x 60 mm.	20
800	NN gardening tools	Box with gardening tools.	5
801	GEA Tuchenhausen	6 GEA Tuchenhausen varivent mixproof valves, DN65, dimensions: 520 mm x 800 mm x 800 mm.	1000
802	Carrier	Carrier condensing unit with cooling compressor, dimensions: 700 mm x 500 mm x 500 mm.	20



Nr	Title	Description	Start €
803	Waterloo	Waterloo tool trolley, dimensions: 890 mm x 530 mm x 790 mm.	50
804	NN heated tub	S/s heated tub, inside dimensions: 515 mm x 305 mm x 170 mm, total dimensions: 660 mm x 350 mm x 245 mm.	1
805	NN funnel	Plastic funnel.	1
806	NN kitchen equipment	Crate with various kitchen equipment.	1
807	Brita	Brita filter, model: Purity Clean, dimensions: 250 mm x 250 mm x 420 mm.	5
808	NN plastic curtain	Plastic curtain.	1
809	Waterloo	Waterloo tool trolley, dimensions: 750 mm x 420 mm x 800 mm.	50
810	Endress+Hauser	Endress+Hauser flowmeter, model: AT70, serial number: 72-5385, dimensions: 120 mm x 110 mm x 480 mm.	50
811	Anderson Instrument CO.	3 Anderson Instrument CO. Pressure transmitters, dimensions: (3x) 950 mm x 150 mm x 135 mm.	50
812	Stiko	3 Stiko pressure transmitters, model: (2x) PTR-2, (1x) PTR-2-Sp.	150
813	ABB	ABB pressure transmitter, model: 265AS, number: 265AS6502000247, year of construction: 2004, dimensions: 140 mm x 200 mm x 100 mm.	50
814	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854189, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	200
815	Schupa/Holec/Eaton	Schupa and Holec earth leakage circuit breaker and Eaton kWh meter.	20
816	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854190, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	200
817	Tramper	4 Tramper denester sets, dyes: (3x) 260 mm x 177 mm, (3x) 190 mm x 150, (3x) 240 mm x 185 mm and (3x) 190 mm x 140 mm.	40
818	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566-170X15, number: 109574, 230/660 V, 50 Hz, capacity: 60 m ³ per hour, dimensions: 800 mm x 420 mm x 420 mm.	200
819	Pomac B.V.	Pomac B.V. self-priming centrifugal pump, number: 10291, dimensions: 620 mm x 360 mm x 460 mm.	250
820	Filtro Matic	Filtromatic vacuum cleaner, dimensions: 450 mm x 400 mm 1500 mm.	100



Nr	Title	Description	Start €
821	Daalderop	Daalderop boiler, type: 07.14.28.049, serial number: #1020099, 220-240 V, 2500 W, volume: 80 liter, dimensions: 520 mm x 500 mm x 850 mm.	75
822	Daalderop	Daalderop boiler, type: 07.14.28.049, serial number: #GRB153200045, 220-240 V, 2500 W, volume: 80 liter, dimensions: 520 mm x 500 mm x 850 mm.	75
823	Otto Tuchenhausen / Kolding	1 Otto Tuchenhausen centrifugal pump, type: AG19, number: 18987L2, 1 Kolding centrifugal pump, number: 1577, 2 NN centrifugal pumps, total dimensions: 1200 mm x 800 mm x 480 mm.	500
824	NN hose	Plastic hose.	1
825	Glunz & Jensen	Glunz & Jensen chiller, type: KA 134A-2-23050, serial number: 59115-0784, 230 V, 1 Ph, 50 Hz, 1.8 A, 315 W, dimensions: 460 mm x 430 mm x 360 mm.	50
826	Glunz & Jensen	Glunz & Jensen chiller, model: 07-0301-01, serial number: E01655, year of construction: 07/2004, 220-240 V, 1 Ph, 50/60 Hz, 3.5 A, 600 W, refrigerant: R134A, weight: 170 g, dimensions: 620 mm x 380 mm x 350 mm.	50
827	Schaerer	Schaerer heated display, dimensions: 385 mm x 270 mm x 520 mm.	5
828	WMF	WMF heated cabinet, type: 90171600, year of construction: 11/2003, 230 V, 1 Ph, 50/60 Hz, 15 kW, dimensions: 380 mm x 310 mm x 580 mm.	5
829	Solia	Solia slicer, type: M3.2, 400 V, 50 Hz, dimensions: 850 mm x 310 mm x 600 mm. Missing knife.	250
830	Graef GmbH & Co. KG	Graef GmbH & Co. KG slicer, type: Euro 3010 Fleischerei, serial number: 6264082, year of construction: 2007, 400 V, 50 Hz, 2.2 A, 500 W, dimensions: 600 mm x 600 mm x 400 mm.	150
831	Delta	Delta evaporator, 2 fans, model: MCM-22e, serial number: 01595, year of construction: 2006, 230 V, 50 Hz, pressure bar: 33 bar, dimensions: 1150 mm x 480 mm x 250 mm.	20
832	ECO Refrigerazione	ECO Refrigerazione evaporator, model: MTE24L7ED, serial number: BG201103534, year of construction: 2011, dimensions: 1300 mm x 600 mm x 300 mm. Damaged.	20
833	NN plastic trays	7 pallets with plastic trays and plastic lids, dimensions: (6x) 1200 mm x 800 mm x 1650 mm, (1x) 1200 mm x 800 mm x 500 mm.	25
835	L'Unite Hermetique	L'Unite Hermetique condensing unit, model: 4G68730236, serial number: 13D30 114222 4G68730236, dimensions: 740 mm x 740 mm x 800 mm.	10
836	SEW Eurodrive	SEW Eurodrive motor, dimensions: 600 mm x 200 mm x 250 mm.	30



Nr	Title	Description	Start €
837	Sweco	Sweco motor for vibrating sieve, number: 0101547, 220/240/380/415 V, 50 Hz, dimensions: 500 mm x 300 mm x 300 mm.	150
838	Otto Tuchenhausen / Grundfos / Pomac B.V.	1 Otto Tuchenhausen centrifugal pump, type: AG25, number: 19231A3, 1 Grundfos circulation pump, model: C 96011, type: UPT50-120, 2 Pomac circulation pumps, total dimensions: 1200 mm x 800 mm x 480 mm.	200
839	NN vacuum pump	Vacuum pump, dimensions: 1180 mm x 600 mm x 460 mm.	400
840	NN hose reel	Hose reel with hose, dimension: 450 mm x 250 mm x 470 mm.	75
841	NN switch cabinet	Switch cabinet, dimensions: 400 mm x 650 mm x 700 mm.	5
842	Videojet	Videojet inkjet printer, model: EXCEL 2000, serial number: 052241014WD, P/N: 390540-23, 100-240 V, 50/60 Hz, 2-1 A, psi: 1.2 m ³ per hour, dimensions: 600 mm x 250 mm x 700 mm.	75
843	NN frequency converters	Plastic pallet box with large amount of various frequency converters, dimensions: 1200 mm x 800 mm x 800 mm.	800
844	C.V. v/h Fa. B. Lammers	C.V. v/h Fa. B. Lammers laboratory centrifuge, number: 13369, dimensions: 670 mm x 720 mm x 380 mm.	250
846	Pomac B.V.	Pomac B.V. centrifugal pump, type: 32044, number: 7069, capacity: 7 m ³ per hour, dimensions: 610 mm x 300 mm x 340 mm.	150
847	Waesche	Waesche dual channel diverter valve, type: WZK 71 P CR, factory number: 45421 01, year of construction: 1992, dimensions: 670 mm x 450 mm x 280 mm.	150
848	APV	APV centrifugal pump, type: SRG-105N, serial number: 179994, dimensions: 550 mm x 310 mm x 420 mm.	300
849	Manton Gaullin	Manton Gaullin homogenizer, type: 184 DC1582 BB, number: M009203, 380/220 V, 3 Ph, 50 Hz, 6.9/6.8 A, dimensions: 830 mm x 370 mm x 1360 mm.	750
850	Manton Gaullin	Manton Gaullin homogenizer, type: 25CGB, serial number: 122484187M, dimensions: 830 mm x 640 mm x 1230 mm.	750
851	GEA	Pallet with 7 GEA valves, type: KC-OD2"/-SZ-TM1.P2BAM-BB-L0-12N/52/K2, dimensions pallet: 1200 mm x 800 mm x 500 mm.	140
852	ABB Strömbergs Drives	ABB Strömbergs Drives AC low drive, type: SAMI 100MC415, number: 2201FC004, 380-415 V, 50 Hz, 145/133 A, dimensions: 800 mm x 470 mm x 1710 mm.	150



Nr	Title	Description	Start €
853	NN electric parts	Pallet with various electric parts, dimensions: 1100 mm x 1000 mm x 400 mm.	100
854	SKF / AKN	SKF / AKN bearings, dimensions: 800 mm x 600 mm x 350 mm.	160
855	Videojet	Videojet inkjet printer, model: EXCEL 2000, serial number: 072901017WD, P/N: 390540-119, 100-240 V, 50/60 Hz, 2-1 A, psi: 1.2 m³ per hour, dimensions: 600 mm x 250 mm x 700 mm.	75
856	GEA	GEA evaporator, 1 fan, type: DFB 061 D DECKEN-LUFTKUHLER COMPACT, year of construction: 2014, dimensions: 970 mm x 650 mm x 300 mm.	5
857	Pomac B.V.	Pomac B.V. self-priming centrifugal pump, type: 23555/170X10, number: 18318, 400/690 V, 50 Hz, 5.5 kW, dimensions: 710 mm x 400 mm x 500 mm.	1000
858	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566/175X15, number: 15117, 460/690 V, 50 Hz, 11 kW, capacity: 50 m³ per hour, dimensions: 880 mm x 500 mm x 350 mm.	300
859	NN filling pipe	S/s filling pipe, clearance: 190 mm x 165 mm, total dimensions: 620 mm x 300 mm x 1200 mm.	10
860	Rietschle	Rietschle vacuum pump, type: VCEH 250(01), number: 1575009, year of construction: 1994, capacity: 250 m³ per hour, dimensions: 900 mm x 650 mm x 460 mm.	400
862	Protaurus	Protaurus lifting trolley, year of construction: 2019, capacity: 150 Kg, dimensions: 950 mm x 450 mm x 930 mm.	50
863	Norbro	Norbro pneumatic actuator, dimensions: 520 mm x 520 mm x 300 mm.;	25
864	Norbro	Norbro pneumatic actuator, dimensions: 500 mm x 350 mm x 200 mm.	25
865	Norbro	Norbro pneumatic actuator, dimensions: 450 mm x 400 mm x 200 mm.	25
866	Norbro	Norbro pneumatic actuator, dimensions: 450 mm x 400 mm x 200 mm.	25
867	Norbro	Norbro pneumatic actuator, dimensions: 500 mm x 350 mm x 200 mm.	25
868	Norbro	Norbro pneumatic actuator, dimensions: 450 mm x 400 mm x 200 mm.	25
869	Food Saver	Food Saver bag sealing machine, model: V2860-I BAG SEALER, 220/240 V, 1 Ph, 50 Hz, 0.7 A, 105 W, dimensions: 430 mm x 300 mm x 150 mm.	1
870	NN lights	2 lights.	5
871	NN chairs	2 Chairs, dimensions: (2x) 620 mm x 800 mm x 770 mm.	20



Nr	Title	Description	Start €
874	BORA s.r.l.	BORA s.r.l. vacuum booster, type: 363 FP, serial number: 2829, year of construction: 2014, 1.5 kW, capacity: 360 m ³ per hour, dimensions: 870 mm x 330 mm x 460 mm.	50
875	NN fire extinguishers	Plastic crate with large amount of fire extinguishers, dimensions: 1200 mm x 1050 mm x 750 mm.	50
876	NN bearings	Pallet with large amount of bearings, dimensions: 1200 mm x 800 mm x 400 mm.	160
877	Viking	Viking lawn mower, type: MB 555 M, number: 42525490, year of construction: 1999, 3.3 kW, dimensions: 1600 mm x 550 mm x 1100 mm.	50
878	Lenze	Lenze motor, dimensions: 300 mm x 120 mm x 160 mm.	100
879	Lenze	Lenze motor, dimensions: 300 mm x 120 mm x 160 mm.	100
880	Lenze	Lenze motor, dimensions: 250 mm x 140 mm x 200 mm.	100
881	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	100
882	Lenze	Lenze motor, dimensions: 480 mm x 200 mm x 220 mm.	100
883	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	100
884	Lenze	Lenze motor, dimensions: 480 mm x 200 mm x 220 mm.	100
885	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	100
886	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566/165X15, number: 15118, 400/690 V, 50 Hz, capacity: 50 m ³ per hour, dimensions: 800 mm x 380 mm x 440 mm.	400
887	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566/165X15, number: 15119, 400/690 V, 50 Hz, capacity: 50 m ³ per hour, dimensions: 800 mm x 380 mm x 440 mm.	400
888	Fristam	Fristam centrifugal pump, type: FP742, number: 345230007, dimensions: 920 mm x 430 mm x 400 mm.	300
889	Jado	Jado manual injector, 220/380 V, 0.25 kW, dimensions: 420 mm x 210 mm x 280 mm.	50
890	NN evaporator	Evaporator, dimensions: 1600 mm x 760 mm x 620 mm.	75
891	Westfalia	Westfalia quark mixer, type: MEZA 10, machine number: 1671597, dimensions: 1200 mm x 410 mm x 600 mm.	300
892	Fristam Pumpen	Fristam centrifugal liquidring pump equipped with heating/cooling shell, model: FZ 20L, number: 18829071, dimensions: 980 mm x 350 mm x 450 mm.	300



Nr	Title	Description	Start €
893	Boge	Boge air compressor, type: SK 46, number: 5019460, year of construction: 2007, 11 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	400
894	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type cooling compressor: BHS 962, number: 309 018, capacity: 22.14 m³ per hour, dimensions: 1200 mm x 800 mm x 800 mm.	150
895	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type cooling compressor: BHS 802, number: 84 028, 220/240/380/415 V, 3 Ph, 50 Hz, 20.8/12 A, capacity: 18.6 m³ per hour, dimensions: 1200 mm x 800 mm x 830 mm.	150
896	KSB	KSB multistage pump, model: MOVICHRON CN 3/2 2 R, number: 1-P30-917173, capacity: 3 m³ per hour, dimensions: 550 mm x 250 mm x 220 mm.	100
897	Rannie	Rannie homogenizer, number: 4074/67, dimensions: 900 mm x 720 mm x 920 mm.	1500
898	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type cooling compressor: 20-6.2, number: 441026, capacity: 22.14 m³ per hour, dimensions: 1200 mm x 800 mm x 800 mm.	150
899	Cell-O	Cell-O air cushion machine, type: FL-041, year of construction: 07-2001, 230 V, 50 Hz, 1 A, dimensions: 1000 mm x 680 mm x 1350 mm.	50
900	Alfa Laval	Alfa Laval valve matrix consisting of 6 Alfa Laval valves, type: Unique, serial number: 1012594, year of construction: 2002, DN65, dimensions: 1000 mm x 500 mm x 760 mm.	1000
901	DKC	DKC evaporator, 1 fan, dimensions: 1250 mm x 1200 mm x 400 mm.	75
902	Danfoss	Danfoss frequency converter, model: VLT, serial number: 08204G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	100
903	Danfoss	Danfoss frequency converter, model: VLT, serial number: 031404G237, 380/480 V, 3 Ph, 50/60 Hz, 22/19 A, dimensions: 250 mm x 270 mm x 520 mm.	100
904	Danfoss	Danfoss frequency converter, model: VLT, serial number: 017304G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	100
905	Danfoss	Danfoss frequency converter, model: VLT, serial number: 018404G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	100



Nr	Title	Description	Start €
906	Danfoss	Danfoss frequency converter, model: VLT, serial number: 017704G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	100
907	Danfoss	Danfoss frequency converter, model: VLT, serial number: 03154G237, 380/480 V, 3 Ph, 50/60 Hz, 22/19 A, dimensions: 250 mm x 270 mm x 520 mm.	100
908	Flymo	Flymo lawnmower, model: GT500, serial number: 03700238, weight: 17 kg. Technical condition unknown.	10
909	Fighter	Fighter garden tools, type: FT-687, volume: 16 liter, dimensions: 390 mm x 200 mm x 490 mm.	50
910	NN centrifugal pump	Centrifugal pump, dimensions: 720 mm x 370 mm x 500 mm.	250
911	Scheppach	Plastic pallet box with various parts and Scheppach ventilator, model: ha 3210, number: 75210901, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 4.85 A, 1.04/0.75 kW, dimensions: 1200 mm x 1000 mm x 800 mm.	150
912	Pard	Pard toolbox with tools, dimensions: 525 mm x 240 mm x 225 mm.	100
913	Erro tools	Erro tools workbench, capacity: 100 KG, total dimensions workbench: 605 mm x 635 mm x 800 mm.	20
914	Erro tools	Erro tools workbench, capacity: 100 KG, total dimensions workbench: 605 mm x 635 mm x 800 mm.	20
915	Skandia	4 Skandia plastic tool cases, dimensions: (4x) 350 mm x 200 mm x 120 mm.	10
916	Allit	Allit empty plastic tool case, dimensions: 400 mm x 300 mm x 150 mm.	10
917	Trotec	Trotec inspection camera, model: 10 F, dimensions: 400 mm x 250 mm x 250 mm. Including charger and cover.	50
918	Midori	Midori garden tools trimmer, model: MJ-195, dimensions: 1050 mm x 280 mm x 320 mm.	35
919	Euromax	Euromax coffee machine, type: President espresso, dimensions: 270 mm x 340 mm x 310 mm.	5
920	Champion	Champion flap disc, type: CP-124, grit 80, dimensions: diameter: 125 mm x 90 mm.	8
921	Champion	Champion flap disc, type: CP-124, grit 80, dimensions: diameter: 125 mm x 90 mm.	8
922	Grundfos	Parts for Grundfos pump, (2x) spare, O-ring, number: 97757659, (2x) spare. Shaft Seal, number: 98434904.	25
923	NN grinding plates	3 grinding plates and tool for grinder, plate diameter: 112 mm.	10



Nr	Title	Description	Start €
924	Sensistor	Sensistor hydrogen leak detector, dimensions: 250 mm x 100 mm x 220 mm.	50
925	Tronic	Tronic CCTV system with 4 camera's, dimensions: 280 mm x 180 mm x 260 mm.	120
926	Erro tools	Erro tools sawhorse, capacity: 100 KG, dimensions: 780 mm x 480 mm x 780 mm.	20
927	Erro tools	Erro tools workbench, capacity: 100 KG, total dimensions workbench: 605 mm x 635 mm x 800 mm.	20
928	Powerplus	Powerplus roller support stand, capacity: 60 KG.	10
929	NN storage bin organizer	Plastic storage bin organizer, dimensions: 600 mm x 70 mm x 115 mm.	10
930	Skandia	20 Skandia plastic storage bins, dimensions: (20x) 110 mm x 90 mm x 60 mm.	25
931	Allit	Allit empty plastic tool case, dimensions: 630 mm x 260 mm x 300 mm.	10
932	KIS	KIS plastic cabinet, dimensions: 680 mm x 390 mm x 1730 mm, box dimensions: 800 mm x 400 mm x 300 mm.	30
933	Steinel	Steinel hot air gun, 230 V, 1800 W, dimensions: 250 mm x 280 mm x 100 mm. Technical condition unknown	15
934	Skandia	20 Skandia plastic storage bins, dimensions: (20x) 110 mm x 90 mm x 60 mm.	25
935	Allit	Allit empty plastic tool case, dimensions: 630 mm x 260 mm x 300 mm.	10
936	Allit	Allit empty plastic tool case, dimensions: 580 mm x 270 mm x 280 mm.	10
937	Onex	Onex water pump, model: OX-7777, 230 V, 1 Ph, 50 Hz, 3750 W, capacity: 20 m ³ per hour, dimensions: 460 mm x 280 mm x 230 mm.	45
938	Erro tools	Erro tools workbench, dimensions: 1050 mm x 550 mm x 300 mm.	20
939	Kratos	Kratos balancer, serial number: AJ 1600057, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	40
940	Kratos	Kratos balancer, serial number: AJ 1600058, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	40
941	Royal Boilers	Royal Boilers coffee machine, model: Mini-Pro 15M, 230 V, 50/60 Hz, 1.55 kW, 1550 W, weight: 5.1 kg, capacity: 1.5 liter, dimensions: 370 mm x 210 mm x 430 mm.	15
942	Royal Boilers	Royal Boilers coffee machine, model: Mini-Pro 15M, 230 V, 50/60 Hz, 1.55 kW, 1550 W, weight: 5.1 kg, capacity: 1.5 liter, dimensions: 370 mm x 210 mm x 430 mm.	15



Nr	Title	Description	Start €
943	Zincline	Zincline disc grinder, model: ZN-7008, dimensions: 400 mm x 320 mm x 120 mm.	60
944	Royal Boilers	Royal Boilers coffee machine, model: Mini-Pro 15M, 230 V, 50/60 Hz, 1.55 kW, 1550 W, weight: 5.1 kg, capacity: 1.5 liter, dimensions: 370 mm x 210 mm x 430 mm.	15
945	Lenze	(3x) Lenze motor, types: N20 IL-2-2, MDEMA1M014-42, r/min: 1405/1705/2510, dimensions: 1200 mm x 800 mm x 600 mm.	75
946	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, capacity: 9.5/11.5 m³ per hour, dimensions: 700 mm x 650 mm x 520 mm.	400
947	LG	LG television, model: 42PX4RV, serial number: 508MAYY38330, 100-240 V, 50/60 Hz, dimensions: 1250 mm x 300 mm x 710 mm. Technical condition unknown.	45
948	AEG	AEG motor, type: AM 100 LT6, number: 4808362, 220/380 V, 3 Ph, 50 Hz, 7.5/4.3 A, 1.5 kW, 920 rpm, dimensions: 400 mm x 300 mm x 200 mm.	50
949	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type cooling compressor: 20-4 2 Y, number: 469071, capacity: 22.14 m³ per hour, dimensions: 1200 mm x 800 mm x 800 mm.	250
950	NN lockers	(4x) 2-door steel lockers, dimensions: (3x) 765 mm x 380 mm x 765 mm and (1x) 765 mm x 380 mm x 465 mm.	10
951	DKC	DKC evaporator, 1 fan, dimensions: 1250 mm x 1200 mm x 400 mm.	75
952	Husky	Husky evaporator, 2 fans, dimensions: 1160 mm x 670 mm x 470 mm. Missing cover.	20
953	Helpman	Helpman evaporator, type: LEX-08-7RI-230-E, serial number: 532183-09, year of construction: 2004, machine weight: (empty) 35 kg, 230 V, 1 Ph, 50 Hz, 1 fan, volume: 6 liter, dimensions: 820 mm x 620 mm x 550 mm.	75
954	NN presentation board	Presentation board.	1
955	Daikin Europe NV	Daikin Europe NV condensing unit for air conditioning, model: RY22DA7V19, number: 3611374, year of construction: 1996, 220/240 V, 1 Ph, 50 Hz, 5.5/6.1 A, 1.1/1.2 kW, refrigerant: R22, 0.85 kg, dimensions: 750 mm x 300 mm x 550 mm.	50
956	Abtech Safety	Abtech Safety two person rescue tripod, capacity: 315 kg, dimensions: 1250 mm x 1250 mm x 1440 mm.	50
957	NN electric parts and fuses	Pallet with large amount of electric parts and fuses, dimensions: 1200 mm x 800 mm x 650 mm.	100
958	NN electric parts	Pallet with various electric parts, dimensions: 1200 mm x 800 mm x 400 mm.	200



Nr	Title	Description	Start €
959	Alfa Laval	Alfa Laval self priming pump, type: MR200, dimensions: 650 mm x 260 mm x 300 mm.	300
960	NN parts	Pallet with various workplace inventory parts, dimensions: 1200 mm x 800 mm x 600 mm.	100
961	NN frequency converters	Wooden pallet box with large amount of various frequency converters, dimensions: 1100 mm x 800 mm x 800 mm.	800
962	NN dyes	Dye, (4x) 188 mm x 177 mm.	50
963	Herkules	Herkules tile cutting machine, type: STR 250 LED, serial number: INF-6272-S, year of construction: 04/2011, dimensions: 1230 mm x 800 mm x 980 mm. Technical condition unknown.	25
964	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1917771 0008, year of construction: 2018, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	150
965	Mitari	Mitari chain hoist, type: CH2 500.8-1 1000.4-2, serial number: 1828021 0005, year of construction: 2017, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	150
966	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 187621 0053, year of construction: 2017, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	150
967	Mitari	Mitari chain hoist, type: CH2 500.8-1 1000.4-2, serial number: 1828021 0006, year of construction: 2017, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	150
968	Allit	Allit empty plastic tool case, dimensions: 500 mm x 220 mm x 300 mm.	10
969	Pomac B.V.	Pomac B.V. centrifugal pump, dimensions: 750 mm x 400 mm x 460 mm.	500
970	NN electro motor	Electro motor, 380 V, 3 Ph, 50 Hz, 9.6 A, 0.85 kW, dimensions: 750 mm x 280 mm x 390 mm.	100
971	Anema	Anema centrifugal pump, dimensions: 520 mm x 250 mm x 530 mm.	250
972	Pedrollo	Pedrollo irrigation pump, type: JSW 3AL, year of construction: 09-03, 220-230 / 380-400 V, 3 Ph, 50 Hz, 9 / 5.2 A, 2.2 kW, capacity: 10-160 liter/minute, dimensions: 550 mm x 250 mm x 375 mm.	250
973	Foras	Foras self priming jet water pump, type: JA200, year of construction: 05/11, 230 V, 50 Hz, 10.3 A, 1.65 kW, capacity: 20-110 liter / minute, dimensions: 650 mm x 220 mm x 480 mm.	250



Nr	Title	Description	Start €
995	VHH	VHH coffee machine, type: 8.080.020.31021, model: C60-002, 230 V, 50-60 Hz, 2100 W, dimensions: 420 mm x 380 mm x 670 mm.	50
996	Aux	Aux air conditioning, consisting of: outside unit and inside unit, type outside unit: AS-H18B4/HSAR, year of construction: 2004, 220-240 V, 50 Hz, 9.5/10 A, 2.0/2.2 kW, refrigerant: R407c / 1.96 kg, dimensions outside unit: 800 mm x 300 mm x 720 mm, type indoor unit: ASW-H18B4/HSAR, year of construction: 2004, 220-240 V, 50 Hz, 9.5/10 A, refrigerant: R407c / 1.95 kg, dimensions indoor unit: 980 mm x 230 mm x 300 mm.	200
997	Panasonic	Plastic crate with 6 Panasonic and 1 Philips speaker.	5
998	Coven	Coven combisteamer, model: GEMD, number: 0308E/10, 415/240 V, 3 Ph, 50 Hz, 6.8 kW, 6 floors, dimensions floors: 540 mm x 360 mm, total dimensions: 870 mm x 770 mm x 1570 mm.	150
999	NN kitchen inventory	Steel container with large amount of kitchen inventory, among others: boiler, milk refrigerator and large amount of gastronorm bins.	100
1000	NN frame	S/s frame, 9 floors, floor dimensions: 680 mm x 320 mm, total dimensions: 900 mm x 700 mm x 720 mm.	20
1001	DEBAG	DEBAG loading trolley, type: ZBL000164-E, serial number: P-00-0445, dimensions: 770 mm x 500 mm x 2000 mm.	50
1002	Nissei Freezer	Nissei Freezer mobile ice cream machine, type: NA 3331, dimensions: 450 mm x 860 mm x 1630 mm.	100
1003	Bomac	Bomac rotisserie grill on s/s trolley, type: CV16M, number: 0112, 380 V, 4700 W, dimensions: 830 mm x 510 mm x 1870 mm.	150
1004	Liebherr	Liebherr refrigerator, type: 2 3097 4, serial number: 76.346.095.0, 220/230 V, 50 Hz, 180 W, refrigerant: R 600 a, 55 g, 5 floors, floor dimensions: 520 mm x 670 mm, total dimensions: 660 mm x 750 mm x 1630 mm.	175
1005	Eurocool	Eurocool refrigerator, model: KSE 1472, serial number: 11094924, 230 V, 50 Hz, 3.8 A, refrigerant: R404a, inside dimensions: (2x) 630 mm x 540 mm x 1500 mm, total dimensions: 1480 mm x 810 mm x 2080 mm.	500
1006	Diamond	Diamond rotisserie grill on mobile s/s frame, model: 315, gas heated, 3 skewers, skewer length: 800 mm, dimensions: 1000 mm x 800 mm x 1800 mm.	100



Nr	Title	Description	Start €
1007	Kubota Ltd.	Kubota Ltd. weighing scale, model: KA-100-60A, serial number: 7XFT260016, 0.12 W, maximum capacity: 30/60 kg, minimum capacity: 200 g, T=-60 kg, e=d= 10/20 g, scale dimensions: 550 mm x 360 mm, total dimensions: 650 mm x 360 mm x 800 mm.	50
1008	NN refrigerator doors	Wooden crate with 13 used refrigerator doors, dimensions crate: 915 mm x 790 mm x 950 mm.	1
1009	Red Bull	Red Bull refrigerator, model: RBI-OBC1 ECO LED, serial number: RBI-OBC1ECO LED09050637, year of construction: 05.2009, 220/240 V, 50 Hz, 0.5 A, 80 W, refrigerant: R600a, 16 g, 1 floor, floor dimensions: 200 mm x 220 mm, total dimensions: 360 mm x 300 mm x 580 mm.	80
1010	Helkama	Helkama refrigerator, type: F85G V LB EXTRA COLD, number: 707022723, year of construction: 06.04.2007, 230/240 V, 1 Ph, 50 Hz, refrigerant: R134A, 75 g, 2 floors, floor dimensions: 270 mm x 430 mm, total dimensions: 500 mm x 500 mm x 950 mm.	150
1011	Engelen-Heere	Engelen-Heere ice cube machine, model: ZB-50, serial number: 2210/0512, 230/240 V, 50 Hz, 280 W, refrigerant: R134a, 160g, ice making capacity: 50 kg per hour, bunker volume: 10 kg, dimensions: 500 mm x 600 mm x 770 mm.	50
1012	Vito AG	Vito AG mobile oil filter, model: Vito XS, serial number: 754, 220-240 V, 50/60 Hz, dimensions: 550 mm x 550 mm x 680 mm.	300
1013	ISA spa	ISA spa refrigerator, model: THEBE 60 R290, serial number: 1180637804, 230 V, 50 Hz, refrigerant: R290/0.120 kg, dimensions: 690 mm x 600 mm x 1050 mm.	50
1014	Select Cuisine	Select Cuisine oven, model: HL10950DK, type: 2/3, serial number: 15090637, 230 V, 2.6/2 kW, 4 floors, floor dimensions: 430 mm x 330 mm, total dimensions: 700 mm x 680 mm x 550 mm.	100
1015	TKT	TKT insulated trolley, dimensions: 820 mm x 730 mm x 1750 mm.	25
1016	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE POD, serial number: 431873, year of construction: 09/2015, 220-240 V, 50-60 Hz, 0.3 kW, dimensions: 670 mm x 520 mm x 1760 mm.	450
1017	Zumex	Zumex mobile juicer, model: SPEED PRO SELF-SERVICE POD, serial number: 422154, year of construction: 2014, 220-240 V, 50-60 Hz, 300 kW, dimensions: 670 mm x 520 mm x 1770 mm.	450
1018	NN bar counter	Mobile wooden bar counter, dimensions: 2340 mm x 680 mm x 1180 mm.	25



Nr	Title	Description	Start €
1019	Bako	Bako freezer, model: Bako line BHS 86, 380 V, inside dimensions: 780 mm x 700 mm x 1310 mm, total dimensions: 1070 mm x 860 mm x 2260 mm.	50
1020	Alil	Alil ZHEJIANG APOLLO MOTORCYCLE 200cc quad, type: AGA-16-T3B, commercial name: commander 200, year of construction: 06/2019, dimensions: 1800 mm x 1000 mm x 1300 mm. Never used, including COC declaration.	1625
1021	Bakon	Bakon B.V. food equipment mobile jelly machine, model; Jelly 2000, serial number: 1.66.390, year of construction: 2000, 220 V, 50 Hz, 2.5 kW, hose length: 1900 mm, total dimensions: 610 mm x 520 mm x 1080 mm.	400
1022	Whirlpool	Whirlpool extraction hood, model: AKR 559/3 IX, type: E076B II, 220-240 V, 1 Ph, 50/60 Hz, 146 W, dimensions: 900 mm x 450 mm x 850 mm.	10
1023	NN cabinet	Mobile s/s cabinet, 2 floors, floor dimensions: 545 mm x 1050 mm, total dimensions: 1300 mm x 820 mm x 1055 mm.	200
1024	TKT	TKT insulated trolley, dimensions: 820 mm x 730 mm x 1750 mm.	25
1025	NN cabinet	Mobile cabinet, 17 floors, floor dimensions 850 mm x 610 mm, total dimensions: 880 mm x 700 mm x 2030 mm. Without key.	40
1026	Mitsubishi	Mitsubishi pallet lifter with weighing option, number: 201501462, fork length: 1150 mm, total dimensions: 1500 mm x 520 mm x 1220 mm. Technical condition unknown.	100
1027	CombiSteel	CombiSteel refrigerated showcase, model: 7472.0140, serial number: 111190100, 220/240 V, 50 Hz, 0.93 A, refrigerant: R290, 0.095 kg, 8 compartments, dimensions compartments: (8x) 335 mm x 140 mm, total dimensions: 1210 mm x 850 mm x 1280 mm.	250
1028	IFO	IFO heated showcase on mobile wooden counter, model: KVS-14, serial number: 108905119, year of construction: 1997, 3 floors, dimensions floors: (3x) 970 mm x 400 mm, total dimensions IFO: 1400 mm x 720 mm x 710 mm, dimensions wooden counter: 1360 mm x 940 mm x 890 mm.	250
1029	Diamond	Diamond refrigerated cabinet, model: SR2/R6, 230 V, 50 Hz, 1.2 A, 155 W, refrigerant: R600a, 70 gram, volume: 285 liter, dimensions: 900 mm x 700 mm x 1080 mm.	250
1030	NN counter	Mobile wooden bar counter, dimensions: 2380 mm x 920 mm x 1170 mm.	75



Nr	Title	Description	Start €
1031	Iseco	Iseco regeneration trolley, type: 8 2 fresh, serial number: 09 07 21 97, 400 V, 3 Ph, 50 Hz, 8.1 kW, refrigerant: R404A, 850 g, 22 floors, floor dimensions: (14x) 530 mm x 325 mm, (8x) 465 mm x 275 mm, total dimensions: 1450 mm x 680 mm x 1400 mm.	50
1032	Brex	Brex grill, model: AT-360A, number: 07/09/SW09-6HB-13B/AT-360/14, year of construction: 21/07/2009, 220 V, 50 Hz, 2550 W, weight: 9.75 kg, 2 floors, floor dimensions: 320 mm x 200 mm, total dimensions: 470 mm x 250 mm x 370 mm. Never used.	80
1033	Solia	Solia salad washer and dryer, type: SWA 75 D, machine number: 82/05 0337 08, 230 V, 50 Hz, 1.5 kW, dimensions washer: Ø 420 mm x 350 mm, working dimensions: Ø 395 mm x 290 mm, total dimensions: 1000 mm x 700 mm x 865 mm.	1250
1034	Animo	Animo coffee machine, model: Optifresh 1 NG 2.0, serial number: 1HD39654, 220-240 V, 1 Ph, 50-60 Hz, 2300 W, dimensions: 550 mm x 400 mm x 770 mm.	20
1035	Berkel	Berkel weighing scale with label printer, type: CX32, scale dimensions: 345 mm x 275 mm, total dimensions: 430 mm x 350 mm x 490 mm. Technical condition unknown.	1
1036	Gamko	Gamko refrigerator, type: ECO/22GVSCS-CC, serial number: 201635 536941, year of construction: 2016, 220-240 V, 50 Hz, 0.5 A, 75 W, refrigerant: R134A, dimensions: 1160 mm x 510 mm x 860 mm. Glass is broken.	75
1037	NN terrace heater	Terrace heater, model: Flameheater, gas heated, 9.0 kW, capacity: 650 g per hour, dimensions: Ø 800 mm x 2050 mm.	50
1038	NN terrace heaters	2 terrace heaters, model: Flameheater, gas heated, 9.0 kW, capacity: 650 g per hour, dimensions: (2x) Ø 800 mm x 2050 mm.	100
1039	NN gas bottles	3 gas bottles	15
1040	NN terrace heater	Terrace heater, model: THV11, serial number: 20181210353, gas heated, dimensions: Ø 530 mm x 1820 mm.	25
1041	NN terrace heater	Terrace heater, gas heated, dimensions: Ø 600 mm x 1950 mm.	50
1042	Bottarini	Bottarini mobile air compressor, serie: CP530F10B, model: FORTEK 500/200, serial number: 1112390001, year of construction: 2011, 400 V, 50 Hz, 3.0 kW, 10 bar, tank volume: GB500, dimensions: 1450 mm x 500 mm x 1050 mm.	200



Nr	Title	Description	Start €
1043	Bartscher	Bartscher heated display, type: R60-1, article number: 306054, 230 V, 50 Hz, 1840 W, dimensions: 900 mm x 500 mm x 600 mm.	150
1044	NN lockers	4x 2 steel lockers, dimensions: 760 mm x 380 mm x 380 mm.	10
1045	Stalgast	Stalgast dishwasher, model: 801507V04, serial number: 07-02-2021, 230-400 V, 50-60 Hz, 4950 W, weight: 56 kg, dimensions: 700 mm x 560 mm x 650 mm.	250
1046	NN press	S/s almond press on mobile frame, dye: (10x) 20 mm, total dimensions: 1420 mm x 430 mm x 1000 mm.	20
1047	Küpperbusch	Küpperbusch 6 pits stove, type: KCN 007, 50 Hz, dimensions: 1200 mm x 860 mm x 870 mm.	250
1048	Scholl	Scholl carving plate with 2 heating lamps, serial number: 541362-003, 230 V, 50 Hz, dimensions: 800 mm x 600 mm x 700 mm.	100
1049	Vito AG	Vito AG mobile oil filter, model: Vito XS, serial number: 768, 220-240 V, 50/60 Hz, 1200 W, dimensions: 550 mm x 550 mm x 680 mm.	300
1050	NN restaurant inventory	Steel trolley with large amount of restaurant inventory, among others: pizza oven, Elite slicer, Prima Donna chocolate fountain.	100
1051	Groku Kampen	Groku Kampen refrigerated showcase with plastic roller shutter, dimensions: 1200 mm x 1000 mm x 1440 mm.	250
1052	NN bar stools	3 wooden bar stools, dimensions: (3x) 440 mm x 410 mm x 1050 mm.	15
1053	Kubota Ltd.	Kubota Ltd. Digital weighing scale, model: KA.10, serial number: X03883090, 220/9 V, 0,017 A, dimensions plate: 500 x 350 mm, total dimensions: 650 mm x 380 mm x 1010 mm.	50
1054	Oscar Tielle	Oskar Tielle cooling compressor, model: GCU202NO180F/OTL, serial number: 305091A, year of construction: 2003, 230 V, 1 Ph, 50 Hz, 35 A, 0.9 kW, refrigerant: R404A, weight: 61 Kg, dimensions: 1060 mm x 600 mm x 500 mm.	25
1055	Rittal	Rittal steel switch cabinet, dimensions: 700 mm x 590 mm x 210 mm.	20
1056	MKN	MKN grill plate, type: 2021107-00, machine number: 08795, 400 V, 3 Ph, 7.2 kW, dimensions: 850 mm x 600 mm x 850 mm.	80
1057	NN dry-aging cabinet	Dry-aging cabinet, dimensions: 900 mm x 510 mm x 900 mm.	100
1058	Frigoglass	Frigoglass refrigerated showcase, type: EASY REACH EXPRESS [R290], serial number: RU7151732886, year of construction: 2016, 220 V, 50 Hz, 2.15 A, 397 W, refrigerant: R290 / 0.117 kg, dimensions: 700 mm x 650 mm x 1430 mm.	75



Nr	Title	Description	Start €
1059	Sandenintercool	Sandenintercool refrigerator, model: COT-110SAX, serial number: COT110102-0612-00441, 220/240 V, 50 Hz, refrigerant: R-134a/240 gram, dimensions: 610 mm x 490 mm x 930 mm.	50
1060	Beko	Beko refrigerator-freezer combination, model: B3XRCNA364HXB, 220-240 V, 72 KG, no-frost, colour: silver, dimensions: 765 mm x 640 mm x 1930 mm. New.	395
1061	Beko	Beko refrigerator-freezer combination, model: B5RCNA366LXBRW, 220-240 V, 72 KG, no -frost, colour: silver dimensions: 765 mm x 640 mm x 1930 mm. New.	445
1062	Beko	Beko refrigerator-freezer combination, model: B3RCNA404HXB1, 220-240 V, 79 KG, no-frost, colour: Dark Inox, dimensions: 765 mm x 640 mm x 2100 mm. New.	395
1063	Beko	Beko refrigerator-freezer combination, model: B5RCNA406LXBRW, 220-240 V, 79 KG, no-frost, colour: silver, dimensions: 765 mm x 640 mm x 2100 mm. New.	545
1064	Beko	Beko refrigerator-freezer combination, model: RCSA270K30SN, 220-240 V, 72 KG, colour: silver, dimensions: 600 mm x 575 mm x 1765 mm. New.	275
1065	Beko	Beko refrigerator-freezer combination, model: B5RCNA365HDXBR, 220-240 V, 72 KG, no-frost, colour: dark inox, dimensions: 765 mm x 640 mm x 1930 mm. New.	545
1066	Bizerba	Bizerba automatic slicer, model: A 406, number: 1484368, 230/400 V, 3 Ph, 50 Hz, 2.5/1.4 A, dimensions: 1300 mm x 730 mm x 700 mm. Technical condition unknown.	500
1067	CIME SRL	CIME SRL coffee machine with Conti Valerio SRL bean grinder and display for cups, model coffee machine: CO-05 2 Groups, serial number: C18F01351, 220/240 V, 3 Ph, 50/60 Hz, 4000 W, model grinder: ZT65E, 220/240 V, 50/60 Hz, 350 W, dimensions coffee machine: 700 mm x 630 mm x 500 mm, dimensions grinder: 250 mm x 200 mm x 600 mm, dimensions display: 550 mm x 290 mm x 530 mm.	300
1068	IPSO	IPSO washing machine, type: HW 64, number: 64007642, year of construction: 2003, 220 V, 1 Ph, 50 Hz, 6 A, 0.75 kW, capacity: 6 kg, weight: 200 kg, dimensions: 660 mm x 820 mm x 1030 mm.	400
1069	NN film rolls	Pallet with 13 film rolls, film width: 560 mm (13x), total dimensions: 1210 mm x 810 mm x 995 mm.	200
1070	MKN	MKN double fryer, inside dimensions: (2x) 370 mm x 170 mm x 150 mm, total dimensions: 700 mm x 500 mm x 400 mm.	100



Nr	Title	Description	Start €
1071	Funke	Funke plate heat exchanger, type: FP 22-23-1-NH-0 10.0 bar, serial number: 761177, year of construction: 06.2014, PS min/max: 0/10.0 bar, TS min 0.0 °C, TS max 110.0 °C, volume: 4.8 liter, dimensions: 330 mm x 350 mm x 1150 mm.	400
1072	Europe Operations B.V.	Europe Operations B.V. floor cleaner, type: CO1255.1, number: 7516829068458, 24 V, 1000 W, weight: 260 kg, cleaning disc diameter: 500 mm, total dimensions: 1250 mm x 600 mm x 1200 mm.	100
1073	Calpeda	2 Calpeda centrifugal pumps, model: NM 50/12A-60/B, capacity: 75 m³ per hour, dimensions: (2x) 500 mm x 260 mm x 300 mm.	175
1074	Calpeda	2 Calpeda centrifugal pumps, model: NM 50/12A-60/B, capacity: 75 m³ per hour, dimensions: (2x) 500 mm x 260 mm x 300 mm.	175
1075	Calpeda	3 Calpeda centrifugal pumps, model: NM 50/12A-60/B, capacity: 75 m³ per hour, dimensions: (3x) 500 mm x 260 mm x 300 mm.	250
1076	L'unite Hermetique	L'unite Hermetique cooling compressor, type: CAET 9460T MHR, serial number: 03K14 185823 3B85930202, refrigerant: R22/R502, dimensions: 540 mm x 480 mm x 400 mm. Never used.	75
1077	L'unite Hermetique	L'unite Hermetique cooling compressor, type: CAET 4448Y HR, serial number: 06F06 121918 3B86630260, refrigerant: R134A, dimensions: 540 mm x 480 mm x 400 mm. Never used.	75
1078	L'unite Hermetique	L'unite Hermetique cooling compressor, model: 6AJ4461Y HR, 220-240 V, 50 Hz, 4.7 A, refrigerant: R134a, dimensions: 500 mm x 350 mm x 400 mm.	50
1079	Maxima	Maxima table model grinder, model: 09300445, serial number: MMM12-S597-01202410-015, 230 V, 1 Ph, 50 Hz, 750 W, weight: 23 kg, plate diameter: 70 mm, total dimensions: 440 mm x 250 mm x 460 mm.	275
1080	Sanomat	Sanomat whipped cream machine, model: Sanomat euro-favoriet, serial number: 6220, 230 V, 50 Hz, 0.85 kW, 43 bar, refrigerant: R134a, 75 gram, dimensions inside: 240 mm x 135 mm x 160 mm, total dimensions, 540 mm x 225 mm x 480 mm.	250
1081	Scharfen	Scharfen slicer, dimensions: 1000 mm x 600 mm x 750 mm. Incomplete.	600
1082	Sanomat	Sanomat whipped cream machine, type: ECM-12L Hand, number: 1856, 230 V, 50 Hz, 850/250 Watt, refrigerant: R123a/75g, dimensions: 650 mm x 410 mm x 520 mm.	250
1083	NN ice machine	Ice machine, 220 V, dimensions: 620 mm x 420 mm x 430 mm.	100



Nr	Title	Description	Start €
1084	Beckers	Beckers slicer, type: G 330, number: 458, year of construction: 1998, 220/230 V, 50 Hz, 0.254 kW, dimensions: 650 mm x 450 mm x 400 mm.	50
1085	HFE vacuum systems bv	HFE vacuum systems bv vacuum machine, type: COMPACT MAXI, number: 20011046, year of construction: 2001, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.9 kW, seal length: 270 mm, dimensions chamber: 320 mm x 280 mm, total dimensions: 470 mm x 310 mm x 350 mm.	200
1086	Espera	Espera label printer, model: ESD 234, serial number: 263 01 00117, dimensions: 500 mm x 270 mm x 300 mm.	10
1087	Take dis	Box with Take dis paper bread bags, dimensions bags: 365 mm x 110 mm, dimensions box: 430 mm x 340 mm x 190 mm.	5
1088	NN soup bowls	Plastic crate with large amount of soup bowls, dimensions crate: 600 mm x 400 mm x 240 mm.	5
1089	Electrolux	Electrolux washing machine, model: W365H, serial number: 04500624, 220/240 V, 1 Ph, 50 Hz, 10 A, 900 W, capacity: 6.5 kg, total dimensions: 720 mm x 680 mm x 1155 mm.	400
1090	Electrolux	Electrolux washing machine, model: W365H, serial number: 24500631, 220/240 V, 1 Ph, 50 Hz, 10 A, 900 W, capacity: 6.5 kg, dimensions: 740 mm x 840 mm x 1220 mm.	400
1091	Electrolux	Electrolux washing machine, model: W365H, serial number: 00520 / 0085074, 230 V, 1 Ph, 50 Hz, 10 A, capacity: 6.5 kg, total dimensions: 720 mm x 680 mm x 1155 mm.	500
1092	NN pneumatic air tools	Wooden crate with pneumatic air tools (drill).	10
1093	NN pneumatic air tools	Wooden crate with pneumatic air tools (air hammers).	10
1094	NN pneumatic extensions air hammer	Wooden crate with pneumatic extensions air hammer.	10
1095	NN water pistol	Steel case with water pistol.	10
1096	Urschel	12 knives for Urschel Quanticut model Q.	100
1097	Urschel	12 knives for Urschel Quanticut model Q.	100
1098	Urschel	12 knives for Urschel Quanticut model Q.	100
1099	Urschel	20 knives for Urschel Quanticut model Q.	130
1100	Sieger	Sieger s/s can opener, dimensions 750 mm x 350 mm x 60 mm.	20
1101	Urschel	4 cylinder protectors for Urschel Quanticut model Q, usable for 50 mm cylinders.	50
1102	Innotech	5 timing belts for Innotech packaging machine, type: 50H72V-RNC-6SX.	60



Nr	Title	Description	Start €
1103	Urschel	Urschel crosscut knife for Urschel Quanticut model Q, distance between knives: 9 mm, total dimensions: 325 mm x 127 mm.	280
1104	Urschel	Urschel crosscut knife for Urschel Quanticut model Q, distance between knives: 9 mm, total dimensions: 337 mm x 140 mm.	250
1105	Urschel	Urschel circular knife for Urschel Quanticut model Q, distance between knives: 8 mm, total dimensions: 325 mm x 127 mm.	250
1106	Urschel	Urschel crosscut knife for Urschel Quanticut model Q, distance between knives: 13 mm, total dimensions: 337 mm x 140 mm.	250
1107	Caterchef	Caterchef oven, model: 0130IU, number: 1011145, 400 V, 5.4 kW, 4 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 900 mm x 680 mm x 570 mm.	250
1108	Lido-Bertuch GmbH	Lido-Bertuch GmbH grill, number: 1043, year of construction: 7/1982, 380/220V, 2.8/3.2/6.0 kW, grill dimensions: 450 mm x 450 mm, total dimensions: 660 mm x 600 mm x 880 mm.	50
1109	Hupfer	Hupfer mobile plate dispenser, tray dimensions: 560 mm x 560 mm x 140 mm, total dimensions: 880 mm x 750 mm x 920 mm.	50
1110	Rieber Werke	Rieber Werke heated trolley, type: ZUB 8-B, number: 152 2482, 220 V, 1400 W, inside dimensions: (2x) 510 mm x 300 mm x 200 mm, total dimensions: 750 mm x 550 mm x 880 mm.	25
1111	NN trolley	S/s container trolley, dimensions: 820 mm x 720 mm x 1540 mm.	10
1112	NN sinks	3 s/s sinks with faucets, dimensions: (2x) 440 mm x 450 mm x 600 mm, (1x) 400 mm x 300 mm x 450 mm.	50
1113	NN leg cutter	Pneumatic leg cutter, dimensions: 1100 mm x 400 mm x 200 mm.	200
1114	NN tub	Plastic tub, dimensions: Ø 500 mm x 830 mm.	10
1115	Brita GmbH	Brita GmbH water filter.	1
1116	NN meat hook	Meat hook.	1
1117	NN cabinet	S/s soap dosing system, dimensions: 450 mm x 100 mm x 310 mm.	25
1118	NN wine opener	Electric wine opener, dimensions: Ø 100 mm x 480 mm.	20
1119	NN part for forming machine	Part for forming machine, dye: (4x) 90 mm, total dimensions: 410 mm x 320 mm x 220 mm.	250
1120	S.A.M.	S.A.M. slicer, model: 308aXL A, number: 11311, 220 V, 180 W, dimensions: 670 mm x 600 mm x 450 mm.	100



Nr	Title	Description	Start €
1121	S.A.M.	S.A.M. automatic slicer, model: S.A.M. 329 f, serial number: 17064, year of construction: 1998, 400 V, 50 Hz, 1.36 A, dimensions: 940 mm x 600 mm x 500 mm.	300
1122	Vitrifrigo	Vitrifrigo refrigerator, model: C 60 PV, serial number: 11040192, 220/230 V, 50/60 Hz, 96 W, refrigerant: R134a, dimensions: 470 mm x 450 mm x 620 mm.	20
1123	Handtmann	Rotor for Handtmann vacuum filling machine, model: VF 612.	250
1124	Unox S.p.A.	Unox S.p.A. oven, model: XF030-TG, serial number: 227158, year of construction: 11/10/2007, 220-230 V, 50/60 Hz, 2.6 kW, 4 floors, dimensions floors: (4x) 430 mm x 330 mm, total dimensions: 600 mm x 570 mm x 570 mm.	100
1125	Sanomat B.V.	Sanomat B.V. whipped cream machine, type: EFA, serial number: 4465, 220 V, 1 Ph, 50 Hz, 4 A, 440 W, dimensions: 540 mm x 230 mm x 440 mm.	150
1126	Vaiotec GmbH	Vaiotec GmbH flake ice machine, model: ZB-28, serial number: PO24VG07019, 220/240 V, 50 Hz, 190 W, weight: 25 kg, refrigerant: R290, 55 g, capacity: 28 kg per 24 hours, bunker volume: 5 kg, dimensions: 550 mm x 330 mm x 580 mm.	250
1127	NN advertising board	Lighted advertising board, dimensions: 1120 mm x 100 mm x 390 mm.	1
1128	A/S Wodschow & Co	A/S Wodschow & Co mixer, model: AR005, machine number: 5723313, year of construction: 06-17, 230 V, 1 Ph, 50/60 Hz, 1.7 A, 500 W, dimensions: 370 mm x 270 mm x 450 mm. Without bowl.	20
1129	NN pump	Fuel pump, serial number: 1602015009, dimensions: 260 mm x 140 mm x 180 mm.	10
1130	Ecosavers	Ecosavers letterbox brush.	5
1131	NN mixing head	Mixing head for immersion blender, dimensions: Ø 125 mm x 500 mm.	5
1132	De Jager	De Jager pizza capper, type: JADO, machine number: 202000083, year of construction: 2020, 220 V, 2400 W, dimensions: 370 mm x 370 mm x 300 mm.	50
1133	Bizerba	Bizerba slicer, 400/230 V, dimensions: 600 mm x 530 mm x 440 mm.	25
1134	NN plastic crate with discs	Plastic crate with discs for GEA 500 liter cutter, diameter each: 285 mm, total dimensions: 600 mm x 400 mm x 170 mm.	75
1135	Vemag	Vemag housing with screws for vacuum filling machine.	250
1136	J.P. Selecta, s.a.	J.P. Selecta, s.a. souce vide, serial number: 0540278, 230 V, 50/60 Hz, 8.6 A, 2000 W, inside dimensions: 500 mm x 300 mm x 120 mm, total dimensions: 630 mm x 380 mm x 280 mm.	200



Nr	Title	Description	Start €
1137	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
1138	VHH	VHH coffee machine, type: 8.080.101.31021, model: C60-001, 230 V, 50/60 Hz, 2100 W, dimensions: 420 mm x 380 mm x 670 mm.	5
1139	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
1140	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
1141	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
1142	Bizerba	Bizerba slicer, type: SE 8, 220 V, 50 Hz, 1.7 A, 0.300 kW, dimensions: 700 mm x 600 mm x 500 mm.	25
1143	Oberwerk	Oberwerk slicer, dimensions: 540 mm x 660 mm x 450 mm.	25
1144	S.A.M.	S.A.M. slicer, dimensions: 740 mm x 600 mm x 700 mm.	250
1145	S.A.M.	S.A.M. slicer, dimensions: 750 mm x 600 mm x 600 mm. Missing outfeed belt.	200
1146	Robot Coupe S.N.C.	Robot Coupe S.N.C. vegetable slicer, type: R 20 D, number: 119/10 21, 220/380 V, 3 Ph, 50 Hz, 11.4/19.6 A, 3300/4400 W, dimensions: 600 mm x 350 mm x 7010 mm. Missing knife.	750
1147	NN ice coupes	Crate with various glass ice coupes, dimensions: 600 mm x 400 mm x 240 mm.	5
1148	Coffetek Ltd	Coffetek Ltd coffee machine, serial number: 121528, 230 V, 1 Ph, 50 Hz, 12 A, 2.8 kW, dimensions: 260 mm x 420 mm x 640 mm.	10
1149	Vide Tronic	Vide Tronic camera, dimensions: 115 mm x 180 mm x 150 mm.	5



Nr	Title	Description	Start €
1150	Bizerba	Bizerba slicer, model: VS 8, number: 1299462, 220/380 V, 3 Ph, 50 Hz, 1.25/0.72 A, 0.300 kW, dimensions: 500 mm x 560 mm x 440 mm.	200
1151	NN table	Table, steel frame, wooden top, dimensions: Ø 1190 mm x 740 mm.	10
1152	NN table	Table, steel frame, wooden top, dimensions: Ø 1190 mm x 740 mm.	10
1153	Frey	Frey clipper, type: CLIPEX, machine number: CXC1202900, year of construction: 2010, 230 V, 50/60 Hz, 0.5 kW, dimensions: (1x) 350 mm x 150 mm x 220 mm, (1x) 400 mm x 100 mm x 120 mm.	250
1154	Helmut Boss	Helmut Boss vacuum machine, type: Max DD, number: 1238, year of construction: 2014, 230 V, 50/60 Hz, 4.1 A, 0.55 kW, seal length: 320 mm, chamber: 350 mm x 400 mm, total dimensions: 420 mm x 520 mm x 370 mm.	150
1155	Vemag	Vemag housing with screws for vacuum filling machine, housing number: FO 631, screw numbers: 1310048 / 911310048.	250
1156	Vemag	Vemag housing with screws for vacuum filling machine, housing number: FO 618, screw numbers: 1310048 / 911310048.	250
1157	Vemag	Vemag housing with screws for vacuum filling machine, housing number: FO 616, screw numbers: 50425 / 911310048.	250
1158	IPSO	IPSO double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1150 mm x 755 mm x 1980 mm.	400
1159	IPSO	IPSO double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1150 mm x 755 mm x 1980 mm.	400
1160	IPSO	IPSO washing machine, type: HW 64, number: 64007638, year of construction: 2003, 220 V, 1 Ph, 50 Hz, 6 A, 0.75 kW, capacity: 6 kg, weight: 200 kg, dimensions: 660 mm x 820 mm x 1030 mm.	400
1161	Kassel	Kassel refrigerated cabinet, inside dimensions: 560 mm x 550 mm x 950 mm, total dimensions: 1000 mm x 740 mm x 1100 mm.	200
1162	Diversey Europe Operations B.V.	Diversey Europe Operations B.V. floor cleaner, type: CO855.1, number: 7517572022738, 100/240 V, 1 Ph, 50/60 Hz, 300 W, weight: 160 kg, cleaing disc diameter: 500 mm, total dimensions: 1250 mm x 600 mm x 1200 mm.	100
1163	Diversey Europe Operations B.V.	Diversey Europe Operations B.V. floor cleaner, type: CO855.1, number: 7517571046620, 24 V, 900 W, weight: 160 kg, cleaing disc diameter: 500 mm, total dimensions: 1250 mm x 600 mm x 1200 mm.	100



Nr	Title	Description	Start €
1164	Electrolux	Electrolux double stacked dryer, inside dimensions: (2x) Ø 760 mm x 710 mm, dimensions: 1140 mm x 795 mm x 1935 mm.	500
1165	Ifooma / Freund Maschinenfabrik GmbH	Ifooma / Freund Maschinenfabrik GmbH grinder, type: TGR 103, number: 700286, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 1.5/3.5 kW, diameter plate: 80 mm, total dimensions: 500 mm x 500 mm x 490 mm. Without housing, worm, knives and plates. Never used.	900
1166	Ifooma / Freund Maschinenfabrik GmbH	Ifooma / Freund Maschinenfabrik GmbH grinder, type: TGR 103, number: 700294, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 1.5/3.5 kW, diameter plate: 80 mm, total dimensions: 500 mm x 500 mm x 490 mm. Without housing, worm, knives and plates. Never used.	900
1167	Winterhalter	Winterhalter dishwasher, type: GR 62/2, dimensions: 810 mm x 720 mm x 1580 mm.	150
1168	Boppas	Boppas tiltable braising pan, inside dimensions: 720 mm x 700 mm x 170 mm, total dimensions: 1270 mm x 950 mm x 900 mm.	300
1169	Otis	Otis cooking vessel, inside dimensions: Ø 400 mm x 500 mm, total dimensions: 860 mm x 800 mm x 1150 mm.	350
1170	Zanussi	Zanussi grill plate, dimensions: 710 mm x 360 mm x 1000 mm.	100
1171	Hoonved	Hoonved dishwasher, model: CAP15EBT, serial number: DDC054780618, 380/415 V, 3 Ph, 50 Hz, 18.2 A, dimensions: 810 mm x 810 mm x 1580 mm.	250
1172	Electrolux	Electrolux washing machine, model: W365H, serial number: 04500631, 220/240 V, 1 Ph, 50 Hz, 10 A, 1150 W, capacity: 11 kg, total dimensions: 720 mm x 680 mm x 1155 mm.	500
1173	NN table	S/s table, dimensions: 1200 mm x 600 mm x 940 mm.	100
1174	NN table	S/s table, dimensions: 1400 mm x 700 mm x 900 mm.	100
1175	MKN	MKN 4 pits stove, type: 845096, 220 V, 1.0 kW, dimensions: 860 mm x 800 mm x 900 mm.	350
1176	Stephan alvac	Stephan alvac vacuum machine, type: ALVAC-1-D, machine number: 0110-5020, year of construction: 2001, 230 V, 1 Ph, 50 Hz, 4.9 A, 0.75 kW, seal length: 420 mm, chamber: 430 mm x 380 mm, Busch vacuum pump, type: 0021-336, number: 000312, total dimensions: 600 mm x 500 mm x 540 mm.	200



Nr	Title	Description	Start €
1177	ADE Germany GmbH & Co. KG	ADE Germany GmbH & Co. KG weighing scale with indicator, type: STAN07, serial number: 51329-0001213, 100/240 V, 50/60 Hz, 0.5 A, maximum capacity: 150 kg, minimum capacity: 1 kg, d=0.05 kg, scale dimensions: 550 mm x 450 mm x 300 mm, indicator dimensions: 230 mm x 150 mm x 130 mm.	100
1178	DELL	4 DELL monitors, models: P2210f, (2x) E2417H, P2311Hb, screen dimensions: (4x) 530 mm x 295 mm.	40
1179	Robot Coupe	Robot Coupe vegetable slicer, total dimensions: 340 mm x 360 mm x 315 mm. Including extra knife.	50
1180	ACP, Inc.	ACP, Inc. microwave, model: DEC21E2, serial number: 1601120602, year of construction: 1/2016, 230/240 V, 1 Ph, 50 Hz, 16 A, 3100 W, inside dimensions: 300 mm x 330 mm x 170 mm, total dimensions: 580 mm x 430 mm x 350 mm.	150
1181	Amana	Amana microwave, model: HDC518, serial number: 11374573EG, 230/240 V, 1 Ph, 50 Hz, 2900 W, inside dimensions: 300 mm x 330 mm x 170 mm, total dimensions: 580 mm x 430 mm x 350 mm.	150
1182	NN refrigerated counter	Refrigerated counter, model: S903 S/S TOP, serial number: 936870, 230 V, 50 Hz, 1.6 A, 230 W, refrigerant: R134a, 260 g, dimensions: 1370 mm x 700 mm x 880 mm.	100
1183	Friulinox	Friulinox refrigerated counter, dimensions: 1700 mm x 700 mm x 920 mm.	100
1184	NN table	S/s table with plastic working top, dimensions: 2000 mm x 700 mm x 1000 mm.	275
1185	Solia	Knife for Solia M20 slicer, dimensions grids: 10 mm x 10 mm.	50
1186	Laska	1 crate with Laska cutter knives for type KH330.	40
1187	Rexel	Rexel mobile paper shredder, model: P210, 230 V, 50 Hz, 2.2 A, dimensions: 500 mm x 370 mm x 630 mm.	25
1188	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163021C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1189	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163013C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200



Nr	Title	Description	Start €
1190	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163012C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1191	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163023C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1192	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163018C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1193	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163016C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1194	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163017C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1195	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163015C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1196	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163020C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1197	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163022C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1198	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163024C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200



Nr	Title	Description	Start €
1199	Mobile Containing	Mobile Containing mobile plate dispenser, model: THN-MS 310, serial number: 12440, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 600 W, clearance: Ø 310 mm, total dimensions: 500 mm x 470 mm x 980 mm.	75
1200	Panimatic	Panimatic proofing cabinet, model: H400 X 800, serial number: 8887, year of construction: 5/12/00, 230 V, 1 Ph, 50 Hz, 10 A, 1.9 kW, 23 floors, floor dimensions: 790 mm x 400 mm, total dimensions: 630 mm x 1670 mm x 2130 mm.	250
1201	Mondial GroupS.r.l refrigerator	Mondial Group refrigerator, type: KIC PVX 60 R134A, serial number: 028MD41789, 220-240 V, 50 Hz, 240 W, netto volume: 600 liter, refrigerant: 134a/ 0.140kg, 19 floors, floor dimensions: 450 mm x 650 mm, total dimensions: 750 mm x 770 mm x 1870 mm.	50
1202	Leventi oven	Leventi oven, type: NM.TUT.CP, number: 94200045, year of construction: 24-5-94, 380 V, 3 Ph, 50 Hz, 9,5 kW, 5 floors, floor dimensions: 360 mm x 615 mm, total dimensions: 720 mm x 980 mm x 885 mm.	150
1203	Waterlander Samach B.V. / Kwik Lok	Waterlander Samach B.V. transport belt with Kwik Lok clipper for bread bags, type Kwik Lok clipper: 865, serial number Waterlander Samach B.V. transport belt: R513, year of construction: 2004, 380 V, 50 Hz, 0.58 A, 0.18 kW, distance between dividers: 300 mm, total dimensions: 2750 mm x 1700 mm x 2000 mm.	1250
1204	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, type top oven: B4-E2, serial number: 10232536, year of construction: 01-2013, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B8-E2, serial number: 10232505, year of construction: 10-2013, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, dimensions: 765 mm x 530 mm x 1985 mm.	700
1205	DEBAG	DEBAG loading trolley, 10 floors, floor dimensions: 620 mm x 355 mm, total dimensions: 765 mm x 530 mm x 1985 mm.	50
1206	DEBAG	DEBAG double stacked oven, type: DiLa 5, serial numbers: D 317013/D 317014, year of construction: 12/2012, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	600
1207	Gastro Hero GmbH	Gastro Hero GmbH refrigerator, model: GNH650TN, serial number: SK2222GH444AG650T243, year of construction: 2020, 220/240 V, 50 Hz, 1.9 A, refrigerant: R290, 120 gr, 5 floors, floor dimensions: 620 mm x 520 mm, total dimensions: 720 mm x 775 mm x 1850 mm. Door is broken.	200



Nr	Title	Description	Start €
1208	Fagor	Fagor dryer, inside dimensions: 540 mm x 515 mm x 11200 mm, total dimensions: 740 mm x 595 mm x 1845 mm.	200
1209	NN mixer	Mobile mixer, steel bowl, dimensions bowl: Ø 830 mm x 620 mm, total dimensions: 1200 mm x 870 mm x 1400 mm. Missing cover.	450
1210	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, type top oven: B4-E2, serial number: 10210843, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B8-E2, serial number: 10210841, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, dimensions: 765 mm x 530 mm x 1985 mm.	600
1211	Gastro Hero GmbH	Gastro Hero GmbH freezer, model: SFH60V, serial number: SK2222GH44432SF6V051, year of construction: 2022, 220/240 V, 50 Hz, 2.8 A, refrigerant: R290, 140 gr, 5 floors, floor dimensions: 620 mm x 520 mm, total dimensions: 720 mm x 775 mm x 1850 mm.	250
1212	Gram	Gram refrigerator, type: K 610 RG C 4N, serial number: 10010208, 230 V, 50 Hz, 1.50 A, 291 W, refrigerant: R600a, inside dimensions: 650 mm x 580 mm x 1320 mm, total dimensions: 900 mm x 680 mm x 2000 mm.	200
1213	Asskühl	Asskühl refrigerator, model: AF06MIDMTN, serial number: 20126291A, year of construction: 2012, 1 Ph, 50 Hz, refrigerant: R 507, inside dimensions: 590 mm x 580 mm x 1500 mm, total dimensions: 720 mm x 720 mm x 1030 mm.	250
1214	NN refrigerated pie display	NN refrigerated pie display, model: PVK400R, 220/240 V, 50 Hz, 2.8 A, 480 W, weight: 125 kg, 4 floors, floor dimensions: Ø 530 mm, total dimensions: 5690 mm x 1750 mm.	400
1215	Ziegra-Eismaschinen	Ziegra-Eismaschinen ice machine, type: ZBE 550 EV, serial number: 116929, 400 V, 3 Ph, 50 Hz, 6 A, refrigerant: R 404A, dimensions: 800 mm x 660 mm x 1550 mm.	400
1216	Diamond cooler	Diamond cooling tub, inside dimensions: 625 mm x 510 mm x 215 mm, total dimensions: 790 mm x 610 mm x 435 mm.	50
1217	GGMGastro cooler	GGM Gastro cooled cabinet, type: AGG154END, 220-240 V, 50 Hz, 0.8 A, refrigerant: R600a, 35 gram, volume: 41 liter, total dimensions: 1510 mm x 400 mm x 290 mm.	75
1218	W&VE	W&VE; mobile jelly machine, dimensions: 770 mm x 380 mm x 1000 mm.	200



Nr	Title	Description	Start €
1219	Ein Ullmann Gerat	Ein Ullmann Gerat mobile plate washing machine, type: 8904188, working width: 430 mm, total dimensions: 950 mm x 700 mm x 1020 mm.	20
1220	JAC	JAC mobile bread slicer, model: EFL 450/12, machine number: 09/1296/02, 230 V, 1 Ph, 50 Hz, 4 A, 0.49 kW, weight: 180 kg, working width: 440 mm, distance between knives: 10 mm, total dimensions: 800 mm x 605 mm x 1210 mm.	350
1221	Maxima spiral mixer	Maxima spiral mixer, model: MSM20-2SPD-VBELT, serial number: 21162-2108060, 230 V, 50 Hz, 1.1 kW, s/s bowl, volume: 20 liter, maximum capacity: 8 kg, total dimensions 650 mm x 400 mm x 850 mm.	350
1222	Hobart mixer	Hobart mixer, type: HN020562, s/s bowl, inside dimensions: Ø 400 mm x 380 mm, total dimensions: 670 mm x 720 mm x 1430 mm. (without paddle).	250
1223	Melior-Ganda	Melior-Ganda mobile mixer, model: MG 100, machine number: 0606574, year of construction: 2006, 400 V, 50 Hz, 4.9/6 A, 2.6 kW, volume: 100 liter, dimensions: 980 mm x 710 mm x 1150 mm.	100
1224	Diamond cooler	Diamond cooling tub, type: IN/RCX08-P, 220/240 V, 50 Hz, 310 W, refrigerant: 452A, 185 gr, inside dimensions: 625 mm x 505 mm x 640 mm, total dimensions: 795 mm x 615 mm x 640 mm.	50
1225	KD Putz	KD Putz mobile plate washing machine, working width: 720 mm, total dimensions: 1300 mm x 750 mm x 800 mm.	20
1226	Eloma	Eloma oven, type: EB 30 digi, number: 120153 2046, year of construction: 2001, 230 V, 50/60 Hz, 3 floors, dimensions floors: (3x) 450 mm x 350 mm, total dimensions: 600 mm x 600 mm x 550 mm.	200
1227	Manitowoc	Manitowoc ice machine with outfeed bunker, model: INDIGO (TM) SERIES, serial number: 1120070600, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 7.1 A, refrigerant: R290 / 0.14 kg, model bunker: B570D, serial number: 1120037336, dimensions: 1000 mm x 780 mm x 1880 mm.	850
1228	Pelgrim	Pelgrim 6-pits stove with oven, model: 01BN22E, type: L9N., serial number: S/10384988, 230 V, 50/60 Hz, 2469 W, oven 4 floors, floor dimensions: (4x) 660 mm x 420 mm, total dimensions: 900 mm x 700 mm x 1000 mm.	100
1229	NN baking forms	S/s trolley with large amount of s/s baking forms, 8 floors, dimensions floors: (8x) 1060 mm x 700 mm, dimensions forms: 300 mm x 100 mm, total dimensions: 1130 mm x 700 mm x 1780 mm.	100
1230	Werner & Pfleiderer-Haton	Werner & Pfleiderer-Haton mobile dough divider, plastic belt, belt width: 220 mm, total dimensions: 1300 mm x 900 mm x 1800 mm.	350



Nr	Title	Description	Start €
1231	Huebsch Originators	Heubsch Originators dryer, model: 30XG, serial number: XTEK651729WN, 240 V, 1 Ph, 50 Hz, 7.0 A, dimensions: 1100 mm x 710 mm x 1840 mm.	300
1232	G.A. Seewer	G.A. Seewer mobile dough sheeter, type: SYN. 603, model: Kombi 613, serie: 70030, machine number: 4312, cloth belt, belt width: 600 mm, working width: 630 mm, total dimensions: 1700 mm x 1100 mm x 1300 mm.	500
1233	Merco Savory	Merco Savory grill on s/s trolley, model: SP-5, type: Panorama 5, 6 kW, 1 grill basket, dimensions basket: 450 mm x 160 mm, total dimensions: 860 mm x 625 mm x 1100 mm.	350
1234	NN trolley	S/s trolley, 10 floors, dimensions floors: (10x) 630 mm x 410 mm, total dimensions: 630 mm x 470 mm x 1800 mm.	50
1235	NN trolley	Trolley with large amount of grill racks and plate dimensions, rack/plate dimensions: 400 mm x 600 mm, total dimensions: 800 mm x 665 mm x 1900 mm.	50
1236	Faber	Faber s/s trolley, 14 floors, floor dimensions: 820 mm x 610 mm, total dimensions: 780 mm x 670 mm x 1940 mm.	50
1237	Winterhalter	Winterhalter dishwasher, type: GR 62-2 24-5, serial number: 2924 96, machine number: 342 874, 400 V, 3 Ph, 50 Hz, 15.0 A, 10.0 kW, dimensions: 820 mm x 720 mm x 1580 mm.	200
1238	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	200
1239	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	200
1240	Winterhalter	Winterhalter dishwasher, type: GR 1221, serial number: 2878, 400 V, 3 Ph, 50 Hz, 16.5 A, 10.5 kW, dimensions: 850 mm x 800 mm x 1600 mm.	100
1241	Gram	Gram refrigerator, type: PLUS K 600 RSF R4 DL, serial number: 10047925, 230 V, 50 Hz, 0.5 A, refrigerant: R404A, 4 floors, floor dimensions: (4x) 530 mm x 650 mm, total dimensions: 690 mm x 890 mm x 2010 mm. Without cooling compressor.	150
1242	Hobart	Hobart dishwasher, model: AMXX 1300-12, serial number: 86323079, 400 V, 3 Ph, 50 Hz, 28.6 A, 19.8 kW, dimensions: 850 mm x 650 mm x 1470 mm.	200
1243	Zanussi Grandi Impianti S.p.A.	Zanussi Grandi Impianti S.p.A. tilttable braising pan, model: 295022, number: P031279/25, 220/380 V, 3 Ph, 50 Hz, 9000 W, inside dimensions: 730 mm x 600 mm x 200 mm, total dimensions: 950 mm x 800 mm x 900 mm.	200



Nr	Title	Description	Start €
1244	Rieberwerke	Rieberwerke mobile plate dispenser, type: RRH-2, number: 5603056, 220 V, 1340 Watt, plate diameter: 300 mm, total dimensions: 940 mm x 480 mm x 910 mm.	20
1245	AW	AW mixer, inside dimensions: Ø 550 mm x 350 mm, total dimensions: 700 mm x 650 mm x 1200 mm.	500
1246	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	200
1247	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	200
1248	NN counter	Wooden counter, dimensions: 2160 mm x 750 mm x 910 mm.	50
1249	Hobart	Hobart bowl mixer, model: A200, number: 1876805, 220/380 V, 3 Ph, 50 Hz, 0.9 A, s/s bowl, dimensions bowl: Ø 320 mm x 300 mm, total dimensions: 540 mm x 460 mm x 800 mm. Without whisk.	200
1250	Wiesheu GmbH	Wiesheu GmbH mobile pizza oven, type: EBO 128 - 320 IS 500, serial numbers: 230376/230377/230378/230379/230380, 400 V, 3 Ph, 50 Hz, 200 kPa, 10.45 kW, 4 floors, dimensions each floor: 1200 mm x 850 mm, total dimensions: 1650 mm x 1530 mm x 2070 mm.	1500
1251	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B4-EM-Vario, serial number: 10316027, year of construction: 10/2009, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, floor dimensions: 610 mm x 400 mm, total dimensions: 1200 mm x 930 mm x 2070 mm.	600
1252	Afinox	Afinox freezer, type: MKR 07 R -20/-10 PV DX B.20 G.GN 3+GR.P, model: 8R070RBVMA002, serial number: 3012837501, year of construction: 2009, 400/230 V, 1 Ph, 50 Hz, refrigerant: R404A, 3 floors, floor dimensions: (3x) 530 mm x 650 mm, total dimensions: 730 mm x 820 mm x 2080 mm. Without cooling compressor. Damaged.	10
1253	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B4-EM-Vario, serial number: 10154946, year of construction: 10/2009, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, floor dimensions: 610 mm x 400 mm, total dimensions: 1200 mm x 930 mm x 2070 mm.	600
1254	Landig+Lava GmbH & Co. KG	Landig+Lava GmbH & Co. KG dry-aging cabinet, type: DX 1000 PREMIUM, serial number: 85.546.580.1, 220/240 V, 1 Ph, 50 Hz, 2.0 A, capacity: 495 liter, refrigerant: R600a, 45 g, 11 floors, floor dimensions: 575 mm x 455 mm, total dimensions: 780 mm x 700 mm x 1650 mm.	500



Nr	Title	Description	Start €
1255	Imperial-Werke GmbH & Co.	Imperial-Werke GmbH & Co. oven, type: OD10.10P, number: 820667353, year of construction: 1996, 380/220 V, 3 Ph, 50 Hz, 23.4 A, 15.4/15 kW, weight: 170 kg, 10 floors, floor dimensions: 530 mm x 325 mm, total dimensions: 1100 mm x 860 mm x 1640 mm.	200
1256	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020149692, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
1257	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020156813, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
1258	Gram	Gram freezer, type: TWIN F 660 CXF 5S, serial number: 10115099, 230 V, 50 Hz, refrigerant: R404A, 5 floors, floor dimensions: (5x) 640 mm x 530 mm, total dimensions: 750 mm x 820 mm x 2170 mm. Without cooling compressor.	100
1259	Bakon B.V.	Bakon B.V. mobile whipped cream mixer, model: TC 2/10C, serial number: 7.210.135, year of construction: 2004, 230 V, 50 Hz, 1.5 kW, inside dimensions: Ø 350 mm x 450 mm, total dimensions: 800 mm x 500 mm x 1160 mm.	750
1260	Neue Backtechnik Schumann	Neue Backtechnik Schumann mobile cake cutter, length knives: 385 mm and 560 mm, distance between knives: 75 mm, dimensions dye: 380 mm x 200 mm, total dimensions: 920 mm x 770 mm x 1740 mm.	2250
1261	Wiesheu GmbH	Wiesheu GmbH oven, type: Dibas 64D-L-Backofen-400 V, 50 Hz, year of construction: 2014-08, 10 floors, floor dimensions: (10x) 560 mm x 400 mm, total dimensions: 1050 mm x 980 mm x 2010 mm.	1250
1262	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020149697, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
1263	Gram	Gram refrigerator, type: BAKER F 930 CBH 5B, serial number: 173, 230 V, 50 Hz, 4.2 A, 747 Watt, refrigerant: R404A/ 300 gram, inside dimensions: 780 mm x 660 mm x 1470 mm, total dimensions: 1040 mm x 780 mm x 2160 mm. Lock broken, key stuck inside.	200



Nr	Title	Description	Start €
1264	Gram	Gram refrigerator, type: BAKER F 930 CBH 5B, serial number: 193, 230 V, 50 Hz, 4.2 A, 747 Watt, refrigerant: R404A / 300 gram, inside dimensions: 780 mm x 660 mm x 1470 mm, total dimensions: 1040 mm x 780 mm x 2160 mm. Lock broken, key stuck inside.	200
1265	Hoshizaki	Hoshizaki freezer, type: HOSHIZAKI F 410 RG L, number: 10164325, 230 V, 50 Hz, 1.01 A, 141 kW, refrigerant: R600a, 6 floors, floor dimensions: (6x) 430 mm x 480 mm, total dimensions: 650 mm x 600 mm x 1880 mm. Technical condition unknown.	250
1266	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020154648, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm. Door is defect.	400
1267	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020153037, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
1268	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020150144, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
1269	W&VE	W&VE; mobile jelly machine, type: MDS-2-0, number: 91093820, 220 V, 50 Hz, 10 A, 2030 W, dimensions: 580 mm x 370 mm x 820 mm.	25
1270	Gram	Gram refrigerator, type: BAKER F 930 CBH 5B, serial number: 173, 230 V, 50 Hz, 4.2 A, 747 Watt, refrigerant: R404A / 300 gram, inside dimensions: 780 mm x 660 mm x 1470 mm, total dimensions: 1040 mm x 780 mm x 2160 mm. Lock broken, key stuck inside.	200
1271	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-VA, serial number: 10218619, year of construction: 10/2012, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, floor dimensions: 610 mm x 400 mm, total dimensions: 1200 mm x 930 mm x 2070 mm. Glass broken.	600
1272	Gram	Gram refrigerator, type: BAKER F 930 CBH 5B, serial number: 183, 230 V, 50 Hz, 4.2 A, 747 Watt, refrigerant: R404A / 300 gram, inside dimensions: 780 mm x 660 mm x 1470 mm, total dimensions: 1040 mm x 780 mm x 2160 mm.	150



Nr	Title	Description	Start €
1273	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-VA, serial number: 10255821, year of construction: 10/2013, 400 V, 3 Ph, 50 Hz, 20.8 kW, 5 and 10 floors, floor dimensions: 610 mm x 400 mm, total dimensions: 1200 mm x 930 mm x 2070 mm.	600
1274	Wiesheu GmbH	Wiesheu GmbH mobile oven, model: B08-EM, serial number: 10151301, year of construction: 07/2010, 400 V, 3 Ph, 50 Hz, 17.4 A, 12.5 kW, 10 floors, floor dimensions: 610 mm x 400 mm, total dimensions: 1200 mm x 930 mm x 2070 mm.	600
1275	Gram	Gram refrigerator, type: K 181 US, serial number: 461/4, 230 V, 50 Hz, 100 W, refrigerant: R134a, 60 g, dimensions: 600 mm x 600 mm x 800 mm.	75
1276	NN photo frame	Photo frame, dimensions: 1150 mm x 930 mm x 25 mm.	5
1277	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020153580, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
1278	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA0020150882, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
1279	NN refrigerated display	Refrigerated display, dimensions: 2150 mm x 1250 mm x 920 mm.	75
1280	NN drawers	5 s/s drawers, dimensions: (5x) 500 mm x 440 mm x 100 mm.	10
1281	Proline	Proline airconditioning unit, model: PAC1790, serial number: 082000276, 220-240 V, 1 Ph, 50 Hz, 2.6 A, 560 W, refrigerant: R290, 0.09 kg, dimensions: 400 mm x 400 mm x 800 mm.	120
1282	Proline	Proline airconditioning unit, model: PAC1790, serial number: 122000037, 220-240 V, 1 Ph, 50 Hz, 2.6 A, 560 W, refrigerant: R290, 0.09 kg, dimensions: 400 mm x 400 mm x 800 mm.	120
1283	NN water softeners	2 water softeners and other parts for coffee machine.	10
1284	Eurom	Eurom high pressure cleaner, model: Force 2000 plus, 220-240 V, 50 Hz, 2000 W, dimensions: 340 mm x 320 mm x 800 mm.	150
1285	Chubb	Chubb motion sensor alarm.	10
1286	NN water softeners	2 water softeners and other parts for coffee machine.	10
1287	NN motors	2 motors, dimensions: (2x) 600 mm x 400 mm x 170 mm.	100
1288	Kraftroyal	Kraftroyal gasoline generator, model: PS9000, dimensions: 610 mm x 440 mm x 410 mm.	150



Nr	Title	Description	Start €
1289	Grundfos	Grundfos pump, type: CRN4-40A-P-G-BUBV, capacity: 6 m ³ per hour, dimensions: 300 mm x 220 mm x 800 mm.	75
1290	Boxer Tools	Boxer Tools rotary hammer, 230 V, 50 Hz, 3150 W, 0-1100 r/min, dimensions: 420 mm x 310 mm x 120 mm.	60
1291	Stanley	Stanley bandsaw, serial number: 1A202200320166, 230 V, 50/60 Hz, 3.6 A, 750 W, dimensions: 740 mm x 400 mm x 500 mm.	350
1292	Kis	Kis cabinet, model: Excellence, dimensions: 650 mm x 450 mm x 1810 mm, dimensions box: 800 mm x 400 mm x 550 mm.	30
1293	Kis	Kis cabinet, model: Up, dimensions: 680 mm x 390 mm x 930 mm, dimensions box: 800 mm x 400 mm x 300 mm.	30
1294	Kis	Kis cabinet, model: Up, dimensions: 680 mm x 390 mm x 1730 mm, dimensions box: 800 mm x 400 mm x 200 mm.	30
1295	Honda	Honda generator, type: EC2200, dimensions: 600 mm x 450 mm x 440 mm.	100
1296	Yokota	Yokota balancer, model: TW-0, capacity: 0.5-1.5 kg, dimensions: Ø 140 mm x 50 mm.	20
1297	NN driptray	Steel driptray, dimensions: 1210 mm x 620 mm x 130 mm.	10
1298	Calorex Heat Pumps Ltd.	Calorex Heat Pumps Ltd. mobile building dryer, model: DF(Z)600AX, serial number: 220429 A14, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 7.5 A, refrigerant: R407C, 0.62 kg, dimensions: 1100 mm x 650 mm x 900 mm.	150
1299	Calorex Heat Pumps Ltd.	Calorex Heat Pumps Ltd. mobile building dryer, model: DF(Z)600AX, serial number: 220402 A14, year of construction: 2014, 230 V, 1 Ph, 50 Hz, 7.5 A, refrigerant: R407C, 0.62 kg, dimensions: 1100 mm x 650 mm x 900 mm.	150
1300	Midac	Pallet with Midac battery for electrical palletlifter and 2 switch cabinets, type: 12/4MDL140, serial number: N1005241, 24 V, 560 A.	150
1301	Ultra Tools	Ultra Tools diesel generator, model: TP6500DGS/3, power: 5.0 kW, dimensions: 900 mm x 540 mm x 680 mm.	550
1302	NN tables	8 wooden foldable tables, steel frame, dimensions: (8x) Ø 870 mm x 700 mm.	60
1303	Saft Nife	Bos mobile dehumidifier, type: ED1500E, serial number: 2006.9 2042, 220-240 V, 50 Hz, 6.6 A, 1750 W, dimensions: 700 mm x 530 mm x 1240 mm.	100



Nr	Title	Description	Start €
1304	Bos	Soft Nife battery charger, type: 24SPR50-34A, serial number: 51152, 230 V, 1 Ph, 50 Hz, 12.2 A, dimensions: 410 mm x 310 mm x 1070 mm.	150
1305	NN water softener	Water softener, model: VDR 30-400, serial number: 7238890-18137-1004, year of construction: 2011, dimensions: 600 mm x 450 mm x 1250 mm.	50
1306	Robejo	Robejo metal saw, dimensions: 1000 mm x 700 mm x 1630 mm.	150
1307	NN workbench	Wooden workbench, steel frame, 2 steel vises, dimensions: 1500 mm x 800 mm x 800 mm.	20
1308	Relight	Wooden palletbox with Relight TL-lamps, dimensions: 1220 mm x 820 mm x 1100 mm.	10
1309	HBM Machines	HBM Machines milling machine, type: HBM BF 30 Vario, serial number: ST 30-210B5, year of construction: 03 2023, 230 V, 50 Hz, 5.2 A, dimensions: 920 mm x 710 mm x 1000 mm.	1350
1310	Meistercraft	Meistercraft mobile tool cabinet, 240 pieces, dimensions: 770 mm x 465 mm x 975 mm. New.	200
1311	Eillert B.V.	Eillert B.V. vegetable slicer, type: ECO-1, number: 466-9024, 220 V, 4 A, dimensions: 670 mm x 500 mm x 1150 mm.	75
1312	Koga	Koga ebike, dimensions: 1750 mm x 630 mm x 1200 mm.	50
1313	Kaplanlar	Kaplanlar refrigerated showcase, model: Granizado - DL, serial number: 26350002200330, year of construction: 02/2020, 230 V, 1 Ph, 50 Hz, 4.18 A, 962 W, refrigerant: R290, 300 gram, 4 foors, floor dimensions: 1130 mm x 260 mm, total dimensions: 1200 mm x 580 mm x 2200 mm.	200
1314	Mimac	Mimac mobile 5 heads depositor, model: SUPREMA PLUS 450 N14, serial number: 147229, year of construction: 2014, 220-240 V, 1 Ph, 50/60 Hz, 1.5 kW, plastic belts, belt width: (2x) 80 mm, clearance: 345 mm, total dimensions: 1200 mm x 900 mm x 1400 mm.	7000
1315	Electrolux	Electrolux cooled mixer, type: FL 120, machine number: FEB 00 J 00, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 7 A, 2.5 kW, volume: 120 liter, dimensions: 1180 mm x 850 mm x 1750 mm.	750
1316	NN stove	2 pits stove, stove dimensions: (2x) 300 mm x 300 mm, total dimensions: 900 mm x 560 mm x 900 mm.	75
1317	IPSO	IPSO double stacked dryer, inside dimensions: (2x) Ø 705 mm x 770 mm, total dimensions: 760 mm x 1120 mm x 1990 mm.	500



Nr	Title	Description	Start €
1318	RM Gastro s.r.o.	RM Gastro s.r.o. braising pan, model: BR-90/80 E, serial number: 17100137, 400 V, 3 Ph, 50/60 Hz, 15 kW, inside dimensions: 720 mm x 600 mm x 220 mm, total dimensions: 1000 mm x 800 mm x 1050 mm.	250
1319	Wiesheu GmbH	Wiesheu GmbH double stacked oven, model top oven: B4-E2, serial number: 10186400, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, year of construction: 12/2011, inside dimensions: 700 mm x 400 mm x 450 mm, model bottom oven: B8-E2, serial number: 10186397, year of construction: 12/2011, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, inside dimensions: 700 mm x 400 mm x 850 mm, total dimensions: 1150 mm x 950 mm x 2140 mm.	740
1320	Wiesheu	Wiesheu oven, type: 5L 04, number: 1772, 380 V, 50 Hz, 0.12/8 kW, 2 floors, floor dimensions: 640 mm x 400 mm, total dimensions: 1020 mm x 700 mm x 1350 mm.	100
1321	Primus	Primus washing machine, model: FF07-MNOALL, serial number: 5700, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 16 A, 9.75 kW, capacity: 7 kg, dimensions: 750 mm x 870 mm x 1080 mm.	300
1322	NN tank	S/s tank, dimensions: 1210 mm x 1010 mm x 1150 mm.	300
1323	Benier	Benier dough divider, type: Afweiger-B84, number: 20834A/801761, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 4 A, plastic belt, belt width: 220 mm, total dimensions: 1450 mm x 720 mm x 1630 mm.	1000
1324	Hovmand A/S	Hovmand A/S mobile lifter for bowls, model: Emma K, serial number: 16813, year of construction: 03/2017, dimensions: 710 mm x 480 mm x 1230 mm.	200
1325	Hovmand A/S	Hovmand A/S mobile lifter for bowls, model: Easylift 30-60 universal, serial number: 23745, year of construction: 11/2018, dimensions: 710 mm x 480 mm x 1230 mm.	200
1326	Ismar Maschinenbau GmbH	Ismar Maschinenbau GmbH mobile bread crumber, type: mini, machine number: 0986-777, year of construction: 1986, dimensions: 610 mm x 510 mm x 1510 mm.	750
1327	Zela	Zela mobile spraying machine, dimensions: 1100 mm x 800 mm x 900 mm.	500
1328	VLB	VLB mobile bread slicer, type: A Wave, number: 5800, year of construction: 2006, 230/400 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 10 mm, total dimensions: 750 mm x 630 mm x 1280 mm.	250



Nr	Title	Description	Start €
1329	Bakon B.V.	Bakon B.V. mobile jelly spraying machine, model: Jelly 2000, serial number: 1.55.014, year of construction: 1998, 220 V, 50 Hz, 3000 W, dimensions: 550 mm x 630 mm x 1080 mm.	500
1330	VLB	VLB mobile bread slicer, type: A Wave, number: 5506, year of construction: 2005, 230/400 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 10 mm, total dimensions: 750 mm x 630 mm x 1280 mm.	250
1331	VLB	VLB mobile bread slicer, type: A Wave, number: 5801, year of construction: 2006, 230/400 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 10 mm, total dimensions: 750 mm x 630 mm x 1280 mm.	250
1332	Seewer Rondo	Seewer Rondo mobile dough sheeter, cloth belt, belt width: 600 mm, total dimensions: 2800 mm x 1200 mm x 1490 mm.	1250
1333	Bertrand Puma	Bertrand Puma mobile liquid leaven processor, type: Fermentolevain FL 140, serial number: 9300000000051342, year of construction: 03/2017, 400 V, 3 Ph, 50-60 Hz, 5.25 A, 2.1 kW, refrigerant: R404a, 0.650 kg, global leaven capacity: 125 KG: useful leaven capacity: 100 KG, dimensions: 1150 mm x 850 mm x 1750 mm.	1750
1334	VLB	VLB mobile bread slicer, type: A Wave, number: 5802, year of construction: 2006, 230/400 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 10 mm, total dimensions: 750 mm x 630 mm x 1280 mm.	250
1335	JAC	JAC mobile bread slicer, model: EFL 450/12, machine number: 08/0406/01, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 180 kg, 26 knives, distance between knives: 12 mm, total dimensions: 750 mm x 600 mm x 1300 mm.	350
1336	JAC	JAC mobile bread slicer, model: BFL 450/11, machine number: 08/6219/01, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 170 kg, 26 knives, distance between knives: 20 mm, total dimensions: 750 mm x 650 mm x 1380 mm. Missing some knives.	350
1337	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 07/4252/10, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350



Nr	Title	Description	Start €
1338	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH mobile bread slicer, type: MHS Basic L, serial number: 0407716, year of construction: 2016, 230 V, 1 Ph, 3 A, 750 W, 34 knives, distance between knives: 12 mm, total dimensions: 600 mm x 750 mm x 1350 mm.	200
1339	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 09/3935/19, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
1340	JAC	JAC mobile bread slicer, model: ECH 450/12.5, machine number: 10/4571/10, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	200
1341	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH mobile bread slicer, type: MHS Basic L, serial number: 1202213, year of construction: 2013, 230 V, 1 Ph, 3 A, 750 W, 34 knives, distance between knives: 12 mm, total dimensions: 600 mm x 750 mm x 1350 mm.	200
1342	JAC	JAC mobile bread slicer, model: ECH 450/12.5, machine number: 11/0352/28, year of construction: 7/04/2011, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
1343	JAC	JAC mobile bread slicer, model: ECH 450/12.5, machine number: 11/1942/14, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
1344	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 09/3935/20, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
1345	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 09/3935/18, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
1346	JAC	JAC mobile bread slicer, model: ECH 450/12.5, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
1347	Polin	Polin mobile deck oven, 3 decks, inside dimensions: (3x) 830 mm x 630 mm x 190 mm, total dimensions: 1410 mm x 1150 mm x 2000 mm.	700



Nr	Title	Description	Start €
1348	Kemper	Kemper mobile mixer, fabrication number: 92203, 220/380 V, 50 Hz, 11 A, 2.2 kW, s/s bowl, dimensions bowl: Ø 740 mm x 430 mm, total dimensions: 1040 mm x 960 mm x 1120 mm.	1250
1349	NN mixer	Mobile mixer, s/s bowl, dimensions bowl: Ø 740 mm x 430 mm, total dimensions: 910 mm x 880 mm x 1300 mm.	400
1350	Cobra	Cobra insect killer, model: CT315-44-02, serial number: 11878, 220-240 V, 50 Hz, 65 W, dimensions: 500 mm x 350 mm x 130 mm.	10
1351	ER	ER mobile dough divider and rounder, diameter forms: Ø 45 mm, total dimensions: 840 mm x 660 mm x 1650 mm.	750
1352	Benier	Benier dough divider, year of construction: 2005, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 275 mm, total dimensions: 1450 mm x 810 mm x 1630 mm.	1250
1353	JAC	JAC mobile long moulder for baguettes, type: UNIC, machine number: 09 0, 400 V, 3 Ph, 50 Hz, 3.5 A, 1.1 kW, weight: 200 kg, cloth belt, belt width: 770 mm, total dimensions: 970 mm x 690 mm x 1550 mm.	750
1354	NN trolleys	2 s/s trolleys, 14 floors each, floor dimensions: 810 mm x 630 mm, total dimensions: (2x) 870 mm x 650 mm x 1940 mm.	200
1355	NN trolley	S/s trolley, 14 floors, floor dimensions: (14x) 810 mm x 610 mm, total dimensions: 860 mm x 625 mm x 1940 mm.	100
1356	NN trolley	S/s trolley, 14 floors, floor dimensions: (14x) 810 mm x 610 mm, total dimensions: 860 mm x 625 mm x 1940 mm.	100
1357	NN trolleys	2 s/s trolleys, 14 floors each, floor dimensions: 810 mm x 630 mm, total dimensions: (2x) 870 mm x 650 mm x 1940 mm.	200
1358	Werner & Pfleiderer-Haton	Werner & Pfleiderer-Haton dough divider and rounding line, type: MULTIMATIC, dimensions dye: Ø 50 mm, cloth belt, belt width: (6x) 60 mm, 865 mm and 850 mm, total dimensions: 1410 mm x 1130 mm x 1780 mm, 1250 mm x 1200 mm x 1160 mm and 2700 mm x 1100 mm x 1850 mm. Including pallet with 3 dye rolls.	1250
1359	Bizerba	Bizerba tenderizer, model: S 111 PLUS, number: 2046149, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 2.7 A, working width: 200 mm, total dimensions: 350 mm x 400 mm x 460 mm.	150
1360	HBM Machines	HBM Machines ultrasonic cleaner, model: HBM INDUSTRIELLE 6L ULTRASOON REINIGER, serial number: 20171009, 220/230 V, 50/60 Hz, volume: 6 liter, dimensions: 400 mm x 265 mm x 395 mm.	50



Nr	Title	Description	Start €
1361	Dahongying	Dahongying weighing scale, maximum weight: 40 kg, minimum weight: 200 gram, e=d= 5 gram, dimensions scale: 320 mm x 240 mm, total dimensions: 370 mm x 140 mm x 40 mm.	150
1362	Güde GmbH & Co. KG	Güde GmbH & Co. KG bench drill, model: GTB 13/355, year of construction: 2022, 230 V, 50 Hz, 350 W, weight: 13 kg, dimensions: 490 mm x 380 mm x 240 m.	150
1363	Martimek	Martimek powermid remote control signal extender.	10
1364	Boxer Tools	Boxer Tools crane scale, model: BX-9023, maximum weight: 200 kg, minumum weight: 0.2 kg, e= 0.05 kg, dimensions: 250 mm x 120 mm x 50 mm.	10
1365	NN crane scale	Crane scale, maximum weighth: 500 kg, division: 200 gram, 200 V, 50-60 Hz, dimensions: 260 mm x 200 mm x 120 mm.	10
1366	Boxer Tools	Boxer Tools crane scale, model: BX-9025, maximum weight: 500 kg, division: 100 gram, 110-220 V, dimensions: 290 mm x 200 mm x 120 mm.	10
1367	Avtech	2 Avtech security cameras, dimensions: 240 mm x 120 mm x 410 mm and 260 mm x 90 mm x 220 mm.	45
1368	NN valves	Carton box with various valves and parts.	10
1369	NN parts	Plastic crate with various parts, fan, type fan: HCFB/ 4-355/H-A and various electric plugs.	10
1370	DTE	DTE chiller, type: K-002.1-CB2, manufacturing number: D0757-D0604302, year of construction: 16-03-2006, 230 V, 1 Ph, 50 Hz, 9.8 A, refrigerant: R407C / 1.1 kg, weigth: 81 kg, diemnsions: 560 mm x 820 mm x 460 mm.	100
1371	NN worm set	Worm set for vacuum filling machine, dimensions: 630 mm x 170 mm and 175 mm x 100 mm.	100
1373	NN part for vacuum filling machine	Part for vacuum machine, dimenisons: 340 mm x 350 mm.	5
1374	Trotec	Trotec mobile dryer, type: TTK 400, serial number: 238523G16, 230 V, 1 Ph, 50 Hz, 6.9 A, capacity: 60 liter / 24 hour, air volume: 427 m³ per hour, refrigerant: R 407 C / 0.45 kg, dimensions: 530 mm x 450 mm x 820 mm.	50
1375	Trotec	Trotec mobile dryer, type: TTK 400, serial number: 238521G16, 230 V, 1 Ph, 50 Hz, 6.9 A, capacity: 60 liter / 24 hour, air volume: 427 m³ per hour, refrigerant: R 407 C / 0.45 kg, dimensions: 530 mm x 450 mm x 820 mm.	50
1376	Apex	Apex mobile tool trolley, model: XXL, dimensions: 820 mm x 460 mm x 955 mm. New, never used.	350
1377	Apex	Apex mobile tool trolley, model: XXL, dimensions: 820 mm x 460 mm x 955 mm. New, never used.	350



Nr	Title	Description	Start €
1378	NN hand truck	Steel hand truck, dimensions: 520 mm x 500 mm x 1200 mm.	25
1379	Stiga S.p.A.	Stiga S.p.A. lawn mower, type: CP1.484 WSQE, dimensions: 1650 mm x 550 mm x 1070 mm. Incomplete, missing battery and charger.	150
1380	Nederman	Nederman air hose reel, model: 806458, serial number: 858, maximum pressure: 1.5MPa, dimensions: 420 mm x 170 mm x 600 mm.	25
1381	Nederman	Nederman air hose reel, model: 806458, serial number: 858, maximum pressure: 1.5MPa, dimensions: 420 mm x 170 mm x 600 mm.	25
1382	Huvema	Huvema circular saw, model: TS275DV, number: 43184, year of construction: 1999, dimensions: 500 mm x 820 mm x 1560 mm.	150
1383	VDH	Mobile VDH scaffolding, model: HO75 Basic, maximum working height: 1815 mm, total dimensions: 2000 mm x 850 mm x 1945 mm.	150
1384	Powerplustools GmbH	Powerplustools GmbH sand blasting machine, model: PP-T 0007/C, year of construction: December 2018, 230-240 V, 50 Hz, 3.6 kW, volume: 220 liter, dimensions: 930 mm x 800 mm x 1835 mm.	100
1385	Norweld	Norweld welding machine, type: TIG-180, number: 073393, 220/380 V, 3 Ph, 50/60 Hz, dimensions: 350 mm x 100 mm x 250 mm.	85
1386	Swedic	Swedic welding, air compressor and generating tool, model: PWC7.0-200A, aggregate 230 V, welding machine 200 A, air compressor 7 Bar, dimensions: 850 mm x 600 mm x 950 mm. Never used.	1000
1387	Eversteel	Eversteel wet/dry vacuum cleaner, 230 V, 50 Hz, 3000 W, capacity: 80 liter, dimensions: 650 mm x 500 mm x 900 mm.	150
1388	Herman	Herman mobile bread slicer, type: SUPER, machine number: 9883, year of construction: 1998, 220 V, 0.37 kW, weight: 135 kg, 30 knives, distance between knives: 12 mm, total dimensions: 850 mm x 630 mm x 1820 mm.	50
1389	JAC	JAC mobile bread slicer, model: SPL 450/10, machine number: 14104811, year of construction: 12/11/2014, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, weight: 190 kg, 42 knives, distance between knives: 10 mm, total dimensions: 610 mm x 600 mm x 1290 mm.	350
1390	JAC	JAC mobile bread slicer, model: SFN 450/10, machine number: 12103859, year of construction: 06/08/2012, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, weight: 230 kg, 42 knives, distance between knives: 10 mm, total dimensions: 610 mm x 600 mm x 1290 mm.	350



Nr	Title	Description	Start €
1391	SGS	SGS mobile bread slicer, model: ED-01, 30 knives, distance between knives: 15 mm, total dimensions: 700 mm x 700 mm x 1170 mm.	50
1392	Inventum	Inventum refrigerator, model: KK550, serial number: 15220269, 220-240 V, 50 Hz, 0.21 A, 70 W, refrigerant: R600a / 18 gram, volume: 136 liter, dimensions: 570 mm x 550 mm x 850 mm.	50
1393	Bakon B.V.	Bakon B.V. jelly machine, model: JELLY JUNIOR, serial number: 1.02.2581, year of construction: 2000, 220 V, 50 Hz, 2000 W, dimensions: 500 mm x 250 mm x 350 mm.	50
1394	SGS	SGS bread slicer, model: EDS01, serial number: 000336, year of construction: 05-2015, 220 V, 50-60 Hz, 0.37 kW, weight: 120 kg, 30 knives, distance between knives: 15 mm, total dimensions: 640 mm x 580 mm x 600 mm.	50
1395	JAC	JAC mobile bread slicer, model: SFN 450/10, machine number: 13100698, year of construction: 27/03/2013, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, weight: 230 kg, 42 knives, distance between knives: 10 mm, total dimensions: 610 mm x 600 mm x 1290 mm.	350
1396	Horecatec GmbH	Horecatec GmbH dishwasher, model: READY513, serial number: 2834692, year of construction: 22/06/2016, 400 V, 3 Ph, 50 Hz, 16.0 A, 5.55 kW, clearance: 500 mm x 500 mm, total dimensions: 600 mm x 580 mm x 1220 mm. Including 2 baskets.	100
1397	JAC	JAC mobile bread slicer, model: SFN 450/10, machine number: 14100257, year of construction: 21/03/2014, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, weight: 230 kg, 42 knives, distance between knives: 10 mm, total dimensions: 610 mm x 600 mm x 1230 mm.	350
1398	Klahr	Klahr gass barbecue, type: 0203, number: 0085, dimensions: 650 mm x 530 mm x 820 mm.	25
1399	Frigoglass	Frigoglass refrigerator, type: S5, serial number: RO0061665213, year of construction: 18/06/14, 230 V, 50 Hz, 1.66 A, 272 W, refrigerant: R290 / 0.05 kg, volume: 103 liter, dimensions: 600 mm x 500 mm x 890 mm.	20
1400	Wintsys / L'Unite Hermetique	Wintsys condensing unit with L'Unite Hermetique cooling compressor, type: WINAJ24642TZ, serial number: 19M16 094603 DK21930202, 400/440 V, 3 Ph, 50/60 Hz, 2.5/2.42 A, refrigerant: R452A/ R404A, dimensions: 950 mm x 670 mm x 670 mm.	150
1401	York	York condensing unit, dimensions: 1050 mm x 800 mm x 800 mm.	150
1402	NN trays	18 s/s trays, dimensions: (18x) 800 mm x 600 mm.	5



Nr	Title	Description	Start €
1403	NN tub	S/s tub, dimensions: 1400 mm x 950 mm x 900 mm.	100
1404	NN mixing tub	S/s mixing tub, inside dimensions: Ø 1200 mm x 1000 mm, total dimensions: 1400 mm x 1250 mm x 1950 mm.	200
1405	NN mixing tub	S/s mixing tub, inside dimensions: Ø 970 mm x 1100 mm, total dimensions: 1000 mm x 1100 mm x 1850 mm.	200
1406	NN trolley	Steel trolley, 3 floors, floor dimensions: 1020 mm x 670 mm, total dimensions: 1150 mm x 700 mm x 1770 mm.	50
1407	NN hanging conveyor	Elevating hanging conveyor, dimensions: 2300 mm x 2000 mm x 850 mm.	150
1408	Alfa Laval	Alfa Laval evaporator, type: LEX 16-7 230-E2, serial number: 1012-0500001735-8814-21702, year of construction: 2010, machine weight: (empty) 61 kg, 230 V, 1 Ph, 50 Hz, 1 fan, volume: 4 liter, dimensions: 1100 mm x 780 mm x 700 mm.	150
1409	Carrier	Carrier roof condenser, type: QUIETS WPH17A, serial number: 167461/140/99103, year of construction: 48/2013, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions: 1200 mm x 500 mm x 735 mm.	150
1410	Carrier / L'Unite Hermetique	Carrier condensing unit with L'Unite Hermetique cooling compressor, type compressor: FH2480Z, year of construction: 12/2014, 220-240 V, 50 Hz, refrigerant: R404A, dimensions: 1200 mm x 1000 mm x 1120 mm.	80
1411	EuroKraft	EuroKraft mobile platform, year of construction: 07/2013, weight: 30 kg, capacity: 150 kg, working height: 950 mm, total dimensions: 1300 mm x 1150 mm x 2050 mm.	150
1412	NN tank	S/s tank, dimensions: Ø 750 mm x 1200 mm. Without lid.	150
1413	NN tub	Cooled tub with agitator, dimensions: 1850 mm x 950 mm x 1260 mm.	500
1414	Altrex	Altrex working platform, product number: 820000459/T09023/OVERSTAP, year of construction: 04/2009, max capacity: 150 kg, working height: 820 mm, total dimensions: 1230 mm x 540 mm x 820 mm.	50
1415	NN chain conveyor	Mobile s/s chain conveyor with dividers, distance between dividers: 220 mm, divider height: 25 mm, maximum width: 225 mm, total dimensions: 3550 mm x 850 mm x 1720 mm.	100
1416	Alfa Laval	Alfa Laval double jacketed cooling tank with agitator, type: HCA-C 3500, number: 10266, volume: 3500 liter, dimensions: 3200 mm x 1780 mm x 2050 mm.	1000



Nr	Title	Description	Start €
1417	NN doors	1 refrigerated door, dimensions: 2470 mm x 1500 mm x 120 mm. 1 glass door, dimensions: 2140 mm x 1120 mm x 170 mm.	20
1418	Silensys	Silensys condensing unit with L'Unite Hermetique cooling compressor, type: 6981330202, serial number: 11J21 114907 S981330202, 220/240 V, 1 Ph, 50 Hz, refrigerant: R404A, dimensions: 900 mm x 670 mm x 870 mm.	150
1419	NN evaporator	Evaporator, 2 fans, dimensions: 2700 mm x 1650 mm x 460 mm.	75
1420	Sydmekano AB	Sydmekano AB mobile elevating belt, serial number: 145, year of construction: 2016, s/s frame, plastic belt with dividers, belt width: 540 mm, divider height: 75 mm, distance between dividers: 700 mm, elevating height: 2700 mm, total dimensions: 5700 mm x 900 mm x 2850 mm.	300
1421	Helpman	Helpman evaporator, type: LEX-6-E CB, 220/240 V, 1 Ph, 50 Hz, dimensions: 670 mm x 660 mm x 450 mm.	75
1422	Bosgraaf	Bosgraaf s/s trolley with cabinets, dimensions: 940 mm x 420 mm x 1730 mm.	10
1423	Bosgraaf	Bosgraaf s/s trolley with cabinets, dimensions: 940 mm x 420 mm x 1110 mm.	10
1424	Bosgraaf	Bosgraaf s/s trolley with cabinets, dimensions: 940 mm x 420 mm x 1730 mm.	10
1425	Alfa Laval	Alfa Laval double jacketed cooling tank with agitator, type: HCA-C 2000, number: 5436, year of construction: 1980, volume: 2000 liter, refrigerant: R22, dimensions: 3200 mm x 1400 mm x 1620 mm.	1000
1426	ECO Refrigerazione	ECO Refrigerazione evaporator, model: CTE41M6, serial number: AC201125078, year of construction: 07/10/2011, 230 V, 1 Ph, 50/60 Hz, 0.94 A, 150 W, dimensions: 1010 mm x 590 mm x 395 mm.	100
1427	Silensys	Silensys outside airco unit, L'Unite Hermetique cooling compressor, type: SIL4511Y, serial number: FM19 122107 S962930220, 220/240 V, 3 Ph, 50 Hz, 5.3 A, refrigerant: R134A, dimensions: 1050 mm x 750 mm x 580 mm.	25
1428	Krupp	Krupp demolition hammer, dimensions: 730 mm x 240 mm x 110 mm.	20
1429	NN demolition hammer	Demolition hammer, dimensions: 600 mm x 200 mm x 140 mm.	20
1430	Tein	Tein chain pipe clamp, model: Astxe, number: 2124599, 220 V, 50 Hz, 3.7 A, 750 W, dimensions: 700 mm x 200 mm x 260 mm.	20
1431	NN stretching device	Stretching device on air pressure, dimensions: 500 mm x 680 mm x 240 mm.	20



Nr	Title	Description	Start €
1432	Carrier	Carrier outside cooling unit, model: GCU401NO170F, serial number: 0346358A, 400 V, 3 Ph, 50 Hz, 2.4 A, 1,5 kW, 1 fan, dimensions: 1180 mm x 600 mm x 600 mm.	50
1433	Küba	Küba evaporator, type: SHA 26, serial number: 263705/010000/4, year of construction: 1986, capacity: 5.5 liter, dimensions: 820 mm x 800 mm x 630 mm.	5
1434	Carrier	Carrier outside airco unit, year of construction: 2008, dimensions: 1200 mm x 1000 mm x 1400 mm.	200
1435	Schouten	Schouten de-stoner, working width: 750 mm, total dimensions: 4650 mm x 1200 mm x 1230 mm.	50
1436	Upmann Verpackungsmaschinen	Upmann Verpackungsmaschinen packaging machine, type: 2002, machine number: 05 90 946, year of construction: 1990, rubber belt, belt width: 160 mm, total dimensions: 3150 mm x 750 mm x 1850 mm.	100
1437	NN scaffold	Aluminium scaffold, dimensions: 2550 mm x 2300 mm x 1000 mm.	100
1438	NN trolleys	3 trolleys, dimensions: (3x) 800 mm x 725 mm x 1685 mm.	50
1439	NN pallet stacker	Pallet stacker, dimensions: 3250 mm x 1120 mm x 1790 mm.	100
1440	Hausas	Hausas s/s tank in galvanized steel frame, maximum pressure: 0.2 bar, dimensions: 1230 mm x 1030 mm x 1660 mm.	400
1441	M.T.A. S.p.A.	M.T.A. S.p.A. chiller, model: AS701FC/N, serial number: 2200249719, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 139 A, 83 kW, refrigerant: R407c, 29.0 kg, dimensions: 5030 mm x 2180 mm x 2000 mm.	3000
1442	J&E Hall	J&E; Hall cooling compressor and condensing unit, model: JEHCCU-0400-M-3, serial number: N000115, year of construction: 2007/09, 380-415 V, 3 Ph, 50 Hz, 12 A, refrigerant: R404A, dimensions: 1150 mm x 450 mm x 750 mm.	20
1443	Carrier	Carrier outside airco unit with Danfoss cooling compressor, type: MTZ40JH4AVE, dimensions: 1250 mm x 480 mm x 740 mm.	100
1444	Daikin Europe N.V.	Daikin Europe N.V. chiller, model: EWAQ080DAYNN-HQ, number: 4407267, year of construction: 2014.06, 400 V, 3 Ph, 50 Hz, 94 A, weight: 1350 kg, refrigerant: R410A, dimensions: 2600 mm x 2000 mm x 2300 mm.	1000
1445	NN trolley	S/s trolley, dimensions: 1380 mm x 790 mm x 1110 mm.	50



Nr	Title	Description	Start €
1446	NN smoke trolleys	3 s/s smoke trolleys, 6 floors, floor dimensions: (6x) 1000 mm x 930 mm, dimensions trolley: (3x) 1000 mm x 1000 mm x 1970 mm.	300
1447	NN chain conveyor	Mobile s/s double chain conveyor with dividers, distance between dividers: 195 mm, divider height: 25 mm, chain width: 160 mm, total dimensions: 6250 mm x 800 mm x 950 mm.	500
1448	Ohaus	Ohaus floor weighing scale with indicator, type indicator: Defender3000, model: T31P, serial number: B404256202, 9/12 V, 0.5 A.	50
1449	Silensys	Silensys compressing and condensing unit, type: SILFHV4531TZ, year of construction: 2021, 400/440 V, 3 Ph, 50/60 Hz, 6.3/6.9 A, dimensions: 1100 mm x 660 mm x 820 mm.	80
1450	Westinghouse	Westinghouse battery charger, type: 03P 48V/140A, number: 96194, 220/380 V, 50 Hz, dimensions: 560 mm x 460 mm x 900 mm.	50
1451	NN multihead weigher	14-heads multihead weigher, dimensions: 1750 mm x 1750 mm x 1480 mm. Including wooden pallet box with parts, dimensions: 1200 mm x 1000 mm x 1100 mm.	400
1452	NN cabinet	S/s cabinet, dimensions: 1800 mm x 400 mm x 660 mm.	150
1453	NN multihead weigher	14-heads multihead weigher, dimensions: 1750 mm x 1750 mm x 1480 mm.	400
1454	Wiesheu GmbH	2 Wiesheu GmbH loading trolleys, type: BS_EUROMAT_Besch system, year of construction: 04/2011, dimensions: (2x) 750 mm x 600 mm x 1930 mm.	100
1455	Wiesheu GmbH	2 Wiesheu GmbH loading trolleys, type: BS_EUROMAT_Besch system, year of construction: 08/2017, dimensions: (2x) 750 mm x 600 mm x 1930 mm.	100
1456	Carrier	Carrier outside airco unit, refrigerant: R507, dimensions: 1700 mm x 750 mm x 1220 mm.	200
1457	Alfa Laval	Alfa Laval evaporator, 6 fans, type: THOR-T 468-10 RH 2H/5 400 E4/G, serial number: 322128/105126-10, 400 V, total internal volume: 180 liter, weight: 667 kg, dimensions: 3520 mm x 980 mm x 1800 mm.	1500
1458	TVM	TVM mobile portion cutter, type: TVM-Portio 4000, serial number: 02-00.26566 187, year of construction: 2000, weight: 380 kg, plastic belt, belt width: 200 mm, total dimensions: 1700 mm x 1250 mm x 2580 mm. Technical condition unknown, incomplete.	200
1459	NN table	S/s table, dimensions: 800 mm x 800 mm x 720 mm.	5



Nr	Title	Description	Start €
1460	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 3550 mm x 600 mm x 1400 mm.	200
1461	Anritsu Industrial Solutions	Anritsu Industrial Solutions checkweigher, type: Approval, serial number: 4600045364, 100/120/200/240 V, 50 Hz plastic belt, belt width: 250 mm, total dimensions: 560 mm x 900 mm x 1470 mm.	50
1462	NN depositor	Mobile 2-heads depositor, dimensions: 1050 mm x 1200 mm x 1900 mm. Technical condition unknown, incomplete.	150
1463	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 460 mm, total dimensions: 1000 mm x 600 mm x 770 mm.	10
1464	NN trolley	S/s trolley, 19 floors, dimensions floors: (19x) 640 mm x 420 mm, total dimensions: 650 mm x 470 mm x 1840 mm.	20
1465	Nieros	Nieros s/s sink with faucet (3x), type: dimensions: 1500 mm x 540 mm x 650 mm.	25
1466	Nieros	Nieros s/s sink with faucet (3x), type: HL-WR3, serial number: 2530-037, 24/230 V, 50 Hz, year of construction: 2004, dimensions: 1500 mm x 540 mm x 650 mm.	25
1467	Telemecanique	Telemecanique voltage rail system for medium power distribution, model: KSA 25AB42, 400 V, 3 Ph, various lengths: 3000 mm, 4000 mm, 5000 mm and 6000 mm.	50
1468	Denios	Steel container with Denios drip trays, type: 2G 314.OTE, year of construction: 2007, dimensions: 3050 mm x 1450 mm x 3100 mm.	160
1469	Hausas	Hausas s/s tank in galvanized steel frame, maximum pressure: 0.2 bar, dimensions: 1230 mm x 1030 mm x 1660 mm.	400
1470	Hausas	Hausas s/s tank in galvanized steel frame, maximum pressure: 0.2 bar, dimensions: 1230 mm x 1030 mm x 1660 mm.	400
1471	NN trolley	Steel trolley, maximum capacity: 500 kg, total dimensions: 1250 mm x 800 mm x 1500 mm.	75
1472	Stork	Stork pump installation, type: (2x) 2.MVR 403, capacity: 8 m³ per hour, dimensions: 1150 mm x 700 mm x 1270 mm.	250
1473	NN heater	Salamander heater, dimensions: 1400 mm x 600 mm x 130 mm.	25
1474	NN trolley	Trolley, dimensions: 700 mm x 800 mm x 1700 mm.	50
1475	NN trolley	S/s trolley, 14 floors, floor dimensions: (14x) 810 mm x 610 mm, total dimensions: 820 mm x 660 mm x 1800 mm.	50



Nr	Title	Description	Start €
1476	Profoid / DWM Copeland	Cooling cell with Profoid condensing unit and DWM Copeland cooling compressor, type condensing unit: B90-R0031FCZAC, serial number: 108847/140/49853, year of construction: 2006, 400 V, 3 Ph, 50 Hz, dimensions: 1295 mm x 740 mm x 760 mm, type cooling compressor: DKLP-15X-EWL, serial number: 08G000949 M, capacity: 7.35 m ³ per hour, dimensions: 840 mm x 930 mm x 540 mm, dimensions pallets with cooling panels: (1x) 2600 mm x 1200 mm x 300 mm, (1x) 3060 mm x 1350 mm x 1020 mm.	400
1477	NN belt grill	Belt grill, maximum belt width: 700 mm, total dimensions: 3300 mm x 1150 mm x 1900 mm. Incomplete.	1500
1478	Mueller	Mueller s/s double jacketed tank, serial number: 30607, dimensions: 3300 mm x 2000 mm x 1700 mm.	1000
1479	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 1000 mm, total dimensions: 6050 mm x 1400 mm x 1850 mm.	1000
1480	Apollo VTS B.V.	2 Apollo VTS B.V. driven roller conveyor, type: Rollenbaan, serial number: 550896 & 550887-20 , year of construction: 2009, 230/400 V, 0.55 kW, steel rollers, roller width: 1080 mm, total dimensions: (2x) 3300 mm x 1150 mm x 530 mm.	1400
1481	Apollo VTS B.V.	2 Apollo VTS B.V. driven roller conveyors, (1x) type: Rollenbaan, serial number: 550896, year of construction: 2009, 230/400 V, 50 Hz, 0.55 kW, steel rollers, roller width: 1080 mm, total dimensions: 3000 mm x 1150 mm x 530 mm. (1x) type: Trav Wagen, serial number: 550887-10, year of construction: 2009, 230/400 V, 1.1 kW, steel rollers, roller width: 1080 mm, total dimensions: 1080 mm, total dimensions: 1500 mm x 1300 mm x 620 mm.	1200
1482	Apollo VTS B.V.	Apollo VTS B.V. driven roller conveyor, type: Rollenbaan, serial number: 550887-30, year of construction: 2009, 230/400 V, 0.55 kW, steel rollers, roller width: 1080 mm, total dimensions: 3300 mm x 1150 mm x 530 mm.	600
1483	NN rollers	Pallet with large amount of rollers, various roller width: 1000 mm, 500 mm, total dimensions: 1200 mm x 800 mm x 660 mm.	180
1484	Zlatorog Oprema d.o.o.	Zlatorog Oprema d.o.o. driven roller conveyor, type: VP 1.45, serial number: 8-349-03, year of construction: 2003, 380 V, 3 Ph, 0.75 kW, weight: 214 kg, steel rollers, roller width: 1130 mm, total dimensions: 1450 mm x 1300 mm x 530 mm.	250



Nr	Title	Description	Start €
1485	Zlatorog Oprema d.o.o.	Zlatorog Oprema d.o.o. driven roller conveyor, type: VP 1.45, serial number: 8-351-03, year of construction: 2003, 380 V, 3 Ph, 0.75 kW, weight: 200 kg, steel rollers, roller width: 1130 mm, total dimensions: 1450 mm x 1300 mm x 530 mm.	250
1486	NN rollers	Pallet with large amount of rollers, various roller width: 800 mm, 400 mm, 200 mm, total dimensions: 1200 mm x 800 mm x 550 mm.	180
1487	Zlatorog Oprema d.o.o.	Zlatorog Oprema d.o.o. driven roller conveyor, type: VP 1.45, serial number: 8-351-03, year of construction: 2003, 380 V, 3 Ph, 0.75 kW, weight: 200 kg, steel rollers, roller width: 1130 mm, total dimensions: 1450 mm x 1300 mm x 530 mm.	200
1488	NN rollers	Pallet with large amount of rollers, various roller width: 800 mm, 400 mm, 200 mm, total dimensions: 1200 mm x 800 mm x 550 mm.	180
1489	Copeland GmbH	Copeland GmbH condensing and cooling unit, model: MC-M9-ZB45KE-TFD OHNE H/N, serial number: 42883, refrigerant: R 404a, 8 kg, dimensions: 1000 mm x 850 mm x 1770 mm.	300
1490	Profroid	Profroid outside airco unit, type: QC MT100 PK, serial number: 219606/141/2012, year of construction: 2019, refrigerant: R744, 19 kg, dimensions: 1500 mm x 800 mm x 1400 mm.	100
1491	Delta	Delta evaporator, 2 fans, model: FMC-3528 E, serial number: O17503/1, year of construction: 2002, 230 V, 50 Hz, 1.2 A, 260 W, dimensions: 1310 mm x 680 mm x 450 mm.	25
1492	Mattei	Mattei rotary vane compressor, type: ERC 2030 H, year of construction: 1999, dimensions: 1900 mm x 700 mm x 1100 mm.	100
1493	Ishida	Ishida checkweigher, model: DACS-G-S060-45-WP-1-S, serial number: 56416, year of construction: 07/2014, 240 V, 1 Ph, 50 Hz, 4.5 A, maximum capacity: 6000 g, plastic belt, belt width: 400 mm, total dimensions: 1000 mm x 900 mm x 1540 mm. Including extra parts. Incomplete.	100
1494	Groba BV	Groba BV cheese divider for hard cheese, type: HVED-350, plastic rollers, roller width: 400 mm, total dimensions: 1700 mm x 1150 mm x 2130 mm.	2500
1495	Kaltenbach	Kaltenbach mitre box saw, type: SKL 370, number: 28160, 380 V, 50 Hz, 9.7 A, dimensions: 1270 mm x 950 mm x 1620 mm.	200
1496	Carrier	Carrier condensing unit with L'Unite Hermetique cooling compressor, dimensions: 1335 mm x 535 mm x 590 mm.	50



Nr	Title	Description	Start €
1497	NN volume dosing machine	S/s mobile volume dosing machine, clearance: Ø 97 mm and Ø 110 mm, total dimensions: 1200 mm x 1000 mm x 1600 mm.	100
1498	NN tool trolley	S/s tool trolley with 2 denesters, dye: (3x) 190 mm x 150 mm, total dimensions: 1750 mm x 800 mm x 300 mm.	50
1499	ECO Refrigerazione	ECO Refrigerazione evaporator, model: CTE181-6, serial number: C200002244, 230 V, 1 Ph, 50 Hz, dimensions: 2600 mm x 650 mm x 500 mm.	100
1500	Matco	Matco pallet wrapper, type: TVA753, film width: 615 mm, diameter platform: Ø 1800 mm, roller width: 1200 mm, total dimensions: 3300 mm x 2200 mm x 2550 mm.	500
1501	Tino Cabero	Tino Cabero roof condenser, type: ACM / 0080 A35.D, factory number: 94.4275, dimensions: 4500 mm x 1000 mm x 1300 mm.	500
1502	Skako	Skako transport belt, steel frame, plastic belt, belt width: 650 mm, total dimensions: 7000 mm x 1300 mm x 900 mm.	350
1503	NN outside airco unit	Outside airco unit, dimensions: 1100 mm x 1200 mm x 1250 mm.	100
1504	Rivacold	Rivacold roof condensor, dimensions: 4050 mm x 1400 mm x 1400 mm.	1500
1505	Rivacold	Rivacold condensing unit with cooling compressor, type: HCM250ZD31252000, serial number: 15160173, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 15.53 A, refrigerant: R404A, dimensions: 1700 mm x 800 mm x 1550 mm.	500
1506	NN trays	Steel trolley with large amount of s/s trays, dimensions tray: 295 mm x 150 mm x 60 mm, total dimensions: 810 mm x 670 mm x 1770 mm	100
1507	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 380 mm, total dimensions: 3520 mm x 760 mm x 1050 mm.	100
1508	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 340 mm, total dimensions: 3530 mm x 500 mm x 1010 mm.	100
1509	Daikin	Daikin roof condenser, type: REMQ16P8Y1B, year of construction: 09/2012, 380-415 V, 3 Ph, 50 Hz, refrigerant: R410A, 2 fans, dimensions: 1250 mm x 780 mm x 1700 mm.	250
1510	NN platform	Aluminium platform, 2 steps, working height: 450 mm, total dimensions: 1500 mm x 950 mm x 1560 mm.	100
1511	LSA	LSA air conditioning indoor unit, dimensions: 1500 mm x 460 mm x 480 mm.	25



Nr	Title	Description	Start €
1512	Wiesheu GmbH	Wiesheu GmbH s/s loading trolley, serial number: 18428144, year of construction: 07/2019, 14 floors, floor dimensions: 600 mm x 370 mm, total dimensions: 740 mm x 600 mm x 1930 mm.	50
1513	Muvero	Muvero aluminium mobile tub, dimensions: 1230 mm x 600 mm x 800 mm.	50
1514	BT Products AB	BT Products AB pallet lifter, type: BT L 2000/10, fork length: 1000 mm, total dimensions: 1450 mm x 530 mm x 1250 mm.	25
1515	Silensys	Silensys outside airco unit with L'Unite Hermetique cooling compressor, type: S993130202, serial number: 12G25 071347 S993130202, 400/440 V, 3 Ph, 50 Hz, 5.1 A, refrigerant: R404A, dimensions: 1150 mm x 650 mm x 850 mm.	100
1516	Bosgraaf	Bosgraaf s/s trolley with cabinets, dimensions: 940 mm x 420 mm x 1730 mm.	10
1517	NN cabinet	S/s cabinet, dimensions: 800 mm x 600 mm x 1750 mm.	50
1518	Silensys	Silensys outside airco unit with L'Unite Hermetique cooling compressor, type: S980630202, serial number: 12J27 094929 S980630202, 220/240 V, 50 Hz, 6 A, refrigerant: R404A, dimensions: 950 mm x 600 mm x 900 mm.	100
1519	TVH	TVH pallet lifter, type: CBD25, serial number: 12091395-13/180, year of construction: 2012, weight: 62 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1600 mm x 530 mm x 1250 mm.	50
1520	Ventic	Ventic air curtain, dimensions: 1500 mm x 600 mm x 400 mm.	50
1521	Payne Pallet Inverters LTD.	Payne Pallet Inverters LTD. double clamp pallet inverter, model: Triple L, serial number: 1717, year of construction: 09/04, 2000 kg, dimensions platform: 1400 mm x 1300 mm x 2300 mm, total dimensions: 3500 mm x 2000 mm x 2550 mm. With 2 safety sensors.	1500
1522	NN curve conveyor	Curve conveyor, plastic mesh belt, belt width: 230 mm, total dimensions: 3140 mm x 800 mm x 1260 mm.	500
1523	Kemco	Kemco elevating belt with infeed hopper, plastic belt with dividers, belt width: 600 mm, distance between dividers: 305 mm, divider height: 50 mm, elevating height: 2200 mm, total dimensions: 4150 mm x 950 mm x 2560 mm.	1000
1524	Apple International	Apple International mobile depositor, model: MR 900, serial number: 1269 11, year of construction: 2008, pressure: 55 bar, diameter head: 70 mm, total dimensions: 1450 mm x 950 mm x 1040 mm.	750



Nr	Title	Description	Start €
1525	NN elevating belt	Mobile elevating belt with dividers, plastic belt, belt width: 370 mm, distance between dividers: 410 mm, divider height: 75 mm, elevating height: 950 mm, total dimensions: 2450 mm x 750 mm x 1020 mm.	500
1526	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 340 mm, total dimensions: 2660 mm x 700 mm x 1600 mm.	500
1527	Ibonhart	Ibonhart bag blower, dimensions: 1200 mm x 500 mm x 980 mm.	100
1528	NN roller conveyor	Roller conveyor, s/s rollers, roller width: 600 mm, total dimensions: 2100 mm x 1120 mm x 980 mm.	500
1529	NN infeed conveyor	Infeed conveyor, type: M8002, plastic belt, belt width: (2x) 350 mm, total dimensions: 3050 mm x 720 mm x 820 mm.	400
1530	NN shoe rack	S/s shoe rack, dimensions: 1570 mm x 500 mm x 1750 mm.	200
1531	NN pallet with parts	Pallet with machine doors, dimensions: 1400 mm x 900 mm x 500 mm.	50
1532	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1533	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1534	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1535	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1536	Smeva	Smeva outside cooling unit, model: ICF-DM02-C0021Z4, serial number: 6060040-B, year of construction: 29/03/2016, 400 V, 3 Ph, 50 Hz, 7.62 kW, weigh: 145 kg, total dimensions: 1350 mm x 650 mm x 1220 mm.	150
1537	Electrolux	Electrolux condensor, dimensions: 1650 mm x 650 mm x 650 mm.	150
1538	Electrolux	Electrolux condensing unit: type: GCU401N0170E, number: 110024A, 400 V, 3 Ph, 50 Hz, 5.00 A, 2.40 kW, refrigerant: R404a / 6 kg, dimensions: 1160 mm x 580 mm x 600 mm.	150
1539	LU-VE S.p.A.	LU-VE S.p.A. evaporator, model: SAV6R 6620 V/V, serial number: 2303168, year of construction: 2017, 230 V, 50 Hz, 1.2 A, 184 kW, dimensions: 2350 mm x 650 mm x 1230 mm.	150
1540	Silensys	Silensys outside airco unit with L' unite Hermetique cooling compressor, type: SILAJ9480ZFZ, serial number: 15E20 135745 S981130202, 220/240 V, 1 Ph, 50 Hz, 4.6 A, refrigerant: R404A, dimensions: 920 mm x 450 mm x 820 mm.	150
1541	Carrier	Carrier condensing unit with L'Unite Hermetique cooling compressor, dimensions: 1200 mm x 1000 mm x 1120 mm.	150



Nr	Title	Description	Start €
1542	Profroid	Profroid evaporator, 2 fans, type: WSL 08A DE/ BN2256 R404A, serial number: 105647/140/469263, year of construction: 2006, 230 V, 1 Ph, 50 Hz, refrigerant: R404A, dimensions: 880 mm x 520 mm x 230 mm.	150
1543	Carrier	Carrier condensing unit with L'Unite Hermetique cooling compressor, dimensions: 1100 mm x 550 mm x 730 mm.	150
1544	Helpman	Helpman evaporator, type: PX 1-7, serial number: 624-005, year of construction: 2000, 220 V, 1 Ph, 50 Hz, refrigerant: R22 / R134a, dimensions: 750 mm x 670 mm x 270 mm.	150
1545	Keyfrost	Keyfrost evaporator, model: KBF 14 TNEM, serial number: 0050734, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 7.1 A, dimensions: 730 mm x 460 mm x 870 mm.	150
1546	Searle	Searle evaporator, model: DSR62-4 AL, serial number: 270055, 220-240 V, 1 Ph, 50 Hz, 0.78-0.84 A, dimensions: 1820 mm x 930 mm x 400 mm.	150
1547	J&E Hall	J&E Hall cooling compressor and condensing unit, model: JEHSCU0300CM3, serial number: N000419, year of construction: 12/2018, 380-415 V, 3 Ph, 50 Hz, 12 A, refrigerant: R404A, dimensions: 1100 mm x 860 mm x 740 mm.	150
1548	GEA	GEA evaporator, 1 fan, type: SPB 021 C HOCHLEIDSTUNGS-L MARKET PLUS, number: 6357773, year of construction: 1/99, volume: 1.70 liter, dimensions: 1170 mm x 630 mm x 370 mm.	150
1549	LU-VE S.p.A.	LU-VE S.p.A. evaporator, model: F30HC 621 E 7, serial number: 279578, year of construction: 2011, 230 V, 50 Hz, dimensions: 1170 mm x 630 mm x 370 mm.	150
1550	Malmbergs	Malmbergs heater, model: BYGG-STRÖM, article number: 87 300 08, 400 V, 50 Hz, 9000 W, dimensions: 360 mm x 300 mm x 500.	25
1551	Videojet	Videojet inkjet printer, model: 43S, serial number: ZH061290001, 100-230 V, 1 Ph, 50/60 Hz, 0.8/0.4 A, dimensions: 600 mm x 240 mm x 620 mm.	150
1552	NN infeed hopper	Infeed hopper, dimensions: 600 mm x 900 mm x 870 mm.	10
1553	NN tub	S/s mobile tub, dimensions: 920 mm x 440 mm x 680 mm.	20
1554	Rotopack	Rotopack traysealer, model: SR430R, number: 904, year of construction: 2008, 600 W, dye: (2x) Ø 128 mm, total dimensions: 500 mm x 630 mm x 550 mm.	50



Nr	Title	Description	Start €
1555	Ca.Ve.Co	Ca.Ve.Co mobile traysealer, type: Ypsilon-PN/T, serial number: 2011, year of construction: 0606/2011, 400 V, 50 Hz, 6 A, 4 kW, chain-pin conveyor, belt width: 470 mm, distance between dividers: 370 mm, divider height: 25 mm, total dimensions: 2600 mm x 850 mm x 1870 mm.	1800
1556	VEAB	VEAB heater, type: EB 15, serial number: 9100386, 380 V, 3 Ph, 50 Hz, dimensions: 520 mm x 440 mm x 500 mm.	25
1557	NN shuttle conveyor	Shuttle conveyor s/s frame, plastic belt, belt width: 130 mm, total dimensions: 1260 mm x 640 mm x 1080 mm.	200
1558	NN denester	S/s mobile denester, dimensions input: 130 mm x 80 mm, total dimensions: 1100 mm x 850 mm x 1600 mm.	180
1559	Sun Heat	Sun Heat electric heater, model: 50300-324-10020/ IFJ04-150C, serial number: 179, 400 V, 3 Ph, 50 Hz, 15000 W, dimensions: 400 mm x 350 mm x 540 mm.	50
1560	NN fans	2 fans on mobile frame, dimensions: 500 mm x 500 mm x 1650 mm.	25
1561	Thermobile	Thermobile mobile heater, type: TA-80, serial number: 38 076, year of construction: 1994, air flow: 2150 m ³ , dimensions: 1700 mm x 500 mm x 900 mm.	200
1562	Bizerba	Bizerba slicer, type: A302, machine number: 217, 220/380 V, 3 Ph, 50 Hz, 1.65/0.95 A, 0.520 kW, dimensions: 700 mm x 540 mm x 550 mm.	200
1563	Solia	Solia slicer, model: M20, dimensions: 440 mm x 440 mm x 550 mm.	50
1564	Alcan	Alcan traysealer, type: DIB, number: 2972, year of construction: 12-91, dye: 205 mm x 145 mm, total dimensions: 380 mm x 350 mm x 230 mm.	25
1565	National Lab Gmbh	National Lab Gmbh cooling unit, model: PCGE 21.02-NEA, serial number: 10M-010268, year of construction: 2010, weight: 55 Kg, 230 V, 1 Ph, 50 Hz, 9.6 A, 2100 W, refrigerant: R134a, 0.58 Kg, dimensions: 650 mm x 450 mm x 540 mm.	50
1566	NN tank	S/s tank with valves, volume: 100 liter, dimensions: 1100 mm x 700 mm x 2250 mm.	300
1567	NN control panels	4 control panels / electrical components.	25
1568	NN weighing scale	Weighing scale with Soehnle indicator, serial number: 50153, maximum weight: 150 kg, minimum weight: 2 kg, e = 100 gram, dimensions: 560 mm x 600 mm x 750 mm.	25
1569	NN tank	S/s tank with pump, inside dimensions: Ø 600 mm x 700 mm, total dimensions: 1100 mm x 1000 mm x 1200 mm.	150



Nr	Title	Description	Start €
1570	G. Mondini S.p.a	G. Mondini S.p.a traysealer, model: E 340 VG, serial number: 2459-04/, year of construction: 11-05-2004, 400 V, 3 Ph, 50 Hz, dye: (2x) 250 mm x 165 mm, string outfeed conveyor, conveyor width: 120 mm, total dimensions: 3250 mm x 860 mm x 2450 mm. Including Busch rotary vane vacuum pump on a s/s frame with a s/s cover, type: R5 RA 0302 D 5S3, serial number: CHM120020006, year of construction: 2020, capacity: 300 m ³ per hour, total dimensions: 1500 mm x 650 mm x 970 mm.	5300
1571	Malmbergs	Malmbergs heater, 400 V, 1 Ph, 50 Hz, 9000 W, dimensions: 350 mm x 290 mm x 500 mm.	25
1572	El Björn	El Björn heater, dimensions: 400 mm x 320 mm x 440 mm.	25
1573	Robot Coupe	Robot Coupe vegetable slicer, model: CL 52 E, serial number: K4530156401, 230 V, 1 Ph, 50 Hz, 5.3 A, 750 Watt, dimensions: 300 mm x 360 mm x 500 mm. Including crate with extra knives.	200
1574	Icon Engineering	Icon Engineering s/s mobile misting vessel, number: 004/17064, dimensions: 500 mm x 400 mm x 1200 mm.	75
1575	Nesbad Industries Ltd	Nesbad Industries Ltd filling line consisting of: 2 denesters, model: MORAN II, number: 00171.12.02, 380 V, 50 Hz, 7400 W, Ø cups: (2x) 110 mm, total dimensions: 3690 mm x 710 mm x 1870 mm.	600
1576	CFS Tiromat	CFS Tiromat thermoformer, type: Tiromat Compact C1,2 320, serial number: 777 176 1114, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 14.93 kW, 8 bar, film width: 325 mm, dimensions dye: (3x) 100 mm x 85 mm, total dimensions: 5520 mm x 980 mm x 1990 mm.	1550
1577	Hydrotec International B.V.	Hydrotec International B.V. pump, type: R50HWH1B.Y/7T36, number: 3457B, 3 kW, capacity: 12 m ³ /h, dimensions: 1000 mm x 400 mm x 1270 mm.	50
1578	Rivacold	Rivacold evaporator, 1 fan, model: RCP 1250607EDR/RM, dimensions: 570 mm x 460 mm x 360 mm.	150
1579	Rivacold	Rivacold evaporator, 1 fan, model: RCP 1250607EDR/RM, dimensions: 570 mm x 460 mm x 360 mm.	150
1580	Blackrow	Blackrow mobile drum breeder, type: DRUM COATING MACHINE, number: 2118, year of construction: 2005, diameter drum: 650 mm, s/s mesh belt, belt width: 720 mm and 370 mm, total dimensions: 2900 mm x 1300 mm x 2100 mm. Outfeed mesh belt broken.	3700



Nr	Title	Description	Start €
1581	NN gastronorm bins	S/s rack with various gastronorm bins and s/s serving plates, dimensions rack: 800 mm x 545 mm x 1630 mm.	50
1582	Bilanciai	S/s floor weighing scale with Bilanciai indicator, serial number: 281969, dimensions scale: 1250 mm x 1500 mm, total dimensions: 1600 mm x 1750 mm x 100 mm.	250
1583	Güntner	Güntner evaporator, 2 fans, type: GVH 0820, serial number: 100/11107.1/2, year of construction: 2000, 23 Bar, 100°C, 63 L, total dimensions: 4100 mm x 900 mm x 1400 mm.	350
1584	NN double shock freezer	Double shock freezer for 8 trolleys, consisting of: DAN-doors Sverige AB isolated door, dimensions isolated door: 2320 mm x 2200 mm, Lu-Ve evaporator with 1 fan, inside dimensions: (2x) 4100 mm x 2400 mm x 2100 mm and 2 Nordic Doors AB electric high speed shutter door, type: 300/344, year of construction: 09/11, door size: (2x) 2200 mm x 2350 mm. Without cooling panels.	1700
1585	NN can closing machine	Can closing machine, (2x) 4 stations, diameter lids: 80 mm, total dimensions: 2150 mm x 1100 mm x 1840 mm.	2900
1586	NN can filling machine	Can filling machine, double lane infeed belt, belt width: (2x) 80 mm, 8 stations, diameter cans: 70 mm, s/s outfeed belt, belt width: 100 mm, total dimensions: 2150 mm x 1100 mm x 1840 mm.	2900
1590	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	3000
1591	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	3000
1592	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	3000



Nr	Title	Description	Start €
1593	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	3000
1594	Pentair	Pentair plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions: 1500 mm x 1200 mm x 1950 mm	500
1595	GEA	GEA lifter for pallet boxes, type: GEA ColumnLoader 1000S, serial number: E011270705104/8790, year of construction: 04/2021, 380 V, 3 Ph, 50 Hz, 5.2 A, 2.2 kW, capacity: 1000 kg, clearance: 1270 mm x 1100 mm x 850 mm, lifting height: 2360 mm, total dimensions: 2450 mm x 1200 mm x 4400 mm, dimensions dismantled loader: 4200 mm x 2380 mm x 1500 mm.	2000
1596	Opel	Opel Corsa, chassis number: W0L0SDL08A6001173, year of construction: 2009, 3-door, manual transmission, weight: 1140 kg, cylinder volume: 1364 cm ³ , capacity of the car: 66.00 kW, fuel: gasoline, tires: 195/55 R16, mileage: 147692 km.	2500
1597	NN table	S/s table with plastic cutting board, dimensions: 3550 mm x 1850 mm x 850 mm.	450
1601	Stork	Stork high pressure pump, model: HL05, pressure: 100 bar, capacity: 7800 liter per hour, piston diameter: 70 mm, dimensions: 2300 mm x 1100 mm x 1150 mm. Lot located on different location in Udenhout (NL), viewing and pick up in consultation with Industrial Auctions BV.	500
1602	Haffmans / Norit	Haffmans inline carbonator for inline CO2 adding to beverages, model: AGM, dimensions: 2600 mm x 700 mm x 1600 mm. Lot located on different location in Udenhout (NL), viewing and pick up in consultation with Industrial Auctions BV.	500
1603	APV	APV insulated cabinet with 25 heat exchanger modules, type: DELTA RM 7-50-3, dimensions: 2450 mm x 3650 mm x 3350 mm. Lot located on different location in Udenhout (NL), viewing and pick up in consultation with Industrial Auctions BV.	3250
1604	NN tanks	2 s/s tanks on s/s frame, tank dimensions: (2x) Ø 900 mm x 1300 mm, total dimensions: 3700 mm x 950 mm x 2030 mm. Lot located on different location in Udenhout (NL), viewing and pick up in consultation with Industrial Auctions BV.	750

Nr	Title	Description	Start €
1605	Alfa Laval	Alfa Laval plate heat exchanger used as milk pasteuriser, type: CLIP 10-RM, number: 30101-26723, year of construction: 1998, volume: 1077.3 liter, tested pressure: 13.0 bar, 450 plates, dimensions: 4450 mm x 910 mm x 2170 mm. Lot located on different location in Udenhout (NL), viewing and pick up in consultation with Industrial Auctions BV.	4000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal black lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

