



**Industrial
Auctions**

**1880: Online auction machinery for the food
industry in Middelbeers (NL)**

END DATE
19 August 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	19 August 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	26 August 2025 from 09:00 till 16:00 hrs.
Pick up address	Langereijt 29A 5091 JP Oost-, West- en Middelbeers Netherlands
Pick up instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN vegetable washer	Vegetable washer with vibrating gutter, gutter width: 750 mm, perforations: Ø 5 mm, total dimensions: 5500 mm x 1600 mm x 2700 mm.	2250
2	FTS	FTS mobile S-shaped curve conveyor, type: Eckumsetzer, serial number: B_FTS.41812.131.13.00.00, year of construction: 2020, s/s mesh belts, belt width: (3x3) 185 mm, total dimensions: 3700 mm x 1850 mm x 1100 mm.	900
3	Endress + Hauser	S/s frame with 2 Endress + Hauser flowmeters, type: PROMAG H, serial numbers: D8051419000 / D8051519000, dimensions: 1650 mm x 650 mm x 2300 mm.	400
4	Endress + Hauser	S/s frame with 2 Endress + Hauser flowmeters, type: PROMAG H, serial numbers: D8051319000 / D8051219000, dimensions: 1650 mm x 650 mm x 2300 mm.	400
5	Busch	Busch vacuum pump, type: RA 0100 F 503, capacity: 100 m ³ per hour, dimensions: 700 mm x 500 mm x 500 mm.	200
6	Hyfra	Hyfra cooling unit, type: VWK 7/1-s, machine number: 08060336, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 4.90 A, 1.10 kW, refrigerant: R407C, 0.875 kg, dimensions: 750 mm x 550 mm x 750 mm.	125
7	Flender	Flender gearbox, type: SZO 180, serial number: 480 811 009-2-7, dimensions: 700 mm x 600 mm x 450 mm.	100
8	NN pump	Pump with 2 valves, dimensions: 900 mm x 600 mm x 850 mm.	200
9	Gura	Gura mobile extendable roller conveyor, type: 1200 645 SKU, year of construction: 2007, s/s frame, s/s rollers, roller width: 140 mm, total dimensions: 860 mm x 700 mm x 700 mm.	150
10	ABB	ABB robot arm, model: Flexpicker, dimensions: 2250 mm x 1600 mm x 2300 mm.	2000
11	De Jager BV	De Jager BV double 90° curve conveyor, type: 11-0608-02, year of construction: 01/2012, plastic mesh belts, belt width: 355 mm, total dimensions: 7800 mm x 4300 mm x 1400 mm.	1250
12	De Jager BV	De Jager BV transport belt, type: 11-0608-09, year of construction: 01/2012, plastic mesh belt, belt width: 355 mm, total dimensions: 6300 mm x 750 mm x 970 mm.	850



Nr	Title	Description	Start €
13	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: EVO390-XL, number: 3761/09, year of construction: 10/2009, 415 V, 3 Ph, 50 Hz, infeed chain with dividers, divider height: 20 mm, distance between dividers: 190 mm, plastic belts, belt width: 280 mm, total dimensions: 11900 mm x 1300 mm x 2450 mm. S/s trolley to change dye's, model: CPS/R, number: 3761/09, year of construction: 10/2009, dye: (6x) 202 mm x 153 mm, total dimensions 1650 mm x 900 mm x 1550 mm. Including 3 pallets with dye's, dye: (5x) 255 mm x 161 mm, (5x) 232 mm x 182 mm, (7x) 180 mm x 128 mm. S/s frame for 3 dye sets model: CP/S-3+3, number: 3762/09, year of construction: 10/2009, dimensions: 4200 mm x 750 mm x 1860 mm.	9500
14	Pexco Maschinenbau GmbH	Pexco Maschinenbau GmbH box folding and closing machine, type: Gluepex, machine number: VT001304424, year of construction: 2000, 400 V, 0.55 kW, dimensions: 2900 mm x 1100 mm x 1900 mm.	750
15	Multivac	Multivac inliner, model: H050, number: 210814, year of construction: 2015, plastic mesh belts, belt width: (1x) 555 mm, (2x) 155 mm, total dimensions: 2450 mm x 2000 mm x 1850 mm.	1600
16	NN cabinet	Cabinet, dimensions: 1800 mm x 710 mm x 1130 mm.	75
17	NN conveyor system	Conveyor system consisting of: s/s frame, dimensions: 4000 mm x 1000 mm x 1700 mm, pallet with 2 belts, belt width: (2x) 85 mm and 4 pallets with parts, dimensions: 1900 mm x 800 mm x 400 mm, 2200 mm x 800 mm x 500 mm, 2600 mm x 1000 mm x 450 mm, 4000 mm x 800 mm x 300 mm.	800
18	SF Engineering Food Processing Solutions	SF Engineering Food Processing Solutions 180° curve conveyor, serial number: SF777115 955, year of construction: 22-9-2015, approximately belt width: 380 mm, total dimensions: 3400 mm x 3350 mm x 1100 mm. Missing belt.	600
19	Videojet	Videojet inkjet printer, model: 1620, serial number: 1411937C23ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 400 mm x 350 mm x 850 mm.	100
20	NN transport belt	S/s transport belt with plastic belt, belt width: 375 mm, total dimensions: 530 mm x 500 mm x 850 mm.	100
21	Autocoding systems	Autocoding systems mobile transport belt used for inject printer, model: MAC5001, serial number: 55203-1440-0808, 230 V, 50 Hz, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 600 mm x 1900 mm.	750
22	Industrial Washing Machines	Industrial Washing Machines crate washer, type: SAN 100 SP, number: 442 S1SP A/1510/01U, year of construction: 04/11/2002, plastic mesh belt, belt width: (2x) 150 mm, clearance: (2x) 265 mm x 290 mm, total dimensions: 2500 mm x 1400 mm x 1950 mm.	1500



Nr	Title	Description	Start €
23	SF Engeneering Food Processing Solutions	SF Engeneering Food Processing Solutions weighing table with indicator, type: SF-190, dimensions scale: 415 mm x 415 mm, total dimensions: 1150 mm x 1000 mm x 1450 mm.	100
24	Marel	Marel indicator with computer, type: C2, serial number: A100753, Min: 200/400 g, Max: 30 kg/ 10 g, dimensions: 1050 mm x 700 mm x 1550 mm.	100
25	De Jager BV	De Jager BV 180 ^o curve conveyor, type: 11-0608-08, year of construction: 01/2012, plastic mesh belt, belt width: 355, total dimensions: 6100 mm x 4900 mm x 1250 mm.	900
26	Schut Systems	Schut Systems transport belt, type: LB2200, serial number: 16014-06-2, year of construction: 2016, plastic belt, belt width: 185 mm, total dimensions: 2050 mm x 500 mm x 1050 mm.	150
27	NN transport belt	Mobile transport belt, 2 lanes, s/s mesh belts, belt width: 510 mm, total dimensions: 8100 mm x 1900 mm x 1100 mm.	1200
28	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 530 mm x 1320 mm.	10
29	Ishida	Ishida 14 head multihead weigher, model: CCW-Z-214-W-S/30-WP, number: 19459, year of construction: 08/1992, 220 V, 1 Ph, 50 Hz, 7.6 A, dimensions: 1350 mm x 1350 mm x 1650 mm. Technical condition unknown.	1000
30	Leushuis	Leushuis insulated tank, number: A.32799.3001.C, year of construction: 09-97, capacity: 1500 liter, dimensions: Ø 1400 mm x 2550 mm.	750
31	NN frame	S/s frame, dimensions: 1250 mm x 610 mm x 370 mm.	50
32	NN stairs	S/s stairs, dimensions: 2160 mm x 1180 mm x 920 mm.	150
33	Syspal	Syspal elevating belt with dividers, type: 512032433, number: C2093, year of construction: 2008, plastic belt, belt width: 405 mm, distance between dividers: 295 mm, divider height: 25 mm, elevating height: 1000 mm, total dimensions: 1800 mm x 700 mm x 1300 mm.	350
34	NN table	S/s mobile table, dimensions: 1500 mm x 800 mm x 1100 mm.	100
35	NN waste bag holder	S/s waste bag holder, dimensions: 600 mm x 550 mm x 880 mm.	10
36	Marel / AEW Delford	Marel / AEW Delford weighing and labelling machine, model: 9060, serial number: 1049954496084, Max capacity: 5.5 Kg, 230 V, 50 Hz, belt speed: 0.3-0.5 m/s, plastic belt, belt width: 195 mm, total dimensions: 2600 mm x 650 mm x 1780 mm.	750
37	NN transport belt	S/s transport belt, belt width: 505 mm, total dimensions: 2900 mm x 700 mm x 850 mm. Missing belt.	450
38	NN transport belt	S/s transport belt, plastic belt, belt width: 275 mm, total dimensions: 3920 mm x 400 mm x 900 mm.	650



Nr	Title	Description	Start €
39	Icon Engineering	Icon Engineering warm water steriliser, number: 002/11702, year of construction: 01/02/07, 415 Vac, 3 Ph, 50 Hz, 16 A, plastic rollers, roller width: 205 mm, plastic belt, belt width: 460 mm, clearance: 600 mm x 480 mm, total dimensions: 4500 mm x 1200 mm x 2100 mm.	1500
40	Marel	Marel weighing and labelling machine with rejector, plastic belt, belt width: (2x) 136 mm and 285 mm, total dimensions: 1720 mm x 1120 mm x 1220 mm.	750
41	NN elevating belt	S/s mobile elevating belt, elevating height: 1170 mm, total dimensions: 3050 mm x 660 mm x 1300 mm. Including plastic belt, belt width: 277 mm.	350
42	Syspal	Syspal mobile elevating belt, plastic belt with dividers, belt width: 355 mm, divider width: 280 mm, distance between dividers: 235 mm, divider height: 75 mm, elevating height: 1100 mm, total dimensions: 2200 mm x 670 mm x 1430 mm.	450
43	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH weighing belt with 4 rejectors, type: GMI multitray 800, serial number: 0013, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, 8 bar, 875 kg, belt width: 250 mm, total dimensions: 3600 mm x 1050 mm x 1540 mm.	1500
44	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray filler, type: AIS autoload 500, serial number: 102, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, weight: 600 kg, maximum belt width: 300 mm, total dimensions: 2700 mm x 1200 mm x 2050 mm.	1500
45	TVI Entwicklung & Produktion GmbH	Part for TVI Entwicklung & Produktion GmbH machine, type: TDS 300, serial number: 130, year of construction: 2014, weight: 195 Kg, 230 V, 1 Ph, 50 Hz, dimensions: 1700 mm x 1000 mm x 550 mm.	250
46	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray filler, type: AIS autoload 500, serial number: 101, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 32 A, weight: 600 kg, maximum belt width: 300 mm, total dimensions: 2700 mm x 1200 mm x 2050 mm.	1500
47	NN weighing belt	Double weighing belt, plastic mesh belts, belt width: 250 mm, total dimensions: 700 mm x 470 mm x 970 mm.	350
48	NN roller conveyor	S/s frame with double roller conveyor, s/s rollers, roller width: 295 mm, total dimensions: 2020 mm x 880 mm x 1020 mm.	200
49	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH transport belt, plastic mesh belt, belt width: 250 mm, total dimensions: 2000 mm x 700 mm x 1000 mm.	300
50	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH transport belt, plastic mesh belt, belt width: 255 mm, total dimensions: 1150 mm x 750 mm x 1050 mm.	350



Nr	Title	Description	Start €
51	TVM	TVM mobile portioning machine, type: TVM - Portio 4000, serial number: 09-99.26445 138, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.5 A, weight: 380 kg, plastic belt, belt width: 205 mm, total dimensions: 1600 mm x 1100 mm x 2100 mm. Including s/s trolley with parts, dimensions: 860 mm x 620 mm x 1800 mm.	1025
52	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray denester, type: TDS 300, serial number: 115, year of construction: 2012, 400 V, 3 Ph, weight: 70 Kg, dye: 232 mm x 146 mm, plastic mesh belt, belt width: 250 mm, total dimensions: 4350 mm x 1000 mm x 1800 mm.	2000
53	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH tray denester, type: TDS 300, serial number: 114, year of construction: 2012, 400 V, 3 Ph, weight: 70 Kg, dye: 232 mm x 146 mm, plastic mesh belt, belt width: 250 mm, total dimensions: 4350 mm x 1000 mm x 1800 mm.	2000
54	Van De Vecht	Van De Vecht washing and drying machine for crates, clearance: 600 mm x 500 mm, chain conveyor, plastic belt, belt width: 480 mm, total dimensions: 21350 mm x 1500 mm x 1850 mm.	2500
55	Tonnaer	Tonnaer mixer for mobile tubs, type: TMH 6000, number: 74IH60208, 220/380 V, 3 Ph, 50 Hz, 24/80 A, clearance: Ø 1150 mm, total dimensions: 1900 mm x 1400 mm x 2050 mm. Without mixing tubs.	1500
56	Busch	Busch vacuum pump, type: HO 0437 F 101 DUMA, number: 0F00870101, capacity: 400 m³ per hour, dimensions: 1600 mm x 1350 mm x 1400 mm. Defect.	75
57	Espera / MR Etikettiertechnik	Espera labelling machine with 3 MR Etikettiertechnik labellers, Espera model: ES 7000, labeller type: (3x) MR233, year of construction: 2007, 230 V, 50 Hz, maximum label width: 150 mm, plastic belts, belt width: 350 mm, total dimensions: 2000 mm x 750 mm x 2200 mm.	600
58	Alexanderwerk	Alexanderwerk grinder, type: HWN 114/1, machine number: 04902131, 400/690 V, 50 Hz, 9.24/5.34 A, 4 kW, plate diameter: 114 mm, total dimensions: 1100 mm x 650 mm x 1130 mm.	1500
59	Stephan	Stephan mobile universal machine, inside dimensions: Ø 640 mm x 400 mm, total dimensions: 1250 mm x 1000 mm x 1400 mm. Incomplete. Without vacuum pump.	750
60	CFS	CFS mobile bunker for bread crumbs, type: BRF 250, machine number: 213, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 3.49 A, 0.92 kW, weight: 230 kg, elevating height: 1860 mm, total dimensions: 1300 mm x 1000 mm x 2600 mm.	750
61	NN table	S/s table, dimensions: 2000 mm x 700 mm x 830 mm.	100
62	NN shuttle conveyor	Shuttle conveyor, plastic belt, belt width: 650 mm, total dimensions: 2800 mm x 1150 mm x 1240 mm.	500



Nr	Title	Description	Start €
63	Thom	Thom shuttle conveyor, model: Multi-Line Loader, number: 054543-001-00, year of construction: 2015, plastic belt, belt width: 650 mm, total dimensions: 2800 mm x 1150 mm x 1240 mm.	750
64	Van de Vecht	Van de Vecht de-sticker machine, 4 stations, inside dimensions: Ø 180 mm x 380 mm, total dimensions: 3200 mm x 1500 mm x 1440 mm.	750
65	NN denester	Mobile denester, dye: 275 mm x 180 mm, total dimensions: 1600 mm x 550 mm x 2030 mm.	150
66	NN denester	Mobile denester, dye: 195 mm x 145 mm, total dimensions: 1500 mm x 600 mm x 1900 mm.	150
67	NN denester	Mobile denester, dye: 200 mm x 150 mm, total dimensions: 1650 mm x 550 mm x 1970 mm.	150
68	NN denester	Mobile denester, dye: 195 mm x 145 mm, total dimensions: 1450 mm x 600 mm x 1950 mm.	150
69	Mafo	Mafo washing and drying machine for crates with loading and unloading device, serial number: 200-800-890, year of construction: 01/2007, 400 V, 3 Ph, 50 Hz, 27.5/13.8 A, 15.0 kW, maximum crate width: 690 mm, dimensions: 15000 mm x 2500 mm x 2500 mm. Including switch cabinets, dimensions switch cabinet: (1x) 1250 mm x 450 mm x 2200 mm, (1x) 600 mm x 400 mm x 600 mm. Including s/s frames, dimensions: 4150 mm x 2100 mm x 900 mm.	2500
70	Wachtel	Wachtel oven, type: mini Comet 10/64. serial number: 23101BRR, year of construction: 04/2010, 400 V, 3 Ph, 50 Hz, 22,1 kW, 20 floors, (10x) top floor dimensions: 590 mm x 405 mm, (10x) lower floor dimensions: 800 mm x 600 mm, total dimensions: 1700 mm x 980 mm x 2220 mm.	850
71	NN tool trolley	S/s tool trolley, dimensions: 1350 mm x 1050 mm x 1170 mm.	50
72	NN tool trolley	S/s tool trolley, dimensions: 1540 mm x 950 mm x 1980 mm.	75
73	NN table	S/s table, dimensions: 1100 mm x 880 mm x 1000 mm.	50
74	Espera / MR Etikettiertechnik	Espera labelling machine with 3 MR Etikettiertechnik labellers, Espera model: ES 7000, labeller type: (3x) MR233, year of construction: 2007, 230 V, 50 Hz, maximum label width: 150 mm, plastic belts, belt width: 350 mm, total dimensions: 2050 mm x 750 mm x 2150 mm.	600
75	Espera / MR Etikettiertechnik	Espera labelling machine with 3 MR Etikettiertechnik labellers, Espera model: ES 7000, labeller type: (3x) MR233, year of construction: 2007, 230 V, 50 Hz, maximum label width: 150 mm, plastic belts, belt width: 350 mm, total dimensions: 2050 mm x 750 mm x 1950 mm.	600



Nr	Title	Description	Start €
76	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: Divider economic 400, serial number: 257058.115401.4070, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 6,9/16 A, 4,8 kW, weight: 400 Kg, clearance: 250 mm x 100 mm, plastic string outfeed belt, belt width: 310 mm, total dimensions: 2150 mm x 1950 mm x 1950 mm. Including trolley and knife holder, trolley dimensions: 750 mm x 550 mm x 850 mm.	2000
77	Soco System	Soco System mobile box closing machine, model: T-10, machine number: 12-215-T10, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 1.5 A, plastic rollers, roller width: 255 mm, total dimensions: 1050 mm x 900 mm x 1680 mm.	500
78	Espera	Espera labelling machine, type: ESD 504 / ESG 144, 230 V, 50/60 Hz, 10 A, plastic belts, belt width: (2x) 140 mm, (2x) 95 mm, total dimensions: 1400 mm x 900 mm x 1900 mm.	500
79	Höfelmeyer	Höfelmeyer roller conveyor with weighing scale, model: HKS30GF-E-9K-R-S, serial number: 6110632, aluminium rollers, roller width: 500 mm, total dimensions: 900 mm x 600 mm x 1500 mm.	200
80	Bakon	Bakon mobile jelly machine, type: Jelly comfort, serial number: 1.60.491, year of construction 1996, 220 V, 50 Hz, 2000 W, dimensions: 650 mm x 550 mm x 950 mm.	50
81	Seffelaar En Looyen BVBA	Seffelaar En Looyen BVBA mobile flattener, number: 82026, plastic belts, belt width: 250 mm, dimensions: 1500 mm x 750 mm x 1350 mm.	1000
82	Beckermesser	Beckermesser mobile steam generator, type: BM2090, dimensions: 850 mm x 410 mm x 830 mm.	75
83	Ermatec	Ermatec ultrasonic slicing line used for cheese, type: 1717-19-12-08, serial number: Trancheur From, year of construction: 17/12/08, working width: 600 mm, 6 lanes, plastic belts, belt width: 75 mm, total dimensions: 13200 mm x 1900 mm x 2600 mm. Including parts.	4500
84	NN vibrating gutter	S/s vibrating gutter with sieve, gutter width: 730 mm, perforations: Ø 13 mm, total dimensions: 1850 mm x 1400 mm x 1050 mm. Without vibrating motors.	400
85	Lachnit	Lachnit lifter for 200 liter meat bins, type: 300, serial number: 1849, year of construction: 2004, 400/220 V, 50 Hz, lifting height: 2200 mm, total dimensions: 1200 mm x 1050 mm x 3050 mm.	1000
86	NN mixer	Mixer, s/s bowl, bowl dimensions: Ø 250 mm x 220 mm, total dimensions: 500 mm x 350 mm x 650 mm.	100
87	Satex	Satex weighing scale, type: 46 SA 250, serial number: 28912846, max: 150 Kg, min: 0 g, e= 50 g, scale dimensions: 600 mm x 450 mm, total dimensions: 770 mm x 450 mm x 965 mm.	75
88	Digi Systems	Digi Systems weighing scale with label printer, type: DI-3600, serial number: 08121568, 220-240 V, 50/60 Hz, 0.3 A, min 100 gram, max 15 kg, e= 5 gram, scale dimensions: 345mm x 450 mm, total dimensions: 480 mm x 400 mm x 600 mm.	50



Nr	Title	Description	Start €
89	Marel	Marel trim inspection and portioning system, model: 850-9000-0011, type: 0012-102-00013, serial number: A143817, year of construction: 2016, plastic infeed belt, belt width: 590 mm, plastic belt, belt width: (2x) 380 mm, plastic mesh belt, belt width: 260 mm and 200 mm, total dimensions: 5150 mm x 1550 mm x 2160 mm. Including outfeed belt, dimensions: 1840 mm x 900 mm x 1180 mm, and 2x trolley for parts, dimensions: 2000 mm x 1150 mm x 1550 mm and 1650 mm x 1450 mm x 980 mm.	4500
90	NN steel rack	Steel rack consisting of: 4 uprights, height: (4x) 2000 mm and 12 shelves, dimensions: (12x) 1000 mm x 400 mm, total dimensions: 2000 mm x 800 mm x 450 mm.	50
91	NN crates	2 pallets with approximately 187 crates, dimensions each crate: 600 mm x 400 mm x 60 mm, total dimensions: 1200 mm x 1000 mm x 1670 mm and 1200 mm x 800 mm x 1480 mm.	90
92	NN crates	2 pallets with large ammount of crates, dimensions each crate: 600 mm x 400 mm x 150 mm, total dimensions: (2x) 1200 mm x 800 mm x 2100 mm.	130
93	NN crates	Pallet with 18 crates, dimensions each crate: 600 mm x 400 mm x 220 mm, total dimensions: 1200 mm x 800 mm x 1260 mm.	15
94	Koppens	Koppens mobile forming machine, type: VM 400/30, number: 2114, year of construction: 2000, 400 V, 3 Ph, 50 Hz, weight: 630 Kg, clearance: 365 mm x 100 mm, total dimensions: 1600 mm x 750 mm x 2330 mm. Incomplete.	500
95	Koppens	Koppens mobile forming machine, type: VM 400, number: VM 400-459/S, 380 V, 3 Ph, 50 Hz, weight: 550 Kg, clearance: 365 mm x 100 mm, total dimensions: 1600 mm x 750 mm x 2330 mm. Incomplete.	500
96	Koppens	Koppens mobile forming machine, type: VM 400/30, number: VM 400/30 - 1709, 380 V, 3 Ph, 50 Hz, weight: 550 Kg, clearance: 365 mm x 100 mm, total dimensions: 1600 mm x 750 mm x 2330 mm. Incomplete.	500
97	Multivac	Multivac metal detector with checkweigher and 2 rejectors, metal detector type: GLS 350/150/100/289/143, serial number: 10005099-H, 110/230 V, 50 Hz, 0.44/0.22 A, clearance: 350 mm x 100 mm, checkweigher type: MR822, number: 11108297, 120/220/240 V, 50/60 Hz, 5.0/3.0 A, maximum capacity: 1500/3000 g, minimum capacity: 50 g, e=d=0.5/1 g, plastic belts, belt width: 300 mm, total dimensions: 3000 mm x 1500 mm x 1730 mm.	3500



Nr	Title	Description	Start €
100	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH slicer line consisting of: Weber product scanner, type: SCA, number: 359, year of construction: 05/2011, plastic belt, belt width: 470 mm, total dimensions: 1530 mm x 1100 mm x 1980 mm. Weber slicer infeed belt, type: CCQ 200, number: CCQ02001-10495, year of construction: 10/2020, weight: 320 Kg, plastic belt, belt width: 550 mm, total dimensions: 1370 mm x 1350 mm x 1930 mm. Weber slicer, type: CCS 904, number: 7393, year of construction: 09/2010, plastic belt, belt width: 450 mm, string belt, belt width: 525 mm, total dimensions: 4050 mm x 1550 mm x 2600 mm. Weber rocker, type: CCR-100, number: CTR 904-7393, year of construction: 05/2012, weight: 285 Kg, string belt: 525 mm, total dimensions: 1300 mm x 630 mm x 1220 mm. Weber slicer outfeed belt with 2 lanes, type: CCE-MDV, number: CCE04001-10207, weight: 570 Kg, plastic belt, belt width: 520 mm, total dimensions: 4550 mm x 1400 mm x 1470 mm. Including trolley, dimensions: 1620 mm x 630 mm x 220 mm. Technical condition unknown.	9500
101	Townsend	Townsend skinning machine, model: SK 11-320, working width: 500 mm, total dimensions: 800 mm x 650 mm x 1030 mm. Incomplete.	350
102	Townsend	Townsend skinning machine, type: SK 11-350, number: 8629, year of construction: 2006, 380 V, 50 Hz, working width: 500 mm, total dimensions: 800 mm x 650 mm x 1030 mm. Incomplete.	350
103	Townsend	Townsend skinning machine, type: SK 11-320, number: 6777, year of construction: 2006, 380 V, 50 Hz, working width: 500 mm, total dimensions: 800 mm x 700 mm x 970 mm.	550
104	Sealpac	Sealpac traysealer, type: Sealpac 800, serial number: TVG 01124801, year of construction: 2005, 400/230 V, 3 Ph, 10 kW, dye: (4x) 258 mm x 158 mm, total dimensions: 6100 mm x 950 mm x 2100 mm. Including pallet with dye, dye: (2x) 304 mm x 243 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	3000
105	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 0147801, year of construction: 2002, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, dimensions: 5200 mm x 900 mm x 2050 mm. Including s/s trolley for dye's, dye: (4x) 260 mm x 158 mm, total dimensions: 1500 mm x 1000 mm x 1500 mm, Sealpac heating unit, type: Sealpac VS, serial number: ZVS-0012, year of construction: 2016, 400/230 V, 3 Ph, 50/60 Hz, 12 kW, weight: 50 kg, dimensions: 600 mm x 250 mm x 600 mm.	3000



Nr	Title	Description	Start €
106	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 018640, year of construction: 2003, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, film width: 325 mm, dye: (4x) 260 mm x 158 mm, total dimensions: 6000 mm x 900 mm x 2100 mm. Including s/s trolley for dye's, dye: (4x) 225 mm x 178 mm, (5x) 230 mm x 168 mm, total dimensions: 1200 mm x 800 mm x 500 mm.	3000
107	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 01109501, year of construction: 2004, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, dye: (6x) 258 mm x 70 mm, plastic belt, belt width: 360 mm, total dimensions: 6800 mm x 900 mm x 2100 mm. Including s/s trolley for dye's, dimensions: 1400 mm x 1000 mm x 1350 mm, pallet with dye, dye: (5x) 175 mm x 128 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	3000
108	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 01225001, year of construction: 2010, 400/230 V, 3 Ph, 50/60 Hz, 15 kW, weight: 2000 kg, dye: (4x) 260 mm x 158 mm, total dimensions: 5250 mm x 900 mm x 2100 mm. Including trolley for dye's, dye: (5x) 175 mm x 128 mm, total dimensions: 1500 mm x 1000 mm x 1350 mm.	3000
109	Sealpac	Sealpac traysealer, model: Sealpac 800, serial number: TVG 01194101, year of construction: 2008, 400/230 V, 3 Ph, 50/60 Hz, 10 kW, dye: (4x) 210 mm x 164 mm, total dimensions: 7000 mm x 900 mm x 2100 mm. Including s/s trolley for dye's, dye: (4x) 260 mm x 158 mm, total dimensions: 1450 mm x 1000 mm x 1500 mm.	3000
110	Sealpac	Sealpac s/s grippers, gripper length: (2x) 1500 mm.	15
111	Sealpac	Sealpac s/s grippers, gripper length: 1650 mm, 2000 mm.	15
112	NN transport belt	Transport belt, chain conveyor, chain width: 115 mm, total dimensions: 1800 mm x 600 mm x 800 mm.	100
113	NN transport belt	Transport belt, chain conveyor, chain width: 190 mm, total dimensions: 1900 mm x 750 mm x 180 mm. 3 chains are missing.	75
114	Sealpac	Pallet with parts and s/s covers for Sealpac traysealer, dimensions: 1200 mm x 800 mm x 1200 mm.	50
115	NN machine parts	Pallet with various parts for traysealer, dimensions: 1200 mm x 800 mm x 1100 mm.	100
116	NN table	Mobile s/s table, 15 floors, (15x) dimensions: 580 mm x 405 mm, total dimensions: 2600 mm x 850 mm x 1040 mm. Including content.	200
117	NN frame	S/s frame, dimensions: 2800 mm x 1200 mm x 1400 mm.	100
118	NN transport belt	S/s mobile mesh belt, s/s mesh belt, belt width: 600 mm, total dimensions: 2260 mm x 850 mm x 1030 mm.	450
119	Kersting	Kersting transport belt, type: Drahtgurtband, number: 23248, year of construction: 2011, 400 V, 50 Hz, plastic mesh belt, belt width: 760 mm, total dimensions: 1800 mm x 1250 mm x 1530 mm.	450



Nr	Title	Description	Start €
120	NN flattener	Mobile flattener, plastic belts, belt width: 600 mm, s/s mesh belt, belt width: 600 mm, total dimensions: 2600 mm x 950 mm x 1350 mm.	1250
121	Jansen Techniek	Jansen Techniek double transport belt, type: S1100 F6 PP, number: 20115047, year of construction: 2012, plastic mesh belt, belt width: (1x) 265 mm, total dimensions: 1250 mm x 1100 mm x 950 mm. Without 1 belt.	250
122	Lachnit	Lachnit s/s frame for film rolls, serial number: 4296, year of construction: 2015, maximum capacity: 1000 kg, total dimensions: 950 mm x 800 mm x 1780 mm.	150
123	Lachnit	Lachnit s/s frame for film rolls, type: 1076, serial number: 4373, year of construction: 2016, maximum capacity: 500 kg, total dimensions: 1200 mm x 800 mm x 1150 mm.	100
124	Schomaker	Schomaker mobile transport belt, type: STG 1200, number: 200-11, plastic belt, belt width: 300 mm, total dimensions: 6300 mm x 700 mm x 1050 mm.	750
125	NN tub	S/s mobile tub, inside dimensions: 1900 mm x 730 mm x 890 mm, total dimensions: 2050 mm x 820 mm x 1180 mm.	200
126	NN transport belt	S/s mobile mesh belt, s/s mesh belt, belt width: 710 mm, total dimensions: 1220 mm x 900 mm x 1100 mm.	450
127	Wittkamp	Wittkamp s/s mobile elevating belt, type: FB 400/2000, serial number: 0005.14a, year of construction: 09/2014, 400 V, 16 A, plastic belt, belt width: 400 mm, elevating height: 800 mm, total dimensions: 2250 mm x 900 mm x 1400 mm.	300
128	Marel	3x Marel switch cabinets, model: (3x) JR0740, type: 7797861, 7797863, 7797869, year of construction: 2023, dimensions: (3x) 480 mm x 350 mm x 880 mm.	150
129	Marel	2x Marel switch cabinets, model: (2x) JR0740, type: 7797862, 7797875, year of construction: 2023, dimensions: (2x) 480 mm x 450 mm x 1100 mm.	100
130	Dorit	Dorit injector, type: PSM 27, serial number: 9582-327, 380 V, 3 Ph, 50 Hz, 5.9 A, 2.25 kW, 60 needles, plastic belt, belt width: 380 mm, clearance: 400 mm x 200 mm, total dimensions: 1630 mm x 750 mm x 2000 mm.	1000
131	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 800 mm x 570 mm x 900 mm.	100
132	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523960, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 607 mm, total dimensions: 1050 mm x 1000 mm x 1420 mm.	1500
133	Marel	Marel 2 lanes transport belt, model: JR0710, type: 7799013, serial number: 10523994, year of construction: 2023, plastic mesh belt, belt width: 400 mm and 300 mm, total dimensions: 3670 mm x 1000 mm x 950 mm.	1500
134	Safeline	Safeline metal detector, plastic belt, belt width: 400 mm, clearance: 450 mm x 290 mm, total dimensions: 2100 mm x 1070 mm x 1480 mm.	1500



Nr	Title	Description	Start €
135	Mettler Toledo/ Ishida	Mettler Toledo metal detector with Ishida checkweigher and rejector, model: DACS-W-030-SB-WP-I, serial number: 552916, year of construction: 05/2003, plastic belt, belt width: 300 mm, clearance: 375 mm x 85 mm, total dimensions: 2100 mm x 1070 mm x 1480 mm.	1000
136	Lock Inspection Systems / Ishida	Lock Inspection Systems metal detector with Ishida checkweigher and 2 rejectors, model: DACS-W-012-SB/WP-I-N(CTS), serial number: 556343, year of construction: 09/2006, 220 V, 1 Ph, 50 Hz, 2 A, plastic belt, belt width: (2x) 220 mm, with Ishida checkweigher, serial number: 29583.1, year of construction: 09/2006, 230 V, 50 Hz, 0.25 A, weighing range: 1200 gram, plastic belt, belt width: 220 mm, clearance: 260 mm x 120 mm, total dimensions: 1750 mm x 1070 mm x 1520 mm.	1000
137	Mono	Mono rotary oven with 2 trolleys, inside dimensions: 950 mm x 950 mm x 1950 mm, total dimensions: 1500 mm x 1350 mm x 2600 mm. 2 s/s trolleys, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (2x) 770 mm x 530 mm x 1830 mm.	1000
138	Winston Industries	Winston Industries oven, model: HA8503WE, serial number: 20120222-070, year of construction: 02/12, 120 V, 1 Ph, 60 Hz, 11.2 A, 8 trays, tray dimensions: (8x) 540 mm x 170 mm x 70 mm, total dimensions: 650 mm x 500 mm x 910 mm.	500
139	NN forming machine	Mobile forming machine, type: PAT, serial number: PAT-0302, 230 V, 1 Ph, dye: Ø 98 mm, dimension: 1000 mm, 450 mm x 1320 mm. Including crate with parts.	150
140	Koppens	Koppens mobile breading machine, number: EPR 200-44, 380 V, 3 Ph, 50 Hz, 3.7 A, 0.61 kW, weight: 135 kg, maximum belt width: 200 mm, clearance: 210 mm x 60 mm, total dimensions: 1550 mm x 500 mm x 1520 mm.	350
141	NN elevating belt	S/s elevating belt, plastic belt, belt width: 177 mm, total dimensions: 1300 mm x 370 mm x 1050 mm.	75
142	NN elevating belt	S/s elevating belt, plastic belt, belt width: 175 mm, total dimensions: 1320 mm x 400 mm x 1000 mm.	75
143	Videojet	Videojet mobile inkjet printer, model: 1660, serial number: 1529473C47ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 3 A, 120 W, dimensions: 800 mm x 800 mm x 1650 mm.	250
144	Marel	Marel 2 lanes transport belt, model: JR0710, type: 7800297, 7799829, serial number: 10523996, 10523993, year of construction: 2023, plastic mesh belt, belt width: 400 mm, total dimensions: 3480 mm x 1100 mm x 950 mm.	1500
145	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523961, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 505 mm, total dimensions: 1250 mm x 900 mm x 1250 mm.	1500



Nr	Title	Description	Start €
146	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523963, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 405 mm, total dimensions: 1050 mm x 800 mm x 1230 mm.	1500
147	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523962, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 405 mm, total dimensions: 1050 mm x 800 mm x 1250 mm.	1500
148	Marel	Marel transport belt, number: 1100037992, year of construction: 21-08-2015, plastic belt, belt width: 300 mm, total dimensions: 1150 mm x 450 mm x 870 mm.	750
149	Marel	Marel transport belt, number: 1100037841, year of construction: 21-08-2015, plastic belt, belt width: 300 mm, total dimensions: 1700 mm x 450 mm x 870 mm.	750
150	Marel	Marel elevating belt, model: JR0710, type: 7799514, serial number: 10523991, year of construction: 2023, plastic belt, belt width: 610 mm, total dimensions: 1170 mm x 800 mm x 1230 mm.	1250
151	Marel	Marel transport belt, model: JR0710, type: 7799222, serial number: 10523966, year of construction: 2023, plastic belt, belt width: 505 mm, total dimensions: 1100 mm x 850 mm x 1400 mm.	1250
152	Marel	Marel inline weigher, model: M2400-IWU-2LC, serial number: 10523959, year of construction: 2023, max: 40 Kg, min: 0.4 Kg, e=d=0.02 Kg, plastic belt, belt width: 505 mm, total dimensions: 1050 mm x 900 mm x 1650 mm.	1500
153	Marel	Marel transport belt, model: JR0710, type: 7796640, serial number: 10523995, year of construction: 2023, plastic belt, belt width: 455 mm, total dimensions: 940 mm x 750 mm x 950 mm.	750
154	Marel	Marel transport belt, model: JR0710, type: 7797666, serial number: 10523997, year of construction: 2023, plastic belt, belt width: 405 mm, total dimensions: 950 mm x 600 mm x 960 mm.	750
155	Marel	Marel transport belt, model: JR0710, type: 7800571, serial number: 10523992, year of construction: 2023, plastic belt, belt width: 305 mm, total dimensions: 1100 mm x 550 mm x 930 mm.	750
156	Marel	Marel transport belt, model: JR0710, type: 7798323, serial number: 10523998, year of construction: 2023, plastic belt, belt width: 405 mm, total dimensions: 850 mm x 600 mm x 970 mm.	750
157	Handtmann	Handtmann mobile collating system for sausages, type: 310-01, number: 153, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 9 A, 4 kW, dimensions: 2150 mm x 900 mm x 1460 mm. Damaged.	2500



Nr	Title	Description	Start €
158	AEW Delford	AEW Delford mobile checkweigher, type: G2200-01, serial number: N3, year of construction: 2003, 415 V, 3 Ph, 50 Hz, 3 A, plastic belts, belt width: 360 mm, dimensions: 1550 mm x 900 mm x 1500 mm.	450
159	NN roller conveyor	Roller conveyor with plastic rollers, roller width: 785 mm, total dimensions: 800 mm x 450 mm x 1270 mm.	50
160	NN table	S/s table, dimensions: 1200 mm x 700 mm x 850 mm.	75
161	Tap Machinebouw bv	Tap Machinebouw B.V. mobile diaphragm, serial number: 1-2-3-6DF25/50/70, 3 x 400 V, 50 Hz, 0,37 Kw, clearance: Ø 58, total dimensions: 1350 mm x 785 mm x 1240 mm. Including 3 crates with parts.	200
162	Spako	Spako cooking vessel, inside dimensions: 1580 mm x 710 mm x 440 mm, total dimensions: 1825 mm, 1320 mm x 960 mm.	400
163	Seffelaar En Looyen BVBA	Seffelaar En Looyen BVBA mobile flattener, plastic belts, belt width: 250 mm, dimensions: 1400 mm x 750 mm x 1300 mm.	750
164	Sealpac	Sealpac 3 sets of grippers for traysealer, gripper length: (2x) 1500 mm, (1x) 2000 mm.	45
165	Sealpac	Pallet with s/s covers for Sealpac traysealer, dimensions: 1200 mm x 800 mm x 1200 mm.	50
166	Ishida	Ishida traysealer, model: QX775, serial number: 580445, year of construction: 08/2006, 415 V, 3 Ph, 50 Hz, 16 A, 850 kg, s/s chain conveyor with dividers, distance between dividers: 300 mm, dimensions dye: (4x) 180 mm x 280 mm, total dimensions: 4750 mm x 800 mm x 1820 mm.	3000
167	Lachnit	Lachnit driven roller conveyor, type: 2552, serial number: 3055, year of construction: 2013, 400/230 V, 50 Hz, 0.25 kW, weight: 180 kg, plastic rollers, roller width: 380 mm, total dimensions: 2030 mm x 800 mm x 530 mm.	250
168	NN transport belt	S/s mobile mesh belt, belt width: 690 mm, total dimensions: 2250 mm x 1000 mm x 1150 mm.	450
169	NN transport belt	S/s mobile mesh belt, belt width: 630 mm, total dimensions: 2100 mm x 1100 mm x 1150 mm.	550
170	CFS	CFS mobile transport belt, type: TCP 600, machine number: 375, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 1.42 A, 0.74 kW, weight: 325 kg, plastic belt, belt width: 800 mm, total dimensions: 5250 mm x 1000 mm x 1230 mm.	800
171	NN infeed funnel	S/s infeed funnel on s/s trolley, inside dimensions: Ø 300 mm x 300 mm, total dimension: 900 mm x 850 mm x 1430 mm.	75
172	NN table	S/s table with plastic work top, dimensions: 1000 mm x 500 mm x 800 mm.	75
173	NN cabinet	Mobile wooden cabinet, dimensions: 1000 mm x 650 mm x 2100 mm.	40
174	NN parts	Pallet with various parts, dimensions: 1200 mm x 980 mm x 1120 mm.	250



Nr	Title	Description	Start €
175	Lensink	Lensink fish slicing line, plastic belt, belt width: 250 mm, dimensions: 4300 mm x 1000 mm x 1600 mm.	750
176	Marvu	Marvu transport belt, type: 372, serial number: 10040860 / P100, year of construction: 10/2017, 230/400 V, 50 Hz, 1.98/1.14 A, 0.37 kW, plastic mesh belt, belt width: 450 mm, total dimensions: 8400 mm x 800 mm x 1030 mm.	600
177	Ishida	Ishida traysealer, model: QX775 FLEX, serial number: 560010289, year of construction: 2016, 380-415 V, 3 Ph, 50-60 Hz, 22 A, 9.5 kW, weight: 2000 kg, plastic belt, belt width: 200 mm, total dimensions: 3400 mm x 1400 mm x 2100 mm. Including s/s trolley for dyes, dimensions trolley: 1100 mm x 1050 mm x 1600 mm, including 2 s/s frames with dye's, dimensions dye's: (5x) 183 mm x 132 mm, (6x) 105 mm x 115 mm, dimensions frames: (2x) 1000 mm x 800 mm x 850 mm and 2 gripper arms.	4500
178	NN dyes	2 pallets with dyes, 4 dyes, dimensions: (2x) 145 mm x 145 mm, (2x) 200 mm x 150 mm, 290 mm x 225 mm, (2x) 185 mm x 145 mm.	150
179	Ishida	8 pallets with dyes for Ishida traysealer, dimensions: (4x) 210 mm x 160 mm, (4x) 245 mm x 155 mm, (4x) 205 mm x 165 mm, (4x) 200 mm x 160 mm, (5x) 170 mm x 120 mm, (4x) 165 mm x 165 mm, (4x) 245 mm x 160 mm, (3x) Ø 180 mm, (3x) 280 mm x 190 mm, (3x) 230 mm x 150 mm. Including pallet with grippers.	700
180	Rühle	Rühle mobile injector type: PR20, serial number: 2257, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 16 A, 1,5 kW, 20 needles, s/s belt, belt width: 290 mm, clearance: 300 mm x 110 mm, dimensions: 1350 mm x 550 mm 1800 mm.	800
181	Rühle	Rühle mobile injector, type: PR 15/9, serial number: 253, 15 needles, s/s belt, belt width 260, clearance: 270 mm x 60 mm, dimensions: 1200 mm x 450 mm x 1450 mm.	650
182	Leventi	Leventi combi steamer, model: CM 1.20 mm BDI ME, serial number: 16 05 67 127, 400 V, 50-60 Hz, 36 kW, total dimensions: 910 mm x 950 mm x 2110 mm. Including 2 trolley's, 20 floors, floor dimensions: (20x) 620 mm x 410 mm, dimensions: (2x) 750 mm x 480 mm x 1775 mm.	650
183	Leventi	Leventi combi steamer, model: CM 1.20 mm BDI ME, serial number: 16 05 67 127, 400 V, 50-60 Hz, 36 kW, dimensions: 910 mm x 950 mm x 2110 mm. Including 2 s/s trolley's, 20 floors, floor dimensions: (20x) 620 mm x 410 mm, total dimensions: (2x) 750 mm x 480 mm x 1775 mm.	650
184	Hobart	Hobart dishwasher, type: UXS-10N, serial number: 86642323, year of construction 2012, 400 V, 3 Ph, 50 Hz, 24,8 A, 15,6 kW, dimensions: 950 mm x 790 mm x 1980 mm.	500
185	NN cabinet	Mobile wooden cabinet with plastic top, dimensions: 2200 mm x 950 mm x 1000 mm.	75
186	NN cabinet	Mobile wooden cabinet, dimensions: 1200 mm x 650 mm x 2100 mm.	40



Nr	Title	Description	Start €
187	Blokvlak	Blokvlak wooden chopping block, dimensions: 1020 mm x 605 mm x 940 mm.	150
188	Röscherwerke	Röscherwerke mobile tumbler, type: TUE-300, serial number: 7270082, year of construction: 01/00, volume: 300 liter, dimensions: 1450 mm x 1200 mm x 1450 mm.	1000
189	NN tenderizer	Mobile tenderizer, working width: 200 mm, total dimensions: 920 mm x 530 mm x 1600 mm.	850
190	Edelstahl Maschinenbau Engler	Edelstahl Maschinenbau Engler mobile pocket filling machine, type: Pocketfillerdos10 LH(2,2), number: 991431, year of construction: 99/10, dye: 78 mm, dimensions 2750 mm x 1750 mm x 2950 mm.	2500
191	Ishida	Ishida traysealer, model: QX775, s/s chain conveyor with dividers, distance between dividers: 300 mm, dimensions dye: (4x) 180 mm x 280 mm, total dimensions: 4750 mm x 800 mm x 1820 mm.	2500
192	Ishida	Ishida traysealer, model: QX775, serial number: 580095, year of construction: 03/2004, 415 V, 3 Ph, 50 Hz, 16 A, 815 kg, s/s chain conveyor with dividers, distance between dividers: 300 mm, dimensions dye: (4x) 180 mm x 280 mm, total dimensions: 4750 mm x 800 mm x 1820 mm.	2500
193	Ishida	Ishida traysealer, model: QX775, serial number: 557811, year of construction: 10/2007, 415 V, 3 Ph, 50 Hz, 16 A, 830 kg, dimensions dye: (4x) 265 mm x 165 mm, total dimensions: 4750 mm x 800 mm x 1820 mm. Missing infeed belt.	3000
194	Ishida	Ishida s/s rack for dye's, 4 dyes, dimensions: (5x) 165 mm x 120, (4x) 200 mm x 150 mm, (4x) 200 mm x 150 mm, (3x) Ø 185 mm, total dimensions: 3650 mm x 595 mm x 1350 mm.	500
195	Ishida	Ishida trolley for dyes, dimensions: 1250 mm x 750 mm x 1200 mm.	200
196	NN frying belt	Frying belt, s/s mesh belt, electrically heated, belt width: 700 mm, clearance: 700 mm x 90 mm, total dimensions: 3900 mm x 1450 mm x 2150 mm.	5000
197	NN trolley	S/s trolley with 6 boxes, dimensions: 1000 mm x 750 mm x 1000 mm.	50
198	Ishida	Ishida traysealer, model: QX1100-RL-AMI-ST-WIDE, serial number: 561844, year of construction: 03/2012, 415 V, 3 Ph, 50 Hz, 25 A, weight: 2500 kg, dye: (6x) 247 mm x 174 mm, plastic belts, belt width: 210 mm, total dimensions: 4600 mm x 1400 mm x 1900 mm. Including frame for dye's, model: Maintenance station, serial number: 559329, year of construction: 01/2009, weight: 220 kg, dimensions: 1700 mm x 800 mm x 2050 mm. Including Ishida trolley for dye's, model: QX1100 Tooling trolley, serial number: 560010794, year of construction: 05/2016, weight: 125 kg, dimensions: 1360 mm x 950 mm x 1420 mm.	12700
199	Lensink	Lensink mobile fish slicing line, plastic belt, belt width: 250 mm, dimensions: 4300 mm x 1000 mm x 1600 mm.	750



Nr	Title	Description	Start €
200	Mohn & Co. GmbH	Mohn & Co. GmbH knife basket washing machine, type: Clean-King, number: 11-61504, year of construction: 2011, 400 V, 3 Ph, 50/60 Hz, 15.2 kW, plastic belt, belt width: 100 mm, clearance: 105 mm x 510 mm, total dimensions: 3500 mm x 600 mm x 1650 mm.	750
201	Kortlever	Kortlever mobile waterwheel, 5 heads, dimensions: 1700 mm x 1250 mm x 1700 mm. Incomplete. Including s/s trolley with parts, dimensions: 1300 mm x 750 mm x 1400 mm.	1750
202	Mecapack	Mecapack traysealer, type: O ² 7000, serial number: O07923, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 20 kW, weight: 3000 kg, film width: 355 mm, dye: (5x) 148 mm x 233 mm, total dimensions: 5800 mm x 900 mm x 2400 mm. Including tool trolley, dimensions: 1350 mm x 1200 mm x 1400 mm.	4750
203	NN trolleys	4 s/s trolleys for rotary oven, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (4x) 770 mm x 530 mm x 1830 mm.	300
204	NN trolleys	6 s/s trolleys for rotary oven, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (6x) 770 mm x 530 mm x 1830 mm.	450
205	NN trolleys	6 s/s trolleys for rotary oven, 32 floors, floor dimensions: 760 mm x 460 mm, total dimensions: (6x) 770 mm x 530 mm x 1830 mm.	450
206	Wright Pugson	Wright Pugson mobile cheese slicer, model: C23 MARK IV, number: J8349, 415 V, 3 Ph, working width: 400 mm, plastic rollers, roller width: 280 mm, total dimensions: 2750 mm x 1050 mm x 2130 mm.	750
207	Schur Star System GmbH	12 boxes with Schur Star System GmbH plastic bags for Schur Packaging Systems a/s bag sealing machine, dimensions each bag: 350 mm x 350 mm, 7000 bags each box.	200
208	Sealpac	Sealpac 3 sets of grippers for traysealer, gripper length: (3x) 1500 mm.	45
209	Sealpac	Pallet with Sealpac dye, dye: (5x) 174 mm x 128 mm, total dimensions: 1200 mm x 800 mm x 850 mm.	100
210	Sealpac	Pallet with Sealpac dye, dye: (5x) 175 mm x 128 mm, total dimensions: 1200 mm x 800 mm x 450 mm.	100
211	Sealpac	Pallet with Sealpac dye, dye: (4x) 210 mm x 158 mm, total dimensions: 1200 mm x 800 mm x 850 mm.	100
212	Sealpac	Sealpac denester, dye: 230 mm x 180 mm, chain conveyor, chain width: 110 mm, total dimensions: 2100 mm x 600 mm x 1750 mm. Including pallet with 3 dye's and chain, dye: (5x) 190 mm x 140 mm, (5x) 187 mm x 137 mm, (5x) 183 mm x 143 mm, total dimensions: 1200 mm x 1000 mm x 500 mm.	750
213	Sealpac	Sealpac s/s frame for transport belt, 4 chains, chain width: 155 mm, total dimensions: 4200 mm x 660 mm x 1050 mm.	500
214	NN table	S/s table, dimensions: 1400 mm x 700 mm x 880 mm.	100



Nr	Title	Description	Start €
215	NN trolley	S/s trolley with 6 boxes, dimensions: 1000 mm x 750 mm x 1000 mm.	50
216	NN workwear	6 pallets with workwear, trousers & jackets, dimensions: (6x) 1200 mm x 800 mm x 1000 mm.	1000
218	NN mixer	Mixing arm on s/s mobile frame, length mixing arm: 1250 mm, total dimensions: 1000 mm x 1000 mm x 1750 mm.	250
220	Busch	Busch vacuum pump, type: WP-100C A211, dimensions: 950 mm x 400 mm x 400 mm.	150
221	NN floor weighing scale	S/s floor weighing scale, model: 760286, number: 1288, dimensions: 1160 mm x 1000 mm x 180 mm. Without indicator.	150
222	NN elevating belt	Elevating belt, plastic mesh belt, belt width: 285 mm, total dimensions: 2900 mm x 750 mm x 1200 mm.	250
223	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH product scanner, type: SCA, number: 332, year of construction: 09/2010, plastic belt, belt width: (2x) 400 mm, total dimensions: 1500 mm x 1050 mm x 2050 mm. Technical condition unknown.	750
224	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH slicer, type: CCS 602, number: 1030, year of construction: 09/2007, weight: 1680 Kg, 400 V, 50 Hz, 10 kW, plastic belt, belt width: 400 mm, plastic string belt: 400 mm, total dimension: 3100 mm x 1350 mm x 2220 mm. Technical condition unknown. Missing knife. Including parts and trolley, dimensions trolley: 1600 mm x 470 mm x 200 mm.	2500
225	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH checkweigher, type: CCW, number: CCW 904-7393, year of construction: 07/2012, weight: 90 Kg, plastic wire belt, belt width: (2x) 230 mm, total dimensions: 740 mm x 460 mm x 1180 mm. Technical condition unknown.	500
226	Weber	Weber loading conveyor, type: CZB, number: CZB 404-448-A, year of construction: 07/2013, weight: 200 Kg, plastic belt, belt width: 450 mm, total dimensions: 1000 mm x 800 mm x 1400 mm. Technical condition unknown.	500
227	Weber	Weber loading conveyor, type: CWB, number: 6708, year of construction: 2004, plastic belt, belt width: 450 mm, total dimensions: 1270 mm x 830 mm x 1260 mm. Missing cover. Technical condition unknown.	500
228	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH product scanner, type: CPS, number: 6708, year of construction: 2004, plastic belt, belt width: 420 mm, total dimensions: 2400 mm x 1100 mm x 1900 mm. Technical condition unknown.	750
229	Weber	Weber rocker, type: CCR, serial number: 61030, year of construction: 09-2007, belt width: 380 mm, total dimensions: 930 mm x 480 mm x 1100 mm. Missing belt. Technical condition unknown.	500



Nr	Title	Description	Start €
230	Weber	Weber rocker, type: CTR, number: 604-171, year of construction: 04/2009, weight: 170 Kg, plastic wire belt, belt width: (2x) 230 mm, total dimensions: 900 mm x 430 mm x 980 mm. Missing wires. Technical condition unknown.	500
231	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH checkweigher, type: CCW, number: CCW 904-7376, year of construction: 05/2012, weight: 90 Kg, plastic wire belt, belt width: (2x) 230 mm, total dimensions: 750 mm x 450 mm x 1150 mm. Missing wires. Technical condition unknown.	500
232	NN extruder line	Complete extruder linde for the pet food industry, consisting of: Milling and mixing station, s/s buffer silo with 2 outfeed screws, s/s bypass buffer tank with outfeed screws to extruder, Almex B.V. extruder, type: AL150/75AC, Wolf GmbH air filter unit, type: KG Top 64, various STE-Fördertechnik UG elevating belts, Riela single belt dryer, type: RBT 1/10/10, various tools and parts.	75000
233	NN tank	S/s tank, tank dimensions: Ø 1500 mm x 2000 mm, total dimensions: Ø 1500 mm x 4800 mm.	1000
234	Kortlever	Kortlever spraying belt, serial number: 2920, plastic belts, belt width: 1000 mm, 950 mm, (5x) 190 mm, (5x) 180 mm, (5x) 90 mm, total dimensions: 9500 mm x 1700 mm x 2100 mm. Without spraying system.	1500
235	Cryovac	Cryovac rotary vacuum machine, model: 8620, seal length: 430 mm, total dimensions 3600 mm x 2300 mm x 1830 mm. Including transport belt, plastic mesh belt, belt width: 350 mm, total dimensions: 1430 mm x 850 mm x 1000 mm, pallet with parts and suction device, dimensions: 1200 mm x 800 mm x 1150 mm, dimensions part: 600 mm x 600 mm x 1000 mm, Cryovac trolley, model: X143, serial number: 02-06370002, year of construction: 2002, dimensions: 1000 mm x 750 mm x 1500 mm.	5000
236	Formax	Formax slicer, model: PowerMax 3500, serial number: PX3.5-16112, 400 V, 3 Ph, 50 Hz, 29.5 A, 18.5 kVA, plastic belt, belt width: (2x) 100 mm, plastic wire belt, belt width: 390 mm, total dimensions: 3900 mm x 1500 mm x 2250 mm. Including trolley with knife holder, dimensions: 770 mm x 600 mm x 1350 mm.	25000
237	Formax	Formax checkweigher, plastic wire belt, belt width: (2x) 210 mm, total dimensions: 1570 mm x 1150 mm x 1000 mm. Missing wires.	1500
238	Multitec	Multitec outfeed belt, year of construction: 2016, belt width: 620 mm, total dimensions: 6100 mm x 2000 mm x 2080 mm. Missing belt.	5000
239	NN trolley	Trolley for parts, dimensions: 1500 mm x 1000 mm x 1170 mm.	1000
240	Formax	Formax knife sharpener, model: HPX3, serial number: 16113, 24 VDC, dimensions: 1170 mm x 800 mm x 1170 mm.	1500



Nr	Title	Description	Start €
241	Kuka	Kuka packaging robot, consisting of: Kuka robot, number: 991134623, 1600 mm x 800 mm x 1800 mm, ABB Robotics robot, dimensions: 2200 mm x 1100 mm x 2550 mm, 2 pallets with switch cabinets, dimensions: 1200 mm x 800 mm x 2250 mm, 1200 mm x 800 mm x 1950 mm, Busch pump, model: Mink MM 1144 BV, dimensions: 1200 mm x 800 mm x 650 mm, infeed conveyor, clearance: 285 mm, plastic belt, belt width: (2x) 200 mm, dimensions: 2850 mm x 1200 mm x 2100 mm, infeed belt, plastic mesh belt, belt width: 530 mm, total dimensions: 1650 mm x 1170 mm x 650 mm, roller conveyor, plastic rollers, roller width: 490 mm, total dimensions: 4150 mm x 1100 mm x 1000 mm, transport belt, coat belt, belt width: 545 mm, total dimensions: 1200 mm x 1150 mm x 1000 mm, pallet with racks, dimensions: 2300 mm x 1800 mm x 600 mm. Technical condition unknown.	2500
242	Paktech	Paktech linear case erector, plastic belt, belt width: 400 mm, clearance: 225 mm, total dimensions: 3700 mm x 1650 mm x 2100 mm.	2500
243	Syspal	Syspal mobile lifter for 200 liter meat bins with protection cage, clearance lift: 600 mm x 500 mm, elevating height: 2300 mm, total dimensions: 1500 mm x 1250 mm x 3020 mm.	1500
244	Formax	Formax slicer line consisting of: Formax slicer, model number: SNS180, serial number: J7DR52, year of construction: 2005, 420 V, 50 Hz, 7.2 KVA, belt width: 360 mm, total dimensions slicer: 2900 mm x 1240 mm x 2640 mm, Formax outfeed conveyor, model number: TS 180, serial number: 108, belt width: 420 mm, total dimensions outfeed conveyor: 4750 mm x 780 mm x 1520 mm, trolley with various parts, tools and knife, dimensions trolley: 1200 mm x 800 mm x 1200 mm.	2000
245	Aja Ltd	Aja Ltd double 5-heads linear batch weigher, model number: BWS-1000, serial number: B1000EX1004, 200-250 VAC, 50-60 Hz, 2 KVA, minimum capacity: 20 gram, maximum capacity: 500 gram, dimensions: 1800 mm x 1080 mm x 1480 mm.	1000
246	Linak A/S	Linak A/S labeller with double top and double bottom labeller, type: LP25A0000200405, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250
247	Linak A/S	Linak A/S labeller with double top and double bottom labeller, type: LP25A0000200405, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250



Nr	Title	Description	Start €
248	Cryovac	Cryovac belt vacuum machine, model number: VS90, serial number: SN02426, year of construction: 2011, 3x400 V, 50 Hz, 20 A, 8.3 kW, 15 Nm ³ /h, 6 bar, belt width: 680 mm, total dimensions: 2800 mm x 1240 mm x 1970 mm. Without vacuum pump.	2500
249	PBI-Dansensor A/S	PBI-Dansensor A/S leak detector, type: LeakPointer, serial number: 71090383, year of construction: 2010, 207-253 VAC, 50/60 Hz, 1000 VA, dimensions chamber: 500 mm x 400 mm x 160 mm, total dimensions: 600 mm x 720 mm x 500 mm.	250
250	Multivac	Multivac labeller with double top and double bottom labeller, type: MR339, model: MR339 TQ2419BS6000RG, machine number: 30102/11, year of construction: 2011, 3x400 V, 4000 VA, belt width: (2x) 85 mm, total dimensions labeller: 2600 mm x 950 mm x 2100 mm, including s/s switch cabinet, dimensions: 1200 mm x 550 mm x 1680 mm.	1000
251	Herbert	Herbert labeller with double top and double bottom labeller, model: PZ-113-00777-2, serial number: 5055TBXR028, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250
252	Herbert	Herbert labeller with double top and double bottom labeller, model: PZ-113-00777-3, serial number: 5055TBXR 029, belt width: 285 mm, total dimensions: 2600 mm x 1200 mm x 2010 mm. Technical condition unknown.	250
253	Siebeck	Siebeck mobile s/s binding machine, type: FRT-A-SB-G, machine number: 07/05307273, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 1.9 kW, weight: 160 kg, clearance: Ø 290 mm, total dimensions: 800 mm x 700 mm x 1400 mm.	1000
254	Dimaco Ltd	Dimaco Ltd pack label VeriPack verification machine, model: 932-5149/A, serial number: 1304949, year of construction: 21-05-13, 240 V, 50 Hz, 6.0 A, belt width: 275 mm, total dimensions: 1200 mm x 780 mm x 1700 mm. Technical condition unknown.	100
255	Grasselli SPA	Grasselli SPA mobile skinning machine, model: MS600-P/GSS, serial number: Y16009/P209, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.3 A, 0.9 kW, working width: 600 mm, total dimensions: 1050 mm x 750 mm x 940 mm.	500
256	Risco SPA	Risco SPA vacuum filling machine, type: RS 1040, serial number: A194007, year of construction: 1994, 415 V, 9/16 A, 3.7 kW, dimensions: 700 mm x 800 mm x 1650 mm. Rotor is incomplete, scraper is missing.	2000
257	Escon Electronic A/S	Escon Electronic A/S primal cutting saw, model: SAWCIRC003, dimensions: 1400 mm x 800 mm x 1500 mm. Saw blade is missing.	500



Nr	Title	Description	Start €
258	Ceia	Ceia metal detector with rejector, model: T/21E, serial number: 21100205056, 230 Vac, 50-60 Hz, 1 KVA, belt width: 300 mm, clearance: 350 mm x 175 mm, total dimensions: 1500 mm x 850 mm x 1080 mm.	500
259	NN elevating belt	Elevating belt with infeed hopper, s/s frame, plastic belt, belt width: 455 mm, total dimensions: 1900 mm x 1200 mm x 1540 mm.	300
260	Fomaco A/S	Fomaco A/S meat press, model: FLL800-160, machine number: 10232-2005, year of construction: 2005, 3x400 V, 16 A, dimensions chamber: Ø 135 mm x 860 mm, total dimensions: 2600 mm x 850 mm x 1680 mm.	1500
261	Cryovac	Cryovac shrink tunnel, ST85 LHE, serial number: A51700619, year of construction: 2003, 380/415 V, 50 Hz, 79 A, 55 kW, belt width: 870 mm, clearance: 900 mm x 550 mm, total dimensions: 2000 mm x 1400 mm x 2200 mm.	1750
262	NN bandsaw	Bandsaw, dimensions saw table: 1050 mm x 850 mm, total dimensions: 1050 mm x 1000 mm x 1900 mm. Incomplete, technical condition unknown.	500
263	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH knife sharpener, type: SSG, number: 276, year of construction: 09/2007, 400 V, 50 Hz, 0.25 kW, weight: 300 kg, dimensions: 1100 mm x 570 mm x 1780 mm.	1000
264	Formax	Formax infeed SNS scanner, clearance: 240 mm x 115 mm, total dimensions: 2600 mm x 880 mm x 1920 mm.	500
265	AEW Delford Systems Ltd	AEW Delford Systems Ltd band saw, model: 350, serial number: 1392140, year of construction: 13-6-2007, 415 V, 3 Ph, 4 A, dimensions saw table: 800 mm x 700 mm, total dimensions: 800 mm x 750 mm x 1750 mm. Incomplete, technical condition unknown.	250
266	The A.E.W. Engineering	The A.E.W. Engineering band saw, type: MK8, machine: 350M, serial number: RH 100690, 415 V, 3 Ph, 3.5 A, dimensions saw table: 810 mm x 660 mm, total dimensions: 810 mm x 740 mm x 1700 mm. Saw blade is missing.	500
267	Multivac	Multivac thermoformer, model: R530, serial number: 3712, year of construction: 2004, 415 V, 3 Ph, 50 Hz, 46 A, 16.5 kW, film width: 620 mm, total dimensions: 8500 mm x 1100 mm x 2000 mm. Without vacuum pump.	6000
268	Casa Fiesta/ Server	Casa Fiesta cheese sauce dispenser, dimensions: 250 mm x 260 mm x 240 mm, Server dispenser for sauces, model: FSPWI-SS, series: 04K07L, 230 V, 50/60 Hz, 515 W, dimensions: 270 mm x 450 mm x 400 mm.	10
269	Burco	Burco coffee machine with various coffee pots, model: 78501, 230-240 V, 50 hz, 2050-2250 W.	10



Nr	Title	Description	Start €
271	Attec Food Technology	Attec Food Technology fully automatic pig cutting line consisting of: steel hanging line, dimensions: 6500 mm x 400 mm x 1700, Attec automatic primal cutting line, type: AGOL-850, order number: ON17163, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 45 kW, capacity: 800 pigs/hr, product: pork carcasses, left & right, s/s outfeed belt for waste pork legs, belt width: 290 mm, automatic measuring system for precise and individual cuts of individual pork carcass, plastic belt, belt width: 800 mm, 1300 mm, 500 mm, 300 mm, 100 mm and s/s protection fence, total dimensions: 9800 mm x 4200 mm x 2200 mm. Line is never used.	35000
272	Tetra Pak Laval Food Hoyer	Tetra Pak Laval Food Hoyer ice cream sandwich line, year of construction: 1998, carton conveyor, dimensions: 8700 mm x 1700 mm x 2300 mm, preparation line for sandwich cream, type: ARB.BORD IND, serial number: 348-5214, clearance: 155 mm, total dimensions: 7100 mm x 2200 mm x 2250 mm, switch cabinet, dimensions: 1200 mm x 800 mm x 2300 mm, Ciemme carton erector, model: FM 140 DK, number: 1529, year of construction: 2000, dimensions: 1900 mm x 1450 mm x 2200 mm, Bedo box closing machine, model: VA 6115, number: 6115.1.52307, dip and transfer unit, dimensions: 3550 mm x 2450 mm x 2250 mm, Tetra pak wrapper, type: Hoywrap MW 1200-6, serial number: Z415.3872, dimensions: 2750 mm x 2200 mm x 2050 mm, 2x Retech evaporator blocks for spiral freezer instalation, type: GLS 50-18-280, dimensions: (2x) 3500 mm x 2800 mm x 1650 mm, 8x switch cabinets, large amount of transport belts.	50000
273	Formax	Formax knife sharpener, model number: H-180, serial number: 122, 24 VDC, dimensions: 1020 mm x 810 mm x 1940 mm.	250
275	Mohn & Co. GmbH	2x Mohn & Co. GmbH sole cleaner, type: Combiclean-Control 1500 H, Sole Master, number: 13-62625/13, 13-62625/11, year of construction: 2013, 400 V, 3 Ph, 50/60 Hz, 1.7 kW, brush width: (2x) 110 mm, total dimension: (2x) 700 mm x 400 mm x 1130. Incomplete.	200
276	CFS	CFS injector, model: Projector450, number: 10.16.0048, 400 V, 50 Hz, 19 A, 6 Bar, s/s walking beam, clearance: 450 mm x 245 mm, total dimensions: 2300 mm x 1050 mm x 2100 mm. Including mobile filter tub, dimensions: 1450 mm x 550 mm x 810 mm, and crate with parts.	1500
277	CFS	CFS injector, type: PRJT450, number: 38, year of construction: 2003, 415 V, 3 Ph, 50 Hz, 18 A, 9 kW, weight: 1150 Kg, s/s walking beam, clearance: 450 mm x 245 mm, total dimensions: 2300 mm x 1050 mm x 2100 mm. Including mobile filter tub, dimensions: 1450 mm x 550 mm x 810 mm.	1500



Nr	Title	Description	Start €
278	Cryovac	Cryovac shrink tunnel, model number: ST98-800 STEAM, serial number: A56100301, year of construction: 2005, belt width: 870 mm, clearance: 800 mm x 300 mm, total dimensions: 1500 mm x 1200 mm x 1900 mm. Including outfeed roller conveyor, s/s rollers, roller width: 800 mm, total dimensions roller conveyor: 2000 mm x 850 mm x 940 mm.	5000
279	Cryovac	Cryovac belt vacuum machine, model number: VS95TS, serial number: A03801415, year of construction: 2005, 3x400 V, 50 Hz, 32 A, 13.5 kW, 15 Nm ³ /h, plastic belt, belt width: 725 mm, seal length: (2x) 1550 mm, dimensions chamber: 1600 mm x 750 mm, with Busch booster vacuum pump, type: WP 1250 D 2V1 ZZXX, number: C0511000080, year of construction: 2005, total dimensions vacuum machine: 4200 mm x 1300 mm x 1950 mm. Including suction device for rest film, dimensions: 900 mm x 800 mm x 1400 mm and 7 seal bars.	7500
280	Inox Meccanica s.r.l.	Inox Meccanica s.r.l. meat press, model: P800 L XP, serial number: 2125, year of construction: 2010, 100/240 V, 50 Hz, 0.25 kW, 7 bar, dimensions: 1800 mm x 1000 mm x 1600 mm. Incomplete, technical condition unknown.	100
281	Consol Converging Solutions	Consol Converging Solutions lane dividing belt, model: INT3, serial number: CS 6696, year of construction: 2019, 230 V, 16 A, plastic mesh belt, belt width: 680 mm, plastic belt, belt width: (2x) 135 mm, total dimensions: 2650 mm x 860 mm x 1150 mm.	750
282	Bobet Material	Bobet Material boots washer, type: CC 2000, serial number: 1182, year of construction: 2003, brush length: (4x) 370 mm and (4x) 480 mm, total dimensions: 2200 mm x 1000 mm x 1200 mm.	750
283	Cryovac	Cryovac dip tank, model number: ST12 ELH, serial number: A51500108, year of construction: 1997, 380/415 V, 50 Hz, 51 A, 6 bar, belt width s/s mesh belt: 600 mm, clearance: 650 mm x 230 mm, total dimensions: 1300 mm x 1250 mm x 1600 mm.	1500
284	Protech	Protech mobile meat shredder, dimensions: 900 mm x 900 mm x 2000 mm.	500
285	Protech	Protech mobile meat shredder, dimensions: 900 mm x 900 mm x 2000 mm.	500
286	Fomaco A/S	Fomaco A/S injector, model: FGM 44/88, machine number: 8060 2000, year of construction: 2000, 3x415 V, 50 Hz, 9.0/25.0 A, s/s mesh belt, belt width: 550 mm, clearance: 560 mm x 200 mm, total dimensions injector: 2700 mm x 980 mm x 2280 mm, including Fomaco A/S mobile filter tub, dimensions: 1700 mm x 600 mm x 630 mm. Filter tub is incomplete.	2500



Nr	Title	Description	Start €
287	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: Derby 100S-CE, machine number: 274010.69891.100685, year of construction: 2005, 415/230 V, 3 Ph, 50/60 Hz, 4.2/10 A, weight: 281 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 1300 mm x 820 mm x 1080 mm.	1500
288	AEW Thurne Ltd	AEW Thurne Ltd mobile bandsaw, model: 350 bandsaw, serial number: 1392066, year of construction: 2004, 415 V, 3 Ph, 50 Hz, weight: 142 kg, dimensions saw table: 740 mm x 660 mm, total dimensions: 760 mm x 720 mm x 1750 mm. Missing saw blade.	750
289	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 270 mm, total dimensions: 1100 mm x 600 mm x 1060 mm.	150
290	HPSL	HPSL checkweigher, model: ORION, serial number: HS108861, 230 V, 1 Ph, 50 Hz, 2.5 A, max: 15 kg, min: 0.1 kg, e=d=0.005 kg, plastic belts, belt width: (2x) 165 mm, total dimensions: 1000 mm x 920 mm x 2180 mm.	250
291	HPSL	HPSL labeller, plastic belt, belt width: 345 mm, total dimensions: 840 mm x 800 mm x 2180 mm.	250
292	Proseal UK LTD	Proseal UK LTD mobile rotating traysealer, serial number: 1058, 240 V, 50 Hz, 5 bar, film width: 205 mm, dye: (2x) 105 mm x 160 mm, total dimensions: 1150 mm x 1000 mm x 1680 mm. Including s/s rack with large amount of extra forms, dye: (2x) 140 mm x 165 mm, (2x) 120 mm x 160 mm, (2x) 170 mm x 215 mm, 175 mm x 215 mm, (2x) 115 mm x 115 mm, (2x) 165 mm x 215 mm, (2x) Ø 135 mm, total dimensions rack: 1000 mm x 900 mm x 1600 mm.	2000
293	AEW Thurne Ltd	AEW Thurne Ltd mobile bandsaw, model: 350 bandsaw, serial number: 1182132, year of construction: 31-07-2007, 415 V, 3 Ph, 50 Hz, 4 A, weight: 142 kg, dimensions saw table: 740 mm x 660 mm, total dimensions: 760 mm x 720 mm x 1750 mm. Missing saw blade.	750
294	Fomaco A/S	Fomaco A/S injector, model: FGM 64F SW, machine number: 7897 1999, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 18/32 A, 6 bar, s/s walking beam width: 540 mm, clearance: 540 mm x 150 mm, total dimensions injector: 1680 mm x 850 mm x 2220 mm. Including Fomaco A/S mobile filter tub, dimensions: 1800 mm x 620 mm x 920 mm. Filter tub is incomplete.	2500
295	NN grinder parts	2 plastic crates with grinder plates and knives, plate diameter: Ø 230 mm and Ø 130 mm, total dimensions: (2x) 400 mm x 600 mm x 250 mm.	25
296	Cove Equipment	Cove Equipment meat shredder, type: SH-1, number: 160157, year of construction: 08-15, 230 V, 1 Ph, 50 Hz, 3.7 A, 0.55 kW, weight: 60 kg, dimensions: 550 mm x 400 mm x 1050 mm.	250
297	Airmaster	Airmaster convector heater, model: HC2D, year of construction: 08-10-2017, 220-240 VAC, 50 Hz, 2 kW, dimensions: 650 mm x 150 mm x 430 mm.	5



Nr	Title	Description	Start €
298	UV Safe Ltd	UV Safe Ltd sterilizer, model: T40, year of construction: 2020, 230 V, 50/60 Hz, 30 W, dimensions: 700 mm x 570 mm x 1070 mm.	150
299	Winyard Engineering LTD	Winyard Engineering LTD mobile 1-head depositor, machine type: Mini-Fill Depositor MKII, serial number: MNS 1802164, dimensions: 1200 mm x 500 mm x 1380 mm.	250
300	CFS	CFS vertical form, fill and seal machine, type: SmartPacker CX250, machine number: 8613, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 8 A, 5.5 kW, weight: 950 kg, vertical seal length: 220 mm, horizontal seal length: 270 mm, total dimensions: 2600 mm x 1500 mm x 1890 mm. Incomplete, technical condition unknown.	1500
301	Bobet Material	Bobet Material boots washer, type: C.C220, serial number: 1163, year of construction: 2002, brush length: (4x) 370 mm and (4x) 480 mm, total dimensions: 2200 mm x 1000 mm x 1200 mm.	750
302	Consol Converging Solutions	Consol Converging Solutions lane dividing belt, model: INT3 H/S, serial number: CS 6480, year of construction: 2018, 230 V, 16 A, plastic mesh belt, belt width: 680 mm, plastic belt, belt width: (4x) 115 mm / 80 mm, total dimensions: 2460 mm x 860 mm x 1230 mm.	750
303	Nieros	Nieros boots cleaner, type: DR/400V300, serial number: N3F47-07, year of construction: 11/2015, 400 V, 3 Ph, 50 Hz, 1 kW, dimensions: 1600 mm x 1500 mm x 1250 mm.	1000
304	Grasselli SPA	Grasselli SPA mobile skinning machine, model: RST520-P/CL0, serial number: Z02003/P1168, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 1.93 A, 0.75 kW, working width: 500 mm, total dimensions: 750 mm x 600 mm x 950 mm. Knife covers are missing.	400
305	Cryovac	Cryovac belt vacuum machine, model number: VS95TS, serial number: SN02607, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 32 A, 15 Nm ³ /h, plastic belt, belt width: 725 mm, seal length: (2x) 1550 mm, dimensions chamber: 1600 mm x 750 mm, Busch vacuum pump, type: WP 1250 D 2F1 ZZZ, total dimensions: 2360 mm x 1350 mm x 1910 mm. Including various parts.	1750
306	Multivac	Multivac/Bizerba checkweigher with metal detector with rejector, type checkweigher: Bizerba I211, machine number: 11566261, year of construction: 2018, 240V, 50 Hz, 3.0 A, max: 1500/3000 gram, min: 50 gram, e=d=0.5/1 gram, type metal detector: GLS 350/150, serial number: 10028979, 100-240 VAC, 50/60 Hz, 0.50-0.25 A, belt width: 300 mm, clearance: 350 mm x 150 mm, total dimensions: 2300 mm x 1100 mm x 1880 mm.	5000



Nr	Title	Description	Start €
307	MR Multivac Group	MR Multivac Group X-ray scanner with rejector, model: MR811, serial number: 79263, year of construction: 04-2020, 240 V, 1 Ph, 50/60 Hz, 10.5 A, belt width: 270 mm, clearance: 320 mm x 140 mm, total dimensions: 1280 mm x 1200 mm x 1900 mm.	2500
308	Proseal UK LTD	Proseal UK LTD mobile traysealer, serial number: 1974, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 6 bar, plastic belt, belt width: (4x) 25 mm, total dimensions: 4600 mm x 1100 mm x 2050 mm. Incomplete.	1000
309	Converging Solutions	Converging Solutions converging conveyor, model: Integrator, serial number: 5173, year of construction: 10/2004, 240 V, 1 Ph, 50 Hz, 16 A, belt width: 625 mm and (4x) 110 mm, total dimensions: 1620 mm x 820 mm x 1120 mm.	300
310	Thermo Fisher Scientific	Thermo Fisher Scientific checkweigher with rejecter belt, model: VW27, serial number: 8553, year of construction: 2010, 230 V, 50 Hz, plastic belt, belt width: 240 mm, total dimensions: 1700 mm x 850 mm x 1650 mm.	400
311	Reverse Transducers	S/s floor weighing scale with Reverse Transducers indicator, model: VT200, dimensions scale: 1200 mm x 1200 mm x 150 mm. Including aluminium ramp.	150
312	Needham	Needham inkjet printer, model number: N16Plus-M-1-UK, serial number: 18-01-26-002, year of construction: 2018, dimensions: 570 mm x 500 mm x 550 mm.	50
313	Multivac	Multivac labeller, type: L310, machine number: 266619, year of construction: 2018, 400 V, 3 Ph, 2000 VA, belt width: (2x) 135 mm, 90 mm, total dimensions: 1800 mm x 1500 mm x 1980 mm.	2500
314	The A.E.W. Engineering	The A.E.W. Engineering band saw, type: MK9, machine: 400M, serial number: LHS63283, 415 V, 3 Ph, 5.08 A, dimensions saw table: 1050 mm x 880 mm, total dimensions: 1050 mm x 1000 mm x 1880 mm. Saw blade is missing.	500
316	Converging Solutions	Converging Solutions converging conveyor, model: Integrator Mk2, serial number: CS5455, year of construction: 08/2008, belt width: (2x) 225 mm, 625 mm, total dimensions: 1580 mm x 820 mm x 1120 mm.	300
317	Loma systems	Loma systems checkweigher with rejector, model: CW3, serial number: ACW51533-57859F, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 3 A, plastic belt, belt width: 295 mm, clearance: 360 mm x 160 mm, total dimensions: 1460 mm x 900 mm x 1430 mm.	750
318	Loma systems	Loma systems transport belt with 2 rejectors, model: CW3, serial number: ACB53270-59383F, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 6 A, plastic belt, belt width: 195 mm, clearance: 260 mm x 160 mm, total dimensions: 1010 mm x 800 mm x 1250 mm.	250



Nr	Title	Description	Start €
319	Loma Systems	Loma Systems transport belt with metal detector, model: CW3, serial number: ACB53270-59383F, year of construction: 2018, 230 V, 1 Ph, 50 Hz, 6 A, plastic belt, belt width: 190 mm, Loma Systems metal detector, model IQ4, serial number: Q4W25C15-44672D, year of construction: 05-09-2018, 85-265 V, 50-60 Hz, clearance: 250 mm x 950 mm, total dimensions: 1750 mm x 950 mm x 1750 mm.	950
320	VWS Nederland B.V.	VWS Nederland B.V. double labeller, type: (2x) LP400L_Blow, model: 4/300, serial number: LP152511 and LP152512, 100-240 V, 50-60 Hz, 2 A, belt width: 295 mm, 255 mm, total dimensions: 1620 mm x 900 mm x 1960 mm.	1250
321	Multivac	Multivac labeller, type: L310, machine number: 274011, year of construction: 2018, 400 V, 3 Ph, 2000 VA, belt width: (2x) 135 mm, 90 mm, total dimensions: 1800 mm x 1500 mm x 1980 mm.	2500
323	Kerres	Kerres smoke generator for saw dust, diameter output pipe: 135 mm, total dimensions: 1120 mm x 580 mm x 1600 mm.	250
324	Karl Schnell	Karl Schnell vacuum filling machine with lifter for 200 liter meat bins, type: 573-SE, serial number: 20691, 380 V, 3 Ph, 50 Hz, 13.6 A, 7.3 kW, total dimensions: 2950 mm x 1100 mm x 1530 mm.	1750
325	Marel	Marel Lifter for 200 liter meat bins, model: L25, type: PM1114, 400 VAC, 3 Ph, 50 Hz, 1.9 A, lifting height: 2300 mm, total dimensions: 1450 mm x 1500 mm x 2980 mm.	950
326	NN ham forms	2 plastic palletboxes with large amount of ham forms, form dimensions: 425 mm x 165 mm and 500 mm x 150 mm, total dimensions (2x) 1200 mm x 1000 mm x 750 mm.	100
327	Inox Meccanica s.r.l.	Inox Meccanica s.r.l. meat press, output diameter: Ø 135 mm, total dimensions: 2950 mm x 1100 mm x 1530 mm.	1250
328	Multivac	Multivac thermoformer, type: R 530, machine number: 2925, year of construction: 2002, 415 V, 3 Ph, 50 Hz, 37 A, 13 kW, film width: 620 mm, dye: (6x) 180 mm x 160 mm, with MR Etikettiertechnik GmbH labeller, type: MR293, machine number: 24214/05, year of construction: 2005, total dimensions: 8800 mm x 1400 mm x 1960 mm. Including suction device for rest film, dimensions: 600 mm x 500 mm x 1060 mm. Without main vacuum pump, vacuum was centrally regulated, labeller is incomplete.	6000
329	Fomaco A/S	Fomaco injector, model: FGM 64 DC M3, serial number: 14818-2013, 400 V, 3 Ph, 50 Hz, 63 A, 19 kW, 6 bar, plastic mesh belt, belt width: 525 mm, total dimensions: 3200 mm x 1150 mm x 2500 mm. Incomplete. Including trolley for belt, dimensions: 2950 mm x 700 mm x 1220 mm.	1750
330	NN cage	S/s cage for lifter with electric locked door, inside dimensions: 1340 mm x 1250 mm, total dimensions: 1520 mm x 1320 mm x 2140 mm.	250



Nr	Title	Description	Start €
331	Multivac	Multivac belt vacuum machine, type: B510, serial number: 152119, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 32.4-40 A, 7.5 kW, plastic belt, belt width: 725 mm, seal length: 1360 mm, chamber dimensions: 1560 mm x 1060 mm, total dimensions: 2500 mm x 1550 mm x 2130 mm.	2000
332	Seydelmann	Seydelmann grinder, type: AG160F-B, serial number: 97396-1, 415 V, 50 Hz, 69 A, plate dimensions: approximately 155 mm, inside dimensions: 1050 mm x 900 mm x 750 mm, total dimensions: 2550 mm x 1550 mm x 2130 mm. Missing plates.	2250
333	Wolfking	Wolfking Scanio s/s tumbler, type: TRC2.5, serial number: 9241, year of construction: 2000, 415 V, 50 Hz, 20.4 A, clearance: Ø900 mm, total dimensions: 3750 mm x 2400 mm x 2750 mm. Including lifter, dimensions: 1600 mm x 1550 mm x 2720 mm.	4000
334	Multivac	Multivac traysealer, type: T700, serial number: 238843, year of construction: 2016, 415/240 V, 3 Ph, 50 Hz, 18/32 A, 4.2 kW, 5 kA, film width: 210 mm, dye: (4x) 160 mm x 160 mm, belt width: 250 mm, total dimensions: 3400 mm x 1000 mm x 2080 mm. Including infeed conveyor, dimensions: 9000 mm x 800 mm x 1150 mm.	12500
335	Cryovac	Cryovac belt vacuum machine, type: VS95TS, serial number: SN03044, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 12 A, 3.8 kW, weight: 2800 kg, plastic belt, belt width: 700 mm, seal length: 1550 mm, chamber dimensions: 1480 mm x 960 mm, total dimensions: 2350 mm x 1350 mm x 1880 mm. Including infeed belt, plastic mesh belt, belt width: 730 mm, total dimensions: 1910 mm x 970 mm x 980 mm and suction device for rest film, dimensions: 950 mm x 800 mm x 1400 mm. Belt vacuum machine is incomplete.	9500
336	Cryovac	Cryovac shrink tunnel, model number: ST98-800, serial number: SN00202, 380-400 V, 3 Ph, 50 Hz, 78 A, 0.3 Nm³/h, 40-200 l/h, weight: 620 kg, belt width: 860 mm, clearance: 900 mm x 280 mm, total dimensions: 1550 mm x 1250 mm x 1710 mm.	1500
337	Cryovac	Cryovac drying tunnel, model: WR81, s/s mesh belt, belt width: 810 mm, clearance: 810 mm x 300 mm, inside dimensions: 1840 mm x 1300 mm x 800 mm, total dimensions: 2030 mm x 1400 mm x 1640 mm.	1500
338	Industrial Washing Machines	Industrial Washing Machines sole cleaner, type: - HD-5505-01M, serial number: 1597, year of construction: 14-03-2017, dimensions 1200 mm x 1450 mm x 1250 mm.	500
339	NN belt grill	Belt grill, plastic belt, belt width: 265 mm, grill length: 600 mm, total dimensions: 1560 mm x 1160 mm x 1250 mm. Including tools	950



Nr	Title	Description	Start €
340	Attec Food Technology	Attec Food Technology circular knife, type: RSLL, series: 911, year of construction: 2007, diameter knife blade: 760 mm, roller width: 165 mm, total dimensions: 1900 mm x 1200 mm x 1670 mm.	1500
341	Brantly	Brantly helicopter, model: B2, serial number: 40, year of construction: 05-1960, including 3 palletboxes with various parts, and the blades.	25000
342	Linx Airborne Technologies	Linx Airborne Technologies helicopter, showroom model, not for flying purposes, dimensions: 5200 mm x 2500 mm x 3200 mm. Including Stetzl & Söhne Ges.m.b.H. trailer, model: H 400 T, serial number: HST 400027, year of construction: 2013, maximum weight: 1600 kg, trailer dimensions: 6700 mm x 2550 mm x 1270 mm.	5000
343	NN frames	6 steel frames, 11 floors per frame, floor dimensions: 1150 mm x 990 mm x 130 mm, total dimensions: (6x) 1200 mm x 1005 mm x 1890 mm.	300
344	NN frames	4 steel frames, 11 floors per frame, 3 frames have closed floors, 1 frame has perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (4x) 1200 mm x 1005 mm x 1890 mm.	200
345	NN frames	5 steel frames, 11 floors per frame, floor dimensions: 1150 mm x 990 mm x 130 mm, total dimensions: (5x) 1200 mm x 1005 mm x 1890 mm.	250
346	NN frames	4 steel frames, 11 floors per frame, 3 frames have closed floors, 1 frame has perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (4x) 1200 mm x 1005 mm x 1890 mm.	200
347	NN frames	8 steel frames, 11 floors per frame, 2 frames have closed floors, 6 frames have perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (8x) 1200 mm x 1005 mm x 1890 mm.	400
348	NN frames	8 steel frames, 11 floors per frame, 7 frames have closed floors, 1 frame has perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (8x) 1200 mm x 1005 mm x 1890 mm.	400
349	NN frames	8 steel frames, 11 floors per frame, 3 frames have closed floors, 5 frames have perforated floors, floor dimensions: 1150 mm x 990 mm x 130 mm (closed) / 1155 mm x 930 mm x 135 mm (perforated), total dimensions: (8x) 1200 mm x 1005 mm x 1890 mm.	400
350	NN palletboxes	15 plastic palletboxes, total dimensions: (15x) 1200 mm x 990 mm x 755 mm.	375



Nr	Title	Description	Start €
351	NN frames	4 steel frames, 11 floors per frame, perforated floors, floor dimensions: 1155 mm x 930 mm x 135 mm, total dimensions: (4x) 1200 mm x 1005 mm x 1890 mm.	200
352	NN frames	4 steel frames, 11 floors per frame, perforated floors, floor dimensions: 1155 mm x 930 mm x 135 mm, total dimensions: (4x) 1200 mm x 1005 mm x 1890 mm.	200
353	Saeplast	31 saeplast plastic palletboxes, dimensions palletbox: (31x) 1190 mm x 1000 mm x 745 mm. Including pallet with 20 lids, dimensions: 1200 mm x 1000 mm x 1300 mm.	775
354	Promens	18 Promens plastic palletboxes, total dimensions: (18x) 1565 mm x 1100 mm x 670 mm.	450
355	Promens	18 Promens plastic palletboxes, total dimensions: (18x) 1565 mm x 1100 mm x 670 mm.	450
356	Promens	15 Promens plastic palletboxes, total dimensions: (15x) 1565 mm x 1100 mm x 670 mm.	375
357	Plusfood	7 pallets with Plusfood crates, approximately 480 crates in total, crate dimensions: 590 mm x 390 mm x 110 mm. total dimensions: (4x) 1200 mm x 1000 mm x 1820 mm and (3x) 1200 mm x 800 mm x 1820 mm.	350
358	Plusfood	8 pallets with Plusfood crates, approximately 525 crates in total, total dimensions: (5x) 1200 mm x 1000 mm x 1820 mm and (3x) 1200 mm x 800 mm x 1820 mm.	400
359	Saeplast	50 Saeplast plastic pallets, dimensions (50x) 1200 mm x 1000 mm x 175 mm.	500
360	Saeplast	103 Saeplast plastic pallets, dimensions (103x) 1200 mm x 1000 mm x 175 mm.	1050
361	NN crates	23 pallets with plastic crates, approximately 1665 crates in total, crate dimensions: 590 mm x 390 mm x 110 mm, total dimensions: (19x) 1200 mm x 1000 mm x 1800 mm and (4x) 1200 mm x 800 mm x 1800 mm.	1725
362	NN crates	23 pallets with plastic crates, approximately 1650 crates in total, crate dimensions: 590 mm x 390 mm x 110 mm, total dimensions: (18x) 1200 mm x 1000 mm x 1800 mm and (5x) 1200 mm x 800 mm x 1800 mm.	1725
363	Allibert	26 pallets with Allibert crates, approximately 871 crates in total, crate dimensions: 680 mm x 470 mm x 210 mm, total dimensions: (26x) 1200 mm x 1000 mm x 2400 mm.	1950
364	Allibert	26 pallets with Allibert crates, approximately 858 crates in total, crate dimensions: 680 mm x 470 mm x 210 mm, total dimensions: (26x) 1200 mm x 1000 mm x 2400 mm.	1950
365	NN pallets	12 plastic pallets, pallet dimensions: (12x) 1200 mm x 1000 mm x 165 mm.	125
366	NN crates	Pallet with approximately 70 plastic crates, type: TK 600/120, crate dimensions: 600 mm x 400 mm x 115 mm, total dimensions: 1200 mm x 800 mm x 2125 mm.	75



Nr	Title	Description	Start €
367	Bekuplast	Pallet with 23 plastic Bekuplast crates, crate dimensions: 595 mm x 390 mm x 115 mm, total dimensions: 1200 mm x 1000 mm x 1540 mm.	50
368	NN crates	Pallet with approximately 85 plastic crates, type: TK 600/75 and TK 600/50, crate dimensions: 595 mm x 390 mm x 65 mm and 595 mm x 390 mm x 41 mm, total dimensions: 1200 mm x 800 mm x 1545 mm.	75
369	NN crates	Pallet with approximately 134 plastic crates, crate dimensions: 600 mm x 395 mm x 70 mm, total dimensions: 1200 mm x 800 mm x 2280 mm.	75
370	Allibert	7 Allibert drip trays, drip tray dimensions: 1250 mm x 840 mm x 140 mm, total dimensions: 1250 mm x 850 mm x 840 mm.	75
371	NN drip tray	Drip tray, dimensions: 1200 mm x 820 mm x 160 mm.	10
372	NN crates	6 pallets with plastic crates, approximately 360 crates in total, crate dimensions: 590 mm x 390 mm x 110 mm, total dimensions: (6x) 1200 mm x 800 mm x 1810 mm.	450
373	NN crates	5 pallets with plastic crates, approximately 308 crates in total, crate dimensions: 590 mm x 390 mm x 110 mm, total dimensions: (5x) 1200 mm x 800 mm x 1810 mm.	250
374	SPC Brady	7 SPC Brady drip trays, dimensions dip tray: 1320 mm x 660 mm x 150 mm, total dimensions: 1300 mm x 800 mm x 1300 mm.	75
375	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH slicer line, consisting of: Weber Maschinenbau GmbH slicer, type: CCS 602, number: 1058, year of construction: 12/2008, 400 V, 50 Hz, 10 kW, weight: 1810 kg, belt width: 400 mm, roller width: 330 mm, total dimensions slicer: 2500 mm x 1400 mm x 2400 mmWeber Maschinenbau GmbH weighing unit, type: CCW, number: 61058, weight: 150 kg, belt width: (2x) 230 mm, total dimensions weighing unit: 750 mm x 500 mm x 1060 mmWeber Maschinenbau GmbH rocker, type: CTR, number: 61058, year of construction: 11/2008, belt width: (2x) 235 mm, total dimensions rocker: 880 mm x 440 mm x 1100 mmWeber Maschinenbau GmbH mobile outfeed belt, type: CCE, number: 2675, year of construction: 09/2007, weight: 350 kg, belt width: 420 mm, total dimensions outfeed belt: 2800 mm x 1340 mm x 1320 mm.Slicer knife is missing.	3000
376	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH slicer line, consisting of: Weber Maschinenbau GmbH slicer, type: SLC 902, number: 1531, 400 V, 50 Hz, 10 kW, total dimensions slicer: 3000 mm x 1660 mm x 2400 mmWeber Maschinenbau GmbH weighing unit, belt width: 380 mm, total dimensions weighing unit: 620 mm x 480 mm x 1020 mmWeber Maschinenbau GmbH mobile outfeed belt, type: CCE, number: 1071, belt width: (2x) 375 mm, total dimensions outfeed belt: 3600 mm x 900 mm x 1420 mm.Incomplete.	3000



Nr	Title	Description	Start €
377	Saeplast	4 Saeplast plastic pallets, dimensions (4x) 1200 mm x 1000 mm x 175 mm.	40
378	Arca Systems	56 Arca Systems plastic palletboxes, dimensions: (56x) 1190 mm x 1000 mm x 760 mm.	1500
379	Schoeller Allibert	8 Schoeller Allibert plastic palletboxes, dimensions: (8x) 1190 mm x 1000 mm x 765 mm.	200
380	NN Palletboxes	7 plastic palletboxes, dimensions: (7x) 1185 mm x 790 mm x 810 mm. Including pallet with 8 lids.	175
381	Promens	7 Promens plastic palletboxes, total dimensions: (7x) 1565 mm x 1100 mm x 670 mm.	175
382	Imvek	14 pallets with Imvek crates, approximately 1657 crates in total, crate dimensions: 595 mm x 395 mm x 145 mm.	750
383	Arca Systems	9 damaged plastic palletboxes, dimensions: (9x) 1190 mm x 1000 mm x 765 mm. Including 37x new pallet base.	100
384	Boge Kompressoren	Container with Boge Kompressoren air compressor installation, consisting of: 3 Boge Kompressoren screw compressors, type: (2x) SDF 100-3, serial number: 5136272, year of construction: 2018, capacity: 2.58/11.00 m ³ per hour, (1x) SLF 125-3, machine number: 5136273, year of construction: 2018, capacity: 4.73/13.96 m ³ per hour. 3 Boge Bluecats, type: (3x) BC160V, year of construction: 2019, Boge dryer, type: DS180, serial number: 399670900002.3 oil/water separators. Total dimensions: 12150 mm x 2450 mm x 4150 mm. Lot located in Best (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	8500
385	NN meat press	Mobile s/s meat press, dimensions: 1750 mm x 500 mm x 1000 mm. Incomplete.	150
386	Multivac	Multivac mobile vacuum machine, type: C400, serial number: 133943, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 13/25 A, 2.4 kW, seal length: 670 mm and 470 mm, dimensions chamber: 660 mm x 460 mm, with Gardner Denver vacuum pump, total dimensions: 840 mm x 680 mm x 1040 mm.	1500
387	NN suction device for rest film	S/s suction device for rest film, dimensions: 900 mm x 800 mm x 1340 mm.	25
388	Multivac	Multivac mobile traysealer, model: T200, serial number: 101674, year of construction: 2005, 415 V, 3 Ph, 50 Hz, 11 A, 4.5 kW, dye: 425 mm x 345 mm, with Busch vacuum pump, type: RA 0063 E, number: 05011543, year of construction: 2005, total dimensions: 1000 mm x 780 mm x 1580 mm.	2500
389	ENE	ENE double lane transport belt, s/s frame, plastic belt, type: Conveyor 105, serial number: 171128, year of construction: 11-2017, 415 V, 50 Hz, 0.18 kW, belt width: (2x) 380 mm, total dimensions: 1700 mm x 1140 mm x 940 mm.	300



Nr	Title	Description	Start €
390	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF622, serial number: 16055, year of construction: 2002, 3x 420 V, 50 Hz, 12.4 A, 9 kW, with Busch vacuum pump, type: KB 0040 D IZ0, serial number: DEM119261254, Vmax = 48 m ³ /h, total dimensions: 1900 mm x 1400 mm x 2100 mm.	12500
391	Multiforce Contracts Limited	Multiforce Contracts Limited mobile transport belt, s/s frame, plastic belt, year of construction: 2019, belt width: 500 mm, total dimensions: 3200 mm x 720 mm x 1640 mm.	750
393	Icon Engineering	Icon Engineering s/s turning table, year of construction: 18/01/02, diameter table: 1010 mm, total dimensions: Ø 1040 mm x 860 mm.	500
394	Medoc	Medoc bandsaw, model: STL 480, dimensions saw table: 1080 mm x 940 mm, total dimensions: 1080 mm x 1060 mm x 1900 mm. Saw blade is missing.	500
395	Multivac	Multivac mobile traysealer, model: T200, serial number: 109, year of construction: 2003, 415 V, 3 Ph, 50 Hz, 11 A, 4.5 kW, with Busch vacuum pump, type: RA 0063 E 5Z1, serial number: 03033225, total dimensions: 1000 mm x 780 mm x 1580 mm.	2500
396	LPF Verpakkingen B.V.	LPF Verpakkingen B.V. carton erector, 2 lanes, dimensions cartons: 150 mm x 98 mm x 30 mm, with Becker vacuum pump, type: BOL/4X, total dimensions: 1500 mm x 1350 mm x 2140 mm.	1000
397	LPF Verpakkingen B.V.	LPF Verpakkingen B.V. carton erector, 2 lanes, dimensions cartons: 190 mm x 150 mm x 35/45/52 mm, total dimensions: 1450 mm x 1400 mm x 2230 mm. Missing vacuum pump.	1000
398	LPF Verpakkingen B.V.	LPF Verpakkingen B.V. carton erector, type: JR, serial number: 225S, dimensions cartons: 163 mm x 163 mm x 30 mm, total dimensions: 1400 mm x 1450 mm x 2160 mm. Missing vacuum pump.	1000
399	Lantech	Lantech case erector, type: C-1000-Hotmelt, serial number: SM20124075, year of construction: 03-2012, 400 V, 3 Ph, 50 Hz, 5 kW, 6 bar, clearance outfeed: 670 mm x 360 mm, Nordson hot melt unit, type: problue 4, serial number: SA12B82927, total dimensions: 2400 mm x 1020 mm x 2050 mm. Incomplete, with plastic cover for belt.	1500
400	Lantech	Lantech case erector, type: C-1000-Hotmelt, serial number: SM20164032, year of construction: April 18, 2016, 400 V, 3 Ph, 50 Hz, 4.52 kW, 6 bar, clearance outfeed: 670 mm x 360 mm, Nordson hot melt unit, type: problue 4, serial number: SA16C21973, total dimensions: 2400 mm x 1020 mm x 2050 mm. Incomplete, with plastic cover for belt.	1500



Nr	Title	Description	Start €
401	Lantech	Lantech case erector, type: C-1000-Hotmelt, serial number: SM20134469, year of construction: November 6, 2013, 400 V, 3 Ph, 50 Hz, 5 kW, 6 bar, clearance outfeed: 670 mm x 360 mm, Nordson hot melt unit, type: probblue4, serial number: SA13K98321, total dimensions: 2400 mm x 1020 mm x 2050 mm. Incomplete, with plastic covers for belt.	1500
402	NN parts for carton erector	Plastic palletbox with large amount of parts for carton erector, dimensions: 1200 mm x 1000 mm x 950 mm.	500
403	NN parts for carton erector	Plastic palletbox with large amount of parts for carton erector, dimensions: 1200 mm x 1000 mm x 1050 mm.	500
404	Atlas Copco	Atlas Copco air compressor, type: A6X, serial number: CAI338121, year of construction: 2008, 230 V, 1 Ph, 60 Hz, 0.4 kW, 13-18.7 bar, working hours: 58611 hour, weight: 33 kg, dimensions: 1300 mm x 800 mm x 1200 mm.	1000
405	Atlas Copco	Atlas Copco air compressor, type: GA15, serial number: API456568, year of construction: 2008, 15 kW, 7.2 bar, 3540 r/min, 2.55m ³ /min, working hours: 26540 hour, weight: 440/565 kg, dimensions: 1800 mm x 700 mm x 1550 mm.	1000
406	Atlas Copco	Atlas Copco air compressor, type: RCE 75/8, serial number: API200184, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 75 kW, 8 bar, weight: 1388 kg, dimensions: 1950 mm x 1100 mm x 1800 mm.	1000
407	CompAir	CompAir screw air compressor, year of construction: 1999, maximum pressure: 14 bar, working hours: 33551 hour, dimensions: 900 mm x 600 mm x 1600 mm.	250
408	Rotair	Rotair air compressor, type: RVC 25/8, serial number: 5264, year of construction: 2005, 2800 r/min, 8 bar, working hours: 71069 hour, weight: 440 kg, dimensions: 1750 mm x 800 mm x 1200 mm.	250
409	V.R.B. Friesland	V.R.B. Friesland air compressor, type: APS 30B/10, serial number: CAI980325, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 22 kW, working hours: 29760 hour, weight: 430 kg, dimensions: 1300 mm x 800 mm x 1200 mm.	1000
410	Atlas Copco	Atlas Copco air dryer, type: FD 380, serial number: 703440, year of construction: 2001, 380/415 V, 3 Ph, 50 Hz, 4.55 kW, refrigerant: R 404A / 8 kg, dimensions: 1200 mm x 950 mm x 1100 mm. Technical condition unknown.	200
411	Atlas Copco	Atlas Copco air compressor, type: GA45, serial number: API500878, year of construction: 2005, working hours: 53766 hour, volume: 31 liter, capacity: 120 liter per second, dimensions: 1700 mm x 900 mm x 1800 mm.	1000
412	ABAC	Pallet with 17 ABAC air compressors with hose reel, model: XPN, 230 V, 1 Ph, 50/60 Hz, 1100 W, weight: (17x) 8.5 kg, total dimensions: 1200 mm x 800 mm x 1200 mm.	1750
413	ALUP	ALUP air compressor, type: ALLEGRO 36 CE, serial number: ITJ044797, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 37 kW, working hours: 34634 hour, weight: 537 kg, dimensions: 1600 mm x 800 mm x 1600 mm.	1000

Nr	Title	Description	Start €
414	M.T.A. S.p.A.	M.T.A. S.p.A. dryer, model: DEiT 101, serial number: 2200331561, year of construction: 2018, 230 V, 1 Ph, 50-60 Hz, 8.6-9.2 A, 1.65-2.03 kW, refrigerant: R134a / 1.510 kg, dimensions: 700 mm x 700 mm x 1100 mm.	250
415	Garden Denver OY	Garden Denver OY air compressor, type: VS 20 10 EANA, serial number: F004305, year of construction: 2006, working hours: 22473 hour, weight: 470 kg, dimensions: 1100 mm x 1100 mm x 1230 mm.	250
416	Atlas Copco	Atlas Copco absorption air dryer, type: CD 60+, serial number: API090011, year of construction: 2012, dimensions: 900 mmx 350 mm x 1250 mm.	250

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.




This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook paper. There are no margins, text, or other markings on the page.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

