



**Industrial
Auctions**

**1893: Online auction commercial kitchen and
catering equipment in Milsbeek (NL)**

END DATE
01 September 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	01 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	11 September 2025 from 09:00 till 16:00 hrs.
Pick up address	Sprokkelveld 5 6596 DH Milsbeek Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Bongard	Bongard mobile deck oven, type: FOUR M4 SOLEO, serial number: 16018709, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 26.6 A, 39.24 kW, 4 decks, deck dimensions (4x): 1370 mm x 950 mm, total dimensions: 1720 mm x 1900 mm x 1700 mm.	1800
2	Rational	Rational oven, model: LM100BE.AXXXXXX, serial number: E61SJ23113098467, 240 V, 3 Ph, 50/60 Hz, 11.7 kW, water pressure: 150–600 kPa, 6 floors, floor dimensions: (6x) 330 mm x 500 mm, total dimensions: 950 mm x 950 mm x 1000 mm. Never used.	3000
3	Rhima	Rhima tool washer, type: NDR180E BT, serial number: DWA1003897, year of construction: 2006, 380–400 V, 3 Ph, 50 Hz, 11.6 A, 8.02 kW, water pressure: 100–500 kPa, floor dimensions: 550 mm x 650 mm, total dimensions: 700 mm x 840 mm x 1900 mm.	800
4	Giorik	Giorik combi steamer, 400 V, 3 Ph, 50 Hz, 10 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 970 mm x 900 mm x 1150 mm.	500
5	Rational	Rational combi steamer, model: SCC WE 101G, serial number: G11SH14072412448, 230 V, 1 Ph, 50/60 Hz, 500 W, 22 kW, gas heated, 10 floors, floor dimensions: (10x) 530 mm x 330 mm, total dimensions: 850 mm x 830 mm x 1040 mm.	1500
6	Rational	Rational combi steamer with trolley, model: SCC 201, serial number: E21SG10062220412, 400 V, 3 Ph, 50 Hz, 37 kW, 20 floors, dimensions floors: (20x) 540 mm x 330 mm, total dimensions: 850 mm x 880 mm x 1830 mm. Including s/s trolley.	2000
7	Maxima	Maxima spiral mixer, type: MSM60-2 SPEEDS, serial number: MSM60-Y20-009, 400 V, 3 Ph, 50 Hz, 1.5/2.4 kW, s/s bowl and whisk, bowl volume: 60 L, max capacity: 25 kg, dimensions: 560 mm x 900 mm x 1100 mm.	400
8	Rational	Rational oven on s/s trolley, type: SCC 101, 400 V, 3 Ph, 50 Hz, water pressure: 150–600 kPa, 10 floors, floor dimensions: (10x) 330 mm x 530 mm, total dimensions: 850 mm x 900 mm x 1800 mm.	1250
9	Gram	Gram shock freezer for oven trolleys, type: KPS 90 SF-2, serial number: 387, 230 V, 50 Hz, 2.00 A, 430 W, refrigerant: R404A, inside dimensions: 390 mm x 700 mm x 1470 mm, total dimensions: 1120 mm x 880 mm x 2000 mm. Without cooling compressor.	800
10	NN seal machine	Seal machine, seal length: 460 mm, dimensions: 550 mm x 700 mm x 110 mm.	100
11	NN sauce pump	S/s sauce pump, dimensions: 300 mm x 250 mm x 400 mm.	150



Nr	Title	Description	Start €
12	Tecnodom S.P.A.	Tecnodom S.P.A. electric oven, model: FED04NEGNV, serial number: 201923672G, year of construction: 4/2019, 220/240 V, 1 Ph, 50/60 Hz, total electric power: 3350 W, 4 floors, floor dimensions: (4x) 340 mm x 550 mm, total dimensions: 670 mm x 700 mm x 590 mm.	200
13	Lubron	Lubron water softener, dimensions: 250 mm x 450 mm x 540 mm.	50
14	T&S Brass and Bronze Works	T&S; Brass and Bronze Works hose reel, type: EU-7143, year of construction: 02-08-2018, max reel pressure: 300 PSI, dimensions: 600 mm x 300 mm x 600 mm.	200
15	Rhima	Rhima dishwasher, model: OPTIMA 500 PS, serial number: DWG1022823, year of construction: 2013, 380-415 V, 3 Ph, 12 A, 650 W, dimensions: 600 mm x 620 mm x 830 mm.	300
16	Ifö Kampri	Ifö Kampri combi steamer, type: TURBO 6M, serial number: 201007-01, year of construction: 1998, 230/400 V, 3 Ph, 50 Hz, 16 A, 8.3 kW, 6 floors, floor dimensions: (6x) 520 mm x 330 mm, total dimensions: 900 mm x 800 mm x 640 mm.	200
17	Rhima	Rhima dishwasher, model: NDR60 T, type: 3014.ECN.....T. ABAOBU, serial number: DWG1001640, year of construction: 2012, 380/400 V, 3 Ph, 50 Hz, 20 A, inside dimensions: 500 mm x 500 mm, total dimensions: 780 mm x 710 mm x 1485 mm.	450
18	Lattiz	Lattiz milk foam machine for latte art, model: Lattiz V1.2/ Black, machine number: 1021810268, 230 V, 13 A, dimensions: 510 mm x 200 mm x 590 mm.	50
19	NN trolley	S/s mobile trolley, 18 floors, floor dimensions: (18x) 470 mm x 320 mm, total dimensions: 810 mm x 650 mm x 1310 mm.	100
20	Rohs	Rohs s/s heated cabinet, number: 600-2120, year of construction: 08.2020, 230 V, 1 Ph, 50 Hz, 13.6 A, 3000 W, dimensions: 1800 mm x 600 mm x 850 mm.	250
21	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerated showcase, model: RT-68B-3, 220-240 V, 50 Hz, 170 W, refrigerant: R600a, storage volume: 68 L, net weight: 35 kg, floor dimensions (4x): 350 mm x 300 mm, total dimensions: 450 mm x 400 mm x 900 mm.	250
22	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH electric griddle, model: COMO, serial number: 7105-2021110014, year of construction: 2021.11.01, 230 V, 50 Hz, 15.2 A, 1.75+1.75 kA, weight: 34 kg, dimensions: 720 mm x 500 mm x 250 mm.	150
23	NN showcase	S/s refrigerated showcase, dimensions: 760 mm x 1120 mm x 1350 mm.	200



Nr	Title	Description	Start €
24	Rational	Rational combi steamer, type: MCM 101, serial number: E11MF06112082803, 400 V, 3 Ph, 50/60 Hz, 19.0 kW, water pressure: 150–600 kPa, 10 floors, floor dimensions: (10x) 330 mm x 530 mm, total dimensions: 850 mm x 800 mm x 1050 mm.	1000
25	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH heating lamp, model: 172-3082, serial number: 471835, 230 V, 1 Ph, 50 Hz, 250 W, dimensions: 220 mm x 220 mm x 880 mm.	190
26	NN table	Table with s/s frame and wooden top, dimensions: 450 mm x 550 mm x 320 mm.	20
27	Rhima	Rhima water softener, model: RHIMA VCVW601, serial number: 198934, weight: 10 kg, dimensions: 220 mm x 400 mm x 500 mm.	50
28	Infrico	Infrico refrigerator, model: ASG1400II, 220/230 V, 50 Hz, 4.67 A, 875 W, useful volume: 1290 liter, refrigerant: R134a, 4 floors, floor dimensions: (4x) 650 mm x 530 mm, total dimensions: 1390 mm x 820 mm x 2120 mm.	400
29	Zanussi	Zanussi s/s cabinet, dimensions: 730 mm x 400 mm x 850 mm.	100
30	Gamko	Gamko cooling cabinet with bottle cooler, type: GM/212MU, serial number: 201132 413261, year of construction: 2011, 220-240 V, 50 Hz, 3.8 A, refrigerant: R134A, dimensions: 1670 mm x 560 mm x 850 mm.	250
31	Rhima	Rhima dishwasher, model: NDR 51 E S DR, serial number: DWC1021863, year of construction: 2009, 380/415 V, 3 Ph, 50 Hz, 9.8 A, 5150 W, inside dimensions: 500 mm x 500 mm, total dimensions: 610 mm x 595 mm x 840 mm. Including crate, dimensions: 500 mm x 500 mm.	250
32	Küppersbusch	Küppersbusch stove, model: EGH 410/00510, year of construction: 2003, 6 burners, dimensions: 700 mm x 770 mm x 900 mm.	350
33	MKN	MKN combi steamer, type: CPE600206-01, serial number: 09020652, 400 V, 3 Ph, 50 Hz, 7.8 kW, water pressure: 200–600 kPa, 7 floors, floor dimensions: (7x) 330 mm x 400 mm, total dimensions: 550 mm x 850 mm x 750 mm.	400
34	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: THERMO 24, serial number: SRRLK24M0123, 220-240 V, 50/60 Hz, 8-9 A, 1739-2069 W, dimensions: 200 mm x 400 mm x 560 mm.	100
35	Rational	Rational combi steamer, model: SCC WE 61 G, serial number: G61SH15042455172, year of construction: 2015, 230 V, 50-60 Hz, 400 W, 13 kW, gas heated, 6 floors, floor dimensions: (6x) 530 mm x 330 mm, total dimensions: 850 mm x 830 mm x 820 mm.	1250



Nr	Title	Description	Start €
36	Zorro B.V.	Zorro B.V. refrigerator, model: ZHT 400 R, serial number: 21188546, 230 V, 50 Hz, 0.8 A, maximum: 185 W, refrigerant: R600a/0.075, weight: 69 kg, 5 floors, floor dimensions: (5x) 420 mm x 500 mm, total dimensions: 610 mm x 600 mm x 1870 mm.	350
37	Zorro B.V.	3 Zorro B.V. s/s serving trolleys, 2 floors, maximum load: 50 kg, dimensions: (3x) 860 mm x 540 mm x 940 mm.	230
38	Rieber	Rieber s/s regeneration trolley, number: 88130201/1/1/00130, year of construction: 30/09/2002, 230 V, 1 Ph, 50/60 Hz, 550 W, (2x) 10 floors, dimensions floors: 530 mm x 325 mm, total dimensions: 900 mm x 650 mm x 1300 mm. Only one part is heated.	200
39	Dixell	Dixell refrigerated showcase, 230 V, 50 Hz, weight: 37 kg, dimensions: 2000 mm x 400 mm x 440 mm.	150
40	Zorro B.V.	2 Zorro B.V. refrigerators, model: ZKB 360, year of construction: 2024, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600a/0.084 kg, weight: 72 kg, volume: 347 liter, dimensions: (2x) 620 mm x 620 mm x 1740 mm.	600
41	NU-AIR	NU-AIR extraction hood, type: DMD, year of construction: 10-2010, 230 V, dimensions: 4400 mm x 1200 mm x 600 mm. No motor.	350
42	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: GTK 310, year of construction: 11.2021, 220-240 V, 50 Hz, 1.3 a, 180 W, volume: 304 liter, weight: 66 kg, refrigerant: R600A/63 g, 5 floors, floor dimensions: (5x) 360 mm x 530 mm, total dimensions: 620 mm x 610 mm x 1580 mm.	200
43	NN extraction hood	S/s extraction hood, dimensions: 970 mm x 1010 mm x 530 mm.	100
44	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH induction hob, model: 301-1020/CW-25A, serial number: 190814035, 230 V, 50 Hz, maximum: 2500 W, diameter hob: 290 mm, total dimensions: 480 mm x 390 mm x 160 mm.	150
45	Metos	Metos pasta cooker, model: DPCPE60, serial number: MA020379798, year of construction: 12/2018, 380-415 V, 3 Ph, 50-60 Hz, 9 kW, capacity: 42 liter, dimensions: 820 mm x 630 mm x 730 mm. New in box.	400
46	Metos	Metos pasta cooker, model: DPCPE60, serial number: MA020379799, year of construction: 12/2018, 380-415 V, 3 Ph, 50-60 Hz, 9 kW, capacity: 42 liter, dimensions: 820 mm x 630 mm x 730 mm. New in box.	400
47	Ali group Srl	Ali group Srl grill plate, model: DPFTEC40, serial number: MA20379801, year of construction: 12/2018, 380-415 V, 3 Ph, 50-60 Hz, dimensions grill: 330 mm x 530 mm, total dimensions: 400 mm x 770 mm x 310 mm.	350



Nr	Title	Description	Start €
48	Ali group Srl	Ali group Srl double fryer, model: FQE-61DRB, serial number: MA020368394, year of construction: 06/2018, 380-415 V, 3 Ph, 50-60 Hz, 18 kW, dimensions basket: (2x) 310 mm x 170 mm, dimensions: 600 mm x 600 mm x 400 mm.	350
49	Ali group Srl	Ali group Srl induction plate, model: DPI40, serial number: MA020379804, year of construction: 12/2018, 400 V, 3 Ph, 50/60 Hz, 7 kW, dimensions: 400 mm x 770 mm x 240 mm.	900
50	Ali group Srl	Ali group Srl double fryer, model: FQE-61DRB, serial number: MA020368393, year of construction: 06/2018, 380-415 V, 3 Ph, 50-60 Hz, 18 kW, dimensions basket: (2x) 310 mm x 170 mm, dimensions: 600 mm x 600 mm x 400 mm.	400
51	Gamko	Gamko refrigerator, type: FS/600F, serial number: 2006.08.09.01203, 220-240 V, 50 Hz, 740 W, refrigerant: R404A/320 g, 2 floors, floor dimensions: (2x) 650 mm x 530 mm, total dimensions: 810 mm x 710 mm x 2090 mm.	250
52	Fagor	Fagor dishwasher, model: FI-80, number: 1210307400 0909 009323, 380/415 V, 3 Ph, 50 Hz, 25 A, 6.00/11.1 kW, 0.60 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 700 mm x 680 mm x 1470 mm.	380
53	NN extraction hood	S/s extraction hood, dimensions: 2000 mm x 550 mm x 900 mm.	230
54	Gico	Gico stove with 2 electric heated burners, type: 70/030, serial number: CMG077000, 400 V, 3 Ph, 50 Hz, 5.2 kW, dimensions: 700 mm x 800 mm x 1020 mm.	150
55	Fri-Jado	Fri-Jado rotary grill, model: TDR-5 M, number: 100075325, year of construction: TN, 400/230 V, 50/60 Hz, 10 A, 6600 W, each basket: 460 mm x 140 mm, total dimensions: 840 mm x 720 mm x 920 mm.	200
56	Lubron	Lubron water softener, model: Softstar SXT2, serial number: 21020304, year of construction: 02/21, 230 V, 50 Hz, 5 W, capacity: 350 liter per hour, dimensions: 200 mm x 400 mm x 700 mm.	50
57	BWT	BWT water softener, dimensions: 250 mm x 150 mm x 500 mm.	10
58	NN wheels	Crate with various wheels.	50
59	TechnOvens	TechnOvens double deck oven, 220-230 V, 50-60 Hz, 16 A, inside dimensions: (2x) 350 mm x 400 mm, total dimensions: 520 mm x 550 mm x 350 mm.	50
60	NN water softener	Water softener, dimensions: 250 mm x 500 mm x 550 mm.	10



Nr	Title	Description	Start €
61	Zanussi	Zanussi combi steamer, model: FCF/E6-0, serial number: 52510001, year of construction: 6-2015, 400 V, 3 Ph, 50 Hz, 7.7 kW, 3 floors, floor dimensions: (3x) 530 mm x 330 mm, total dimensions: 880 mm x 850 mm x 650 mm.	250
62	Konig	Konig refrigerator, serial number: 1246.0057, 230 V, 50 Hz, refrigerant: R404A/0.280 kg, dimensions: 760 mm x 840 mm x 2050 mm.	200
63	Zorro B.V.	Zorro B.V. refrigerator, model: ZK 280, year of construction: 03.2024, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600a/62 g, weight: 62 kg, volume: 260 liter, floor dimensions: 370 mm x 420 mm, dimensions: 570 mm x 530 mm x 1845 mm.	200
64	NN extraction hood	S/s extraction hood, dimensions: 1500 mm x 1600 mm x 610 mm.	300
65	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: GTK 360, year of construction: 2023/05, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600a/0.084 kg, weight: 72 kg, netto volume: 347 liter, dimensions: 620 mm x 620 mm x 1740 mm.	300
66	NN extraction unit	Extraction unit, dimensions: 700 mm x 710 mm x 710 mm.	100
67	Rhima	Rhima dishwasher, model: BETA 50, serial number: 019680, 400 V, 3 Ph, 50 Hz, 16 A, 3.65 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 630 mm x 580 mm x 830 mm. Including 2 crates, dimensions: 500 mm x 500 mm.	250
68	Zorro B.V.	Zorro B.V. coffee machine, model: ZKM 26, serial number: SRV28623050296, year of construction: 20230520, 230 V, 50/60 Hz, 8 a, 1.9 kW, weight: 6.4 kg, capacity: 2 liter, dimensions: 390 mm x 210 mm x 550 mm.	50
69	Catertech	Catertech induction plate, serial number: 202105 220-240 V, 50 Hz, 3000 W, dimensions: 330 mm x 410 mm x 100 mm.	50
70	NN sink	S/s sink, dimensions: 460 mm x 380 mm x 520 mm.	50
71	NN frame	S/s wall mounted frame, dimensions: 880 mm x 700 mm x 700 mm.	200
72	Convotherm	Convotherm combi steamer, type: OD 6.10P, number: P1P00042725, 380-415 V, 3 Ph, 50/60 Hz, 14-16 A, 9-11 kW, 5 floors, floor dimensions: (5x) 530 mm x 330 mm, dimensions: 1050 mm x 800 mm x 730 mm.	250
73	NN lamp	Flexible warming lamp, model: PW2-SH, serial number: PW2SH20240110, year of construction: 2024.1.10, 230 V, 50 Hz, 250 W, dimensions: 270 mm x 200 mm x 800 mm.	20
74	NN rollie	S/s rollie, dimensions: 360 mm x 360 mm x 110 mm.	20



Nr	Title	Description	Start €
75	Rhima	Rhima water softener, model: Rhima10, serial number: 118400 2817 427, 230 V, dimensions: 270 mm x 400 mm x 550 mm.	50
76	Küpperbusch	Küpperbusch roasting pan, type: OEB 230, 400 V, 2 Ph, 50 Hz, 3.5 kW, dimensions: 510 mm x 800 mm x 750 mm.	150
77	Kuppersbusch	Kuppersbusch 4-pit stove, model: OGH 413, type: A1, number: KCO 0055, year of construction: 2005, 400 V, 2 Ph, 50 Hz, 4.2 kW, gas heated, dimensions: 700 mm x 750 mm x 900 mm.	250
78	NN hot plate	S/s hot plate, dimensions plate: 750 mm x 560 mm, total dimensions: 700 mm x 800 mm x 1040 mm.	150
79	Meiko	Meiko toolwasher, type: FV 130.2, serial number: 10159718, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 26 A, 12 kW, inside dimensions: 830 mm x 660 mm x 700 mm, total dimensions: 1030 mm x 900 mm x 1790 mm.	850
80	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH refrigerator, model: DK 134, serial number: DK13423040084, year of construction: 04/2023, 230 V, 50 Hz, 0.85 A, 115 W, refrigerant: R600A/65 g, weight: 68 kg, large amount of floors, floor dimensions: 310 mm x 300 mm, total dimensions: 420 mm x 390 mm x 1910 mm.	200
81	Lubron	Lubron water softener with plastic tub for salt bricks, model: T-100, serial number: 10042901, year of construction: 04/10, 230 V, 50 Hz, 4 W, dimensions water softener: 300 mm x 240 mm x 1100 mm, dimensions tub: ø 400 mm x 870 mm.	100
82	Metos	Metos dishwasher, model: DW12E, serial number: DWN1004448, 380-415 V, 3 Ph, 50 Hz, 15.1 A, 5150 kW, inside dimensions: 500 mm x 500 mm x 370 mm, total dimensions: 600 mm x 630 mm x 830 mm.	350
83	Igloo	Igloo heated showcase, type: CELINA 130, serial number: NS-202731, year of construction: 07.2016, 230 V, 50 Hz, 7.80 A, 30 W, working range: 40°-90°C, weight: 75 kg, dimensions: 1300 mm x 790 mm x 620 mm.	150
84	NN gastronorm trays	Various plastic gastronorm trays.	50
85	NN cabinet	S/s cabinet, 2 floors, dimensions: 1200 mmx 400 mm x 600 mm.	100
86	NN sink	S/s sink, dimensions: 500 mm x 400 mm x 450 mm.	50
87	Atag / Etna	S/s cooking counter with 2 Atag 4-pits stoves and 2 Etna ovens with 4 drawers and 1 cabinet, oven with 5 floors, dimensions floors: (5x) 450 mm x 400 mm, gas heated stove, electrical oven, total dimensions: 2200 mm x 700 mm x 950 mm.	200
88	NN table	S/s table, dimensions: 1400 mm x 400 mm x 270 mm.	50



Nr	Title	Description	Start €
89	Rhima	Rhima dishwasher, type: WD-7E, year of construction: 2006, 3 Ph, 50 Hz, 25 A, 13.8/13.1 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 700 mm x 750 mm x 1490 mm.	300
90	Iarp	Iarp freezer, model: AB 500 PV JUMBO, serial number: 09CB22567, 230 V, 50 Hz, 1.1 A/ 2.1 A, 20 W, refrigerant: R134a, 4 floors, floor dimensions: (4x) 500 mm x 630 mm, total dimensions: 730 mm x 770 mm x 1700 mm.	50
91	NN frame	S/s wall mounted frame, dimensions: 920 mm x 690 mm x 600 mm.	50
92	NN sink	S/s sink, dimensions: 1780 mm x 800 mm x 915 mm.	350
93	Zanussi	Zanussi cooking vessel, inside dimensions: ø 425 mm x 520 mm, total dimensions: 840 mm x 800 mm x 1000 mm.	250
94	Rhima	Rhima dishwasher, type: DR 50, serial number: 00012399, 400 V, 3 Ph, 50 Hz, 8 A, 3500 W, inside dimensions: 500 mm x 500 mm, total dimensions: 630 mm x 590 mm x 830 mm.	250
95	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH kitchen thermal bridge, dimensions: 1600 mm x 400 mm x 400 mm.	200
96	Gamko	Gamko refrigerated cabinet, type: Koelwerkbank, serial number: 200649282493, year of construction: 2006, refrigerant: R134a, dimensions: 1570 mm x 600 mm x 870 mm.	200
97	Metos	Metos pasta cooker, serial number: BN020162663, 400 V, 11.34 kW, inside dimensions: (2x) 300 mm x 340 mm x 250 mm, total dimensions: 800 mm x 750 mm x 1000 mm.	450
98	Zorro B.V.	Zorro B.V. refrigerator, model: ZK 280, year of construction: 03.2024, 220-240 V, 50 Hz, 1.3 A, 180 W, refrigerant: R600a/62 g, weight: 62 kg, volume: 260 liter, floor dimensions: 370 mm x 420 mm, dimensions: 570 mm x 530 mm x 1845 mm.	250
99	Alpeninox	Alpeninox refrigerator, number: 81000006, 230 V, 50 Hz, 10 A, 550 W, refrigerant: R134A, capacity: 600 liter, 3 floors, floor dimensions: (3x) 530 mm x 630 mm, total dimensions: 730 mm x 790 mm x 2050 mm.	250
100	Cool Head	Cool Head refrigerated showcase, 220/240 V, 50 Hz, 1.2 A, 135 W, refrigerant: R290, capacity: 27 liter, weight: 67 kg, dimensions: 1400 mm x 320 mm x 430 mm.	150
101	Luvata	Luvata evaporator, 2 fans, model: CTE034L8ED, serial number: AC200711917, year of construction: 25/07/2007, 230 V, 1 Ph, 50-60 Hz, 0.94 A, 150 W, 1300 rpm, 30 bar, dimensions: 1000 mm x 500 mm x 400 mm.	100
102	NN cooking counter	S/s cooking counter with stove, 4 burners, electric heated, dimensions: 700 mm x 2100 mm x 960 mm.	250



Nr	Title	Description	Start €
103	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-4E, number: 9354, 380 V, 3 Ph, 50 Hz, 16 A, 0.75 kW, inside dimensions: 500 mm x 500 mm, total dimensions: 650 mm x 600 mm x 870 mm. Including 2 crates, dimensions: (2x) 500 mm x 500 mm.	200
104	NN sink	S/s sink, dimensions: 590 mm x 500 mm x 1070 mm	100
105	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH Saladette, model: VIVIA S901 S/S TOP PRO, serial number: 23092120, 220-240 V, 3 Ph, 50 Hz, 1 A, 190 W, refrigerant: R600a/0.060 kg, weight: 72 kg, 4 floors, floor dimensions: (4x) 570 mm x 320 mm, total dimensions: 700 mm x 900 mm x 880 mm.	350
106	Alinox	Alinox refrigerator, type: EVO 2 PLUS TNN, serial number: BN020093563, year of construction: 2012, 230 V, 1 Ph, 50/60 Hz, 350 W, 4 floors, floor dimensions: (4x) 650 mm x 530 mm, total dimensions: 840 mm x 700 mm x 2050 mm.	300
107	Metos	Metos rack-type dishwasher, model: K3100SX-EL-K14ER-DWI, serial number: DWI1007282, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 45.4 A, 2950 W, belt width dividers, belt width: 500 mm, dividers height: 15 mm, distance between dividers: 275 mm, clearance: 550 mm x 585 mm, total dimensions: 2400 mm x 740 mm x 1980 mm.	500
108	Jordao Cooling Systems	Jordao Cooling Systems refrigerated showcase, serial number: 15.53567, 230 V, 50 Hz, 8.7 A, 750 W, refrigerant: R134A, 4 floors, floor dimensions: (4x) 1180 mm x 250 mm, total dimensions: 1260 mm x 600 mm x 2020 mm.	100
109	Convotherm	Convotherm combi steamer, model: OEB 6.10, serial number: EB1EC3766, 400 V, 3 Ph, 50/60 Hz, 15.7 A, 11.5 kW, 200-600 kPa, 7 floors, floor dimensions: (7x) 330 mm x 530 mm, total dimensions: 1000 mm x 900 mm x 1650 mm.	500
110	Kuppersbusch	Kuppersbusch tiltable roasting pan, model: LEP-400, type: K-CL 0024, serial number: 522 509 001, 380 V, 3 Ph, 50 Hz, 7.6 kW, dimensions: 830 mm x 990 mm x 1000 mm.	200
111	NN cabinet	Cabinet, dimensions: 1500 mm x 360 mm x 510 mm.	100
112	NN tub	S/s tub, dimensions: 1080 mm x 700 mm x 200 mm.	100
113	NN extraction hood	S/s extraction hood, dimensions: 750 mm x 950 mm x 350 mm.	50
114	NN table	S/s table with plastic working top, dimensions: 1000 mm x 800 mm x 950 mm.	100
115	Ata	Ata cooking vessel, inside dimensions: Ø 600 mm x 400 mm, total dimensions: 980 mm x 900 mm x 1100 mm.	500



Nr	Title	Description	Start €
116	Thielmann	Thielmann tiltable roasting pan, inside dimensions: 650 mm x 690 mm x 180 mm, total dimensions: 930 mm x 1100 mm x 860 mm.	250
117	Metos	Metos dishwasher, model: METOS HD 130 PREMIUM HR, serial number: DWI1023835, year of construction: 2015, 380-415 V 3 Ph, 50 Hz, 15.2 A, 10500 W, clearance: 500 mm x 500 mm, total dimensions: 820 mm x 770 mm x 2010 mm.	400
118	GGG	GGG refrigerator, model: Plus700N, year of construction: 2020, 230 V, 50 Hz, 2 a, 350 w, volume: 473 liter, weight: 134 kg, refrigerant: R290/0.095 kg, 3 floors, floor dimensions: (3x) 600 mm x 530 mm, total dimensions: 840 mm x 740 mm x 1980 mm.	350
119	Frigicoll	Frigicoll flake ice machine, model: F.PLUS 1500 SPLIT, number: 2016070802149, year of construction: 2016, 220/240 V, 50 Hz, 180 W, 0.6 Mpa, dimensions: 690 mm x 600 mm x 980 mm. Without cooling compressor.	350
120	NN kitchen counter	S/s kitchen counter with double sink and 4-pits stove, dimensions: 3580 mm x 700 mm x 1150 mm.	500
121	NN au bain-marie	S/s au bain-marie, dimensions: 600 mm x 360 mm x 300 mm.	15
122	NN cabinet	S/s cabinet, 5 floors, floor dimensions: (5x) 510 mm x 520 mm, total dimensions: 630 mm x 600 mm x 1800 mm.	100
123	Esta	Esta freezer, model: TKL 600 N, serial number: 07HA87150, 230 V, 50 Hz, 4 A, 540 W, refrigerant: R404A/0.28 kg, 4 floors, floor dimensions: (4x) 650 mm x 520 mm, total dimensions: 880 mm x 670 mm x 1960 mm.	200
124	Afinox	Afinox refrigerator, serial number: 3991364008, year of construction: 1999, 230 V, 50 Hz, 3.2 A, 700 W, refrigerant: R404A, 3 floors, floor dimensions: (3x) 550 mm x 530 mm, total dimensions: 710 mm x 690 mm x 2070 mm.	250
125	Adieu	Adieu mobile grill, type: BRE RIGI, 400 V, 50 Hz, 9.9 kW, dimensions grill plate: 980 mm x 580 mm, total dimensions: 1000 mm x 600 mm x 950 mm.	500
126	NN cabinet	S/s cabinet, dimensions: 1200 mm x 400 mm x 600 mm.	150
127	NN table	S/s table, dimensions: 1390 mm x 700 mm x 820 mm.	150
128	Mareno	Mareno fryer, model: FQE-61, serial number: MA020063052, year of construction: 2005, 400 V, 3 Ph, 18kW, 4 baskets, dimensions basket: (4x) 180 mm x 300 mm, total dimensions: 1200 mm x 600 mm x 1000 mm.	400
129	Tecnodom S.P.A.	Tecnodom S.P.A. refrigerated showcase, model: S80150VVC, serial number: 201329315N, year of construction: october 2013, 230 V, 1 Ph, 50 Hz, 3 A, dimensions: 1530 mm x 900 mm x 940 mm.	100



Nr	Title	Description	Start €
130	Fagor	Fagor combi steamer, model: COE-061, number: 1121334000 0909 000113, 380-415 V, 3 Ph, 50-60 Hz, 16 A, 9.3 kW, 6 floors, floor dimensions: (6x) 325 mm x 535 mm, total dimensions: 820 mm x 650 mm x 850 mm.	300
131	Atag	Atag oven, type: BO4CMS3-42, serial number: 11030103, 220-240 V, 50/60 Hz, 3 kW, 2 floors, floor dimensions: (2x) 450 mm x 340 mm, dimensions: 600 mm x 650 mm x 460 mm.	50
132	Novameta	Novameta serving bench with heating and cooling, model: UWM2, serial number: 002W7018103090101, year of construction: 2017, 230 V, 50 Hz, 8.7 A, 2 kW, volume: 73 liter, weight: 55 kg, inside dimensions: 1060 mm x 340 mm, total dimensions: 1200 mm x 680 mm x 400 mm.	50
133	Lubron	Lubron water softener, model: Softstar, serial number: 08011018, year of construction: 01/08, 230 V, 50 Hz, 4 W, capacity: 280 liter per hour, dimensions: 200 mm x 700 mm x 400 mm.	50
134	Frima Concept	7 Frima Concept cooling units on a pallet, type: SYST200, Cartouche 4000 EA, serial numbers: X9 070 650, X9 050 650, X 8 980 650, SF 31 350 421, 45 03 329345/R, 23 04 331775, 49 02 326375, 230 V, 50 Hz, refrigerant: R404, total dimensions pallet: 1200 mm x 800 mm x 1030 mm.	350
135	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH 4 washing trolleys, model: AF 264, weight: 13.5 kg, dimensions: (4x) 900 mm x 650 mm x 850 mm.	100
136	MKN	MKN griddle on s/s table, type: 1221135A, serial number: 21531523, 380-415 V, 3 Ph, 50/60 Hz, 7.2 kW, weight: 52 kg, dimensions grill surface: 540 mm x 420 mm, total dimensions: 700 mm x 500 mm x 800 mm.	250
137	Roeder	Roeder 10-pits stove, model: (1x) BKLX7G2S, (2x) BKLX7G4XL, serial number: DR1288741 and DR1288742, 28 kW and 9.5 kW, dimensions: 2050 mm x 750 mm x 950 mm.	480
138	NN refrigerator	Refrigerator, model: LG-300F, number: CK091100173, year of construction: 11.2009, 220-240 V, 50 Hz, 1.46 A, 185 W, refrigerant: R134a/0.140 kg, volume: 300 liter, weight: 68 kg, 4 floors, floor dimensions: (4x) 360 mm x 520 mm, total dimensions: 560 mm x 620 mm x 1930 mm.	150
139	Bouter	Bouter refrigerated showcase, model: MURAL FUNDADOR LACTICINIOS MFL-87 C/GP, serial number: 00.10680, 230 V, 50 Hz, 1543 W, refrigerant: R404A/1.1 kg, dimensions: 970 mm x 1000 mm x 1950 mm.	100
140	NN crates	27 plastic crates, dimensions crate: (27x) 530 mm x 320 mm x 200 mm.	50



Nr	Title	Description	Start €
141	NN condensor	Condensor, year of construction: 2017-03-15, 380/420 V, 3 Ph, 50 Hz, dimensions: 950 mm x 400 mm x 1250 mm.	150
142	ISA	ISA refrigerated showcase, serial number: 000066, year of construction: 2014, 6 floors, floor dimensions: 650 mm x 350/440/500 mm, dimensions: 2050 mm x 800 mm x 1580 mm.	200
143	NN sink	S/s sink, dimensions: 1120 mm x 750 mm x 910 mm.	150
144	NN grill	S/s grill, inside dimensions: 1100 mm x 510 mm, total dimensions: 1250 mm x 660 mm x 900 mm. Not the original grids.	250
145	Friulinox	Friulinox refrigerated showcase, dimensions: 1610 mm x 310 mm x 250 mm.	150
146	Gamko	Gamko refrigerated showcase, type: MG2/275G, year of construction: 2013, 220-240 V, 50 Hz, 235 W, refrigerant: R600A, 2 floors, floor dimensions: (2x) 500 mm x 350 mm, dimensions: 1200 mm x 510 mm x 900 mm.	250
147	Rational	Rational combi steamer on s/s trolley, type: CPC 101, serial number: E11CA98072011, 400 V, 10 floors, floor dimensions: (10x) 330 mm x 480 mm, total dimensions: 900 mm x 830 mm x 1830 mm.	750
148	SER GAS	SER GAS rotary grill, model: T16, serial number: 4410049, 230/400 V, 50 Hz, 4.5 kW, dimensions: 830 mm x 630 mm x 930 mm.	250
149	Nederman	Nederman hose reel with hose, serial number: 884, year of construction: 2000, dimensions: 700 mm x 500 mm x 350 mm.	150
150	Mareno	Mareno kitchen counter with deep fryer and 4-pit stove, dimensions basket: 170 mm x 300 mm, total dimensions: 3450 mm x 750 mm x 900 mm.	600
151	Mareno	Mareno cooking vessel, inside dimensions: Ø 400 mm x 460 mm, total dimensions: 600 mm x 800 mm x 1150 mm.	500
152	Mareno	Mareno tiltable roasting pan, 400 V, 3 Ph, 50-60 Hz, inside dimensions: 700 mm x 400 mm x 200 mm, total dimensions: 800 mm x 900 mm x 95 mm.	400
153	Mareno	Mareno 4-pit stove, dimensions: 1200 mm x 750 mm x 910 mm.	400
154	NN extraction hood	S/s extraction hood, dimensions: 3000 mm x 700 mm x 1900 mm. No motor.	500
155	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH freezer, model: HT 400, serial number: 21212711, 220-240 V, 3 Ph, 50 Hz, 0.9 A, 50, 150 W, refrigerant: R500a/0.090 kg, weight: 74 kg, 6 floors, floor dimensions: (6x) 420 mm x 480 mm, total dimensions: 590 mm x 600 mm x 1860 mm.	300
156	NN sink	S/s sink, dimensions: 550 mm x 700 mm x 1100 mm.	150



Nr	Title	Description	Start €
157	Metos	Metos s/s heated cabinet, 4 floors, floor dimensions: (4x) 830 mm x 550 mm, total dimensions: 2000 mm x 700 mm x 1000 mm. Defect.	150
158	NN frame	S/s wall mounted frame, dimensions: 800 mm x 600 mm.	50
159	NN sink	S/s sink, dimensions: 450 mm x 450 mm x 180 mm.	50
160	Saro Gastro-Products GmbH	1 box with 20 Saro Gastro-Products GmbH gastronorm bins, 1/3, depth: 150 mm.	150
161	Franke	Franke Kaffeemaschinen AG coffee machine with milk cooler, type: A600 FM CM 2G 1P H1, serial number: 3400000013323, 220/240 V, 50/60 Hz, 2400-2800 W, dimensions coffee machine: 350 mm x 600 mm x 800 mm, dimensions milk cooler: 280 mm x 465 mm x 450 mm. Defect.	100
162	Kenwood	Kenwood mixer, model: KM800, serial number: 0105927, 220-240 V, 50-60 Hz, 800 W, dimensions: 200 mm x 400 mm x 360 mm.	50
163	Franke	4x Franke flavour stations, type: FS 3, serial number: 00039954, 110-240 V, 50-60 Hz, 1.8 A, 25 W, dimensions: (4x) 200 mm x 430 mm x 550 mm.	20
164	NN trolley	S/s trolley, dimensions: 700 mm x 600 mm x 850 mm.	100
165	NN pump	Pump, dimensions: 400 mm x 300 mm x 250 mm.	50
166	NN guard poles	6 guard poles, dimensions: (6x) 350 mm x 350 mm x 900 mm.	120
167	Smeg	Smeg induction plate, model: S15952B PIANO IDUZION, serial number: 23204652011101640111, 5-pits, dimensions: 900 mm x 520 mm x 50 mm.	100
168	Bartscher	Bartscher oven, type: YXD-1AE, serial number: C022320, 230 V, 50 Hz, 2670 W, 4 floors, floor dimensions: (4x) 350 mm x 440 mm, total dimensions: 600 mm x 600 mm x 570 mm.	100
169	Electrolux	Electrolux refrigerated work bench, 4 doors, (4x) 3 floors, floor dimensions: (3x) 320 mm x 540 mm, total dimensions: 2350 mm x 700 mm x 900 mm.	300
170	NN sink	S/s sink, dimensions: 3000 mm x 700 mm x 1100 mm.	350
171	NN frame	S/s frame, dimensions: 400 mm x 500 mm x 360 mm.	30
172	NN frame	S/s frame, dimensions: 700 mm x 450 mm x 220 mm.	30
173	Götz	Götz mixer-grinder, model: Micra, serial number: 343, year of construction: 2017/juli, 230 V, 50 Hz, 0.5 kw, weight: 30 kg, diameter plate: 35 mm, dimensions: 300 mm x 400 mm x 480 mm. Incomplete.	50
174	Snowflake	Snowflake refrigerated work bench, dimensions: 2080 mm x 700 mm x 940 mm.	250



Nr	Title	Description	Start €
175	Nilfisk	Nilfisk floor scrubbing machine, model: Scrubber-Dryer SC400 43 B FULL PKG, serial number: 3510162604432, 100-230 V, 50/60 Hz, 0.7 kW, weight: 136 kg, dimensions: 1100 mm x 600 mm x 1100 mm. Brush is not rotating.	150
176	Iglu Cold Systems S.R.L.	Iglu Cold Systems S.R.L. shock freezer, serial number: 150224019, 220-230 V, 50 Hz, refrigerant: R404A, 10 floors, floor dimensions: (10x) 520 mm x 410 mm, total dimensions: 820 mm x 910 mm x 1900 mm. Defect.	200
177	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH coffee machine, model: THERMO 24, serial number: SRRK24L0034, 220-240 V, 50/60 Hz, 8-9 A, 1739-2069 W, dimensions: 400 mm x 200 mm x 560 mm.	100
178	NN sink	S/s sink, dimensions: 1800 mm x 700 mm x 910 mm.	250
179	NN table	S/s table, dimensions: 1800 mm x 700 mm x 910 mm.	200
180	NN extraction hood	S/s extraction hood, dimensions: 950 mm x 950 mm x 600 mm.	150
181	Ake	Ake circulation cooling tank, type: GBW 3/1-E-Sonder, serial number: 205440, year of construction: 04/07/21, 230 V, 50 Hz, 470 W, refrigerant: R134a / 0.905 kg, inside dimensions: 970 mm x 530 mm x 220 mm, total dimensions: 1090 mm x 740 mm x 920 mm.	150
182	Select Cuisine	Select Cuisine double fryer, dimensions basket: (2x) 280 mm x 180mm x 100 mm, total dimensions: 800 mm x 700 mm x 920 mm.	250
183	NN dishwasher conveyor	Roller conveyor for dishwasher, plastic rollers, roller length: 500 mm, total dimensions: 2600 mm x 600 mm x 910 mm.	150
184	Metos	Metos washing machine, model: WD-12GHE, number: 066259, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 35 A, 4.4 kW, dimensions: 1200 mm x 750 mm x 1840 mm.	950
185	NN sink	S/s sink, dimensions: 2500 mm x 700 mm x 910 mm.	150
186	REA	Parts for REA rack, dimensions: 2000 mm x 370 mm x 650 mm.	100
187	NN table	S/s table, dimensions: 3000 mm x 800 mm x 910 mm.	250
188	NN table	S/s table with (2x) 7 floors, dimensions: 1020 mm x 750 mm x 750 mm.	100
189	Küpperbusch	Küpperbusch combi steamer, type: KEG 0105, 400 V, 3 Ph, 50 Hz, 18.9 kW, 10 floors, floor dimensions: (10x) 540 mm x 330 mm, total dimensions: 1050 mm x 850 mm x 970 mm.	350
190	NN frame	2x s/s wall frames, dimensions: (2x) 2300 mm x 280 mm.	50



Nr	Title	Description	Start €
191	Rhima	Rhima dishwasher with pre-rinsing machine, type pre-rinsing machine: WD-PRM7, serial number: WD1322432, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 10 A, 1.0 kW, type dishwasher: WD-7D, serial number: WD1322430, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 16 A, 10 kW, inside dimensions: (2x) 500 mm x 500 mm, total dimensions: 850 mm x 1550 mm x 2250 mm.	850
192	NN kitchen counter	S/s kitchen counter with double sink and 2 Bosch induction plates, dimensions sink: 500 mm x 500 mm x 450 mm, total dimensions: 2200 mm x 1200 mm x 900 mm.	400
193	NN kitchen counter	S/s kitchen counter with double sink and 2 Bosch induction plates, dimensions sink: 500 mm x 500 mm x 450 mm, total dimensions: 2200 mm x 1200 mm x 900 mm.	400
194	Smeva	Smeva condensor, number: 12153, year of construction: februari 2015, refrigerant: R507A, dimensions: 1150 mm x 400 mm x 880 mm.	150
195	Rhima	Rhima water softener, dimensions: 350 mm x 350 mm x 580 mm.	50
196	Danfoss	Danfoss compressor, model: SZ100S4VC, serial number: JJ2504072702, 380-400 V, 3 Ph, 50 Hz, 18 A, dimensions: 300 mm x 350 mm x 500 mm.	100
197	NN table	S/s table with 4 drawers, dimensions: 1550 mm x 800 mm x 950 mm.	150
198	Alpeninox	Alpeninox grill, dimensions: 350 mm x 700 mm x 400 mm.	50
199	Electrolux	Electrolux refrigerated work bench, model: RCSN4M4T, serial number: 02807002, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 0.34 kW, refrigerant: R404A, dimensions: 2200 mm x 700 mm x 850 mm.	250
200	NN tables	2 plastic tables, dimensions: 800 mm x 200 mm x 1400 mm.	30
201	Fogal	Fogal refrigerating showcase, model: ALASKA SLIM, serial number: FA101S73, 230 V, 50 Hz, 6 A, 1160 W, refrigerant: R404a/0.760 kg, dimensions: 700 mm x 1250 mm x 2060 mm.	200
202	NN refrigerator	Refrigerator, model: MBF8114, serial number: MBF8114140825Q1001, year of construction: Aug-14, 220-240 V, 50 Hz, 4 A, 830 W, refrigerant: R404A/500g, weight: 185 kg, capacity: 1300 liter, 6 floors, floor dimensions: (6x) 520 mm x 600 mm, total dimensions: 1320 mm x 800 mm x 2100 mm.	350
203	NN frame	S/s frame, 6 floors, dimensions: 800 mm x 580 mm x 760 mm.	100



Nr	Title	Description	Start €
204	Gamko	Gamko refrigerator, type: ECO/222GMU, serial number: 201425 472142, year of construction: 2014, 220-240 V, 50 Hz, 2.4 A, 372 W, refrigerant: R134A/160 gram, 3 doors, 6 floors, floor dimensions: (6x) 450 mm x 370 mm, total dimensions: 2000 mm x 510 mm x 860 mm.	300
205	NN cabinet	S/s cabinet, dimension: 1100 mm x 700 mm x 800 mm.	150
206	NN sink	S/s sink, dimensions: 1000 mm x 700 mm x 1100 mm.	120
207	Bitzer Kühlmaschinenbau GmbH / Ecostar	Bitzer Kühlmaschinenbau GmbH / Ecostar condensing unit with cooling compressor, type: Commerciële koeling, year of construction: 24-11-2020, refrigerant: R449A, dimensions: 1350 mm x 700 mm x 1660 mm.	1500
208	NN trolley	S/s trolley for 2/1 gastronorm bins, dimensions: 600 mm x 670 mm x 1660 mm.	100
209	NN sink	S/s sink, dimensions: 3300 mm x 730 mm x 350 mm.	100
210	NN trolley	s/s trolley, for (2x) 2/1 gastronorm bins, 20 floors, floor dimensions: (20x) 530 mm x 650 mm, total dimensions: 1180 mm x 710 mm x 1550 mm.	150
211	NN cabinet	Mobile cabinet with water pump and power distribution box, dimensions: 1400 mm x 760 mm x 1040 mm.	150
212	Samsung	Samsung monitor, model: 400MXN-2, serial number: MG40HSSZ100107F, 100-240 V, 50/60 Hz, 2.5 A, dimensions: 970 mm x 200 mm x 580 mm.	20
213	NN cabinet	Mobile cabinet with water pump and power distribution box, dimensions: 1400 mm x 760 mm x 1040 mm.	100
214	NN trolley	S/s trolley, 12 floors, floor dimensions: (12x) 380 mm x 550 mm, total dimensions: 870 mm x 560 mm x 1790 mm.	100
215	Audion Elektro	Audion Elektro mobile packaging machine, type: DEMPack H22 SA, serial number: 15969/M06 01 155, year of construction: 2006, 220-240 V, 50-60 Hz, 16 A, 3640 W, film width: 600 mm, seal length: 580 mm x 530 mm, s/s mesh belt, belt width: 380 mm, s/s roller width: 380 mm, total dimensions: 2120 mm x 780 mm x 1120 mm.	250
216	Arneg	Arneg refrigerated showcase, model: WIPPER 2 1800, serial number: 4N69617901, year of construction: 2014, 230 V, 50 Hz, 460 W, refrigerant: R134A/0.4 kg, dimensions: 1200 mm x 800 mm x 560 mm.	200
217	OLIS	OLIS mobile cooking vessel, model: 94/10 PEI10, serial number: MA020328726, year of construction: 10/2016, 400 V, 3 Ph, 50/60 Hz, 21 kW, inside dimensions: Ø 600 mm x 430 mm, total dimensions: 1030 mm x 800 mm x 1050 mm.	500



Nr	Title	Description	Start €
218	Saro Gastro-Products GmbH	Saro Gastro-Products GmbH heated trolley, model: BWS 20, serial number: 78685218011240092, year of construction: 20.05.2024, 220/240 V, 50/60 Hz, 6.8 A, weight: 104 kg, 20 floors, floor dimensions: (20x) 330 mm x 500 mm, total dimensions: 470 mm x 880 mm x 1860 mm.	500
219	Silver King	Silver Kingmobile refrigerated cabinet, model: SKP4812A/CUK2, serial number: BNDP240193A, 230 V, 50/60 Hz, 2.2 A, refrigerant: R134A, dimensions: 1220 mm x 830 mm x 1140 mm.	250
220	Serrco	Serrco mobile refrigerated cabinet, type: SCL-3122MU, year of construction: 2015, 220/240 V, 50 Hz, 2 A, 327 W, refrigerant: R290/70 gram, 2 doors, 3 drawers, 8 bottle coolers, dimensions: 2200 mm x 550 mm x 940 mm.	400
221	NN dishwasher conveyor	Roller conveyor for dishwasher, plastic rollers, roller length: 500 mm, total dimensions: 1600 mm x 750 mm x 940 mm.	100
222	NN kitchen counter	Kitchen counter with 6 burners and 2 cooking vessels, model: 191PD1G-FPM0, 230 V, 1 Ph, 50 Hz, 0,6 kW, gas heated, dimensions cooking vessels: (2x) Ø 600 mm x 400 mm, total dimensions: 4020 mm x 1200 mm x 1150 mm.	1500
223	IMC	IMC food waste processor, dimensions: 700 mm x 1000 mm x 900 mm.	700
224	NN extraction hood	S/s extraction hood, dimensions: 1330 mm x 1120 mm x 150 mm.	50
225	Rubbens	Rubbens tiltable roasting pan, type: KBP211E-SP, 400 V, 3 Ph, 50 Hz, 25 A, 13.5 kW, inside dimensions: 700 mm x 600 mm x 200 mm, total dimensions: 1300 mm x 900 mm x 930 mm.	500
226	Rubbens	Rubbens tiltable roasting pan, inside dimensions: 700 mm x 600 mm x 200 mm, total dimensions: 1300 mm x 900 mm x 930 mm.	500
227	Crionova	Crionova refrigerated cabinet, model: TS09/1M-710, serial number: 072008235, year of construction: 2014, 220-240 V, 50 Hz, 1.15 A, refrigerant: R290/90 gram, 2 floors, floor dimensions: (2x) 300 mm x 530 mm, total dimensions: 830 mm x 680 mm x 800 mm.	200
228	Gram	Gram drive-in refrigerator, type: K 1500 CSG, serial number: 10256199, 230 V, 50 Hz, 2.56 A, 434 W, refrigerant: R290 / 120 gram, inside dimensions: 850 mm x 720 mm x 1900 mm, total dimensions: 1030 mm x 920 mm x 2330 mm.	500
229	Electrolux	Electrolux drive-in refrigerator, inside dimensions: 850 mm x 700 mm x 1800 mm, total dimensions: 1050 mm x 900 mm x 2270 mm.	500



Nr	Title	Description	Start €
230	NN freezer	Freezer, 220 V, 50 Hz, 3.7 A, 5 W, refrigerant: R29, weight: 172 kg, capacity: 842 liter, 2 doors, 8 floors, floor dimensions: (8x) 540 mm x 640 mm, total dimensions: 1400 mm x 820 mm x 2070 mm.	400
231	Metos	Metos freezer, type: AD140BT, serial number: HPO20051558, year of construction: 02/2022, 220-240 V, 50 Hz, 3.35 A, 260 W, refrigerant: R290 /110 gr, 2 doors, 8 floors, floor dimensions: (8x) 540 mm x 640 mm, total dimensions: 1400 mm x 820 mm x 2070 mm.	500
232	NN crates	5 trolleys with large amount of plastic crates, dimensions crate: 600 mm x 400 mm x 200 mm.	200
233	Liebherr	Liebherr freezer, type: 2 6180 4, serial number: 81.448.103.3, 220-240 V, 50 Hz, 1 A, refrigerant: R600A /19 gram, capacity: 141 liter, 4 floors, floor dimensions: (4x) 480 mm x 400 mm, dimensions: 600 mm x 660 mm x 820 mm.	75
234	Helpman/L'unite Hermetique	Helpman evaporator with L'unite Hermetique cooling compressor, type evaporator: LEX 6-7-E /220-50-1, serial number: 54/0177-02-005, refrigerant: R22/R134a, weight: 25 kg, dimensions: 660 mm x 450 mm x 420 mm, serial number compressor 07H03 192654 4447930264, 400/440 V, 3 Ph, 50/60 Hz, 2.6/2.7 A, refrigerant: R404A, dimensions: 500 mm x 500 mm x 370 mm.	150
235	L'unite Hermetique	L'unite Hermetique cooling compressor, 400/440 V, 3 Ph, 50/60 Hz, 4.2/4.9 A, refrigerant: R134A, dimensions: 500 mm x 600 mm x 500 mm.	100
236	NN trays	41 s/s trays, dimensions: (41x) 600 mm x 400 mm x 50 mm.	250
237	NN refrigerator	2-doors refrigerator, serial number: 2217.0172, 230 V, 50 Hz, refrigerant: R290/0.140 kg, dimensions: 1550 mm x 820 mm x 2020 mm.	500
238	NN refrigeration door	Refrigeration door, dimensions: 1600 mm x 2500 mm.	150
239	Bitzer Kühlmaschinenbau GmbH/Grundfos	Cooling unit consisting of Grundfos storage tank with cooling unit with Bitzer Kühlmaschinenbau GmbH cooling compressor, tank model: MS402, 380/400/415 V, 3 Ph, 50 Hz, 2.15/2.30/2.40 A, dimensions: 2510 mm x 1300 mm x 2150 mm, cooling compressor, type: 4PCS-15.2Y-40P, serial number: 1682706421, capacity: 48.5/58.5 m ³ per hour, dimensions: 1930 mm x 1000 mm x 2110 mm.	1800
240	NN evaporators	Pallet with 18 evaporators, lengths vary between 500 mm and 1500 mm, total dimensions: 1600 mm x 2200 mm x 1400 mm.	350



Nr	Title	Description	Start €
241	Promoline	Promoline refrigerator, model: PL-800SLDG, 220-240 V, 50 Hz, 560 W, refrigerant: R290/120 gram, capacity: 800 liter, weight: 130 kg, 8 floors, floor dimensions: (8x) 400 mm x 450 mm, total dimensions: 1000 mm x 700 mm x 2020 mm.	300
242	OEM	OEM pizza oven, type: DOMINATOR, number: OM0D1005368, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 22.5 A, 15.6 kW, inside dimensions: (2x) 940 mm x 620 mm x 150 mm, total dimensions: 1250 mm x 1050 mm x 1660 mm.	400
243	Catertech	Catertech dishwasher, model: DS111ERCRC, 380-400 V, 3 Ph, 50 Hz, 16.5 a, 10 kW, inside dimensions: 615 mm x 575 mm, total dimensions: 710 mm x 830 mm x 2280 mm.	350
244	Metos	Metos dishwasher, model: Metos Hood 130 EL XP, serial number: DWH1003132, year of construction: 2013, 380-400 V, 3 Ph, 50 Hz, 19.5 a, 1500 W, inside dimensions: 640 mm x 570 mm, total dimensions: 710 mm x 790 mm x 1490 mm.	350
245	Meiko	Meiko dishwasher, type: DV 80 TC, serial number: 10082119, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 18 A, 9.8 kW, inside dimensions: 630 mm x 570 mm, total dimensions: 690 mm x 850 mm x 1520 mm.	350
246	Comenda	Comenda dishwasher, model: LC 900M, serial number: 602205/Q/Z, 380-400 V, 3 Ph, 50 Hz, 23 A, 15.1 kW, inside dimensions: 610 mm x 560 mm, total dimensions: 720 mm x 810 mm x 1480 mm.	350
247	Clivet	Clivet condenser, type: MCAT21, serial number: AC76070C1314, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 5.5 A, 2.7 kW, refrigerant: R407C/2.4 kg, dimensions: 885 mm x 350 mm x 875 mm.	250
248	P&D	P&D; drip tray with 2 barrels with Fuchs Lubricate oil, type: 2 P2-F, year of construction: 1994, volume: 200 liter, dimensions drip tray: 1340 mm x 850 mm x 230 mm, barrel dimensions: (2x) Ø 590 mm x 890 mm. Barrels are only partly filled.	150
249	NN extraction hood	S/s extraction hood, dimensions: 3420 mm x 650 mm x 1100 mm.	450
250	Marco	Marco steel lifting platform with hydraulic unit, dimensions: 1350 mm x 1000 mm x 220 mm	400
251	Saro	Saro hose reel with nito pistol, dimensions: 470 mm x 490 mm x 180 mm. New with damage.	250
252	Kelvion	Kelvion evaporator, 2 fans, model: TEC4-5, serial number: 5200189930-0018, year of construction: 2017, 220 V, 1 Ph, 50 Hz, 0.3 A, 40 W, dimensions: 870 mm x 380 mm x 170 mm.	150



Nr	Title	Description	Start €
253	Friga-Bohn	Friga-Bohn evaporator, 2 fans, model: MF 4, serial number: EY 6622, 230 V, 1 Ph, 50/60 Hz, dimensions: 610 mm x 450 mm x 180 mm.	150
254	Searle	Searle evaporator, model: TG8-5, serial number: 183025, 220 V, 1 Ph. 50 Hz, 1.44 A, 15 watt, dimensions: 1530 mm x 380 mm x 220 mm.	150
255	Sylensis	Sylensis compressing and condensing unit, dimensions: 890 mm x 710 mm x 870 mm,	200
256	NN buffer cabinet	Mobile buffet cabinet with 4 soup kettles, dimensions holes: (4x) Ø 290 mm x 200 mm, total dimensions: 1500 mmx 1220 mm x 1030 mm.	150
257	Copeland / Smeva	Smeva compressing and condensing unit with Copeland cooling compressor, type unit: ICU CM 08 Z CD-4, serial number: 1506170-A, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 3.25 kW, refrigerant: R404A, type compressor: ZBD-21KCE TFD, dimensions: 1150 mm x 500 mm x 880 mm.	250
258	NN cooling compressor	Cooling compressor, type: D750-R22-375 H, number: AK.375.91.05, 380 V, 3 Ph, 50 Hz, dimensions: 770 mm x 480 mm x 1080 mm.	150
259	Tecnodom S.P.A.	Tecnodom S.P.A. refrigerated show case, model: K150VVC, serial number: 201808158F, year of construction: 2018, 220-240 V, 1 Ph, 50 Hz, 2.5 A, 553 kW, refrigerant: R507/R4542 - 180 gram, dimensions: 1560 mm x 900 mm x 1380 mm.	200
260	NN trolley	Trolley for plates, 18 floors, floor dimensions: (18x) 550 mm x 370 mm, total dimensions: 900 mm x 650 mm x 1440 mm.	100
261	NN trolley	S/s trolley for combi steamer, used for Rational scc 202 combi steamer, 20 floors, dimensions each floor: 530 mm x 650 mm, total dimensions: 590 mm x 840 mm x 1710 mm.	150
262	NN trolleys	2 s/s trolley for combi steamer, 20 floors, dimensions each floor: 530 mm x 650 mm, total dimensions: (2x) 590 mm x 840 mm x 1710 mm.	300
263	NN extraction hood	S/s extraction hood, dimensions: 1000 mm x 950 mm x 1400 mm.	300
264	Metos	Metos freezer, type: S 70R BT, serial number: BN020123456, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 3.6 A, 600 watt, refrigerant: R404A / 255 gram, capacity: 617 liter, dimensions: 710 mm x 840 mm x 2050 mm.	250
265	DWM Copeland	DWM Copeland cooling compressor, model: H8-LL-30X-EWL, serial number: 1504111, year of construction: 1997, total dimensions: 720 mm x 680 mm x 650 mm.	200
266	NN locker	9-doors locker, dimensions: 900 mm x 530 mm x 1910 mm. Missing keys.	50
267	NN sink	S/s sink, dimensions: 2380 mm x 710 mm x 260 mm.	100



Nr	Title	Description	Start €
268	NN roller conveyor	Infeed roller conveyor for dishwasher with sink, plastic rollers, roller width: 500 mm, total dimensions: 3020 mm x 700 mm x 920 mm.	200
269	NN table	S/s table, dimensions: 2650 mm x 1070 mm x 890 mm.	200
270	NN cooling compressor	Cooling compressor, dimensions: 700 mm x 500 mm x 500 mm.	150
271	NN cooling compressor	Cooling compressor, dimensions: 500 mm x 400 mm x 400 mm.	100
272	NN motors	6 electric motors.	100
273	NN trays	Large amount of various s/s bowls and trays, diameter bowls: 200 mm and 240 mm, dimensions trays: 300 mm x 180 mm.	50
274	NN trays	Large amount of various s/s trays.	50
275	NN pans	12 s/s pans.	50
276	NN gastronorm bins	12 gastronorm bins, 1/2.	60
277	Elsto	Elsto motor, type: E2T FC 100L4C-40 H, number: 027202 HL, 230/400 V, 50/60 Hz, 8,7/5.0 A - 8.5/4.9 A, 2.2/2.5 kW, 1440/1730 rpm, dimensions: 500 mm x 230 mm x 250 mm.	50
278	ATB	ATB motor, type: PF 112M/4P-11A, number: 0501040, 400-440 V, 3 Ph, 50-60 Hz, 6.6/7.6 A - 6/6.9 A, 2.2/4 kW, 945/1400 rpm - 1145/1700 rpm, dimensions: 300 mm x 400 mm x 300 mm.	75
279	Lafert	Lafert centrifugal pump, type: AMPE 100L AA2, number: 1450597, 3 kW, 2900/3505 rpm, dimensions: 400 mm x 250 mm x 250 mm.	50
280	ATB	ATB motor and motor, type ATB: type: PF 112M/4P-12A, 400/420-440/480 V, 3 Ph, 50-60 Hz, 7.0/8.0 A - 6.4/7.0 A, 2.2/4.0 kW, 950/1410 rpm - 1160/1730 rpm, dimensions: 500 mm x 230 mm x 230 mm and 400 mm x 300 mm x 230 mm.	100
281	SEW-EURODRIVE / Elsto	SEW and Elsto motor, dimensions: (2x) 400 mm x 200 mm x 180 mm.	75
282	SWEP	3 SWEP heat exchangers, dimensions: 550 mm x 130 mm x 60 mm and (2x) 300 mm x 110 mm x 60 mm.	75
283	Nord	Nord motor, dimensions: 400 mm x 200 mm x 150 mm.	50
284	Nord	3 Nord motor, type: SK 12063AZ-80S/4, number: 201236784-100 18808274, 0.55 kW, dimensions: (3x) 500 mm x 200 mm x 200 mm.	150
285	Motovario	2 Motovario motors, type: CH033, dimensions: (2x) 400 mm x 150 mm x 170 mm.	100
286	Himmel	2 Himmel motors, type: CF 10-M1C6/4 B5-00-B, 380/415 - 440 V, 50-60 Hz, 0.55/0.65 A - 0.40/0.45 A, 0.09/0.12 kW, 960/1460/1160/1760 rpm, dimensions: (2x) 320 mm x 200 mm x 120 mm.	100
287	ATB	2 ATB motors, type: AF 90S/2C-12L, 2.2 kW, 2850/3440 rpm, dimensions: (2x) 350 mm x 250 mm x 1810 mm.	100



Nr	Title	Description	Start €
288	NN centrifugal pumps	4 centrifugal pumps, dimensions: (2x 350 mm x 200 mm x 200 mm, 400 mm x 200 mm x 200 mm and 260 mm x 150 mm x 150 mm.	100
289	NN motor	Motor, dimensions: 300 mm x 400 mm x 150 mm.	50
290	Neri	Neri motor, dimensions: 450 mm x 300 mm x 650 mm.	50
291	SEW-EURODRIVE	SEW-EURODRIVE motor, type: FAF47 DRS90M4/2, number: 90.1871506301.0001X13, 1.2/1.8 kW, 1440/66 - 2780/127 rpm, dimensions: 400 mm x 300 mm x 220 mm.	75
292	TKT	2 TKT isolated trolleys, dimensions: 960 mm x 740 mm x 1820 mm.	100
293	Lazzo	Large amount of Lazzo soup ladles.	50
294	Daymark	6 Daymark food labelling sticker rolls.	50
295	NN trays	11 s/s trays, dimensions: (11x) 260 mm x 200 mm x 55 mm.	40
296	NN bowls	14 s/s bowls, diameter: 200 mm.	30
297	Saro Gastro-Products GmbH	Box with 50 Saro Gastro-Products GmbH gastronorm plates, 1/3-20, depth: 20 mm.	100
298	NN colanders	9 colanders, dimensions: (9x) Ø 210 mm x 130 mm.	20
299	Tecumseh	Tecumseh scroll compressor, year of construction: 10 oct 17, 400/440 V, 3 Ph, 50/60 Hz, pressure: 20.1 bar, refrigerant: R404A, dimensions: 300 mm x 230 mm x 400 mm. Damaged.	250
300	Dorin	Dorin cooling compressor, model: H300CS/CAS, serial number: 151108566, 1450 rpm, dimensions: 400 mm x 300 mm x 300 mm.	150
301	Copeland scroll	Copeland scroll compressor, model: ZR61KCE-TFD-522, serial number: 12H214300 C, dimensions: 300 mm x 230 mm x 400 mm.	150
302	NN trays	Large amount of plastic trays, dimensions: 530 mm x 325 mm x 30 mm.	100
303	NN chemicals	Various chemicals.	50
304	NN trays	S/s trays, dimensions: 500 mm x 360 mm x 30 mm.	50
305	NN dividers	Various sizes of gastronorm bin dividers.	20
306	NN plates	72 plates, diameter plate: (72x) 200 mm.	40
307	NN trays	Various s/s trays, dimensions: 270 mm x 360 mm x 30 mm and 530 mm x 320 mm x 30 mm.	50
308	NN meat hooks	Various meat hooks	20
309	NN gastronorm bins	Gastronorm bins, sizes: 1/1-100 and 1/2-100	50
310	NN plates	11 plates, diameter plate: (11x) 310 mm.	5
311	NN mugs and plates	Different sized plates and mugs.	50
312	NN mugs and plates	Crate with plates and mugs.	20
313	TKT	TKT isolated trolley, model: A-580, 15 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 960 mm x 740 mm x 1820 mm.	75
314	NN bowls	Various bowls, diameter bowls: 110 mm and 200 mm.	20
315	NN foil wrap	3 aluminium foil wrappers.	30



Nr	Title	Description	Start €
316	NN glasses	Various glasses.	20
317	NN kitchen equipment	Various kitchen equipment.	30
318	NN plates	8 plates, diameter plate: (8x) 450 mm.	5
319	NN kitchen equipment	Various kitchen equipment.	20
320	NN thermos jugs	11 thermos jugs.	20
321	NN pans	16 cast iron pans, diameter pans: (6x) 260 mm and (10x) 240 mm.	20
322	Hendi	3 Hendi buffet dishes, dimensions: (3x) 460 mm x 460 mm x 73 mm.	20
323	NN trays	Approximately 128 plastic trays, dimensions: 530 mm x 320 mm.	75
324	NN gastronorm bins	30 gastronorm bins, sizes: (19x) 1/3-150, depth: 150 mm and (11x) perforated bins 1/2, depth: 150 mm.	100
325	NN receipt rolls	Various receipt rolls.	10
326	NN restaurant equipment	Various restaurant equipment.	20
327	NN gastronorm bins	Various sizes gastronorm bins, sizes: (6x) 1/1 gn, (12x) perforated bins 1/2 gn and (20x) 1/2 gn, depth: 65 mm.	150
328	Royal	Royal cutlery, (8x) 24 pieces, not for dishwasher.	70
329	NN kitchen equipment	Various kitchen equipment.	20
330	NN motor	Motor for extraction hood.	50
331	NN trolleys	5 s/s trolleys with (6x) 1/1 gastronorm bins, dimensions: (5x) 560 mm x 380 mm x 1680 mm.	400
332	NN trolleys	10 s/s trolleys with (6x) thermobox for 1/1 gastronorm bins, dimensions: (10x) 560 mm x 380 mm x 1680 mm.	750
333	NN trolleys	5 s/s trolleys for (6x) 1/1 gastronorm bins, dimensions: (5x) 560 mm x 380 mm x 1680 mm.	700
334	NN trolleys	10 s/s trolleys for (6x) 1/1 gastronorm bins, dimensions: (10x) 560 mm x 380 mm x 1680 mm.	750
335	Rational/Voss	Rational/Voss combi steamer, type: VCPC 101, serial number: E11CB99081010601, 400 V, 3 Ph, 50 Hz, 19 kW, 10 floors, floor dimensions: 330 mm x 540 mm, total dimensions: 900 mm x 850 mm x 1100 mm.	500
336	Rational	Rational combi steamer, model: CM 61G, serial number: G61MG09112198060, 230 V, 3 Ph, 50 Hz, 300 W, gas heated, 6 floors, dimensions floors: (6x) 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 800 mm.	700
337	Rational	Rational combi steamer, type: CM 61, 400 volt, 10 kW, 6 floors, dimensions floors: (6x) 540 mm x 330 mm, total dimensions: 850 mm x 800 mm x 800 mm.	700



Nr	Title	Description	Start €
338	Rational	Rational combi steamer, model: MCMP 101, serial number: E11MI17072606514, 400 V, 3 Ph, 50/60 Hz, 18.6 kW, 10 floors, dimensions floors: (10x) 540 mm x 330 mm, total dimensions: 850 mm x 820 mm x 1100 mm.	1500
339	Rational	Rational combi steamer, model: SCC 61, serial number: E61SG10062220591, 400 V, 3 Ph, 50 Hz, 10.0 kW, 6 floors, dimensions floors: (10x) 330 mm x 540 mm, total dimensions: 850 mm x 850 mm x 800 mm.	900
340	Electrolux	Electrolux combi steamer, 10 floors, floor dimensions: (10x) 330 mm x 540 mm, total dimensions: 900 mm x 950 mm x 1850 mm.	500
341	Rational	Rational mobile combi steamer, model: MSCC WE 61, serial number: E61SH13092367990, 400 V, 3 Ph, 50/60 Hz, 11.0 kW, 6 floors, dimensions floors: (6x) 330 mm x 540 mm, total dimensions: 850 mm x 850 mm x 1100 mm.	1500
342	Electrolux	Electrolux combi steamer, model: AOS061EAA1, serial number: 90200005, year of construction: 1-2009, 400 V, 3 Ph, 50/60 Hz, 10.1 kW, 6 floors, floor dimensions: (6x) 330 mm x 540 mm, total dimensions: 900 mm x 900 mm x 1500 mm.	500
343	MKN	MKN combi steamer, model: OSC 10.10, number: O2O01060279, 380-415 V, 3 Ph, 50/60 Hz, 23-26 A, 15-18 kW, 10 floors, floor dimensions: (10x) 330 mm x 540 mm, total dimensions: 1050 mm x 850 mm x 1700 mm.	500
344	Costan	Costan refrigerated showcase, type: 2BO, serial number: LI100694, 230 V, 50 Hz, 970 W, dimensions: 6500 mm x 1060 mm x 2300 mm. Including cooling compressor. Lot located in Afferden (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	500
345	Bonnet N��v��	Bonnet N��v�� refrigerated showcase, type: SCPL 4 Portes 312, serial number: Q5541 01, 230/400 V, 50 Hz, 4200 W, dimensions: 3230 mm x 940 mm x 2300 mm. Including cooling compressor. Lot located in Afferden (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	400
346	De Rigo	De Rigo refrigerated showcase, typ: LAWAN DOORS 860 M1 S/RIP.2500 H2040, serial number: 2104742, 230 V, 50 Hz, 1.17 A, 74 W, refrigerant: R404A, dimensions: 2600 mm x 900 mm x 2200 mm. Including cooling compressor. Lot located in Afferden (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	400

Nr	Title	Description	Start €
347	Metos	Metos shock freezer, model: F517TS BF121AV DX, number: FRI20142928, year of construction: 09/2017, 400 V, 3 Ph, 50/60 Hz, 7.4 A, 4.810 kW, refrigerant: R414A, 1600 g, 16 floors, floor dimensions: 600 mm x 400 mm, total dimensions: 800 mm x 800 mm x 1800 mm.	1000
348	Ilsa S.p.A.	Ilsa S.p.A. mobile proofer, year of construction: 2023.0049, 230 V, 1 Ph, 50 Hz, 7.8 A, 650 W, refrigerant: R452A, 0.400 kg, dimensions: 800 mm x 870 mm x 2200 mm.	1000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.


16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

