



**Industrial
Auctions**

**1896: Online auction machinery, tanks and cooling
equipment for the food processing and dairy
industry in Broby (DK)**

END DATE
02 September 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	02 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	25% over the highest bid including premium
Pick up days	09 September 2025 from 09:00 till 16:00 hrs.
Pick up address	Industrievij 18 5672 Broby Denmark
Pick up instructions	The buyer is fully responsible for the dismantling, loading and transportation of the bought lots. Industrial Auctions B.V. cannot accept any responsibility unless indicated otherwise. The delivery (pick up bought lots) will only take place on the mentioned delivery date/time and address.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Mycom	Mycom cooling compressor rack, consisting of: Mycom cooling compressor, type: N4K, serial number: 490773, year of construction: 2007, empty weight: 800 kg. Alfa Laval heat exchanger, type: AlfaNova 76-58H, serial number: 18230051, year of construction: 20071126, dimensions: 3110 mm x 2150 mm x 2350 mm.	2500
2	SCM Frigo	SCM Frigo cooling compressor rack, model: UMCE 2x035 BT HP, serial number: 0Q388/1, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 48 A, refrigerant: R744 (CO2) S. With 2 Bitzer cooling compressors, type: 2GSL-3K-40S, dimensions: 2100 mm x 750 mm x 2070 mm.	2500
3	Johnson Controls / Sabroe	Johnson Controls sound isolated cooling container, type: Køleanlæg, serial number: 5H27-0005, year of construction: 2015, refrigerant: R717 / 114 kg with Sabroe cooling compressor, type: CMO 28, serial number: 513336, year of construction: 2014, dimensions container: 8750 mm x 3000 mm x 2900 mm, ThermoKey roof condenser, type: JAKR2690B-QI(EC)S, serial number: 10003948, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 11 A, weight: 2819 kg, dimensions condenser: 7700 mm x 2600 mm x 2850 mm.	25000
5	Rivacold	Rivacold cooling unit in container, type: RV4B2609, serial number: 16142880, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 68.6 A, refrigerant: R134a, 2 Bitzer cooling compressors: 6HE-35Y x 2, dimensions container: 6000 mm x 2450 mm x 2600 mm. With FIC cold water storage unit, type: EVEREST 880-32, serial number: 2160183, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 155 A, 85 kW, refrigerant: R134a / 2x 50 kg, dimensions water cooling unit: 4770 mm x 2310 mm x 2800 mm. Including 2 evaporators.	10000
9	B.A.C.	B.A.C. cooling tower, type: PED C100, serial number: H020866, year of construction: 3/19/2002, refrigerant: R717, volume: 98 liter, dimensions: 2400 mm x 1250 mm x 2250 mm.	1500
10	Bock	Bock cooling compressor, type: HGX12P/60-4 S, serial number: AS16600A025, 220-240 V / 380-420 V, 3 Ph, 50 Hz, 6.8 / 3.9 A, capacity: 5.40 m³/h, dimensions: 800 mm x 750 mm x 750 mm.	100
11	Alfa Laval	Alfa Laval evaporator, type: BLAL502CD 400VPB CR AP_A, serial number: 2237781, year of construction: 2010, 400/460 V, 3 Ph, 50/60 Hz, weight: 165 kg, dimensions: 2150 mm x 500 mm x 950 mm.	250
12	Copeland GmbH	Copeland GmbH cooling unit, type: MC-V6-ZB11ME-TWD, serial number: 04L320185 T, scroll compressor model: ZB11MCE-TWD-551, serial number: 04D922118, refrigerant: R134a, 380-420 V, 3 Ph, 50 Hz / 460 V, 3 Ph, 50/60 Hz, dimensions: 1400 mm x 900 mm x 1000 mm.	100



Nr	Title	Description	Start €
13	NN switch cabinet	Steel switch cabinet, dimensions: 2050 mm x 350 mm 1050 mm.	100
14	Uniflair	Uniflair cooling unit, serial number: URT017323, year of construction: 2009, dimensions: 1270 mm x 500 mm x 1250 mm.	500
15	NN thermal ice water storage unit	Thermal Ice water storage unit, accumulated cooling capacity: 2.730 kWh, dimensions: Ø 3400 mm x 14000 mm. Compressor unit not included (lot 1896-1)	12500
16	TE.S.I.	TE.S.I. pasteurizing tunnel, type: Cooler, number: 06.1, year of construction: 2001, 380 V, 50 Hz, plastic mesh belt, belt width: 1500 mm, clearance: 1500 mm x 280 mm, total dimensions: 11000 mm x 2500 mm x 2600 mm, including in and outfeed belts, belt width: 8 mm, with dry blower.	20000
17	Promatic	Promatic infeed belt for cheese packaging machine, plastic mesh belt, belt width: 300 mm, total dimensions: 3000 mm x 1350 mm x 2000 mm.	750
18	Yaskawa	Yaskawa robot arm, type: YR-MH00024-A00, model: M124, serial number: K17396-787-3, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, payload: 24 kg, weight: 270 kg, dimensions robot: 1200 mm x 800 mm x 2500 mm, dimensions infeed: 1500 mm x 800 mm x 1200 mm, dimensions switch cabinet: 1000 mm x 900 mm x 2100 mm.	5000
19	Cryovac	Cryovac belt vacuum machine, type: VS9X, serial number: SN00515, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 1 kW, 5 A, weight: 2200 kg, plastic belt, belt width: 660 mm, total dimensions: 3000 mm x 1400 mm x 1800 mm. Without vacuum pump.	4000
20	S+S	S+S metal detector, type: Varicon-D 1300/500/600/200, serial number: 11043002197-H, year of construction: 2010, 230/115 V, 50/60 Hz, 0.7/1.4 A, plastic belt, belt width: 500 mm, total dimensions: 1350 mm x 1050 mm x 1150 mm.	1250
21	NN tub	S/s tub with pump, inside dimensions: 730 mm x 500 mm x 350 mm, total dimensions: 1050 mm x 600 mm x 1370 mm.	50
22	SPX	SPX pasteurizer, type: SSP, serial number: NO-5012083, capacity: 80–150 L/h, mixing/buffering vessels, heat exchanger, and flow components. dimensions: 2800 mm x 1200 mm x 2000 mm.	12500
23	Alpma	Alpma cheese slicer, type: CUT 25, serial number: 5218.202.008, year of construction: 1999, 400 V, 3 Ph, 50 Hz, capacity: 150 pieces a minute, weight: 1250 kg, plastic belt, belt width: 300 mm, working width: 305 mm, total dimensions: 2750 mm x 1550 mm x 1850 mm.	4000
24	Alpma	Alpma cheese slicer, type: CUT 23, serial number: 5223.206.031, year of construction: 2001, 400 V, 3 Ph, 50 Hz, capacity: 150 pieces a minute, weight: 850 kg, plastic belt, belt width: 300 mm, working width: 305 mm, total dimensions: 2300 mm x 1050 mm x 2160 mm. Missing belt.	3500



Nr	Title	Description	Start €
25	Henkelman	Henkelman mobile vacuum machine, type: Polar 52 KK, serial number: P001404016, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 10.5 A, 3 kW, chamber dimensions: 490 mm x 515 mm, seal width: (2x) 520 mm, total dimensions: 700 mm x 750 mm x 1150 mm.	1450
26	Gramegna	Gramegna wrapping and shrinking machine, type: MS-70L, serial number: 01200121, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 20 kW, weight: 900 kg, belt width: 600 mm, clearance: 600 mm x 360 mm, film width: 370 mm, seal width: 605 mm, total dimensions: 3400 mm x 1200 mm x 1850 mm. Including 3 pallets with film rolls.	2000
27	Cime Careddu	Cime Careddu 12-head bottle filling, capping and closing machine, type: Gold S 12/12/1/VA, serial number: 823, year of construction: 2021, 400 V, 50 Hz, 3 Ph, plastic belt, belt width: 80 mm, bottle diameter: 55 mm, cap diameter: 30 mm, total dimensions: 3900 mm x 1600 mm x 2100 mm. EB Teknik Borup elevating belt, type: Cap Elevator, number: 180578, year of construction: 2018, 230 V, 10 A, dimensions: 1400 mm x 700 mm x 3100 mm. Infeed belt, belt width: 340 mm to 80 mm, total dimensions: 2200 mm x 600 mm x 1120 mm. Including 6 pallets with parts.	25000
28	Cime Careddu	Cime Careddu 8-heads bottle filling, capping and closing machine, type: Silver 9/8/1/ Eagle-VA, serial number: 671, year of construction: 2017, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 80 mm, bottle diameter: 60 mm, total dimensions: 4100 mm x 1500 mm x 2200 mm. Hitachi ink jet printer, model: UX-D161W, 100-120 V/200-240 V, 1 Ph, 50/60 Hz, 1.2/0.6 A, weight: 27 kg, dimensions: 700 mm x 500 mm x 1600 mm. Canelli Tech, bottle labelling machine, plastic belt, belt width: 80 mm, total dimensions: 2450 mm x 1300 mm x 1800 mm. infeed belt, plastic belt, belt width: 340 mm to 80 mm, total dimensions: 2200 mm x 600 mm x 1120 mm. Including 2 pallets with parts.	20000
29	Hoyer	Hoyer, ice machine, type: KF 600, serial number: 102-1505/74, dimensions: 2200 mm x 750 mm x 1500 mm.	750
30	Hoyer	Hoyer, ice machine, type: KF 600, serial number: 102-1210/72, dimensions: 2400 mm x 1200 mm x 2000 mm.	750
31	NN frame	S/s frame for suction device, dimensions: 800 mm x 1000 mm x 1400 mm.	50
32	Holac	Holac cheese dicer/slicer, type: Cheeseixx 100, serial number: 202-00-22, year of construction: 2008, 400 V, 50 Hz, 4.1 kW, chamber dimensions: 375 mm x 100 mm x 100 mm, total dimensions: 1550 mm x 750 mm x 1150 mm.	2500
33	Espera	Espera labelling machine, type: ESD, belt width: (2x) 130 mm, total dimensions: 1960 mm x 600 mm x 1500 mm.	500
34	Ecolab	HOH water softener, type: FVD-40, serial number: 15217, year of construction: 2006, with Ecolab mixing station, dimensions: 1500 mm x 750 mm x 1700 mm.	250



Nr	Title	Description	Start €
35	NN tank	S/s tank, inside dimensions: Ø 2400 mm x 2200 mm, total dimensions: Ø 2700 mm x 3800 mm.	3000
36	NN tank	S/s tank, inside dimensions: Ø 3000 mm x 3100 mm, total dimensions: Ø 3100 mm x 4700 mm.	3500
37	Wedholms	Wedholms double jacketed isolated s/s tank with agitator, type: DB40, serial number: 79604, year of construction: 1981, volume: 51000 liter, dimensions: Ø 3700 mm x 8600 mm.	7500
38	NN tank	S/s tank on Tekfa weighing cells, type weighing cells: 15000, number: M11650, inside dimensions: Ø 2900 mm x 4600 mm, total dimensions: Ø 3000 mm x 5900 mm.	5000
39	NN tank	S/s tank on weighing cells, inside dimensions: Ø 2500 mm x 3250 mm, total dimensions: Ø 2800 mm x 4550 mm.	3500
40	Alfa Laval	Alfa Laval double jacketed tank, type: TSSII-300, number: 32010-2918, dimensions: Ø 1900 mm x 6900 mm.	4500
41	NN tank	S/s tank, dimensions: Ø 1950 mm x 3200 mm.	1250
42	NN tank	S/s tank with agitator, dimensions: 3600 mm x 2300 mm x 2200 mm.	1000
43	NN tank	Double jacketed s/s tank with agitator, dimensions: Ø 1750 mm x 2700 mm.	1000
44	NN tank	S/s tank with agitator, dimensions: 2200 mm x 3900 mm.	1250
45	NN tub	S/s tub, dimensions: 4830 mm x 1070 mm x 1020 mm.	500
46	NN tub	S/s tub, dimensions: 4830 mm x 1070 mm x 1020 mm.	500
47	NN tank	S/s tank on Tekfa weighing cells, type: 7000, inside dimensions: Ø 2250 mm x 3250 mm, total dimensions: Ø 2500 mm x 5200 mm.	1250
51	NN tank	Double jacketed s/s tank, inside dimensions: Ø 2400 mm x 2150 mm, total dimensions: Ø 2500 mm x 3800 mm.	3000
52	NN tank	Double jacketed s/s tank with agitator, inside dimensions: Ø 2600 mm x 2250 mm, total dimensions: Ø 2700 mm x 3900 mm.	3500
53	NN tank	Double jacketed s/s tank with agitator, inside dimensions: Ø 2400 mm x 2120 mm, total dimensions: Ø 2400 mm x 4450 mm.	3500
54	NN tank	Double jacketed s/s tank with agitator, inside dimensions: Ø 2400 mm x 2120 mm, total dimensions: Ø 2400 mm x 4450 mm.	3500
55	NN tank	S/s tank, inside dimensions: Ø 2300 mm x 3900 mm, total dimensions: 2300 mm x 4200 mm x 2850 mm. Damaged.	3000
56	Alfa Laval	Alfa Laval tank, type: 175M-X63, serial number: 32010-5485, dimensions: Ø 1950 mm x 2050 mm.	2000
57	Alfa Laval	Alfa Laval double jacketed tank with inner coil, inside dimensions: Ø 850 mm x 1010 mm, total dimensions: Ø 1150 mm x 1500 mm.	1500
58	Nyköpings Rostfria	Nyköpings Rostfria double jacketed s/s tank with agitator, volume: 5360 liter, dimensions: Ø 2050 mm x 1900 mm.	5000
59	Nyköpings Rostfria	Nyköpings Rostfria double jacketed s/s tank with agitator, volume: 500 liter, dimensions: Ø 950 mm x 2100 mm.	2500



Nr	Title	Description	Start €
60	Nyköpings Rostfria	Nyköpings Rostfria double jacketed s/s tank with agitator, volume: 5360 liter, dimensions: Ø 2050 mm x 1900 mm.	5000
61	Nyköpings Rostfria	Nyköpings Rostfria double jacketed s/s tank with agitator, volume: 5360 liter, dimensions: Ø 2050 mm x 1900 mm.	5000
62	Nyköpings Rostfria	Nyköpings Rostfria double jacketed s/s tank, volume: 500 liter, dimensions: Ø 950 mm x 2100 mm.	2500
63	NN tank	Double jacketed s/s tank with agitator, inside dimensions: Ø 1350 mm x 880 mm, total dimensions: Ø 1350 mm x 2350 mm.	2500
64	NN tank	Double jacketed s/s tank with agitator, dimensions: Ø 2050 mm x 3450 mm.	5000
65	GEA	Container with GEA cooling installation and condenser, GEA cooling compressor, type: Grasso 410 P, serial number: 03121692, year of construction: 2003, refrigerant: NH3, capacity: 288 m ³ /h, TT Coil condenser, type: BTB-A-294 V, serial number: 210546, year of construction: 2004, dimensions container: 12100 mm x 2250 mm x 2750 mm.	20000
66	Teraoka	Teraoka semi-automatic weigh/wrap/label system, model: FX-3600 XL, serial number: 3164336, 400 V, 3 Ph, 50/60 Hz, 1.5 kW, maximum weight: 3/6 kg, minimum weight: 20 g, e = 1/2 g, T = -0.999 kg, dimensions: 850 mm x 950 mm x 1400 mm.	350
67	Teraoka	Teraoka semi-automatic weigh/wrap/label system, model: FX-3600 XL, serial number: 96161583, 380 V, 3 Ph, 50/60 Hz, 1.5 kW, maximum weight: 3/6 kg, minimum weight: 20 g, e = 1/2 g, T = -0.999 kg, dimensions: 850 mm x 950 mm x 1400 mm.	250
68	Cryovac	Cryovac flowpacker, type: CJ50 BDF, serial number: 10002, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 4 kW, 6 A, plastic belt, belt width: 220 mm, seal width: 245 mm, film width: 531 mm, total dimensions: 5015 mm x 1000 mm x 1900 mm.	3500
69	Cryovac	Cryovac shrink tunnel, type: CJ51F LH, serial number: A11208402, year of construction: 1999, 380 V, 50 Hz, 5.5 kW, 23 A, rubber rollers, roller width: 280 mm, clearance: 260 mm x 125 mm, total dimensions: 2100 mm x 900 mm x 1450 mm.	750
70	Ytron Process Technology	Ytron Process Technology powder mixer, type: ZC 1/1/5.50-2, serial number: 04020172, year of construction: 2007, dimensions: 1200 mm x 800 mm x 1700 mm.	3500
71	Alfa Laval	Pallet with 3 Alfa Laval pumps	500
72	Alfa Laval	Pallet with Alfa Laval valves, type: SRC, year of construction: 1999 among others.	250
73	Alfa Laval	Pallet with Alfa Laval valves, type: SMP-BC PN 10, year of construction: 2011-05 among others and Alfa Laval heat exchanger, type: CB75-40H(V3W3), serial number: 516840, year of construction: 1991, volume: 1 liter.	200
74	Alfa Laval	Pallet with Alfa Laval valves, type: SRC PN 10, year of construction: 2005-05, among others.	200



Nr	Title	Description	Start €
75	NN tub	S/s tub, inside dimensions: Ø 550 mm x 450 mm, total dimensions: Ø 600 mm x 900 mm.	100
76	NN denester	Denester with Klee blower, type: KB-329L, serial number: 121014-14249, 208-255/360-440 V, 3 Ph, 50 Hz, 4.2/2.4 A, 0.9 kW, plastic mesh belt with dividers, belt width: 250 mm, distance between dividers: 150 mm, divider height: 25 mm, total dimensions: 3130 mm x 900 mm x 1620 mm.	500
77	Rietschle	Rietschle suction device for rest film, type: CEVF 3718-3 (12) 101609-1213, serial number: 1353099, year of construction: 1991, 220/380 V, 50 Hz, 9.1/5.3 A, 2.2 kW, dimensions: Ø 500 mm x 1150 mm.	250
78	Getriebebau Nord	Getriebebau Nord mobile s/s tub with pump, type: 01-74 S/4 TF, number: 7/9941562 00, inside dimensions: 700 mm x 300 mm x 280 mm, total dimensions: 1050 mm x 370 mm x 1000 mm.	200
79	NN tub	S/s tub, inside dimensions: Ø 380 mm x 400 mm, total dimensions: Ø 400 mm x 900 mm.	100
80	NN tub	Mobile double jacked s/s tub on weighing cells with pump, inside dimensions: Ø 600 mm x 550 mm, total dimensions: 1000 mm x 1000 mm x 1200 mm.	500
81	NN tub	S/s tub with floater, inside dimensions: Ø 700 mm x 500 mm, total dimensions: 950 mm x 750 mm x 800 mm.	100
82	APV	APV double jacked tub, inside dimensions: Ø 440 mm x 400 mm, total dimensions: Ø 550 mm x 900 mm.	100
83	APV	APV mobile high viscosity processing unit, type: SF600HR, serial number: N-1469, year of construction: 1996, dimensions: 1350 mm x 700 mm x 1600 mm.	2000
84	NN tank	S/s tank, inside dimensions: Ø 820 mm x 750 mm, total dimensions: Ø 950 mm x 1450 mm.	500
85	NN centrifugal pump	Centrifugal pump, dimensions: 1200 mm x 800 mm x 550 mm.	190
86	NN tub	Plastic tub, dimensions: Ø 510 mm x 720 mm.	8
87	NN valves and flowmeters	1/2 pallet with various valves, flowmeters and sensors.	500
88	Ystral	Ystral mixer, type: Y 5.500 L/TFW-3, machine number: 247731210, year of construction: 2011, mixer diameter: 220 mm, total dimensions: 1000 mm x 300 mm x 300 mm.	750
89	Alfa Laval	Pallet with Alfa Laval valves, type: LKM, year of construction: 1996, and type: FM-1A, among others	500
90	NN lockers	4 door steel lockers, dimensions: 1600 mm x 550 mm x 2100 mm.	90
91	NN lockers	4 door steel lockers, dimensions: 1600 mm x 550 mm x 2100 mm.	90
92	NN tub	S/s tub, inside dimensions: Ø 850 mm x 820 mm, total dimensions: Ø 860 mm x 1270 mm. With pump, model: S-280p, serial number: 90664, year of construction: 1998, 220 V, 1 Ph, 50-60 Hz, 5 A, 825 W.	500



Nr	Title	Description	Start €
93	NN tub	S/s tub with floater, inside dimensions: Ø 700 mm x 500 mm, total dimensions: 1000 mm x 720 mm x 820 mm.	250
94	NN tank	S/s tank with pump, inside dimensions: Ø 1250 mm x 850 mm, total dimensions: Ø 1300 mm x 1650 mm.	500
95	NN tank	S/s tank, inside dimensions: Ø 1000 mm x 750 mm, total dimensions: Ø 1100 mm x 1850 mm.	500
96	Pasilac	Pasilac tub, type: 300-LTR, serial number: 61.029/01, dimensions: 1100 mm x 900 mm x 1400 mm.	450
97	Olsson	Olsson press, press dimensions: 550 mm x 450 mm, total dimensions: 700 mm x 600 mm x 1900 mm.	500
98	Alfa Laval	Alfa Laval centrifugal pump, type: FM-1A, dimensions: 500 mm x 300 mm x 400 mm.	250
99	Alfa Laval	Alfa Laval pump, type: FM-1A, number: 31439-3795, capacity: 20000 l/h, 25 meter, dimensions: 500 mm x 300 mm x 400 mm.	250
100	APV	APV rotary lobe pump, type: DW/073/10, serial number: 10002918, year of construction: 2005, dimensions: 1150 mm x 800 mm x 700 mm.	2000
101	Inoxpa	Inoxpa product pump, type: K-2555T, serial number: 6826-B, total dimensions: 2100 mm x 450 mm x 820 mm.	1250
102	APV	APV rotary lobe pump, type: DW/080/10, serial number: 10001652, year of construction: 2008, dimensions: 1300 mm x 500 mm x 600 mm.	2500
103	Alfa Laval	Alfa Laval centrifugal pump, type: ALC3D/166, serial number: 31460-5537, 11 kW, 85 m³/h, dimensions: 800 mm x 450 mm x 550 mm.	500
104	Alfa Laval	Pallet with 6x Alfa Laval centrifugal pumps, types: – FM-1A, serial number: 31439-14590, capacity: 20.000 l/h, 25 m – FM-3A, serial number: 31458-3267, capacity: 60 m³/h – FM-2A, serial number: 31456-3532, capacity: 30.000 l/h, 30 m – FM-1A, serial number: 31458-3845, capacity: 20.000 l/h, 25 m – FM-2A, serial number: 31456-5917, capacity: 30.000 l/h, 30 m – FM-1A, serial number: 31439-16000, capacity: 20.000 l/h	750
105	Halldé	Halldé mobile slicer, type: RG-400, serial number: 1224784, year of construction: 2015, 400 V, 3 Ph, 50/60 Hz, 3.7/3.3 A, 1.7/0.9 kW, knife diameter: Ø 210 mm, total dimensions: 900 mm x 500 mm x 1350 mm.	500
106	Alfa Laval	3x Alfa Laval centrifugal pumps, types: – FM-1A, serial number: 31439-4922, capacity: 20.000 l/h, 25 m – MR-185A, serial number: 31438-9293, capacity: 20.000 l/h, 30 m – FM-1A, serial number: 31439-5436, capacity: 20.000 l/h, 25 m	300
107	NN cooking vessel	S/s tiltable cooking vessel, inside dimensions: Ø 550 mm x 250 mm, total dimensions: 1200 mm x 800 mm x 1400 mm.	400
108	NN tank	S/s culture starting tank for dairy, dimensions: 3900 mm x 1000 mm x 1600 mm. Including B. Braun heat exchanger, type: 325.462.0, serial number: 153, year of construction: 1995, volume tube side: 19 liter, volume shell side: 48,1 liter, dimensions: Ø 420 mm x 1200 mm.	5000



Nr	Title	Description	Start €
110	APV	APV centrifugal pump, type: W-50/50-380N, serial number: 1128280709202220, order number: 224774, dimensions: 900 mm x 450 mm x 500 mm.	500
111	SA	SA tiltable cooking vessel with agitator, registration number: 5107032, manufacturing number: 912973, dimensions: 1500 mm x 1250 mm x 1700 mm.	1000
113	Multivac	Multivac mobile vacuum machine, type: A 300/42, machine number: 4700, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 10 A, 1.8 kW, Busch vacuum pump, chamber dimensions: 450 mm x 350 mm, seal length: 450 mm, total dimensions: 450 mm x 650 mm x 600 mm.	500
114	Alfa Laval	Pallet with Alfa Laval valves type: LKM - SRC, year of construction: 1995, among others.	500
115	Kolva	Kolva mobile steriliser, inside dimensions: 800 mm x 560 mm x 1200 mm, total dimensions: 1000 mm x 660 mm x 950 mm.	400
116	Alfa Laval	Pallet with 4 Alfa Laval centrifugal pumps, types FM-2A, serial number: 31456-3834, capacity: 30.000 l/h, 30 m, (2x) FM-1A, serial number: 31439-4923, capacity: 20.000 l/h, 25 m, FM-1A/165, serial number: 31439-8162, capacity: 24 m³/h.	950
117	Alfa Laval	Pallet with 5 Alfa Laval centrifugal pumps, type: (4x) FM-1A, serial numbers: 31439-6424, 31439-1607, 31439-12432, 31439-5410, capacity: 20000 l/h, and (1x) type: FM-1A/165, serial number: 31439-8762, capacity: 24000 l/h.	1200
118	Alfa Laval	Pallet with 3 Alfa Laval valve manifolds, total dimensions: 1000 mm x 800 mm x 800 mm.	500
119	NN silo	Plastic silo, inside dimensions: Ø 1250 mm x 1250 mm, total dimensions: 1250 mm x 1250 mm x 1950 mm.	500
120	NN silos	2 Plastic silos, inside dimensions: Ø 1250 mm x 1250 mm, total dimensions: 1250 mm x 1250 mm x 1950 mm.	950
121	NN silos	2 Plastic silos, inside dimensions: Ø 1250 mm x 1250 mm, total dimensions: 1250 mm x 1250 mm x 1950 mm.	950
122	NN silos	3 Plastic silos, inside dimensions: Ø 1250 mm x 1250 mm, total dimensions: 1250 mm x 1250 mm x 1950 mm.	950
123	NN silos	2 Plastic silos, inside dimensions: Ø 1250 mm x 1250 mm, total dimensions: 1250 mm x 1250 mm x 1950 mm.	950
124	Alfa Laval	Alfa Laval manifold, type: SRC, year of construction: 1998, total dimensions: 1750 mm x 1200 mm x 950 mm.	750
125	Alfa Laval	Pallet with various Alfa Laval valves, type: SRC, year of construction: 2003, total dimensions: 1200 mm x 800 mm x 750 mm.	1250
126	Alfa Laval	Pallet with Alfa Laval manifolds, type: SRC and LKLA, year of construction: 2003 and 1998, among others, total dimensions: 1200 mm x 800 mm x 950 mm.	750
127	GEA	GEA manifold, type: PAMS-93/Gr.1, dimensions: 2650 mm x 900 mm x 660 mm.	1500
128	Alfa Laval	Alfa Laval manifold, dimensions: 1400 mm x 1150 mm x 1000 mm.	750



Nr	Title	Description	Start €
129	Alfa Laval	Pallet with Alfa Laval and GEA valves, type: SRC, year of construction: 2002, among others.	750
130	GEA	GEA manifolds, type: PAMS-93/Gr.1, dimensions: 2650 mm x 900 mm x 660 mm.	1500
131	Alfa Laval	Pallet with 3 Alfa Laval centrifugal pumps, type: FM-3A, serial numbers: 31458-1920, capacity: 60000 l/h, 25 m.	750
132	Alfa Laval	2 Alfa Laval manifolds, dimensions: 1200 mm x 800 mm x 800 mm.	500
133	Alfa Laval	Pallet with various Alfa Laval valves, dimensions: 1200 mm x 800 mm x 800 mm.	750
134	NN tank	S/s tank, dimensions: 600 mm x 450 mm x 1200 mm.	150
135	Alfa Laval	Alfa Laval manifold, type: LKLA, year of construction: 2005.03, dimensions: 1000 mm x 200 mm x 600 mm.	300
136	Alfa Laval	Alfa Laval manifold, type: LKM - SRC, year of construction: 1995, dimensions: 1200 mm x 800 mm x 1000 mm.	750
137	Alfa Laval	3 Alfa Laval manifolds, dimensions: (3x) 1500 mm x 500 mm x 200 mm.	500
138	Ystral	Ystral mixer, type: Y 7.500 L/TFW-3, machine number: 247751210, year of construction: 2011, mixer diameter: 220 mm, total dimensions: 1000 mm x 300 mm x 300 mm.	750
139	Alfa Laval	Pallet with various Alfa Laval valves, dimensions: 1200 mm x 800 mm x 1000 mm.	750
140	Alfa Laval	4 Alfa Laval centrifugal pumps, type: 2x FM-1A, serial number: 31439-4950, capacity: 20000 l/h, 25 m, type: FM-2A/165, serial number: 31455-7890, dimensions: 1200 mm x 800 mm x 500 mm.	950
141	Alfa Laval	5 Alfa Laval centrifugal pumps, type: 5x FM-1A, serial number: 31439-12802, capacity: 20000 l/h, 25 m, dimensions: 1200 mm x 800 mm x 500 mm.	1200
142	QB Food Tech	QB Food Tech mixer on weighing cells, serial number: 2580-02, year of construction: 2005, volume: 3321 liter, total weight: 1600 kg, total dimensions: 3800 mm x 1400 mm x 2850 mm.	12500
143	QB Food Tech	QB Food Tech mixer on weighing cells, serial number: 2580-01, year of construction: 2005, volume: 3321 liter, total weight: 1600 kg, total dimensions: 3800 mm x 1400 mm x 2850 mm.	12500
144	NN valves	Pallet with various valves, dimensions: 1200 mm x 800 mm x 700 mm.	750
145	NN tanks	2 s/s tanks with Alfa Laval valves, dimensions: (2x) Ø 550 mm x 1500 mm.	500
146	Hoyer	Hoyer mobile double jackd mixing tub, 380 V, 3 Ph, 50 Hz, 25 A, inside dimensions: Ø 600 mm x 500 mm, total dimensions: 900 mm x 700 mm x 1300 mm.	500
147	NN tanks	Pallet with 3 s/s tanks, dimensions: (3x) Ø 400 mm x 800 mm, 1 s/s tub, dimensions: Ø 300 mm x 550 mm.	350



Nr	Title	Description	Start €
148	Reno-FF-AS	Reno-FF AS compressor, model: t.f. MONSUN ARE, prod. number: 17392, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 kW, 10 bar, capacity: 1960 L/min, total dimensions: 1000 mm x 650 mm x 1100 mm. Including pressure vessel on pallet, Ø 350 mm x 1000 mm.	750
149	Alfa Laval	Pallet with 5 Alfa Laval centrifugal pumps, types: FM-0S/85 SSS 11 KW, FM-2A/165 FSS 4.0 KW, FM-2A, FM-0/95 SSS, serial numbers: 31457-19927, 31455-09096, 31455-5918, dimensions: 1200 mm x 800 mm x 500 mm.	1250
150	Strapex	Strapex strapping machine, type: SMA 20, serial number: 011279, year of construction: 2007, 230 V, 1 Ph, 50 Hz, strap width: 12 mm, total dimensions: 880 mm x 500 mm x 600 mm.	400
151	NN tub	Mobile s/s tub with pump, total dimensions: 1000 mm x 700 mm x 800 mm.	200
152	Grunwald	Grunwald Hittpac cup sealer, type: AKH-019R/1, serial number: 03/12, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 7.0 A, 3.0 kW, lid size: Ø 95 mm, cup Ø 90 + 70 mm, with Busch vacuum pump, type: KC 0010 E 300, total dimensions: 1520 mm x 1200 mm x 2000 mm.	4000
153	Alfa Laval	6 Alfa Laval pumps, types: ALC-1/162, serial number: 31460-2811, capacity: 20000 l/h, 35 m, ALC-1/120, serial number: 31460-2840, capacity: 40 m³/h, ALC-1/140, serial number: 31460-1818, capacity: 34000 l/h, 24 m, LKH 40/235 SSS, serial number: 015540, year of construction: 1998, 2.2 kW, FM-2A, serial number: 31455-5355, capacity: 30000 l/h, 30 m	1450
154	Hoyer	Hoyer ice machine, type: KF 600, serial number: 5468/71, dimensions: 2200 mm x 800 mm x 2250 mm. Technical condition unknown.	700
155	Hoyer	Hoyer ice machine, type: KF 600, serial number: 1086/64, dimensions: 2100 mm x 700 mm x 1600 mm. Technical condition unknown. Incomplete.	700
156	Hoyer	Hoyer ice machine, type: KF 600, serial number: 102-1509/73, dimensions: 2100 mm x 700 mm x 1600 mm. Technical condition unknown. Incomplete.	700
157	Hoyer	Hoyer ice machine, type: KF 600, serial number: 1108/65, dimensions: 2200 mm x 800 mm x 2250 mm. Technical condition unknown.	700
158	Alfa Laval	2 Alfa Laval manifolds, dimensions: (2x) 1500 mm x 600 mm x 500 mm.	700
159	NN agitators	2 s/s agitators, dimensions: (2x) Ø 350 mm x 960 mm.	500
161	Sigma	Sigma pizza machine, model: SPZ 40, serial number: 2044869, year of construction: 04/04/2011, 220 V, 1 Ph, 50 Hz, 0.55 kW, pizza diameter: 410 mm, total dimensions: 650 mm x 550 mm x 760 mm.	480
162	NN pumps	2 centrifugal pumps, dimensions: (2x) Ø 450 mm x 800 mm.	300



Nr	Title	Description	Start €
163	Alfa Laval	Alfa Laval centrifugal pump, type: FM-1A, serial number: 31439-14589, capacity: 20000 l/h, 25 m, dimensions: 500 mm x 350 mm x 400 mm.	200
164	Strapex	Strapex mobile strapping machine, type: SMT 359, serial number: 02132, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 5.2 A, clearance: 650 mm x 500 mm, total dimensions: 1250 mm x 700 mm x 2200 mm.	400
165	NN switch cabinet	S/s switch cabinet, dimensions: 500 mm x 600 mm x 300 mm.	50
166	Unifiller Systems Inc	Unifiller Systems Inc mobile depositor, dimensions: 900 mm x 700 mm x 1200 mm. Incomplete.	250
167	De Danske Mejeriers Maskinfabrik	De Danske Mejeriers Maskinfabrik double jacketed tank with agitator, volume: 2500 liter, dimensions: Ø 1850 mm x 2000 mm.	1000
168	NN transport belt	Mobile transport belt, plastic belt, belt width: 105 mm, total dimensions: 1550 mm x 520 mm x 990 mm.	50
169	AND	AND scale and indicator, model: AD4327-EC, serial number: H7001784, year of construction: 1997, capacity: 300 kg, scale dimensions: 500 mm x 500 mm, total dimensions: 520 mm x 800 mm x 1050 mm.	90
170	NN table	S/s table, dimensions: 1430 mm x 300 mm x 400 mm.	25
171	NN mixer	Double jacketed s/s double tank with agitators, inside dimensions: (2x) 500 mm x 600 mm x 850 mm, total dimensions: 1200 mm x 1100 mm x 1700 mm.	1000
172	NN mixer	Double jacketed s/s quarted tank with agitators, inside dimensions: (4x) 500 mm x 600 mm x 850 mm, total dimensions: 2300 mm x 1100 mm x 1700 mm.	1750
173	NN tub	Mobile s/s tub on frame, inside dimensions: Ø 540 mm x 660 mm, total dimensions: 1700 mm x 660 mm x 1150 mm.	250
174	NN tank	S/s tank, dimensions: Ø 550 mm x 1500 mm.	150
175	NN funnels	3 s/s infeed funnels.	150
176	AND	AND scale and indicator, model: AD4327-EC, serial number: H7002948, year of construction: 2000, capacity: 300 kg, scale dimensions: 430 mm x 430 mm x 350 mm, total dimensions: 800 mm x 500 mm x 1100 mm.	300
177	NN tank	S/s tank with agitator and Alfa Laval pump, type: MR-200A, capacity: 40000 l/h, inside dimensions: Ø 1200 mm x 1000 mm, total dimensions: 1500 mm x 1200 mm x 2000 mm.	1250
178	GWS	2 s/s GWS tanks, volume: (2x) 1000 liter, dimensions: 1000 mm x 1200 mm x 1230 mm.	500
179	De Danske Mejeriers Maskinfabrik	De Danske Mejeriers Maskinfabrik double jacketed tank with agitator, serial number: 4200102, volume: 500 liter, dimensions: Ø 1200 mm x 2000 mm.	1000
180	GWS	GWS s/s tank with agitator, volume: 1000 liter, dimensions: 1000 mm x 1200 mm x 1230 mm.	750
181	Alfa Laval	S/s tank with Alfa Laval valves, dimensions tank: Ø 700 mm x 1200 mm.	500



Nr	Title	Description	Start €
182	APV	APV rotary lobe pump, type: BA/073/10, serial number: 10002919, year of construction: 2005, dimensions: 1200 mm x 400 mm x 750 mm.	2500
183	Albin	Albin Pump rotary lobe pump, model: 330, serial number: 20578, dimensions: 1200 mm x 400 mm x 500 mm.	750
184	Albin	Albin Pump rotary lobe pump, model: 330, serial number: 21417, dimensions: 1200 mm x 400 mm x 500 mm.	750
185	Colly Flowtech	Colly Flowtech rotary lobe pump, type: M85, ID number: 2710692, dimensions: 1200 mm x 400 mm x 500 mm.	750
186	Alfa Laval	Alfa Laval heat exchanger, type: M6-MFMC, serial number: 30101-26367, year of construction: 1997, volume: 34.0 liter, dimensions: 1200 mm x 950 mm x 470 mm.	480
187	Alfa Laval	Alfa Laval heat exchangers, type: CB200-150H, serial number: 17309841, year of construction: 2005, among others, dimensions: 900 mm x 500 mm x 350 mm, (2x) 300 mm x 150 mm x 100 mm, (2x) 580 mm x 100 mm x 150 mm, (4x) 300 mm x 100 mm x 100 mm.	750
188	GWS	GWS s/s tank with agitator, serial number: M18044, year of construction: 2000, volume: 1000 liter, dimensions: 1200 mm x 1200 mm x 2100 mm.	1500
189	NN tank	S/s tank, inside dimensions: Ø 1500 mm x 1300 mm, total dimensions: Ø 1600 mm x 1970 mm.	750
190	NN tank	S/s tank with agitator, inside dimensions: Ø 900 mm x 1200 mm, total dimensions: Ø 1000 mm x 2500 mm.	750
191	Pasilac	Pasilac s/s tank with agitator, type: 500 - LTR, serial number: 60.285/01/02, total dimensions: 1150 mm x 1150 mm x 1500 mm.	500
192	NN tank	S/s tank with agitator, inside dimensions: Ø 900 mm x 1200 mm, total dimensions: Ø 1000 mm x 2500 mm.	750
193	NN tank	S/s tank with agitator, volume: 1600 liter, dimensions: 1200 mm x 1700 mm x 2100 mm.	1250
194	Grundfos	Grundfos circulation pump, type: TP 100-130/4 A-F-A-BAQE, model: A96109287P206370005 2, capacity: 78.2 m³/h, 12.2 m, dimensions: 800 mm x 600 mm x 500 mm.	100
195	NN transport belt	Transport belt, plastic belt, belt width: 110 mm, total dimensions: 2100 mm x 750 mm x 500 mm.	100
196	La Minerva	La Minerva mobile double paddle mixer, type: C/EMB50-05, serial number: 10E1554, 400 V, 3 Ph, 50 Hz, 4.3 A, 1.85 kW, dimensions: 800 mm x 700 mm x 1200 mm.	750
197	Ilpra	Ilpra mobile traysealer, model: Speedy N, serial number: FP7579, year of construction: 2007, 220 V, belt width: 400 mm, dye: (4x) 180 mm x 50 mm, total dimensions: 3100 mm x 900 mm x 1700 mm. Without vacuum pump.	1500
198	NN tank	S/s tank, dimensions: 600 mm x 600 mm x 1200 mm.	200



Nr	Title	Description	Start €
199	Getingeverken	Getingeverken autoclave, type: SAB, serial number: 9780103/01/003/44, year of construction: 1981, 380 V, 3 Ph, 50 Hz, 6 kW, capacity: 100 liter, max temperature: 127°C, dimensions: 700 mm x 500 mm x 1100 mm.	1500
200	NN tank	S/s tank, dimensions: Ø 500 mm x 1050 mm.	200
201	NN filter	S/s filter unit with plastic filter sack, dimensions: 550 mm x 300 mm x 1300 mm.	200
202	NN tank	S/s tank with Alfa Laval pump, inside dimensions: Ø 1200 mm x 800 mm, total dimensions: 1300 mm x 1300 mm x 1700 mm.	600
203	Kittner	Kittner hygienic station, number: 160529, serial number: 08374, 400 V, 50 Hz, 1.2 kW, brush length: (2x) 1300 mm, total dimensions: 2200 mm x 1050 mm x 1950 mm. Including 2 new brushes.	2000
204	NN step	S/s step, dimensions: 700 mm x 520 mm x 240 mm.	45
205	NN roller conveyor	Roller conveyor, s/s rollers, roller width: 580 mm, total dimensions: 3000 mm x 700 mm x 950 mm.	150
206	CTC	3x CTC Euroheat heat exchanger, type: SKRX 118-0.5, serial number: 264645, year of construction: 1987, max temperature: 200°C, volume: 40 liter (shell), 15 liter (outer shell), dimensions: (3x) 1050 mm x 420 mm x 450 mm.	750
207	Selecto	Selecto hydraulic lift, model: M 1250, serial number: 203 73, capacity: 1250 kg, dimensions: 1900 mm x 1200 mm x 1800 mm.	150
208	NN elevating screw	Double s/s elevating screw, screw diameter: (2x) 220 mm, tier: (2x) 150 mm, elevating height: 1000 mm, total dimensions: 3000 mm x 1100 mm x 2030 mm.	2000
209	Kroniysk Stal	Kroniysk Stal s/s tank, volume: 1000 liter, serial number: 384-1020001, year of construction: 1988, dimensions: 1200 mm x 1000 mm x 2200 mm.	400
210	Macchine per Pasta	Macchine per Pasta pasta line consisting of: mixer, model: MS 80, serial number: 8017, year of construction: 10/2008, 400 V, 50 Hz, 2.2 kW, weight: 170 kg, dimensions mixer: 1000 mm x 550 mm x 950 mm. Elevating belt, dimensions: 2000 mm x 60 mm x 2100 mm. Extruder, model: TR 150, serial number: 150030, year of construction: 10/2008, 400 V, 50 Hz, 5.8 kW, weight: 520 kg, plate diameter: 150 mm, total dimensions extruder: 1400 mm x 700 mm x 1750 mm.	5000
211	Elopak	Elopak container filling machine for 1 liter milk cartons, model: RCL 70 S, serial number: 4150-3, year of construction: APR 1996, 400 V, 3 Ph, 50 Hz, 13 A, dimensions: 2700 mm x 1600 mm x 2600 mm.	7500
212	Elopak	Elopak container filling machine for 1 liter milk cartons, model: RCL 70 S, serial number: 4150-1, year of construction: APR 1996, 400 V, 3 Ph, 50 Hz, 13 A, dimensions: 2700 mm x 1600 mm x 2600 mm.	7500

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.


16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

