



**Industrial
Auctions**

**1898: Day 1: Online auction machinery and
inventory at former production location The Family
Butchers Germany GmbH on behalf of Progressu
GmbH in Vörden (DE)**

END DATE

03 September 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	03 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	17 September 2025 from 09:00 till 16:00 hrs. 18 September 2025 from 09:00 till 16:00 hrs.
Pick up address	Schillerstraße 2 49434 Neuenkirchen-Vörden Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF630, number: 32639, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 18.0 A, 12.5 kW, Busch vacuum pump, type: KB 0040 D, serial number: 03040978, capacity: 48 m³ per hour, dimensions: 2000 mm x 1400 mm x 2200 mm.	20000
2	Poly-Clip System	Poly-Clip System mobile double clipper, type FCA3430, dimensions: 1750 mm x 1200 mm x 1800 mm.	10000
3	NN table	S/s table, dimensions: 1200 mm x 1000 mm x 800 mm.	50
4	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF630, number: 34671, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 18.0 A, 12.5 kW, Busch vacuum pump, type: KB 0040 D IZO, serial number: DEM121500139, year of construction: 2021, capacity: 48 m³ per hour, dimensions: 2000 mm x 1400 mm x 2200 mm.	20000
5	Poly-Clip System	Poly-Clip System mobile double clipper, type: FCA 3430, number: 784, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 4 A, 2.8 kW, dimensions: 1750 mm x 1200 mm x 1800 mm.	10000
6	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF630, number: 28079, year of construction: 2010, 400 V, 50 Hz, 18.0 A, 12.5 kW, Busch vacuum pump, type: KB 0040 D IZO, serial number: DEM122060546, year of construction: 2002, capacity: 48 m³ per hour, dimensions: 2000 mm x 1400 mm x 2200 mm.	20000
7	Poly-Clip System	Poly-Clip System mobile double clipper, type: FCA 3430, number: 785, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 4 A, 2.8 kW, dimensions: 1750 mm x 1200 mm x 1800 mm. Missing outfeed slide.	10000
8	Bonner	Bonner mobile lifter for 200 liter meat bins, machine number: 03 12 312 007, elevating height: 1830 mm, total dimensions: 1400 mm x 1500 mm x 2700 mm.	1500
9	Risco S.P.A.	Risco S.P.A. high vacuum filling machine with infeed hopper, machine model: RS 613, serial number: S312017, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 10.0 kW, Busch vacuum pump, type: RA 0040 F 503, number: 080080500, capacity: 48 m³ per hour, weight: 1095 kg, dimensions vacuum filler: 1100 mm x 1600 mm x 2500 mm, including infeed hopper, dimensions hopper: 2000 mm x 1700 mm x 1800 mm.	15000



Nr	Title	Description	Start €
11	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF630, number: 28087 S, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 18.0 A, 12.5 kW, Busch vacuum pump, dimensions: 1800 mm x 1400 mm x 2200 mm.	20000
12	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector with rejecter, diameter pipe: 80 mm, total dimensions: 980 mm x 600 mm x 1600 mm.	1000
13	Poly-Clip System	Poly-Clip System mobile double clipper, type: ICA, number: 701, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 4.3 A, 4.0 kW, plastic outfeed belt, belt width: 180 mm, total dimensions: 2650 mm x 1000 mm x 1920 mm.	10000
14	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF630, number: 26697 S, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 26.0 A, 18.0 kW, Busch vacuum pump, type: KB 0040 D IZO, number: 100019536, year of construction: 2009, capacity: 40 m ³ per hour, dimensions: 1800 mm x 1400 mm x 2200 mm.	20000
15	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector with rejecter, diameter pipe: 80 mm, total dimensions: 980 mm x 600 mm x 1600 mm.	1000
16	Poly-Clip System	Poly-Clip System mobile double clipper, type: ICA, number: 934, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 4.3 A, 3.0 kW, plastic outfeed belt, belt width: 180 mm, total dimensions: 2650 mm x 1000 mm x 1920 mm.	10000
17	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF630, number: 26690 S, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 26.0 A, 18.0 kW, Busch vacuum pump, type: KB 0040 D IZO, number: 100019520, year of construction: 2009, capacity: 40 m ³ per hour, dimensions: 1800 mm x 1400 mm x 2200 mm.	20000
18	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector with rejecter, clearance: 100 mm, total dimensions: 980 mm x 600 mm x 1600 mm. Missing pipe.	1000
19	Poly-Clip System	Poly-Clip System mobile double clipper, type: ICA, number: 929, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 4.3 A, 3.0 kW, plastic outfeed belt, belt width: 180 mm, total dimensions: 2650 mm x 1000 mm x 1920 mm.	10000
20	NN parts	Plastic crate with filling pipe for clipper and 2 attachments for pipeline metal detector, diameter pipe: 70 mm, total dimensions: 1000 mm x 400 mm x 200 mm.	25



Nr	Title	Description	Start €
21	Handtmann	Handtmann linking attachment, type: 410, number: 16000580, year of construction: 2011, dimensions: 320 mm x 110 mm x 180 mm.	250
22	Mettler Toledo Safeline / Loma Systems	Display and rejecter for Mettler Toledo Safeline / Loma Systems pipeline metal detector, dimensions crate: 600 mm x 400 mm x 350 mm.	250
23	Handtmann	Handtmann high vacuum filling machine with infeed hopper with lifter for meat bins, type: HVF658, number: 31370, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 36.1 A, 25 kW, Busch vacuum pump, KB 0040 D IZO, number: 120002621, year of construction: 2012, capacity: 40 m ³ per hour, dimensions infeed hopper: 2750 mm x 1900 mm x 2000 mm, dimensions vacuum machine: 1700 mm x 1500 mm x 2400 mm.	15000
24	Handtmann	Handtmann mobile linking machine, type: 241-01, number: 749, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 7.3 A, 5 kW, dimensions: 1950 mm x 850 mm x 1400 mm.	2500
25	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 217-21, number: 505, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 5.3 A, 3.5 kW, type hanging line: 220-16, number: 1513, year of construction: 2005, dimensions linking line: 1400 mm x 700 mm x 1300 mm, dimensions hanging line: 2700 mm x 700 mm x 1500 mm.	2500
26	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF630, number: 34943, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 26 A, 18 kW, Busch vacuum pump, type: KB 0040 D IZO, number: 080088961, year of construction: 2008, capacity: 40 m ³ per hour, dimensions: 1800 mm x 1400 mm x 2200 mm.	20000
27	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF630, number: 33562, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 18.0 A, 12.5 kW, Busch vacuum pump, dimensions: 2000 mm x 1400 mm x 2200 mm.	15000
28	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector with rejecter, clearance: 100 mm, total dimensions: 980 mm x 600 mm x 1600 mm. Missing pipe.	1000
29	Poly-Clip System	Poly-Clip System mobile double clipper, type: ICA, plastic outfeed belt, belt width: 180 mm, total dimensions: 2650 mm x 1000 mm x 1920 mm.	10000



Nr	Title	Description	Start €
30	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: HP20E, serial number: 1630677, year of construction: 2014, 220-240 V / 400-460 V / 575 V, 3 Ph, 50/60 Hz, 37 A, 20 kW, total dimensions: 2100 mm x 1700 mm x 2450 mm, including tool trolley, dimensions: 1200 mm x 900 mm x 1100 mm. Missing vacuum pot and scraper.	17500
31	Vemag	Vemag mobile high-speed length portioning machine, model: LPG 208, number: 2080411, year of construction: 2014, 220 - 240 V / 400 - 460 V / 575 V, 3 Ph, 50/60 Hz, 8 A, 5.5 kW, weight: 637 kg, dimensions: 1700 mm x 900 mm x 1350 mm. Including crate with parts.	10000
32	Vemag	Vemag mobile forming machine, model: FM250, number: 2500621, year of construction: 2016, 220-240/400-460/575 V, 3 Ph, 50/60 Hz, 4 A, 2.5 kW, 340 kg, plastic belt, belt width: 250 mm, total dimensions: 2000 mm x 820 mm x 1600 mm.	5000
33	Handtmann	Handtmann s/s trolley for parts, dimensions: 950 mm x 850 mm x 1050 mm.	50
34	NN table	Mobile s/s table, dimensions: 600 mm x 600 mm x 1250 mm.	50
35	NN table	S/s table with frame, dimensions: 930 mm x 540 mm x 1000 mm.	50
36	NN part for clipper	Plastic crate with part for clipper, dimensions: 600 mm x 400 mm x 350 mm.	100
37	NN trolley	S/s trolley, dimensions: 950 mm x 600 mm x 800 mm.	50
38	NN table	S/s table, dimensions: 900 mm x 500 mm x 970 mm.	50
39	NN writing desk	S/s writing desk, dimensions: 600 mm x 600 mm x 1250 mm.	50
40	NN writing desk	S/s writing desk, dimensions: 600 mm x 350 mm x 1200 mm.	50
41	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: Robby 2, number: 137 0240, year of construction: 2007, 400-460 V, 3 Ph, 50/60 Hz, 25 A, 8 kW, dimensions: 1900 mm x 1300 mm x 1850 mm. With trolley with parts, dimensions trolley: 1100 mm x 650 mm x 1100 mm.	3000
42	Vemag	Vemag mobile flexible sausage line, model: FSL 210, number: 2100022, year of construction: 2011, 220-240 V / 400 - 460 V / 575 V, 3 Ph, 50/60 Hz, 4.9 kW, total dimensions: 1900 mm x 850 mm x 1300 mm. With crate with parts.	6500
43	NN table	Mobile s/s table, dimensions: 1280 mm x 1020 mm x 920 mm.	50



Nr	Title	Description	Start €
44	Karl Schnell	Karl Schnell vacuum filling machine with lifter for meat bins, type: P10SE, machine number: 21783, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 22.6 A, 10.9 kW, dimensions: 1850 mm x 1350 mm x 2150 mm. Missing veins.	2500
45	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 216-21, number: 1217, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, type hanging line: 220-16, number: 1421, year of construction: 2004, dimensions linking machine: 1500 mm x 700 mm x 1250 mm, dimensions hanging line: 2700 mm x 700 mm x 1350 mm.	2500
46	Handtmann	Handtmann high vacuum filler, type: HVF660S, number: 29385, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 34.6 A, 24 kW, dimensions: 1300 mm x 1600 mm x 2500 mm, including trolley with parts, dimensions: 680 mm x 470 mm x 250 mm.	15000
48	NN table	S/s table, dimensions: 1000 mm x 670 mm x 920 mm.	50
49	NN table	Aluminium table, dimensions: 600 mm x 600 mm x 1050 mm.	50
50	NN table	S/s table, dimensions: 600 mm x 400 mm x 1110 mm.	50
51	NN table	S/s table, dimensions: 700 mm x 450 mm x 1030 mm.	50
52	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale for sausages, type: IND890-10 DESK, serial number: 3421452, 100-240 V, 50/60 Hz, dimensions: 500 mm x 650 mm x 1500 mm.	100
53	NN table	S/s table, dimensions: 1700 mm x 900 mm x 900 mm.	50
54	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH table model clipper, model: Tcni, dimensions: 200 mm x 250 mm x 600 mm. Incomplete.	150
55	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH table model clipper, model: TCV, dimensions: 200 mm x 400 mm x 850 mm.	250
56	Sartorius AG	Sartorius AG weighing scale, model: iso-TEST, serial number: 91111199, max: 12000 gram, min: 5 gram, e= 1 gram, dimensions scale: 420 mm x 310 mm, total dimensions: 420 mm x 400 mm x 600 mm.	50
57	NN trolleys	9 s/s trolleys, dimensions: (9x) 670 mm x 470 mm x 250 mm.	100
58	Dynaco Europe	Dynaco Europe electric high speed shutter door, type: D-313 LF, serial number: DE25648A, year of construction: 7-2013, dimensions: 2200 mm x 2550 mm.	500
59	NN protection frames	S/s protection frames, total length: 8000 mm.	25



Nr	Title	Description	Start €
60	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-DGN 041A/24/12P, unit serial number: 400/333447702, year of construction: 2009, volume: 11.9+6.6 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 2 fans, total dimensions: 1600 mm x 1600 mm x 500 mm.	200
61	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-DGN 041A/24/12P, unit serial number: 400/333447701, year of construction: 2009, volume: 11.9+6.6 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 2 fans, total dimensions: 1600 mm x 1600 mm x 500 mm.	200
62	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/34-AN150/8P.E, year of construction: 2009, volume: 5.4+2.8 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 3 fans, total dimensions: 2400 mm x 500 mm x 350 mm.	200
63	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/34-AN150/8P.E, unit serial number: 400/333531505, year of construction: 2009, volume: 5.4+2.8 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 3 fans, total dimensions: 2400 mm x 500 mm x 350 mm.	200
64	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/34-AN150/8P.E, unit serial number: 400/333531506, year of construction: 2009, volume: 5.4+2.8 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 3 fans, total dimensions: 2400 mm x 500 mm x 350 mm.	200
65	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/34-AN150/8P.E, year of construction: 2009, volume: 5.4+2.8 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 3 fans, total dimensions: 2400 mm x 500 mm x 350 mm.	200



Nr	Title	Description	Start €
66	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/34-AN150/8P.E, unit serial number: 400/333531503, year of construction: 2009, volume: 5.4+2.8 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 3 fans, total dimensions: 2400 mm x 500 mm x 350 mm.	200
67	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/34-AN150/8P.E, year of construction: 2009, volume: 5.4+2.8 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 3 fans, total dimensions: 2400 mm x 500 mm x 350 mm.	200
68	NN cabinet	S/s cabinet, dimensions: 1000 mm x 550 mm x 1950 mm.	75
69	NN paper dispenser	S/s paper dispenser, dimensions: 250 mm x 230 mm x 350 mm.	10
70	NN table	Wall mounted s/s table with 7 filling pipes, dimensions table: 2330 mm x 350 mm.	150
71	NN rack	S/s rack, dimensions: 1000 mm x 500 mm x 2000 mm.	75
72	Schröter GmbH & Co. KG Anlagenbau	Schröter GmbH & Co. KG Anlagenbau cooking chamber for 8 trolleys, type: Kochanlage 8 Wg, serial number: 2633, year of construction: 5/95, inside dimensions: 2600 mm x 4200 mm x 2050 mm, door opening: (2x) 1140 mm x 2050 mm, total dimensions: 2900 mm x 4500 mm x 2950 mm, dimensions switch cabinet: 600 mm x 430 mm x 700 mm.	2500
73	Schröter GmbH & Co. KG Anlagenbau	Schröter GmbH & Co. KG Anlagenbau cooking chamber for 8 trolleys, type: KK 8 Wg, fabrication number: 0250198, year of construction: 03-98, inside dimensions: 2600 mm x 4200 mm x 2050 mm, door opening: (2x) 1140 mm x 2050 mm, total dimensions: 2900 mm x 4500 mm x 2950 mm, dimensions switch cabinet: 600 mm x 430 mm x 700 mm.	2500
74	Additif	Additif cutting machine for rest film, dimensions: 1550 mm x 550 mm x 1850 mm.	200
75	Additif	Additif cutting machine for rest film, type: Coupe Lisière, number: 327, year of construction: 09/2007, 230 V, 50 Hz, dimensions: 1550 mm x 550 mm x 1850 mm.	200
76	Additif	Additif cutting machine for rest film, type: Coupe Lisière, number: 821, year of construction: 08/2013, 230 V, 50/60 Hz, dimensions: 1550 mm x 550 mm x 1850 mm.	200



Nr	Title	Description	Start €
77	Poly-Clip System	Poly-Clip System mobile double clipper, type FCA 3430, dimensions: 1250 mm x 900 mm x 1800 mm. Missing outfeed slide.	7500
78	Poly-Clip System	Poly-Clip System mobile double clipper, type: FCA 3430, number: 559, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 4 A, 2.8 kW, dimensions: 1250 mm x 900 mm x 1800 mm. Missing control panel, wheel and outfeed slide, technical condition unknown.	7500
79	Townsend	2 Townsend mobile sausage peelers with cabinet for blowers, dimensions peelers: (2x) 700 mm x 650 mm x 1400 mm, dimensions cabinets: (2x) 1250 mm x 650 mm x 930 mm. Incomplete, technical condition unknown.	500
80	Townsend	Townsend mobile linking and hanging line, dimensions linking machine: 2900 mm x 600 mm x 1800 mm, dimensions hanging line: 3550 mm x 650 mm x 1400 mm.	1500
81	Townsend	Townsend mobile linking and hanging line, dimensions linking machine: 2900 mm x 600 mm x 1800 mm, dimensions hanging line: 3550 mm x 650 mm x 1400 mm. Incomplete, technical condition unknown.	1000
82	Loma Systems	Loma Systems mobile pipeline metal detector, diameter pipe: 50 mm, total dimensions: 600 mm x 500 mm x 1750 mm. Incomplete, technical condition unknown.	150
83	Loma Systems	Loma Systems mobile pipeline metal detector, serial number: EPL080263-07736D, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 50 mm, total dimensions: 700 mm x 500 mm x 1350 mm. Incomplete, technical condition unknown.	100
84	NN protection frames	Wall mounted s/s protection frames, length: approximately 20000 mm.	50
85	Dynaco Entrematic	Dynaco Entrematic electric high speed shutter door, type: D-311, serial number: DE66685A, year of construction: 11-2020, dimensions door: 2500 mm x 2410 mm.	500
86	Dynaco Entrematic	Dynaco Entrematic electric high speed shutter door, type: D-313 LF, serial number: DE41420C, year of construction: 2-2015, dimensions door: 2530 mm x 2830 mm.	500



Nr	Title	Description	Start €
87	Schröter GmbH & Co. KG Anlagenbau	Schröter GmbH & Co. KG Anlagenbau smoking and cooling chamber for 8 trolleys, suitable for hot smoking (liquid smoke) and showering, type: HR-8Wg, manufacturing number: 325-1198/03, year of construction: 05-99, 230/400 V, 29 kW, heating: HD-Dampf, 4-10 bar, 270 kg/H, humidification and cooking: ND-Dampf, 0.5 bar, 250 kg/h, inside dimensions: 2700 mm x 4400 mm x 2050 mm, door dimensions: (2x) 1200 mm x 2050 mm, total dimensions: 2900 mm x 5600 mm x 3300 mm, dimensions switch cabinet: 750 mm x 400 mm x 1000 mm. Liquid smoke generator is not included.	3000
88	Schröter GmbH & Co. KG Anlagenbau	Schröter GmbH & Co. KG Anlagenbau smoking and cooling chamber for 8 trolleys, suitable for hot smoking (liquid smoke) and showering, type: HR-8Wg, manufacturing number: 325-1198/02, year of construction: 05-99, 230/400 V, 29 kW, heating: HD-Dampf, 4-10 bar, 270 kg/H, humidification and cooking: ND-Dampf, 0.5 bar, 250 kg/h, inside dimensions: 2700 mm x 4400 mm x 2050 mm, door dimensions: (2x) 1200 mm x 2050 mm, total dimensions: 2900 mm x 5600 mm x 3300 mm, dimensions switch cabinet: 750 mm x 400 mm x 1000 mm. Liquid smoke generator is not included.	3000
89	Schröter GmbH & Co. KG Anlagenbau	Schröter GmbH & Co. KG Anlagenbau smoking and cooling chamber for 8 trolleys, suitable for hot smoking (liquid smoke) and showering, type: HR-8Wg, manufacturing number: 325-1198/01, year of construction: 05-99, 230/400 V, 29 kW, heating: HD-Dampf, 4-10 bar, 270 kg/H, humidification and cooking: ND-Dampf, 0.5 bar, 250 kg/h, inside dimensions: 2700 mm x 4400 mm x 2050 mm, door dimensions: (2x) 1200 mm x 2050 mm, total dimensions: 2900 mm x 5600 mm x 3300 mm, dimensions switch cabinet: 750 mm x 400 mm x 1000 mm. Liquid smoke generator is not included.	3000
90	Kaeser Kompressoren	Kaeser Kompressoren oil-water separator, serial number: 3241, dimensions: 700 mm x 500 mm x 950 mm.	50
91	NN apron washer	S/s apron washer, working width: 1180 mm, total dimensions: 1900 mm x 470 mm x 850 mm.	50



Nr	Title	Description	Start €
92	MIWE	MIWE Gäromat proofer, type: MIWE GV 1 (S), serial number: 161 587, 400 V, 3 Ph, 50 Hz, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 7.3 kW, refrigerant: R134A, 3.0 kg, inside dimensions: 1620 mm x 830 mm x 2000 mm, total dimensions: 1950 mm x 1380 mm x 2900 mm. Including pallet with parts, dimensions pallet: 1200 mm x 800 mm x 630 mm.	1500
93	Wolfking Scanio	Wolfking Scanio press, type: HY70, serial number: 8913, year of construction: 1999, 400 V, 50 Hz, 3.3 A, 2.3 kVA, dimensions pressing plate: 600 mm x 600 mm, total dimensions: 1350 mm x 1500 mm x 1950 mm.	500
94	NN trolley with meat hooks	Aluminium trolley with meat hooks, dimensions trolley: 1200 mm x 1020 mm x 900 mm.	25
95	NN smoke sticks	S/s meat bin with large amount of Y-shaped aluminium smoke sticks, length: 960 mm, total dimensions: 830 mm x 750 mm x 880 mm.	75
96	NN smoke sticks	2 s/s trolleys with large amount of Y-shaped smoke sticks, length each smoke stick: 900 mm, total dimensions: (2x) 1000 mm x 500 mm x 1100 mm.	200
97	NN cabinet with writing desk	S/s cabinet with writing desk, dimensions: 810 mm x 620 mm x 1120 mm.	100
98	NN meat bin	S/s meat bin, volume: 200 liter, dimensions: 710 mm x 730 mm x 670 mm.	50
99	Boldt Systems	Boldt Systems double lifter for meat bins, model: BFDD 750, serial number: BFO 12-093.03, year of construction: 2013, lifting height: 2400 mm, total dimensions: 3000 mm x 2600 mm x 3800 mm.	1500
100	Boldt Systems	Boldt Systems double shaft paddle mixer on weighing cells, model: BFMA 2000, serial number: BFO 01-085, year of construction: 2001, dimensions: 3000 mm x 1500 mm x 2600 mm, including s/s platform, dimensions platform: 4200 mm x 1300 mm x 2500 mm.	6000
101	Wolfking	Wolfking double shaft paddle mixer, type: TSMIP 2750L, number: 58340, year of construction: 1996, 380 V, 50 Hz, 71.4 A, 37 kW, volume: 2750 liter, dimensions: 3400 mm x 2000 mm x 2700 mm.	6000
102	NN platform with stairs	S/s platform with stairs, 6 steps, platform height: 1200 mm, total dimensions: 2200 mm x 730 mm x 2300 mm.	200
103	Wolfking	Wolfking grinder, plate diameter: 400 mm, total dimensions: 3150 mm x 2000 mm x 3100 mm, switch cabinet, dimensions: 1600 mm x 500 mm x 2450 mm, trolley with parts, dimensions: 1600 mm x 1000 mm x 1250 mm and 2 pallets with parts, dimensions: (2x) 1200 mm x 800 mm x 550 mm.	15000



Nr	Title	Description	Start €
104	Lieder	Lieder mobile denester, year of construction: 2011, 400 V, 50 Hz, 20 A, Busch vacuum pump, type: RA 0025 F 503, number: 110012020, year of construction: 2011, capacity: 25 m ³ per hour, plastic belts, belt width: (5x) 100 mm, total dimensions: 1900 mm x 1400 mm x 2700 mm.	1000
105	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer on s/s platform with floor weighing scale, model: Phoenix 120-CE V, machine number: 3030S5.144028.104833, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15.0/25 A, 6.3 kW, weight: 900 kg, dimensions chamber: 120 mm x 120 mm x 550 mm, total dimensions dicer: 3000 mm x 1500 mm x 1550 mm, dimensions platform: 4200 mm x 3200 mm x 2250 mm, Wägetechnik Schröder s/s floor weighing scale, dimensions: 1250 mm x 1250 mm, total dimensions dicer with platform: 4200 mm x 3200 mm x 2650 mm. Including various knives and tools.	5000
106	Dynaco Entrematic	Dynaco Entrematic electric high speed shutter door, door type: D-313 LF, serial number: DE44886B, year of construction: 2016, dimensions door: 1910 mm x 2440 mm, 2 switch cabinets, dimensions: 400 mm x 220 mm x 490 mm and 600 mm x 220 mm x 600 mm.	500
107	Dynaco Entrematic	Dynaco Entrematic electric high speed shutter door, door type: D-313 LF, serial number: DE44886A, year of construction: 2016, dimensions door: 1910 mm x 2440 mm, 2 switch cabinets, dimensions: 400 mm x 220 mm x 490 mm and 600 mm x 220 mm x 600 mm.	500
108	Berief	Berief tiltable cooking and roasting vessel with mixing arm and lifter for meat bins, fabrication number: 08242.01.01, year of construction: 2011, volume: 1200 liter, dimensions: 3200 mm x 2000 mm x 2330 mm, dimensions lifter: 1500 mm x 1250 mm x 3250 mm.	5000
109	Berief	Berief tiltable cooking and roasting vessel with mixing arm and lifter for meat bins, fabrication number: 08242.01.02, year of construction: 2011, volume: 1200 liter, dimensions: 3200 mm x 2000 mm x 2330 mm, dimensions lifter: 1500 mm x 1250 mm x 3250 mm.	5000
110	H. Wolff	H. Wolff tiltable cooking vessel with mixing arm and lifter for meat bins, type: AR0800R, machine number: 91-828, year of construction: 1991, 380 V, 50 Hz, 2.2 kW, volume: 1150 liter, dimensions: 3100 mm x 1250 mm x 2150 mm, dimensions lifter: 1500 mm x 1100 mm x 3380 mm.	3000



Nr	Title	Description	Start €
111	H. Wolff	H. Wolff tiltable cooking vessel with mixing arm and lifter for meat bins, type: AR0800R, machine number: 91-802, year of construction: 1991, 380 V, 50 Hz, 2.2 kW, volume: 1150 liter, dimensions: 3100 mm x 1250 mm x 2150 mm, dimensions lifter: 1500 mm x 1100 mm x 3380 mm. Missing control panel.	2000
112	H. Wolff	H. Wolff tiltable cooking vessel year of construction: 1979, volume: 590 liter, dimensions: 1800 mm x 1500 mm x 1300 mm. Missing control panel.	500
113	NN peg and film roll holder	S/s peg, length: 800 mm and s/s paper roll holder, dimensions: 500 mm x 260 mm x 700 mm.	25
114	Laska	Laska cutter with lifter for meat bins and ejector, steel bowl, dimensions bowl: Ø 1500 mm x 270 mm, total dimensions: 3100 mm x 2400 mm x 2900 mm, dimensions switch cabinet: 1400 mm x 400 mm x 2200 mm.	7500
115	GEA	GEA teflon belt grill, type: TWG2400/800, machine number: 685, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 190 A, 126 kW, 2750 kg, Teflon belt, belt width: 650 mm, total dimensions: 4000 mm x 1900 mm x 2600 mm.	15000
116	Scanvaegt	Scanvaegt portion cutter, type: B-55, serial number: 12590.80.0532, year of construction: 2005, 400 V, 3 Ph, 50/60 Hz, 20 A, 10 kW, plastic belts, belt width: (2x) 150 mm, total dimensions: 3400 mm x 1650 mm x 1800 mm.	1500
117	Stork PMT	Stork PMT In-line marinating system Valuedrum, model: TB1111, type: 3857819, serial number: 10071881, year of construction: 2009, plastic belt, belt width: 400 mm, total dimensions: 4400 mm x 2250 mm x 2350 mm.	15000
118	NN air socks	4 air socks, length: (4x) 8000 mm.	25
119	NN switch cabinet	S/s switch cabinet with Siemens touch screen, dimensions cabinet: 500 mm x 250 mm x 500 mm.	100
120	NN eye shower	Plastic eye shower, dimensions: 340 mm x 300 mm x 350 mm.	25



Nr	Title	Description	Start €
121	G.Mondini	G.Mondini traysealer, model: E 590 VG, serial number: 2455-04/1, year of construction: 10-08-2004, 400 V, 3 Ph, 50 Hz, plastic string conveyor, belt width: 400 mm, dimensions dye: (10x) 200 mm x 150 mm, plastic outfeed belt, belt width: 450 mm, total dimensions: 4000 mm x 1250 mm x 2600 mm. With inliner, plastic mesh belts, belt width: (2x) 120 mm, total dimensions: 1600 mm x 800 mm x 1100 mm, and lane divider: plastic mesh belts, belt width: 120 mm, total dimensions: 2900 mm x 1300 mm x 1250 mm, 3 pallets with forms, dimensions dyes: (12x) 170 mm x 120 mm, (5x) 185 mm x 140 mm, (10x) 190 mm x 150 mm, and trolley with forms, dimensions dye: (12x) 160 mm x 120 mm, total dimensions: 1800 mm x 1000 mm x 1600 mm.	8500
122	NN protection frames	S/s protection frames, total length: approximately 10000 mm.	50
123	Attec	Attec s/s sink with 5 faucets, sensor operated, dimensions: 2500 mm x 450 mm x 1250 mm.	200
124	Attec	Attec s/s sink with 5 faucets, sensor operated, dimensions: 2500 mm x 450 mm x 1250 mm.	200
125	Rittal	Rittal switch cabinet with Siemens Simatic HMI touch screen, dimensions: 1600 mm x 400 mm x 2050 mm.	250
126	NN cable gutters	Wall frame with various cable gutters, maximum length: 3000 mm.	75
127	Bornemann	Pallet with Bornemann pump, type: SLH 125-48, year of construction: 2008, 3.3 - 3.6 kW, capacity: 8 m³ per hour, 445 - 450 rates per minute, various SEW-motors and parts, dimensions pallet: 1200 mm x 800 mm x 600 mm.	150
128	Brevini Riduttori	Pallet with 2 Brevini Riduttori right angle reducers for Wolfking double shaft paddle mixers, type output: EC3090/FE, input: 48.82, year of construction: 2003, dimensions: (2x) 600 mm x 450 mm x 400 mm.	200
129	KPA Kyffhäuser Pumpen Artern GmbH	Pallet with 2 KPA Kyffhäuser Pumpen Artern GmbH centrifugal pumps, type: KyNX 180 / 35b-ST-DVL 150/2, year of construction: 2021, serial number: 210924-2, capacity: 86 m³ per hour, dimensions: 900 mm x 450 mm x 600 mm and type: KN 35/1DV, serial number: 211042-3, year of construction: 2021, capacity: 4 m³ per hour, dimensions: 500 mm x 300 mm x 300 mm and Rexroth hydraulic unit, dimensions: 700 mm x 250 mm x 300 mm.	200
130	WEG / Dutchi Motors	Pallet with WEG motor, 7.5 kW, Dutchi Motors, 1.5 / 1.8 kW, drum motor and parts, dimensions pallet: 1200 mm x 800 mm x 500 mm.	100



Nr	Title	Description	Start €
131	EMOD Motoren GmbH	EMOD Motoren GmbH motor with ventilator for Schröter smoking chamber, type: LA160M-4/2, motor number: 6739313, year of construction: 2005, 3.2 / 13 kW, 1460 / 2940 rates per minutes, diameter: 700 mm, height: 850 mm.	100
132	Bauer	Bauer gear motor, type: BG60-37/DPE13XA4-TF, total dimensions: 900 mm x 300 mm x 400 mm.	150
133	NN motor	Motor for Schröder MAX 6000 vacuum tumbler, dimensions: 700 mm x 520 mm x 450 mm.	250
134	NN trolley	S/s trolley, dimensions: 1200 mm x 800 mm x 1820 mm.	75
135	NN tool trolley	S/s tool trolley, dimensions: 1200 mm x 700 mm x 900 mm.	75
136	NN covers	Pallet with 3 s/s covers, dimensions: (3x) Ø 550 mm x 250 mm.	25
137	EDUR / SEW-Eurodrive	Pallet with EDUR centrifugal pump, type: CBI 50-160/166 Cr2A, year of construction: 2012, dimensions pump: 700 mm x 300 mm x 350 mm and SEW motor, 0.75 kW, dimensions motor: 700 mm x 350 mm x 300 mm.	150
138	NN motor	Plastic EURO H1-pallet with motor for MADO meat grinder and fan, dimensions: 600 mm x 600 mm x 500 mm.	200
139	NN axis	Wooden crate with axis, dimensions crate: 1350 mm x 280 mm x 200 mm.	150
140	NN switch cabinet	Pallet with switch cabinet, dimensions: 1200 mm x 600 mm x 1180 mm.	50
141	KPA Kyffhäuser Pumpen Artern GmbH	KPA Kyffhäuser Pumpen Artern GmbH centrifugal pump, type: KyNX 180/35b-ST-DVL-110/2, registration number: 220618, year of construction: 2022, 50 Hz, capacity: 65 m ³ /hour, dimensions: 8520 mm x 450 mm x 500 mm.	200
142	Grundfos	Pallet with Grundfos circulation pump, type: NB80-200/214 A-F2-A-BQQE, model: A98175428P217320008, 16 / 120 bar / °C maximum, capacity: 104 m ³ per hour, dimensions pump: 750 mm x 350 mm x 450 mm and motor, dimensions: 560 mm x 160 mm x 220 mm.	150
143	NN thermoformer moulds	2 pallets with moulds for thermoformer, dimensions dye: (8x) 185 mm x 115 mm, index: 830 mm, total dimensions: (2x) 1200 mm x 800 mm x 350 mm.	100
144	Nilfisk / Wap Turbo	1 Nilfisk vacuum cleaner and 1 Wap Turbo vacuum cleaner, dimensions: Ø 300 mm x 500 mm and 400 mm x 400 mm x 600 mm.	10
145	NN TL-lights	Pallet with TL lights and wall sockets, dimensions: 2000 mm x 800 mm x 550 mm.	25



Nr	Title	Description	Start €
146	NN parts	Pallet with various parts, Box with 4 Airpool filters, article number: 261109, dimensions each filter: 500 mm x 600 mm x 100 mm, total dimensions: 620 mm x 400 mm x 620 mm, Box with base for stool, dimensions: 580 mm x 300 mm x 600 mm, plastic crate with s/s hangers and signs, dimensions: 600 mm x 420 mm x 400 mm.	25
147	NN safety equipment	S/s trolley with safety equipment, consisting of: bag with stretcher, fire extinguisher, and fire blanket, dimensions: 1250 mm x 600 mm x 1050 mm.	25
148	NN batteries	Pallet with 6 batteries, 2 plastic tubs with batteries and 1 waste container with batteries, dimensions: 1200 mm x 800 mm x 900 mm.	50
149	Kimberly-Clark	Kimberly-Clark mobile steel paper roll holder, dimensions: 580 mm x 520 mm x 1030 mm.	5
150	J + J Automation / Güntner	Pallet with 4 J+J Automation actuators with positioners, model: S140, type: J4C, 24 - 240 V, maximum torque: 170 Nm, dimensions: (4x) 500 mm x 250 mm x 200 mm and 2 covers for ventilators for Güntner evaporators, dimensions boxes: (2x) 750 mm x 750 mm x 350 mm.	250
151	Nilfisk	Nilfisk vacuum cleaner, model: AERO 21-01 PC INO 20, serial number: 3510171404569, 220/240 V, 0/60 Hz, weight: 8.5 kg, dimensions: Ø 300 mm x 500 mm.	10
152	NN motor	Motor for Schröder MAX 2500 vacuum tumbler, dimensions: 500 mm x 400 mm x 800 mm.	150
153	NN table	S/s table, dimensions: 1000 mm x 700 mm x 850 mm.	75
154	Boldt Systems	Boldt Systems meat bin washer, model: W165KS, serial number: BWO 11-082.01, year of construction: 2011, dimensions: 1500 mm x 4000 mm x 2300 mm.	1500
155	Nieros	Nieros meat bin washer with safety fence, type: Cleanmaster 200/CL200 Disp/4530-053, serial number: N3 M 11 001, year of construction: 2001, 400 V, 50 Hz, dimensions: 2900 mm x 2100 mm x 2400 mm.	1500
156	Franz Reutlinger	Franz Reutlinger mobile strip cutter, type: MST 90/300-8, number: 1995/1-TW, 380 V, 2.64 A, 0.93 kW, 11 knives, distance between knives: 24 mm, working width: 270 mm, total dimensions: 1300 mm x 1100 mm x 1830 mm.	1500
157	Handtmann	Handtmann mobile linking and hanging line, model linking machine: PVLH 241, type: 241-21, number: 878, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 7.6 A, 5 kW, type hanging line: 220-16, number: 10702050, year of construction: 2016, dimensions linking machine: 2100 mm x 1000 mm x 1400 mm, dimensions hanging line: 2700 mm x 700 mm x 1350 mm.	15000



Nr	Title	Description	Start €
158	Verbufa	Verbufa mobile hamburger forming machine, type: 51764-A-0004, serial number: 221887, year of construction: 2014, 230 V, 50 Hz, 10 A, 4 kW, diameter former: 90 mm, plastic belt, belt width: 150 mm, total dimensions: 1500 mm x 700 mm x 1550 mm. With box with parts.	5000
159	Handtmann	Handtmann mobile diaphragm, type: RF440, number: 50630, year of construction: 2023, 200/240 V, 2 A, 0.55 kW, diameter head: 140 mm, plastic belts, belt width: 300 mm, roller width: 300 mm, total dimensions: 1500 mm x 1000 mm x 1350 mm. With 2 pallets with parts.	10000
160	Handtmann	Handtmann twisting and linking attachment, number: 115-02/595 and 34-5/20722, dimensions: 550 mm x 380 mm x 180 mm and 330 mm x 220 mm x 130 mm.	500
161	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-DGN 041C/24/12P, serial number: 400/333447801, year of construction: 2009, maximum / minimum pressure: 16 bar / - 1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 11.9 + 6.6 liter, 2 fans, dimensions: 1900 mm x 1600 mm x 450 mm.	200
162	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/44-AN150/6P.E, serial number: 400/333523802, year of construction: 2009, maximum / minimum pressure: 16 bar / - 1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 7 + 3.4 liter, 4 fans, dimensions: 3200 mm x 500 mm x 400 mm.	200
163	Schröder	Schröder injector, type: IMAX 620, number: 620 302403, year of construction: 2003, 400/440 V, 50/60 Hz, 32 A, 16.5 kW, 300 needles, s/s walking beam, beam width: 620 mm, total dimensions: 2000 mm x 1600 mm x 2370 mm. Control panel incomplete.	3500
164	Seydelmann	Seydelmann grinder with lifter for meat bins, model: AU200 LB, number: 84107-1, year of construction: 1984, diameter plate: 200 mm, total dimensions: 3100 mm x 1900 mm x 2600 mm. With trolley for parts.	2500
165	Velati	Velati double shaft paddle mixer, type: CCM1500SCC, volume: 1500 liter, dimensions: 4000 mm x 2100 mm x 2050 mm.	5000
166	Holac	Holac dicer, dimensions chamber: 125 mm x 125 mm x 600 mm, total dimensions: 2500 mm x 1400 mm x 2100 mm. Incomplete.	1000
167	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, dimensions chamber: 80 mm x 80 mm, total dimensions: 1200 mm x 600 mm x 1000 mm.	1500



Nr	Title	Description	Start €
168	Höfelmeyer Waagen GmbH	Höfelmeyer Waagen GmbH floor weighing scale, maximum: 1500 kg, d: 0.5 kg, dimensions scale: 1250 mm x 1500 mm, Höfelmeyer Waagen GmbH indicator, model: HTF 300, serial number: 040442, last calibrated: 11-2023. With s/s film roll holder.	500
169	Seydelmann	Seydelmann grinder with lifter for meat bins, model: AU200 B, number: 88174-1, year of construction: 1988, diameter plate: 200 mm, total dimensions: 2700 mm x 2100 mm x 2570 mm.	2500
170	Holac	Holac mobile slicer, type: BS 28, machine number: 402-01-07, year of construction: 2007, 400 V, 50 Hz, 12 A, 5 kW, plastic belt, belt width: 280 mm, dimensions chamber: 290 mm x 200 mm, total dimensions: 3000 mm x 1400 mm x 2000 mm.	1250
171	Holac	Holac mobile slicer, type: BS 28, machine number: 402-01-02, year of construction: 2007, 400 V, 50 Hz, 12 A, 5 kW, plastic belt, belt width: 280 mm, dimensions chamber: 290 mm x 200 mm, total dimensions: 3000 mm x 1400 mm x 2000 mm.	1250
172	NN protection frames	S/s protection frames, total length approximately: 19500 mm.	50
173	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/44-AN150/6P.E, serial number: 400/333523601, year of construction: 2009, maximum / minimum pressure: 16 bar / - 1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 7 + 3.4 liter, 4 fans, dimensions: 3200 mm x 500 mm x 400 mm.	200
174	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/44-AN150/6P.E, serial number: 400/333523801, year of construction: 2009, maximum / minimum pressure: 16 bar / - 1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 7 + 3.4 liter, 4 fans, dimensions: 3200 mm x 500 mm x 400 mm.	200
175	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: DGN 041C/27/18P, serial number: 400/333451501, year of construction: 2009, maximum / minimum pressure: 16 bar / - 1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 17.4 liter, 2 fans, dimensions: 1900 mm x 1600 mm x 450 mm.	200
176	Schröder	3 s/s mobile suction devices for Schröder MAX 2500 vacuum tumblers, dimensions tubs: (3x) 1350 mm x 880 mm x 1060 mm.	600
177	Schröder	S/s suction device for Schröder MAX 2500 vacuum tumbler, dimensions: 1400 mm x 1000 mm x 1100 mm.	200



Nr	Title	Description	Start €
178	NN tubs	3 s/s mobile tubs with drains, dimensions: (3x) 1250 mm x 600 mm x 760 mm.	150
179	NN tub	S/s mobile tub with drain, dimensions: 1250 mm x 560 mm x 920 mm.	50
180	NN parts	Pallet with hose and parts for tumbler, dimensions: 1200 mm x 800 mm x 550 mm.	50
181	NN drip tray	S/s drip tray, dimensions: 1150 mm x 550 mm x 90 mm.	10
182	NN trolley	S/s trolley, dimensions: 1250 mm x 510 mm x 930 mm.	50
183	NN noodle mixer	S/s noodle mixer, number: 23282, year of construction: 1993, 380 V, 1.5 kW, inside dimensions: Ø 730 mm x 1800 mm, total dimensions: 2800 mm x 1100 mm x 1850 mm.	1000
184	NN waste containers	14 plastic waste containers, various sizes.	50
185	NN waste containers	2 steel and 3 plastic waste containers.	10
186	Weber	Weber mobile skinning and derinding machine, type: ASC 560, number: 111, 400 V, 50 Hz, 1.1 kW, plastic belt, belt width: 500 mm, working width: 560 mm, total dimensions: 1500 mm x 1000 mm x 1300 mm.	1250
187	NN table	S/s table, dimensions: 800 mm x 700 mm x 880 mm.	50
188	Weber	Weber mobile skinning and derinding machine, type: ASB 600/2, number: 957, 380 V, 50 Hz, 0.7/0.85 kW, working width: 400 mm, total dimensions: 900 mm x 700 mm x 1200 mm. Missing infeed and outfeed belt.	400
189	NN table	S/s table, dimensions: 730 mm x 570 mm x 570 mm.	50
190	Wichelmann	Wichelmann mobile bandsaw, type: Bandschn, machine number: 010928, year of construction: 2001, 2.3 kW, belt width: (2x) 220 mm, total dimensions: 2850 mm x 1600 mm x 1700 mm. Saw blade is missing.	600
191	Schröder	Schröder slicer, type: HS 90/400, number: HS 4000-9.93.6, year of construction: 1993, 400 V, 50 Hz, 6 A, 2.5 kW, s/s walking beam, beam width: 260 mm, total dimensions: 1800 mm x 1250 mm x 1900 mm. Incomplete.	500
192	Maja	Maja portioning machine, type: FP 100, serial number: 45585, year of construction: 2005, 400 V, 50 Hz, dimensions: 1900 mm x 1000 mm x 1880 mm, including tool trolley, dimensions: 1000 mm x 800 mm x 1450 mm. Incomplete.	950
193	Mado	Mado bandsaw, type: MKB 651/652, 400 V, 3 Ph, 50 Hz, 1.5 kW, weight: 170-200 kg, dimensions: 730 mm x 780 mm x 1630 mm. Including crate with extra saw blades.	1000
194	NN table	S/s table, dimensions: 1010 mm x 1010 mm x 780 mm.	50



Nr	Title	Description	Start €
195	Mado	Mado bandsaw, type: MKB 649, number: 1531369, 230/400 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1.1 kW, dimensions: 550 mm x 500 mm x 1500 mm.	800
196	NN table	S/s table, dimensions: 830 mm x 830 mm x 710 mm.	50
197	Kolbe	Kolbe bandsaw, type: K330, serial number: 980165, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 3.4 A, 1.5 kW, dimensions: 800 mm x 720 mm x 1750 mm.	800
198	NN sawblades	Container trolley with sawblades for bandsaw, dimensions: 800 mm x 650 mm x 1730 mm.	100
199	Queris	Queris netting machine, type: Noquq 2000, serial number: 2013/035, year of construction: 2018, diameter head: 175 mm, plastic rollers, roller width: 200 mm, total dimensions: 2000 mm x 800 mm x 1250 mm, dimensions cabinet: 900 mm x 690 mm x 1750 mm.	750
200	Laska	Laska frozen block cutter, type: G 530, number: J 823, year of construction: 1997, 380/400 V, 3 Ph, 50 Hz, 6 kW, 12 A, maximum block size: 520 mm x 400 mm, total dimensions: 2650 mm x 950 mm x 1800 mm.	7500
201	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 500 mm, distance between dividers: 400 mm, divider height: 30 mm, elevating height: 1250 mm, total dimensions: 1800 mm x 700 mm x 1300 mm.	300
202	Mettler Toledo Safeline / Loma Systems	Mettler Toledo Safeline / Loma Systems, serial number: EMC50744-01818D, year of construction: 2005, 380 V, 3 Ph, 50 Hz, 1.2 A, mobile metal detector, plastic mesh belt, belt width: 500 mm, clearance: 550 mm x 140 mm, total dimensions: 2300 mm x 1100 mm x 1200 mm.	1500
203	Thompson Meat Machinery	Thompson Meat Machinery mobile mixer-grinder, type: 3200, serial number: 3200-M-12, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 25 A, 11.4 kW, 1445 rates per minute, volume: 300 liter, plate diameter: 130 mm, total dimensions: 1560 mm x 1500 mm x 1800 mm.	2500
204	NN elevating belt	Mobile elevating belt, s/s frame, plastic mesh belt with dividers, belt width: 330 mm, distance between dividers: 180 mm, divider height: 75 mm, elevating height: 1450 mm, total dimensions: 3500 mm x 1300 mm x 1850 mm.	750
205	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1050 mm, total dimensions: 2600 mm x 900 mm x 1200 mm.	500



Nr	Title	Description	Start €
206	Schröder	Schröder double jacketed vacuum tumbler with massaging paddle for cooling, type: MAX 2500, number: M25.5023.04, year of construction: 2004, 400 V, 50 Hz, 22 A, compressed air: 6 bar, volume: 2500 liter, total dimensions: 1700 mm x 3200 mm x 2800 mm, including stairs, height: 2200 mm, Busch vacuum pump, type: RA 0063, capacity: 63 m ³ per hour.	3000
207	Alco-food-machines GmbH & Co. KG	Alco-food-machines GmbH & Co. KG elevating belt, type: ATK-M 600/3000, serial number: 04198233, year of construction: 2022, 400 V, 50 Hz, 16 A, 0.75 kW, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1100 mm, total dimensions: 2600 mm x 800 mm x 1200 mm.	500
208	NN transport belt	Wall mounted transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 11600 mm x 850 mm x 400 mm.	750
209	NN elevating belt	Wall mounted elevating belt, s/s frame, plastic belt, belt width: 600 mm, elevating height: 1700 mm, total dimensions: 5000 mm x 800 mm x 700 mm.	500
210	Diosna Dierks & Söhne	Diosna Dierks & Söhne ice machine, type: SAT 800, number: 29257, 400 V, 3 Ph, 50 Hz, 6.8 A, 2.8 kW, capacity 800 kg per 24 hours, dimensions: 1250 mm x 1020 mm x 2090 mm.	1250
211	NN meat bin	S/s meat bin, volume: 300 liter, dimensions: 770 mm x 670 mm x 930 mm.	75
214	OCS	OCS mobile metal detector, plastic elevating belt with dividers, belt width: 670 mm, distance between dividers: 300 mm, divider height: 50 mm, clearance: 700 mm x 225 mm, elevating height: 1300 mm, total dimensions: 3200 mm x 1200 mm x 2000 mm.	1500
215	Korimat	Korimat mobile autoclave, inside dimensions: Ø 500 mm x 580 mm, total dimensions: 1100 mm x 800 mm x 1200 mm.	1750
216	Inauen Maschinen AG	Inauen Maschinen AG vacuum machine, type: VC999/07 P FNS 15 / 220, machine number: 07032346, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, dimensions chamber: 1100 mm x 510 mm, seal length: 1000 mm x (2x) 440 mm, s/s rollers, roller width: 390 mm, total dimensions: 1150 mm x 800 mm x 1500 mm. Without vacuum pump.	1000
217	Fessmann	Fessmann cooking vessel, type: NOVA 8.0.9, number: 213, year of construction: 1986, 220 V, 50 Hz, 6 A, volume: 400 liter, 220 V, 50 Hz, 6 A, dimensions: 1200 mm x 1300 mm x 1100 mm.	250
218	NN table	S/s table, dimensions: 600 mm x 500 mm x 350 mm.	10
219	NN glove box holder	2 s/s glove box holders with s/s wall mounted plate.	5



Nr	Title	Description	Start €
220	N&N Nadratowski	N&N; Nadratowski double shaft paddle mixer, type: MIX-300PEF, number: 1996, year of construction: 2020, 400 V, 50 Hz, 4 kW, volume: 300 liter, dimensions: 1800 mm x 1200 mm x 1930 mm.	7000
221	Ekomex	Ekomex grinder, type: WW160, machine number: 7918110042, year of construction: 2019, 400 V, 50 Hz, 43 kW, plate diameter: 160 mm, total dimensions: 2800 mm x 2000 mm x 2500 mm, dimensions switch cabinet: 1000 mm x 350 mm x 1980 mm, dimensions tool trolley: 1300 mm x 800 mm x 1500 mm. Missing plates.	15000
222	NN platform with stairs	Mobile s/s platform with stairs, 5 steps, working height: 860 mm, total dimensions: 1550 mm x 600 mm x 1870 mm.	150
223	Stork Titan B.V.	Stork Titan B.V. mobile forming and portioning machine, model: TEX 10, serial number: 10061767, year of construction: 2007, diameter worm: 150 mm, total dimensions: 2200 mm x 1700 mm x 2450 mm. Missing worm and plates.	1500
224	Grasselli	Grasselli mobile portioning machine, model: CWS, serial number: T23R09/29, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 32 A. 21 kW, dimensions chamber: Ø 90 mm x 550 mm, plastic mesh outfeed belt, belt width: 250 mm, total dimensions: 3700 mm x 1300 mm x 1600 mm.	3500
225	Seydelmann	Seydelmann vacuum cutter, type: K64D6VAK, number: 92077-1, 380 V, 50 Hz, 100 A, s/s bowl, volume: 64 liter, dimensions: 1600 mm x 1500 mm x 1200 mm, dimensions switch cabinet: 1200 mm x 350 mm x 1050 mm, dimensions cabinet with pump: 1100 mm x 550 mm x 1050 mm.	15000
226	Seydelmann	Seydelmann grinder, type: AU 200, machine number: 09916-1, year of construction: 2009, 400 V, 50 Hz, 98 A, 55 kW, diameter plate: 200 mm, total dimensions: 1800 mm x 1650 mm x 2370 mm.	7500
227	Stephan	Stephan mobile microcutter, type: MCH-D40/C, machine number: 723.244.01, year of construction: 1997, 400 V, 50 Hz, 84 A, 49 kW, dimensions: 2100 mm x 1250 mm x 1300 mm.	5000
228	Krämer+Grebe	Krämer+Grebe cutter with ejector, type: SM200, machine number: 185/199/79, steel bowl, volume: 200 liter, dimensions: 2100 mm x 2100 mm x 1800 mm.	2000



Nr	Title	Description	Start €
229	Seydelmann	Seydelmann vacuum cooking cutter with ejector, type: K64DC8Q-VA, machine number: 99099-1, year of construction: 1999, 400 V, 50 Hz, 105 A, 50 kW, s/s bowl, volume: 64 liter, dimensions: 2150 mm x 1400 mm x 1700 mm. With switch cabinet and vacuum pump, dimensions: 1000 mm x 1000 mm x 450 mm and 1200 mm x 800 mm x 800 mm.	17500
230	Bornemann	Bornemann mobile twin-screw pump, type: SLH 125-48, serial number: 102420, 8-10 m³/h, 3.3-3.6-5.5 kW, dimensions: 1700 mm x 840 mm x 1500 mm.	750
231	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-DGN 041C/37/12P, serial number: 400/333447903, year of construction: 2009, maximum / minimum pressure: 16 bar / - 1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 16.6 + 8.7 liter, 3 fans, dimensions: 2600 mm x 1600 mm x 450 mm.	200
232	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-DGN 041C/37/12P, serial number: 400/333447902, year of construction: 2009, maximum / minimum pressure: 16 bar / - 1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 16.6 + 8.7 liter, 3 fans, dimensions: 2600 mm x 1600 mm x 450 mm.	200
233	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 230 mm, total dimensions: 4300 mm x 950 mm x 630 mm.	250
234	NN roller conveyors	3 roller conveyors, s/s frame, plastic and s/s rollers, roller width: 520 mm and 650 mm, total dimensions: 1200 mm x 600 mm x 920 mm and (2x) 1880 mm x 700 mm x 650 mm.	100
235	Singer & Sohn GmbH	Singer & Sohn GmbH transport belt with s/s outfeed slide / loading device for crates, s/s frame, plastic belt, belt width: 590 mm, total dimensions: 6700 mm x 1000 mm x 1650 mm.	600
236	Singer & Sohn GmbH	Singer & Sohn GmbH transport belt with s/s outfeed slide / loading device for crates, type: Förderband Pos. 06, number: SI-15.10564.06.010, year of construction: 2016, 400 V, 0.31 kW, s/s frame, plastic belt, belt width: 590 mm, total dimensions: 3000 mm x 750 mm x 1650 mm.	400
237	Singer & Sohn GmbH	Singer & Sohn GmbH transport belt , type: Förderband Pos. 07, number: SI-15.10564.07.010, year of construction: 2016, 400 V, 50 Hz, 0.31 kW, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 3150 mm x 1000 mm x 380 mm.	400



Nr	Title	Description	Start €
238	Singer & Sohn GmbH	Singer & Sohn GmbH transport belt, type: Förderband Pos. 05, number: SI-15.10564.05.010, year of construction: 2016, 400 V, 50 Hz, 0.31 kW, s/s frame, plastic belt, belt width: 590 mm, total dimensions: 3400 mm x 750 mm x 500 mm.	500
239	G.Mondini	G.Mondini mobile elevating belt with infeed bunker, model: N/E, serial number: 2455-04/5, year of construction: 10-08-2004, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 210 mm, elevating height: 1700 mm, total dimensions: 4000 mm x 900 mm x 1850 mm.	400
240	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 600 mm, elevating height: 950 mm, total dimensions: 2600 mm x 1100 mm x 1850 mm.	400
241	ENT	ENT roller conveyor, s/s frame, plastic rollers, roller width: 450 mm, total dimensions: 3000 mm x 600 mm x 900 mm.	150
242	NN curved conveyor	180° curved conveyor, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 3300 mm x 1800 mm x 730 mm.	750
243	Singer & Sohn GmbH	Singer & Sohn GmbH transport belt, type: Förderbandanlage, number: SI-15.10563.01.010, year of construction: 2016, 400 V, 50 Hz, 0.31 kW, s/s frame, plastic belt with dividers, belt width: (2x) 200 mm, distance between dividers: 300 mm, divider height: 25 mm, total dimensions: 5000 mm x 900 mm x 1050 mm.	400
244	Singer & Sohn GmbH	Singer & Sohn GmbH transport belt with s/s outfeed slide / loading device for crates, s/s frame, plastic belt, belt width: 590 mm, total dimensions: 7000 mm x 1000 mm x 700 mm.	400
245	NN tilting device	Mobile tilting device for 200 liter meat bins, lifting height: 1150 mm, total dimensions: 1100 mm x 700 mm x 2270 mm. Battery defect.	75
246	NN lifter for meat bins	Frame for lifter for 200 liter meat bins, lifting height: 1900 mm, total dimensions: 860 mm x 750 mm x 2900 mm. Incomplete.	75
247	NN protection frame	S/s protection frame, dimensions: 4000 mm x 1250 mm x 640 mm.	25
248	Wolfking Scanio	Wolfking Scanio lifter for meat bins, type: K7, serial number: 9644, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 2.0 A, 1.4 kW, capacity: 300 kg, lifting height: 3000 mm, total dimensions: 3900 mm x 1400 mm x 1200 mm.	1000
249	Holac	Holac lifter for meat bins, lifting height: 2400 mm, total dimensions: 3300 mm x 1600 mm x 770 mm.	750



Nr	Title	Description	Start €
250	Scanio	Scanio lifter for meat bins, type: K7, serial number: 4114, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 2.05 A, 0.75 kW, capacity: 400 kg, lifting height: 3200 mm, total dimensions: 4400 mm x 550 mm x 1350 mm.	1000
251	Miveg	Miveg semi-automatic skewering machine, model: KW-2001, machine number: 1014Q, year of construction: 2004, maximum working width: 220 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 6500 mm x 1400 mm x 1850 mm.	2000
252	Emsens	Emsens skewering machine, type: Trad.Double 2004, serial number: 05.04.132.19, plastic belt, belt width: 295 mm, plastic outfeed belt, belt width: 280 mm, total dimensions: 4500 mm x 1700 mm x 1500 mm.	2000
253	NN table	S/s table, dimensions: 1000 mm x 800 mm x 840 mm.	50
254	NN table	S/s table, dimensions: 1000 mm x 800 mm x 840 mm.	50
255	NN tub	S/s tub with drain, dimensions: 1100 mm x 1200 mm x 800 mm.	100
256	NN tubs	12 s/s tubs, weight per tub: 60.5 kg, dimensions: (12x) 900 mm x 1200 mm x 830 mm.	900
259	NN meat bins	31 s/s meat bins, volume: 200 liter.	1500
260	NN meat bins	7 s/s meat bins, volume: 200 liter.	350
261	NN tubs	8 mobile s/s tubs, dimensions: (8x) 1500 mm x 750 mm x 870 mm.	600
262	NN meat bin	S/s meat bin, volume: 300 liter, dimensions: 770 mm x 670 mm x 930 mm.	75
263	NN protection frame	S/s protection frame, dimensions: 1800 mm x 320 mm x 800 mm.	10
264	NN meat bin	S/s perforated meat bin, volume: 200 liter.	50
265	NN meat bins	2 s/s meat bins, volume: 200 liter.	100
266	NN meat bins	24 s/s meat bins, volume: 200 liter.	1200
267	NN transport belt	S/s transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 6000 mm x 600 mm x 800 mm.	400
268	Lubeca	Lubeca mobile can seamer, diameter head: 220 mm, total dimensions: 1200 mm x 1000 mm x 1820 mm.	1000
269	NN protection frames	Wall mounted s/s protection frames, length: approximately 25000 mm.	50
270	NN dispensers	3 wall mounted s/s dispensers, dimensions: (3x) 150 mm x 80 mm x 250 mm.	10



Nr	Title	Description	Start €
271	OCS	OCS metal detector and checkweigher with rejecters, type: MN 7.0 CI 200/125, serial number: 1638, year of construction: 2012, 100-240 V, 50/60 Hz, 1.25 A, type checkweigher: HC, number: 1006009, year of construction: 2013, 230 V, 50 Hz, minimum weight: 100 gram, maximum weight: 500 gram, e=d=: 0.1 gram, capacity: 220 pieces per minute, plastic belt, belt width: 140 mm, clearance: 200 mm x 90 mm, total dimensions: 2300 mm x 900 mm x 1750 mm.	3500
272	Merk Process	Merk Process vacuum microwave dryer, type: VTGT-MI, object number: 05.107.41, year of construction: 2005, volume: 0.84 m ³ , PS: -1.0 bar, temperature range: -20 / 100°C, total dimensions dryer: 2900 mm x 1000 mm x 2560 mm, trolley with Busch vacuum pump, type: RA 0063 E, year of construction: 2004, capacity: 63 m ³ per hour, total dimensions trolley: 1300 mm x 600 mm x 1560 mm, dimensions switch cabinet: 800 mm x 600 mm x 2300 mm.	2500
273	NN table	S/s table, dimensions: 660 mm x 460 mm x 1020 mm.	25
274	Ishida	Ishida X-ray machine, model: IX-GN-4044, serial number: 100237607, year of construction: November 2016, 230 V, 1 Ph, 50/60 Hz, 5.5 A, plastic belt, belt width: 430 mm, clearance: 500 mm x 150 mm, total dimensions: 950 mm x 900 mm x 2000 mm.	4500
275	Ishida	Ishida X-ray machine, model: IX-GN-4044, year of construction: November 2016, 230 V, 1 Ph, 50/60 Hz, 5.5 A, plastic belt, belt width: 430 mm, clearance: 500 mm x 150 mm, total dimensions: 950 mm x 900 mm x 2000 mm.	4500
276	Bizerba	Bizerba weighing belt with indicator, plastic belt, belt width: 500 mm, total dimensions: (2x) 1250 mm x 800 mm x 1130 mm.	2000
277	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with rejecter, type: XS 3, number: 35005786, year of construction: 2015, 100-240 V, 50 Hz, minimum weight: 7 gram, maximum weight: 1000 gram, e=d=: 0.2 gram, T=: -900 gram, plastic belts, belt width: (2x) 150 mm, total dimensions: 1200 mm x 1600 mm x 1850 mm.	1500
278	Marel	Marel double lane checkweigher, type: +A01, serial number: A0844069, year of construction: 2011, 230 V, 2 Ph, 50-6- Hz, 3 A, estimated belt width: (2x) 310 mm, total dimensions: 1900 mm x 1100 mm x 1240 mm. Incomplete.	400



Nr	Title	Description	Start €
279	Boekels	Boekels mobile metal detector, type: Discovery/C50x35, number: 6 1519 050035W, year of construction: 2003, 85-264 V, 47-440 Hz, plastic mesh belt, belt width: 450 mm, clearance: 500 mm x 320 mm, total dimensions: 2200 mm x 950 mm x 1200 mm.	1000
280	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 140 mm x 250 mm. With wall mounted s/s paper dispenser, dimensions: 280 mm x 210 mm x 370 mm.	25
281	Wilhelm Fette GmbH	Wilhelm Fette GmbH press for bouillon cubes with Sapal packaging machine, type: Perfecta P4/B, number: 02518, year of construction: 1985, 380-415 V, 50 Hz, 7.5 A, plastic belt, belt width: 30 mm, label width: 150 mm, total dimensions; 1500 mm x 1150 mm x 2100 mm and 1900 mm x 1700 mm x 1750 mm.	1500
282	Yamato	Yamato semi automatic table-top weigher, model: TSDW-206W, serial number: NX20003, year of construction: 2020/03, 230 V, 1 Ph, 50/60 Hz, 6 A, 650 W, maximum weight: 1500 gram, d=: 1 gram, T=: -1500 gram, plastic belts, belt width: 300 mm and (14x) 110 mm, total dimensions: 1900 mm x 950 mm x 1100 mm.	5000
283	Webomatic	Webomatic double chamber vacuum machine, type: PNC 20, machine number: 5310HK2646, 400 V, 3 Ph, 50 Hz, 13.5 A, 5.5 kW, Busch vacuum pump, type: RA 0250 C 4ZI CUZZ, number: 0E02610201, capacity: 250 m ³ per hour, seal length: (2x) 820 mm, dimensions chamber: 850 mm x 710 mm, total dimensions: 1900 mm x 900 mm x 1100 mm.	2000
284	Loma Systems	Loma Systems metal detector with retracting rejection conveyor, model: IQ ³ , serial number: Q3865-25-203730, year of construction: 19.9.2012, 85-265 V, 50-60 Hz, plastic mesh belt, belt width: 600 mm, clearance: 650 mm x 180 mm, total dimensions: 2000 mm x 1100 mm x 1300 mm.	1500
285	Scanvaegt	Scanvaegt checkweigher, model: Scancheck RF5, serial number: BNK00809, year of construction: 2005, 200-240 V, 1 Ph, 50/60 Hz, 5.0 A, 5-8 bar, belt width: 300 mm, weighing range: between 250 and 3000 gram, total dimensions: 1220 mm x 900 mm x 1650 mm. Including Scanvaegt rejector, belt width: 270 mm, total dimensions: 1000 mm x 750 mm x 1050 mm.	350



Nr	Title	Description	Start €
286	Scanvaegt	Scanvaegt checkweigher, model: Scancheck RF5, serial number: BNK00805, year of construction: 2005, 200-240 V, 1 Ph, 50/60 Hz, 5.0 A, 5-8 bar, belt width: 300 mm, weighing range: between 500 and 3000 gram, total dimensions: 1220 mm x 900 mm x 1650 mm. Including Scanvaegt rejector, belt width: 270 mm, total dimensions: 1000 mm x 750 mm x 1050 mm.	350
287	Anritsu	Anritsu checkweigher, model: KW5504AW, serial number: 410006370, year of construction: 2002, 100-120/200-240 V, 1 Ph, 50/60 Hz, 50 g - 3000 g, d= 0.2 g, capacity: 200 p/m, plastic belt, belt width: 200 mm, total dimensions: 750 mm x 700 mm x 1210 mm. Incomplete.	25
288	Garvens	Garvens checkweigher with rejector, type: S3, serial number: 330124, year of construction: 2000, 230 V, 50 Hz, plastic belt, belt width: 150 mm, dimensions checkweigher: 1000 mm x 1000 mm x 1450 mm.	350
289	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with rejector, type: S3, factory number: 2005, 230 V, 50/60 Hz, year of construction: 2008, maximum capacity: 800 g, minimum capacity: 100 g, e=0.5 g, d=0.5 g, plastic belts, belt width: 250 mm, total dimensions: 1050 mm x 750 mm x 1500 mm.	500
290	Scanvaegt	Scanvaegt checkweigher, model: Scancheck RF5, serial number: BNK00809, year of construction: 2005, 200-240 V, 1 Ph, 50/60 Hz, 5.0 A, 5-8 bar, belt width: 300 mm, weighing range: between 250 and 3000 gram, total dimensions: 1220 mm x 900 mm x 1650 mm. Including Scanvaegt rejector, belt width: 270 mm, total dimensions: 1000 mm x 750 mm x 1050 mm.	350
291	Scanvaegt	Scanvaegt checkweigher, model: Scancheck RF 5, serial number: BNK00763, year of construction: 2003, 200-240 V, 1 Ph, 50/60 Hz, 4.0 A, 5-8 bar, belt width: 300 mm, total dimensions: 1250 mm x 750 mm x 1200 mm.	350
292	Garvens Automation GmbH	Garvens Automation GmbH checkweigher, type: SL3PM, fabrication number: 51239, year of construction: 1994, 230 V, 50 Hz, maximum weight: 4000 gram, e= 1 gram, minimum temperature: 10°C, maximum temperature: 40°C, plastic belt, belt width: 200 mm, total dimensions: 830 mm x 700 mm x 1530 mm.	50



Nr	Title	Description	Start €
293	OCS / Ceia	OCS checkweigher with Ceia metal detector with rejecters, model metal detector: T/ SLMS21-250100008, serial number: 21300226080, type checkweigher: HC, number: 1006264, year of construction: 2013, minimum weight: 20 gram, maximum weight: 500 gram, e=d=: 0.2 gram, plastic belt, belt width: 195 mm, clearance: 250 mm x 70 mm, total dimensions: 1900 mm x 900 mm x 1500 mm.	1000
294	Rittal	2 Rittal switch cabinets, dimensions: 600 mm x 250 mm x 750 mm and 300 mm x 250 mm x 300 mm.	100
295	NN wall plates	2 s/s wall plates, dimensions: 450 mm x 310 mm and 280 mm x 360 mm.	10
296	K-Engineering	K-Engineering batcher, plastic belt, belt width: 450 mm, clearance outfeed: Ø 65 mm, total dimensions: 2750 mm x 1600 mm x 1950 mm.	1500
297	NN table	S/s table, dimensions: 1200 mm x 800 mm x 650 mm.	50
298	Pulsotronic	Pulsotronic metal detector with retracting rejection conveyor, type: M-Pulse 2, serial number: 90004403, year of construction: 2013, 230 V, 1 Ph, 50-60 Hz, 350 W, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 170 mm, total dimensions: 2000 mm x 900 mm x 1200 mm.	1500
299	P+S Mako	P+S Mako mobile bag filling and clipping machine, type: DC 60-CSP, machine number: 70.199, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 4 A, dimensions chamber: 140 mm x 120 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 1800 mm x 1200 mm x 1900 mm.	1500
300	P+S Mako	P+S Mako mobile bag filling and clipping machine, type: DC 60-CSP, machine number: 70.200, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 4 A, dimensions chamber: 140 mm x 120 mm, plastic outfeed belt, belt width: 200 mm, total dimensions: 1800 mm x 1200 mm x 1900 mm.	1500
301	Rittal	Rittal s/s switch cabinet with barcode scanner, dimensions: 300 mm x 230 mm x 370 mm.	25
302	Efaflex	Efaflex electric high speed shutter door, type: mcp2, equipment number: 8000049417, year of construction: 2010, 230 VAC, 50 Hz, 24 VDC, 5 A, 0.5 kW, door dimensions: 1880 mm x 2250 mm.	500
303	NN protection frames	Wall mounted s/s protection frames, length: approximately 20000 mm.	100
304	Kaba Benzing	Kaba Benzing time registration system, model: B-Net 9360, serial number: 072363-00171, 230 VAC, 50/60 Hz, 110 mA, dimensions: 250 mm x 120 mm x 300 mm.	25



Nr	Title	Description	Start €
305	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/44-AN150/6P.E, unit serial number: 400/333523602, year of construction: 2009, volume: 7+3.4 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 4 fans, total dimensions: 3200 mm x 500 mm x 350 mm.	200
306	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/44-AN150/6P.E, unit serial number: 400/333523701, year of construction: 2009, volume: 7+3.4 liter, maximum/minimum permissible pressure: 16 / -1 bar, maximum/minimum permissible temperature: -50 C° / +100 C°, test medium: compressed air, 4 fans, total dimensions: 3200 mm x 500 mm x 350 mm.	200
307	Mohn	Mohn s/s sink with 4 faucets and soap dispensers and 2 paper dispensers, sensor operated, dimensions: 2600 mm x 600 mm x 1750 mm.	250
308	Mohn	Mohn s/s sink with 3 faucets and soap dispensers and 1 paper dispensers, sensor operated, dimensions: 1800 mm x 600 mm x 1750 mm.	175
309	Mohn	Mohn s/s sink with 4 faucets and soap dispensers and 2 paper dispensers, sensor operated, dimensions: 2600 mm x 600 mm x 1750 mm.	250
310	NN soap dispenser	S/s soap dispenser, dimensions: 400 mm x 400 mm x 1400 mm.	10
311	NN tubs	24 s/s tubs, weight per tub: 76 kg, dimensions: (24x) 900 mm x 1200 mm x 830 mm.	1800
312	NN film roll holder	S/s film roll holder, dimensions: 1180 mm x 160 mm x 200 mm.	10
313	NN roller conveyor	Mobile roller conveyor, s/s frame, s/s rollers, roller width: 480 mm, total dimensions: 1380 mm x 520 mm x 720 mm.	200
314	NN table	S/s table, dimensions: 800 mm x 800 mm x 860 mm.	50
315	NN roller conveyor	Mobile roller conveyor with frame for filling crates, s/s frame, s/s rollers, roller width: 480 mm, total dimensions: 3000 mm x 630 mm x 1300 mm.	250
316	Terbahl	Terbahl mobile elevating belt, type: TR-20-226-00/J3889, machine number: 101866-7, year of construction: 09/2012, s/s frame, plastic belt with dividers, belt width: 450 mm, distance between dividers: 200 mm, divider height: 25 mm, elevating height: 2200 mm, total dimensions: 4500 mm x 1000 mm x 2400 mm.	750
317	NN protection frame	S/s protection frame, dimensions: 2400 mm x 800 mm.	10



Nr	Title	Description	Start €
318	NN vibrating gutter	S/s vibrating gutter, s/s gutter, gutter width: 230 mm, diameter perforations: 10 mm, total dimensions: 1500 mm x 800 mm x 1830 mm.	500
319	TNA	TNA vibrating gutter, type: Roflo-VM3, serial number: VM3-B-3790, year of construction: 2018, 230 V, 1 Ph, 50/60 Hz, 15 A, s/s gutter, gutter width: 600 mm, total dimensions: 3200 mm x 1400 mm x 2600 mm.	1000
320	NN sieve for vibrating gutter	S/s sieve for vibrating gutter, gutter width: 540 mm, total dimensions: 1700 mm x 870 mm x 780 mm.	250
321	Terbahl	Terbahl mobile elevating screw, type: SO146/J1337, machine number: 100286, year of construction: 2003, plastic screw, diameter screw: 200 mm, tier: 250 mm, elevating height: 2050 mm, total dimensions: 2750 mm x 1150 mm x 2500 mm.	750
322	NN frame	S/s frame for pallets, dimensions: 1800 mm x 1350 mm x 1150 mm.	100
323	Rosoma	Rosoma shuttle conveyor, s/s mesh belt, belt width: 400 mm, total dimensions: 2770 mm x 700 mm x 1220 mm.	500
324	Rosoma	Rosoma shuttle conveyor, machine number: 12-2537-0000-2, year of construction: 2012, s/s mesh belt, belt width: 400 mm, total dimensions: 2770 mm x 700 mm x 1070 mm.	500
325	NN lifting platform	S/s lifting platform with hydraulic unit, dimensions platform: 1050 mm x 1300 mm, total dimensions: 1400 mm x 1400 mm x 1650 mm, dimensions hydraulic unit: 640 mm x 390 mm x 220 mm.	150
326	Feltracon	Feltracon centrifuge, model: FE-500, number: FE-18-11, year of construction: 18/06/2011, 400 V, 3 Ph, 50 Hz, inside dimensions: Ø 500 mm x 500 mm, total dimensions: 1800 mm x 1500 mm x 2100 mm.	6000
327	Messag Maschinen und Förderanlagen	Messag Maschinen und Förderanlagen mobile elevating screw, type: U-200, machine number: 555, year of construction: 1990, elevating height: 2200 mm (adjustable height), total dimensions: 3600 mm x 800 mm x 2270 mm.	500
328	NN tank	S/s tank with heating/cooling pipes, inside dimensions: Ø 1500 mm x 770 mm, total dimensions: 1600 mm x 1450 mm x 1100 mm.	250
329	NN elevating belt	Elevating belt, s/s frame, plastic mesh belt with rejectors, belt width: 150 mm, divider height: 10 mm, distance between dividers: 260 mm, elevating height: 1200 mm, total dimensions: 2180 mm x 600 mm x 1240 mm.	300
330	Neuweiler AG	Neuweiler AG mobile fat extruder, serial number: 7950, year of construction: 2002, inside diameter: 430 mm, total dimensions: 2820 mm x 1200 mm x 1900 mm.	1250



Nr	Title	Description	Start €
331	NN protection frames	Wall mounted s/s protection frames, length: approximately 25000 mm.	50
332	NN protection frames	Wall mounted s/s protection frames, length: approximately 15000 mm.	25
333	NN protection frames	Wall mounted s/s protection frames, length: approximately 25000 mm.	50
334	NN rollie	S/s rollie, dimensions: 1000 mm x 600 mm x 230 mm.	10
335	NN trolley	S/s trolley, dimensions: 700 mm x 400 mm x 1000 mm.	10
336	NN trolleys	2 s/s trolleys, dimensions: (2x) 1150 mm x 800 mm x 1000 mm.	100
337	NN trolleys	2 s/s trolleys, dimensions: (2x) 1150 mm x 800 mm x 1000 mm.	100
338	NN infeed hopper with gratings	Helmes Apparatebau GmbH buffer tank with agitator, serial number tank: 658, year of construction: 2007, volume: 1000 liter, diameter tank: 1100 mm, height tank: 2920 mm, infeed hopper with gratings, dimensions: 900 mm x 1250 mm x 2100 mm, Hilge centrifugal pump, pump type: EURO-HYGIA-I-BLOC-SUPER, number: 22/07/147553, year of construction: 2007, capacity: 15 m ³ per hour, switch cabinet with Simatic Panel control panel, dimensions: 800 mm x 300 mm x 1200 mm.	150
339	APV	APV flow plate with 2 APV valves, inside diameter pipings: 80 mm, dimensions flow plate: 580 mm x 1290 mm.	25
340	NN can filling machine	Can filling machine, serial number: 0201-T-028/542, year of construction: 1995, diameter grippers: 75 mm, total dimensions: 2600 mm x 2000 mm x 1770 mm.	1000
341	Itec	Itec hygiene station consisting of: sole cleaner, hand disinfection unit and tourniquet, type: 23700, number: 0113, year of construction: 11/99, 230 V, 50 Hz, 0.1 kW, brush length: (2x) 1600 mm, total dimensions: 2500 mm x 1200 mm x 1900 mm.	1000
342	NN tub	Mobile s/s tub, dimensions: 1950 mm x 650 mm x 830 mm.	50
343	K+G Wetter	K+G Wetter grinder, type: AW E 130, machine number: 404/1062, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 20 A, 9 kW, plate diameter: 130 mm, total dimensions: 1500 mm x 800 mm x 1300 mm. Including crate with plates.	7500
344	GGM Gastro GmbH	GGM Gastro GmbH mobile double shaft paddle mixer, model: MM 135, serial number: M135.2.0422-010, year of construction: 2022, 380 V, 50-60 Hz, 1.5 kW, capacity: 100 kg / 100 liter, dimensions: 1100 mm x 700 mm x 1400 mm.	1000



Nr	Title	Description	Start €
345	Frey	Frey vacuum filling machine with twisting attachment, type: F-Line F55, machine number: F55002618, year of construction: 2008, 400 V, 50 Hz, 4.2 kW, dimensions: 1050 mm x 1000 mm x 2000 mm. Missing rotor and veins.	1500
346	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile double clipper, type: KDCN.037.020, plastic outfeed rollers, roller width: 90 mm, total dimensions: 1100 mm x 600 mm x 1850 mm. With box with clips.	1500
347	NN table	Mobile s/s table, dimensions: 1600 mm x 600 mm x 1850 mm.	50
348	Bizerba	Bizerba bandsaw on aluminium table, type: FK22, machine number: 1301639, 220/380 V, 3 Ph, 50 Hz, 3.8/2.2 A, 1.080 kW, dimensions: 900 mm x 450 mm x 1300 mm.	250
349	GS Multitrade	GS Multitrade bandsaw on mobile s/s table, model: JG-210C, 220 V, 50 Hz, 850 W, dimensions: 500 mm x 500 mm x 1500 mm.	250
350	NN kitchen inventory	3 s/s racks with kitchen inventory, dimensions: (3x) 1400 mm x 400 mm x 1800 mm.	75
351	NN waste bag holder	S/s waste bag holder, dimensions: 450 mm x 450 mm x 950 mm.	10
352	Royal Catering	Royal Catering s/s trolley, 3 floors, dimensions: 950 mm x 500 mm x 950 mm.	50
354	Wilhelm Wagner	Wilhelm Wagner packaging machine, type: SM33, machine number: 14, year of construction: 1980, dimensions: 500 mm x 400 mm x 850 mm.	100
355	NN table	Aluminium table with wooden top, dimensions: 1800 mm x 750 mm x 830 mm.	50
356	NN table	S/s table, dimensions: 2000 mm x 900 mm x 900 mm.	50
357	NN table	Mobile s/s table, dimensions: 2000 mm x 1000 mm x 830 mm.	50
358	NN lifter for bowls	S/s lifter for bowls, lifting height: 1400 mm, total dimensions: 1300 mm x 1200 mm x 1850 mm.	750
359	NN cabinet	S/s cabinet, dimensions: 1600 mm x 1000 mm x 1200 mm.	75
360	Rittal	Rittal s/s switch cabinet, dimensions cabinet: 2600 mm x 620 mm x 2350 mm.	250
361	Höfelmeyer	Höfelmeyer indicator, dimensions: 330 mm x 160 mm x 200 mm.	50
362	Franz-Fleischereimaschinen	Franz-Fleischereimaschinen mobile strip cutter, type: MST 84 300S, machine number: 0005 0010, year of construction: 5 2000, 400 V, 50 Hz, 1.1 kW, working width: 290 mm, total dimensions: 1000 mm x 1000 mm x 1130 mm. Including 2 knife sets, (1x) 37 knives, distance between knives: 9 mm, (1x) 73 knives, distance between knives: 4 mm.	1500



Nr	Title	Description	Start €
363	Stephan	Stephan mobile micro cutter, type: MC 15, serial number: V.718.560, year of construction: 1997, 320 V, 50 Hz, 21.5 / 35 A, diameter: 150 mm, total dimensions: 700 mm x 630 mm x 1100 mm.	1000
364	NN table	S/s table, dimensions: 700 mm x 700 mm x 870 mm.	50
365	Sartorius AG	Sartorius AG weighing scale with indicator, number: 15406723, maximum: 12 kg, minimum: 5g, d=0.1 / 0.2 g, e= 1 g, scale dimensions: 400 mm x 300 mm, total dimensions: 400 mm x 380 mm x 590 mm.	25
366	NN frame	S/s frame, dimensions: 360 mm x 250 mm x 740 mm.	10
367	NN frame	S/s frame, dimensions: 700 mm x 580 mm x 170 mm.	10
368	Rhewa	Rhewa weighing scale with indicator, type: 83sigma, number: 183065-1, maximum: 60 kg, minimum: 0.4 kg, e=0.02 kg, scale dimensions: 800 mm x 600 mm, indicator dimensions: 330 mm x 170 mm x 290 mm.	25
369	Knick	Knick weighing scale, type: 764, 220 V, 62 Hz, 25 VA, scale dimensions: 240 mm x 130 mm, total dimensions: 250 mm x 245 mm x 100 mm.	10
370	NN table	S/s mobile table, dimensions: 1210 mm x 800 mm x 830 mm.	50
371	Bizerba	Bizerba slicer, type: VF 3, machine number: 414587, 220 V, 1 Ph, 50 Hz, 1.85 A, dimensions: 680 mm x 550 mm x 400 mm.	150
372	Penta	Penta display, model: Food mITX, serial number: FI34-0491-14, 90/264 V, 50/60 Hz, dimensions: 440 mm x 270 mm x 300 mm.	50
373	NN table	S/s table with s/s cabinet, inside dimensions cabinet: 500 mm x 600 mm x 400 mm, dimensions cabinet: 610 mm x 510 mm x 430 mm, table dimensions: 700 mm x 550 mm x 820 mm.	50
374	NN table	Mobile s/s table with plastic work top, dimensions: 1200 mm x 800 mm x 970 mm.	50
375	Jarvis	Jarvis breaking saw, model: SEC280-4, serial number: 95050, 380 V, 50 Hz, 1700 W, 2850 RPM, dimensions: 680 mm x 250 mm x 250 mm. Missing saw.	250
376	Feuma	Feuma apple peeler, type: ASETSM-E, serial number: 185068, 230 V, 1 Ph, 50 Hz, 2.4 A, pin length: (3x) 65 mm, total dimensions: 610 mm x 310 mm x 380 mm.	250
377	Freund	Freund breaking saw, type saw blade: KGZ 230, number: 220-005-004, year of construction: 2020-06, diameter saw blade: 210 mm, total dimensions: 560 mm x 210 mm x 230 mm.	250
378	NN table	S/s table with plastic work top, dimensions: 1000 mm x 770 mm x 910 mm.	50
379	NN table	S/s table with plastic work top, dimensions: 1280 mm x 800 mm x 830 mm.	50



Nr	Title	Description	Start €
380	Boss	Boss vacuum machine, type: NT42, machine number: 00111719, 400 V, 50 Hz, 0.75 kW, dimensions chamber: 440 mm x 450 mm, seal length: 420 mm, Busch vacuum pump, type: RB 0021 B 3Z3 APXX, number: C0018000170, capacity: 21 m³ per hour, total dimensions: 500 mm x 500 mm x 400 mm.	150
381	Heinrich GmbH	Heinrich GmbH casing sealer, machine number: HM 050309, year of construction: 09/2008, dimensions: 300 mm x 200 mm x 150 mm. Including Thermofix pneumatic closing stamp.	250
382	Waagen / Hans Angerer	Waagen / Hans Angerer weighing scale, number: 453/6, maximum weight: 10 kg, scale dimensions: 500 mm x 330 mm, total dimensions: 450 mm x 500 mm x 760 mm.	50
383	NN knives and plates	S/s basket with 4 knives and 6 plates for Handtmann grinding head, plate diameter: 130 mm.	150
384	TOP	TOP parts for weighing scales.	10
385	NN table	S/s table, dimensions: 2200 mm x 1000 mm x 870 mm.	50
386	NN table	S/s table, dimensions: 1940 mm x 900 mm x 900 mm.	50
387	Handtmann	Handtmann inline grinding system and case holding device, type: 93-3, number: 14302079, plate diameter: 130 mm, total dimensions: 330 mm x 200 mm x 230 mm. Handtmann case holding device, type: 416, number: 16302375, year of construction: 2014, dimensions: 750 mm x 130 mm x 350 mm.	600
388	GGM Gastro	GGM Gastro grinder, type: FWE200-N, serial number: 17.12 07, year of construction: 2017, 380 V, 50 Hz, 2.2 kW, weight: 40 kg, capacity: 400 kg/time, diameter plate: 80 mm, total dimensions: 505 mm x 320 mm x 550 mm.	250
389	Bizerba	Bizerba slicer, type: VS 12 F, number: 1903836, year of construction: 2001, 230 V, 1 Ph, 50 Hz, 1.8 A, dimensions: 600 mm x 600 mm x 4501 mm. Including knife sharpener.	150
390	NN hose	Plastic hose, hose length: 3650 mm.	10
391	Solia	Solia strip cutter, type: M30, machine number: 66/00 0023, 400 V, 3 Ph, 50 Hz, 3.3/3.9 A, 1.4/1.8 kW, 14 knives, distance between knives: 10 mm, total dimensions: 950 mm x 320 mm x 420 mm.	200
392	NN table	S/s table, dimensions: 600 mm x 700 mm x 820 mm.	10
393	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale with indicator, type: KA32s, serial number: 2092820, maximum: 32 kg, indicator type: ID1 Plus, serial number: 2092821, 200/240 V, 50/60 Hz, 65 Ip, scale dimensions: 350 mm x 280 mm x 120 mm, indicator dimensions: 300 mm x 170 mm x 130 mm.	150



Nr	Title	Description	Start €
394	NN table	S/s table, plastic worktop, dimensions: 680 mm x 620 mm x 760 mm.	10
395	NN paper dispenser	S/s dispensers, dimensions: (1x) 280 mm x 210 mm x 370 mm, (1x) 500 mm x 150 mm x 300 mm.	10
396	NN table	S/s table, dimensions: 800 mm x 800 mm x 830 mm.	50
397	NN hangers	S/s strip with 15 hangers, length: 3000 mm.	50
398	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. Mobile diaphragm, type: 319, serial number: 21806, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 1.1 A, diameter hole: (2x) 100 mm, total dimensions: 1000 mm x 1000 mm x 1630 mm. Incomplete.	350
399	Sealpac GmbH	Sealpac GmbH traysealer with various dyes, type: Sealpac Mini, serial number: TVG 0346801, year of construction: 2001, 3 x 400/230 V, 1.5 kW, 270 kg, Busch vacuum pump, dimensions traysealer: 1050 mm x 1050 mm x 1800 mm, 2 trolleys with dyes, dimensions trolleys: 810 mm x 550 mm x 860 mm and 1000 mm x 600 mm x 1080 mm.	2500
400	NN tool trolley	S/s tool trolley, dye: (9x) 145 mm x 110 mm, total dimensions: 920 mm x 880 mm x 1140 mm.	100
401	Euro-Jabelmann	Euro-Jabelmann mobile weighing machine, type: TN 250 E VA, machine number: 15292901BVS, year of construction: 2015, machine weight: 290 kg, plastic belt with dividers, belt width: 320 mm, dividers height: 40 mm, distance between dividers: 190 mm, total dimensions: 2800 mm x 1050 mm x 2200 mm.	450
402	NN vibrating gutter	S/s mobile vibrating gutter, gutter width: 440 mm, gutter length: 2230 mm, total dimensions: 2300 mm x 1060 mm x 1360 mm.	250
403	Marel Meat Processing B.V.	Marel Meat Processing B.V. mobile value spray wet marinating machine, model: RV0411, type: 9674444, serial number: 10131889, year of construction: 2015, 400 V, 50 Hz, 3.2 kW, weight: 320 kg, s/s mesh belt, belt width: 285 mm, total dimensions: 1400 mm x 1000 mm x 1800 mm.	1500
404	Alco-food-machines GmbH & Co. KG	Alco-food-machines GmbH & Co. KG mobile cordon bleu machine, type: CB 400, serial number: 01212205, year of construction: 1994, 380 V, 0.55 kW, plastic belt, belt width: (2x) 100 mm, s/s mesh outfeed belt, belt width: 400 mm, total dimensions: 2150 mm x 920 mm x 1700 mm. Missing knives.	1000
405	Dynaco Europe	Dynaco Europe electric high speed shutter door, type: D-313 LF, serial number: DE33331B, year of construction: 10-2012, dimensions door: 1500 mm x 2160 mm.	500
406	NN protection frame	S/s protection frame, frame length: 5830 mm.	30



Nr	Title	Description	Start €
407	Dynaco Europe	Dynaco Europe electric high speed shutter door, type: D-313 LF, serial number: DE33331C, year of construction: 10-2012, dimensions door: 1500 mm x 2170 mm.	500
408	NN protection frames	S/s protection frames, length: approximately 12000 mm.	75
409	NN tank	S/s tank, inside dimensions: $\varnothing$ 1000 mm x 700 mm, total dimensions: 1100 mm x 1050 mm x 1650 mm.	250
410	NN tank	S/s tank, inside dimensions: $\varnothing$ 850 mm x 700 mm, total dimensions: 900 mm x 900 mm x 1650 mm.	250
411	Tetra Laval Food Schröder GmbH & Co KG	Tetra Laval Food Schröder GmbH & Co KG s/s tank with heating/cooling pipes, type: HeiBhalteteil, number: 143495, year of construction: 1995, inside dimensions: $\varnothing$ 1250 mm x 500 mm, total dimensions: 1450 mm x 1300 mm x 1300 mm.	250
412	NN tank	S/s tank, dimensions tank: $\varnothing$ 600 mm x 900 mm, total dimensions: $\varnothing$ 600 mm x 2000 mm, including various APV valves.	50
413	Weisshaar	Weisshaar air chilling aggregate, type: LKTA 60, number: 214130, year of construction: 2014, 400 V, 50 Hz, 9 kW, volume: 60 liter, refrigerant: R134a, pressure: 24 bar, dimensions: 2100 mm x 950 mm x 1850 mm.	750
414	ProSoya	ProSoya separator, model: MJ4-0, year of construction: 2010 08, 380 V, 5.5 kW, weight: 580 kg, capacity: 500-800 kg/h, diameter holes: 5 mm, total dimensions: 2030 mm x 1030 mm x 2100 mm.	750
415	WAMGROUP	WAMGROUP air filter installation, type: FPXHT809VA2890, serial number: 01FP130002297, year of construction: 2013, Tamb: -20°C / +40°C, X: T 135°C on body filter if the air flow temperature si $\leq$ 80°C, extractor frame dimensions: 1330 mm x 800 mm x 1560 mm, filter house dimensions: 2150 mm x 1030 mm x 2800 mm.	3500
416	WAMGROUP	WAMGROUP air filter installation, type: FPXHT809VA3126, serial number: 01FP1300012359, year of construction: 2013, Tamb: -10°C / +40°C, extractor frame dimensions: 1330 mm x 800 mm x 1560 mm, filter house dimensions: 2150 mm x 1030 mm x 2800 mm.	3500
417	WAMGROUP	WAMGROUP air filter installation, type: FPXHT809VA3126, serial number: 01FP1300012360, year of construction: 2013, Tamb: -10°C / +40°C, filter house dimensions: 2150 mm x 1030 mm x 2800 mm.	3500
418	Würschum	Würschum mobile dosing dispenser, type: PMS 200, number: 98.12-5413, funnel: (2x) diameter: 420 mm x 600 mm, total dimensions: 1600 mm x 1700 mm x 2000 mm. Incomplete.	400



Nr	Title	Description	Start €
419	NN mixer	S/s double jacketed mixer with agitator, inside dimensions: $\varnothing$ 245 mm x 360 mm, total dimensions: 900 mm x 800 mm x 1250 mm.	250
420	Dereco	Dereco double mobile depositor, total dimensions: 1550 mm x 630 mm x 1950 mm.	400
421	NN vibrating gutter	S/s mobile vibrating gutter with infeed funnel, diameter funnel: 400 mm x 450 mm, gutter width: 75 mm, gutter length: 640 mm, total dimensions: 950 mm x 640 mm x 1660 mm.	150
422	Turbo System	Turbo system mobile depositor, dimensions funnel: 530 mm x 430 mm, total dimensions: 1150 mm x 610 mm x 1540 mm.	200
423	NN infeed bunker	S/s infeed bunker with parts, dimensions: 1200 mm x 800 mm x 970 mm.	50
424	Turbo System	Turbo System mobile depositor, machine number: D90014207439, dimensions funnel: 550 mm x 440 mm, diameter filling pipe: 19 mm, total dimensions: 1500 mm x 660 mm x 1630 mm.	300
425	Trepko	Trepko mobile pump installation with infeed hopper and mixing arm, machine number: 2907 85, total dimensions: 1400 mm x 940 mm x 1600 mm.	250
426	NN depositor	Mobile s/s depositor with infeed hopper, dimensions infeed hopper: $\varnothing$ 380 mm x 650 mm, total dimensions: 1500 mm x 750 mm x 1500 mm.	300
427	Würschum	Würschum mobile dosing machine, type: PMS 200, funnel: diameter: 420 mm x 600 mm, total dimensions: 1600 mm x 1700 mm x 2000 mm. Incomplete.	400
428	Dynaco Europe	Dynaco Europe electric high speed shutter door, type: D-313 LF, serial number: DE33331A, year of construction: 10-2012, dimensions door: 1840 mm x 2190 mm.	500
429	NN protection frames	S/s protection frames, length: approximately 30000 mm.	100
430	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12.L, serial number: W4X133D00271, year of construction: 2013, 24 V, 3 kW, rated capacity: 1200/2000 kg, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 2010 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Including Energys S.A.R.L battery charger, serial number: MGI100710, 230 V, 50/60 Hz, 12 A.	1000



Nr	Title	Description	Start €
431	Linde Material Handling	Linde Material Handling electric pallet lifter, fork length: 1150 mm, distance between forks: 180 mm, fork width: 540 mm, lifting height: 1810 mm, total dimensions: 1900 mm x 730 mm x 1380 mm. Including Enersys battery charger, serial number: NKA604242, 230 V, 50/60 Hz, 7.5 A.	800
432	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12.L, serial number: W4X133D00281, year of construction: 2013, 24 V, 3 kW, rated capacity: 1200/2000 kg, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 2010 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Without battery charger.	1000
433	Linde Material Handling	Linde Material Handling electric pallet lifter, type: D08, fork length: 1150 mm, distance between forks: 180 mm, fork width: 540 mm, lifting height: 1810 mm, total dimensions: 1900 mm x 730 mm x 1380 mm. Including Enersys battery charger, serial number: NKA604212, 230 V, 50/60 Hz, 7.5 A.	800
434	Linde Material Handling	Linde Material Handling electric pallet lifter, type: D08, serial number: W41160H00347, year of construction: 2017, 24 V, 1.2 kW, capacity: 800/1800 kg, fork length: 1150 mm, distance between forks: 180 mm, fork width: 540 mm, lifting height: 1810 mm, total dimensions: 1900 mm x 730 mm x 1380 mm. Including Enersys battery charger.	800
435	Linde Material Handling	Linde Material Handling electric pallet lifter, type: D08, fork length: 1150 mm, distance between forks: 180 mm, fork width: 540 mm, lifting height: 1810 mm, total dimensions: 1900 mm x 730 mm x 1380 mm. Without battery charger.	800
436	NN frame	S/s wall mounted frame, dimensions: 520 mm x 350 mm x 280 mm.	5
437	Office inventory	Large amount of office inventory, consisting of: (4x) cabinet, dimensions: (4x) 1000 mm x 490 mm x 2080 mm. (1x) cabinet, dimensions: (1x) 800 mm x 420 mm x 2080 mm. (1x) cabinet, dimensions: (1x) 800 mm x 400 mm x 1970 mm, (1x) table, table dimensions: (1x) 1400 mm x 800 mm x 750 mm, (8x) different sizes mobile cabinets.	100
438	Peweta	Peweta clock, diameter: 400 mm.	5
439	NN protection frames	S/s protection frames, total length: 4500 mm.	25
440	Franken	2 Franken announcement board with glass cover, dimensions: (2x) 1170 mm x 970 mm.	20
441	NN table	S/s wall mounted table, dimensions: 1800 mm x 360 mm.	25
442	GEA Küba	2 GEA Küba evaporators, 2 fans, dimensions: (2x) 2600 mm x 600 mm x 780 mm.	400



Nr	Title	Description	Start €
443	GEA Küba	2 GEA Küba evaporators, 2 fans, dimensions: (2x) 2600 mm x 600 mm x 780 mm.	400
444	GEA Küba	2 GEA Küba evaporators, 2 fans, type: DZA 112 JED. WASSERDURCHF X=20 HIN-AUSG.R 2 1/2, year of construction: 1996, dimensions: (2x) 2500 mm x 2500 mm x 800 mm.	400
445	GEA Küba	2 GEA Küba evaporators, 2 fans, type: DZA 112 JED. WASSERDURCHF X=20 HIN-AUSG.R 2 1/2, year of construction: 1996, dimensions: (2x) 2500 mm x 2500 mm x 800 mm.	400
446	GEA Küba	2 GEA Küba evaporators, 2 fans, type: DZA 112 JED. WASSERDURCHF X=20 HIN-AUSG.R 2 1/2, year of construction: 1996, dimensions: (2x) 2500 mm x 2500 mm x 800 mm.	400
447	Terbahl Edelstahlverarbeitung GmbH	Terbahl Edelstahlverarbeitung GmbH roller conveyor system with weighing scale, type: TR-035-00/J3893, machine number: 101866P.4, year of construction: 09/2012, s/s rollers, roller width: 840 mm, Hofelmeyer indicator, weighing platform: 1400 mm x 840 mm, total dimensions: 5000 mm x 2400 mm x 2600 mm. Switch cabinet incomplete.	1500
448	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, unit name: S-GGHN 045.2E/24-ANW51/10P.E, serial number: 404343379/07.00234, year of construction: 2016, 2 fans, dimensions: 2280 mm x 800 mm x 700 mm.	200
449	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-GBK 050.1B/27-AW.E, serial number: 404011688/05.00301, year of construction: 2014, maximum / minimum temperature, 50°C / -30°C, 2 fans, fan type: 1010005995-VT01.0001, dimensions: 3100 mm x 1100 mm x 600 mm.	200
450	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-GBK 050.1B/27-AW.E, serial number: 404011688/05.00302, year of construction: 2014, maximum / minimum temperature, 50°C / -30°C, 2 fans, fan type: 1010005995-VT01.0001, dimensions: 3100 mm x 1100 mm x 600 mm.	200
451	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S GHDE 65/28, serial number: 6 00396, year of construction: 1990, 2 fans, dimensions: 900 mm x 2800 mm x 900 mm.	200
452	Güntner GmbH & Co. KG	2 Güntner GmbH & Co. KG evaporators, unit name: DHN 067C/14, serial number: 405022454/37.01711 / 404840160/20.02186, year of construction: 2020, 1 fan, dimensions: 1950 mm x 2050 mm x 960 mm.	500



Nr	Title	Description	Start €
453	Güntner GmbH & Co. KG	2 Güntner GmbH & Co. KG evaporators, unit name: DHN 067C/14, serial number: 404840161/20.02187 / 404644821/51.01647, year of construction: 2020, 1 fan, dimensions: 1950 mm x 2050 mm x 960 mm.	500
454	Güntner GmbH & Co. KG	3 Güntner GmbH & Co. KG evaporators, type: (2x) S-DGN 046A/34 / (1x) S-DGN 051C/27-E/16P, Year of construction: (2x) 2000 / (1x) 2014, dimensions: 3250 mm x 1600 mm x 1600 mm.	700
455	GEA Küba	2 GEA Küba evaporator, 2 fans, type: (2x) DZA 112 JED. WASSERDURCHF X=20 HIN-AUSG.R 2 1/2, year of construction: 1996, dimensions: (2x) 2500 mm x 2500 mm x 800 mm.	400
456	Küba Kältetechnik GmbH	2 Küba Kältetechnik GmbH evaporators, type: SGBE 102, 2 fans, dimensions: (2x) 850 mm x 2450 mm x 700 mm.	400
457	NN evaporator	Evaporator, 1 fan, dimensions: 850 mm x 2500 mm x 1300 mm.	200
458	Güntner GmbH & Co. KG	3 Güntner GmbH & Co. KG evaporator, 2 fans, type: (1x) 24-AHS51/8PE / (2x) S-GGF 045D/24-E, serial number: (1x) 3298254.0001 / (1x) 400/420996.3 / (1x) 400/420996.7, year of construction: (2x) 2002 / (1x) 2009, PS: 16/-1 bar, TS: 100/-50 °C, TS: 17.6 bar, volume: 21 liter, dimensions: (2x) 1900 mm x 600 mm x 630 mm.	300
459	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-GGHN 045.2E/25-AU151/10PE, serial number: 404343227/07.00163, year of construction: 2016, 2 fans, dimensions: 1950 mm x 1450 mm x 1550 mm.	200
460	Güntner GmbH & Co. KG	3 Güntner GmbH & Co. KG evaporator, type: S-GGF 045D/24/12P / GGF 045D/24 / S-GGF 045D/24-E, serial number: 400/3311846.0001 / 145767/10.02 / 400/420996.6, year of construction: 2009 / 2001 / 2002, (3x) 2 fans, dimensions: 1950 mm x 1450 mm x 1550 mm.	600
461	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: AGHN 066C/110/18P, serial number: 400/594547.0001, year of construction: 2004, 1 fan, fan type: VT0178, dimensions: 1900 mm x 900 mm x 1100 mm.	200
462	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: AGHN 051C/27/12P, serial number: 400/617580.0003, year of construction: 2005, dimensions: 2530 mm x 1000 mm x 850 mm. Missing 2 fans.	200
463	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: DHN 067D/27-E, serial number: 404961468/15.00853, year of construction: 2020, 1 fan, dimensions: 3300 mm x 1960 mm x 500 mm.	200
464	NN stair	S/s mobile stair, 4 steps, working height: 950 mm, total dimensions: 1100 mm x 830 mm x 1960 mm.	25



Nr	Title	Description	Start €
465	Dynaco Europe	Dynaco Europe electric high speed shutter door, type: D-313 LF, serial number: DE34757, year of construction: 3-2013, dimensions: 2000 mm x 2200 mm.	500
466	Ibucio Delot	Ibucio Delot falling film chiller for NH3 cooling plant, type: TP 65-170/2, serial number: 98742436, 220/240/380/415, 3 Ph, 50 Hz, dimensions: (1x) 2400 mm x 1500 mm x 2150 mm, (1x) 1200 mm x 800 mm x 750 mm, (1x) 770 mm x 400 mm x 700 mm.	4000
467	TierraTech	TierraTech ultrasonic cleaning system, model: TT-3X300N+TTF1, serial number: 3059-0921GT, year of construction: 19-01-22, 400 V, 40 Khz, 4.0/13.79 kW, belt width: 400 mm, clearance: (3x) 1250 mm x 430 mm, total dimensions: 7770 mm x 1250 mm x 1650 mm. Including tub, inside dimensions: 520 mm x 520 mm x 730 mm, total dimensions: 710 mm x 710 mm x 1070 mm.	4000
468	NN transport belt	Transport belt with turning device, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 2600 mm x 1100 mm x 1500 mm. Missing cover.	200
469	Alco Food-Machines GmbH&Co.KG	Alco Food-Machines GmbH&Co.KG mobile forming machine, type: AFM 400-PC, serial number: 03304216, year of construction: 2005, 400 V, 17 kW, plastic mesh outfeed belt, belt width: 400 mm, dimensions dye: Ø 40 mm, total dimensions: 2600 mm x 850 mm x 1950 mm. With tool trolley with forming plates, dimensions: 1300 mm x 600 mm x 2100 mm.	10000
470	Alco Food-Machines GmbH&Co.KG	Alco Food-Machines GmbH&Co.KG mobile flattener, type: ASP 400 HDN, serial number: 314080218, year of construction: 2007, 400 V, 3 Ph, 580 kg, plastic belt, belt width: 400 mm, s/s mesh belt, belt width: 400 mm, total dimensions: 2250 mm x 850 mm x 1500 mm.	4000
471	NN transport belt	Mobile transport belt with pump and coating part, plastic belt, belt width: 400 mm, total dimensions: 1600 mm x 800 mm x 1250 mm.	500
472	CFS	CFS mobile breeding machine, type: CRM400, machine number: 580, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5 A, 1.6 kW, 450 kg, s/s mesh belt, belt width: 400 mm, s/s screw, diameter screw: 185 mm, tier: 170 mm, total dimensions: 2650 mm x 950 mm x 2250 mm. Including extra mesh belts.	7500



Nr	Title	Description	Start €
500	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12.L, serial number: W4X133D00277, year of construction: 2013, 24 V, 3 kW, rated capacity: 1200/2000 kg, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 2010 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Including Life Tech battery charger, type: CC210, serial number: RBA204181, 200/260 V, 50/60 Hz, 72 A, Pmax= 2165 W.	1000
501	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12.L, serial number: W4X133D00280, year of construction: 2013, 24 V, 3 kW, rated capacity: 1200/2000 kg, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 2010 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Including Energys S.A.R.L battery charger, serial number: MG/100705, 230 V, 50/60 Hz, 12 A.	1000
502	Linde Material Handling	Linde Material Handling electric pallet lifter, fork length: 1150 mm, distance between forks: 180 mm, fork width: 540 mm, lifting height: 1810 mm, total dimensions: 1900 mm x 730 mm x 1380 mm. Without battery charger.	800
503	Linde Material Handling	Linde Material Handling electric pallet lifter, fork length: 1150 mm, distance between forks: 180 mm, fork width: 540 mm, lifting height: 1810 mm, total dimensions: 1900 mm x 730 mm x 1380 mm. Including Energys battery charger, serial number: NKA604206, 230 V, 50/60 Hz, 50 A.	800
504	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12.L, serial number: W4X133D00273, year of construction: 2013, 24 V, 3 kW, rated capacity: 1200/2000 kg, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 1710 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Including EnerSys battery charger, CC210, serial number: RBA204157, 200/260 V, 50/60 Hz, 72 A, Pmax= 2165 W.	1000
505	Linde Material Handling	Linde Material Handling electric pallet lifter, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 1710 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Including EnerSys battery charger, serial number: MG/128212, 230 V, 50/60 Hz, 12 A.	1000



Nr	Title	Description	Start €
506	Linde Material Handling	Linde Material Handling electric pallet lifter, type: L12.L, serial number: W4X133D00285, year of construction: 2013, 24 V, 3 kW, rated capacity: 1200/2000 kg, fork length: (2x) 1150 mm, distance between forks: 200 mm, fork width: 560 mm, lifting height: 1710 mm, total dimensions: 2300 mm x 800 mm x 1450 mm. Including Life Tech battery charger, type: CC210x, serial number: QBA098061, 200/260 V, 50/60 Hz, 36 A, Pmax=1085 W.	1000
507	IBV	IBV battery charger, type: HFK 24/50 AIR - B1, serial number: 142061 HFKA1113, dimensions: 400 mm x 130 mm x 500 mm.	50
508	NN switch cabinets	4 switch cabinets, dimensions: (4x) 1200 mm x 500 mm x 2220 mm.	400
509	NN switch cabinets	3 switch cabinets, dimensions: (1x) 1200 mm x 500 mm x 2160 mm, (1x) 1200 mm x 500 mm x 2270 mm, (1x) 1200 mm x 500 mm x 2350 mm.	300
510	Dynaco Europe	Dynaco Europe electric high speed shutter door, type: D-313 LF, serial number: DE33331D, year of construction: 10-2012, dimensions: 2150 mm x 2150 mm.	500
511	NN scrub machine	Mobile scrub machine, working width: 900 mm, total dimensions: 1800 mm x 950 mm x 1350 mm. Including loading system, type: E230/240 C36/50 B-FTE, serial number: 3108676.	100
512	NN dispenser	S/s hand disinfection dispenser, dimensions: 500 mm x 500 mm x 1350 mm.	50
513	NN turning device	S/s turning device, inside dimensions: 1300 mm x 900 mm x 970 mm, total dimensions: 1330 mm x 1400 mm x 1670 mm.	100
514	Jungheinrich	Jungheinrich reach truck, serial number: 762236001, lifting height: 5300 mm, total dimensions: 1600 mm x 1250 mm x 2010 mm. Incomplete, missing forks, missing battery.	350
515	Armanni	Armanni electrical pallet lifter, model: EUROBETA 105, serial number: 9934, year of construction: 17-05-94, rated capacity: 1000 kg, maximum lifting height: 2500 mm, 12 V, fork length: 1150 mm, tare weight: 356 kg, battery weight: 40 kg, total dimensions: 1850 mm x 800 mm x 1740 mm.	250
516	EP Equipment Co., LTD	EP Equipment Co., LTD electric pallet lifter, model type: EPL185, serial number: 4291703073, year of construction: 2020.08, fork length: 1200 mm, total dimensions: 1500 mm x 570 mm x 800 mm. Defect.	100



Nr	Title	Description	Start €
517	Linde Material Handling	Linde Material Handling electric pallet lifter, type: MT15, serial number: CT1183J06003, year of construction: 2018, capacity: 1500 kg, steel forks, fork length: 1150 mm, total dimensions: 1650 mm x 550 mm x 1250 mm.	750
518	Still	Still electric pallet lifter, model: HPT 10 XE, serial number: HLI0094000, year of construction: 2014, capacity: 1000 kg, steel forks, fork length: 1150 mm, total dimensions: 1750 mm x 550 mm x 1270 mm.	750
519	PR Industrial S.r.l.	PR Industrial S.r.l. electric pallet lifter, model: HX10E 540, serial number: HLI0675371, year of construction: 2019, capacity: 1000 kg, steel forks, fork length: 1150 mm, total dimensions: 1700 mm x 550 mm x 1270 mm.	500
520	PR Industrial S.r.l.	PR Industrial S.r.l. electric pallet lifter, model: HX10E 1150x540, serial number: HLI0960264, year of construction: 2022, capacity: 1000 kg, steel forks, fork length: 1150 mm, total dimensions: 1700 mm x 550 mm x 1270 mm.	500
521	PR Industrial	PR Industrial electric pallet lifter, model: HX10E 540, serial number: HLI0594193, year of construction: 2019, capacity: 1000 kg, steel forks, fork length: 1150 mm, total dimensions: 1650 mm x 530 mm x 1300 mm.	250
522	PR Industrial	PR Industrial electric pallet lifter, model: HX10E 1150x540, serial number: HLI0890369, year of construction: 2021, capacity: 1000 kg, steel forks, fork length: 1150 mm, total dimensions: 1650 mm x 530 mm x 1300 mm.	250
523	Still	Still electric pallet lifter, model: HPT 10 X5, year of construction: 2014, capacity: 1000 kg, steel fork, fork length: 1150 mm, total dimensions: 1650 mm x 540 mm x 1280 mm.	150
524	Hwam	Hwam pallet lifter, fork length: 1150 mm, fork width: 540 mm, distance between: 200 mm, total dimensions: 1300 mm x 540 mm x 1180 mm.	100
525	EP Equipment	EP Equipment electric pallet lifter, type: EPL185, serial number: 4291703074, year of construction: 08.2020, steel forks, fork length: 1150 mm, total dimensions: 1550 mm x 600 mm x 1300 mm.	250
526	Lift-Rite	Lift-Rite electric pallet lifter, model: LEE 1000, serial number: 476659, year of construction: 2003-08, maximum capacity: 1000 kg, fork length: 1190 mm, fork width: 560 mm, weight: 130 kg, total dimensions: 1700 mm x 560 mm x 1270 mm.	50
527	Linde Material Handling	Linde Material Handling electric pallet lifter, steel forks, fork length: 1150 mm, total dimensions: 1600 mm x 540 mm x 1200.	400



Nr	Title	Description	Start €
528	Jungheinrich	Jungheinrich pallet lifter, model: C/GN, fork length: 1150 mm, fork width: 540 mm, distance between: 220 mm, total dimensions: 1500 mm x 550 mm x 1180 mm.	100
529	NN electric pallet lifter	Electric pallet lifter, serial number: 90500209, fork length: 1190 mm, fork width: 570 mm, distance between: 200 mm, total dimensions: 2000 mm x 750 mm x 1290 mm.	300
530	Stöcklin	Stöcklin electric pallet lifter, type: EDD 12, chassis number: 1985216 V2.6, year of construction: 2016, load capacity: 1200 kg, 24 V, weight without battery: 695 kg, min/max battery weight: 130/280 kg, fork length: 1150 mm, total dimensions: 2000 mm x 700 mm x 1220 mm. Technical condition unknown.	250
531	Linde Material Handling	Linde Material Handling electric pallet lifter, fork length: 1150 mm, total dimensions: 1900 mm x 710 mm x 1360 mm. Technical condition unknown.	250
532	Seine	Seine battery charger, model: Powertron E, serial number: 0413380-0010-001, year of construction: 07/2013, 230 V, 1 Ph, 50 Hz, 4.48 A, dimensions: 350 mm x 130 mm x 250 mm.	50
533	IEB	IEB battery charger, type: E 230 G 24/100 B25-FP D, dimensions: 420 mm x 120 mm x 260 mm.	50
534	NN battery charger	Battery charger, dimensions: 220 mm x 200 mm x 380 mm.	100
535	Linde Material Handling	Linde Material Handling battery charger, serial number: 352053, year of construction: 21/12/2017, dimensions: 330 mm x 250 mm x 530 mm.	100
536	Lachnit Fördertechnik	Lachnit Fördertechnik pallet lifter, type: 400 K, serial number: 2170, year of construction: 2015, machine weight: 80 kg, capacity: 2500 kg, fork length: 1150 mm, fork width: 520 mm, distance between forks: 205 mm, total dimensions: 1550 mm x 530 mm x 1230 mm.	100
537	BT Products AB	BT Products AB pallet lifter, type: LHM200ST, serial number: 3243747, fork length: 1150 mm, fork width: 520 mm, distance between forks: 205 mm, total dimensions: 1550 mm x 530 mm x 1230 mm.	100
538	NN pallet lifter	Pallet lifter, fork length: 1150 mm, fork width: 540 mm, distance between forks: 220 mm, total dimensions: 1550 mm x 550 mm x 1250 mm.	100
539	Toyota	Toyota pallet lifter, type: HTH 10 E, serial number: 473482, fork length: 1190 mm, fork width: 550 mm, distance between forks: 235 mm, total dimensions: 1700 mm x 560 mm x 1270 mm.	100



Nr	Title	Description	Start €
540	KPZ Waagen	KPZ Waagen pallet lifter with weighing option, type: KPZ 71-7, number: 63767, year of construction: 08-2011, maximum: 1100/2200 kg, d=0.2 / 0.5 kg, T=-2200 kg, fork length: 1150 mm, fork width: 550 mm, distance between forks: 215 mm, total dimensions: 1600 mm x 550 mm x 1230 mm.	400
541	BT Products AB	BT Products AB electric pallet lifter, model: HLE 10/3, number: 479495, capacity: 1000 kg, fork width: 560 mm, fork length: 1190 mm, total dimensions: 1680 mm x 560 mm x 1300 mm.	200
542	Toyota	Toyota pallet lifter, type: LHM230, serial number: 4283397, year of construction: 2017-01-13, fork length: 1150 mm, fork width: 540 mm, distance between forks: 220 mm, total dimensions: 1550 mm x 550 mm x 1240 mm.	100
543	Toyota	Toyota electric pallet lifter, model: HTH 10 E, serial number: 471343, year of construction: 2001-08, maximum capacity: 1000 kg, fork length: 1190 mm, fork width: 560 mm, weight: 135 kg, total dimensions: 1700 mm x 560 mm x 1270 mm.	50
544	Toyota	Toyota electric pallet lifter, model: HTH 10 E, serial number: 473920, year of construction: 2002-06, maximum capacity: 1000 kg, fork length: 1190 mm, fork width: 560 mm, weight: 135 kg, total dimensions: 1700 mm x 560 mm x 1270 mm.	50
545	Jungheinrich	Jungheinrich electric pallet lifter, type: AMX-E 115-54, serial number: 46 A 710 27728, year of construction: 1997, maximum capacity: 1000 kg, load centre: 600 mm, battery: 12 V, weight without battery: 183 kg, battery weight: 24/18 kg, fork length: 1140 mm, fork width: 540 mm, total dimensions: 1500 mm x 540 mm x 1210 mm.	50
546	Vestergaard	Vestergaard steel pallet lifter, type: HPV800, model: 116-049, serial number: 2225, year of construction: 1984, capacity: 800 kg, weight: 129 kg, fork length: 1120 mm, total dimensions: 1550 mm x 520 mm x 1150 mm.	100
547	Toyota	Toyota electric pallet lifter, model: HTH 10 E, serial number: 473687, year of construction: 2002-05, maximum capacity: 1000 kg, fork length: 1190 mm, fork width: 560 mm, weight: 135 kg, total dimensions: 1700 mm x 560 mm x 1270 mm.	50
548	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1150 mm, fork width: 540 mm, total dimensions: 1800 mm x 700 mm x 1350 mm.	50



Nr	Title	Description	Start €
549	Jungheinrich	Jungheinrich electric pallet lifter, type: AMX-E 115-54, serial number: 46 A 710 27725, year of construction: 1997, nominal capacity: 1000 / 640 kg, weight: 183 kg, 12 V, fork length: 1150 mm, total dimensions: 1600 mm x 550 mm x 1250 mm.	50
550	Toyota	Toyota electric pallet lifter, model: HTH 10 E, serial number: 470377, year of construction: 2002-02, maximum capacity: 1000 kg, fork length: 1150 mm, fork width: 560 mm, weight: 135 kg, total dimensions: 1650 mm x 560 mm x 1280 mm.	50
551	BT Products AB	BT Products AB electric pallet lifter, model: HHL100, serial number: 4713310, year of construction: 01-2013, capacity: 1000 kg, steel forks, fork length: 1180 mm, total dimensions: 1800 mm x 750 mm x 1850 mm.	250
552	Toyota	Toyota steel pallet lifter, model: HTH 10 E, capacity: 1000 kg, fork length: 1200 mm, total dimensions: 1600 mm x 600 mm x 1300 mm. Incomplete, missing battery.	75
553	NN battery	Battery, dimensions: 620 mm x 280 mm x 620 mm.	50
554	NN battery charger	Battery charger, dimensions: 550 mm x 400 mm x 800 mm.	25
555	Elektron / Hoppecke	Elektron / Hoppecke loading stations, Hoppecke type: LS2 Plus, number: 23016831, 230/400 V, 50/60 Hz, 3.360 kW, Elektron type: 48/125 FS, serial number: S08000093, 400 V, 3 Ph, 50 Hz, 15.1 A.	100
556	Toyota	Toyota electric pallet lifter, model: HTH 10 E, serial number: 4713422, year of construction: 2001-08, fork length: 1190 mm, weight: 135 kg, total dimensions: 1700 mm x 560 mm x 1270 mm.	50
557	Jungheinrich	4 Jungheinrich loading stations, type: (2x) E 220 G 24/30 B-ET-DA, (1x) E230VG 24/50 B-SLT 100, (1x) E230 G 24/60 B-SLH 090, serial numbers: (1x) 147725, (1x) 148721, (1x) 93238875, (1x) B0412999, year of construction: (1x) 2005, (1x) 2011, 220/230 V, 50/60 Hz, 5.5/8.6/8.7 A, dimensions: 1200 mm x 800 mm x 520 mm.	100
558	NN switch cabinet	S/s switch cabinet, dimensions: 1700 mm x 430 mm x 2150 mm.	250
559	DSI Freezing Solutions	DSI Freezing Solutions vertical plate freezer, type: V5 44/75, number: 5077, year of construction: 02/2019, fluids: R717/Freon, volume: 318 liter, TS: -60°C to +48°C, PT: 32 bar, PS: -1/22 bar, 44 plates, each plate dimensions: (44x) 810 mm x 75 mm x 615 mm, total dimensions: 5400 mm x 1380 mm x 1910 mm. Including Hydra hydraulic unit, type: 2x20.06.3D, serial number: 1800564, dimensions: 850 mm x 600 mm x 1330 mm.	8000



Nr	Title	Description	Start €
560	OKS Otto Klein GmbH	OKS Otto Klein GmbH pressure vessel, material number: 3.5535.1, OKS serial number: 512926, serial number: 3128, year of construction: 2005, capacity: 1000 liter, 11/16 bar, minimum work temperature: -10°C, maximum work temperature: +50°C, dimensions: 950 mm x 1000 mm x 2300 mm.	150
561	Rittal	Rittal switch cabinet used for evaporators, dimensions: 2000 mm x 500 mm x 2300 mm.	400
562	NN frame	S/s frame, dimensions: 400 mm x 300 mm x 2000 mm.	25
563	Rittal	Rittal server cabinet, dimensions: 630 mm x 600 mm x 740 mm.	50
564	Weber	Weber pallet labeller, model: 5200, dimensions: 800 mm x 1040 mm x 2000 mm. Technical condition unknown.	100
565	Weber	Weber pallet labeller, type: Legi-Air 4050P (V2), serial number: 50038350, year of construction: 12/2019, 100-240 V, 50/60 Hz, 1200 Watt, 5 bar, dimensions labeller: 800 mm x 1040 mm x 2000 mm.	400
566	Rittal	Rittal computer cabinet, dimensions: 600 mm x 850 mm x 1710 mm.	50
567	Weber	Weber pallet labeller, type: Legi-Air 4050P, serial number: 22392044, year of construction: 24/03/09, 230 V, 50/60 Hz, 567 Watt, dimensions labeller: 800 mm x 1040 mm x 2000 mm.	250
568	Dynaco Entrematic	Dynaco Entrematic electric high speed shutter door, type: D-313 LF, serial number: DE40958A, year of construction: 01-2015, dimensions: 2150 mm x 2500 mm.	500
569	Koppens	Koppens fryer, type: BRN 6000/700, machine number: 697, year of construction: July 1989, 380 V, 3 Ph, 50 Hz, 12 A, 4 kW, machine weight: 5300 kg, s/s mesh belt, belt width: (2x) 700 mm, clearance: 790 mm x 250 mm, total dimensions: 9350 mm x 1750 mm x 3450 mm. Including extra parts.	10000
570	CFS	CFS fryer, type: BR 6000/600, machine number: 1481, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 16 A, 5.5 kW, machine weight: 3850 kg, s/s mesh belt, belt width: 600 mm, clearance: 790 mm x 255 mm, total dimensions: 10300 mm x 2300 mm x 3580 mm.	12000
571	NN transport belt	Transport belt, plastic mesh belt, belt width: (1x) 1100 mm, (1x) 280 mm, total dimensions: 2450 mm x 1800 mm x 1250 mm.	400
572	Marel Townsend	Marel Townsend tempura dipper, type: TTM 630, model: TTM 630 TD1202, type: 4580517, serial number: 10415534, year of construction: 2018, s/s mesh belt, belt width: (2x) 630 mm, total dimensions: 2700 mm x 1230 mm x 2210 mm.	7000



Nr	Title	Description	Start €
573	Niko Spezialmaschinenbau	Niko Spezialmaschinenbau blancheur, type: 81.13.155, machine number: 358-84, infeed clearance: 1120 mm x 240 mm, s/s mesh belt with dividers, belt width: 1200 mm, dividers height: 120 mm, distance between dividers: 900 mm, total dimensions: 15800 mm x 2300 mm x 3870 mm.	20000
574	Holmatec	Holmatec elevating belt, machine number: 2 49 0608, year of construction: 09/2008, plastic belt with dividers, belt width: 1300 mm, dividers height: 80 mm, distance between dividers: 300 mm, elevating height: 2850 mm, total dimensions: 4000 mm x 1750 mm x 3100 mm.	800
575	NN vibrating gutter	S/s vibrating gutter, number: 1093522-00 / 83953-01, gutter width: 1370 mm, gutter length: 1300 mm, total dimensions: 1350 mm x 1460 mm x 2470 mm.	500
576	NN drying belt	Drying belt, 6 blowers, plastic mesh belt, belt width: (2x) 920 mm, plastic belt, belt width: 920 mm, working width: 920 mm, total dimensions: 6600 mm x 3300 mm x 2550 mm.	1500
577	IMA Corraza SPA	IMA Corraza SPA bench press, machine type: Bench press, serial number: 7185, year of construction: 2014, dimensions input: 340 mm x 200 mm, plastic belt, belt width: 150 mm, total dimensions: 2000 mm x 1450 mm x 2900 mm. Including 3 boxes with parts.	1500
578	NN cabinet	S/s cabinet, number: k3/01,	50
579	Gröneweg	Gröneweg s/s trolley for changing dye's, serial number: AR-JGS-51182414-01, 400 V, 50 Hz, 16 A, clearance: (upper): 380 mm, (lower) (3x) 530 mm, total dimensions: 1800 mm x 1200 mm x 2600 mm.	1000
580	A. Meili SA	A.Meili SA processing-installation, model: Scaphandre-400, fabrication number: 9794, year of construction: 2007, -1 / 2 bar, maximum working temperature: 110°C, volume: 120 liter, jacket: 10 liter, Kraft Apparatebau GmbH valve, type: S09-44, serial number: 2101248, year of construction: 2010, dimensions infeed station with drum: 2800 mm x 2400 mm x 2350 mm, elevating belt with dividers, belt width: 240 mm, divider height: 40 mm, elevating height: 2600 mm, total dimensions elevating belt: 2400 mm x 2200 mm x 3200 mm and processing installation, dimensions: 2600 mm x 2170 mm x 2950 mm. Including 3 pallets with valves, parts and extra belt.	2500



Nr	Title	Description	Start €
581	Boldt Systems	Boldt Systems lifter for mixing bowls, model: BFD 750, serial number: BFO 05_044, year of construction: 2005, capacity: 500 kg, lifting height: 2750 mm, total dimensions: 2000 mm x 1850 mm x 4100 mm. Including mobile s/s mixing bowl, dimensions bowl: Ø 970 mm x 530 mm, total dimensions: 1150 mm x 1000 mm x 950 mm.	1500
582	Buhmann Pac Solutions	Buhmann Pac Solutions tray filling and closing machine, type: AFL2B, serial number: 12.140.051, year of construction: 2008, 400 V, 3 Ph, 10 A, 5 kW, Hilge pump, dimensions dye: 120 mm x 120 mm, belt width: 450 mm, platform height: 2230 mm, total dimensions: 4850 mm x 4100 mm x 3400 mm. With pallet with parts.	7500
583	ETT	ETT carton erector, Nordson glue unit, model: Problue 4, plastic belt, belt width: 315 mm, total dimensions: 4600 mm x 1800 mm x 2800 mm.	1250
584	Buddenkotte Apparatebau GmbH & Co.KG	Buddenkotte Apparatebau GmbH & Co.KG box packaging machine, type: Packer, number: 1835, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 A, 1.5 kW, plastic belt, belt width: 190 mm, s/s rollers, roller width: 350 mm, plastic chain conveyor with dividers, belt width: 230 mm, distance between dividers: 115 mm, divider height: 30 mm, plastic outfeed belt, belt width: 100 mm, total dimensions: 5000 mm x 2300 mm x 2000 mm.	1250
585	Rittal	Rittal switch cabinet, dimensions: 770 mm x 300 mm x 1800 mm.	50
586	Dosomat	S/s switch cabinet used for Dosomat cup filling machine, dimensions: 2200 mm x 600 mm x 2330 mm.	300
587	KG Lyften AB	KG Lyften AB lifter for mixing bowls, type: SK 500 M1PK HR, number: 6218, lifting height: 2500 mm, total dimensions: 1700 mm x 1700 mm x 4000 mm. Including mobile s/s mixing bowl, dimensions bowl: Ø 970 mm x 530 mm, total dimensions: 1150 mm x 1000 mm x 950 mm.	1500
588	Herbert Grunwald GmbH	Herbert Grunwald GmbH tray filling and closing machine, type: Foodliner FL 2, number: 21/97, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 10.5 A, 4.0 kW, Hilge pump, dimensions dye: (2x) 115 mm x 90 mm, belt width: 240 mm, platform height: 1570 mm, total dimensions: 6950 mm x 1400 mm x 2800 mm. With pallet and trolley with parts, dimensions dye: (2x) 125 mm x 85 mm, dimensions trolley: 1400 mm x 800 mm x 1550 mm.	5000



Nr	Title	Description	Start €
589	MeWa	S/s wall mounted cabinet with MeWa scale, model: IT6000E, serial number: 1705043, 110-240 V, 50/60 Hz, 0.2 A, maximum weight: 6/15 kg, minimum weight: 0.040/0.100 kg, e=: 0.002/0.005 kg, dimensions scale: 310 mm x 270 mm, total dimensions: 600 mm x 350 mm x 600 mm.	250
590	NN flow plate	S/s flowplate for CIP with 2 valves, dimensions: 750 mm x 400 mm x 950 mm.	75
591	NN flow plate	S/s flowplate for CIP with 2 valves, dimensions: 750 mm x 400 mm x 950 mm.	75
592	M. Renner Maschinenbau GmbH	M. Renner Maschinenbau GmbH pre-mixer on s/s platform with stairs, type: SH 08, diameter mixer: 700 mm, height mixer: 950 mm, total dimensions: 2600 mm x 1000 mm x 3500 mm.	500
593	Dorner	Dorner mobile frame for labeller, dimensions: 800 mm x 600 mm x 1810 mm.	50
594	NN vibrating gutter	S/s vibrating gutter, gutter width: 420 mm, gutter length: 2600 mm, total dimensions: 2630 mm x 750 mm x 1580 mm.	200
595	Jungheinrich	Jungheinrich reach truck, type: ETV 114, serial number: 91045102, year of construction: 2007, capacity: 1400 kg, working hours: 3663, fork length: 1130 mm, total dimensions: 3000 mm x 1300 mm x 2150 mm. Including battery charger.	1250
596	Warug	Warug falt melting cabinet with Meidinger + Co ventilator, 17 floors, dimensions floors: (17x) 1000 mm x 500 mm, inside dimensions: 1000 mm x 520 mm x 1300 mm, total dimensions: 1700 mm x 1300 mm x 2700 mm.	400
597	GEA	GEA slicer line, consisting of: Gea slicer, type: MegaSlicer, serial number: 4044622871, year of construction: 2012, 400 V, 3 Ph, 50/60 Hz, 23 A, 15.5 kW, plastic infeed belt, belt width: (3x) 100 mm, clearance: 530 mm x 230 mm, wire belt width: 500 mm, total dimensions: 4050 mm x 1200 mm x 2450 mm. GEA CFS checkweigher, type: Check 3000, Sartorius AG weighing element, type: WZGP-10-S, serial number: 28206865, plastic wire belt, belt width: 500 mm, total dimensions: 550 mm x 750 mm x 1050 mm. GEA outfeed belt, type: GEA ShingleLoader 700, serial number: 4040880404, year of construction: 2012, 400 V, 3 Ph, 30 A, plastic belt, belt width: (11x) 350 mm, (6x) 80 mm, plastic wire belt, belt width: (1x) 480 mm, (2x) 260 mm, total dimensions: 8370 mm x 1800 mm x 2100 mm. Including 3 pallets and trolley.	30000



Nr	Title	Description	Start €
598	GEA	GEA thermoformer, type: PowerPak ^{RT} , machine number: 24600173, year of construction: 05/2015, film width: 460 mm, Busch booster pump, type: WV 1000, plastic outfeed belt, belt width: 400 mm, total dimensions: 7900 mm x 1300 mm x 2050 mm.	7500
599	Mesutronic Gerätebau GmbH	Mesutronic Gerätebau GmbH metal detector with rejector, type: Metron 2.2 C 550/120, serial number: 991121-C, 100/240 V, 50/60 Hz, 65 Ip, plastic belt, belt width: 490 mm, clearance: 550 mm x 95 mm, total dimensions: 2000 mm x 1240 mm x 1400 mm.	500
600	Dipl.-Ing.Schindler&Wagner GmbH&CoKG	Dipl.-Ing.Schindler&Wagner GmbH&CoKG slicer line, consisting of: Infeed belt with scanner, plastic belt, belt width: 300 mm, clearance: 590 mm x 240 mm, total dimensions: 3280 mm x 1120 mm x 1390 mm. Dipl.-Ing.Schindler&Wagner GmbH&CoKG slicer, type: SCV 26.627.200, serial number: 10435, year of construction: 07/2004, 400 V, 50 Hz, plastic belt, belt width: 300 mm, plastic wire belt, belt width: (2x) 350 mm, s/s belt with plastic, belt width: 680 mm, plastic peaces: 230 mm, clearance: 480 mm x 180 mm, diameter knife: 640 mm, total dimensions: 5400 mm x 2450 mm x 2360 mm.Outfeed belt, plastic wire belt, belt width: 580 mm, total dimensions: 6900 mm x 2270 mm x 1800 mm.	15000
601	Multivac	Multivac thermoformer, type: R 230, machine number: 1247, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 37 A, 13 kW, dye: (3x) 110 mm x 190 mm, plastic outfeed belt, belt width: 350 mm, total dimensions: 6200 mm x 1050 mm x 1950 mm. Display is defect.	6000
602	Holmatec Maschinenbau GmbH	Holmatec Maschinenbau GmbH mobile metal detector, type: Wiegeanlage Froster2, machine number: 2340503, year of construction: 6.2003, 400 V, 3 Ph, 50 Hz, 2 A, plastic belt, belt width: 420 mm, clearance: 600 mm x 80 mm, total dimensions: 3250 mm x 1150 mm x 1470 mm.	400
603	Hagner	Hagner pallet with 2 plastic film rolls, type: P199FKW10, film width: 563 mm, total dimensions: 1200 mm x 800 mm x 720 mm.	50
604	NN film	Pallet with 7 film rolls, film width: 510 mm, total dimensions: 1200 mm x 800 mm x 660 mm.	50
605	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: DIVIDER ORBITAL, machine number: 055005.161076.114311, year of construction: 2012, 190-240 V, 3 Ph, 50/60 Hz, 9 A, 4.8 kW, weight: 820 kg, plastic outfeed belt, belt width: 410 mm, total dimensions: 3800 mm x 1100 mm x 2180 mm.	10000



Nr	Title	Description	Start €
606	Inauen Maschinen AG	Inauen Maschinen AG traysealer, type: VC999/TS 1200 N, machine number: 4207028, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 6 kW, dye: (2x) 220 mm x 160 mm, plastic mesh outfeed belt, belt width: 420 mm, Rietschle vacuum pump, type: VC 100 (75), capacity: 100 m³ per hour, total dimensions: 3500 mm x 820 mm x 1620 mm.	3000
607	OCS	OCS X-ray scanner with rejecter, serial number: 1100104, year of construction: 2012, 230 V, 50 Hz, operating hours: 29291.8, plastic belt, belt width: 295 mm, total dimensions: 2500 mm x 950 mm x 2050 mm.	4000
608	Quander / Mettler Toledo	Quander / Mettler Toledo mobile metal detector, type: Modulband BB500, number: 2017180, 230/400 V, 50 Hz, 2.45/1.41, 0.55 kW, plastic mesh belt, belt width: 510 mm, clearance: 550 mm x 150 mm, total dimensions: 3700 mm x 1180 mm x 1330 mm.	400
609	NN transport belt	Mobile transport belt, plastic mesh belt, belt width: (2x) 490 mm, total dimensions: 4050 mm x 950 mm x 1100 mm.	200
610	Dynaco Entrematic	Dynaco Entrematic electric high speed shutter door, type: D-313 LF, serial number: DE47321A, year of construction: 9-2016, dimensions: 2000 mm x 2600 mm.	500
611	Rittal	Rittal switch cabinet, type: TS 8685 500, serial number: 000088, dimensions: 1800 mm x 520 mm x 2060 mm.	100
612	Sabiel	Sabiel switch cabinet, type: LKW-VER, number: 19415, year of construction: 2002, 400/230 V, 50 Hz, 35 A, dimensions: 2100 mm x 520 mm x 2280 mm.	100
613	Rittal	Rittal switch cabinet, type: TS 8285, serial number: 033430, dimensions: 1800 mm x 520 mm x 1950 mm.	100
614	Stöcklin	Stöcklin switch cabinet, number: 0001058845, year of construction: 2008, 400 V, 50 Hz, 100 A, 54 Ip, dimensions: 2200 mm x 550 mm x 2000 mm.	100
615	Rittal	Rittal switch cabinet, type: TS 8865 500, serial number: 002682, dimensions: 800 mm x 550 mm x 1880 mm.	50
616	NN switch cabinet	Switch cabinet, dimensions: 1600 mm x 440 mm x 2130 mm.	100
617	Sabiel	Sabiel switch cabinet, type: EIMER-PAL, 19.141, year of construction: 2002, 400/230 V, 50 Hz, 63 A, dimensions: 2480 mm x 500 mm x 2010 mm.	100
618	Sabiel	Sabiel switch cabinet, type: PAL.L.22, number: 19.141, year of construction: 2001, 400/230 V, 50 Hz, 50 A, dimensions: 2100 mm x 530 mm x 1950 mm.	100



Nr	Title	Description	Start €
619	Sabiel	Sabiel switch cabinet, type: PAL.L.21, number: 19.141, year of construction: 2001, 400/230 V, 50 Hz, 50 A, dimensions: 2100 mm 530 mm x 1950 mm.	100
620	Dynaco Entrematic	Dynaco Entrematic electric high speed shutter door, type: D-313 LF, serial number: DE47321B, year of construction: 9-2016, dimensions: 2000 mm x 2600 mm.	500
621	Affeldt	Affeldt net loading machine, type: AVN 610, serial number: 225, year of construction: 2016, 400/230 V, 50 Hz, diameter: 110 mm, mesh bag width: 290 mm, plastic roller width: 700 mm, total dimensions: 1080 mm x 1500 mm x 1870 mm.	300
622	Affeldt	Affeldt elevating belt, type: AVN 439, serial number: 32, year of construction: 2016, 400/230 V, 50 Hz, plastic belt with dividers, belt width: 400 mm, dividers height: 80 mm, distance between dividers: 300 mm, elevating height: 2400 mm, outfeed height: 1730 mm, total dimensions: 3760 mm x 1100 mm x 2530 mm.	300
623	Affeldt	Affeldt netting machine with labeller, type: AVN 955, serial number: 2033, year of construction: 2016, 400/230 V, 50 Hz, diameter: (2x) 120 mm, plastic belt, belt width: 250 mm, label width: 50 mm, total dimensions: 2400 mm x 1300 mm x 1700 mm.	300
624	Buhmann	Buhmann packaging machine, plastic belt, belt width: (2x) 40 mm, outfeed working width: 270 mm, total dimensions: 4550 mm x 1600 mm x 1980 mm.	500
625	Gröneweg	Gröneweg mobile shredder, type: SVH-1620-1551-1205, serial number: RW-SVH-51035902-01, year of construction: 09/2016, 400 V, 50 Hz, 10 A, clearance: 250 mm x 130 mm, total dimensions: 1650 mm x 1220 mm x 1610 mm.	250
626	Envo	Envo carton erector, type: Aufrichter, serial number: S81, year of construction: 2014, 230/400 V, 580 Hz, 8 kW, belt width: 660 mm and 460 mm, clearance: 260 mm x 260 mm, total dimensions: 2800 mm x 1350 mm x 2400 mm. Including glue unit.	2500
627	NN transport belt	Transport belt, plastic belt with dividers, belt width: 300 mm, dividers height: 150 mm, distance between dividers: 200 mm, total dimensions: 2300 mm x 600 mm x 930 mm.	200
628	NN impellers / dosing cones	Pallet with plastic impellers and dosing cones, total dimensions: 1200 mm x 800 mm x 1900 mm. Including some buckets.	100



Nr	Title	Description	Start €
629	Yaskawa	Yaskawa packaging robot, model: Motoman-SDA 10 F, year of construction: 2017, serial number: S66Z02-1-1, 400 V, 3 Ph, 50/60 Hz, 1.5 kVA, payload: D10 kg, weight: 220 kg, dimensions packaging robot: 700 mm x 700 mm x 1370 mm, dimensions switch cabinet: 1500 mm x 850 mm x 2200 mm.	1500
630	Fuji Machinery Co., LTD	Fuji Machinery Co., LTD flowpacker, model: FW3710/B, serial number: 019810, year of construction: 09.2008, 200 V, 3 Ph, 50/60 Hz, 30 A, divider height: 60 mm, distance between dividers: 250 mm, seal width: 340 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 5500 mm x 1100 mm x 1800 mm.	1500
631	Bucher-Guyer AG	Bucher-Guyer AG press, type: TPZ 7, machine number: 3, year of construction: 1997, total dimensions: 1200 mm x 1000 mm x 1650 mm.	400
632	Hagmann Maschinenbau AG	Hagmann Maschinenbau AG high-capacity heat-sealing machine, model: Power-Packer XL, machine type: 2708, machine number: 2708-L2050, year of construction: 2001, 3 x 400 V, 50 Hz, maximum: 10 kW, dye: (20x) 60 mm x 40 mm, total dimensions: 2400 mm x 1600 mm x 2000 mm. Including extra dye, diameter: 40 mm.	500
633	Hamba Maschinenfabrik	Hamba Maschinenfabrik dosing machine, machine type: Einzeldoseur, serial number: 0250, year of construction: 1999, 3 x 400 V, 17 A, Raff + Grund tank, volume: 130 liter, 3 bar, dimensions tank: 700 mm x 420 mm x 450 mm, diameter pipe: 30 mm, total dimensions: 1800 mm x 970 mm x 2400 mm.	1000
634	Torbed	Torbed 400 processor, total dimensions: 1700 mm x 780 mm x 2400 mm.	1000
635	Schmidt Transpo	Schmidt Transpo mobile transport belt, number: 5639, year of construction: 2003-10, plastic mesh belt, belt width: 500 mm, s/s belt with plastic plates, plastic plates width: 110 mm, total dimensions: 2440 mm x 1250 mm x 1150 mm.	200
636	WLS JUWEL	WLS JUWEL twin-screw extruder, type: EX 140, machine number: 45001, year of construction: 2014, 400 V, 50 Hz, 15 kW, diameter screws: 140 mm, total dimensions: 3450 mm x 1100 mm x 2250 mm, including Eurochiller S.r.l. water chiller, model: GC A. 06, serial number: 260216201601880194, year of construction: 2016, 400 V, 3 Ph, 50 Hz, max 8 A, max 5 kW, refrigerant: R407c, dimensions: 1900 mm x 700 mm x 1060 mm.	20000



Nr	Title	Description	Start €
637	Dynaco Entrematic	Dynaco Entrematic electric high speed shutter door, type: D-313 LF, serial number: DE56127, year of construction: 8-2018, dimensions: 2000 mm x 2500 mm.	500
638	Loma systems / Rhewa	Loma systems / Rhewa metal detector with weighing option, model: IQ4 Pipeline, serial number: EPL52402-40683D, year of construction: 2017, 230 V, 1 Ph, 50 Hz, 1.2 A, diameter pipe: 48 mm, total dimensions: 2250 mm x 1350 mm x 2680 mm.	800
639	Cabinplant International A/S	Cabinplant International A/S mobile multihead weigher, 14 heads, type: Mehrkopswage Fisch, order number: 7710-11.2, dimensions: 2200 mm x 1250 mm x 2480 mm.	2500
640	Perinox SA	Perinox SA agglomerator / crusher, serial number: 5156, year of construction: 1995, total dimensions: 1900 mm x 1800 mm x 3000 mm.	1500
641	Ilapak Italia S.p.A	Ilapak Italia S.p.A flowpacker, type: CARRERA 1000 PC, serial number: 0342000589, year of construction: 07/2008, 400 V, 50 Hz, 5000 W, plastic belt with dividers, belt width: 55 mm, dividers height: 30 mm, distance between dividers: 245 mm, seal length: 180 mm, plastic belt, belt width: 240 mm, clearance: 370 mm x 130 mm, film width: 180 mm, total dimensions: 3570 mm x 1200 mm x 2270 mm.	3500
642	Paker	Paker sleeve machine, serial number: Multipack RC 11-80 U 04 AF 353, year of construction: 2004, 400 V, 3 Ph, 50 Hz, capacity: 80 pack/min, width sleeve infeed: 365 mm, with Nordson Problue 4 hot melt unit, serial number: SA12M90649, 200-240 / 400-230 V, 1/3 Ph, 50/60 Hz, 26 A, total dimensions: 5000 mm x 1550 mm x 2900 mm.	1250
643	Bizerba	Bizerba labeler, type: GLM-H, serial number: 10184875, 230 V, 50 Hz, 2.4 A, maximum: 6 kg, minimum: 20 g, type labeller: GT-CT, number: 10184880, plastic belt, belt width: (1x) 300 mm, (4x) 140 mm, (2x) 90 mm, label width: 130 mm, total dimensions: 2650 mm x 950 mm x 1980 mm. Including display, dimensions: 400 mm x 400 mm x 1080 mm, switch cabinet, dimensions: 580 mm x 340 mm x 1010 mm.	1200
644	Multivac	Multivac mobile suction device, type: ASE530, serial number: 20081989, year of construction: 2012, 230 V, 50/60 Hz, 10/16 A, 2.3 kW, pipe diameter: 85 mm, total dimensions: 700 mm x 700 mm x 1650 mm.	150
645	Multivac	Multivac mobile suction device, type: CEVF 3718-4 (77), serial number: 3324841, year of construction: 08, pipe diameter: 85 mm, total dimensions: 700 mm x 700 mm x 1650 mm.	150



Nr	Title	Description	Start €
646	Multivac	Multivac mobile suction device, type: CEVF 3718-4 (77), serial number: 2824344, year of construction: 08, pipe diameter: 85 mm, total dimensions: 700 mm x 700 mm x 1650 mm.	150
647	Ryll GmbH	Ryll GmbH mobile tunnel oven, type: DGF-VANN 00, year of construction: 2015, s/s belt, belt width: 500 mm, clearance: 250 mm x 150 mm, total dimensions oven: 5700 mm x 1150 mm x 2500 mm, total dimensions switch cabinet: 1000 mm x 500 mm x 2450 mm.	1000
648	Allen Bradley	Allen Bradley infeed bunker, plastic belt, belt width: 450 mm, infeed clearance: 1170 mm x 480 mm, total dimensions: 1500 mm x 1020 mm x 2300 mm.	300
649	Ftnon	Ftnon union peeler, type: 20062658, machine number: 12170728, year of construction: 2018, plastic belt with dividers, belt width: 300 mm, dividers height: 70 mm, dividers length: 130 mm, distance between dividers: 230 mm, clearance: 200 mm x 240 mm, diameter circular saw: (2x) 200 mm, total dimensions: 5850 mm x 1220 mm x 2300 mm.	15000
650	NN inspection conveyor	Inspection conveyor, plastic belt, belt width: 280 mm, plastic rollers, roller length: 2500 mm, total dimensions: 3100 mm x 950 mm x 1230 mm.	300
651	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 360 mm, dividers height: 50 mm, distance between dividers: 200 mm, elevating height: 1600 mm, total dimensions: 2450 mm x 640 mm x 1920 mm.	350
652	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 220 mm, dividers height: 60 mm, distance between dividers: 190 mm, elevating height: 1640 mm, total dimensions: 2800 mm x 1000 mm x 1790 mm.	300
653	NN transport belt	Transport belt, plastic belt, belt width: 450 mm, total dimensions: 1640 mm x 570 mm x 1460 mm.	200
654	NN transport belt	Transport belt, plastic belt, belt width: 300 mm, total dimensions: 1570 mm x 500 mm x 440 mm.	100
655	Dynaco Entrematic	Dynaco Entrematic electric high speed shutter door, type: D-313 LF, serial number: DE40958B, year of construction: 1-2015, dimensions: 2000 mm x 2600 mm.	500
656	NN first aid kit	First aid kit, dimensions: 430 mm x 160 mm x 300 mm.	10
657	NN extinguisher cabinets	2 plastic wall mounted extinguisher cabinets, dimensions: (2x) 360 mm x 260 mm x 800 mm.	5
658	NN hose	Plastic hose.	10



Nr	Title	Description	Start €
659	Boldt Systems	Boldt Systems washing machine for crates, buckets, lids and pallets, model: WSD 360, serial number: BWO 98-091, year of construction: 1989, suitable for the following emballage, plastic buckets, dimensions: Ø 230 mm x 215 mm, Ø 265 mm x 290 mm, Ø 325 mm x 330 mm and Ø 365 mm x 410 mm, plastic lids, dimensions: max Ø 375 mm x 25 mm, plastic crates, dimensions: 550 mm x 390 mm x 300 mm and plastic pallets, dimensions: 1200 mm x 800 mm x 155/170 mm, clearance: 840 mm x 400 mm, total dimensions: 5700 mm x 1800 mm x 2750 mm.	3500
660	NN peg	S/s peg, length: 380 mm.	10
661	EMS	EMS door, type: BTM 1-flg, number: 591133, year of construction: 2004, weight: 40 kg, thickness: 60 mm, total dimensions: 1100 mm x 200 mm x 2010 mm.	50
662	Schäfer & Flottmann	Schäfer & Flottmann carton erector, type: 427, machine number: 07.011, year of construction: 2007, 400 V, 16 A, Busch vacuum pump, type: SV 1025 C 000 IKZZ, number: C1011000012, year of construction: 2010, Nordson glue unit, model: ProBlue 10, serial number: SA07J42286, plastic infeed belt, belt width: 435 mm, s/s chain conveyor with dividers, belt width: 80 mm, distance between dividers: 280 mm, divider height: 70 mm, plastic and s/s outfeed rollers, roller width: 350 mm, total dimensions: 5500 mm x 2000 mm x 2700 mm.	2500
663	Geppert	Geppert lane dividing belt, type: GES, fabrication number: 1207682, year of construction: 2012, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 2050 mm x 1150 mm x 1550 mm.	750
664	b+b Automations- und Steuerungstechnik GmbH	b+b Automations- und Steuerungstechnik GmbH labelling machine with top-, bottom-, and side labeller, model: Rapid SM, serial number: SR 60 / 2203 - 6747 SM / SR 60 / 2203 - 6748 SM / SL 120 / 2201 - 6716 SM, year of construction: 2022, plastic belt, belt width: 100 mm, total dimensions: 3700 mm x 1600 mm x 2500 mm, dimensions switch cabinet: 1200 mm x 400 mm x 2100 mm.	7500
665	Lock Inspection Systems LTD	Lock Inspection Systems LTD metal detector with rejector, serial number: 46490/1, year of construction: 03/11, 230, 1 Ph, 50 Hz, 1.1 A, 5.5 bar, plastic mesh belt, belt width: 350 mm, clearance: 400 mm x 170 mm, total dimensions: 1540 mm x 1000 mm x 1200 mm.	350
666	NN table	S/s table with cabinet, working height: 880 mm, total dimensions: 1300 mm x 900 mm x 1150 mm.	100
667	NN window	2 Windows, dimensions: (2x) 1200 mm x 1000 mm.	50



Nr	Title	Description	Start €
668	CFS	CFS tool trolley, type: Trolley, number: 4049915434, year of construction: 2007, dye: (5x) 245 mm x 155 mm, total dimensions: 2000 mm x 1000 mm x 1390 mm.	100
669	Sealpac GmbH	Sealpac GmbH traysealer with tray denester, type traysealer: SEALPAC A10, serial number: A10-01-3498, year of construction: 2018, 400/230 V, 3 Ph, 50-60 Hz, max 12 kW, weight: 2700 kg, dye: (14) 122 mm x 172 mm, film width: 440 mm, belt width outfeed chain conveyor: 300 mm, Sealpac GmbH tray denester, type AS-LS1200, serial number: ZAS-0912, year of construction: 2018, 400/230 V, 3 Ph, 50/60 Hz, max 2.2 kW, weight: 300 kg, total dimensions traysealer with tray denester: 14600 mm x 1100 mm x 2200 mm, including s/s trolley for tools, dimensions: 2600 mm x 1000 mm x 1750 mm, Sealpac GmbH trolley with form set, type: SEALPAC WWW-A10, serial number: 1723, year of construction: 2018, dimensions dye: (14x) 111 mm x 155 mm, total dimensions trolley: 1850 mm x 1000 mm x 1400 mm, s/s rack for forms, dimensions: 2880 mm x 800 mm x 1380 mm, pallet with extra dye knives, dimensions: 1200 mm x 800 mm x 600 mm.	40000
670	Kersting / Mettler Toledo	Kersting / Mettler Toledo metal detector, type: FB Metallcheck, number: 40080, year of construction: 2015, 400 V, 50 Hz, plastic belt, belt width: 430 mm, clearance: 500 mm x 210 mm, total dimensions: 1800 mm x 1100 mm x 1530 mm.	450
671	Loma Systems	Loma Systems metal detector, model: IQ3, serial number: MD305-10248D, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 0.3 A, plastic mesh belt, belt width: 500 mm, clearance: 550 mm x 170 mm, total dimensions: 4850 mm x 1150 mm x 1150 mm.	1500
672	NN waste bag holder	S/s waste bag holder, diameter: 650 mm, height: 780 mm.	10
673	Detectronic	Detectronic metal detector with rejector, type: 606-250-1408-1, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 115 mm, total dimensions: 1960 mm x 950 mm x 2500 mm.	450
674	Detectronic	Detectronic metal detector with rejector, type: 606-250-1853-2, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 115 mm, total dimensions: 1940 mm x 1000 mm x 2500 mm.	450
675	Detectronic	Detectronic metal detector with rejector, type: 606-250-1550-2, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 115 mm, total dimensions: 1940 mm x 1000 mm x 2350 mm.	450



Nr	Title	Description	Start €
676	Kersting / Mettler Toledo	Kersting / Mettler Toledo metal detector, type: FB Metallcheck, number: 40080, year of construction: 2015, 400 V, 50 Hz, plastic belt, belt width: 400 mm, clearance: 500 mm x 210 mm, total dimensions: 1620 mm x 1200 mm x 1330 mm.	450
677	Cool	Cool door, thickness: 80 mm, total dimensions: 1300 mm x 230 mm x 2050 mm.	50
678	Linde	Linde compressor rack with 2 HRS cooling compressors and 1 Green Point cooling compressor, type: VHP 320-4091, year of construction: 1994, model HRS: 6F 40.2Y, type: Green Point: 6F-40.2-40P, refrigerant: R449a, dimensions: 2600 mm x 800 mm x 1900 mm.	1500
679	HRS / Green Point / Bitzer	HRS compressor rack with 3 HRS cooling compressors and 1 Green Point cooling compressor, model HRS compressors: 6G 30.2Y, type Green Point compressor: 6G-40.2-40P, capacity: 126/153 m ³ /h, refrigerant: R449a, dimensions: 3600 mm x 800 mm x 2300 mm.	1500
680	HRS / Green Point / Bitzer	HRS compressor rack with 2 HRS cooling compressors, 1 Bitzer cooling compressor and 1 Green Point cooling compressor, model HRS compressors: 6G 30.2Y, capacity: 126/153 m ³ /h, type Green Point compressor: 6G-30.2-40P, capacity: 126.8/153.1 m ³ /h, type Bitzer cooling compressor: 6G-30.2Y-40P, refrigerant: R449a, dimensions: 3600 mm x 800 mm x 2300 mm.	1500
681	Linde	Linde pressure vessel, number: 87857, year of construction: 1994, 28 bar, volume: 234 liter, dimensions: 850 mm x 730 mm x 2000 mm.	150
682	NN switch cabinet	8 switch cabinets, dimensions: (5x) 900 mm x 500 mm x 2070 mm, (2x) 800 mm x 500 mm x 2070 mm, (1x) 1200 mm x 500 mm x 2070 mm.	500
683	MAN / Altronic	MAN / Altronic combined heat and power generator (BHKW) in noiseless cabinet, serial number: 3218, MAN gas engine, type: E0834 E302, year of construction: 2009, 54.0 kW, gas operated, dimensions: 3500 mm x 1200 mm x 2570 mm.	1500
684	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 2050 mm x 1000 mm x 950 mm.	200
685	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, 1 fan, dimensions: 2050 mm x 1000 mm x 950 mm.	200
686	Scanio	Scanio lifter for pallet boxes, serial number: 3983, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 5.2 A, 2.2 kW, machine weight: 1000 kg, capacity: 1000 kg, lifting height: 2800 mm, total dimensions: 2400 mm x 2000 mm x 4800 mm.	1000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for handwriting practice. There are no margins, text, or other markings on the page.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

