



**Industrial
Auctions**

**1899: Day 2: Online auction machinery and
inventory at former production location The Family
Butchers Germany GmbH on behalf of Progressu
GmbH in Vörden (DE)**

END DATE

04 September 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	04 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	17 September 2025 from 09:00 till 16:00 hrs. 18 September 2025 from 09:00 till 16:00 hrs.
Pick up address	Schillerstraße 2 49434 Neuenkirchen-Vörden Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
700	Peweta	Peweta clock, diameter: 400 mm.	5
701	NN soap dispenser	S/s soap dispenser, dimensions: 400 mm x 400 mm x 1400 mm.	10
702	Carsø	Mobile s/s frame with 2 Carsø denester heads, dimensions: 1300 mm x 700 mm x 1850 mm.	300
703	NN trolleys	2 s/s trolleys, dimensions: (2x) 320 mm x 260 mm x 960 mm.	10
704	Seydelmann	V-belts for Seydelmann, dimensions: 500 mm x 400 mm x 380 mm.	10
705	NN centrifugal pump	Centrifugal pump, dimensions: 750 mm x 300 mm x 500 mm.	75
706	NN hose reel	S/s hose reel with hose, dimensions: 500 mm x 140 mm x 250 mm.	25
707	NN protection frame	5 s/s protection frames, various lengths.	25
708	Soco System	Soco System box closing machine with top taper, model: T-400, number: 304-90, year of construction: 1990, 380 V, 3 Ph, plastic rollers, roller width: 260 mm, total dimensions: 1200 mm x 800 mm x 1700 mm.	400
709	NN doors	2 doors in aluminium frame, dimensions: 1330 mm x 2350 mm and 1330 mm x 2100 mm.	400
710	NN floor weighing scale	S/s floor weighing scale, dimensions: 1050 mm x 1000 mm x 90 mm. Missing 1 weighing cell.	100
711	NN floor weighing scale	S/s floor weighing scale, dimensions: 1050 mm x 1000 mm x 90 mm.	100
712	Sealpac	Sealpac denester, type: AS-RS, serial number: ZAS-0886, year of construction: 2017, 400/230 V, 3 Ph, 50/60 Hz, 2.2 kW, dimensions: 1400 mm x 1200 mm x 1850 mm. With 3 pallets with parts.	500
713	NN trolley	S/s trolley, working height: 1050 mm, total dimensions: 1200 mm x 670 mm x 1560 mm.	50
714	Odenwald	Odenwald ceiling tiles, dimensions: 625 mm x 625 mm.	5
715	Viega	4 boxes with Viega plumbing parts for water fountain, dimensions: (4x) 400 mm x 400 mm x 300 mm.	10
716	NN parts	Pallet with various parts for transport belts, plastic belts, belt width: 300 mm and 75 mm, total dimensions: 1200 mm x 800 mm x 350 mm.	25
717	Wintrich GmbH / KSB	3 Wintrich GmbH dosing unit for disinfection with KSB circulation pump, type dosing unit: SYS. 4010 Son, type pump: MOVITEC V4-11, fabrication number: 11/2005/280827, capacity: 5 m ³ per hour, dimensions dosing unit: (3x) 400 mm x 800 mm x 1050 mm, dimensions circulation pump: (3x) 200 mm x 250 mm x 960 mm.	150



Nr	Title	Description	Start €
718	Gloria	4 Gloria pressure vessels, dimensions: (4x) Ø 220 mm x 500 mm.	25
719	NN door	Door, dimensions door: 770 mm x 2080 mm, dimensions frame: 950 mm x 2700 mm.	200
720	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 21 040288 003 01, year of construction: 2021, dimensions door: 2150 mm x 2300 mm, length rail: 4600 mm.	250
721	Reflex	2 Reflex expansion vessels, dimensions vessels: Ø 640 mm x 1060 mm and Ø 1000 mm x 2550 mm,	50
722	Netzsch	Netzsch progressive cavity pump on s/s trolley, type: 8NES 20A, machine number: 220344, year of construction: 1990, s/s screw, diameter screw: 100 mm, tier: 90 mm, total dimensions: 2900 mm x 650 mm x 1300 mm.	750
723	Pumpenfabrik Wangen	Pumpenfabrik Wangen progressive cavity pump, type: KL 50T-100.0 V4A, number: 911037, year of construction: 2004, dimensions: 2400 mm x 520 mm x 1550 mm.	500
724	Hering AG	Hering AG tubular heat exchanger, type: GF-E 2.5/16.0-1L-4444, serial number: 62-7011790-10, year of construction: 2023, maximum temperature: 110/180°C, minimum temperature: -10°C, volume: 60/53 L, dimensions: 2300 mm x 500 mm x 800 mm. New, never used.	500
725	Digi	Digi floor weighing scale, dimensions: 1600 mm x 1800 mm x 430 mm.	250
726	NN parts	Trolley with parts for filling machine, dimensions: 1700 mm x 700 mm x 1200 mm.	10
727	NN roll	S/s roll, length roll: 740 mm.	10
728	Wilhelm Gebhardt GmbH	Wilhelm Gebhardt GmbH blower, type: RER 12 - 710, number: 8609/64912/2, dimensions: 1700 mm x 700 mm x 1350 mm	75
729	Wilhelm Gebhardt GmbH	Wilhelm Gebhardt GmbH blower, dimensions: 1700 mm x 700 mm x 1350 mm.	75
730	NN racks	Aluminium racks, dimensions: 3040 mm x 540 mm x 2060 mm and 1010 mm x 380 mm x 1850 mm. Already dismantled.	25
731	NN meat hooks	5 s/s H-profile smoke trolleys with large amount of meat hooks, 6 floors, dimensions each floor: 920 mm x 900 mm, dimensions hooks: 130 mm x 90 mm x 120 mm, total dimensions: (5x) 920 mm x 900 mm x 2090 mm.	750
732	NN meat hooks	5 s/s H-profile smoke trolleys with large amount of meat hooks, 6 floors, dimensions each floor: 920 mm x 900 mm, dimensions hooks: 130 mm x 90 mm x 120 mm, total dimensions: (5x) 920 mm x 900 mm x 2090 mm.	750



Nr	Title	Description	Start €
733	NN meat hooks	6 s/s H-profile smoke trolleys with large amount of meat hooks, 6 floors, dimensions each floor: 920 mm x 900 mm, dimensions hooks: 130 mm x 90 mm x 120 mm, total dimensions: (6x) 920 mm x 900 mm x 2090 mm.	900
734	NN meat hooks	6 s/s H-profile smoke trolleys with large amount of meat hooks, 6 floors, dimensions each floor: 920 mm x 900 mm, dimensions hooks: 130 mm x 90 mm x 120 mm, total dimensions: (6x) 920 mm x 900 mm x 2090 mm.	900
735	NN smoke trolleys	25 s/s H-profile smoke trolleys, 6 floors, dimensions each floor: 920 mm x 900 mm, total dimensions: (25x) 920 mm x 900 mm x 2090 mm.	1875
736	NN smoke trolleys	5 s/s H-profile smoke trolleys, 6 floors, dimensions each floor: 920 mm x 900 mm, total dimensions: (5x) 920 mm x 900 mm x 2090 mm.	375
737	NN platform	S/s and galvanised steel platform, dimensions: 1200 mm x 670 mm x 600 mm.	25
740	NN table	S/s table with plastic top, dimensions: 900 mm x 835 mm x 900 mm.	25
741	NN table	S/s table with cabinet, dimensions: 600 mm x 450 mm x 1750 mm.	25
742	NN floor gratings	Pallet with 2 s/s floor gratings, dimensions: (2x) 1200 mm x 800 mm.	25
743	NN frame	S/s frame, dimensions: 620 mm x 400 mm x 800 mm.	10
744	NN film reel holder	S/s trolley for film reel, film width: 400 mm, total dimensions: 1050 mm x 900 mm x 1550 mm. Missing wheels.	75
745	Strautmann	Strautmann s/s press for cans, dimensions: 1050 mm x 450 mm x 1050 mm.	50
746	NN parts	Pallet with parts for Gerhard Schubert GmbH packaging robot.	10
747	Dynaco	Dynaco electric high speed shutter door, type: D-313, serial number: DE66685B, year of construction: 11-2020, dimensions: 2200 mm x 2600 mm. Already dismantled.	200
748	Knoll It Works	Knoll It Works progressing cavity pump, dimensions: 3800 mm x 330 mm x 650 mm.	350
749	Cool It	2 Cool It s/s refrigeration doors, dimensions: (2x) 1050 mm x 2000 mm.	150
750	NN cabinet	S/s cabinet, dimensions: 2000 mm x 1000 mm x 700 mm.	100
751	NN cabinet	Mobile s/s cabinet, dimensions: 1100 mm x 820 mm x 1000 mm.	100
752	Knoll It Works	Knoll It Works progressing cavity pump, dimensions: 2000 mm x 260 mm x 500 mm.	250



Nr	Title	Description	Start €
753	Sihi	Sihi vacuum pump, model: LEMA 00090, number: 3453763, year of construction: 1997.	75
754	Netzsch	S/s trolley with 2 Netzsch progressing cavity pumps, type: (2x) IBD 15, year of construction: 1977, total dimensions: 1200 mm x 800 mm x 1500 mm.	150
755	Bran + Lübbe	Bran + Lübbe multi frequency fluid mixer, type: PENTAX, model: KMF 15/V, number: 51-57970, total dimensions: 1500 mm x 550 mm x 950 mm.	100
756	Helmes Apparatebau GmbH	Pump station, consisting of: Helmes Apparatebau GmbH heated tub, vessel number: 1122, year of construction: 2014, design pressure: 0 -18 bar, design temperature: 90°C, volume: 725 / 20 liter, dimensions tub: 1600 mm x 800 mm x 1200 mm, 2 s/s platform used for IBC tanks, dimensions: (2x) 1400 mm x 1300 mm x 1300 mm, Endress + Hauser flowmeter, s/s progressive cavity pump, dimensions: 2000 mm x 300 mm x 550 mm, Grundfos circulation pump, 8 SPX/APV valves.	400
757	Stephan	Pallet with Stephan mixing arm for Stephan VM 1200 vacuum mixer, dimensions mixing arm: 1000 mm x 200 mm x 1630 mm.	100
758	Elpress	Elpress mobile s/s pressure vessel, dimensions: 450 mm x 200 mm x 1000 mm.	20
759	Beckermesser	Beckermesser mobile steam generator, dimensions: 850 mm x 410 mm x 830 mm.	50
760	AxAir	AxAir dehumidifier, dimensions: 750 mm x 420 mm x 750 mm.	25
761	NN hygiene equipment	Hygiene equipment, consisting of: plastic waste container, pressure vessel, 3 squeegees and 1 broom.	25
762	Rubbermaid	Rubbermaid mobile plastic tub, dimensions: 700 mm x 320 mm x 730 mm.	10
763	Stiebel Eltron	Stiebel Eltron dehumidifier, dimensions: 360 mm x 290 mm x 510 mm.	10
764	KCC	3 air conditioning units, dimensions: (2x) 420 mm x 300 mm x 800 mm and (1x) 460 mm x 400 mm x 900 mm. Technical condition unknown.	10
765	Brune	4 Brune B 500 Professional air dehumidifiers, dimensions: (4x) 740 mm x 350 mm x 620 mm.	50
766	Kärcher / Nilfisk	Kärcher and Nilfisk vacuum cleaner, serial number: 161211, 220-240 V, 50/60 Hz, 1400 W, dimensions: Ø 330 mm x 550 mm.	25
767	NN frames	2 s/s frames of which 1 with 2 power sockets and s/s rollie, dimensions: (2x) 520 mm x 300 mm x 260 mm.	10
768	NN hoses / air extraction	Pallet with various hoses and fans for air extraction, dimensions pallet box: 1200 mm x 800 mm x 750 mm.	50



Nr	Title	Description	Start €
769	Carsø	S/s frame for Carsø denester, model: AnyTray Cleanline Single Rack, serial number: SO-100486, year of construction: 2019, 230 V, 1 Ph, dimensions: 820 mm x 530 mm x 1000 mm.	25
770	NN parts	Pallet with guide rails and hydraulic cylinder, dimensions: 1800 mm x 800 mm x 300 mm.	25
771	NN pumps	Pallet with 3 pumps, dimensions: (3x) 1000 mm x 700 mm x 450 mm.	75
772	NN roller conveyor	Roller conveyor, steel frame, s/s rollers, roller width: 730 mm, total dimensions: 1150 mm x 1050 mm x 1300 mm.	50
773	Vemag	Vemag mobile co-extrusion system, type: 891, number: 891 0163, year of construction: 2007, 220-240/400-460 V, 3 Ph, 50/60 Hz, 1-10/0.6-10 A, dimensions: 750 mm x 400 mm x 1450 mm. Incomplete.	75
774	NN switch cabinets	Pallet with 5 s/s switch cabinets, dimensions: (4x) 600 mm x 400 mm x 200 mm and (1x) 1000 mm x 700 mm x 280 mm.	50
775	NN cover	Plastic cover for vacuum tumbler, dimensions: Ø 360 mm x 350 mm.	50
776	NN trolley	S/s trolley with aluminium floors, dimensions: 1000 mm x 500 mm x 900 mm.	25
777	Wilo	Wilo circulation pump, type: DPN125/300-18.5/4 G4B, serial number: 20553, dimensions: 1500 mm x 1200 mm x 1000 mm.	100
778	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 21 040288 005 01, year of construction: 2021, dimensions door: 2150 mm x 2300 mm, length rail: 4500 mm.	200
779	Singer & Sohn GmbH	Singer & Sohn GmbH elevating belt with dividers, s/s frame, plastic belt with dividers, belt width: 800 mm, divider height: 50 mm, total length approximately: 8000 mm.	1250
780	Peweta	Peweta clock, diameter clock: 400 mm.	10
781	NN machine parts	Pallet with various machine parts, among others: motors, vibrating motor and jelly sprayer, dimensions: 1200 mm x 800 mm x 500 mm.	50
782	NN graters	Pallet with 10 s/s graters, dimensions: (10x) Ø 250 mm x 230 mm.	50
783	Kaiser + Kraft / Rapid	Pallet with Kaiser + Kraft hose reel with Semperit plastic hoses and Rapid hose reel, total dimensions: 1040 mm x 700 mm x 460 mm.	50
784	NN tables for dishwasher	Infeed and outfeed table for dishwasher, dimensions infeed table: 1600 mm x 830 mm x 1230 mm, dimensions outfeed: 1500 mm x 750 mm x 1950 mm.	100



Nr	Title	Description	Start €
785	Itec	3 Itec s/s sinks with faucets, type: 2026 W, dimensions: (3x) 420 mm x 420 mm x 450 mm.	75
786	NN sinks	2 s/s sinks with faucet, dimensions: (2x) 400 mm x 300 mm x 450 mm.	50
787	NN sink	S/s double sink, dimensions: 1400 mm x 600 mm x 350 mm.	50
788	NN tub	S/s tub for saladette, dimensions: 750 mm x 520 mm x 270 mm.	25
789	NN rack	S/s parts for rack, dimensions: 1200 mm x 120 mm x 120 mm.	25
790	NN mirrors	3 mirrors, dimensions: (2x) 700 mm x 500 mm, (1x) 600 mm x 330 mm.	10
791	NN sinks	3 s/s double sinks, dimensions: (3x) 1100 mm x 500 mm x 480 mm.	75
792	NN knife sterilizers	2 s/s knife sterilizers, dimensions: (2x) 400 mm x 200 mm x 200 mm.	25
793	NN sink	S/s sink with faucet, dimensions: 400 mm x 300 mm x 450 mm.	25
794	Itec	Itec s/s sink with faucet, type: 2026-W, year of construction: 01/03, dimensions: 420 mm x 420 mm x 450 mm.	25
795	NN sinks	2 s/s sinks, 1 with faucet, dimensions: 400 mm x 350 mm x 300 mm and 600 mm x 500 mm x 270 mm.	25
796	NN frame	S/s frame, dimensions: 1000 mm x 1000 mm x 1300 mm.	10
797	NN stool	Plastic stool, s/s frame, dimensions: Ø 500 mm x 800 mm.	10
798	KET	KET s/s sink with 2 faucets, sensor operated, dimensions: 950 mm x 450 mm x 600 mm. New.	100
799	KET	KET s/s sink with 2 faucets, sensor operated, dimensions: 950 mm x 450 mm x 600 mm. New.	100
800	KET	KET s/s sink with 2 faucets, sensor operated, dimensions: 950 mm x 450 mm x 600 mm. New.	100
801	NN sink	S/s sink with 3 faucets, dimensions: 1500 mm x 500 mm x 950 mm.	75
802	NN rack	S/s rack, dimensions: 700 mm x 300 mm x 580 mm.	10
803	NN tube	S/s tube, dimensions: 1000 mm x 400 mm x 250 mm.	50
804	Grundfos	Grundfos circulation pump, type: CRN15-14 F-FGJ-G-E-HQQE, serial number: 0001, capacity: 17 m³ per hour, dimensions: 1600 mm x 400 mm x 400 mm.	100
805	Grundfos	Grundfos pump, type: NK65-160/177 A2F2AE, capacity: 64 m³ per hour, dimensions: 1000 mm x 450 mm x 470 mm.	100



Nr	Title	Description	Start €
806	Netzsch	2 Netzsch progressing cavity pumps, type: 2NL15A, year of construction: 1976, and type: 2NL15A, machine number: 105939, year of construction: 1979, dimensions: (2x) 1170 mm x 350 mm x 1060 mm. Incomplete.	100
807	Bonfiglioli	Pallet with part for Bonfiglioli gear motor, model: TA125-125 D HS, dimensions: Ø 800 mm x 350 mm. Used for Alco mixer.	150
808	Sailer	Sailer mobile s/s drip tray, dimensions: 1200 mm x 830 mm x 270 mm.	25
809	Hilge	Hilge centrifugal pump, pump type: SIPLA-SUPER 52, number: 06.93.7546, year of construction: 1993, capacity: 40.0 m³/h, power: 7.5 kW, dimensions: 800 mm x 350 mm x 400 mm.	25
810	NN hydraulic unit	Hydraulic unit and switch cabinet, dimensions: 1200 mm x 800 mm x 500 mm.	50
811	NN valve system	Pallet with valve system, dimensions pallet: 1200 mm x 800 mm x 500 mm.	75
812	Prodima SA	Prodima SA mobile mixer, type: 201 AV, serial: CDS, number: 10825, dimensions: 1250 mm x 780 mm x 900 mm.	250
813	NN heat exchanger	Pallet with heat exchanging system with ventilator and agitator, dimensions: 1600 mm x 800 mm x 700 mm.	75
814	Poly Clip revolving arm	S/s filling part for clipper, dimensions: 450 mm x 260 mm x 1030 mm.	100
815	Denios	Denios drip tray construction shelf, type: Aufbauregal ARL 4, year of construction: 2011, capacity: 680 kg, type: W 3 - V50, dimensions: 1250 mm x 1250 mm x 440 mm and 1350 mm x 600 mm x 850 mm	50
816	NN frame	S/s frame, dimensions: 1690 mm x 800 mm x 1060 mm.	25
817	NN lid	S/s lid, dimensions: 800 mm x 500 mm x 270 mm.	10
818	Hermes	2 Hermes s/s switch cabinets, dimensions: (2x) 750 mm x 800 mm x 300 mm.	75
819	NN baskets	Pallet with 3 s/s baskets, total height baskets: 710 mm, diameter: 575 mm.	75
820	NN parts	Pallet with parts for Gerhard Schubert GmbH packaging robot.	10
821	Leushuis	Leushuis s/s switch cabinet, dimensions: 600 mm x 500 mm x 2000 mm.	25
822	NN dosing units	Pallet with 2 parts for dosing units, diameter pipe: 200 mm, total dimensions: 1200 mm x 800 mm x 1370 mm.	50
823	NN cleaning trolley	S/s cleaning trolley, dimensions: 1200 mm x 500 mm x 1300 mm.	10



Nr	Title	Description	Start €
824	NN cabinets	2 steel cabinets, dimensions: 1350 mm x 450 mm x 2000 mm and 780 mm x 600 mm x 1350 mm.	10
825	Rittal	Rittal server cabinet, dimensions: 600 mm x 500 mm x 750 mm.	50
826	Stark	Stark induction motor, type: EBS 132M6, serial number: 2402042, dimensions: 550 mm x 300 mm x 380 mm.	100
827	Alfa Laval	2 Alfa Laval heat exchangers, type: MG-MFM and MG-MFG, fabrication number: 30103-30536 and 30103-21997, year of construction: 2001, volume: 15.6 and 54.6 liter, maximum temperature: 110°C, dimensions: 1100 mm x 350 mm x 900 mm and 700 mm x 330 mm x 900 mm.	500
828	Pfeiffer Balzers / Busch	S/s frame with 1 Pfeiffer Balzers and 1 Busch booster pump, type: WKP 1000 and WV 0500 B 001 KAAA, number: PP W01 001 G 563 and C0714000205, dimensions: 1100 mm x 720 mm x 1700 mm.	1000
829	Lohenner GmbH & Co.	Lohenner GmbH & Co. steel pressure vessel, number: 67950-2, year of construction: 1999, volume: 1150 liter, dimensions: Ø 750 mm x 2500 mm.	400
830	Mark Compressors	Mark Compressors refrigerated air dryer, model: MDX 3000, product number: 4102000409, serial number: CAI 936428, 230 V, 50 Hz, 0.947 kW, refrigerant: R404A, 0.4 kg, dimensions: 470 mm x 370 mm x 760 mm. With air filter.	100
831	VIG	VIG pressure vessel, serial number: 150, year of construction: 2015, volume: 500 liter, PS: 11 bar, PT: 15.73 bar, temperature minimum: -10°/ temperature maximum: +50°C, diameter vessel: 650 mm, height vessel: 1900 mm.	150
832	Schneider Druckluft GmbH	Schneider Druckluft GmbH air dryer, type: DK 700 C, model: IN44016-SD00-F, serial number: 02-0005-0078, refrigerant: R134A, 0.25 kg, dimensions: 360 mm x 400 mm x 330 mm. Defect.	50
833	Busch	S/s frame with Busch vacuum pump and pressure vessel, type: RA 0250 D 561 QMZZ, number: C9908000532, dimensions: 1300 mm x 850 mm x 1750 mm.	500
834	Busch	Busch vacuum pump, type: RA 0160 D 561 QLZZ, number: C9906000442, dimensions: 900 mm x 500 mm x 700 mm.	250
835	Denios	2 Denios drip trays, type: Poly Safe Euro, year of construction: 2012, volume: 200 liter, dimensions: (2x) 1200 mm x 820 mm x 500 mm.	50
836	Boge	Motor for Boge screw air compressor, type: BS430, number: 593004800, dimensions: 1000 mm x 600 mm x 600 mm.	100



Nr	Title	Description	Start €
837	Rittal	Rittal switch cabinet used for vacuum installation, dimensions: 1250 mm x 500 mm x 2020 mm.	500
838	Rittal	Rittal switch cabinet, dimensions: 800 mm x 400 mm x 1800 mm. Empty.	50
839	Rittal	Rittal switch cabinet, dimensions: 1200 mm x 500 mm x 2050 mm.	200
840	NN parts	14 pallets with large amount of parts, among others: large amount of motors and pumps, drum motors, pneumatic actuators, vibrating motors and valves.	500
841	Cool It	Cool It s/s refrigerated sliding door, type: SI-8K, fabrication number: 12 076158 001 01, year of construction: 2012, 230 V, 50/60 Hz, 0.75 kW, dimensions door: 2150 mm x 2300 mm, length rail: 4600 mm.	250
842	NN trolley	S/s trolley, dimensions: 540 mm x 800 mm x 580 mm.	25
843	NN container trolley	Container trolley, dimensions: 700 mm x 810 mm x 1680 mm.	10
844	NN trolley	S/s trolley, dimensions: 1100 mm x 750 mm x 1020 mm.	25
845	NN cages	4 s/s cages, dimensions: (4x) 1370 mm x 1070 mm x 1720 mm.	150
846	NN containers	2 s/s containers, dimensions: (2x) 1250 mm x 1080 mm x 1750 mm.	100
847	NN tubs	2 s/s mobile tubs, dimensions: (2x) 1900 mm x 900 mm x 900 mm.	100
848	NN trolley	S/s and galvanised steel trolley, dimensions: 900 mm x 600 mm x 950 mm.	10
849	NN table	S/s table, dimensions: 1000 mm x 410 mm x 1180 mm.	10
850	NN table	S/s table, dimensions: 670 mm x 540 mm x 810 mm.	10
851	NN trolley	S/s trolley, dimensions: 1050 mm x 800 mm x 1500 mm.	50
852	NN apron rack	S/s apron rack, dimensions: 1600 mm x 750 mm x 1000 mm.	100
853	NN apron washer	S/s apron washer, dimensions: 1000 mm x 500 mm x 1930 mm.	250
854	NN trolley	S/s trolley, dimensions: 750 mm x 660 mm x 1510 mm.	10
855	NN frames	3 pallets with s/s frames, inside dimensions: 140 mm x 700 mm, total dimensions: 1200 mm x 800 mm x 1150 mm.	75
856	NN step	Steel step and s/s step, dimensions: 1480 mm x 420 mm x 150 mm.	10
857	NN cabinet	S/s cabinet, dimensions: 1400 mm x 900 mm x 1900 mm.	25
858	NN frame	S/s frame, dimensions: 1120 mm x 700 mm.	10



Nr	Title	Description	Start €
859	NN sink	S/s sink with hose and pistol, dimensions: 1000 mm x 460 mm x 700 mm.	50
860	Multivac	Multivac mobile lifter for film, type: HW 01, serial number: 20002198, year of construction: 2005, capacity: 300 kg, lifting height: 1700 mm, total dimensions: 1000 mm x 600 mm x 2200 mm.	200
861	NN parts	Pallet with parts for packaging machine, dimensions: 1200 mm x 800 mm x 400 mm.	25
862	NN table	S/s table with parts for packaging machine, dimensions: 800 mm x 550 mm x 1350 mm.	50
863	NN depositor	Depositor, plastic belt, belt width: 80 mm, total dimensions: 3020 mm x 560 mm x 2050 mm. Switch cabinet missing buttons.	200
864	NN frame	S/s frame, dimensions: 300 mm x 150 mm x 300 mm.	10
865	NN waste bag holder	S/s waste bag holder, dimensions: 500 mm x 450 mm x 900 mm.	10
866	NN waste bag holders	3 s/s waste bag holders, dimensions: (3x) Ø 630 mm x 900 mm.	25
867	NN waste bag holders	2 s/s waste bag holders, dimensions: (2x) Ø 630 mm x 900 mm.	25
868	NN film roll holder	S/s film roll holder, dimensions: 1180 mm x 160 mm x 200 mm.	10
869	Cool It	Cool It s/s refrigeration door, dimensions: 1050 mm x 2150 mm.	100
870	U-E-T	U-E-T mobile denester, type/model: MG 9, serial number: 4001, year of construction: 2003, 230 V, 1 Ph, 50 Hz, dimensions: 1100 mm x 780 mm x 1440 mm. Incomplete.	250
871	Lauda	Lauda secondary circuit system, type: TR 400 H, serial number: A 16 324, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 2.5 A, 1.5 kW, test pressure: 11 bar, medium: water, total dimensions: 700 mm x 1000 mm x 1500 mm.	150
872	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 400 mm, distance between dividers: 250 mm, divider height: 25 mm, elevating height: 1900 mm, total dimensions: 5000 mm x 1170 mm x 2000 mm.	400
873	NN slide	S/s dividing station for thermoformer, dimensions: 700 mm x 400 mm x 1200 mm.	25
874	Videojet	6 Videojet mobile inkjet printers, model: EXCEL 2000 and Excel/170i, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: (6x) 850 mm x 700 mm x 1650 mm. Technical condition unknown.	200
875	NN switch cabinet	S/s trolley with switch cabinet, dimensions: 600 mm x 640 mm x 1740 mm.	50



Nr	Title	Description	Start €
876	Hittpac Verpackungsmaschinen	Hittpac Verpackungsmaschinen can seamer, machine type: SLS-12, machine number: 78.01.01, dimensions: 500 mm x 700 mm x 1800 mm.	250
877	Messer	Messer nitrogen storage vessel, type: Apollo 50, fabrication number: 50661, year of construction: 2002, empty weight: 37 kg, working temperature: -196°C, volume: 50 liter, diameter: 750 mm, height: 950 mm.	100
878	Videojet	6 Videojet mobile inkjet printers, model: EXCEL 2000 and Excel/170i, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: (6x) 850 mm x 700 mm x 1650 mm. Technical condition unknown.	200
879	DVC	DVC seal inspection machine, type: Seal Inspector, serial number: SEAL028, year of construction: December 2016, 230 V, 50/60 Hz, 2.5 A, plastic belt, belt width: 245 mm, clearance: 285 mm x 200 mm, total dimensions: 800 mm x 800 mm x 1850 mm.	150
880	DVC	DVC seal inspection machine, type: Seal Inspector, serial number: SEAL030, year of construction: December 2016, 230 V, 50/60 Hz, 2.5 A, plastic belt, belt width: 245 mm, clearance: 285 mm x 200 mm, total dimensions: 800 mm x 800 mm x 1850 mm.	150
881	Markem	2 Markem mobile barcode printers, model: 5400, serial number: 053617 and 053616, dimensions: (2x) 600 mm x 500 mm x 1250 mm.	150
882	Linx	Linx mobile inkjet printer, model: 7900 IP55, serial number: GM270, year of construction: 2014, dimensions: 750 mm x 450 mm x 1500 mm.	50
883	Linx	Linx mobile inkjet printer, model: 7900 IP55, serial number: GM270, year of construction: 2014, dimensions: 750 mm x 450 mm x 1500 mm. Incomplete, for parts.	50
884	Videojet	Videojet mobile inkjet printer, model: EXCEL 2000, serial number: 010680006WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 880 mm x 700 mm x 1820 mm. Technical condition unknown.	25
885	Videojet	Videojet high speed laser marker with filter, model: 3320, serial number: V0706/103, 100-240 V, 1 Ph, 50/60 Hz, 7.5-3 A, dimensions: 500 mm x 500 mm x 1600 mm, 750 mm x 500 mm x 1000 mm and 400 mm x 400 mm x 400 mm.	250
886	Avery Dennison	Avery Dennison mobile labelling machine, type: ALS256, serial number: 0016160805-ALS256, 100-240 V, 60/50 Hz, 4-2 A, dimensions: 900 mm x 800 mm x 1700 mm.	75
887	Avery	Avery mobile labelling machine, model: ALS221, label width: 100 mm, dimensions: 700 mm x 600 mm x 1750 mm.	75



Nr	Title	Description	Start €
888	Multivac	Multivac labeller with double rejecter, type: MR233, machine number: 30089/11, year of construction: 2011, 230 V 50 Hz, 700 VA, belt width: 295 mm, total dimensions: 1600 mm x 1300 mm x 2300 mm.	250
889	U-E-T	U-E-T mobile denester, type/model: Compact 2 / MG 9, serial number: 4002, year of construction: 2003, 230 V, 1 Ph, 50 Hz, dimensions: 1100 mm x 780 mm x 1440 mm. Incomplete.	200
890	OCS	Control panel for OCS checkweigher, dimensions: 400 mm x 400 mm x 1900 mm.	150
891	Domino	Domino inkjet printer, dimensions: 460 mm x 410 mm x 880 mm.	25
892	OCS	OCS checkweigher and metal detector, type metal detector: Metron 2.2 C 200/175, serial number: 980121-C, 100-240 V, 50/60 Hz, 100-250 mA, plastic belt, belt width: 140 mm, clearance: 200 mm x 130 mm, total dimensions: 1950 mm x 750 mm x 1150 mm. Missing control unit for checkweigher. Technical condition unknown.	150
893	Busch	Busch mobile suction device for rest film, type: SP 80, serial number 7556, year of construction: 1990, dimensions: Ø 480 mm x 1050 mm.	75
894	NN labelling machine	Mobile labelling machine, dimensions: 1100 mm x 900 mm x 1800 mm. Technical condition unknown.	50
895	Linx	Linx mobile inkjet printer, model: 7900 IP 55, serial number: GA387, year of construction: 2014, dimensions: 650 mm x 450 mm x 1600 mm.	200
896	TransOrt	TransOrt mobile lifter for film rolls, model: PRO 175, 110-240 V, 50-60 Hz, 0.9 A, capacity: 95 kg, dimensions: 1200 mm x 600 mm x 2000 mm.	150
897	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/47-AN151/8+6P.E, serial number: 400/358181801, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, 4 fans, dimensions: 3000 mm x 500 mm x 350 mm.	250
898	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/57-AN151/6P.E, serial number: 400/358155901, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, 5 fans, dimensions: 3900 mm x 500 mm x 350 mm.	250
899	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/57-AN151/6P.E, serial number: 400/358155903, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, 5 fans, dimensions: 3900 mm x 500 mm x 350 mm.	250



Nr	Title	Description	Start €
900	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/57-AN151/6P.E, serial number: 400/358155902, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, 5 fans, dimensions: 3900 mm x 500 mm x 350 mm.	250
901	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 21 040288 010 01, year of construction: 2021, dimensions door: 2150 mm x 2300 mm, length rail: 4500 mm.	250
902	NN cooking racks	10 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (10x) 1200 mm x 800 mm x 870 mm.	1500
903	NN cooking racks	24 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (24x) 1200 mm x 800 mm x 870 mm.	3600
904	NN cooking racks	24 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (24x) 1200 mm x 800 mm x 870 mm.	3600
905	NN cooking racks	19 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (19x) 1200 mm x 800 mm x 870 mm.	2850
906	NN cooking racks	24 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (24x) 1200 mm x 800 mm x 870 mm.	3600
907	NN cooking racks	24 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (24x) 1200 mm x 800 mm x 870 mm.	3600
908	NN cooking racks	24 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (24x) 1200 mm x 800 mm x 870 mm.	3600
909	NN cooking racks	10 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (10x) 1200 mm x 800 mm x 870 mm.	1500
910	NN cooking racks	24 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (24x) 1200 mm x 800 mm x 870 mm.	3600
911	NN cooking racks	10 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (10x) 1200 mm x 800 mm x 870 mm.	1500
912	NN cooking racks	20 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (20x) 1200 mm x 800 mm x 870 mm.	3000
913	NN cooking racks	4 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (4x) 1200 mm x 800 mm x 870 mm.	600



Nr	Title	Description	Start €
914	NN cooking racks	20 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (20x) 1200 mm x 800 mm x 870 mm.	3000
915	NN cooking racks	8 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (8x) 1200 mm x 800 mm x 870 mm.	1200
917	Adelmann	Mobile aluminium cage with large amount of Adelmann aluminium ham moulds, dimensions each mould: 320 mm x 180 mm x 150 mm, total dimensions: 900 mm x 620 mm x 1530 mm.	75
918	NN ham press	S/s mobile ham press, inside dimensions: 1100 mm x 400 mm x 550 mm, total dimensions: 1700 mm x 550 mm x 1600 mm. Including trolley with plastic plates for ham press, dimensions plates: 190 mm x 1100 mm, dimensions trolley: 600 mm x 400 mm x 930 mm.	250
919	NN table	S/s table, dimensions: 1000 mm x 630 mm x 1030 mm.	100
920	NN frame	S/s frame, dimensions: 800 mm x 520 mm x 380 mm.	10
921	Arnold Verladesysteme	Arnold Verladesysteme safety wedge for truck loading, type: 706020014, year of construction: 2023, dimensions: 500 mm x 250 mm x 260 mm.	10
922	NN trolley	S/s trolley, dimensions: 2400 mm x 800 mm x 1750 mm.	50
923	NN trolley	S/s trolley with kitchen inventory, dimensions: 1250 mm x 800 mm x 1150 mm.	50
924	NN ham presses	8 s/s mobile ham presses, inside dimensions: (6x) 1000 mm x 400 mm x 550 mm, (2x) 1000 mm x 300 mm x 550 mm, total dimensions: (6x) 1070 mm x 480 mm x 770 mm, (2x) 1050 mm x 400 mm x 700 mm. Including plates and clamps.	500
925	NN apron washer	Apron washer, brush length: 1000 mm, total dimensions: 1370 mm x 500 mm x 900 mm. Button broken.	150
926	NN apron hangers	9 s/s apron hangers, dimensions: (9x) 1000 mm x 1000 mm.	20
927	Eberhardt GmbH	Eberhardt GmbH mobile ham press, inside dimensions: 780 mm x 750 mm x 700 mm, total dimensions: 1000 mm x 900 mm x 980 mm.	250
928	NN trolley	S/s trolley, inside dimensions: 700 mm x 490 mm x 350 mm, total dimensions: 1000 mm x 550 mm x 1050 mm.	50
929	NN tub	S/s tub, dimensions: 700 mm x 300 mm x 1250 mm.	10



Nr	Title	Description	Start €
930	Rieber	Rieber mobile plate dispenser, model: RRV-H/2 220-300, number: 89010226/1/09610, year of construction: 08.02.2002, 230 V, 1 Ph, 50/60 Hz, 1.5 kW, diameter plate: 300 mm, total dimensions: 950 mm x 410 mm x 900 mm.	75
931	NN frame	S/s frame, dimensions: 500 mm x 400 mm x 700 mm.	10
932	Bühler	Bühler micro loss-in-weight scale, type: MSDF-A, machine number: 700122120, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 11 A, 4 kW, total dimensions: 1200 mm x 800 mm x 1800 mm.	500
933	TurboChef	TurboChef rapid cook oven, model: NGC EW, serial number: NGCEW-D00893, year of construction: 2005, 400 V, 10.5 kW, microwave input: 3500 W, microwave frequency: 2450 MHz, dimensions: 660 mm x 720 mm x 800 mm.	75
934	Schneider Electric	Pallet with Schneider Electric cabinet, Festo cabinet with pneumatic parts and Sihi pump, model: LEMA 00090, number: 3453763, year of construction: 1997, dimensions pallet: 1200 mm x 1000 mm x 500 mm.	75
935	NN tubs	2 s/s mobile tubs, inside dimensions: 910 mm x 200 mm x 640 mm, total dimensions: 1100 mm x 450 mm x 880 mm and 950 mm x 300 mm x 850 mm.	50
936	Laska	Laska bone saw, type: KST 350, number: G 1729, year of construction: 1995, 380/400 V, 3 Ph, 50 Hz, 4.4 A, 1.8 kW, dimensions: 600 mm x 400 mm x 1250 mm.	150
937	NN sterilizer	S/s sterilizer, inside dimensions: 900 mm x 400 mm x 630 mm, total dimensions: 940 mm x 480 mm x 830 mm.	250
938	NN trolley with cutting plates	S/s trolley with 1 plastic cutting plate, dimensions trolley: 620 mm x 410 mm x 850 mm, dimensions cutting plate: 300 mm x 1500 mm,	50
939	NN ham moulds	Aluminium trolley with large amount of s/s ham moulds, dimensions ham moulds: 540 mm x 120 mm x 120 mm.	50
940	Adelmann	Plastic crates with large amount of Adelmann ham moulds, dimensions: 270 mm x 160 mm x 120 mm, 320 mm x 110 mm x 100 mm and 270 mm x 230 mm x 150 mm.	10
941	NN parts	Plastic crate with parts for vacuum filling machine, dimensions: 600 mm x 400 mm x 250 mm.	100
942	Weisser Maschinenbau KG	Weisser Maschinenbau KG. hamburger forming machine on s/s table, type: 91, fabrication number: 5992/1, 220/380 V, 370 W, diameter infeed: 340 mm, diameter forms: 90 mm, total dimensions: 500 mm x 370 mm x 1350 mm. Defect.	75



Nr	Title	Description	Start €
943	NN sieves	Pallet with 3 sieve frames with sieves, dimensions pallet: 1200 mm x 800 mm 600 mm.	75
944	NN tub	S/s mobile tub, inside dimensions: 820 mm x 580 mm x 440 mm, total dimensions: 870 mm x 620 mm x 660 mm.	50
945	NN bins	Steel rollie with 5 aluminium bins, dimensions: (5x) 850 mm x 350 mm x 150 mm.	25
946	NN parts	Pallet with various parts, dimensions: 1200 mm x 800 mm x 450 mm.	25
947	Kärcher	Carton box with Kärcher parts, amongst other paper filter bags.	10
948	NN table	S/s table, dimensions: 1220 mm x 550 mm x 630 mm.	10
949	NN trolley	S/s tool trolley for slicing line, dimensions: 2100 mm x 600 mm x 1550 mm.	50
950	NN frame	S/s frame, dimensions: 1020 mm x 810 mm x 1400 mm.	10
951	NN meat bins	17 s/s meat bins, volume: 200 liter.	850
952	Cool It	Cool It s/s refrigerated sliding door, type: CE-12, fabrication number: 20 060931 010 01, year of construction: 2020, dimensions door: 1950 mm x 2300 mm, length rail: 4250 mm.	250
953	NN switch cabinet	S/s mobile switch cabinet, dimensions: 850 mm x 900 mm x 1550 mm.	100
954	Winterhalter	Winterhalter mobile water softener, type: DuoMatik 3, serial number: 03/15 99107, dimensions: 480 mm x 350 mm x 600 mm.	25
955	Mondomix-Holland BV	Mondomix-Holland BV lab size aerator on mobile s/s table, type: A05, project: 11637, 220 V, 50/60 Hz, 13 A, dimensions: 1060 mm x 810 mm x 1360 mm.	400
956	GWK / Regoplas	GWK temperature control unit and Regoplas temperature control unit, type: 150 KL / 7 / TB21 / 1K / RT40, 380 V, 1 Ph, 50 Hz, 12.2 A, 7.6 kW, volume: 9.6 dm ³ , maximum: 90°C, type: TW 33, serial number: 11 2219 00, year of construction: 1987, 380 / 220 V, 50 Hz, 14.6 A, heating capacity: 3 kW, dimensions: 230 mm x 620 mm x 600 mm and dimensions: 230 mm x 750 mm x 750 mm.	75
957	NN machine parts	Pallet with various machine parts, dimensions pallet: 1200 mm x 800 mm x 650 mm.	50
958	NN switch cabinets	Pallet with 2 s/s switch cabinets and 1 cabinet, dimensions: 1200 mm x 800 mm x 800 mm.	75
959	L'Unite Hermetique	L'Unite Hermetique cooling compressor, refrigerant: R134a, 400 V, 3 Ph, 50 Hz, dimensions compressor: 1100 mm x 600 mm x 500 mm.	75
960	NN tub	S/s tub with lid, dimensions: Ø 500 mm x 700 mm.	50



Nr	Title	Description	Start €
961	NN switch cabinet	S/s trolley with switch cabinet, dimensions: 500 mm x 500 mm x 1020 mm.	50
962	NN pipes	Pallet with various s/s pipes and 3 measuring devices, dimensions pallet: 1200 mm x 800 mm x 500 mm.	50
963	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 20 060931,009 01, year of construction: 2020, dimensions door: 1580 mm x 2250 mm, length rail: 3500 mm.	250
964	NN parts	Pallet with various parts, dimensions pallet: 1200 mm x 800 mm x 500 mm.	25
965	Waldner GmbH & Co KG	3 Waldner GmbH & Co KG s/s tanks, fabrication number: W2074, year of construction: 1998, volume: (1x) 200 liter and (2x) 150 liter, pressure: 0.5 bar, dimensions: (1x) 1250 mm x 800 mm x 1650 mm and (2x) 900 mm x 800 mm x 1450 mm.	200
966	Maschinenfabrik Burckhardt	Maschinenfabrik Burckhardt vacuum pump, model: GE, year of construction: 1960.	50
967	Fristam	Fristam piston pump, type: FKLS, number: 0662600005, dimensions: 1200 mm x 450 mm x 650 mm.	200
968	Ystral GmbH	Pallet with Ystral motor for inline mixer, type: Ankerrührer, machine number: 235930109, year of construction: 1200 mm x 800 mm x 500 mm.	100
969	NN pump	Pump on s/s trolley, dimensions: 1030 mm x 340 mm x 1150 mm. Incomplete.	75
970	Lauda	Lauda secondary circuit system, type: TR400HK, fabrication number: W16 128, total dimensions: 770 mm x 1000 mm x 1380 mm.	150
971	Lauda	Lauda secondary circuit system, type: TR400HK, number: W16 132, year of construction: 1999, 400 V, 3 PH, 50 Hz, 1.3 kW, medium: water, maximum temperature: 160°C, volume: 30 liter, total dimensions: 1100 mm x 980 mm x 1370 mm. Switch cabinet is incomplete.	150
972	KSD	2 boxes with KSD parts of piping, dimensions: (2x) 370 mm x 370 mm x 270 mm.	25
973	Flückiger & Co.	Pallet with 2 Flückiger & Co. Tools, total dimensions: 1200 mm x 800 mm x 500 mm.	50
974	NN frames	Pallet with 5 s/s frames, diameter holes: 85 mm, dimensions pallet: 1200 mm x 800 mm x 400 mm.	50
975	Elmo	Elmo pump on mobile frame, dimensions: 600 mm x 400 mm x 950 mm.	50
976	Mono Pumps	Mono Pumps pump on mobile frame, type: SB 15, number: 30/74/56277/9, dimensions: 810 mm x 290 mm x 850 mm. Incomplete.	25



Nr	Title	Description	Start €
977	Cool It	Cool It s/s refrigerated sliding door, type: CE-12, fabrication number: 20 060931 010 01, year of construction: 2020, dimensions door: 1950 mm x 2300 mm, length rail: 4250 mm.	250
978	NN parts	Pallet with various machine parts, among others: Strapex strap cord, housing for worm and drill, dimensions: 1200 mm x 800 mm x 650 mm.	50
979	Waldner GmbH & Co KG	Waldner GmbH & Co KG s/s tank, year of construction: 1988, volume: 150 liter, temperature: 120°C, total dimensions: 900 mm x 800 mm x 1450 mm.	100
980	NN machine parts	Pallet with various machine parts, dimensions pallet: 1200 mm x 800 mm x 650 mm.	75
981	NN trolley	S/s and plastic trolley, dimensions: 800 mm x 600 mm x 900 mm.	25
982	NN exchanging cabinet	Mobile s/s isolated heat exchanging cabinet, total dimensions: 920 mm x 1040 mm x 1100 mm.	100
983	Lauda	Lauda mobile process cooling unit, type: SUK 350 W, number: Z 13 001, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 11.1 kW, heat carrier: SYLTHERM XL T, 50 kg, medium: R410A, 7 kg, total dimensions: 900 mm x 1500 mm x 1370 mm.	250
984	Hermes	2 Hermes s/s switch cabinets, dimensions: (2x) 750 mm x 750 mm x 350 mm.	50
985	NN cooking trolleys	2 s/s cooking trolleys, 6 floors with 2 baskets each, dimensions each basket: 990 mm x 440 mm x 100 mm, total dimensions: (2x) 1000 mm x 1000 mm x 1950 mm.	200
986	NN smoke trolleys	20 s/s smoke trolleys with hangers, 5 floors each, dimensions each floor: 1000 mm x 970 mm, total dimensions: (20x) 1010 mm x 980 mm x 1830 mm.	2000
987	NN cooking trolleys	13 s/s cooking trolleys with plates, 6 floors each, dimensions each floor: 1000 mm x 920 mm, total dimensions: (13x) 1020 mm x 990 mm x 1880 mm.	1300
989	NN smoke trolley	S/s smoke trolley, 5 floors with 8 plates, dimensions each floor: 1010 mm x 970 mm, total dimensions: 1020 mm x 980 mm x 1880 mm.	75
990	NN tub	S/s tub, dimensions: Ø 270 mm x 650 mm.	50
991	Siemen & Hinsch GmbH	Pallet with 2 Siemen & Hinsch GmbH pumps, dimensions: 600 mm x 400 mm x 400 mm and 600 mm x 200 mm x 250 mm.	75
992	NN machine parts	3 pallets with machine parts, among others: Parts for packaging machine, wooden reel with drive chain, parts for blower and powder machine, infeed funnel and parts for fans.	200



Nr	Title	Description	Start €
993	Data Scales	3 indicators for Data Scales weighing scales and Boss sausage declipper, type: ESC, machine number: 033036, 230 V, 50 Hz, 0.18 kW, dimensions: 1200 mm x 800 mm x 450 mm.	75
994	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/47-AN151/12P.E, serial number: 400/358182002, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 12.3 liter, 4 fans, dimensions: 3000 mm x 500 mm x 350 mm.	250
995	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 20 060931 007 01, year of construction: 2020, dimensions door: 1300 mm x 2050 mm, length rail: 2900 mm.	250
1001	NN writing desks	Steel mobile writing desks on s/s trolley, dimensions: (2x) 500 mm x 500 mm x 1360 mm.	20
1002	Weber Kunststofftechnik	2 Weber Kunststofftechnik plastic cabinets, dimensions: 1750 mm x 540 mm x 1050 mm and 700 mm x 540 mm x 1050 mm.	10
1003	NN trolley	Steel trolley, dimensions: 1400 mm x 620 mm x 900 mm.	50
1004	NN trolley	Steel trolley, dimensions: 610 mm x 650 mm x 1200 mm.	50
1005	Rhewa-Waagenfabrik	Rhewa-Waagenfabrik weighing scale with indicator, dimensions scale: 500 mm x 400 mm, computer cabinet, dimensions: 750 mm x 320 mm x 750 mm.	250
1006	Trepo-Stumpf GmbH	Trepo-Stumpf GmbH turning table, steel frame, s/s top with wooden rim, ø top: 850 mm, total ø: 1000 mm, height: 800 mm.	50
1007	NN platform	Pallet with frame for platform with stairs, steel frame, aluminium steps, dimensions: 1400 mm x 1000 mm x 500 mm.	25
1008	NN curtains	Pallet box with plastic curtains, dimensions: 1200 mm x 800 mm x 800 mm.	25
1009	NN hoppers	2 pallets with round hoppers, dimensions: (2x) 1200 mm x 900 mm x 600 mm.	50
1010	Spies	22 pallets with Spies 3 liter trays for ice, approximately 1200 trays per pallet, dimensions trays: 220 mm x 150 mm x 115 mm.	50
1011	NN switch cabinets	10 pallets with switch cabinets, various sizes.	250
1012	EMM	Pallet with parts for EMM film roll lifter, type: RWM, machine number: 100104, year of construction: 2001, capacity: 150 kg, dimensions: 1450 mm x 800 mm x 330 mm.	50
1013	NN machine parts	Pallet with various machine parts, among others: motor, transport belts, roller chain and tub.	25



Nr	Title	Description	Start €
1014	NN air extraction unit	Pallet with workshop air extraction unit, dimensions: 1200 mm x 1100 mm x 900 mm.	50
1015	NN floor covers	Pallet with floor protection covers, dimensions: 1700 mm x 800 mm x 800 mm.	25
1016	NN high speed shutter doors	Pallet with 3 high speed shutter doors, width: (2x) 1600 mm and (1x) 1700 mm, missing motors and control panels.	100
1017	NN light fixtures and ceiling tiles	2 pallets and pallet box with light fixtures, dimensions: (2x) 1400 mm x 800 mm x 600 mm and 1700 mm x 800 mm x 1700 mm, pallet box with covers and ceiling tiles, dimensions tiles: 625 mm x 625 mm, total dimensions: 1200 mm x 800 mm x 1200 mm.	25
1018	NN chain conveyor	Wooden crate with s/s chain conveyor for Waldner cup filling machine, chain width: 55 mm, dimensions crate: 960 mm x 860 mm x 330 mm	50
1019	NN cable	Pallet with steel cable for hoist, dimensions: 1200 mm x 800 mm x 600 mm.	50
1020	NN pipes	S/s pipes, dimensions: 1200 mm x 800 mm x 400 mm.	25
1021	NN jackhammer	Pallet with hydraulic jackhammer, dimensions: 1200 mm x 800 mm x 300 mm.	25
1022	Nedermann / LHS	Nedermann and LHS hose reels, year of construction: 2007, dimensions: 600 mm x 250 mm x 700 mm and 400 mm x 300 mm x 500 mm.	50
1023	NN insect killers	Pallet with insect killers, various sizes.	25
1024	Asatex	4 boxes with Asatex visitor coats with Velcro, dimensions: (4x) 600 mm x 270 mm x 250 mm.	10
1025	NN air filters	4 pallets with air filters.	25
1026	Gustav Nolting GmbH	Gustav Nolting GmbH heater, type: NG-35, fabrication number: 008348.037, year of construction: 2012, gas heated, capacity: 1100 m ³ per hour, dimensions: 500 mm x 310 mm x 450 mm.	10
1027	NN air handling unit	Air handling unit, dimensions: 1200 mm x 800 mm x 1000 mm.	25
1028	NN disks	4 discs for slaughtering conveyor, diameter: 450 mm.	25
1029	ABB	ABB motor, dimensions: 700 mm x 300 mm x 400 mm.	25
1030	NN clamps	5 steel clamps, various sizes.	10
1031	NN fat pumps	Plastic box with fat pumps, dimensions: 600 mm x 400 mm x 350 mm.	5
1032	Demag	Pallet with 2 Demag hoists, capacity: 125 kg, dimensions: (2x) 550 mm x 400 mm x 250 mm.	100
1033	Nordson	Nordson glue unit, model: Problue 4, serial number: SA14L09455, 400/230 V, 1/3 Ph, 50/60 Hz, 26 A, dimensions: 520 mm x 350 mm x 500 mm.	250



Nr	Title	Description	Start €
1034	NN clamps	4 steel clamps, dimensions: (2x) 320 mm x 220 mm and (2x) 350 mm x 150 mm.	10
1035	ECO Refrigerazione	ECO Refrigerazione evaporator, model: CTE034-S, serial number: C9923677, year of construction: 05/99, 230 V, 1 Ph, 50-60 Hz, 2 fans, dimensions: 1000 mm x 500 mm x 450 mm.	100
1036	NN wheels	Pallet with large amount of wheels, various sizes, total dimensions: 1200 mm x 800 mm x 600 mm.	50
1037	Branson	Pallet with 5 Branson PG industrial PCs and 1 Siemens operating panel, dimensions: 1200 mm x 800 mm x 650 mm.	200
1038	Knecht	Pallet with various parts for Treif / Knecht machines, dimensions pallet: 1200 mm x 800 mm x 450 mm.	150
1039	NN machine parts	Pallet with various machine parts, dimensions: 1200 mm x 800 mm x 400 mm.	25
1040	Sihi	Sihi centrifugal pump, type: ZLNB 32200/AB AAE 03 2, pump number: D-5075499, year of construction: 1995, dimensions: 900 mm x 300 mm x 400 mm.	25
1041	NN machine parts	Pallet with various parts for machine drives, dimensions: 800 mm x 600 mm x 400 mm.	25
1042	NN parts	Pallet with large amount of parts, among others: controls, circuit breaker, cables, electrical components, dimensions: 1200 mm x 800 mm x 400 mm.	100
1043	SPX	Wooden crate with SPX pump, type: W+22/20 120 STD, serial number: 38851108, dimensions: 600 mm x 250 mm x 500 mm, dimensions crate: 820 mm x 500 mm x 700 mm.	200
1044	NN machine parts	Pallet with various parts for traysealers, dimensions: 1200 mm x 800 mm x 400 mm.	25
1045	Gedore	Gedore steel tool trolley with tool case, dimensions: dimensions: 700 mm x 400 mm x 1060 mm.	75
1046	Trox	2 Trox ventilation fire safety with large amount of U-profiles and filters, dimensions: 1200 mm x 800 mm x 850 mm.	100
1047	NN parts	Pallet with various plumbing parts, among others: pipes, and couplings.	25
1048	Festo	Steel cage with large amount of Festo pneumatic parts, dimensions: 1200 mm x 800 mm x 850 mm.	100
1049	NN parts	Pallet with various parts, among others: plastic U-profiles and filters, dimensions: 1200 mm x 800 mm x 450 mm.	25
1050	Bosch	Pallet with Bosch flange for Bosch filling machine, inside diameter flange: 150 mm and Bosch bearing-ring, total dimensions pallet: 1200 mm x 800 mm x 600 mm.	50



Nr	Title	Description	Start €
1051	NN bearing ring	Pallet with ball bearing slewing ring, dimensions: 776 mm x 48 mm.	50
1052	NN parts	Pallet with various s/s parts, dimensions: 1200 mm x 800 mm x 400 mm.	25
1053	Knuth	Knuth mobile metal saw, model: B180, working width: 145 mm, total dimensions: 1400 mm x 600 mm x 1100 mm.	250
1054	Rossi Motoriduttori	Rossi Motoriduttori motor for spice mixer, dimensions: 800 mm x 450 mm x 500 mm.	25
1055	NN pump	Pump, dimensions: 600 mm x 300 mm x 280 mm.	50
1056	Ventur	Ventur blower, model: MPB 700T IE3, number: 150602, 400 V, 50 Hz, 14.0 A, 7.5 kW, dimensions: 700 mm x 600 mm x 850 mm.	50
1057	NN sanding machine	Sanding machine, sanding width: 30 mm / 40 mm, total dimensions: 400 mm x 200 mm x 200 mm.	25
1058	NN parts	Pallet with various parts, among others: hangers, springs, filters, and clamps, dimensions: 1200 mm x 800 mm x 450 mm.	25
1059	Keulahütte / Sisto	2 Keulahütte and 3 Sisto valves, DN150 and DN100, dimensions: 550 mm x 300 mm x 220 mm.	50
1060	NN parts	Pallet with steel chain and plastic transport belt, dimensions: 1200 mm x 800 mm x 500 mm.	25
1061	NN parts	Pallet with various parts, among others: plastic couplings for lab, wheels, and plastic valves, dimensions: 1200 mm x 800 mm x 550 mm.	25
1062	NN parts	Pallet with spare parts, among others: meters, hoses, valves and cable clamps, dimensions: 1200 mm x 800 mm x 700 mm.	50
1063	NN parts	Pallet with s/s rails and bearings, dimensions: 1200 mm x 800 mm x 350 mm.	25
1064	NN table	S/s table, dimensions: 1200 mm x 800 mm x 1270 mm. Including content.	75
1065	NN parts	Pallet with parts, among others: Flexilon thermoplastic tubes, pressure meters and hose couplings.	25
1066	NN parts	Pallet with spare parts, among others: couplings and Angst & Pfister AG pur rouge, dimensions: 1200 mm x 800 mm x 600 mm.	25
1067	NN parts	Pallet with large amount of small parts, dimensions: 1200 mm x 800 mm x 350 mm.	25
1068	NN fan box	S/s fan box, dimensions: 800 mm x 620 mm x 720 mm.	10
1069	NN sanding machine	Sanding machine, dimensions: 400 mm x 400 mm x 1030 mm.	25



Nr	Title	Description	Start €
1070	ROWI	ROWI heater, model: ROWI 43.5, serial number: 6500635, year of construction: 1987, 230 V, 50 Hz, 90 W, 0.72 A, volume: 850 m³ per hour, dimensions: 700 mm x 300 mm x 400 mm.	25
1071	NN blower	Blower, dimensions: 600 mm x 400 mm x 660 mm.	25
1072	NN cover	S/s cover, dimensions: 350 mm x 220 mm x 700 mm.	10
1073	MSA	MSA breathing air purifier, dimensions: 500 mm x 230 mm x 420 mm.	10
1074	NN clamps	3 steel clamps.	10
1075	NN chains	Pallet with chains and threaded cords, dimensions: 1200 mm x 800 mm x 400 mm.	25
1076	Festo	Pallet with large amount of Festo pneumatic arms, dimensions: 1200 mm x 800 mm x 450 mm.	50
1077	NN parts	Pallet with various gaskets and sanding belts, dimensions: 1200 mm x 800 mm x 500 mm.	25
1078	Thermowave	Pallet with parts for Thermowave heat exchanger, dimensions plates: 1000 mm x 440 mm.	100
1079	NN parts	Pallet with plastic and s/s worms for cheese / bread crumb spreaders, dimensions: 1200 mm x 800 mm x 250 mm.	25
1080	NN parts	Pallet with parts for portioning machine and s/s and plastic feet.	25
1081	Grünbeck	Pallet with parts, among others: Grünbeck backwash filter, clamps and Supernova rack and pinion actuator.	25
1082	NN clamps	Pallet with large amount of clamps, dimensions: 1200 mm x 800 mm x 400 mm.	25
1083	Smurfit Kappa	6 pallets with Smurfit Kappa carton boxes, dimensions boxes: (1x) 270 mm x 190 mm x 235 mm, (2x) 394 mm x 152 mm x 216 mm, (3x) 345 mm x 120 mm x 195 mm, total dimensions: (6x) 1200 mm x 800 mm x 1700 mm.	50
1084	NN lids	Pallet with large amount of plastic lids for buckets, diameter lids: 220 mm.	5
1085	AVO-Werke	2 pallets with spices for Bierwurst and Jagdwurst.	25
1086	Smurfit Kappa	5 pallets with Smurfit Kappa carton boxes, dimensions boxes: (1x) 353 mm x 203 mm x 128 mm, (1x) 345 mm x 120 mm x 195 mm, (1x) 375 mm x 225 mm x 140 mm, (1x) 394 mm x 152 mm x 216 mm, (1x) 208 mm x 179 mm x 197 mm, total dimensions: (5x) 1200 mm x 800 mm x 1700 mm.	50
1087	Cool It	Cool It s/s refrigeration door, dimensions: 1200 mm x 2030 mm.	100
1088	Smurfit Kappa	15 pallets with various carton boxes, various shapes and sizes.	100
1089	NN film roll holder	S/s film roll holder, dimensions: 1170 mm x 170 mm x 200 mm. With 6 brushes.	20



Nr	Title	Description	Start €
1090	NN cabinets	3 wall mounted cabinets and 1 wall mounted frame, dimensions: (2x) 300 mm x 200 mm x 400 mm and (1x) 600 mm x 500 mm x 450 mm.	25
1091	NN switch cabinets	Pallet with 3 s/s switch cabinets, dimensions: 1300 mm x 800 mm x 450 mm.	50
1092	NN tub	S/s tub, dimensions: 1250 mm x 970 mm x 430 mm.	25
1093	Kaiser + Kraft	Kaiser + Kraft mobile tilting device for barrels, type: Ki 2002 m. W., capacity: 200 kg, own weight: 26 kg, total dimensions: 1970 mm x 600 mm x 650 mm.	75
1094	Longopac	Longopac waste bag holder, clearance: Ø 460 mm, total dimensions: 600 mm x 530 mm x 1020 mm.	10
1095	Kimberly-Clark	4 Kimberly-Clark paper roll dispensers, dimensions: (4x) 800 mm x 550 mm x 1050 mm.	10
1096	Fanag Direct AG	Fanag Direct AG trolley for barrels, dimensions: 880 mm x 820 mm x 740 mm.	75
1097	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/47-AN151/12P.E, serial number: 400/3581819.0001, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 12.3 liter, 4 fans, dimensions: 3000 mm x 500 mm x 350 mm.	250
1098	Lumbeck & Wolter	Various machine parts, among others: 3 Lumbeck & Wolter grinder plates, diameter plate: 200 mm, plastic crate with 12 cutter knives, R420, slicer knives, s/s tubes and clamps.	200
1099	Astor	6 plastic crates with 33 cutter knives, R420, dimensions: (6x) 600 mm x 400 mm x 180 mm.	500
1100	Astor	6 Astor cutter knives and 6 plates for cutter, R420.	150
1101	Euroheat AB Ronneby	Euroheat AB Ronneby heat exchanger, type: EPC160MP104, number: 90.160.941, year of construction: 1990, maximum temperature: 110° C, dimensions: 1050 mm x 470 mm x 980 mm.	250
1103	Rittal	Rittal switch cabinet used for vacuum installation, dimensions: 1600 mm x 380 mm x 2020 mm.	350
1104	Kaeser Kompressoren	Kaeser Kompressoren air dryer, model: TB 19, serial number: 1123, year of construction: 2001, 230 V, 1 Ph, 50 Hz, refrigerant: R134A, quantity: 0.54 kg, dimensions: 610 mm x 580 mm x 1000 mm. Defect.	25
1105	Lohenner GmbH & Co.	Lohenner GmbH & Co. steel pressure vessel, number: 64050, year of construction: 1996, volume: 2400 liter, dimensions: Ø 1400 mm x 1800 mm.	200
1106	Lohenner GmbH & Co.	Lohenner GmbH & Co. steel pressure vessel, number: 64049, year of construction: 1996, volume: 3400 liter, dimensions: Ø 1600 mm x 2150 mm.	350
1107	NN hydraulic unit	Hydraulic unit, dimensions: 1000 mm x 600 mm x 550 mm.	75



Nr	Title	Description	Start €
1108	Mark	Mark screw air compressor, type: MSA111VR G2, serial number: CAI628944, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 11 kW, 235 kg, dimensions: 970 mm x 600 mm x 1050 mm.	250
1109	S.-S.B. Systemtechnik	S.-S.B. Systemtechnik motor, type: ACR 200 LB-2/HE, serial number: 1512486321, dimensions: 950 mm x 500 mm x 400 mm.	250
1110	Busch	Steel frame with 2 Busch vacuum pumps and 1 steel pressure vessel, type: 160-132 and RA 0305 D 562 QOXX, number: 43848 and C0113000247, dimensions: 1900 mm x 1200 mm x 1700 mm.	1000
1111	Grundfos	Grundfos centrifugal pump, type: CR32-4 A-F-A-E-HQQE, serial number: 0006, capacity: 30 m³ per hour, dimensions: 90 mm x 500 mm x 1200 mm.	100
1112	Grundfos	2 Grundfos and 1 other centrifugal pump, dimensions: (2x) 700 mm x 250 mm x 700 mm and 650 mm x 300 mm x 1250 mm.	200
1113	Busch	S/s frame with 2 Busch booster pumps, type: WV 1000 B 001 KDXX, number: C1035000686, year of construction: 2010, dimensions: 1200 mm x 700 mm x 1700 mm.	750
1114	Sanyo	Sanyo outside unit for air conditioning, serial number: 00010527, year of construction: 17-10-2005, 400 V, 64 A, 11 kW, maximum temperature: 43°C, minimum temperature: -7°C, refrigerant: R410a, 3.6 kg, total dimensions: 1200 mm x 1000 mm x 1550 mm and Tool Temp temperature control unit, type: TT-103 K, number: 21-05333-1, 3 x 380-400 V, 50 Hz.	25
1115	NN air sock	Pallet with air sock, dimensions: 1200 mm x 800 mm x 500 mm.	25
1116	NN switch cabinets	Steel switch cabinet, dimensions: 1200 mm x 370 mm x 1950 mm.	50
1117	AVO-Werke	3 pallets with AVO-Werke spices for Rostbratwurst and Bratwurstcombi, dimensions: (2x) 1200 mm x 800 mm x 800 mm and (1x) 1200 mm x 800 mm x 500 mm.	25
1118	Gewürzmüller	Pallet with Gewürzmüller spices for Brühwurst, best before: 27.05.2025, dimensions: 1200 mm x 800 mm x 500 mm.	25
1119	AVO-Werke / Van Hees / Gewürzmüller	16 pallets with AVO-Werke, Gewürzmüller and Van Hees spices for meat salad and Kochschinken, total dimensions: (7x) 1200 mm x 800 mm x 1500 mm, (7x) 1200 mm x 800 mm x 1300 mm and (2x) 1200 mm x 800 mm x 920 mm.	125
1120	AVO-Werke	Pallet with AVO-Werke ripening agent with seasoning, best before: 13-02-2025, total dimensions: 1200 mm x 800 mm x 1100 mm.	10



Nr	Title	Description	Start €
1121	Nederman	Nederman filter box with 2 extraction arms, serial number: 663, article number: 601363, 380-400 V, 3 Ph, 50-60 Hz, dimensions filter box: 650 mm x 750 mm x 1400 mm.	150
1122	Siei Automazioni S.r.l.	Pallet with parts for Siei Automazioni S.r.l. tray/cup filling and lidding machine.	50
1123	NN hoses	2 pallets with large amount of plastic hoses, various sizes.	50
1124	NN dyes	Crate with 35 plastic forms, 4 dyes per form, dimensions dyes: (4x) 55 mm x 110 mm, dimensions form: (35x) 135 mm x 250 mm, dimensions crate: 400 mm x 600 mm and wooden box with large amount of dyes, dimensions: 240 mm x 125 mm and 115 mm x 60 mm and 240 mm x 60 mm.	25
1125	Jarvis	Pallet with Jarvis leg and horn cutters with a balancer, dimensions: 1200 mm x 800 mm x 500 mm.	250
1126	NN parts	Pallet with parts for s/s rack, dimensions: 1200 mm x 800 mm x 400 mm.	50
1127	Festo	5 pallets with Festo parts for slaughterhouse working platforms.	250
1128	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 2DL-3.2, fabrication number: 431037, 3/2.2 kW, 13.3 m ³ /h, refrigerant: R404A, dimensions: 800 mm x 350 mm x 700 mm.	100
1129	Remko	Remko mobile dehumidifier, type: AMT 80-E, number: 707U5271, 230 V, 1 Ph, 50 Hz, 4.9 A, 1.1 kW, refrigerant: R407c, dimensions: 480 mm x 500 mm x 900 mm.	75
1130	Pulsotronic	Pulsotronic metal detector head, clearance: 500 mm x 300 mm, total dimensions: 950 mm x 400 mm x 700 mm. Technical condition unknown.	150
1131	NN computer cabinet	S/s computer cabinet, dimensions: 750 mm x 320 mm x 750 mm.	25
1132	APV	APV centrifugal pump, type: W-80/50-220 M 245, serial number: 1130300701310000, dimensions: 1000 mm x 500 mm x 600 mm. Missing cover.	25
1133	Hilge	Hilge self-priming side channel pump, type: Sipla-Super 52, number: 06.93.7693, dimensions: 850 mm x 350 mm x 400 mm.	50
1134	Hawe	Hawe hydraulic unit for EFA slaughtering equipment, dimensions: 600 mm x 200 mm x 400 mm.	50
1135	Hilge	Hilge centrifugal pump, dimensions: 660 mm x 280 mm x 450 mm.	25



Nr	Title	Description	Start €
1136	Westfalen AG	Westfalen AG safety cage with 3 empty cylinders used for ammonia, type cage: I-01-007-400 A, year of construction: 2002, own weight: 151 kg, maximum capacity: 1500 kg, dimensions cage: 1050 mm x 800 mm x 1210 mm.	75
1137	NN hoses	S/s meat bin with large amount of plastic hoses, volume: 200 liter.	50
1138	NN table	Wooden coffee table with glass top, dimensions: 1000 mm x 600 mm x 400 mm. Damaged.	50
1139	NN oil	IBC tank with oil, volume: 1000 liter, dimensions: 1200 mm x 1000 mm x 1160 mm.	50
1140	KNZ pure feed salt	Pallet with 35 bags of KNZ pure feed salt, 25 kg each bag.	10
1141	NN film roll	Film roll, width: 1600 mm.	5
1142	NN doctors office	Office inventory for doctor, consisting of: wooden desk, dimensions: 1400 mm x 600 mm x 680 mm, desk chair, wooden trolley, dimensions: 900 mm x 430 mm x 700 mm, bed, dimensions: 2000 mm x 700 mm x 650 mm and first aid cabinet.	50
1143	Airpool	3 pallets with Airpool filters, dimensions: 800 mm x 800 mm x 2070 mm, 1200 mm x 800 mm x 2000 mm and 1650 mm x 1200 mm x 1200 mm.	50
1144	Gewürzmüller	Pallet with Gewürzmüller Lactalin, best before: 21.10.2023, dimensions: 1200 mm x 800 mm x 1150 mm.	25
1145	All4Labels	Pallet with All4Labels labels, dimensions label: 148 mm x 210 mm, total dimensions: 1200 mm x 800 mm x 1100 mm.	25
1146	Edicol	2 pallets with packaging materials, among others: Edicol collagen film, HDPE plastic bags, and labels, dimensions bags: 240 mm x 1100 mm, total dimensions: (2x) 1000 mm x 1200 mm x 1300 mm.	50
1147	NN casings	2 bags with large amount of casings.	10
1148	NN rack	S/s rack, 4 floors, dimensions: 1500 mm x 400 mm x 1850 mm.	10
1149	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator, device type: S-DGN 041D/18/24P, serial number: 404201037/14.02405, year of construction: 2015, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 6.5 liter, 1 fan, dimensions: 1800 mm x 1050 mm x 380 mm.	250
1150	AVO-Werke	2 pallets with AVO-Werke spices for Rostbratwurst, best before: 28-06-2025, dimensions: (2x) 1200 mm x 800 mm x 850 mm.	25
1151	Pacovis Food Solutions GmbH	3 pallets with Pacovis Food Solutions GmbH spices, best before: 12-06-2024, dimensions: (3x) 1200 mm x 800 mm x 950 mm.	25



Nr	Title	Description	Start €
1152	Sartorius	S/s table with Sartorius weighing scale for bags, dimensions scale: 500 mm x 400 mm, total dimensions: 600 mm x 500 mm x 1000 mm, dimensions table: 600 mm x 600 mm x 370 mm. Without indicator.	25
1153	NN boards	2 steel wall mounted boards with magnets, dimensions: (2x) 500 mm x 700 mm.	10
1154	Gewürzmüller	3 pallets with Gewürzmüller spices for Brühwurst, best before: 27.05.2025, dimensions: (3x) 1200 mm x 800 mm x 1100 mm.	25
1155	Jiangxi Dexing	Pallet with Jiangxi Dexing sodium erythorbate, best before: 23-03-2025, dimensions: 1200 mm x 800 mm x 580 mm.	25
1156	AVO-Werke / Gewürzmüller	24 pallets with various AVO-Werke and Gewürzmüller spices.	200
1157	Hupfer	Hupfer steel pallet rack, year of construction: 1979, consisting of 12 beams and 8 uprights, beam length: (4x) 2600 mm, (2x) 1400 mm, (4x) 1200 mm and (2x) 2700 mm, dimensions uprights: (5x) 1100 mm x 2000 mm and (3x) 1100 mm x 1500 mm.	75
1158	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator, device type: S-DGN 041C/27/12P, serial number: 404492354/02.01459, year of construction: 2017, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 150°C / -50°C, volume: 15.7 liter, 2 fans, dimensions: 2200 mm x 1600 mm x 300 mm.	250
1159	NN parts	10 pallets with various parts, among others: various T-couplings and valves, various pressure meters, various parts for packaging machine.	200
1160	Otto Tuchenhausen	Otto Tuchenhausen pump, dimensions: 850 mm x 350 mm x 400 mm.	25
1161	NN electrical parts	Pallet with parts, among others: servo drives, model: Acopos 1022 and laboratory power unit.	50
1162	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH knife sharpener, model: HS DIVIDER ORBITAL, machine number: 242000.164491.116486, year of construction: 2013, weight: 35 kg, dimensions: 570 mm x 200 mm x 660 mm.	250
1163	NN frame	Wooden box with s/s frame, total dimensions: 2150 mm x 480 mm x 300 mm.	25
1164	NN mounting rail	2 boxes with plastic mounting rails, dimensions: 2200 mm x 220 mm x 300 mm.	25
1165	NN hoses	Plastic palletbox with large amount of hoses, various sizes.	25
1166	Krones	Pallet with various parts for Krones labelling machines.	10



Nr	Title	Description	Start €
1167	NN trolley	S/s trolley, dye: (9x) Ø 90 mm, total dimensions: 1000 mm x 750 mm x 1850 mm.	100
1168	Innomatec	Innomatec transport belt, s/s frame, plastic mesh belt, belt width: 220 mm, total dimensions: 1100 mm x 800 mm x 1050 mm.	250
1169	Afrem	Afrem mixing and dosing installation, total dimensions: 1200 mm x 1300 mm x 1800 mm. With crate with parts.	400
1170	Leonhardt	Leonhardt mobile passing machine, type: L 300, number: 0510/062, year of construction: 1990, dimensions: 1350 mm x 530 mm x 1740 mm.	750
1171	Hüttinger	Hüttinger induction seal machine, type: SIG 3/50 CAP, fabrication number: 24028375010-001, year of construction: 1998, 400 V, 50/60 Hz, 8.75 A, 3.0 kW, seal length: 550 mm, total dimensions: 700 mm x 1100 mm x 1650 mm.	75
1172	NN rejecter belt	Rejecter belt, s/s frame, plastic belts, belt width: 195 mm and 420 mm, total dimensions: 1250 mm x 1000 mm x 1050 mm.	200
1173	NN water filler	Mobile s/s water filler, number: 000184, year of construction: 2001, dimensions tank: Ø 300 mm x 600 mm.	250
1174	Loma Systems	Loma Systems mobile metal detector, type: IQ, serial number: 0027918150, serial number head: 1008B-18117, year of construction: 2000, 380 V, 3 Ph, 50 Hz, clearance: 250 mm x 130 mm, total dimensions: 2200 mm x 900 mm x 1600 mm. Missing belt.	350
1175	Logopak	Logopak mobile labeller, model: LOGOMATIC 804, plastic belt, belt width: 200 mm, total dimensions: 1750 mm x 700 mm x 1640 mm.	250
1176	NN can stacker	Can stacker, clearance: 85 mm x 15 mm, total dimensions: 1900 mm x 870 mm x 1660 mm.	250
1177	Mesutronic	Mesutronic mobile metal detector with rejecter, type: Metron 2.2 C 550/120 (NF), serial number: 991136-C, 100-240 V, 50/60 Hz, 100-250 mA, plastic belt, belt width: 500 mm, clearance: 550 mm x 90 mm, total dimensions: 1900 mm x 960 mm x 1020 mm. Without rejecter bin.	1000
1178	Rohema Maschinenbau GmbH	Rohema Maschinenbau GmbH mobile hanging line for sausages, type: AHV 5000, machine number: 030102, year of construction: 2003, 5-7 bar, dimensions: 1750 mm x 980 mm x 1300 mm.	250
1179	NN roller conveyor	Mobile roller conveyor, steel frame, steel rollers, roller width: 390 mm, total dimensions: 4060 mm x 930 mm x 1050 mm.	25



Nr	Title	Description	Start €
1180	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 8300 mm x 700 mm x 200 mm.	400
1181	NN transport screw	Transport screw with motor on s/s trolley, total dimensions: 1900 mm x 700 mm x 1570 mm.	150
1182	Kaba	Kaba timeboard, serial number: 072363-000170, 230 V, 50/60 Hz, 110 mA, dimensions: 250 mm x 110 mm x 300 mm.	25
1183	Koch Maschinenbau GmbH	Koch Maschinenbau GmbH s/s infeed gutter with chain hoist, name: Kippvorrichtung, type: KM 300, year of construction: 2016, volume: 300 liter, total dimensions: 1860 mm x 1150 mm x 1380 mm.	250
1184	Multivac	S/s cabinet with parts for Multivac thermoformer, dimensions: 1000 mm x 550 mm x 2000 mm.	150
1185	H&B Schleuter	H&B; Schleuter labelling machine with top and bottom labeller, type: TA/BE 2, number: 11224, year of construction: 1994, 230 V, 50 Hz, plastic belts, belt width: (2x) 80 mm, label width: 95 mm, total dimensions: 2700 mm x 650 mm x 1850 mm.	750
1186	NN slicer knives	S/s trolley with 2 slicer knives, dimensions knife: (2x) 600 mm x 700 mm, total dimensions: 870 mm x 700 mm x 870 mm.	200
1187	Bedo	Bedo carton erector, type: VA 9095, machine number: 9095.2.6964, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 16 A, Nordson glue unit, model: Problue 4, serial number: SA09D57610, plastic belts, belt width: (2x) 60 mm, plastic elevating outfeed belt, belt width: 485 mm, elevating height: 750 mm, total dimensions: 3600 mm x 2700 mm x 2300 mm.	3000
1188	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1300 mm x 700 mm x 1400 mm.	200
1189	NN doors	2 s/s doors, dimensions: (2x) 1050 mm x 2050 mm.	400
1190	NN hygiene equipment	Hose and duster and pan.	10
1191	Optima Control Systems GmbH / Multivac	Optima Control Systems GmbH checkweigher, type: HC, number: 1002434, year of construction: 2004, 230 V, 50/60 Hz, belt width: 295 mm, maximum weight: 7500 gram, OCS metal detector, model: MN 2.2 C 350/175, serial number: 960204-C (NF), belt width: 290 mm, clearance: 350 mm x 135 mm, Multivac labeller, type: MR233, machine number: 30089/11, year of construction: 2011, 230 V 50 Hz, 700 VA, belt width: 295 mm, with double ejector, total dimensions: 4600 mm x 1300 mm x 2300 mm.	750
1192	NN parts	Plastic palletbox with parts for cup filling machine, dimensions: 1200 mm x 1000 mm x 830 mm.	50



Nr	Title	Description	Start €
1193	Endress+Hauser	Pallet with pipe with valve and Endress+Hauser flowmeter.	25
1194	Gecam	Gecam traysealer, type: 3101 R, number: 129911, year of construction: 1987, dimensions: 1000 mm x 350 mm x 700 mm.	50
1195	NN table	S/s table, dimensions: 600 mm x 500 mm x 900 mm.	50
1196	Adlatus	Adlatus mobile wooden writing desk, dimensions: 720 mm x 660 mm x 1880 mm.	50
1197	Safeline	Safeline metal detector on s/s pole, clearance: 400 mm x 175 mm, total dimensions: 1800 mm x 1000 mm x 800 mm.	500
1198	NN cutter plates	6 plastic plates for cutter knives, diameter plates: 260 mm.	50
1199	NN rings	6 crates with rubber rings.	10
1200	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/27-AN151/12P.E, serial number: 400/3581816.0001, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 6.6 liter, 2 fans, dimensions: 1600 mm x 600 mm x 330 mm.	250
1201	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/27-AN151/12P.E, serial number: 400/3581816.0003, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 6.6 liter, 2 fans, dimensions: 1600 mm x 600 mm x 330 mm.	250
1202	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/57-AN151/6P.E, serial number: 400/3581560.0001, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, 5 fans, dimensions: 3900 mm x 500 mm x 350 mm.	250
1203	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/57-AN151/6P.E, serial number: 400/3581560.0002, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, 5 fans, dimensions: 3900 mm x 500 mm x 350 mm.	250
1204	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/27-AN151/12P.E, serial number: 400/3581816.0002, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 6.6 liter, 2 fans, dimensions: 1600 mm x 600 mm x 330 mm.	250



Nr	Title	Description	Start €
1205	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/27-AN151/12P.E, serial number: 400/3581816.0004, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 6.6 liter, 2 fans, dimensions: 1600 mm x 600 mm x 330 mm.	250
1206	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/47-AN151/12P.E, serial number: 400/3581817.0001, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 12.3 liter, 4 fans, dimensions: 3000 mm x 500 mm x 350 mm.	250
1207	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/47-AN151/12P.E, serial number: 400/3581821.0002, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 12.3 liter, 4 fans, dimensions: 3000 mm x 500 mm x 350 mm.	250
1208	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, device type: S-GGDF 030.1C/47-AN151/12P.E, serial number: 400/3581817.0002, year of construction: 2011, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 12.3 liter, 4 fans, dimensions: 3000 mm x 500 mm x 350 mm.	250
1209	Cool It	Cool It s/s refrigeration door, dimensions: 1050 mm x 2200 mm.	100
1210	Cool It	Cool It s/s refrigeration door, dimensions: 1050 mm x 2200 mm.	100
1211	Rittal	Rittal server cabinet, dimensions: 700 mm x 700 mm x 900 mm.	75
1212	NN valves	Pallet with large amount of valves, dimensions: 1200 mm x 800 mm x 500 mm.	25
1213	NN trolley with batteries	Steel trolley with 2 batteries, dimensions: 800 mm x 500 mm x 850 mm.	25
1214	NN high pressure pump station	S/s high pressure pump station with Sihi pump, dimensions tub: 1500 mm x 800 mm x 600 mm, total dimensions: 2100 mm x 950 mm x 1680 mm. Switch cabinet is incomplete.	500
1215	NN high pressure pump station	S/s high pressure pump station with Sihi pump, dimensions tub: 1500 mm x 800 mm x 600 mm, total dimensions: 2100 mm x 950 mm x 1680 mm. Switch cabinet is incomplete.	500



Nr	Title	Description	Start €
1216	Siemens	Siemens flowmeter, model: Sitrans F M MAG 5000, serial number: N1D8302222, 115/230 V, 50/60 Hz, dimensions: 200 mm x 150 mm x 450 mm.	100
1217	NN switch cabinet	S/s switch cabinet, dimensions: 800 mm x 400 mm x 1000 mm.	150
1218	Georg Hagelschuer GmbH	Georg Hagelschuer GmbH insulated condensate collection tank, number: 12-50078-B01, year of construction: 2013, volume: 1000 liter, dimensions: 2200 mm x 1500 mm x 2600 mm. With 2 Grundfos circulation pumps.	1250
1219	Grundfos	Control panel for warm water and steam distribution with Grundfos centrifugal pump, type: CRE45-1 A-F-A-E-HQQE, dimensions: 1800 mm x 800 mm x 2250 mm.	750
1220	Jumey	Jumey steam distributor for saturated steam, number: 85571, year of construction: 1995, capacity: 48 liter, maximum temperature: 184°C, dimensions: 2300 mm x 400 mm x 1200 mm.	400
1221	NN pressure vessel	Steel pressure vessel, dimensions: Ø 570 mm x 1900 mm. With Hora pneumatic actuator.	500
1222	NN heat exchanger	Heat exchanger with insulated pressure vessel and Grundfos pump, dimensions: 900 mm x 700 mm x 1400 mm.	1000
1223	S.-S.B. Systemtechnik	Wooden crate with S.-S.B. Systemtechnik motor, type: ACR 200 LB-2/PHE, serial number: 21050174887P, dimensions: 880 mm x 620 mm x 570 mm.	300
1224	Alfa Laval	Pallet with Alfa Laval pump and Hora pneumatic actuator, dimensions: 1200 mm x 800 mm x 500 mm.	300
1225	Reflex	Reflex steel pressure vessel, type: GG 800-450 ST, serial number: 8/7837 Z, year of construction: 1995, volume: 800 liter, dimensions: Ø 750 mm x 2300 mm.	150
1226	Alfa Laval	Warm water system, consisting of: 2 Alfa Laval heat exchangers, type: M6-FG and TS6-MFG, number: AAM1003445 and 30126-01838, year of construction: 2023 and 2022, minimum / maximum temperature: 0 - 140 °C and 0 - 60 °C, 2 Grundfos pumps, 2 Ari Armaturen pneumatic actuators, 1 steel pressure vessel and insulated pipes.	1500
1227	Planatol	Bag with Planator adhesive, 20 kg.	5
1228	Kirsch	Steel trolley with Kirsch welding machine, model: KNURZ 140/42, number: 1011415, 24 V, 3 kVa, 13.5 A, 2 Hansa fire extinguishers, dimensions trolley: 1000 mm x 600 mm x 800 mm.	50
1229	Eldon	Eldon s/s switch cabinet for warm water system, dimensions: 800 mm x 320 mm x 800 mm.	400



Nr	Title	Description	Start €
1230	NN motor	Motor, dimensions: 500 mm x 400 mm x 250 mm.	200
1231	Alfa Laval	Alfa Laval heat exchanger, type: CB52-20L, serial number: 19583040, year of construction: 14-04-2011, minimum / maximum temperature: -196 to 225 °C, dimensions: 160 mm x 160 mm x 600 mm.	75
1232	Verderair	Trolley with Verderair membrane pump, type: VA15KP-KYTFTFTBOO, serial number: A0255098, capacity: 57 liter per minute, dimensions: 1100 mm x 600 mm x 1300 mm.	150
1233	Grundfos	Grundfos end-suction close-coupled pump, type: NB50-125/133 A-F2-K-BAQE, capacity: 78 m³ per hour, dimensions: 650 mm x 300 mm x 350 mm.	150
1234	NN window	Window, dimensions: 1200 mm x 1000 mm.	25
1235	NN hygiene equipment	2 s/s mirrors with Mohn paper dispenser, waste bag holder and 3 soap dispensers, dimensions mirror: (2x) 980 mm x 480 mm, dimensions paper dispenser: 280 mm x 250 mm x 370 mm.	25
1236	NN soap dispenser	Soap dispenser, dimensions: 130 mm x 120 mm x 370 mm.	10
1237	KET Edelstahltechnik GmbH	2 KET Edelstahltechnik GmbH hand dryers, type: TT-1.6, serial number: 622/23792, year of construction: 2016, and 2 soap dispensers.	50
1238	NN laboratory tables	2 laboratory tables and 1 inspection table, dimensions: 1200 mm x 750 mm x 770 mm, 1400 mm x 750 mm x 930 mm and 1800 mm x 750 mm x 770 mm.	50
1239	Rittal	Rittal switch cabinet, dimensions: 650 mm x 500 mm x 620 mm.	25
1240	Memmert	Memmert water bath, type: WB 14, fabrication number: 1496.1698, 230 V, 50/60 Hz, 7.8 A, 1800 W, dimensions: 570 mm x 450 mm x 400 mm.	100
1241	Thermo Haake	Thermo Haake immersion cooler, model: EK30, type: 002-4317 / 1 95 005962 001, 230 V, 50/60 Hz, 2.8 A, refrigerant: R134a, dimensions: 550 mm x 220 mm x 380 mm.	50
1242	Tuttnauer	Tuttnauer autoclave, model: 2540 EL, serial number: 9512042, year of construction: 1996, 230 V, 1 Ph, 50 Hz, 9.6 A, inside dimensions: Ø 250 mm x 470 mm, total dimensions: 600 mm x 500 mm x 360 mm.	250
1243	Gerhardt	3 Gerhardt laboratory testing machines, 1 distillation system, Vapodest 20, type: VAP 20, 230 V, 50 Hz, 7.0 A, 1600 W, 1 block digestion unit, Kjeldatherm, and 1 fume suction unit, Turbosog, dimensions: 450 mm x 300 mm x 700 mm, 470 mm x 400 mm x 670 mm and 370 mm x 330 mm x 400 mm.	100



Nr	Title	Description	Start €
1244	MMM- Group	MMM-Group incubator, model: Friocell, type: FRIOCELL 111, serial number: B 010712, 230 V, 50/60 Hz, 990 W, capacity: 99 °C, dimensions: 760 mm x 640 mm x 1000 mm.	100
1245	MMM- Group	MMM-Group incubator, model: Friocell, type: FRIOCELL 111, serial number: B 010711, 230 V, 50/60 Hz, 990 W, capacity: 99 °C, dimensions: 760 mm x 640 mm x 1000 mm.	100
1246	NN clamp	Steel clamp, dimensions: 380 mm x 300 mm x 600 mm.	10
1247	NN measuring device	Measuring device in wooden case, dimensions: 1300 mm x 250 mm x 200 mm.	75
1248	NN office inventory	Office inventory, consisting of: 3 desks and 2 desk chairs, steel frame, wooden top, dimensions: (3x) 1600 mm x 800 mm x 730 mm.	50
1249	PhastSystem	PhastSystem separation and control unit, dimensions: 520 mm x 370 mm x 280 mm. With crate with parts.	75
1250	Kaiser	Kaiser repro stand with camera arm, serial number: 0001144/A, dimensions: 600 mm x 500 mm x 1000 mm.	50
1251	Kern	Kern weighing scale, type: FCB 3K0.1, serial number: WD160027133, maximum weight: 3 kg, d=: 0.1 gram, dimensions: 350 mm x 250 mm x 100 mm.	25
1252	Sartorius	Sartorius BBI Systems control panel, dimensions: 450 mm x 400 mm x 540 mm. Technical condition unknown.	10
1253	Robot Coupe	Robot Coupe hand blender, type: MP 350, 230 V, 400 W, dimensions: 700 mm x 130 mm x 160 mm.	50
1254	Mettler Toledo	Mettler Toledo holder for tubes, dimensions: 220 mm x 170 mm x 350 mm.	5
1255	Fiber-Lite	Fiber-Lite optic light source, type: PL 800, dimensions: 300 mm x 200 mm x 140 mm.	25
1256	NN tube holder	Tube holder, dimensions: 400 mm x 200 mm x 260 mm. With tray with 4 tubes, 5 inlets, dimensions: 300 mm x 80 mm x 420 mm.	5
1257	Mettler-Toledo	Mettler-Toledo weighing scale with label printer, type: UC-HTT-M CT, serial number: 3363687, year of construction: 2013, 100-240 V, 1 Ph, 50/60 Hz, 1 A, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, dimensions: 360 mm x 430 mm x 530 mm.	50
1258	NN cabinet	Wooden cabinet, dimensions: 600 mm x 550 mm x 2100 mm.	25
1259	NN cabinet	Steel cabinet for chemicals, dimensions: 630 mm x 600 mm x 1970 mm.	50



Nr	Title	Description	Start €
1260	Purite LTD	Purite LTD water pump installation with DEDRA 600 centrifugal pump, capacity: 6.6 - 53 liter per minute, total dimensions: 1200 mm x 800 mm x 1400 mm.	75
1261	Brand	Brand touch hand dispenser, model: HandyStep, dimensions: 60 mm x 90 mm x 200 mm.	150
1262	Savair	Savair pipe freezing set, model: T-VK 80, dimensions: 520 mm x 350 mm x 120 mm.	50
1263	+GF+	Steel case with +GF+ pipe fitting system, dimensions: 650 mm x 400 mm x 110 mm.	50
1264	Fischer	Wooden crate with Fischer Poroscope, dimensions: 470 mm x 320 mm x 280 mm.	50
1265	Kiestra	Kiestra laboratory machine, dimensions: 200 mm x 120 mm x 350 mm.	50
1266	NAG Nähma AG	NAG Nähma AG tube crimper, type: Grisotub MS-2, number: 3224.2-05, dimensions: 410 mm x 300 mm x 640 mm.	100
1267	Heidolph	Heidolph test tube mixer, type: REAX 1, 220 V, 50 Hz, 30 W, capacity: 2400 1/min, maximum diameter test tube: 20 mm, total dimensions: 160 mm x 120 mm x 130 mm.	10
1268	Paul Lüscher Werke	Paul Lüscher Werke heater, type: 1.21.211, fabrication number: 41747, 380 V, 3 Ph, 4 kW, dimensions: 350 mm x 350 mm x 800 mm.	25
1269	Thermo Haake	Thermo Haake circulator for water bath, model: DC 10, type: 003-2859, 230 V, 50-60 Hz, 9 A, dimensions: 500 mm x 200 mm x 300 mm.	75
1270	NN seamer	Heated seamer, dimensions: 500 mm x 300 mm x 840 mm.	25
1271	GTE	GTE force tester, model: KMG-Lite, dimensions: 450 mm x 350 mm x 100 mm and 270 mm x 220 mm x 90 mm.	100
1272	ProMinent	ProMinent photometer, dimensions: 280 mm x 250 mm x 80 mm.	50
1273	NN laboratory equipment	Large amount of glass laboratory equipment and disposables.	50
1274	Memmert	Memmert incubator, type: UM 400, 220 V, 50 Hz, 6.4 A, 1400 W, dimensions: 550 mm x 480 mm x 680 mm. Defect.	250
1275	MMM- Group	MMM-Group incubator, model: Friocell, type: FC / FC 222, dimensions: 750 mm x 730 mm x 1350 mm.	100
1276	Siemens	Siemens touch screen, model: KTP700 basic, dimensions: 210 mm x 45 mm x 160 mm.	100
1277	CEM Corporation	CEM Corporation exhaust blower	25
1278	NN trolley	Steel trolley, 2 floors, dimensions: 750 mm x 400 mm x 900 mm.	10
1279	Eppendorf	2 boxes with Eppendorf pipettips and 1 box of single use syringes.	25



Nr	Title	Description	Start €
1280	NN racks	2 racks, steel frame, wooden floors, dimensions: (2x) 1800 mm x 800 mm x 1870 mm.	25
1281	NN rack	Mobile steel rack, dimensions: 600 mm x 250 mm x 1400 mm.	10
1282	NN coat hangers	S/s coat hangers, length: 22000 mm divided over 2 rails.	25
1283	NN table	Table, steel frame, glass top, dimensions: 1200 mm x 800 mm x 900 mm.	10
1284	WiHa	WiHa au bain-marie, type: KW 3/1, number: 175078/1, year of construction: 03/18, 230 V, 1 Ph, 50 Hz, 330 W, refrigerant: R134a / 180 gram, inside dimensions: (2x) 960 mm x 510 mm x 220 mm, total dimensions: 3150 mm x 800 mm x 950 mm.	50
1285	NN canteen inventory	Canteen inventory, consisting of: 8 wooden tables and 23 plastic chairs, dimensions tables: (8x) 1200 mm x 800 mm x 720 mm.	150
1286	NN soap dispenser	S/s soap dispenser, dimensions: 500 mm x 500 mm x 1500 mm.	10
1287	Scholl	2 Scholl trolleys for plates, 9 floors each trolley, floor dimensions: 560 mm x 400 mm, total dimensions: (2x) 600 mm x 400 mm x 1450 mm.	10
1288	Whirlpool	3 Whirlpool microwaves, dimensions: 530 mm x 400 mm x 300 mm, 450 mm x 330 mm x 300 mm and 370 mm x 170 mm x 380 mm.	10
1289	NN office inventory	Office inventory, consisting of: various desks, cabinets, desk chairs and chairs.	150
1290	NN soap dispenser	S/s soap dispenser, dimensions: 500 mm x 500 mm x 1500 mm.	10
1291	Liebherr	Liebherr refrigerator, model: LCexv 4010 Index 23B / 001, serial number: 84.430.119.6, capacity: 345 liter, refrigerant: R600a, 50 gram, dimensions: 600 mm x 600 mm x 2000 mm.	25
1292	Exquisit	Exquisit refrigerator, dimensions: 500 mm x 470 mm x 850 mm.	50
1293	NN shelves	2 s/s wall mounted shelves, dimensions: (2x) 600 mm x 400 mm.	10
1294	BSH	BSH refrigerator, type: KW KSVV30A, 220-240 V, 50 Hz, 0.70 A, 90 W, refrigerant: R600a, 43 gram, volume: 346 liter, dimensions: 650 mm x 600 mm x 1850 mm.	75
1295	KBS	KBS refrigerator, model: HR400 INT, serial number: 216067, 230 V, 50 Hz, 1.5 A, 185 W, refrigerant: R134a, 170 gram, dimensions: 600 mm x 600 mm x 2150 mm.	75



Nr	Title	Description	Start €
1296	NN lockers	2 steel 15-door lockers and 2 steel 10-door lockers, dimensions: (2x) 900 mm x 500 mm x 1770 mm and (2x) 600 mm x 500 mm x 1770 mm. Most of the locks are missing.	50
1297	Wimco GmbH	Wimco GmbH home trainer, type: Amya, klasse: DIN EN 957-5 HC, year of construction: 96, maximum weight: 110 kg, dimensions: 800 mm x 500 mm x 1250 mm.	50
1298	Gorenje	Gorenje freezer, type: ZODS 2436, serial number: 00230001, 220-230 V, 50 Hz, 100 W, refrigerant: R600a, 0.0600 kg, freezing capacity: 24 kg per 24 hours, volume: 208 liter, dimensions: 660 mm x 600 mm x 1470 mm. Missing door handle.	50
1299	Liebherr	Liebherr refrigerator, model: FKU 1800 Index 11, 220-230 V, 50 Hz, 120 W, refrigerant: R134a, 100 gram, volume: 180 liter, dimensions: 650 mm x 600 mm x 850 mm.	25
1300	NN announcement boards	2 announcement boards and 2 letterboxes, dimensions: (2x) 1350 mm x 950 mm, 350 mm x 100 mm x 320 mm and 230 mm x 70 mm x 300 mm.	50
1301	NN cooking vessel	Cooking vessel, inside dimensions: 620 mm x 370 mm x 170 mm, total dimensions: 920 mm x 800 mm x 870 mm.	100
1302	MKN	MKN electrical 4-pits stove with oven, type: 27623, machine number: 01106, 380 V, 3 Ph, 4 floors oven, dimensions each floor: 520 mm x 300 mm, total dimensions: 800 mm x 870 mm x 900 mm.	50
1303	GGM Gastro	GGM Gastro s/s cabinet with sliding doors, dimensions: 650 mm x 400 mm x 1000 mm.	25
1304	Salzmann	Salzmann refrigerator, dimensions: 600 mm x 600 mm x 800 mm.	50
1305	NN inspection table	Inspection tables, dimensions: 1200 mm x 800 mm x 930 mm.	25
1306	NN refrigerator	Refrigerator, dimensions: 600 mm x 550 mm x 850 mm. Door handle broken.	25
1307	Liebherr	Liebherr refrigerator, model: LKv 3910 Index 24B / 001, serial number: 84.215.322.3, capacity: 360 liter, dimensions: 650 mm x 600 mm x 1830 mm.	25
1308	Hobart	Hobart dishwasher, dimensions: 680 mm x 650 mm x 1780 mm.	100
1309	Maja	Maja ice machine, machine type: SA 70, machine number: 32227, year of construction: 2003, 230 V, 1 Ph, 50 Hz, 3.9 A, 0.53 kW, refrigerant: R404A, capacity: 70 kg per 24 hours, dimensions: 600 mm x 700 mm x 1270 mm.	200
1310	Palux	Palux dishwasher, dimensions: 750 mm x 750 mm x 1450 mm.	50



Nr	Title	Description	Start €
1336	Rittal	2 Rittal s/s switch cabinets, serial number: (1x) 002384, 004072, dimensions: (2x) 1400 mm x 800 mm x 500 mm.	100
1337	Ulbricht	Ulbricht s/s mobile tilting device, type: HKV 250-1200, serial number: 1004 187, year of construction: 2010, machine weight: 110 kg, tilting height: 1200 mm, total dimensions: 1300 mm x 1200 mm x 1500 mm.	300
1338	Carsoe	Carsoe mobile denester with transport belt, type: ANYTRAY CLEANLINE DENESTER, serial number: SO-101648, plastic belt, belt width: 340 mm, total dimensions: 2450 mm x 600 mm x 1700 mm. Including 5 denesters.	1500
1339	NN elevating belt	S/s mobile elevating belt, plastic belt with dividers, belt width: 300 mm, dividers height: 30 mm, distance between dividers: 190 mm, elevating height: 1370 mm, total dimensions: 2150 mm x 700 mm x 1500 mm.	250
1340	Stork	Stork tumbler, dimensions tumbler: Ø 760 mm x 920 mm, total dimensions: 1050 mm x 1760 mm x 2000 mm.	400
1341	Safeline	Safeline metal detector, module number: 133125, plastic belt, belt width: 220 mm, clearance: 350 mm x 140 mm, total dimensions: 1200 mm x 900 mm x 1200 mm.	300
1342	Ishida Europe LTD	Ishida Europe LTD checkweigher with 4 rejectors, model: ST220-WP-C-4R-2VT, serial number: 520360, year of construction: 03/2010, 230 V, 1 Ph, 50 Hz, 13 A, machine weight: 300 kg, plastic belt, belt width: 220 mm, total dimensions: 2400 mm x 1600 mm x 1750 mm.	1500
1343	Marel	Marel checkweigher, model: 9500, serial number: 95200W, 230 V, 50 Hz, maximum capacity: 27.5 kg, minimum capacity: 2 kg, plastic belt, belt width: 490 mm, total dimensions: 2200 mm x 1100 mm x 1820 mm.	400
1344	Safeline	Safeline metal detector, module number: 184135, plastic belt, belt width: 220 mm, clearance: 350 mm x 140 mm, total dimensions: 1200 mm x 900 mm x 1200 mm.	300
1345	Ishida Europe LTD	Ishida Europe LTD checkweigher with 4 rejectors, model: ST220-WP-C-4R-2VT, serial number: 520362, year of construction: 03/2010, 230 V, 1 Ph, 50 Hz, 13 A, machine weight: 300 kg, plastic belt, belt width: 220 mm, total dimensions: 2400 mm x 1600 mm x 1750 mm. Incomplete missing camera. Technical condition unknown.	1000



Nr	Title	Description	Start €
1346	Marel	Marel checkweigher, model: 9500, serial number: 95201W, 230 V, 50 Hz, maximum capacity: 27.5 kg, minimum capacity: 2 kg, plastic belt, belt width: 490 mm, total dimensions: 2200 mm x 1100 mm x 1820 mm. Technical condition unknown.	400
1347	Turbo Systems LTD	Turbo Systems LTD mobile depositor, serial number: D250P5904019, year of construction: 2009, dimensions: 1050 mm x 650 mm x 1300 mm. Incomplete.	100
1348	Turbo Systems LTD	Turbo Systems LTD mobile depositor, dimensions: 1200 mm x 650 mm x 1500 mm. Incomplete.	100
1349	Turbo Systems LTD	Turbo Systems LTD mobile depositor, dimensions: 1200 mm x 650 mm x 1500 mm. Incomplete.	100
1350	KET Edelstahltechnik GmbH	Hygiene station with sole cleaner, KET Edelstahltechnik GmbH hand disinfection unit and tourniquet, brush length: 1000 mm, total dimensions: 1850 mm x 1250 mm x 1500 mm.	500
1351	NN protection frame	S/s protection frame, dimensions: 2600 mm x 900 mm x 750 mm.	50
1352	NN table	S/s table, dimensions table: 1250 mm x 900 mm x 850 mm, total dimensions: 1400 mm x 900 mm x 1700 mm.	100
1353	NN table	S/s table, dimensions table: 1200 mm x 1000 mm x 850 mm, total dimensions: 1700 mm x 1000 mm x 1650 mm.	100
1354	Plum	Wall mounted cabinet with Plum eye wash kit, dimensions: 220 mm x 100 mm x 280 mm.	10
1355	NN protection frame	S/s protection frames, length: 10500 mm, height: 780 mm.	100
1356	NN coat hangers	S/s coat hangers, dimensions: 2050 mm x 400 mm x 450 mm.	25
1357	NN protection frame	S/s protection frame, length: 6300 mm and 10500 mm, height: 700 mm.	100



Nr	Title	Description	Start €
1358	Weber	Weber slicer line, consisting of: Weber slicer, type: CCS 904, number: CCS 904-7096, year of construction: 07/2007, 400 V, 50 Hz, 10 kW, plastic infeed belt, belt width: (3x) 70 mm, plastic string outfeed conveyor, belt width: 470 mm, total dimensions: 4900 mm x 2000 mm x 2300 mm, Missing knife, Weber checkweigher, type: CCW, number: CCW 904-7096, year of construction: 07/2007, plastic string conveyor, belt width: 470 mm, total dimensions: 600 mm x 900 mm x 1400 mm, Weber line dividing belt, type: CCR, number: CCR 904-7096, year of construction: 07/2007, plastic string conveyor, belt width: 470 mm, total dimensions: 500 mm x 900 mm x 1400 mm, Weber outfeed belt, type: CCA, number: CCA 904-7096, year of construction: 07/2007, plastic belts, belt width: 590 mm, total dimensions: 8600 mm x 1450 mm x 1700 mm, Pallet with parts.	50000
1359	Bosch Sigpack Systems AG	Bosch Sigpack Systems AG robot line dividing machine, type: LDM and TC1-XP, number: J-01659-LDM-042 and TC02075 / J-01659-TRV, year of construction: 2008, plastic infeed belt with dividers, belt width: 120 mm, distance between dividers: 190 mm, divider height: 7 mm, plastic outfeed belts, belt width: 250 mm, total dimensions: 2400 mm x 2400 mm x 2500 mm.	7500
1360	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 1500 mm x 600 mm x 850 mm.	400
1361	Pago Etikettiersysteme	Pago Etikettiersysteme labelling machine with 2 top and bottom labellers, type: PAGOMat 6/2 A 170, number: 6A 212520, year of construction: 2012, 230 V, 50 Hz, plastic belt, belt width: 175 mm, total dimensions: 3800 mm x 1500 mm x 2450 mm.	2250
1362	Mettler Toledo Garvens	Mettler Toledo Garvens checkweigher with metal detector and 2 rejectors, type: XS 3, number: 35000430, year of construction: 2008, 230 V, 50-60 Hz, maximum weight: 750 gram, minimum weight: 10 gram, e=d=: 0.2 gram, T=: -675 gram, plastic belt, belt width: 200 mm, clearance: 250 mm x 65 mm, total dimensions: 2200 mm x 1200 mm x 1700 mm.	3500
1363	Viewtech	Viewtech optical sorting machine, type: VT2007/010, serial number: VT2007-DCDCL/057, year of construction: 2012, 230 V, 1 kW, plastic belt, belt width: 175 mm, clearance: 290 mm x 110 mm, total dimensions: 1300 mm x 1100 mm x 2100 mm.	3500



Nr	Title	Description	Start €
1364	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 3300 mm x 580 mm x 930 mm.	1000
1365	Bosch Sigpack Systems AG	Bosch Sigpack Systems AG carton and lid erector with packaging robots, type: TTLi, number: J-01659-TTLi-077, year of construction: 2008, 2 packaging robots, Robatech glue unit, type: Concept A 8/6, plastic belts, belt width: (2x) 50 mm and 350 mm, total dimensions: 8500 mm x 4000 mm x 2000 mm.	17500
1366	Bosch Sigpack Systems AG	Pallet with parts for Bosch Sigpack Systems AG packaging machines.	500
1367	NN depositor	Mobile depositor, dimensions: 1700 mm x 850 mm x 1900 mm.	400
1368	Schuy Technik + Service GmbH	Schuy Technik + Service GmbH bucket filling, sealing and lidding machine, type: SchuCup, machine number: 100405, 400 V, 1 Ph, 50 Hz, 10 A, 4.5 kW, 600 kPa, maximum: 600 pieces per hour (depending on product), total dimensions: 7400 mm x 1000 mm x 2600 mm, dimensions switch cabinet: 800 mm x 300 mm x 1200 mm, including s/s trolley with extra dye, dye: 190 mm x 128 mm, dimensions trolley: 1100 mm x 730 mm x 880 mm.	1500
1369	NN dispenser	2 s/s hand disinfection dispensers, dimensions: (2x) 500 mm x 500 mm x 1350 mm.	50
1370	ABL	ABL fruit peeler for kiwi and mango, model: op30k, serial number: 138, year of construction: 2010, machine weight: 1500 kg, plastic belt, belt width: 300 mm x 400 mm, total dimensions: 5400 mm x 1750 mm x 2300 mm.	4000
1371	ABL	ABL fruit peeler for kiwi and mango, model: op30k, serial number: 137, year of construction: 2010, machine weight: 1500 kg, plastic belt, belt width: 300 mm x 400 mm, total dimensions: 5400 mm x 1750 mm x 2300 mm.	4000
1372	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 3200 mm x 600 mm x 650 mm.	300
1373	NN platform	S/s platform, 6 steps, working height: 800 mm, total dimensions: 2900 mm x 750 mm x 1900 mm.	150
1374	ABL	ABL apple peeling and cutting in slices machine with infeed bunker and platform, model: PDS 50 TT, serial number: 284, year of construction: 2013, machine weight: 1300 kg, dividers diameter: 85 mm, dimensions infeed bunker: 2700 mm x 1250 mm x 2200 mm, dimensions peeling and cutting in slices machine: 3000 mm x 1500 mm x 2700 mm, dimensions platform: 2700 mm x 900 mm x 1750 mm.	7500



Nr	Title	Description	Start €
1375	ABL	ABL apple peeling and cutting in slices machine with infeed bunker and platform, model: PDS 50 TT, serial number: 283, year of construction: 2013, machine weight: 1300 kg, dividers diameter: 85 mm, dimensions infeed bunker: 2700 mm x 1250 mm x 2200 mm, dimensions peeling and cutting in slices machine: 3000 mm x 1500 mm x 2700 mm, dimensions platform: 2700 mm x 900 mm x 1750 mm.	7500
1376	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 4500 mm x 500 mm x 750 mm.	300
1377	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1300 mm, total dimensions: 3600 mm x 600 mm x 1600 mm.	300
1378	ABL	ABL washing tub with elevating belt and weighing scale, s/s tub, plastic mesh belt with dividers, belt width: 500 mm, dividers height: 50 mm, distance between dividers: 250 mm, elevating height: 1500 mm, total dimensions: 5000 mm x 1300 mm x 1870 mm.	700
1379	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/333184701, year of construction: 2009, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 12.7 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1380	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/333184702, year of construction: 2009, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 12.7 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1381	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/314929302, year of construction: 2006, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 12.7 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250



Nr	Title	Description	Start €
1382	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/314929301, year of construction: 2006, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 12.7 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1383	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279307, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1384	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279310, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1385	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279309, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1386	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279302, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1387	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279311, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250



Nr	Title	Description	Start €
1388	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279301, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1389	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279303, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1390	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279306, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1391	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279308, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1392	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279305, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1394	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGN 051B/14/20P, serial number: 400/61279312, year of construction: 2005, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 95°C / -50°C, volume: 13 liter, 1 fan, dimensions: 1400 mm x 500 mm x 690 mm.	250
1395	Espera	Espera mobile labelling machine, 230 V, 50/60 Hz, 2 A, dimensions: 1100 mm x 700 mm x 1700 mm.	200
1396	Espera	Espera mobile labelling machine, model: ES 1201 PN, serial number: 3810000126, 230 V, 50/60 Hz, 2 A, dimensions: 1100 mm x 700 mm x 1700 mm.	200



Nr	Title	Description	Start €
1397	Espera	Espera mobile labelling machine, model: ES 1201, serial number: 3830000215, 230 V, 50/60 Hz, 2 A, dimensions: 1100 mm x 700 mm x 1700 mm.	200
1398	Espera	Espera mobile labelling machine, model: ES 1201 PN, serial number: 3810000125, 230 V, 50/60 Hz, 2 A, dimensions: 1100 mm x 700 mm x 1700 mm.	200
1399	ABL S.R.L.	ABL S.R.L. vibrating gutter, year of construction: 2004, 380 V, s/s gutter, gutter width: 390 mm, total dimensions: 1250 mm x 950 mm x 1350 mm.	250
1400	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 21 040288 011 01, year of construction: 2021, dimensions door: 1700 mm x 2250 mm, length rail: 3800 mm.	250
1401	NN smoke trolley	S/s smoke trolley, 5 floors, dimensions each floor: 1000 mm x 970 mm, total dimensions: 1000 mm x 970 mm x 1900 mm.	75
1402	NN meat hooks	7 s/s H-profile smoke trolleys with large amount of meat hooks, 7 x 4 floors, dimensions each floor: 920 mm x 880 mm, dimensions hooks: 130 mm x 90 mm x 120 mm and 150 mm x 90 mm x 150 mm, total dimensions: (7x) 920 mm x 920 mm x 2100 mm.	1050
1403	NN meat hooks	7 s/s H-profile smoke trolleys with large amount of meat hooks, 7 x 4 floors, dimensions each floor: 920 mm x 880 mm, dimensions hooks: 130 mm x 90 mm x 120 mm and 150 mm x 90 mm x 150 mm, total dimensions: (7x) 920 mm x 920 mm x 2100 mm.	1050
1404	NN meat hooks	14 s/s H-profile smoke trolleys with large amount of meat hooks, 14 x 4 floors, dimensions each floor: 920 mm x 880 mm, dimensions hooks: 130 mm x 90 mm x 120 mm and 150 mm x 90 mm x 150 mm, total dimensions: (14x) 920 mm x 920 mm x 2100 mm.	2100
1405	NN meat hooks	6 s/s containers with large amount of meat hooks, dimensions each hook: 130 mm x 120 mm x 50 mm, total dimensions: (6x) 1250 mm x 800 mm x 1400 mm.	900
1406	NN meat hooks	5 s/s containers with large amount of meat hooks, dimensions each hook: 130 mm x 120 mm x 50 mm, total dimensions: (5x) 1250 mm x 800 mm x 1400 mm.	750
1407	NN cooking racks	23 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (23x) 1200 mm x 800 mm x 870 mm.	3500
1408	NN cooking racks	33 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (33x) 1200 mm x 800 mm x 870 mm.	5000



Nr	Title	Description	Start €
1409	NN cooking racks	24 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (24x) 1200 mm x 800 mm x 870 mm.	3500
1410	NN smoke trolleys	11 s/s smoke trolleys, (2x) 14 floors, dimensions each floor: 495 mm x 960 mm, total dimensions: (11x) 1020 mm x 1025 mm x 1960 mm.	275
1411	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 21 040288 012 01, year of construction: 2021, dimensions door: 1700 mm x 2250 mm, length rail: 3800 mm.	250
1412	CFS	CFS FlowCook, type: FLC 6000/600, machine number: 379, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 200 A, 132 kW, electric heated, weight: 4250 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 6800 mm x 2100 mm x 2600 mm.	17500
1413	NN table	S/s table, dimensions: 1000 mm x 820 mm x 1000 mm.	75
1414	NN frame	S/s frame, dimensions: 660 mm x 480 mm x 900 mm.	25
1415	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 20 100876 001 01, year of construction: 2020, dimensions door: 1850 mm x 2150 mm, length rail: 3900 mm.	250
1416	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 22 061264 001 01, year of construction: 2022, dimensions door: 1850 mm x 2150 mm, length rail: 3900 mm.	250
1417	NN smoke trolleys	25 s/s H-profile smoke trolleys, 4 floors, dimensions each floor: 920 mm x 870 mm, total dimensions: (25x) 920 mm x 920 mm x 2100 mm.	1875
1418	NN smoke trolleys	25 s/s H-profile smoke trolleys, 4 floors, dimensions each floor: 920 mm x 870 mm, total dimensions: (25x) 920 mm x 920 mm x 2100 mm.	1875
1419	NN smoke trolleys	25 s/s H-profile smoke trolleys, 4 floors, dimensions each floor: 920 mm x 870 mm, total dimensions: (25x) 920 mm x 920 mm x 2100 mm.	1875
1420	NN smoke trolleys	25 s/s H-profile smoke trolleys, 4 floors, dimensions each floor: 920 mm x 870 mm, total dimensions: (25x) 920 mm x 920 mm x 2100 mm.	1875
1421	NN smoke trolleys	25 s/s H-profile smoke trolleys, 4 floors, dimensions each floor: 920 mm x 870 mm, total dimensions: (25x) 920 mm x 920 mm x 2100 mm.	1875
1422	NN smoke trolleys	13 s/s H-profile smoke trolleys, 4 floors, dimensions each floor: 920 mm x 870 mm, total dimensions: (13x) 920 mm x 920 mm x 2100 mm.	975
1423	NN smoke trolleys	20 s/s H-profile smoke trolleys, 4 floors, dimensions each floor: 920 mm x 870 mm, total dimensions: (20x) 920 mm x 920 mm x 2100 mm.	1500



Nr	Title	Description	Start €
1424	NN smoke trolleys	50 s/s H-profile smoke trolleys, 4 floors, dimensions each floor: 920 mm x 870 mm, total dimensions: (50x) 920 mm x 920 mm x 2100 mm.	3750
1425	NN smoke trolleys	50 s/s H-profile smoke trolleys, 4 floors, dimensions each floor: 920 mm x 870 mm, total dimensions: (50x) 920 mm x 920 mm x 2100 mm.	3750
1426	NN smoke trolleys	8 s/s Z-shape smoke trolleys, 9 floors, dimensions each floor: 900 mm x 780 mm, total dimensions: (8x) 1000 mm x 780 mm x 1900 mm.	600
1427	NN smoke sticks	S/s container with large amount of aluminium smoke sticks, length: 900 mm, total dimensions: 1250 mm x 800 mm x 1400 mm.	150
1428	NN smoke sticks	S/s trolley with large amount of aluminium Y-profile smoke sticks, length smoke sticks: 900 mm, total dimensions: 1050 mm x 690 mm x 1200 mm.	150
1429	NN smoke sticks	S/s smoke trolleys with large amount of aluminium Y-profile smoke sticks, length smoke sticks: 900 mm, total dimensions: 920 mm x 920 mm x 2100 mm.	150
1430	NN smoke sticks	S/s smoke trolleys with large amount of aluminium Y-profile smoke sticks, length smoke sticks: 900 mm, total dimensions: 920 mm x 920 mm x 2100 mm.	150
1431	NN smoke sticks	S/s smoke trolleys with large amount of aluminium Y-profile smoke sticks, length smoke sticks: 900 mm, total dimensions: 920 mm x 920 mm x 2100 mm.	150
1432	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 20 100876 002 01, year of construction: 2020, dimensions door: 1900 mm x 2200 mm, length rail: 4100 mm.	250
1433	Südpack	2 pallets with 27 rolls of Südpack film, type: Econyl Ng/G/Puv 105 f W, film width: 555, total dimensions: (2x) 1260 mm x 800 mm x 1300 mm.	400
1434	Südpack	Pallet with 10 rolls of Südpack film, dimensions: 1200 mm x 800 mm x 700 mm.	200
1435	Südpack	2 pallets with 39 rolls of Südpack film, type: Econyl N/Puv 140 BL, film width: 562, total dimensions: (2x) 1200 mm x 800 mm x 1300 mm.	400
1436	Gewürzmüller/Van Hees	15 pallets with Gewürzmüller/Van Hees large amount of spices, dimensions: (15x) 1200 mm x 800 mm x 1600 mm.	200
1437	NN crates	Pallet with 17 plastic crates, dimensions: (17x) 540 mm x 390 mm x 280 mm.	50
1438	NN cabinet	S/s cabinet, dimensions: 1600 mm x 500 mm x 1850 mm.	100
1439	NN cooking racks	12 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (12x) 1200 mm x 800 mm x 870 mm.	1800



Nr	Title	Description	Start €
1440	NN cooking racks	8 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (8x) 1200 mm x 800 mm x 870 mm.	1200
1441	NN cooking racks	8 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (8x) 1200 mm x 800 mm x 870 mm.	1200
1442	NN cooking racks	8 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (8x) 1200 mm x 800 mm x 870 mm.	1200
1443	NN cooking racks	4 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (4x) 1200 mm x 800 mm x 870 mm.	600
1444	NN cooking racks	4 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (4x) 1200 mm x 800 mm x 870 mm.	600
1445	NN tubs	2 mobile s/s tubs, dimensions: 1400 mm x 1000 mm x 1550 mm.	100
1446	NN tub	S/s tub, dimensions: 1200 mm x 1200 mm x 1250 mm.	150
1447	NN racks	6 s/s racks, dimensions: (6x) 1100 mm x 1000 mm x 950 mm.	300
1448	NN trolley	S/s trolley, 19 pegs, dimensions: 2000 mm x 700 mm x 1180 mm.	200
1449	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 21 040288 006 01, year of construction: 2021, dimensions door: 2150 mm x 2300 mm, length rail: 4500 mm.	250
1450	Electrostar	Electrostar mobile vacuum cleaner, type: GS, model: 2078 GI, number: 039725, 220-240 V, 50/60 Hz, 200/2400 W, dimensions: 700 mm x 600 mm x 950 mm.	10
1451	NN dip trays	3 plastic dip trays, dimensions: (3x) 1200 mm x 800 mm x 150 mm.	50
1452	NN knives	2 plastic crates with knives, dimensions: (2x) 600 mm x 400 mm x 200 mm.	25
1453	Denios	Denios plastic drip tray, type: BK 15, year of construction: 2013, volume: 220 liter, dimensions: 1500 mm x 1500 mm x 150 mm.	50
1454	Denios	Denios plastic drip tray, type: TC-A, year of construction: 2011, volume: 1000 liter, dimensions: 1650 mm x 1650 mm x 700 mm.	50
1455	Deta	Deta trolley for distilled water, dimensions: 600 mm x 600 mm x 1500 mm.	30
1456	NN welding trolley	Steel welding trolley, dimensions: 1000 mm x 580 mm x 1150 mm.	50
1457	NN trolley	Steel trolley, dimensions: 1250 mm x 700 mm x 1400 mm.	40



Nr	Title	Description	Start €
1458	Danfoss	Danfoss frequency converter, serial number: 019312G229, dimensions: 240 mm x 190 mm x 450 mm.	80
1459	NN dip trays	1 floor drip tray with galvanized gratings, dimensions: 1400 mm x 1200 mm x 1800 mm and 1 steel drip trays with galvanized gratings, dimensions: 2400 mm x 1550 mm x 220 mm.	20
1460	NN gas bottles	Steel cage with gas bottles, type cage: TP12-2, weight: 135 Kg, year of construction: 2019, dimensions: 1060 mm x 800 mm x 1450 mm.	75
1461	Hoppecke	Steel cage with batteries, Hoppecke battery, type: 12/2 BST 620, serial number: 97.2925.N.99, year of construction: 20.01.97, weight: 179 Kg, total dimensions: 1250 mm x 850 mm x 970 mm.	100
1462	Boge	Boge air compressor, dimensions: 1000 mm x 800 mm x 600 mm.	75
1463	NN dip tray	Steel dip tray, dimensions: 1800 mm x 1250 mm x 250 mm.	25
1464	Chemo	Chemo plastic dip tray, dimensions: 1270 mm x 1270 mm x 250 mm.	25
1465	Pressol	Pressol steel dip tray, number: 130144, year of construction: 2013, with oil tank, dimensions: 1350 mm x 830 mm x 350 mm.	30
1466	Bauer	Bauer steel dip tray, dimensions: 1350 mm x 830 mm x 350 mm.	25
1467	Denios	Denios plastic dip tray, type: Poly Safe Euro, year of construction: 2012, volume: 200 liter, dimensions: 1230 mm x 830 mm x 330 mm.	25
1468	NN table	S/s table, dimensions: 1000 mm x 950 mm x 930 mm.	25
1469	NN waste bag holders	2 mobile plastic waste bag holders, dimensions: 780 mm x 370 mm x 880 mm.	10
1470	NN film roll holder	S/s film roll holder, length: 1650 mm.	5
1471	Plum	Cabinet with Plum eye wash, dimensions: 220 mm x 110 mm x 270 mm.	10
1472	Rewe	2 Rewe steel container trolleys, dimensions: (2x) 770 mm x 650 mm x 1730 mm.	20
1473	NN rack	S/s rack, 5 floors, dimensions: 1200 mm x 670 mm x 1780 mm.	25
1474	NN weighing scale	Weighing scale, dimensions scale: 275 mm x 310 mm, total dimensions: 300 mm x 370 mm x 1300 mm.	50
1475	NN switch cabinet	S/s switch cabinet, dimensions: 700 mm x 670 mm x 2150 mm.	50
1476	Pfannenber	Pallet with Pfannenber heater, type: DTS 3, serial number: S11170807815, dimensions: 400 mm x 310 mm x 900 mm.	75



Nr	Title	Description	Start €
1477	Rittal	Rittal switch cabinet, dimensions: 1200 mm x 800 mm x 450 mm.	50
1478	NN part for mixer	S/s shaft for paddle mixer, dimensions: 600 mm x 600 mm x 2550 mm.	50
1479	NN belts	Pallet with various parts, plastic belts, belt width: 300 mm and 400 mm, plastic rollers, roller width: 500 mm, total dimensions: 1450 mm x 800 mm x 350 mm.	25
1480	NN cutting parts	S/s cutting parts for thermoformer/traysealer, dimensions: 1200 mm x 900 mm x 250 mm.	25
1481	Leushuis	Leushuis s/s flowplate, dimensions: 1700 mm x 1300 mm x 1300 mm.	150
1482	NN parts	4 Sick safety lasers and 2 switch cabinets, dimensions: 1200 mm x 1200 mm x 450 mm.	50
1483	NN table	S/s table, dimensions: 1200 mm x 800 mm x 820 mm.	25
1484	Hilge	2 Hilge pumps, dimensions: 1200 mm x 1000 mm x 500 mm.	100
1485	Rittal	Rittal switch cabinet, dimensions: 370 mm x 250 mm x 2070 mm.	50
1486	NN protection frames	Pallet with steel protection frames, dimensions: 1300 mm x 1200 mm x 250 mm.	25
1487	GEA	GEA s/s switch cabinet, dimensions: 1400 mm x 900 mm x 450 mm.	50
1488	Videojet	4 Videojet inkjet printers, model: (2x) 1650, (2x) 1660, serial number: 1610002C47ZH, 1610004C47ZH, 1409769C30ZH, 1234329C30ZH, dimensions: (4x) 350 mm x 300 mm x 570 mm. Technical condition unknown.	200
1489	Videojet	6 Videojet inkjet printers, model: (5x) 1660 and (1x) 1650, serial number: 1433633C47ZH, 1610007C47ZH, 17013014C47ZH, 17041005C47ZH, 1433631C47ZH, 1229258C30ZH, dimensions: (6x) 350 mm x 300 mm x 570 mm. Technical condition unknown.	300
1490	Videojet	9 Videojet inkjet printers, model: (3x) 1650 and (6x) 1660, serial number: 1417996C30ZH, 18081004C47ZH, 17041006C47ZH, 1610006C47ZH, 1610005C47ZH, 1409773C30ZH, 1433209C47ZH, 1409772C30ZH, 17076007C47ZH, dimensions: (9x) 350 mm x 300 mm x 570 mm. Technical condition unknown.	450
1491	NN trolley	S/s trolley, dimensions: 1100 mm x 600 mm x 750 mm.	25
1492	NN hydraulic punch	2 wooden crates with hydraulic punches, dimensions: (2x) 750 mm x 220 mm x 380 mm, dimensions crates: 950 mm x 370 mm x 520 mm and 1070 mm x 550 mm x 500 mm.	150



Nr	Title	Description	Start €
1493	NN writing desk	Mobile wooden writing desk, dimensions: 720 mm x 660 mm x 1880 mm.	75
1494	Weber	Knife for Weber slicer, model: Durablade, number: 70900126, R400, dimensions: 700 mm x 600 mm.	100
1495	NN table	S/s table, dimensions: 600 mm x 500 mm x 750 mm.	75
1496	NN box	Steel box, dimensions: 400 mm x 300 mm x 200 mm.	10
1497	NN table	Mobile s/s table, dimensions: 2000 mm x 900 mm x 1650 mm.	100
1498	NN table	S/s table with perforated top, dimensions: 920 mm x 500 mm x 870 mm.	50
1499	NN table	S/s table, dimensions: 670 mm x 470 mm x 950 mm.	50
1500	NN table	S/s table, dimensions: 850 mm x 580 mm x 1100 mm.	25
1501	NN frame	S/s frame, dimensions: 660 mm x 480 mm x 900 mm.	25
1502	NN table	S/s table with perforated top, dimensions: 920 mm x 500 mm x 870 mm.	50
1503	NN table	S/s table with perforated top, dimensions: 920 mm x 500 mm x 870 mm.	50
1504	NN tub	Mobile s/s tub, dimensions: 1900 mm x 900 mm x 900 mm.	100
1505	NN rack	S/s mobile rack, dimensions: 1150 mm x 620 mm x 930 mm.	50
1506	NN table	S/s table, dimensions table: 1600 mm x 1000 mm x 820 mm, total dimensions: 2300 mm x 1000 mm x 1720 mm.	100
1507	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator with airsock, type: GHNE 066C/17, number: 107735/010.02, year of construction: 1998, 1 fan, dimensions: 1800 mm x 1000 mm x 600 mm, length airsock: 7000 mm.	250
1508	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator with airsock, type: GHNE 066C/17, number: 107735/010.04, year of construction: 1998, 1 fan, dimensions: 1800 mm x 1000 mm x 600 mm, length airsock: 7000 mm.	250
1509	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator with airsock, type: GHN-065C/18, number: 6436580, year of construction: 1994, 1 fan, dimensions: 1800 mm x 1000 mm x 600 mm, length airsock: 7000 mm.	250
1510	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHNE 081B/17, number: 108306/010.03, year of construction: 1999, 1 fan, total dimensions: 2000 mm x 1500 mm x 1000 mm.	250
1511	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHNE 081B/17, number: 108306/010.05, year of construction: 1999, total dimensions: 2000 mm x 1500 mm x 1000 mm.	250



Nr	Title	Description	Start €
1512	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHN-080C/18, number: 6436580, year of construction: 1994, 1 fan, total dimensions: 2000 mm x 1500 mm x 1000 mm.	250
1513	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHN-065C/18, number: 6436580, year of construction: 1994, 1 fan, dimensions: 1800 mm x 1000 mm x 600 mm.	250
1514	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHNE 066C/17, number: 107735/010.03, year of construction: 1998, 1 fan, dimensions: 1800 mm x 1000 mm x 600 mm.	250
1515	NN table	S/s mobile table, dimensions: 1600 mm x 900 mm x 900 mm.	50
1516	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHNE 081B/17, number: 108306/010.01, year of construction: 1999, dimensions: 2000 mm x 1500 mm x 1000 mm. With air sock.	250
1517	NN roller conveyor	S/s roller conveyor, s/s rollers, roller width: 610 mm, total dimensions: 1250 mm x 700 mm x 720 mm.	200
1518	NN machine frame	S/s mobile machine frame, dimensions: 1320 mm x 1370 mm x 520 mm.	75
1519	NN rack	Mobile s/s rack with pegs, dimensions: 1950 mm x 1300 mm x 1100 mm.	75
1520	NN table	S/s table, dimensions: 2000 mm x 900 mm x 850 mm.	50
1521	Singer&Sohn	Singer&Sohn s/s tool trolley, dimensions: 2400 mm x 1000 mm x 1800 mm.	250
1522	Günzburger Steigtechnik	Günzburger Steigtechnik aluminum step and steel frame, dimensions: (1x) 550 mm x 500 mm x 400 mm, (1x) 780 mm x 520 mm x 400 mm.	10
1523	KET Edelstahltechnik GmbH	KET Edelstahltechnik GmbH hand disinfection station, dimensions: 550 mm x 500 mm x 1150 mm.	200
1524	NN tool trolley	S/s tool trolley, dimensions: 1500 mm x 1000 mm x 1120 mm.	75
1525	NN soap dispenser	S/s soap dispenser, dimensions: 500 mm x 500 mm x 1400 mm.	25
1526	NN hangers	S/s hangers, dimensions: 1900 mm x 200 mm x 420 mm.	10
1527	NN hangers for smoke trolley	Pallet with large amount of s/s hangers for smoke trolleys, plate width: 940 mm, total dimensions: 1200 mm x 950 mm x 900 mm.	100
1528	NN racks	Steel rack, dimensions: 540 mm x 2010 mm x 2000 mm and dismantled aluminum rack consisting of 10 uprights, dimensions: (10x) 640 mm x 2000 mm, 28 layers, dimensions: (28x) 1000 mm x 600 mm.	50



Nr	Title	Description	Start €
1529	PHT / LHS	3 PHT / LHS s/s hose reel with plastic hose, spray pistol and Foamico foam unit, type hose reel: ST40/12/2e, serial number: 136180, year of construction: 2017, dimensions: 600 mm x 200 mm x 400 mm, 660 mm x 300 mm x 320 mm. type: ST40/12/12ep-eco, serial number: 050825, year of construction: 2005 and Foamico foam unit, dimensions: 510 mm x 320 mm x 400 mm, 180 mm x 300 mm x 350 mm. hose reel, dimensions: 450 mm x 200 mm x 700 mm.	250
1530	Rapid Maschinenfabrik GmbH / Nita	4 hose reels, Rapid Maschinenfabrik GmbH s/s hose reel with plastic hose and spray pistol, dimensions: 500 mm x 200 mm x 500 mm and plastic hose with spray pistol and 2 s/s hose reels. Nita s/s hose reel with plastic hose and spray pistol, type: 2129, serial number: 113419, year of construction: 2014, dimensions: 500 mm x 200 mm x 500 mm. S/s hose reel with hose and pistol, dimensions: 480 mm x 250 mm x 450 mm. S/s hose reel with hose and pistol, dimensions: 580 mm x 250 mm x 450 mm.	300
1531	Rapid Maschinenfabrik GmbH / Nita	4 hose reels, Rapid Maschinenfabrik GmbH s/s hose reel with plastic hose and spray pistol, type: 9.15.12/E, year of construction: 2004 / 2008, dimensions: (4x) 500 mm x 200 mm x 500 mm.	300
1532	Rapid Maschinenfabrik GmbH / Nita	4 hose reels, Rapid Maschinenfabrik GmbH s/s hose reel with plastic hose and spray pistol, type: 9.15.12/E, year of construction: 2003 / 2008, dimensions: (4x) 500 mm x 200 mm x 500 mm.	300
1533	Rapid Maschinenfabrik GmbH / Nita	3 hose reels, Rapid Maschinenfabrik GmbH s/s hose reel with plastic hose and spray pistol with soap stations, type: 9.15.12/E, year of construction: 2003 / 2004, dimensions: (4x) 500 mm x 200 mm x 500 mm.	300
1534	Zacmi	Zacmi s/s switch cabinet, type: W1468, number: 94000500, year of construction: 07-11-95, 380 V, 50 Hz, dimensions: 1000 mm x 850 mm x 400 mm.	100
1535	NN cooking baskets	5 cooking baskets, 5 floors, dimensions each floor: 1000 mm x 970 mm, total dimensions: 1000 mm x 980 mm x 1900 mm.	100
1536	Notlicht GmbH	2 boxes with Notlicht GmbH safety lights, dimensions: (2x) 630 mm x 450 mm x 420 mm.	25
1537	Busch / Vemag	Pallet with 1 Busch and 1 Vemag vacuum pumps and 1 motor, type: KC 0016 E 3Z0 and RA 0040 F 5Z3, serial number: CZM121110716 and 120037230, year of construction: 2021 and 2012, capacity: 19 m ³ per hour and 40 m ³ per hour, dimensions: 1200 mm x 800 mm x 520 mm.	200



Nr	Title	Description	Start €
1538	Busch / Samson	Pallet with various parts, among others: Busch vacuum pump, type: RA 0040 F 5Z3, number: 120059285, year of construction: 2012, capacity: 40 m ³ per hour, Samson pneumatic actuator, type: 3277, serial number: 1088, Krohne flowmeter, dimensions: 1200 mm x 800 mm x 450 mm.	200
1539	NN press	Pallet with hydraulic punch for Multivac thermoformer, dimensions: 900 mm x 800 mm x 170 mm.	300
1540	NN pegs	4 s/s wall mounted pegs, dimensions: (4x) 300 mm x 100 mm x 300 mm.	20
1541	Mohn	Mohn s/s sink with 4 faucets, sensor operated, 4 soap dispenser, 2 paper dispensers and glove box holder, dimensions: 2000 mm x 430 mm x 600 mm.	100
1542	Cool It	Cool It s/s refrigerated sliding door, type: CE-8, fabrication number: 21 040288 007 01, year of construction: 2021, dimensions door: 2150 mm x 2300 mm, length rail: 4500 mm. With s/s protection frame.	500
1543	Thermofin	Thermofin evaporator, model: H-TGP.2-045-22-E-N-W5-07, article number: HY1 003 965, year of construction: 02/2013, 400 V, 0.76/0.52 kW, dimensions: 2450 mm x 1900 mm x 900 mm. Damaged.	250
1544	NN smoke trolleys	35 s/s H-profile smoke trolleys, 4 floors, floor dimensions: 920 mm x 870 mm, total dimensions: (35x) 920 mm x 920 mm x 2100 mm.	2625
1545	NN smoke trolleys	35 s/s H-profile smoke trolleys, 4 floors, floor dimensions: 920 mm x 870 mm, total dimensions: (35x) 920 mm x 920 mm x 2100 mm.	2625
1546	NN smoke trolleys	35 s/s H-profile smoke trolleys, 4 floors, floor dimensions: 920 mm x 870 mm, total dimensions: (35x) 920 mm x 920 mm x 2100 mm.	2625
1547	NN smoke trolleys	35 s/s H-profile smoke trolleys, 4 floors, floor dimensions: 920 mm x 870 mm, total dimensions: (35x) 920 mm x 920 mm x 2100 mm.	2625
1548	NN cooking racks	40 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (40x) 1200 mm x 800 mm x 870 mm.	5000
1549	NN cooking racks	2 s/s cooking racks, 5 floors each, dimensions each floor: 1700 mm x 860 mm, total dimensions: (2x) 1700 mm x 980 mm x 1000 mm.	500
1550	NN cooking racks	2 s/s cooking racks, 5 floors each, dimensions each floor: 1700 mm x 860 mm, total dimensions: (2x) 1700 mm x 980 mm x 1000 mm.	500
1551	NN cooking racks	4 s/s cooking racks, 5 floors each, dimensions each floor: 1700 mm x 860 mm, total dimensions: (4x) 1700 mm x 980 mm x 1000 mm.	1000



Nr	Title	Description	Start €
1552	NN cooking racks	6 s/s cooking racks, 5 floors each, dimensions each floor: 1200 mm x 750 mm, total dimensions: (6x) 1200 mm x 800 mm x 870 mm.	500
1553	Saeplast	16 Saeplast pallet boxes, volume each: 630 liter, dimensions: (16x) 1200 mm x 1000 mm x 780 mm.	1600
1554	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGHN 050.2H/17-ANS51/16P.E, serial number: 404204095/15.01768, year of construction: 2015, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 23.6 liter, 1 fan, dimensions: 1400 mm x 1000 mm x 750 mm.	250
1555	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGHN 050.2H/17-ANS51/16P.E, serial number: 404204095/15.01769, year of construction: 2015, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 23.6 liter, 1 fan, dimensions: 1400 mm x 1000 mm x 750 mm.	250
1556	Peweta	Peweta clock, diameter clock: 400 mm.	10
1557	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator with air sock, device type: S-GGHN 050.2H/17-ANS51/16P.E, serial number: 404204095/15.01770, year of construction: 2015, maximum / minimum pressure: 16 bar / -1 bar, maximum / minimum temperature: 100°C / -50°C, volume: 23.6 liter, 1 fan, dimensions: 1400 mm x 1000 mm x 750 mm.	250
1558	Peweta	Peweta clock, diameter clock: 400 mm.	10
1559	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator, type: GHS 65 B/15 (S), number: 4 1774, year of construction: 1984, 1 fan, dimensions: 1550 mm x 1300 mm x 1000 mm.	250
1560	Güntner GmbH & Co. KG / GEA Küba Kältetechnik	Güntner GmbH & Co. KG / GEA Küba Kältetechnik pallet with 3 evaporators, 2 GEA type: SGBE 102 HOCHLEISTUNGS-LUFTK. V6.02, serial number: 156391/0100/2001/6918822, 230/400 V, 3 Ph, 50/60, 2 fans, dimensions: (2x) 2500 mm x 1000 mm x 850 mm. Güntner GmbH & Co. KG evaporator, 2 fans, type: GHF 045. 1D/27-AW, manufacturing number: 400/519575.0001, PS max/min: 32/-1 bar, TS max/min: 100/-50 °C, PT: 21.9 liter, volume: 21.9 liter, dimensions: 2100 mm x 700 mm x 650 mm.	600
1561	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHNE 081B/17, serial number: 305848, year of constructions: 1999, dimensions: 2200 mm x 900 mm x 1400 mm.	250



Nr	Title	Description	Start €
1562	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator with air sock, type: GHNE 066C/17, serial number: 305393, year of construction: 1998, 1 fan, dimensions: 1830 mm x 800 mm x 1200 mm.	250
1563	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHNE 081B/17, number: 108306/010.02, year of construction: 1999, 1 fan, total dimensions: 2000 mm x 1500 mm x 1000 mm.	250
1564	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: GHN-080/18, number: 6436580, year of construction: 1994, 1 fan, total dimensions: 2000 mm x 1500 mm x 1000 mm.	250
1565	GEA Küba Kältetechnik GmbH	GEA Küba Kältetechnik GmbH evaporator, 2 fans, type: SGAE 042 C HOCHLEISTUNGSLUFT, manufacturing number: 592632/0100/2006/13626827/1, PS: 32 bar, TS max/min: 100/-40 °C, volume: 5.30 liter, dimensions: 1400 mm x 500 mm x 500 mm.	250
1566	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator, type: GHS 65 B/15 (S), number: 6 18148, year of construction: 1991, 1 fan, dimensions: 1550 mm x 1300 mm x 1000 mm.	250
1567	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG s/s evaporator, type: GHS 65 B/15 (S), number: 4 1774, year of construction: 1984, 1 fan, dimensions: 1550 mm x 1300 mm x 1000 mm.	250
1568	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, type: S-GGHN 071.2F/14-AND51/12P.E, serial number: 405015612/35.01841, year of construction: 2020, 1 fan, dimensions: 2200 mm x 1000 mm x 1350 mm.	250
1569	Thermofin	Thermofin evaporator, model: TAN.2-050-12-E-N-D5-10-HG-LHS, serial number: HY1 006 848, year of construction: 07/2015, 2 fans, dimensions: 2550 mm x 700 mm x 950 mm.	250
1570	Heuft	Wooden crate with Heuft full container check system, model: Prime, dimensions crate: 2110 mm x 1150 mm x 1230 mm. New, never used.	5000
1571	Heuft	Wooden crate with Heuft full container check system, model: Prime, dimensions crate: 2110 mm x 1150 mm x 1230 mm. New, never used.	5000
1572	NN hygiene equipment	2 pallets with hygiene equipment, among others: 5 s/s sinks with faucets, sensor operational, 9 soap dispensers, 4 paper dispensers, dimensions: (2x) 1200 mm x 800 mm x 500 mm.	100



Nr	Title	Description	Start €
1573	Nordson	2 Nordson glue units, unit number: 3100V-2EAV4D/K, serial number: AN98A21526, 400/230 V, 3 Ph, 50/60 Hz, dimensions: (1x) 600 mm x 350 mm x 550 mm, (1x) 550 mm x 300 mm x 450 mm.	500
1574	Busch	2 Busch vacuum pumps, type: RA 0063 E 543, RA 0040 F 503, number: 01055119, 080084835, capacity: 63 m ³ per hour, 40 m ³ per hours, dimensions: (2x) 620 mm x 450 mm x 620 mm.	200
1575	VepaTec	VepaTec switch cabinet, type: SLEEVING-Masch. SSV 200-s.l., machine number: 04.948.98, year of construction: 1998, dimensions: 1000 mm x 800 mm x 300 mm.	200
1576	NN electrical components	Pallet with electrical components, dimensions: 2000 mm x 650 mm x 450 mm.	200
1577	Dorner	2 transport belts, Dorner type: GAL-25-VUA, fabrication number: 1908015, year of construction: 2019, 220/240/380/415 V, 3 Ph, plastic belt, belt width: 150 mm and 90 mm, total dimensions: 620 mm x 450 mm x 820 mm and 1200 mm x 1000 mm x 370 mm.	100
1578	Itec	4 Itec s/s sinks with faucets, type: 20550-W, year of construction: 11/2018, 230 V, 50/60 Hz, 0.1 kW, sensor operated, 1 or 2 soap dispensers, dimensions: (4x) 450 mm x 430 mm x 580 mm.	100
1579	Itec	4 Itec s/s sinks with faucets, type: 20550-W, year of construction: 11/2018, 230 V, 50/60 Hz, 0.1 kW, sensor operated, 1 or 2 soap dispensers, dimensions: (4x) 450 mm x 430 mm x 580 mm.	100
1580	Itec	2 Itec s/s sinks with faucets, type: 50-W, 20550-2W, year of construction: 03/07, 09/2018, 230 V, 50 Hz, 0.1 kW, dimensions: (1x) 950 mm x 550 mm x 600 mm, (1x) 450 mm x 430 mm x 580 mm.	100
1581	NN coating machine	Mobile coating machine, s/s mesh belt, belt width: 1200 mm, total dimensions: 2800 mm x 1600 mm x 1850 mm.	750
1582	NN coating machine	Mobile coating machine, s/s mesh belt, belt width: 1200 mm, total dimensions: 2800 mm x 1600 mm x 1850 mm.	750
1583	Koppens	Koppens mobile coating machine, type: PRM 1200-M, number: PRM 1200-M-1005, 380 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 1200 mm, total dimensions: 2750 mm x 1500 mm x 1700 mm.	750
1584	CFS	CFS mobile outfeed conveyor for preduster, s/s mesh belt, belt width: 1000 mm, total dimensions: 2570 mm x 1300 mm x 1280 mm.	400
1585	NN curve conveyor	90° curve conveyor, s/s frame, electrically driven s/s rollers, roller width: 450 mm, total dimensions: 1500 mm x 1000 mm x 880 mm.	200



Nr	Title	Description	Start €
1586	NN roller conveyor	Roller conveyor, s/s frame, s/s rollers, roller width: 450 mm, total dimensions: 1350 mm x 520 mm x 900 mm.	300
1587	NN table	S/s table, dimensions: 500 mm x 500 mm x 850 mm.	75
1588	NN table	S/s table, dimensions: 600 mm x 500 mm x 860 mm.	75
1589	NN table	S/s table, plastic top, dimensions: 500 mm x 500 mm x 550 mm.	75
1590	NN table	S/s table with Vikan squeegees and parts for labeller, dimensions: 700 mm x 380 mm x 500 mm.	50
1591	NN frame for crates	2 s/s frame for crates, dimensions: (2x) 620 mm x 420 mm x 170 mm.	25
1592	NN table	S/s table with plastic top, dimensions: 570 mm x 860 mm x 960 mm.	25
1593	NN table	S/s table, dimensions: 800 mm x 1200 mm x 800 mm.	50
1594	NN frame for hygiene equipment	3 s/s mobile frames for hygiene equipment, dimensions: (3x) 700 mm x 500 mm x 1750 mm. 2 frames missing wheels.	100
1595	NN table	S/s table with plastic top, dimensions: 2000 mm x 1000 mm x 930 mm.	100
1596	Mettler-Toledo	3 Mettler-Toledo s/s weighing scales. Type: Tbrick 6, serial number: B533296437, B533296438, B533296440 year of construction: 15.	50
1597	NN touch screens	2 touch screens, dimensions: 530 mm x 400 mm x 370 mm.	50
1598	NN waste bag holder	2 s/s waste bag holder, dimensions: 460 mm x 460 mm x 740 mm	10
1599	NN trolley	S/s trolley, dimensions: 650 mm x 500 mm x 1150 mm.	25
1600	NN table	S/s table, dimensions: 800 mm x 700 mm x 950 mm.	100
1601	NN table	S/s table, dimensions: 800 mm x 1200 mm x 1830 mm.	100
1602	SysTec	SysTec s/s weighing scale, type: IT8000, serial number: 082011, 110/240 V, 50/60 Hz, 0.3 A, scale dimensions: 300 mm x 270 mm.	25
1603	SysTec	SysTec s/s weighing scale, type: IT8000, serial number: 082010, 110/240 V, 50/60 Hz, 0.3 A, scale dimensions: 300 mm x 270 mm.	25
1604	NN table	S/s table with plastic top, dimensions: 1200 mm x 600 mm x 930 mm.	75
1605	SysTec	SysTec s/s weighing scale, type: IT8000, serial number: 086870, 110/240 V, 50/60 Hz, 0.3 A, scale dimensions: 300 mm x 270 mm.	25
1606	SysTec	SysTec s/s weighing scale, type: IT8000, serial number: 085133, 110/240 V, 50/60 Hz, 0.3 A, scale dimensions: 300 mm x 270 mm.	25



Nr	Title	Description	Start €
1607	NN tables	3 aluminum tables, dimensions: (3x) 600 mm x 600 mm x 1050 mm.	75
1608	NN table	S/s table, dimensions: 700 mm x 400 mm x 700 mm.	75
1609	NN machine parts	7 pallet boxes with large amount of machine parts, dimensions: (7x) 1200 mm x 1000 mm x 750 mm.	500
1610	NN air socks	Box with air socks for evaporator, dimensions: 800 mm x 650 mm x 450 mm.	25
1611	NN door	S/s refrigeration door, dimensions: 1150 mm x 2100 mm.	100
1612	NN trolleys	12 s/s trolleys for combisteamer with large amount of s/s gastronorm bins, 21 floors, dimensions floors: (21x) 650 mm x 535 mm, total dimensions: (12x) 850 mm x 580 mm x 1860 mm.	600
1613	NN trolleys	12 s/s trolleys for combisteamer with large amount of s/s gastronorm bins, 21 floors, dimensions floors: (21x) 650 mm x 535 mm, total dimensions: (12x) 850 mm x 580 mm x 1860 mm.	600
1614	NN trolleys	12 s/s trolleys for combisteamer with large amount of s/s gastronorm bins, 21 floors, dimensions floors: (21x) 650 mm x 535 mm, total dimensions: (12x) 850 mm x 580 mm x 1860 mm.	600
1615	NN trolleys	12 s/s trolleys for combisteamer with large amount of s/s gastronorm bins, 21 floors, dimensions floors: (21x) 650 mm x 535 mm, total dimensions: (12x) 850 mm x 580 mm x 1860 mm.	600
1616	NN trolleys	12 s/s trolleys for combisteamer with large amount of s/s gastronorm bins, 21 floors, dimensions floors: (21x) 650 mm x 535 mm, total dimensions: (12x) 850 mm x 580 mm x 1860 mm.	600
1617	NN trolleys	12 s/s trolleys for combisteamer with large amount of s/s gastronorm bins, 21 floors, dimensions floors: (21x) 650 mm x 535 mm, total dimensions: (12x) 850 mm x 580 mm x 1860 mm.	600
1618	NN trolleys	11 s/s trolleys for combisteamer with large amount of s/s gastronorm bins, 21 floors, dimensions floors: (21x) 650 mm x 535 mm, total dimensions: (11x) 850 mm x 580 mm x 1860 mm.	500
1619	NN plates and gastronorm bins	Pallet with 270 s/s plates, dimensions: (270x) 520 mm x 320 mm and 2 s/s perforated gastronorm bins, dimensions: (2x) 530 mm x 330 mm x 200 mm. 1 pallet with 56 s/s perforated gastronorm bins, dimensions: (56x) 530 mm x 325 mm x 195 mm, 29 s/s gastronorm bins, dimensions: (29x) 530 mm x 325 mm x 495 mm and several s/s plates, dimensions: 525 mm x 320 mm.	250
1620	Amcor	2 pallets with large amount of Amcor plastic top seal-peel layers, dimensions: ø 116.20 mm.	25



Nr	Title	Description	Start €
1621	Spies	3 pallets with Spies plastic lids, 44 bags, approximately 1248 lids per bag, dimensions lids: 120 mm x 120 mm, dimensions pallets: (3x) 1200 mm x 800 mm x 1810 mm.	25
1622	Amcor	Pallet with large amount of Amcor plastic top seal-peel layers, dimensions: ø 116.20 mm.	10
1623	NYCO	Pallet with large amount of NYCO plastic top seal-peel layers, dimensions: 127.25-127.25 mm.	10
1624	NYCO	3 pallets with large amount of NYCO plastic top seal-peel layers, dimensions: 86-113 mm, 127.25-127.25 mm.	50
1625	Adapa	11 pallets with large amount of Adapa plastic top seal-peel layers, dimensions: 127-102 mm.	150
1626	Corning	Pallet with 7 boxes of Corning plastic containers, 125 ml and 180 ml.	25
1627	NN thermo transfer foil	Pallet with large amount of thermo transfer foil.	75
1628	Adapa	Pallet with large amount of Adapa plastic top seal-peel layers, dimensions: 86-113 mm, 127-102 mm.	50
1629	Adapa	Pallet with large amount of Adapa plastic top seal-peel layers, dimensions: 86-113 mm, 127-102 mm.	50
1630	Cool	Cool s/s refrigeration door, dimensions: 1250 mm x 2120 mm.	100
1631	Munters	Munters air handling unit, year of construction: 2016, total dimensions: 14400 mm x 3200 mm x 2800 mm.	4000
1649	Heinz Oesterwiemann	Heinz Oesterwiemann insulated tank used for warm water, number: 812, year of construction: 2006, volume: 98500, maximum / minimum temperature: 70 / 5 °C, dimensions: Ø 3750 mm x 12000 mm.	1500
1650	NN machine parts	Aluminum rack with large amount of different machine parts, among others: Wheels, drive belts, display for Allen Bradky, drum for separators, dimensions: 5000 mm x 830 mm x 2100 mm.	500
1651	NN machine parts	Aluminum rack with large amount of different machine parts, among others: Pilz safety eye, electrical parts, plumbing parts, dimensions: 5000 mm x 830 mm x 2100 mm.	500
1652	NN machine parts	Aluminum rack with large amount of different machine parts, among others: vacuum pump, plastic chain conveyor, parts for electric shutter door, electric components, dimensions: 5000 mm x 830 mm x 2100 mm.	500
1653	NN machine parts	Aluminum rack with large amount of different machine parts, among others: s/s frames, plastic mesh belts, cables, fuses, mounting materials, dimensions: 5000 mm x 830 mm x 2100 mm.	500



Nr	Title	Description	Start €
1654	NN electrical parts	Aluminum rack with large amount of different machine parts, among others: small electric components, cables, emergency exit lamps, s/s switch cabinets, dimensions: 5000 mm x 830 mm x 2100 mm.	500
1655	NN electrical parts	Aluminum rack with large amount of different machine parts, among others: Mennekes power cables, electrical parts, switch cabinets, dimensions: 5000 mm x 830 mm x 2100 mm.	500
1656	NN hoses	Large amount of various sizes of hoses.	200
1657	NN wheels	Large amount of various sizes wheels.	100
1658	Fuji Electric	Fuji Electric battery charger, type: FRN110G1E-4E, serial number: W16E320A0002K, 380/440/480 V, 3 Ph, 50/60 Hz, 201/238 A, weight: 64 kg, dimensions: 750 mm x 550 mm x 350 mm.	200
1659	NN belt	Plastic belt, belt width: 830 mm.	300
1660	NN parts for micro cutter	Pallet with various parts for microcutter, dimensions: 1200 mm x 800 mm x 450 mm.	200
1661	NN motors, pumps and vacuum pumps	Pallet with various motors, pumps and vacuum pumps, dimensions: 1200 mm x 800 mm x 450 mm.	200
1662	NN hygiene equipment	Pallet with various hygiene equipment, 5 soap dispensers, 4 paper dispensers, dimensions: 1200 mm x 800 mm x 450 mm.	100
1663	NN meat presses	Pallet with 11 bear-shaped meat presses, dimensions: (11x) 900 mm x 150 mm x 120 mm.	200
1664	Goodyear	4 Goodyear winter tires for Mercedes E-class, size: 245/45R18.	200
1665	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG evaporator, unit name: S-DGN 041C/27/12P, serial number: 404492180/02.01357, year of construction: 2017, 2 fans, dimensions: 2200 mm x 1000 mm x 450 mm.	250
1666	Strautmann	Strautmann baler, type: PP 1208, serial number: 572 00 014, year of construction: 2007, 400 V, 50 Hz, 9.2 kW, 580 kN, dimensions: 2400 mm x 1600 mm x 3100 mm.	1500
1667	Strautmann	Strautmann baler, type: PP 1208, serial number: 572 00 015, year of construction: 2007, 400 V, 50 Hz, 9.2 kW, 580 kN, dimensions: 2400 mm x 1600 mm x 3100 mm.	1500
1668	Orwak	Orwak baler, type: Compactor 3610, serial number: 107100, year of construction: 2012-05, 400 V, 3 Ph, 50/60 Hz, 9.6 A, 4.6 kW, machine weight: 2300 kg, dimensions: 1700 mm x 1360 mm x 3300 mm.	1200
1669	NN platform	S/s platform, dimensions: 2700 mm x 1300 mm x 1930 mm.	200



Nr	Title	Description	Start €
1670	Boldt Systems	Boldt Systems lifter for mixing bowls with safety fence, model: BFDD 750S, serial number: BFO 10-157.01, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 2.2 kW, capacity: 1000 kg, lifting height: 2340 mm, total dimensions: 2300 mm x 2000 mm x 4200 mm.	1500
1671	NN lifter for mixing bowls	Lifter with mixing bowl with safety fence, lifting height: 2750 mm, total dimensions: 2000 mm x 2000 mm x 4000 mm. Including mobile s/s mixing bowl, dimensions bowl: Ø 970 mm x 530 mm, total dimensions: 1150 mm x 1000 mm x 950 mm.	1500
1672	NN peeler	S/s peeler, screw diameter: 600 mm, tier: 300 mm, brush length: 2200 mm, total dimensions: 3500 mm x 1800 mm x 1900 mm.	1500
1673	NN platform	S/s platform, work height: 1420 mm, total dimensions: 3500 mm x 1800 mm x 1900 mm.	400
1674	Kiremko	Kiremko steam peeler, order number: 04-1023-AF, s/s outfeed screw, screw diameter: 400 mm, tier: 250 mm, total dimensions: 4800 mm x 3200 mm x 5200 mm.	3500
1675	NN elevating belt	S/s elevating belt, plastic belt, belt width: 800 mm, total dimensions: 3400 mm x 2000 mm x 3200 mm.	450
1676	Kiremko	Kiremko crusher, order number: 90/5069/01, plastic rollers, roller width: 1500 mm, total dimensions: 2300 mm x 1800 mm x 1550 mm. Including pallet with extra part.	300
1677	Kiremko	Kiremko elevating screw with bunker, s/s screw, screw diameter: 280 mm, tier: 200 mm, elevating height: 3700 mm, total dimensions: 1500 mm x 1100 mm x 4200 mm.	300
1678	Kiremko	Kiremko double elevating screw with bunker, type: BRSET660, machine number: 05-1070-AE, 2 s/s screws, screw diameter: 600 mm, tier: 250 mm, elevating height: 2800 mm, total dimensions: 6800 mm x 2200 mm x 4300 mm. Including pallet with extra parts.	1500
1679	EIMA Food Processing Machines	EIMA Food Processing Machines drum sieve, number: 2050039, year of construction: 2020, s/s drum diameter: 1000 mm, drum length: 2400 mm, total dimensions: 3200 mm x 1600 mm x 2850 mm.	2000
1680	NN elevating screw	S/s elevating screw, diameter screw: 300 mm, tier: 300 mm, elevating height: 2700 mm, total dimensions: 3600 mm x 450 mm x 550 mm. Including pallet with parts.	200
1681	Kiremko	Kiremko elevating screw with bunker, order number: 04-1023-AA, s/s screw, screw diameter: 500 mm, tier: 280 mm, elevating height: 2250 mm, total dimensions: 4000 mm x 1750 mm x 3500 mm.	500



Nr	Title	Description	Start €
1682	Kiremko	Kiremko elevating screw with bunker, order number: 03-1039-AG, elevating height: 4400 mm, total dimensions: 1400 mm x 1200 mm x 4600 mm.	500
1684	NN platform	S/s platform with stairs, dimensions: 4500 mm x 1700 mm x 1200 mm.	200
1685	NN peeler	S/s peeler, screw diameter: 1100 mm, tier: 400 mm, roller length: 3400 mm, total dimensions: 4200 mm x 1700 mm x 2400 mm.	2000
1687	2G Energietechnik GmbH	2G Energietechnik GmbH gas to power unit, type: avus 500 plus, serial number: C00414C-ELLB-550054, year of construction: 2014, 400 V, 50 Hz, 794 A, 550 kW, gas usage: 0.6 m ³ per hour, operating hours: 69481, operating hours since last maintenance: 1322, weight: 5810 kg, dimensions: 12000 mm x 2950 mm x 3700 mm.	35000
1688	Schornstein GmbH	Schornstein GmbH steel chimney, year of construction: 1992, weight: 5700 kg, diameter: 1650 mm, height: 12400 mm.	2500
1689	NN hose	Plastic hose.	25
1690	GSD	Wooden crate with GSD tubular heat exchanger, dimensions: 900 mm x 600 mm x 600 mm.	200
1691	ProMinent	ProMinent sodium chlorite installation, dimensions: 2800 mm x 1100 mm x 2400 mm.	400
1692	NN valve station	Valve station with various valves, dimensions: 2600 mm x 600 mm x 1500 mm.	1000
1693	RWT GmbH	RWT GmbH insulated steel pressure tank, serial number: 9546-1, year of construction: 2018, PS: +0.5/0 bar, TS: +110/0 °C, PT: 0.79 bar, volume: 5000 liter,	1500
1694	Jumey	Jumey station with various valves, serial number: 89404, year of construction: 1999, dimensions: 3100 mm x 500 mm x 2850 mm.	1000
1695	Grundfos	Valve station with various valves and 2 Grundfos circulation pumps, dimensions: 3100 mm x 500 mm x 2850 mm.	1000
1696	Aerzener Maschinenfabrik GmbH	Aerzener Maschinenfabrik GmbH screw air compressor, type: VML18, serial number: 4086027, year of construction: 2020, suction pressure: 1.013 bar, discharge pressure: 3.013, nominal power: 55.00 kW, machine weight: 1396 kg, dimensions: 1950 mm x 1250 mm x 1850 mm.	1500
1697	M+W Zander	M+W Zander filter box, type: CWIC C-1020, fabrication number: 200306244, 230 V, 50/60 Hz, 0.9/1.18 A, 205/270 W, dimensions: 2500 mm x 1600 mm x 1700 mm.	50



Nr	Title	Description	Start €
1698	Domnick Hunter	Domnick Hunter air dryer/chiller, model: CRD1320, serial number: 3673760002, year of construction: SEP 08, 400 V, 3 Ph, 50 Hz, 6.25 A, 3.41 kW, dimensions: 1300 mm x 800 mm x 1300 mm.	500
1699	Boge	Boge screw air compressor, type: S 101, machine number: 511871, year of construction: 2005, dimensions: 2500 mm x 1350 mm x 1900 mm.	1500
1700	CP	CP steel cabinet, dimensions: 940 mm x 400 mm x 2150 mm.	50
1701	NN container	Steel container with various used TL-lights, dimensions: 2070 mm x 750 mm x 1000 mm.	100
1702	Flaco Geräte GmbH	Flaco Geräte GmbH barrel pump, type: EZP/B-380V, number: 9412/5112, year of construction: 1994, 0.75 kW, dimensions: 300 mm x 200 mm x 1600 mm.	100
1703	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3007 H-4, year of construction: 1989, medium: Salatmayonnaise, capacity: 3500 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 425 kg, dimensions: Ø 2000 mm x 3600 mm.	1500
1704	Alfa-Laval	Alfa-Laval s/s oil tank, type: OS, fabrication number: 135714, year of construction: 1980, volume: 3000 liters, dimensions: 1600 mm x 2250 mm x 4500 mm.	750
1705	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3007 H-2, year of construction: 1989, medium: Salatmayonnaise, capacity: 3500 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 425 kg, dimensions: Ø 2000 mm x 3600 mm.	1500
1706	Leushuis Projects & Engineering B.V.	Leushuis Projects & Engineering B.V. s/s tank with Typhoon mixer, tag number: T 3.3, P&ID; number: A. 32553.2003.C, year of construction: 1993, volume: 1500 liter, Typhoon mixer, number: 16TY0169, dimensions: Ø 1200 mm x 3400 mm.	750
1707	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3005 H-4, year of construction: 1989, medium: Salatmayonnaise, capacity: 5000 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 580 kg, dimensions: Ø 1800 mm x 4900 mm. Tank is damaged.	500



Nr	Title	Description	Start €
1708	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3005 H-3, year of construction: 1989, medium: Salatmayonnaise, capacity: 5000 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 580 kg, dimensions: Ø 1800 mm x 4900 mm. Tank is damaged.	500
1709	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3005 H-2, year of construction: 1989, medium: Salatmayonnaise, capacity: 5000 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 580 kg, dimensions: Ø 1800 mm x 4900 mm. Tank is damaged.	500
1710	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3006 H-2, year of construction: 1989, medium: Salatmayonnaise, capacity: 10000 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 1150 kg, dimensions: Ø 2600 mm x 5500 mm. Tank is damaged.	500
1711	SchweiBtechnik GmbH	SchweiBtechnik GmbH s/s tank, fabr. Number: R91-459, year of construction: 1991, volume: 3000 liter, dimensions: 1600 mm x 1600 mm x 2400 mm.	500
1712	Alco	Alco s/s tank on s/s frame, diameter tank: 1400 mm, height: 1400 mm, total dimensions: 2600 mm x 1900 mm x 3500 mm.	500
1713	NN platforms	2 s/s platform used for IBC tanks, dimensions: (2x) 1400 mm x 1300 mm x 1300 mm. With various hoses.	150
1714	NN floor boards	Large amount of s/s floor boards for platform, length: 3000 mm.	200
1715	NN protection frames	5 pallets with large amount of s/s protection frames, filled with concrete.	200
1716	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3006 H-3, year of construction: 1989, medium: Salatmayonnaise, capacity: 10000 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 1150 kg, dimensions: Ø 2600 mm x 5500 mm.	1500
1717	Leushuis	Leushuis s/s storage tank for mayonnaise, fabrication number: A-32058-3006 H-1, year of construction: 1989, medium: Salatmayonnaise, capacity: 10000 liter, hydrostatic test pressure: 0.9 bar, design temperature: 50 °C, empty weight: 1150 kg, dimensions: Ø 2600 mm x 5500 mm.	1500



Nr	Title	Description	Start €
1718	NN pallet rack	S/s pallet rack, uprights: (30x) 1100 mm x 2950 mm, beams: (45x) 2700 mm, (17x) 1800 mm, (9x) 900 mm.	300
1719	NN roller conveyors	6 pallets with s/s roller conveyors for pallet rack, s/s rollers, roller width: 800 mm, total dimensions: (5x) 2050 mm x 1200 mm x 1400 mm, (1x) 2650 mm x 1200 mm x 2250 mm.	500
1720	Kruse+Sohn	Kruse+Sohn carton erector, type: 3110, machine number: 37025-163-E, year of construction: 12.2005, plastic belt, belt width: 150 mm, total dimensions: 6000 mm x 1300 mm x 1800 mm. Missing glue unit. Technical condition unknown.	500
1721	NN conveyor	Chain conveyor, s/s frame, plastic chain, chain width: 45 mm, total dimensions: 6200 mm x 690 mm x 1200 mm.	300
1722	NN transport belt	Z-shaped transport belt, s/s frame, plastic belt, belt width: 250 mm, total dimensions: 6600 mm x 2400 mm x 930 mm. Missing motor.	300
1723	NN protection frames	S/s protection frames, dimensions: (1x) 6500 mm x 800 mm x 680 mm, (1x) 670 mm x 750 mm x 680 mm.	50
1724	Dosco	Dosco weighing belt, s/s frame, weighing cells type: SB8-20kg, plastic belt, belt width: 800 mm, total dimensions: 10500 mm x 1350 mm x 3050 mm.	500
1725	Kiremko	Kiremko transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 8800 mm x 1000 mm x 900 mm.	300
1726	Stork	Stork leg cutter, model: MX H1863, type: 3989366, serial number: 470327/450, year of construction: 2007, s/s chain conveyor, total dimensions: (1x) 4750 mm x 1100 mm x 2200 mm, (1x) 3000 mm x 1000 mm x 1050 mm, (1x) 2600 mm x 800 mm x 1100 mm.	2500
1727	Select	Select inline chicken paw selector, machine number: 508/509, plastic belt, belt width: (2x) 140, (1x) 60 mm, (4x) rejectors per side, total dimensions: 5100 mm x 2100 mm x 2350 mm. Including s/s switch cabinet, dimensions: 900 mm x 550 mm x 1850 mm.	1000
1728	NN stairs	S/s stairs, 13 steps, dimensions: 4450 mm x 750 mm x 750 mm.	50
1729	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 190 mm, total dimensions: 5350 mm x 750 mm x 1700 mm.	300
1730	Finncold	Finncold thawing container, inside dimensions: 7200 mm x 2600 mm x 1950 mm, total dimensions: 9000 mm x 2800 mm x 3350 mm. Crates not included.	1000



Nr	Title	Description	Start €
1731	NN curve conveyor	180° curve conveyor, s/s frame, plastic chain belt, belt width: 300 mm, total dimensions: (1x) 3200 mm x 1200 mm x 1650 mm, (1x) 2000 mm x 1100 mm x 1150 mm, (1x) 2700 mm x 600 mm x 1150 mm.	300
1732	NN curve conveyor	90° curve conveyor, s/s frame, plastic belt, belt width: 190 mm, total dimensions: 3700 mm x 1300 mm x 1130 mm.	300
1733	NN chain conveyor	Chain conveyor with rejector, s/s frame, plastic chain, chain width: 400 mm, total dimensions: 1300 mm x 1200 mm x 1150 mm.	200
1734	Alcan Ohler GmbH	Alcan Ohler GmbH denester, dimensions: 4800 mm x 800 mm x 1800 mm. Technical condition unknown.	300
1735	NN roller conveyor	S/s roller conveyor, s/s rollers, roller width: 420 mm, total dimensions: 3400 mm x 500 mm x 800 mm.	300
1736	NN elevating belt	Elevating belt, s/s frame, plastic belt with dividers, belt width: 600 mm, dividers height: 130 mm, distance between dividers: 400 mm, total dimensions: 7700 mm x 1150 mm x 1400 mm.	400
1737	NN elevating belt	Mobile elevating belt, s/s frame, belt width: 550 mm, elevating height: 850 mm, total dimensions: 8250 mm x 1300 mm x 2200 mm. Missing belt.	200
1738	NN elevating screw	Mobile elevating screw with bunker, s/s screw, screw diameter: 400 mm, tier: 160 mm, elevating height: 700 mm, total dimensions: 4300 mm x 1500 mm x 2700 mm.	400
1739	NN crates	9 pallets with approximately 184 plastic crates, each crate dimensions: 600 mm x 400 mm x 300 mm.	1000
1740	NN platform	S/s platform, 9 steps, working height: 1720 mm, total dimensions: 5000 mm x 3400 mm x 2650 mm.	400
1741	Demag / EMM	Demag hoist with EMM attachment for lifting film rolls, type: DC-PRO 2-160 1/1 H5 V8/2, serial number: 94426402, year of construction: 12/2013, capacity: 0.16 tons, 5 beams, beam length: (4x) 6500 mm and (1x) 3000 mm.	250
1742	EST - Speer GmbH	EST - Speer GmbH lifting aid, type: Hebehilfe, machine number: 2004083.1, year of construction: 2020, dimensions: 4050 mm x 800 mm x 500 mm.	400
1743	EST - Speer GmbH	EST - Speer GmbH lifting aid, type: Hebehilfe, machine number: 2004083.3, year of construction: 2020, dimensions: 4050 mm x 800 mm x 500 mm.	400
1744	EST - Speer GmbH	EST - Speer GmbH lifting aid, type: Hebehilfe, machine number: 2004083.2, year of construction: 2020, dimensions: 4050 mm x 800 mm x 500 mm.	400
1745	NN depositor	Pallet with depositor, dimensions: 1200 mm x 1200 mm x 700 mm.	250

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a full page of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing. There are no margins, text, or other markings on the page.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

