



**Industrial
Auctions**

**1901: Online auction meat and vegetable
processing machinery in Stowmarket (UK)**

END DATE
22 September 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	22 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	20% over the highest bid including premium
Pick up days	30 September 2025 from 09:00 till 16:00 hrs. 01 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Haughley Park IP14 3JZ Stowmarket United Kingdom
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Seydelmann	Seydelmann bowl cutter with lifter for 200 litre meat bins and rejector, type: K126 H U, machine number: 14 083-1, year of construction: 2014, 400 V, 50 Hz, 75 A, 39 kW, weight: 2000 kg, s/s bowl, volume: 120 litres, dimensions: 2300 mm x 1650 mm x 2080 mm. Including s/s switch cabinet and s/s control cabinet, dimensions: 1300 mm x 1000 mm x 400 mm, 600 mm x 100 mm x 520 mm.	22500
2	NN water wheel	Mobile water wheel, number: BA3370168, dimensions: 1050 mm x 1000 mm x 1900 mm.	500
3	Packaging Automation Ltd / Apple Food Systems	Packaging Automation Ltd rotary pot filling and closing machine with 2 Apple Food Systems depositors, model: ROTOFILL, serial number: MC-00009, year of construction: 2019, 415 V, 50 Hz, 16 pockets, clearance: Ø 85 mm, plastic outfeed belt, belt width: 290 mm, total dimensions: 2200 mm x 2500 mm x 2600 mm. Apple Food Systems mobile 2 heads depositor, model: LPX2, serial number: 19015 0 7, year of construction: 2019, 240 V, 1 Ph, 50 Hz, 16 A, dimensions: 1660 mm x 760 mm x 1920 mm. Apple Food Systems mobile 2 heads depositor, model: LPX2, serial number: 19015 0 8, year of construction: 2019, 240 V, 1 Ph, 50 Hz, 16 A, dimensions: 1500 mm x 600 mm x 1650 mm.	5000
4	Arcall	Arcall mobile flavouring drum, dimensions drum: Ø 490 mm x 1240 mm, total dimensions: 1700 mm x 1150 mm x 1560 mm.	500
5	Protech	Protech mobile drying belt, s/s mesh belt, belt width: 1100 mm, total dimensions: 2000 mm x 1500 mm x 1700 mm.	750
6	API Food Equipment	API Food Equipment mobile continuous batch mixing system, volume: (2x) 125 litre, total dimensions: 2700 mm x 1600 mm x 3000 mm.	2500
7	MultiWeigh GmbH	MultiWeigh GmbH multihead weigher, 14-heads, type: MW XV-14-2.0, year of construction: 2021, 400 V, 3 Ph, 50 Hz, weight: 988 kg, outfeed height: 930 mm, total dimensions: 1550 mm x 1400 mm x 3250 mm. Including pallet with parts.	12500
8	MHS Schneidetechnik	MHS Schneidetechnik slicer, type: PCE 70/21 K, serial number: 041911, year of construction: 2011, 400 V, 6.5 A, 2.6 kW, dimensions chamber: 200 mm x 200 mm, total dimensions: 1850 mm x 800 mm x 1250 mm.	2000
9	Carsoe	Carsoe tray feeder with denester, type: CLEANLINE BUFFER 2000 PNEUMATIC, ANYTRAY CLEANLINE DENESTER, year of construction: 2016/2017, plastic belt, belt width: 270 mm, dimensions tray mould: 140 mm x 150 mm, total dimensions: 2400 mm x 700 mm x 1800 mm.	2500



Nr	Title	Description	Start €
10	Treif Maschinebau GmbH	Treif Maschinebau GmbH slicer, model: Puma CE 700 EB, machine number: 194307.61660 3002, year of construction: 2002, 400 V, 50 Hz, 8.2 A, 3.4 kW, weight: 305 kg, dimensions chamber: 180 mm x 200 mm, plastic belt, belt width: 240 mm, total dimensions: 2700 mm x 1000 mm x 1500 mm.	2000
11	Siebeck	Siebeck mobile netting machine, type: FRT-S, machine number: 13/05220541, year of construction: 2013, 230 V, 1 Ph, 50/60 Hz, 1.3 kW, weight: 160 kg, clearance: ø 250 mm, total dimensions: 800 mm x 600 mm x 1400 mm.	1500
12	Vemag	Vemag vacuum filling machine with lifter for 200 litre meat bins, model: HP 10 C, number: 142 1500, year of construction: 2005, 400-460 V, 3 Ph, 50/60 Hz, 29 A, 20 kW, dimensions: 2000 mm x 1300 mm x 2150 mm. Without augers.	2500
13	Vemag	Vemag mobile forming machine, model: FM250, number: 2500648, year of construction: 2016, 400-460 V, 3 Ph, 50/60 Hz, 4 A, 2.5 kW, weight: 340 kg, diameter clearance: 90 mm, plastic belt, belt width: 245 mm, total dimensions: 2000 mm x 850 mm x 1500 mm	4000
14	Guttridge EasyFlow	Mobile Guttridge EasyFlow elevating screw for dry products, machine type: EASYFLOW (B), machine number: 594183-1-1, date of manufacturing: 08/16, diameter screw: 70 mm, elevating height: 2400 mm, total dimensions: 700 mm x 1900 mm x 2550 mm.	2000
15	D.C. Norris & Company Ltd.	D.C. Norris & Company Ltd. cooking vessel with mixing arm, serial number: N2900, year of construction: 2014, volume: 500 litres, dimensions: 1600 mm x 1100 mm x 2000 mm. Including s/s switch cabinet, dimensions: 650 mm x 400 mm x 1000 mm.	2500
16	Seydelmann	Seydelmann grinder, machine type: AW 300 U AC 6, machine number: 16 074-1, year of construction: 2016, 400 V, 50 Hz, 220 kW, 400 A, weight: 6000 kg, plate diameter: 300 mm, total dimensions: 2300 mm x 2900 mm x 2850 mm, including s/s trolley for worm and tools, dimensions: 1800 mm x 900 mm x 1250 mm.	40000
17	Syspal	Syspal lifter for 200 litre meat bins with s/s protection cage, type: 600/SCB-1371, serial number: K8592/1-1, year of construction: 2020, safe work load: 350 kg, lifting height: 2650 mm, total dimensions: 1350 mm x 1400 mm x 3600 mm.	3000
18	Vemag	Vemag mobile forming machine, model: FM250, number: 2500197, dimensions clearance: 40 mm x 20 mm, plastic belt, belt width: 250 mm, total dimensions: 2000 mm x 850 mm x 1500 mm.	3000
19	Vemag	Vemag checkweigher, plastic belt, belt width: 275 mm, total dimensions: 1650 mm x 800 mm x 1770 mm.	2000



Nr	Title	Description	Start €
21	Loma Systems	Loma Systems metal detector with rejector, model: MD301, serial number: 09477D, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 0.3 A, plastic belt, belt width: 300 mm, clearance: 350 mm x 125 mm, total dimensions: 1500 mm x 1050 mm x 1500 mm.	1500
22	Magurit GmbH	Magurit GmbH flaker, type: 314, machine number: 5458, year of construction: 2006, 400 V, 50 Hz, 20 A, 9.2 kW, working width: 440 mm, total dimensions: 2300 mm x 1050 mm x 1350 mm.	8000
23	Vemag	Vemag vacuum filling machine, model: Robby, type: 134, number: 134.0877, 380-460 V, 3 Ph, 50/60 Hz, 9.7 A, dimensions: 760 mm x 900 mm x 1620 mm.	1500
24	Tipper Tie technopack	Tipper Tie technopack mobile clipper, model: DCM 90, number: 4821.077.218, dimensions: 1150 mm x 750 mm x 1700 mm.	1250
25	Treif Maschinebau GmbH	Treif Maschinebau GmbH dicer, model: Derby 100S-CE, type: 2740, machine number: 274003.69021.0120, year of construction: 1999, 400 V, 50 Hz, 4.2 A, 1.75 kW, weight: 281 kg, dimensions chamber: 105 mm x 95 mm, total dimensions: 1400 mm x 800 mm x 1100 mm.	1500
26	GEBA GmbH & Co. KG	GEBA GmbH & Co. KG salmon slicer, type: HS 240, number: 2400234, year of construction: 2002, 220-240 V, 50/60 Hz, 1.4 kW, weight: 250 kg, working width: 250 mm, total dimensions: 1580 mm x 800 mm x 1250 mm.	1000
27	BPT	BPT double jacketed cooking kettle with agitator, model: PD 5500 Cat.3, serial number: P00324, year of construction: 2008, maximum heated: 162 °C, dimensions: 2600 mm x 1500 mm x 2400 mm.	2000
28	D.C. Norris	D.C. Norris tiltable fryer, serial number: N1861, year of construction: feb-03, 415 V, 3 Ph, 50 Hz, 25 A, capacity: 150 litres, dimensions: 2100 mm x 1430 mm x 1240 mm.	1000
29	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: ICA, number: 1876, year of construction: 2021, 480 V, 3 Ph, 50/60 Hz, 4.0 A, 3.0 kW, weight: 805 kg, plastic belt, belt width: 180 mm, total dimensions: 2850 mm x 900 mm x 1850 mm.	15000
30	Winyard Engineering	Winyard Engineering mobile vegetable spiriliser, model: VL2+, number: 170735, clearance: (2x) 240 mm x 115 mm, total dimensions: 1800 mm x 1400 mm x 1470 mm.	3000
31	Manitowoc ice inc	Manitowoc ice inc double ice machine with ice storage and ice trolleys, model: QDDUAL2C, 230 V, 1 Ph, 50 Hz, dimensions: ice machine: (2x) 750 mm x 600 mm x 750 mm. With William ice storage, dimensions: 2300 mm x 1100 mm x 2450 mm and 3 ice trolleys, dimensions: (3x) 630 mm x 1050 mm x 900 mm. Including 2 cooling compressors, model: CVD2075, dimensions: (2x) 1350 mm x 610 mm x 670 mm.	1500



Nr	Title	Description	Start €
32	Ulma	Ulma flowpacker, model: FR 200, machine number: 143155, year of construction: 2020, 415 V, 3 Ph, 50 Hz, 12 A, 8.3 kW, distance between dividers: 200 mm, divider height: 40 mm, seal width: 300 mm, plastic belt, belt width: 300 mm, total dimensions: 4100 mm x 1300 mm x 1850 mm.	8000
33	NN sieve	Sieve, dimensions: 950 mm x 900 mm x 2000 mm.	400
34	Grote	Grote mobile slicer, model: 613-VS2-LES, serial number: 1187467, year of construction: 2017, 208/240 V, 1 Ph, 50/60 Hz, working width: 350 mm, total dimensions: 1100 mm x 900 mm x 1700 mm.	12500
35	Grote	Grote mobile slicer outfeed conveyor, model: AUTOLOAD 613-LES, serial number: 1187468, year of construction: 2017, 208/240 V, 1 Ph, 50/60 Hz, plastic mesh belt, belt width: 300 mm, total dimensions: 1600 mm x 1000 mm x 1270 mm.	5000
36	Winyard Engineering	Winyard Engineering mobile 2-heads filling machine, type: AUGER FILL, serial number: AE 160906, clearance: (2x) \varnothing 120 mm, total dimensions: 1250 mm x 900 mm x 1950 mm.	4000
38	GEA	GEA / CFS mobile forming machine, type: MLF 400, machine number: 2178, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 16.95 A, 7.77 kW, weight: 1186 kg, with GEA upgraded screen, s/s mesh belt, belt width: 400 mm, total dimensions: 3300 mm x 900 mm x 2600 mm. Missing forming plate and ejector.	12500
40	Apple Food Systems	Apple Food Systems mobile depositor, 8-heads, model: Twin LP, year of construction: 2012, 240 Vac, 1 Ph, 50 Hz, 16 A, inside dimensions infeed tub: 490 mm x 420 mm x 800 mm, diameter filling heads: (8x) 20 mm, total dimensions: 2370 mm x 1000 mm x 1430 mm.	3500
41	Riggs Autopack	Riggs Autopack mobile infeed bunker with 2 pumps, model: 1000, serial number: TT1075R, year of construction: 2009, inside dimensions tub: 1000 mm x 780 mm x 700 mm, diameter outfeed: (2x) 35 mm, total dimensions: 1400 mm x 1000 mm x 1200 mm.	1500
42	Magurit GmbH	Magurit GmbH flaker, working width: 510 mm, total dimensions: 2200 mm x 1150 mm x 1150 mm.	4000
43	Apple Food Systems	Apple Food Systems mobile depositor, model: MR900, serial number: 136502, year of construction: 2017, 400 V, inside dimensions infeed tub: \varnothing 400 mm x 800 mm, diameter filling heads: 20 mm, total dimensions: 1500 mm x 520 mm x 1820 mm.	1500
44	Grote	Grote slicer, model: 613-VS2, serial number: 1199547, year of construction: 2018, 208/240 V, 1 Ph, 50/60 Hz, working width: 350 mm, total dimensions: 1050 mm x 850 mm x 1650 mm.	12500



Nr	Title	Description	Start €
45	Freemantle	Freemantle sleever, model: S23, serial number: 13-745, year of construction: 2013, 240 V, 1 Ph, maximum box dimensions: 150 mm x 130 mm x 80 mm, plastic belt, belt width: 300 mm, total dimensions: 4700 mm x 1350 mm x 1650 mm.	5000
46	NN batter mixer	Mobile batter mixer, inside dimensions: ø 900 mm x 600 mm, total dimensions: 1350 mm x 1250 mm x 1320 mm.	750
47	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF628, number: 16380, year of construction: 2003, 420 V, 3 Ph, 50 Hz, 18.6 A, 13.5 kW, dimensions: 1750 mm x 1350 mm x 2100 mm.	6500
48	Nilma	Nilma mobile oil pump, type: POMPA OLIO, serial number: 1319303, year of construction: 2013, 240/415 V, 3 Ph, 50 Hz, 0.7 kW, volume: 160 litres, maximum charge: 40 l/min, weight: 70 kg, dimensions: 950 mm x 1000 mm x 1200 mm.	750
49	Proseal	Proseal sealing machine, type: PBS, serial number: 3266, seal length: 275 mm, total dimensions: 760 mm x 760 mm x 1270 mm.	500
50	Packaging Automation Ltd	Packaging Automation Ltd mobile rotating traysealer, type: PA 182/5, dimensions dye: (2x) ø 110 mm, total dimensions: 1400 mm x 1150 mm x 1700 mm. Including pallet with extra dyes, dimensions dyes: (2x) 177 mm x 127 mm, (2x) 165 mm x 133 mm, (2x) 160 mm x 120 mm.	1000
51	Vakona GmbH	Vakona GmbH tiltable vacuum tumbler, type: 500 VM, number: 1527, year of construction: 2004, 230-400 V, 50 Hz, 9.7 A, 4.2 kW, inside dimensions: ø 940 mm x 800 mm, Busch vacuum pump, total dimensions: 1550 mm x 1350 mm x 1840 mm.	2000
52	Food Dosing Packing Machines SP. Z.O.O.	Food Dosing Packing Machines SP. Z.O.O. cup filling and sealing machine, type: PAK 4LP, machine number: 468, year of construction: 2016, 400 V, 3 Ph, 8 k W, weight: 2700 Kg, 4 lane cup denester, 4 lanes, cup dimensions: Ø (4x) 75 mm, total dimensions: 3950 mm x 2100 mm x 2550 mm.	15000
54	Henneken	Henneken vacuum tumbler with lifter for 200 litres meat bins, model: C2, volume: 3650 litres, Busch vacuum pump, type: RC 0063 E, serial number: 03047677, capacity: 63 m³/h, dimensions: 3050 mm x 2550 mm x 2300 mm.	3000
55	Ulma	Ulma vertical form-, fill-, and seal machine, model: ETNA-280HT, serial number: 60281092, year of construction: 2005, 400 V, 50 Hz, 16 A, 6 kW, diameter pipe: 165 mm, vertical seal length: 400 mm, horizontal seal length: 300 mm, film width: 600 mm, total dimensions: 2220 mm x 1430 mm x 2120 mm.	5000
56	The Food Machinery Co. Ltd	The Food Machinery Co. Ltd double shaft paddle-mixer with single shaft ribbon-mixer, serial number: B081901, B041903, year of construction: 2019, total dimensions: 2050 mm x 2250 mm x 2350 mm.	7500



Nr	Title	Description	Start €
58	Kolbe	Kolbe mobile portioning machine, clearance: 125 mm x 40 mm, plastic rollers, roller width: 120 mm, total dimensions: 700 mm x 500 mm x 730 mm.	500
59	McNally Biotech Ltd	McNally Biotech Ltd pallet mill, type: ZLSP120B, number: 200038, year of construction: 2020, capacity: 60-100 kg, weight: 100 kg, perforations: 5 mm and 6 mm, total dimensions: 1200 mm x 800 mm x 950 mm.	1500
60	Proseal	Proseal s/s trolley for dyes, serial number: SN-O-04883, year of construction: 2019, dimensions: 1500 mm x 1150 mm x 1650 mm.	500
61	Imperia & Monferrina S.p.A.	Imperia & Monferrina S.p.A. crêpe-machine, model: C1, serial number: L130211, year of construction: 2013, 220 V, 50 Hz, weight: 44 kg, working width: 200 mm, plastic belt, belt width: 205 mm, total dimensions: 630 mm x 1000 mm x 500 mm.	250
62	Brabender	Brabender measure device, dimensions: 500 mm x 300 mm x 800 mm. Including parts.	150
63	Rational	Rational combi steamer, dimensions: 900 mm x 860 mm x 1800 mm. Including s/s trolley, 20 floors, dimensions floors: 530 mm x 330 mm.	1500
64	Kolbe	Kolbe mobile transport belt, plastic belt with dividers, belt width: 195 mm, divider height: 50 mm, distance between dividers: 160 mm, total dimensions: 1550 mm x 400 mm x 740 mm.	100
65	Fanuc LTD	Fanuc LTD robot arm, type: M-710i C 50s, 6-axis, dimensions: 1100 mm x 700 mm x 1560 mm, type controller: A05B-2510-B150, serial number: E10801934, year of construction: 2010-08, 3 Ph, 50/60 Hz, 12 kW, weight: 180 kg, dimensions: 750 mm x 600 mm x 1860 mm.	1500
66	Winyard Engineering	Winyard Engineering filling machine with Loma Systems pipe line metal detector, type: MEGAFILL, serial number: MF-101004, model metal detector: APL42855, serial number: 37104, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 0.2 A, dimensions: 1800 mm x 1150 mm x 1560 mm.	2500
67	NN mixer	Mixer, dimensions: 900 mm x 300 mm x 2300 mm.	150
68	Seydelmann	Seydelmann double shaft ribbon mixer on weighing cells, type: MR 600, machine number: 16 633-1, year of construction: 2016, 400 V, 50 Hz, 21 A, 11 kW, weight: 1500 kg, dimensions: 2000 mm x 1400 mm x 2290 mm. With lifter for 200 litres meat bins, dimensions lifter: 3100 mm x 800 mm x 1500 mm.	10000
69	Ilpra S.p.A.	Ilpra S.p.A. traysealer, model: FP SPEEDY DUO OVERSKIN, serial number: 12425, year of construction: 2023, 400 V, distance between dividers: 340 mm, dimensions dye: (4x) 180 mm x 140 mm, Busch vacuum pump, total dimensions: 3230 mm x 1050 mm x 1620 mm, 1000 mm x 1000 mm x 850 mm.	9500



Nr	Title	Description	Start €
70	CFS	CFS grinder, type: AUTOGRIND 200, serial number: 62667, year of construction: 2002, 400 V, 50 Hz, 140 A, 74 kW, dimensions: 2650 mm x 1700 mm x 2100 mm. Incomplete.	4000
71	Multivac	Multivac thermoformer, model: R575, serial number: 127121, year of construction: 2009, 415 V, 3 Ph, 50 Hz, 89 A, 28.5 kW, dimensions dye: (6x) 220 mm x 150 mm, dimensions: 12500 mm x 1800 mm x 2300 mm.	15000
72	Bongard	Bongard deck oven with infeed belt, 5 decks, dimensions decks: (5x) 1600 mm x 800 mm, cloth belt, belt width: 750 mm, total dimensions: 2820 mm x 1650 mm x 2320 mm. Including pallet box with glass covers and stone plates, dismantled for transport.	1500
73	Multivac	Multivac thermoformer with outfeed lane divider, type: R535, serial number: 146583, year of construction: 2011, 415 V, 3 Ph, 50 Hz, 50 A, 17.5 kW, film width: 570 mm, dimensions dye: (10x) 243 mm x 93 mm, with lane divider, plastic belt, belt width: (5x) 80 mm, 680 mm, dimensions thermoformer: 8200 mm x 1300 mm x 2300 mm, dimensions lane divider: 1500 mm x 1200 mm x 600 mm. Including pallet with parts.	17500
74	Syspal	Syspal lifter for 200 litre meat bins with s/s protection cage, type: SC100B 1134, serial number: K3445, year of construction: 2011, safe work load: 250 kg, lifting height: 1580 mm, total dimensions: 1200 mm x 1350 mm x 2550 mm.	1500
75	Bobet Materiel	Bobet Materiel hygiene station, type: C.C 2200, serial number: 1154, year of construction: 2002, brush length: (4x) 370 mm, (5x) 430 mm, total dimensions: 2200 mm x 1100 mm x 1630 mm.	1500
76	Mainca	Mainca piston filler, model: EM-20, number: 6680, year of construction: 2007, 230 V, 2 Ph, 50 Hz, 10 A, 1.1 kW, volume: 20 litres, dimensions: 460 mm x 700 mm x 1120 mm.	500
77	Excel Packaging Machinery Limited	Excel Packaging Machinery Limited manual filling machine, diameter filling pipe: 8 mm, total dimensions: 450 mm x 300 mm x 300 mm.	500
78	Multivac	Multivac vacuum machine, type: C100, serial number: 179574, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 5 A, 0.4 kW, seal length: 300 mm, dimensions chamber: 330 mm x 330 mm, Busch vacuum pump, total dimensions: 500 mm x 400 mm x 400 mm. Missing seal.	500
79	Multivac	Multivac vacuum machine, type: C100, serial number: 1392, year of construction: 1997, 230 V, 1 Ph, 50 Hz, 3.5 A, 0.66 kW, seal length: 300 mm, dimensions chamber: 330 mm x 330 mm, Busch vacuum pump, total dimensions: 500 mm x 400 mm x 400 mm. Missing seal.	150



Nr	Title	Description	Start €
80	Turbovac	Turbovac vacuum machine, model: T40, serial number: 20170398, year of construction: 2017, 220-240 V, 1 Ph, 50 Hz, 6.5 A, seal length: 420 mm, dimensions chamber: 370 mm x 440 mm, total dimensions: 550 mm x 510 mm x 480 mm.	500
81	MDM Pumps Ltd	MDM Pumps Ltd centrifugal pump, model: N3/5-5K, serial number: 16P94-A1, year of construction: 2016, weight: 70 kg, dimensions: 760 mm x 320 mm x 500 mm.	500
82	Alfa Laval	Alfa Laval centrifugal pump, type: SOLIDC-2, serial number: 264596, year of construction: 2021, 50 Hz, dimensions: 720 mm x 330 mm x 500 mm.	950
83	NN boot cleaning station	Boot cleaning station, brush dimensions: 300 mm x 150 mm, total dimensions: 570 mm x 390 mm x 900 mm.	150
84	Minerva Omega group s.r.l.	Minerva Omega group s.r.l. mobile tiltable double shaft paddle-mixer, model: C/EMB50, type: MESCOLATORE, serial number: 13E0344, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 4.3 A, 1.85 kW, weight: 124 kg, dimensions: 850 mm x 630 mm x 1200 mm.	500
85	NN box closing machine	Mobile box closing machine, model: AS523S, serial number: 16A156, year of construction: 2016, 240 V, 50 Hz, 240 W, dimensions: 1400 mm x 850 mm x 1360 mm.	500
86	NN hamburger forming machine	Mobile hamburger forming machine, dimensions dye: ø 115 mm, plastic belt, belt width: 150 mm, total dimensions: 1400 mm x 1000 mm x 1840 mm.	800
87	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: DC700, number: 175, year of construction: 2020, weight: 98 kg, dimensions: 1250 mm x 800 mm x 1800 mm.	6500
88	Advanced Food Technology	Advanced Food Technology mobile depositor, model: MINI DEPOSITOR, serial number: 100306-06, year of construction: 2010, 230 V, 1 Ph, 50 Hz, inside dimensions tub: ø 490 mm x 400 mm, total dimensions: 1000 mm x 800 mm x 1650 mm.	1500
89	NN bag sealing machine	Mobile continuous plastic bag sealing machine, type: FRM-1100BL, serial number: L 22038, year of construction: 2022, 220 V, 50 Hz, 1.08 kW, sealing speed: 0-16 m/min, sealing thickness: 0.04-0.4 mm, conveyor lifting: 100-600 mm, maximum weight: 5 kg/bag, seal length: (2x) 140 mm, plastic belt, belt width: 185 mm, total dimensions: 1160 mm x 530 mm x 1520 mm.	1000
90	Kronen	Kronen slicer, type: GS10, serial number: 2248, year of construction: 2014, 230 V, 1 Ph, 50/60 Hz, 1.8 kW, plastic belt, belt width: (2x) 120 mm, total dimensions: 1500 mm x 600 mm x 1250 mm.	4000
91	Syspal	Syspal lifter for 200 litre meat bins, type: GE100 1034, serial number: K 5238, year of construction: 2015, safe work load: 100 kg, lifting height: 2700 mm, total dimensions: 1200 mm x 1350 mm x 4800 mm.	2000



Nr	Title	Description	Start €
92	Kelvion Refrigeration B.V.	Kelvion Refrigeration B.V. evaporator, type: Goedhart AU.p, machine number: PJV161535, year of construction: 2016, fluid: P-Glycol 25%, weight: 790 kg, 3 fans, dimensions: 3900 mm x 1500 mm x 1200 mm.	500
93	Kelvion Refrigeration B.V.	Kelvion Refrigeration B.V. evaporator, type: Goedhart AU.p, machine number: PJV161535, year of construction: 2016, fluid: P-Glycol 25%, weight: 790 kg, 3 fans, dimensions: 3900 mm x 1500 mm x 1200 mm.	500
94	Kelvion Refrigeration B.V.	2 Kelvion Refrigeration B.V. evaporators, type: Goedhart DVSp 82637 L, year of construction: 2016, fluid: P-Glycol 25%, weight: (2x) 500 kg, dimensions: (2x) 2500 mm x 1900 mm x 800 mm.	1000
95	Alfa Laval	Alfa Laval evaporator, 2 fans, dimensions: 3900 mm x 1700 mm x 2100 mm.	1000
96	Alfa Laval	Alfa Laval evaporator, 2 fans, dimensions: 3900 mm x 1700 mm x 2100 mm.	1000
97	Helpman	Helpman roof condenser, 4 fans, dimensions: 3600 mm x 2100 mm x 1200 mm.	750
98	Güntner GmbH & Co. KG	Güntner GmbH & Co. KG roof condenser, year of construction: 2017, volume: 88.4 litres, 2 fans, dimensions: 3100 mm x 2250 mm x 1500 mm.	750
99	Coolers & Condensers Ltd	Coolers & Condensers Ltd evaporator, dimensions: 3250 mm x 1500 mm x 3150 mm.	1000
100	Syspal	Syspal mobile tilting device for pallet boxes with outfeed gutter, type: HT300-1012, serial number: K1717, year of construction: 2005, safe work load: 650 kg, dimensions: 1650 mm x 1750 mm x 2000 mm.	1500
101	GEA Food Solutions Bakel B.V.	GEA Food Solutions Bakel B.V. double shaft vacuum paddle-mixer on weighing cells with CO2 injection, type: GEA UniMix 400, machine number: 1030, year of construction: 2014, 415 V, 3 Ph, 50 Hz, 15 A, 7 kW, weight: 670 kg, dimensions: 1600 mm x 2200 mm x 2200 mm. Incomplete.	4500
102	Leepack	Leepack rotary vacuum machine with 10 vacuum chambers (2 broken), serial number: 110031622/23/24, year of construction: 2011, 400 V, 3 Ph, 16 A, 6.6 kW, weight: 500 kg, chamber dimensions: 300 mm x 300 mm, seal length: 270 mm, total dimensions: 3000 mm x 2100 / 2800 mm x 2200 mm. Including trolley with 3 Busch vacuum pumps, type: RA 0100 F 503, dimensions trolley: 1500 mm x 750 mm x 2050 mm.	6500
103	Toyo Jidoki Co., Ltd	Toyo Jidoki Co., Ltd pouch filling and closing machine, model: TT-8CR, machine number: 2487, year of construction: 2002, 415 V, 3 Ph, 15 A, 7.0 kW, weight: 1950 kg, plastic belt, belt width: 50 mm, 200 mm, total dimensions: 2800 mm x 1750 mm x 2350 mm.	10000
104	Urschel	Urschel strip cutter, plastic belt, belt width: 250 mm, working width: 230 mm, distance between knives: 20 mm, total dimensions: 2100 mm x 1100 mm x 1540 mm.	4000



Nr	Title	Description	Start €
105	D.C. Norris	D.C. Norris tumble chiller, model: 48/36, serial number: DCN 012, year of construction: 04.92, 415 V, 3 Ph, 50 Hz, 9 A, drum dimensions: Ø 1170 mm x 970 mm, total dimensions: 1550 mm x 2150 mm x 1820 mm.	1500
106	NN water wheel	S/s mobile water wheel, diameter pipe: 50 mm, total dimensions: 1000 mm x 1250 mm x 1660 mm.	1000
107	Unitherm Food Systems, Inc	Unitherm Food Systems, Inc flat belt oven, model number: RC1-18X02S10/1GC, serial number: RCGV-1601, 380/415/480 V, 3 Ph, 50/60 Hz, 200/185/160 A, belt width: 400 mm, clearance: 400 mm x 120 mm, total dimensions: 5500 mm x 2100 mm x 2300 mm.	15000
108	Unitherm Food Systems, Inc	Unitherm Food Systems, Inc gas heated spiral oven, model number: SSOC-15.75-1.6-16/-G, serial number: SPOV-3SC01, 380/415/480 VAC, 3 Ph, 50/60 Hz, 75/70/60 A, 16 floors, s/s belt width: 400 mm, tier: 80 mm, infeed height: 700 mm, outfeed height: 2500 mm, Z-N clockwise rotation, total dimensions: 4500 mm x 2500 mm x 3150 mm.	35000
109	Unitherm Food Systems, Inc	Unitherm Food Systems, Inc spiral freezer, model number: SCCH-15.75-1.6-20T-D-R717R, serial number: SSPFZ, 380/415/480 V, 3 Ph, 50/60 Hz, 65/60/52 A, 20 floors, s/s belt width: 400 mm, tier: 80 mm, infeed height: 2500 mm, outfeed height: 600 mm, Z-N clockwise rotation, total dimensions: 5300 mm x 2500 mm x 3400 mm.	35000
110	CFS	CFS slicer, type: UNI-SLICER, year of construction: 2003, plastic belt, belt width: 350 mm, total dimensions: 4000 mm x 900 mm x 2200 mm.	1500
111	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, linking attachment and case spooling device, type: VF100B, number: 850, 420 V, 50 Hz, 14.4 A, 5.5 kW, dimensions: 2300 mm x 1200 mm x 1900 mm.	2500
112	DanTech UK Ltd	DanTech UK Ltd pig in blanket wrapper, model: PIB 400, serial number: 8800, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 5 A, s/s mesh belt, belt width: 400 mm, (3x) 150 mm, total dimensions: 5700 mm x 1000 mm x 1000 mm.	1750
114	Syspal/Forberg	Muesli mixing line, consisting of: Syspal KG lifter for trolleys, type: DC 200Forberg bottom discharge mixer used in muesli line with s/s platform Syspal Ltd elevating belt with s/s frame and plastic belt with dividers, type: 512 025 427Ceia metal detector with KMS vibrating gutter on s/s platform, model Ceia metal detector: T/MS21, type KMG vibrating gutter: E06001	7250



Nr	Title	Description	Start €
115	Marel Stork Titan B.V.	Marel Stork Titan B.V. twin drum spiral oven, model: TSO 600/96/4 EL TH0302, type: 4786432AA, serial number: 10077687, year of construction: 2010, belt width s/s mesh belt: 600 mm, clockwise rotation, left hand execution, total dimensions oven: 8500 mm x 4000 mm x 3500 mm, dimensions in-and outfeed station: (2x) 1300 mm x 1200 mm x 1400 mm.	95000
116	Handtmann	Handtmann vacuum filling machine with lifter for 200 litres meat bins, model: VF611, number: 25427, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, dimensions: 1900 mm x 1400 mm x 2000 mm.	10000
117	Handtmann	Handtmann mobile linking and hanging line for sausages, consisting of: Handtmann AL linker, type: 242-01, number: 639, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, dimensions AL linker: 2700 mm x 900 mm x 1600 mm, Handtmann mobile hanging line, type: 242-16, number: 917, year of construction: 2008, dimensions hanging line: 2600 mm x 800 mm x 1500 mm.	5000
118	SPX Waukesha Cherry-Burrel	SPX Waukesha Cherry-Burrel positive displacement pump, model: 134U1, serial number: 1000002777973, year of construction: 06/19/12, dimensions: 1500 mm x 800 mm x 1100 mm.	1000
119	Tote	Tote mobile s/s tank, number: 0605, year of construction: 1999, dimensions tank: 940 mm x 750 mm x 1000 mm, total dimensions: 1350 mm x 1150 mm x 1730 mm.	500
121	G. Mondini S.p.a.	G. Mondini S.p.a. inliner, model: ND/1-2, machine number: 3729/09, year of construction: 2009, 415 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 505 mm, total dimensions: 2150 mm x 450 mm x 1650 mm.	800
122	NN tank	S/s tank with pump, inside dimensions: 780 mm x 780 mm x 800 mm, total dimensions: 2200 mm x 830 mm x 1750 mm.	1000
123	Premier	Premier labelling machine, plastic belt, belt width: (2x) 240 mm, total dimensions: 1300 mm x 850 mm x 1800 mm. Incomplete.	500
124	Promens	Promens traysealer, model: 511-VG, machine number: 3808079, year of construction: 2008, 400 V, 3 Ph, 50 Hz, film width: 430 mm, dimensions dye: 385 mm x 275 mm, total dimensions: 950 mm x 700 mm x 1500 mm.	500
125	VWS Nederland B.V.	VWS Nederland B.V. belt labeller, model: LP400 Top & Base labelling system, serial number: 211003, year of construction: 2022, 110-240 V AC, 50-60 Hz, plastic belt, belt width: 295 mm, total dimensions: 1200 mm x 1050 mm x 1050 mm.	1000
126	Schröder	Schröder tenderiser, type: NT 350, number: 35028802, year of construction: 2000, 400 V, 50 Hz, 19 A, 5 kW, s/s walking beam, total belt width: 640 mm, 476 needles, total dimensions: 2050 mm x 1300 mm x 2100 mm.	1750



Nr	Title	Description	Start €
127	S+S	S+S metal detector with rejector, type: GLS 200/50/75/289, serial number: 11415017561-S, 110-230 VAC, 50/60 Hz, 0.2-0.1 A, clearance: 200 mm x 300 mm, plastic belt, belt width: 100 mm, total dimensions: 1050 mm x 700 mm x 1750 mm.	1000
128	Hoegger	Hoegger separator, type: FS201A, serial number: 11-025, year of construction: 2014, 380-420 V, 3 Ph, 50/60 Hz, 12.0 A, 3.5 kW, weight: 1000 kg, dimensions: 1900 mm x 1100 mm x 1700 mm.	4500
129	CVP	CVP bag sealing machine, model A 300, seal length: 1400 mm, Sogevac vacuum pump, type: SV25 109 02 66, total dimensions: 1500 mm x 1100 mm x 1350 mm.	750
130	Bilwinco	Bilwinco mobile 14-heads multthead weigher, type: DWII, number: 80-82301, year of construction: 2007, 400 V, 3 Ph, 0.55 kW, dimensions: 1900 mm x 1300 mm x 2330 mm.	1500
131	Ceia/Delford	Ceia metal detector with Delford checkweigher, model metal detector: THS/SL, serial number: 20100236015, plastic belt, belt width: 295 mm, clearance: 400 mm x 110 mm, model checkweigher: G1000, serial number: 1001, year of construction: 2001, weighing range: 10-990 g, 415 V, 3 Ph, 50 Hz, 3 A, total dimensions: 2100 mm x 1200 mm x 1600 mm.	850
132	Handtmann	Handtmann mobile linking machine, type: 141-01, number: 206, year of construction: 1997, 420 V, 50 Hz, 6.9 A, dimensions: 1750 mm x 900 mm x 1400 mm.	1500
133	D.C. Norris & Co. (ENG) Ltd	D.C. Norris & Co. (ENG) Ltd 4-vessel cooking station, model: 4050, serial number: 2307, year of construction: 2008, 415 V, 3 Ph, 50 Hz, 16 A, steam heated, inside dimensions: (4x) ø 310 mm x 380 mm, total dimensions: 3200 mm x 850 mm x 1450 mm.	800
134	Handtmann	Handtmann mobile linking machine, type: 141-01, number: 349, year of construction: 2006, 420 V, 3 Ph, 50 Hz, 6.9 A, 5 kW, dimensions: 1750 mm x 900 mm x 1400 mm.	2500
135	Hiwell	Hiwell flouring machine, model: SFJ400-III, serial number: 0541004, year of construction: 2010.04.02, 380 V, 50 Hz, 2.81 kW, weight: 630 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 2700 mm x 1070 mm x 2200 mm.	1500
136	Delford	Delford flowpacker, model: SP 6000, serial number: 6439, year of construction: 2002, 400 V, 50 Hz, 20 A, temperature range: 0°C-35°C, weight: 1050 kg, plastic infeed belts, belt width: (2x) 60 mm, 200 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 4450 mm x 1050 mm x 1370 mm.	1000
137	NN transport belt	Infeed belt for traysealer with s/s frame and plastic belt with and without perforations, belt width: (2x) 280 mm, plastic mesh belt, belt width: 150 mm, with Rietschle side channel vacuum pump, total dimensions: 2400 mm x 900 mm x 1250 mm.	150



Nr	Title	Description	Start €
138	Ilpra S.p.A.	Ilpra S.p.A. traysealer, model: FP SPEEDYVG, serial number: FD 7856, year of construction: 2008, 380 V, distance between dividers: 350 mm, dimensions dye: (2x) 180 mm x 140 mm, total dimensions: 2900 mm x 1000 mm x 2200 mm.	2000
139	Crown conveyors	Crown conveyors elevating belt, serial number: 8371, plastic belt, belt width: 245 mm, elevating height: 970 mm, total dimensions: 2000 mm x 500 mm x 970 mm.	200
140	Packaging Automation Ltd	Packaging Automation Ltd cup filling machine, serial number: FF60-MC-00011-A, 415 V, 50 Hz, 8 stations, diameter cups: 70 mm, plastic belt, belt width: 115 mm, total dimensions: 2180 mm x 1350 mm x 2380 mm.	3000
141	Industrial Washing Machines Ltd.	Industrial Washing Machines Ltd. crate washer, model: Crusader 600SP, serial number: 239-C65PA/2917/01X, year of construction: 17/02/00, clearance: 870 mm x 470 mm, chain belt with dividers, belt width: 690 mm, dividers height: 10 mm, distance between dividers: 550 mm.	1500
142	IXIA UK Ltd.	IXIA UK Ltd. mobile denester, type: i7 SERIES, serial number: IX14/231, clearance: 50 mm x 50 mm, total dimensions: 1500 mm x 820 mm x 1860 mm.	350
143	Glass GmbH & Co. KG	Glass GmbH & Co. KG mobile vacuum tumbler, type: VSM 300, machine number: 2636, year of construction: 2002, 415 V, 50 Hz, 6.43 A, 2.67 kW, dimensions: 2000 mm x 1050 mm x 1570 mm. Incomplete.	1500
144	G. Mondini	G. Mondini inliner, model: ND/1-2, number: 3729/09, year of construction: 2009, 415 V, 3 Ph, 50 Hz, plastic mesh belt, belt width: 500 mm, total dimensions: 1950 mm x 950 mm x 1660 mm.	800
145	Goring Kerr	Goring Kerr metal detector with rejector, clearance: 350 mm x 130 mm, plastic belt, belt width: 250 mm, total dimensions: 1600 mm x 950 mm x 1100 mm.	1750
146	Nemesis	Nemesis checkweigher, type: PL30, serial number: 14298, 230 V, 50-60 Hz, 20 W, temperature range: 0°C-40°C, plastic belt, belt width: 405 mm, total dimensions: 1500 mm x 750 mm x 1350 mm.	750
147	Gillenkirch Packaging Systems GmbH	Gillenkirch Packaging Systems GmbH vertical and horizontal sealing machine for vegetables, model: 7000-E, factory number: 959/04, year of construction: 08/2004, 4 kW, seal length: 600 mm, plastic outfeed belt, belt width: 250 mm, total dimensions: 3750 mm x 1700 mm x 1630 mm.	2000
148	BCH	BCH s/s double jacketed tank with agitator, number: 6989H, year of construction: January 1979, inside dimensions: Ø 900 mm x 800 mm, total dimensions: Ø 1050 mm x 2040 mm.	500



Nr	Title	Description	Start €
149	Cryovac	Cryovac belt vacuum machine, model: VC 14 LH, serial number: A51100807, year of construction: 2000, 415 V, 50 Hz, 4.0 A, 1.3 kW, plastic belt, belt width: 480 mm, seal length: (2x) 940 mm, (1x) 650 mm, total dimensions: 1400 mm x 1000 mm x 1100 mm.	1000
150	NN transport belt	V-shaped transport belt, plastic belt, belt width: 400 mm, total dimensions: 2800 mm x 700 mm x 1100 mm.	750
151	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON CONTI, machine number: 461007.162571.113261, year of construction: November 2013, 380-480 V, 3 Ph, 50/60 Hz, 22-18 A, 8.6/11.7 kW, weight: 750 kg, plastic belt, belt width: 220 mm, total dimensions: 4520 mm x 1300 mm x 1850 mm.	12500
152	Townsend	Townsend co-extrusion sausage line consisting of: Wrightfield inliner.Hellings transport belts, belt width: 300 mm.3x Townsend co-extrusion sausage machines, model: Coex-Unit, serial number: 10090731, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 6.1 kW, diameter: 160 mm, weight: 1100 kg.3x Stork Townsend, model: Crimper, serial number: 10090732, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 1.5 kW.3x brine tunnel, model: QX Brine, year of construction: 2011, 460 V, 3 Ph, 60 Hz, belt width: 65 mm.2 full trucks. More photos on request.	15000
153	Handtmann	Handtmann vacuum filling machine with lifter for 200 litres meat bins, model: VF611, number: 25422, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, dimensions: 1900 mm x 1400 mm x 2000 mm, including tool trolley, dimensions: 1600 mm x 600 mm x 1400 mm.	10000
154	Handtmann	Handtmann mobile linking and hanging line for sausages, consisting of: Handtmann AL linker, type: 242-01, number: 638, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, dimensions AL linker: 2700 mm x 900 mm x 1600 mm, Handtmann mobile hanging line, type: 242-16, number: 918, year of construction: 2008, dimensions hanging line: 2600 mm x 800 mm x 1500 mm.	5000
155	SPX Waukesha Cherry-Burrel	SPX Waukesha Cherry-Burrel positive displacement pump, model: 134U1, serial number: 1000002931407, year of construction: 05/19/14, dimensions: 1500 mm x 800 mm x 1100 mm.	1000
156	Bio Commercial	Bio Commercial cold press juicer, dimensions: 1400 mm x 660 mm x 1600 mm. Including extra knives.	1000
157	Ishida Co., Ltd	Ishida Co., Ltd multihead weigher, 16-heads, model: CCW-RZ-216B-D/20-CR, number: 26281, year of construction: 1997, 220 V, 3 Ph, 50 Hz, 10.3 A, dimensions: 1550 mm x 1550 mm x 1650 mm.	2000



Nr	Title	Description	Start €
158	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile vacuum filling machine, model: Robot 500, serial number: 128 4861, year of construction: 2015, 220/240 V, 3 Ph, 50/60 Hz, 3 A, 4.9 kW, dimensions: 810 mm x 750 mm x 1720 mm.	2500
159	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile diaphragm, model: 821, number: 8210492, year of construction: 2015, 220/240 V, 3 Ph, 50/60 Hz, 1.4 A, machine weight: 60 kg, conveyor model: M-CONV-030-10454-5, plastic belt, belt width: 230 mm, dimensions: 620 mm x 800 mm x 1420 mm.	1500
160	Reiser	Reiser transport belt, s/s frame, plastic belt, model: M-CONV-030-10454-5, belt width: 230 mm, total dimensions: 1820 mm x 560 mm x 1500 mm.	500
161	Holac Maschinenbau GmbH	Holac Maschinenbau GmbH dicer, type: VA 150 G, serial number: 030-01-28, year of construction: 2012, 400 V, 50 Hz, 32 A, 14 kW, dimensions chamber: 150 mm x 150 mm, total dimensions: 2460 mm x 1400 mm x 1670 mm. Missing grid.	2000
162	Ilapak Italia S.p.A.	Ilapak Italia S.p.A. flowpacker, model: CARRERA 500 M, serial number: 01 96, delivery date: 5.01, 400 V, 50 Hz, 4000 W, film width: 420 mm, seal width: 260 mm, plastic outfeed belt, belt width: 240 mm, total dimensions: 4600 mm x 1200 mm x 1460 mm.	800
163	Fortress / Sartorius	Fortress / Sartorius checkweigher and metal detector system with 2 rejectors, Fortress metal detector, mode: Phantom, clearance: 350 mm x 125 mm, Sartorius check weigher, type: EWK3010/WS2kg MCD, year of construction: 2005, 230 V, 50 Hz, plastic belt, belt width: 265 mm, total dimensions: 2250 mm x 1350 mm x 1800 mm.	800
164	NN transport belt	Transport belt, plastic belt, belt width: 180 mm, total dimensions: 1850 mm x 470 mm x 1200 mm.	150
165	Pals	Pals labelling machine, model: FL 50150 HSL, serial number: HSL 072, year of construction: 2006, dimensions: 1500 mm x 800 mm x 1950 mm. Incomplete.	1500
166	NN table	S/s table, dimensions: 1520 mm x 750 mm x 860 mm.	200
167	Partners in Packaging	Partners in Packaging denester, model: A Series, serial number: 18049, year of construction: 2018, 230 V, 16 A, 4 trays, dimensions trays: (4x) 110 mm x 65 mm, total dimensions: 1350 mm x 1050 mm x 1800 mm.	4000
168	Odeology	Odeology mobile labelling machine, plastic belt, belt width: 430 mm, total dimensions: 1500 mm x 900 mm x 1200 mm.	1000
169	Carsoe	2 Carsoe denesters, model: Any Tray Cleanline Denester, serial number: SO-13874, year of construction: 2017, clearance: (2x) 140 mm x 140 mm, on s/s trolley, dimensions trolley: 1300 mm x 700 mm x 1410 mm.	300



Nr	Title	Description	Start €
170	Proseal UK Ltd.	Proseal UK Ltd. mobile double lane conveyor, serial number: 3114, year of construction: 2014, 400 V, 3 Ph, 50 Hz, s/s chain belt with dividers, divider height: 15 mm, distance between dividers: 300 mm, total dimensions: 5400 mm x 1200 mm x 2200 mm.	1000
171	NN inliner	Inliner, plastic belt, belt width: (2x) 110 mm, (2x) 320 mm, 680 mm, total dimensions: 2200 mm x 1100 mm x 1100 mm.	1000
172	Proseal UK Ltd.	Proseal UK Ltd. mobile rotary traysealer, type: Fastpack F45, serial number: 1212, 415 V, 50 Hz, plastic wire belt, belt width: 180 mm, total dimensions: 1850 mm x 900 mm x 2150 mm. Without dye.	1000
173	Cintex	Cintex metal detector and checkweigher with rejector, clearance: 300 mm x 70 mm, plastic belt, belt width: 280 mm, 200 mm, 340 mm, total dimensions: 2550 mm x 1200 mm x 1550 mm.	2000
174	Digi Europe Ltd	Digi Europe Ltd checkweighing and labelling machine, model: HI 3600, serial number: 040351007, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: (2x) 100 mm, 230 mm, total dimensions: 1700 mm x 700 mm x 1800 mm.	1000
175	NN roller conveyor	Roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 2000 mm x 750 mm x 900 mm.	100
176	NN turning table	S/s turning table, diameter top: 1500 mm.	400
177	NN sink	S/s sink, 2 faucets, knee control, dimensions: 1100 mm x 400 mm x 800 mm.	200
178	NN washing table	S/s washing table, 2 sinks, dimensions: 2050 mm x 870 mm x 1100 mm.	150
179	CFS Bakel B.V.	CFS Bakel B.V. deglazer, type: STD 2000/600, machine number: 887, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.8 A, 0.18 kW, weight: 275 kg, s/s mesh belt, belt width: 600 mm, total dimensions: 1600 mm x 900 mm x 1530 mm.	3500
180	Dimaco UK Limited	Dimaco UK Limited verifier, model: 932-5028c, serial number: 0806793, 230 V, 50 Hz, 6 A, dimensions: 620 mm x 480 mm x 750 mm.	80
181	Turbo Systems Ltd	Turbo Systems Ltd mobile depositor, dimensions: 1600 mm x 900 mm x 2100 mm.	1500
182	Lock Inspection Systems Ltd.	Lock Inspection Systems Ltd. metal detector, serial number: 49095/1, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 1.2 A, plastic belt, belt width: 500 mm, clearance: 600 mm x 120 mm, total dimensions: 1560 mm x 1000 mm x 1830 mm.	1000
183	NN cup sealing machine	Cup sealing machine, serial number: 134/00, 415 V, 16 A, dimensions cups: ø 630 mm, total dimensions: 1150 mm x 1350 mm x 1600 mm.	1500



Nr	Title	Description	Start €
184	Herbert Industrial Ltd	Herbert Industrial Ltd checkweigher, model: Gemini, serial number: HS734-66, year of construction: 2003, 230 V, 1 Ph, 50 Hz, weighing range: 0.1 kg-2 kg, e=d=0.001 kg, plastic belt, belt width: (2x) 100 mm, total dimensions: 1340 mm x 800 mm x 1750 mm.	800
185	NN curve conveyor	Mobile 45° curve conveyor, s/s mesh belt, belt width: 400 mm, total dimensions: 1700 mm x 1100 mm x 1930 mm.	750
186	ENE	ENE roller conveyor, plastic rollers, roller width: 300 mm, plastic mesh belt, belt width: 125 mm, total dimensions: 2000 mm x 700 mm x 1100 mm.	500
187	Anritsu	Anritsu metal detector with checkweigher, clearance: 140 mm x 300 mm, total dimensions: 1000 mm x 800 mm x 1750 mm. Incomplete.	750
188	NN bowl mixer	Bowl mixer, type: XE80, number: T9306 9749 001, year of construction: 1997, 380/415 V, 3 Ph, 50 Hz, dimensions: 1000 mm x 750 mm x 1450 mm. Without bowl.	500
189	Multiforce Contracts Limited	Multiforce Contracts Limited mobile s/s tub, year of construction: 2004, inside dimensions: ø 950 mm x 900 mm, total dimensions: 1250 mm x 1150 mm x 1540 mm.	500
190	Busch	Busch vacuum pump, type: RA 0630 B 4ZI ZZCJ, number: C0423000256, year of construction: 2004, capacity: 630 m³ per hour, dimensions: 1700 mm x 1100 mm x 1100 mm.	750
191	Steck	Steck mobile depositor, diameter outfeed: 350 mm, total dimensions: 1600 mm x 700 mm x 1130 mm.	500
192	Sorta Weigh	Sorta Weigh checkweigher, type: 450-08, serial number: 42271, year of construction: 1998, 415 V, 3 Ph, 50 Hz, 6 A, weighing range: 10 g-990 g, plastic belt, belt width: 265 mm, total dimensions: 750 mm x 700 mm x 1750 mm.	400
193	Elpress	Elpress tourniquette with hand disinfection unit, type: 83201050, serial number: 40274-004, year of construction: 2022, 230 V, 50 Hz, 16 A, 0.1 kW, weight: 50 kg, dimensions: 1400 mm x 800 mm x 1200 mm.	1250
194	Avery Weigh-Tronix	Avery Weigh-Tronix s/s floor weighing scale, model indicator: E1210, serial number: 110350273, 110-240 V, 50/60 Hz, 1.85 A, weighing range: 20 kg - 3000 kg, e=1kg, dimensions indicator: 300 mm x 250 mm x 350 mm, dimensions scale: 1500 mm x 1500 mm.	450
195	Ross Industries Inc.	Ross Industries Inc. mobile portioning machine, model: GB200, serial number: 395, year of construction: 2006, 208-240 V, 1 Ph, 50/60 Hz, working width: 205 mm, plastic belt, belt width: 205 mm, total dimensions: 1800 mm x 650 mm x 1250 mm.	850
196	Anritsu	Anritsu elevating metal detector with rejector, type: KD8124NW, serial number: 4600244461, 100-240 Vac, 1 Ph, 50/60 Hz, clearance: 450 mm x 100 mm, plastic belt, belt width: 350 mm, elevating height: 880 mm, total dimensions: 2500 mm x 1100 mm x 1120 mm.	1000



Nr	Title	Description	Start €
197	Fortress / PCL Machinery	Fortress metal detector and PCL Machinery checkweigher with rejector, type metal detector: Fortress Stealth, serial number: ER 3362, clearance: 200 mm x 55 mm, plastic belt, belt width: 150 mm, total dimensions: 2120 mm x 900 mm x 1650 mm.	1000
198	Handtmann	Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF620, number: 15468, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 11.5 A, 8 kW, dimensions: 2200 mm x 1350 mm x 2150 mm.	8000
199	Rutland Handling Ltd	Rutland Handling Ltd mobile transport belt, model: STD 400 6M, serial number: 7621, year of construction: 1999, plastic belt, belt width: 400 mm, total dimensions: 6000 mm x 800 mm x 1720 mm.	500
200	Cougar	Cougar lifter for 200 litre meat bins, machine number: 3473:01:01, lifting height: 2500 mm, total dimensions: 1400 mm x 1200 mm x 3500 mm.	950
201	PCL Machinery	PCL Machinery checkweigher, model: PCL 2010, serial number: 8498, maximum weighing capacity: 15000 g, plastic belt, belt width: 200 mm, total dimensions: 1400 mm x 1000 mm x 1570 mm.	1500
202	Multivac	Multivac suction device for rest film, type: ASE230, serial number: 20149622, year of construction: 2015, 230 V, 50/60 Hz, 8 A, 1.8 kW, dimensions: 750 mm x 700 mm x 1630 mm.	750
203	NN slicer	Slicer, dimensions: 650 mm x 550 mm x 680 mm.	150
204	Elpress	Elpress tourniquet, type: 83201030, serial number: 40892-001, year of construction: 2022, 230 V, 50 Hz, 16 A, 0.1 kW, weight: 45 kg, dimensions: 800 mm x 900 mm x 1550 mm.	750
205	Bradman Lake	Bradman Lake carton erector, model: 2-60, clearance: 400 mm x 480 mm, total dimensions: 1500 mm x 1320 mm x 2780 mm.	800
206	Proseal UK Ltd.	Proseal UK Ltd. mobile traysealer, type: FastPack F45, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 900 mm x 1950 mm. Missing dye.	1500
207	NN platform	S/s platform, dimensions: 550 mm x 500 mm x 250 mm.	40
208	NN platform	S/s platform, dimensions: 720 mm x 380 mm x 500 mm.	80
209	Cryovac	Cryovac s/s tub with drain, inside dimensions: ø 500 mm x 700 mm, total dimensions: 550 mm x 500 mm x 1050 mm.	100
210	NN platform	S/s platform, dimensions: 900 mm x 400 mm x 300 mm.	80
211	NN platform	S/s platform, dimensions: 600 mm x 450 mm x 150 mm.	80
212	NN protection rail	S/s protection rail, dimensions: 1220 mm x 900 mm x 1000 mm.	100
213	Syspal	Syspal s/s sink with 2 faucets, dimensions: 1070 mm x 430 mm x 550 mm.	150
214	NN boot racks	2 s/s boot racks, 30 pair boots each rack, dimensions: (2x) 1250 mm x 650 mm x 1870 mm.	400



Nr	Title	Description	Start €
215	NN trolley	S/s trolley, dimensions: 850 mm x 550 mm x 950 mm.	50
216	Marel/Thermo Fischer	Thermo Fischer metal detector and Marel checkweigher with rejector, type checkweigher: MarelCheck RF8 8023.30, serial number: E010768, year of construction: 2009, 200-240 V, 1 Ph, 50/60 Hz, 5.0 A, clearance metal detector: 350 mm x 120 mm, plastic belt, belt width: 230 mm, total dimensions: 2650 mm x 1150 mm x 2000 mm.	2000
217	NN transport belt	Transport belt, plastic belt, belt width: 260 mm, total dimensions: 2000 mm x 550 mm x 850 mm.	200
218	Sovereign Labelling Systems Ltd	Sovereign Labelling Systems Ltd labelling machine, type: SOV 140 ROUND, serial number: 00828, year of construction: 2010, plastic belt, belt width: 100 mm, total dimensions: 2250 mm x 1050 mm x 2200 mm.	1000
219	NN table	S/s table, dimensions: 1800 mm x 600 mm x 800 mm.	150
220	NN boot rack	S/s mobile boot rack, 30 pair of boots, dimensions: 1250 mm x 650 mm x 1850 mm.	200
221	Marco	Marco weighing scale, type: LINEMASTER IV, weighing range: 20 g - 20000 g, e= 1 g, dimensions scale: 600 mm x 500 mm, total dimensions: 700 mm x 750 mm x 1370 mm.	150
222	Steck	Steck mobile depositor, diameter outfeed: 350 mm, total dimensions: 1500 mm x 700 mm x 1300 mm.	500
223	Steck	Steck mobile depositor, diameter outfeed: 350 mm, total dimensions: 1500 mm x 700 mm x 1300 mm.	500
224	AFT	AFT transport belt, plastic belt, belt width: 335 mm, total dimensions: 6000 mm x 600 mm x 1950 mm.	750
225	D.C. Norris	D.C. Norris s/s infeed bunker, number: N1017, year of construction: 06-1996, dimensions: 7900 mm x 2050 mm x 2850 mm.	750
226	D.C. Norris	D.C. Norris s/s infeed bunker, dimensions: 7900 mm x 2050 mm x 2850 mm.	750
227	D.C. Norris	D.C. Norris s/s infeed bunker, dimensions: 7900 mm x 2050 mm x 2850 mm.	750
228	B&B Engineering Ltd	B&B Engineering Ltd butter & liqour melting unit, dimensions: 3600 mm x 1130 mm x 2000 mm.	1500
229	D.C. Norris	D.C. Norris s/s settling tank, dimensions: 4500 mm x 1550 mm x 1750 mm.	750
230	D.C. Norris	D.C. Norris s/s settling tank, dimensions: 4500 mm x 1550 mm x 1750 mm.	750
231	D.C. Norris	D.C. Norris s/s settling tank, serial number: N1022, year of construction: 06-1996, dimensions: 4500 mm x 1550 mm x 1750 mm.	750
232	NN tank	S/s tank with agitator, dimensions: 1600 mm x 1600 mm x 3000 mm.	500
233	NN tank	S/s tank with agitator, dimensions: 1600 mm x 1600 mm x 3000 mm.	500
234	NN tank	S/s tank with agitator, dimensions: 1600 mm x 1600 mm x 3000 mm.	500



Nr	Title	Description	Start €
235	NN tank	S/s tank with agitator, dimensions: 1720 mm x 1720 mm x 5500 mm.	750
236	D.C. Norris	D.C. Norris settling tank, serial number: N1021, year of construction: 06-1996, dimensions: 4500 mm x 1550 mm x 1580 mm.	750
238	NN tank	S/s tank with agitator, dimensions: 1720 mm x 1720 mm x 5500 mm.	750
239	NN tank	S/s tank, dimensions: 1600 mm x 1600 mm x 3000 mm.	500
240	NN tank	S/s tank with agitator, dimensions: 1600 mm x 1600 mm x 3000 mm.	500
241	NN tank	S/s tank with agitator, dimensions: 1600 mm x 1600 mm x 3000 mm.	500
242	NN tank	S/s tank, dimensions: 1600 mm x 1600 mm x 3000 mm.	500
243	NN tub	S/s tub, dimensions: 2400 mm x 1070 mm x 1050 mm.	500
244	D.C. Norris	D.C. Norris s/s heated tub, dimensions: 1200 mm x 1200 mm x 2300 mm.	750
245	NN tank	S/s tank with agitator, dimensions: 1500 mm x 1500 mm x 1900 mm.	400
246	NN tank	S/s tank with agitator, dimensions: 1500 mm x 1500 mm x 1900 mm.	400
247	D.C. Norris	D.C. Norris s/s infeed bunker, dimensions: 4500 mm x 1550 mm x 1580 mm.	750
248	NN tank	S/s tank with agitator, dimensions: 1700 mm x 1700 mm x 5500 mm.	750
249	NN frame	S/s frame with valves, dimensions: 2000 mm x 1000 mm x 2500 mm.	250
250	NN flowplate	S/s flowplate, dimensions: 520 mm x 1600 mm x 2700 mm.	100
251	NN tank	S/s tank with agitator, dimensions: 1130 mm x 1130 mm x 1900 mm.	500
252	NN tank	S/s tank with agitator, dimensions: 1130 mm x 1130 mm x 1900 mm.	500
253	NN tank	S/s tank with agitator, dimensions: 850 mm x 850 mm x 2400 mm.	500
260	NN toffee apple line	Toffee apple line, consisting of: (3x) APV heated mixing tubs, volume: (3x) 230 liter, that pump into a Giusti heated tank. Apples and sticks are placed into trays onto infeed conveyors. (2x) Motoman robots insert the sticks into the apples, then dunk them into the heated toffee and then are placed onto a conveyor belt. The conveyor belt takes the apples through a cooling tunnel. The empty trays pass onto roller conveyors to be used again. Once the apples are cooled they are then passed through (2x) LMC flowpackers, total dimensions: approximately 14500 mm x 7500 mm.	2500



Nr	Title	Description	Start €
261	NN chocolate apple line	Chocolate apple line. Apples and sticks are placed into trays. Motoman robot inserts the sticks into the apples, dunks them into the heated chocolate tank and then places them on a rotary table. The rotary table can have a variety of sprinkles or marshmallows etc that will stick to the chocolate. The apples are then taken off the rotary table, placed onto a conveyor belt that passes through a cooling tunnel, and then to the LMC flowpacker, total dimensions: 9600 mm x 4200 mm.	2000
262	NN transport belt	Transport belt, plastic mesh belt, belt width: 700 mm, total length: 2950 mm,	400
263	Loma	Loma double metal detector with rejector, model: IQ ² , clearance: 170 mm x 350 mm, plastic mesh belt, belt width: 300 mm, total length: 2400 mm.	1750
264	GMC	GMC steam oven for 1 trolley, 9 floors, dimensions: 1600 mm x 2100 mm x 2150 mm.	1000
265	NN transport belt	Transport belt, plastic mesh belt, belt width: 250 mm, total length: 2800 mm.	400
266	Marel	Marel bandsaw, model: 350, serial number: 1392192, year of construction: 2013, 3 Ph, 50 Hz, 4/6 A, 1.5 kW, weight: 142 kg, dimensions: 900 mm x 1100 mm x 1700 mm.	1000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.


16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

