



**Industrial  
Auctions**

1903: Online auction food processing machinery,  
catering and butchery equipment in Anzegem (BE)

**END DATE**

09 September 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

|                                      |   |
|--------------------------------------|---|
| End date                             | 09 September 2025 from 14:00 hrs.   |
| Viewing days                         |   |
| Organising company                   | Industrial Auctions BV<br>Looyenbeemd 11<br>5652 BH Eindhoven, Netherlands<br>Tel.: +31 (0)40 2409 208<br>E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>  |
| Buyers premium                       | 18% over the highest bid  |
| VAT                                  | 21% over the highest bid including premium  |
| Pick up days                         | 16 September 2025 from 09:00 till 16:00 hrs.  |
| Pick up address                      | Beukenhofstraat 77A<br>8570 Anzegem<br>Belgium  |
| Pick up instructions                 | You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.  |
| Payment details                      | Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number. |
| General terms and conditions of sale | On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.  |
| Combinations                         | All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.  |
| Prolongation                         | If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.  |



| Nr | Title             | Description  | Start € |
|----|-------------------|--|---------|
| 1  | HSM<br>GmbH+Co.KG | HSM GmbH+Co.KG horizontal bale press with lifter, model: HSM HL 4809 Li, number: 6404.244, serial number: 500019046, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 21.7 A, 11 kW, dimensions inside: 1000 mm x 750 mm, total dimensions: 5700 mm x 1700 mm x 2420 mm. Including trolley, dimensions trolley: 1150 mm x 870 mm x 1050 mm.   | 7500    |
| 2  | Vauconsant        | Vauconsant service counter consisting of: 2 service counters, dimensions: (2x) 2380 mm x 1000 mm x 900 mm; 2 heated cabinets, type: MFDV00040/A, MFDV00040/B, dimensions: (2x) 1800 mm x 1120 mm x 1360 mm; Service counter with Everlasting saladette, model: VTR1 GREEN S, dimensions: 1800 mm x 1100 mm x 900 mm; Au bain marie, dimensions: 2410 mm x 1100 mm x 1250 mm; Service counter, dimensions: 2420 mm x 1200 mm x 900 mm; Showcase, dimensions: 1450 mm x 710 mm x 1650 mm; Gico cooling cabinet, model: 390/183, dimensions: 2060 mm x 1070 mm x 1320 mm. | 1500    |
| 3  | Rühle             | Rühle dicer with lifter for crates, type: SR 2, 400 V, 16 A, 6.8 kW, dimensions chamber: 495 mm x 120 mm x 120 mm, plastic belt, belt width: 260 mm, total dimensions: 1300 mm x 1600 mm x 1650 mm. New touchscreen.   | 3500    |
| 4  | Maxima            | Maxima mixer, model: MPM20, serial number: MPM20-2382, 230 V, 1 Ph, 50 Hz, 0.75 kW, volume: 20 L, dimensions: 550 mm x 450 mm x 800 mm. Including whisk, flat beater and hook.   | 300     |
| 5  | Convotherm        | Convotherm combi steamer, type: OSP 6.10, number: O1R02081845, 380-415 V, 3 Ph, 50/60 Hz, 9-11 kW, 14-16 A, 6 floors, dimensions: 1130 mm x 900 mm x 1560 mm.  | 500     |
| 6  | Firex             | Firex cooking vessel, model: HIGH-P070E, number: 29140PH30, year of construction: 2011, volume: 70 L, dimensions: 1300 mm x 900 mm x 1150 mm. Overhauled in 2024.  | 3000    |
| 7  | Electrolux        | Electrolux cooking vessel, inside dimensions: 860 mm x 650 mm x 200 mm, total dimensions: 1080 mm x 1000 mm x 900 mm.  | 250     |
| 8  | Hobart            | Hobart high speed steam cooker, model: 304G, serial number: 97-0164-366, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 39.2 A, 27.9 W, inside dimensions: 520 mm x 300 mm, total dimensions: 800 mm x 600 mm x 950 mm.   | 350     |
| 9  | Miele             | Miele washing machine, type: WS 5080, serial number: 25258481, year of construction: 1993, 220/400 V, 3 Ph, 50 Hz, 16/25 A, 9.35 kW, dimensions: 800 mm x 750 mm x 1150 mm.  | 250     |
| 10 | Itra              | Itra elevating belt with 90° curve, plastic belt, belt width: 400 mm, elevating height from 450 mm to 1150 mm, total dimensions: 3000 mm x 2350 mm x 1250 mm. Without rollers.   | 750     |



| Nr | Title                  | Description   | Start € |
|----|------------------------|---|---------|
| 11 | Frima                  | Frima VarioCooking Center, model: VCC 211, serial number: E21PH14128018335, 400 V, 3 Ph, 50/60 Hz, 28 kW, volume: 100 L, water pressure: 150 - 600 kPa, dimensions: 1150 mm x 950 mm x 1100 mm.   | 1500    |
| 12 | NN oven                | Mobile pizza oven on s/s frame, dimensions: 1000 mm x 1140 mm x 2100 mm.  | 500     |
| 13 | Pele Vite              | Pele Vite peeler, inside dimensions: Ø 380 mm x 280 mm, total dimensions: 800 mm x 600 mm x 920 mm.   | 750     |
| 14 | Perfecta               | Perfecta fryer with 3 frying pans, inside dimensions fryers: (2x) Ø 380 mm x 280 mm, (1x) 380 mm x 380 mm x 280 mm, total dimensions: 1700 mm x 1000 mm x 1600 mm.  | 3500    |
| 15 | Ideal                  | Ideal ice cream counter, dimensions baskets: 190 mm x 180 mm x 170 mm, total dimensions: 3200 mm x 1100 mm x 1200 mm. Rollies not included.   | 250     |
| 16 | NN packaging equipment | 4 pallets with large amount of packaging equipment, film width: 100 mm, 120 mm, 150 mm.   | 10      |
| 17 | Speco                  | Speco screw, diameter screw: 300 mm, output height: 3350 mm, total dimensions: 1050 mm x 770 mm x 4600 mm.  | 750     |
| 18 | NN tank                | S/s tank with pumps, year of construction: 2013, volume: 4000 liter, RVS316L, dimensions: 2550 mm x 2100 mm x 3500 mm.  | 1500    |
| 21 | NN table               | S/s table with plastic work top, dimensions: 2200 mm x 700 mm x 950 mm.   | 175     |
| 22 | NN sink                | S/s sink, dimensions: 1800 mm x 590 mm x 900 mm.  | 100     |
| 23 | Küpperbusch            | Küpperbusch combi steamer, type: KEG008, 230 - 400 V, 3 Ph, 50 Hz, 9.7 kW, 6 floors, with s/s rack for plates, dimensions: 1030 mm x 860 mm x 1550 mm.  | 500     |
| 24 | Spako                  | Spako smoking and cooking chamber, type: SPM650, serial number: 18267, year of construction: 1999, 230 V, 50 Hz, 12.55 kW, s/s trolley, 5 floors, dimensions floor: (5x) 600 mm x 600 mm, total dimensions: 960 mm x 900 mm x 2120 mm.                              | 1500    |
| 25 | Kerres                 | Kerres smoking, cooking and frying chamber with smoke generator for wood chips, type: OS 700 o1, serial number: 09.0323, year of construction: 09.89, 380 V, 50 Hz, 6 floors, dimensions floor: (6x) 700 mm x 800 mm, total dimensions: 1060 mm x 920 mm x 1800 mm. | 1500    |
| 26 | NN cooking vessel      | Cooking vessel, inside dimensions: (2x) 550 mm x 550 mm x 500 mm, total dimensions: 1000 mm x 1500 mm x 1600 mm.  | 400     |
| 27 | AHT                    | AHT freezer, type: PARIS 250, serial number: 248516 03592099, year of construction: 2006, 220-240 V, 50 Hz, 3,2 A, 495 W, refrigerant: R404/0,260 kg, capacity: 882 dm <sup>3</sup> , total dimensions: 2500 mm x 870 mm x 800 mm.                                  | 100     |



| Nr | Title             | Description  | Start € |
|----|-------------------|--|---------|
| 28 | AHT               | 6 AHT freezers, type: PARIS 210, serial number: 409932 00002604, 409934 00006554, 409961 00001922, 409547 00000344, 242336 99009487, 409977 00008304, year of construction: 02/12, 03/12, 06/12, 09/12, 220-240 V, 50 Hz, 2,6 A, 480 W, refrigerant: R404A/0,250 kg, capacity: 664 dm <sup>3</sup> , total dimensions: (6x) 1870 mm x 860 mm x 840 mm. | 600     |
| 29 | AHT               | AHT freezer, type: PARIS 185, serial number: 235858 99010058, year of construction: 05/09, 220-240 V, 50 Hz, 2,8 A, 480 W, refrigerant: R404A/0,230 kg, capacity: 625 dm <sup>3</sup> , total dimensions: 1870 mm x 860 mm x 840 mm.   | 100     |
| 30 | Winterhalter      | Winterhalter dishwasher, model: GS 24, dimensions: 600 mm x 460 mm x 710 mm.   | 100     |
| 31 | NN steamer        | Steamer with 6 floors, floor dimensions: (6x) 690 mm x 650 mm, total dimensions: 1000 mm x 1080 mm x 1860 mm.  | 750     |
| 32 | NN elevating belt | Mobile elevating belt, type: transport band, serial number: P20062-02-0002, year of construction: 2020, 400 V, 3 Ph, 0.2 kW, weight: 300 kg, plastic belt, belt width: 300 mm, elevating height: 1400 mm, total dimensions: 6100 mm x 950 mm x 1800 mm.  | 750     |
| 33 | Matthys           | Matthys poultry wing cutter, type: MS-00033306, serial number: 390-27357-0, year of construction: 2005, 3x400 V, 50 Hz, s/s chain belt with pins, distance between pins: 255 mm, total dimensions: 5200 mm x 1250 mm x 1850 mm.  | 1500    |
| 34 | Prominox          | Prominox mobile elevating belt, plastic belt, belt width: 265 mm, divider height: 50 mm, distance between dividers: 185 mm, elevating height: 3750 mm, total dimensions: 5050 mm x 1450 mm x 3900 mm.  | 1500    |
| 35 | Siemens           | Pallet with display and Siemens control cabinet, dimensions: 1200 mm x 800 mm x 400 mm.  | 25      |
| 36 | Kern              | Pallet with parts for Kern, dimensions: 1200 mm x 800 mm x 600 mm.   | 50      |
| 37 | NN parts          | Pallet with parts, among others: motors and servo amplifiers, dimensions pallet: 1200 mm x 800 mm x 500 mm.  | 50      |
| 38 | NN parts          | Pallet with parts, among others: motors, dimensions pallet: 1200 mm x 800 mm x 500 mm.   | 50      |
| 39 | Schneider/Weg     | Pallet with Schneider switch cabinet and Weg motor, dimensions pallet: 1200 mm x 800 mm x 600 mm.  | 50      |
| 40 | Rietschle         | Pallet with Rietschle vacuum pump, type: KLT 15, year of construction: 2006, capacity: 15/18 m <sup>3</sup> /h and various other parts, dimensions pallet: 1200 mm x 800 mm x 600 mm.  | 75      |
| 41 | Busch             | Pallet with Busch vacuum pump, type: SV 1016 B 000 IHXX, number: C0218000158, year of construction: 2002, 16 m <sup>3</sup> /h and various other parts, dimensions pallet: 1200 mm x 800 mm x 600 mm.  | 75      |
| 42 | NN parts          | Pallet with parts, dimensions: 1200 mm x 800 mm x 400 mm.  | 75      |
| 43 | BWT/Lindsay       | 3 BWT water optimization and 1 Lindsay filter.   | 50      |



| Nr | Title                                  | Description  | Start € |
|----|--|--|---------|
| 44 | NN cabinet                             | S/s cabinet, inside dimensions: 1900 mm x 280 mm, total dimensions: 2000 mm x 350 mm x 600 mm.   | 100     |
| 45 | NN sink                                | S/s sink, dimensions: 2000 mm x 700 mm x 1100 mm.  | 100     |
| 46 | NN sink                                | S/s sink, dimensions: 1600 mm x 750 mm x 1000 mm.  | 75      |
| 47 | NN table                               | S/s table, dimensions: 2000 mm x 700 mm x 900 mm.  | 100     |
| 48 | Crown<br>Gabelstapler<br>GmbH & Co. KG | Crown Gabelstapler GmbH & Co. KG reach truck, model number: ESR 5200, serial number: 5A221602, nominal capacity: 1600 kg, retracted mast height: 3690 mm, fork length: 1140 mm, total dimensions: 2600 mm x 1300 mm x 3350 mm. Including Hawker battery charger, 3x400 V, 50 Hz, 10 A. | 3000    |
| 49 | Crown<br>Gabelstapler<br>GmbH & Co. KG | Crown Gabelstapler GmbH & Co. KG reach truck, model number: ESR 5200, serial number: 5A221642, nominal capacity: 1600 kg, retracted mast height: 3690 mm, fork length: 1140 mm, total dimensions: 2600 mm x 1300 mm x 3350 mm. Including Hawker battery charger, 3x400 V, 50 Hz, 10 A. | 3000    |
| 50 | NN transport<br>belt                   | Mobile transport belt, s/s frame, plastic belt, belt width: 370 mm, total dimensions: 5100 mm x 850 mm x 1000 mm.  | 750     |
| 51 | NN tubs                                | 2 plastic tubs on trolley, diameter tubs: 460 mm and 530 mm, total dimensions: 535 mm x 530 mm x 750 mm and 465 mm x 460 mm x 730 mm.  | 10      |
| 52 | Blanco                                 | 4 Blanco gastronorm trays, inside dimensions: (4x) 620 mm x 50 mm, total dimensions: (4x) 650 mm x 530 mm x 200 mm.  | 10      |
| 53 | Enofrigo srl                           | Enofrigo srl refrigerated showcase, type: A1SUEUR/S, serial number: 06006301099, 220-240 V, 3 Ph, 50 Hz, 670 W, refrigerant: R404A/0.25 kW, weight: 157 kg, dimensions: 2500 mm x 630 mm x 1100 mm.  | 50      |
| 54 | GS Italia                              | GS Italia mobile depositor, type: Filler 1500 cc SMTVR40, serial number: 2515, year of construction: 2023, 24 V, weight: 150 Kg, foot control, total dimensions: 2120 mm x 590 mm x 1420 mm.   | 750     |
| 55 | Polar                                  | Polar refrigeration, model: G605-5, 230 V, 50 Hz, 1.6 A, 230 W, refrigerant: R134a, 260 g, inside dimensions: (3x) 590 mm x 340 mm, total dimensions: 1380 mm x 700 mm x 950 mm.   | 150     |
| 56 | Tork                                   | 4 Tork napkin holder, dimensions: (4x) 300 mm x 200 mm x 570 mm.   | 15      |
| 57 | NF                                     | NF tomato slicer, dimensions: 480 mm x 200 mm x 280 mm.  | 100     |
| 58 | Bravilor<br>Bonomat                    | 2 Bravilor Bonamat coffee pots, dimensions: (2x) 170 mm x 270 mm x 370 mm.   | 20      |
| 59 | Bravilor<br>Bonomat                    | 4 Bravilor Bonamat coffee pots, dimensions: (4x) 170 mm x 270 mm x 370 mm.   | 40      |
| 60 | Schaerer                               | Schaerer coffee machine, dimensions: 500 mm x 420 mm x 630 mm.   | 50      |



| Nr | Title                  | Description   | Start € |
|----|------------------------|---|---------|
| 61 | Unox                   | Unox oven, model: XFT190, number: 2017E0030930, 220-240 V, 1 Ph, 50/60 Hz, 4 floors, floor dimensions: 370 mm x 600 mm, total dimensions: 800 mm x 800 mm x 550 mm. Table not included.   | 400     |
| 62 | Convotherm             | Convotherm combi steamer, 12 floors, floor dimensions: (12x) 500 mm x 325 mm, total dimensions: 850 mm x 520 mm x 660 mm.   | 400     |
| 63 | Bravilor Bonomat       | Bravilor Bonamat coffee machine, model: B 10-HW, volume: (2x) 10 L, dimensions: 1070 mm x 700 mm x 1660 mm.   | 150     |
| 64 | HP                     | HP printer, type: HP DesignJet T2300, serial number: CN2217K01Y, year of construction: 2012, 100-240 V, 50/60 Hz, 120 W, dimensions: 800 mm x 1750 mm x 1200 mm.  | 150     |
| 65 | Olivo                  | Olivo thermo container, type: ROLL 1410, serial number: 11525, year of construction: 11/2015, volume: 1410 L, dimensions: 1200 mm x 1000 mm x 2000 mm.  | 75      |
| 66 | Greenmow               | Greenmow electric lawn mower with battery, serial number: GMT2/17-924-B, dimensions: 1200 mm x 850 mm x 350 mm.   | 75      |
| 67 | Meiko                  | Meiko washing machine for plates and cutlery, type: BA521 PHA2S, serial number: 10173685, year of construction: 04.2011, 400 V, 3 Ph, 50 Hz, 97 A, 63 kW, belt width for plates: 470 mm, belt width for cutlery: 150 mm, total dimensions washer: 8200 mm x 1300 mm x 2800 mm. With 2 wire infeed belts, belt width: (2x) 380 mm, total dimensions: (2x) 6000 mm x 500 mm x 1200 mm and a magnetic cutlery extraction belt, belt width: 280 mm. | 2000    |
| 68 | HP                     | HP mobile printer, model: DesignJet 5500, factory model: Q1251V, serial number: SG57924018, 100-240 V, 50-60 Hz, 5 A, 400 W, dimensions: 1950 mm x 620 mm x 1250 mm.  | 75      |
| 69 | InterM                 | InterM trolley with Philips stereo and HQ power mixer, model: TEXAS - PROMIX 8800, dimensions: 760 mm x 600 mm x 1200 mm.   | 75      |
| 70 | SSP SPA                | SSP SPA mobile serving counter with 2 warming plates and au bain marie, model: WORLD MARCHE, serial number: 51700001, 400 V, 50 Hz, dimensions: 2080 mm x 1080 mm x 1920 mm, dimensions au bain marie: 640 mm x 780 mm x 1150 mm.   | 350     |
| 71 | Teraoka Seiko Co., LTD | Teraoka Seiko Co., LTD semi automatic weigh, wrap, and labelling machine, model: AW-4600CP, serial number: 14162719, year of construction: 2014, 220-240 V, 50 Hz, min: 20 g, max: 3/6 kg, clearance: 400 mm x 200 mm, total dimensions: 1100 mm x 950 mm x 1540 mm.  | 1000    |
| 72 | Henkovac               | Henkovac mobile vacuum machine, type: VA-2, machine number: 28036271, 220/380 V, 3 Ph, 50 Hz, 2.5 kW, 8.9 A, seal length: (2x) 500 mm, dimensions chamber: 450 mm x 500 mm x 60 mm, with Busch vacuum pump, type: 063-122, 63 m3/h, total dimensions: 600 mm x 650 mm x 1120 mm.  | 250     |



| Nr | Title                    | Description   | Start € |
|----|--------------------------|---|---------|
| 73 | Robot Coupe              | Robot Coupe mixer, model: Robot-Chef 40, serial number: T12701153 11, 400 V, 3 Ph, 50 Hz, 3.4 A, 1500 W, s/s bowl, volume: 40 liter, dimensions: 800 mm x 700 mm x 1320 mm. With whisk, hook and flat beater. | 500     |
| 74 | Enofrigo                 | Enofrigo refrigerated showcase, model: A1GBPAG/B, serial number: 96 029600 0028, 220 V, 50 Hz, 288 Watt, refrigerant: R404, 300 gram, dimensions: 1550 mm x 1550 mm x 1400 mm.                                | 75      |
| 75 | NN trays                 | Plastic pallet with large amount of trays, dimensions trays: 530 mm x 370 mm.   | 200     |
| 76 | Dito-Sama                | Dito-Sama bowl mixer, type: MC40S, serial number: 19274 0230 025, 230/400 V, 3 Ph, 50 Hz, 4.2/2.4 A, 900 W, inside dimensions bowl: ø 400 mm x 400 mm, total dimensions: 620 mm x 750 mm x 1410 mm.           | 350     |
| 77 | NN meat hooks            | Plastic barrel with s/s meat hooks.   | 50      |
| 78 | KMA                      | KMA smoke generator, type: M1, number: 1593, 380 V, 50 Hz, 5.37 A, 1.17 kW, dimensions: 1000 mm x 680 mm x 1350 mm.   | 100     |
| 79 | Nieros                   | Nieros booth washer, brush width: 400 mm, total dimensions: 1050 mm x 630 mm x 1280 mm.   | 250     |
| 80 | France                   | France transfo mobile transformer, type: NBN HD 428.1 S1 - CC', serial number: 695430-01, year of construction: 2004, 400 V, 230.9 A, weight: 880 kg, 160 kVA, dimensions: 1200 mm x 800 mm x 1560 mm.        | 1250    |
| 81 | Vaillant                 | Vaillant boiler, dimensions: 400 mm x 300 mm x 820 mm.  | 25      |
| 82 | Hakvoort Horeca          | Hakvoort Horeca refrigerated counter, inside dimensions: 1280 mm x 510 mm x 180 mm, total dimensions: 1600 mm x 850 mm x 1600 mm.   | 200     |
| 83 | Primus                   | Primus washing machine, model: F22, serial number: 0297, year of construction: 1996, 400 V, 3 Ph, 50 Hz, dimensions: 1150 mm x 1000 mm x 1630 mm.   | 200     |
| 84 | NN weighing scale        | Weighing scale, dimensions scale: 450 mm x 400 mm, total dimensions: 830 mm x 450 mm x 600 mm.  | 75      |
| 85 | MaxPro                   | Pallet with (3x) MaxPro 3 pot au-bain Marie, inside diameter: 180 mm, total dimensions: (3x) 765 mm x 290 mm x 230 mm.  | 150     |
| 86 | NN film rolls            | Pallet with various film rolls.   | 10      |
| 87 | NN refrigerated showcase | Refrigerated showcase, dimensions: 1150 mm x 700 mm x 1560 mm.  | 150     |
| 88 | NN showcase              | Refrigerated showcase, inside dimensions: 1640 mm x 520 mm, total dimensions: 1745 mm x 700 mm x 1230 mm.   | 200     |
| 89 | Wimag                    | Wimag refrigerated counter, inside dimensions: 5000 mm x 870 mm, total dimensions: 5150 mm x 1450 mm x 1350 mm.   | 450     |
| 90 | NN trolley               | S/s trolley, dimensions: ø 770 mm x 800 mm.   | 25      |





| Nr  | Title                            | Description   | Start € |
|-----|----------------------------------|---|---------|
| 92  | Crown Gabelstapler GmbH & Co. KG | Crown Gabelstapler GmbH & Co. KG reach truck, model number: ESR 5260-16 OPT3, serial number: 5A221632, year of construction: 2016, nominal capacity: 1600 kg, 48 V, battery weight maximum / minimum: 1175 kg / 1063 kg, truck weight without battery: +/- 3164 kg, retracted mast height: 3690 mm, maximum mast height: 9450 mm, fork length: 1140 mm, working hours: 15511 hours, total dimensions: 2600 mm x 1270 mm x 3690 mm. Including EnerSys TC3 LT battery charger, 24 V / 36 V / 48 V, 140 A / 130 A / 120 A. | 3000    |
| 93  | NN white boards                  | Pallet with approximately 10 whiteboards, dimensions: 2520 mm x 1210 mm.  | 50      |
| 94  | Alpina                           | Alpina heated showcase, type: ADA WG 20-11, number: 158, year of construction: 2017, 230 V, 50 Hz, 1600 W, 50 kg, total dimensions: 800 mm x 750 mm x 1760 mm.  | 250     |
| 95  | Alpina                           | Alpina heated showcase, type: ADA WG 20-11, number: 144, year of construction: 2017, 230 V, 50 Hz, 1600 W, 50 kg, total dimensions: 800 mm x 750 mm x 1760 mm.  | 250     |
| 96  | Winterhalter                     | Winterhalter dishwasher, type: GR12222, number: 230 685, 220 V, 3 Ph, 50 Hz, 30.0 A, 10.5 kW, dimensions: 800 mm x 930 mm x 1610 mm.  | 250     |
| 97  | NN waste bag holders             | 5 s/s waste bag holders, dimensions: (5x) 400 mm x 380 mm x 720 mm.   | 100     |
| 98  | MaxPro                           | MaxPro 3 pot au-bain Marie, inside diameter: 180 mm, total dimensions: 765 mm x 290 mm x 230 mm.  | 50      |
| 99  | Insectazap                       | 9 Insectazap insect killers, dimensions: (9x) 380 mm x 120 mm x 340 mm.   | 100     |
| 100 | Roller Grill                     | Roller Grill grill, type: BAR 100, serial number: 200206632, 220-240 V, 50-60 Hz, 2000 W, dimensions: 450 mm x 280 mm x 300 mm.   | 25      |
| 101 | A.F.M. Europe                    | A.F.M. Europe evaporator, type: MP Special, number: 7/99, 220 V, dimensions: 640 mm x 220 mm x 870 mm.  | 50      |
| 102 | M-S                              | M-S cash drawer, dimensions: 410 mm x 450 mm x 145 mm.  | 5       |
| 103 | NN cabinet                       | Steel 4-drawer cabinet, dimensions: 700 mm x 480 mm x 1320 mm.  | 10      |
| 104 | NN trolley                       | S/s trolley for dyes, width: 660 mm, total dimensions: 1070 mm x 800 mm x 1330 mm.  | 100     |
| 105 | NN frame                         | S/s frame, dimensions: 900 mm x 820 mm x 1340 mm  | 25      |
| 106 | Kwik Lok                         | Pallet with approximately 28 boxes with large amount of Kwik Lok bag closures.  | 250     |
| 107 | Hobart                           | Hobart crate washer, model: FTP-S-A, serial number: 86550299, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 94.0 A, 60.2 kW, clearance: 620 mm x 340 mm, total dimensions: 8300 mm x 1000 mm x 2150 mm.   | 2500    |
| 108 | Carl Zeiss                       | Carl Zeiss microscope, type: Stativ S2, number: 30 49 12 - 9901, 400 V, 50/60 Hz, 1350 VA, dimensions: 1350 mm x 850 mm x 1850 mm.  | 500     |



| Nr  | Title                         | Description  | Start € |
|-----|-------------------------------|--|---------|
| 109 | Jungheinrich                  | Jungheinrich electric forklift, model: EFG 316, serial number: FN505841, year of construction: 2016, rated capacity: 1600 kg, fork length: 1200 mm, total dimensions: 3400 mm x 1100 mm x 3550 mm. Including battery charger. Battery renewed in 2024.   | 5000    |
| 110 | Jungheinrich                  | Jungheinrich electric forklift, model: EFG 316, serial number: FN505843, year of construction: 2016, rated capacity: 1600 kg, fork length: 1200 mm, total dimensions: 3400 mm x 1100 mm x 3550 mm. Including battery charger. Battery renewed in 2024.   | 5000    |
| 111 | Digi / Teraoka Seiko Co., LTD | Digi / Teraoka Seiko Co., LTD mobile weigh-, wrap- and labelling machine, model: DPS-4600 M, maximum weight: 6/15 kg, minimum weight :L 40 g, e= 2/5 g, T= -5.998, dimensions scale: 340 mm x 280 mm, with Sibola sealing machine, type: 85-2-500 SFN DPS 4600, maximum film width: 500 mm, dimensions sealing plate: 250 mm x 165 mm, total dimensions: 1000 mm x 700 mm x 1600 mm. | 250     |
| 112 | Digi / Teraoka Seiko Co., LTD | Digi / Teraoka Seiko Co., LTD mobile weigh-, wrap- and labelling machine, model: DPS-4600 M, maximum weight: 6/15 kg, minimum weight :L 40 g, e= 2/5 g, T= -5.998, dimensions scale: 340 mm x 280 mm, with Sibola sealing machine, type: 85-2-500 SFN DPS 4600, maximum film width: 500 mm, dimensions sealing plate: 250 mm x 165 mm, total dimensions: 1000 mm x 700 mm x 1600 mm. | 250     |
| 113 | Convotherm                    | Convotherm combi steamer, type: C4eD20.20 ES, serial number: XS716051165, 400 V, 3Ph, 50/60 Hz, 67.3 kW, 97.3 A, dimensions: 1150 mm x 1100 mm x 1950 mm. Including 2 s/s trolleys, 20 floors each, dimensions floors: (20x) 650 m x 535 mm.   | 1250    |
| 114 | AsoGem equipment              | AsoGem equipment s/s hood, dimensions: 1200 mm x 500 mm x 2200 mm.   | 200     |
| 115 | NN hood                       | S/s hood, dimensions: 1600 mm x 450 mm x 2000 mm.  | 200     |
| 116 | Antoine                       | Antoine bottle cooler, model: 2400 4 DX SF, number: 112480 63995, year of construction: 2007, 230 V, 50 Hz, refrigerant: R134a, (4x) 2 floors, dimensions each floor: 340 mm x 540 mm, total dimensions: 2400 mm x 600 mm x 840 mm.  | 350     |
| 117 | Grundfos                      | Grundfos pump, type: MGE160LB2-FF300-F3, serial number: 01694, input: 380-480 V, 50/60 Hz, 37.0-31.0 A, output: 18.5 kW, 0-120 Hz, with 2 Reflex pressure vessels, dimensions: 1600 mm x 500 mm x 1520 mm.   | 750     |
| 118 | Staes                         | Staes double jacketed s/s tank, type: K3-H12W.I.L, serial number: 119 167 14 01, year of construction: 2019, geometrical volume: 2000 liter, working pressure: atmospheric, working temperature: -10/100 °C, max density: 1.2kg/dm <sup>3</sup> , tare mass: 396 kg., dimensions: 1400 mm x 1400 mm x 2300 mm.   | 2500    |



| Nr  | Title                         | Description   | Start € |
|-----|-------------------------------|---|---------|
| 119 | Sacmi Labelling               | Sacmi Labelling labelling machine for cans, model: RHM5046T, type: SR S1F, serial number: 00421, year of construction: 2006, 380 V, 50 Hz, 16 A, 8 kW, weight: 2500 kg, cans: Ø 100 mm, total dimensions: 2450 mm x 2100 mm x 2180 mm. Missing belt. Without rollies.   | 1500    |
| 120 | Cimec                         | Cimec filling and closing machine for bottles, type: MO.LD. 12.1EAGLE C, serial number: 2032, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 4.5 kW, s/s belt, belt width: 80 mm, bottles: Ø 60 mm, 12 filling stations, total dimensions: 5100 mm x 1600 mm x 2600 mm. Without rollies.   | 7500    |
| 121 | Belux Mondial                 | 2 Belux Mondial ticket machines, dimensions: (2x) 270 mm x 100 mm x 1200 mm.  | 20      |
| 122 | Gernal                        | Gernal smoke generator for wood dust, dimensions: 1200 mm x 1100 mm x 1900 mm.  | 300     |
| 123 | Meiko                         | Meiko washing machine for plates, type: B190 P, machine number: GG 109009, year of construction: 10.1997, 400 V, 3 Ph, 50 Hz, 60 A, 37/12 kW, plastic belt, belt width: 600 mm, clearance: 620 mm x 330 mm, total dimensions: 4750 mm x 1050 mm x 2050 mm. Without rollies.   | 2000    |
| 124 | Meca Plastic                  | Meca Plastic traysealer, type: 2005, number: 5745, year of construction: 2004, film width: 560 mm, dimensions dye: (3x) 210 mm x 125 mm, total dimensions: 5700 mm x 1100 mm x 2100 mm. Without rollies.  | 2000    |
| 125 | Bosch Groep                   | Bosch Groep vertical form-, fill-, and seal machine, type: SVB 3601 A, number: 77809INS7501N, year of construction: 1996, Gardner Denver vacuum pump, type: V-VC 75, capacity: 70.0/84.0 m³ per hour, diameter pipe: 130 mm, film width: 450 mm, seal width: 360 mm, total dimensions: 2200 mm x 1550 mm x 2200 mm. With 6 head filling station, diameter: 145 mm, total dimensions: 1350 mm x 1050 mm x 1300 mm. Including large amount of extra parts. Lot already professionally dismantled. | 7500    |
| 126 | Digi / Teraoka Seiko Co., LTD | Digi / Teraoka Seiko Co., LTD mobile weigh-, wrap- and labelling machine, model: DPS-4600 M, type: Single, serial number: 10116058, year of construction: 2013, maximum weight: 6/15 kg, minimum weight :L 40 g, e= 2/5 g, T= -5.998, dimensions scale: 340 mm x 280 mm, with Sibola sealing machine, type: 85-2-500 SFN DPS 4600, maximum film width: 500 mm, dimensions sealing plate: 250 mm x 165 mm, total dimensions: 1000 mm x 700 mm x 1600 mm.   | 500     |
| 127 | Digi / Teraoka Seiko Co., LTD | Digi / Teraoka Seiko Co., LTD mobile weigh-, wrap- and labelling machine, model: DPS-4600 M, type: Single, serial number: 13111695, year of construction: 2012, maximum weight: 6/15 kg, minimum weight: 40 g, e= 2/5 g, T= -5.998 kg, dimensions scale: 340 mm x 280 mm, with Sibola sealing machine, type: 85-2-500 SFN DPS 4600, maximum film width: 500 mm, dimensions sealing plate: 250 mm x 165 mm, total dimensions: 1000 mm x 700 mm x 1600 mm.  | 500     |



| Nr  | Title         | Description   | Start € |
|-----|---------------|---|---------|
| 128 | Top Cold      | Top Cold refrigerated showcase, model: MYLLO 1.50 M, number: 21/29/008, 220-240 V, 50 Hz, inside dimensions: 1400 mm x 700 mm, total dimensions: 1450 mm x 1060 mm x 1230 mm.   | 150     |
| 129 | NN rack       | Aluminium rack, 7 floors, dimensions: 1400 mm x 590 mm x 2100 mm.   | 50      |
| 130 | NN rack       | Aluminium rack, (3x) 6 floors, dimensions: 3350 mm x 590 mm x 2100 mm.  | 150     |
| 131 | NN trolleys   | 8 s/s trolleys for combi steamer, 20 floors each, dimensions floors: (20x) 650 mm x 535 mm, total dimensions: (8x) 850 mm x 750 mm x 1850 mm.   | 1200    |
| 132 | Blanco        | Blanco mobile au bain-marie, model: SWE 3, 230 V, 50 Hz, 9.1 A, 2.1 kW, inside dimensions: (3x) 305 mm x 510 mm x 210 mm, total dimensions: 1160 mm x 630 mm x 900 mm.  | 50      |
| 133 | Gernal        | Gernal rotary cooking chamber, type: KBG-SE-LPF-2A, number: 02/00475, year of construction: 2002, 415 V, 50 Hz, 108 kW, 191.4 A, inside dimensions: 1000 mm x 1050 mm x 2000 mm, s/s rack, 15 floors, floor dimensions: (15x) 640 mm x 535 mm, total dimensions: 1350 mm x 1650 mm x 3050 mm. | 2000    |
| 134 | Rieber        | 4 Rieber trolleys for plates, 24 floors, floor dimensions: 380 mm x 550 mm, total dimensions: (4x) 840 mm x 560 mm x 1660 mm.   | 200     |
| 135 | Rieber        | 3 Rieber trolleys for plates, 24 floors, floor dimensions: 380 mm x 550 mm, total dimensions: (3x) 840 mm x 560 mm x 1660 mm.   | 150     |
| 136 | NN trolley    | S/s trolley, dimensions: 1550 mm x 650 mm x 1400 mm.  | 250     |
| 137 | NN tub        | S/s tub, dimensions: 1130 mm x 980 mm x 860 mm.   | 100     |
| 138 | NN tub        | S/s tub, dimensions: 1000 mm x 815 mm x 835 mm.   | 75      |
| 139 | NN bowls      | 4 s/s bowls, dimensions: (4x) ø 770 mm x 850 mm.  | 200     |
| 140 | Diamond       | Diamond electric stove, model: EFP01, serial number: 1121737, 400 V, 3 Ph, 50 Hz, 5000 W, dimensions plate: 397 mm x 397 mm, total dimensions: 580 mm x 585 mm x 470 mm.  | 200     |
| 141 | NN trolleys   | 3 s/s trolleys dimensions: (2x) 1040 mm x 800 mm x 1200 mm.   | 150     |
| 142 | NN trolley    | S/s trolley, dimensions: 800 mm x 700 mm x 1200 mm.   | 50      |
| 143 | Zanussi       | Zanussi grill, dimensions: 950 mm x 800 mm x 950 mm.  | 200     |
| 144 | Delrue        | Delrue 4-burner stove, model: 2X94F, number: 98F4120581, year of construction: 2012, dimensions: 920 mm x 800 mm x 1400 mm.   | 200     |
| 145 | Gram          | Gram refrigerator, type: PLUS K 1400 RSG 10 M, number: 12 00 66 32, 230 V, 50 Hz, 800 W, 3.50 A, refrigerant: R290, 110 g, dimensions: 1400 mm x 850 mm x 2160 mm.  | 450     |
| 146 | Combisteel BV | Combisteel BV mobile freezer, model: 7450.0415, serial number: 170500269, 230 V, 50 Hz, 180 kg, refrigerant: R290, 150 g, dimensions: 1350 mm x 810 mm x 1000 mm.   | 450     |



| Nr  | Title                      | Description   | Start € |
|-----|----------------------------|---|---------|
| 147 | Sveba Dahlen AB            | Sveba Dahlen AB mobile rotary oven with hood, model number: S400, serial number: M219995 /0924, 400 V, 3 Ph, 50 Hz, 23 kW, 10 floors, floor dimensions: (10x) 600 mm x 400 mm, total dimensions: 1180 mm x 1100 mm x 2100 mm. | 1750    |
| 148 | Diamond                    | Diamond refrigerated counter model: MR3/R2, serial number: 8102693293, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 1.6 A, refrigerant: R2-230, 102 gram, dimensions: 1800 mm x 700 mm x 850 mm.                           | 250     |
| 149 | Diamond                    | Diamond refrigerated counter with saladette, model: SR3/DZ, 220-240 V, 50 Hz, refrigerant: R134a, dimensions: 1370 mm x 700 mm x 1050 mm.   | 600     |
| 150 | Tefcold                    | Tefcold refrigerator, model: DB201H, serial number: DB201H 2305006, 220/240 V, 50 Hz, 0.85 A, 1.3 W, refrigerant: R600a, 70 g, 2 floors, floor dimensions: (2x) 800 mm x 330 mm, total dimensions: 900 mm x 520 mm x 870 mm.  | 150     |
| 151 | Coolhead                   | Coolhead refrigerated counter, model: S903 STF, serial number: RWB1307S903STD6104001, 240 V, 50 Hz, 2 A, 300 W, weight: 107 kg, refrigerant: R134a, dimensions: 1370 mm x 700 mm x 840 mm.                                    | 100     |
| 152 | Diamond                    | Diamond refrigerated counter, model: MR3/R2, serial number: 8102693281, year of construction: 2022, 230 V, 1 Ph, 50 Hz, 1.6 A, 369 W, refrigerant: R-290, 102 g, dimensions: 1800 mm x 700 mm x 850 mm.                       | 750     |
| 153 | Sagi                       | Sagi freezer, inside dimensions: 630 mm x 535 mm, total dimensions: 800 mm x 750 mm x 2000 mm.  | 150     |
| 154 | ERRE 2 srl                 | ERRE 2 srl gas stove with oven, model: 90/200 FE, number: OM12057002, 400 V, 3 Ph, 50 Hz, 6.55 kW, dimensions: 800 mm x 900 mm x 970 mm.  | 650     |
| 155 | Krefft Gewerbeanlagen GmbH | Krefft Gewerbeanlagen GmbH 4-burner stove, model: WEH-4100, factory number: 472, 220 V, 3 Ph, 50 Hz, 11.5 kW, dimensions: 860 mm x 800 mm x 910 mm.   | 400     |
| 156 | Hendi                      | Hendi plate heater, 230/240 Vac, 1000 W, 3 floors, dimensions floors: (3x) 345 mm x 310 mm, total dimensions: 460 mm x 450 mm x 950 mm.   | 20      |
| 157 | Decomac                    | Decomac stove, dimensions: 800 mm x 700 mm x 980 mm.  | 100     |
| 158 | Furka                      | Furka 3 burners gas stove, type: RE0068 0001 00, serial number: 2064640401, dimensions: 920 mm x 450 mm x 810 mm.   | 150     |
| 159 | Valentine fabrique         | Valentine fabrique fryer with 2 baskets, type: V2200, number: U223A 1368 M4, 400 V, 3 Ph, 20 A, 14.4 kW, basket dimensions: (2x) 160 mm x 300 mm, total dimensions: 400 mm x 600 mm x 950 mm.                                 | 500     |
| 160 | Afinox                     | Afinox refrigerated counter, model: TAV TRK 70 3 I T N S D D, serial number: 3015472701, year of construction: 2016, 230 V, 1 Ph 50 Hz, refrigerant: R404A, 0.28 kg, dimensions: 1850 mm x 700 mm x 870 mm.                   | 500     |



| Nr  | Title        | Description   | Start € |
|-----|--------------|---|---------|
| 161 | Siemens      | Siemens refrigerator, type: KW KSVV30A, 220-240 V, 50 Hz, 0.7 A, 90 W, refrigerant: R600a, 50 g, gross volume: 348 liter, dimensions: 600 mm x 680 mm x 1870 mm.                            | 250     |
| 162 | Rosinox      | Rosinox frying pan, number: B-29258, 400 V, inside dimensions: 800 mm x 600 mm x 180 mm, total dimensions: 1000 mm x 900 mm x 1000 mm.  | 400     |
| 163 | Liebherr     | Liebherr freezer, type: GG 5260 Index 40A / 001, serial number: 84.592.667.1, 220-240 V, 50 Hz, 1.5 A, refrigerant: R290, 95 g, net capacity: 472 l, dimensions: 800 mm x 750 mm x 1870 mm. | 500     |
| 164 | Gram         | Gram refrigerator, type: HOSHIZAKI F 210 RH 3, serial number: 10193504, 230 V, 50 Hz, 1.06 A, 129 W, refrigerant: R134a, dimensions: 680 mm x 600 mm x 840 mm.                              | 150     |
| 165 | Winterhalter | Winterhalter dishwasher, type: GR 62/2, serial number: 376 004, 230 V, 50 Hz, 27 A, 10 kW, dimensions: 600 mm x 660 mm x 840 mm.  | 200     |
| 166 | Carpigiani   | Carpigiani mobile ice cream machine, model: LABO 20/30 M, serial number: IC32714, 380-415 V, 3 Ph, 50 Hz, 16 A, 2.9 kW, refrigerant: R404a, 0.7 kg, dimensions: 870 mm x 460 mm x 1280 mm.  | 3000    |
| 167 | Delrue       | Delrue smoke chamber, number: 00890481, 4 floors, floor dimensions: 740 mm x 750 mm, total dimensions: 930 mm x 880 mm x 1370 mm. Including smoke sticks.                                   | 600     |
| 168 | Winterhalter | Winterhalter dishwasher, dimensions: 660 mm x 600 mm x 840 mm.  | 150     |
| 169 | PALUX AG     | PALUX AG dishwasher, type: GSC 400, machine number: 462609, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 16 A, 6.5/0.85/0.9/8.3 kW, dimensions: 600 mm x 600 mm x 830 mm.                | 150     |
| 170 | NN kitchen   | Mobile kitchen with Bosch induction plate, dimensions: 1020 mm x 860 mm x 1150 mm.  | 50      |
| 171 | Cretel       | Cretel skinning machine, working width: 360 mm, total dimensions: 500 mm x 530 mm x 350 mm. Without s/s trolley.  | 100     |
| 172 | Inventum     | Inventum oven, model: OV607B/01, serial number: 23010361, 220/240 V, 50/60 Hz, 1 floor, floor dimensions: 350 mm x 450 mm, total dimensions: 630 mm x 450 mm x 420 mm.                      | 70      |
| 173 | Roband       | Roband grill, model: GSA815S, serial number: 2061, year of construction: 2017, 230 V, 50 Hz, 13 A, grill surface: 490 mm x 250 mm, total dimensions: 560 mm x 480 mm x 250 mm.              | 50      |
| 174 | Robot Coupe  | Robot Coupe blender, type: MP 450 Ultra, number: N7550464601, 220/240 V, 50/60 Hz, 500 W, dimensions: 800 mm x 200 mm x 120 mm.   | 200     |
| 175 | Santos       | Santos cheese grater, dimensions: 400 mm x 210 mm x 350 mm.   | 50      |



| Nr  | Title         | Description  | Start € |
|-----|---------------|--|---------|
| 176 | Louis Tellier | Louis Tellier tomato slicer, 11 knives, distance between knives: 5 mm, total dimensions: 200 mm x 480 mm x 270 mm.   | 50      |
| 177 | Merrychef     | Merrychef oven, model: eikon e5, 230 V, 1 Ph, 2 floors, floor dimensions: 300 mm x 440 mm, total dimensions: 700 mm x 630 mm x 650 mm.   | 1000    |
| 178 | NN rack       | S/s rack with 10 floors, floor dimensions: (10x) 610 mm x 405 mm, total dimensions: 920 mm x 620 mm x 750 mm.  | 100     |
| 179 | Boss          | Boss vacuum machine, type: NT 42, machine number: 013030, 400 V, 50 Hz, 1 kW, seal length: 420 mm, dimensions chamber: 400 mm x 430 mm, Busch vacuum pump, type: RB 0021 B 323, APXX, year of construction: 2000, 21 m3/h, total dimensions: 530 mm x 500 mm x 440 mm. | 125     |
| 180 | Bizerba       | Bizerba slicer, model: SE 12, number: 10166538, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 1.79 A, dimensions: 700 mm x 530 mm x 450 mm.  | 400     |
| 181 | Bizerba       | Bizerba slicer, model: SE 12, number: 2011280, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 1.79 A, dimensions: 700 mm x 530 mm x 450 mm.   | 400     |
| 182 | Bizerba       | Bizerba slicer, model: SE 12, dimensions: 700 mm x 530 mm x 450 mm.  | 400     |
| 183 | Bizerba       | Bizerba slicer, model: SE 12, dimensions: 700 mm x 530 mm x 450 mm.  | 400     |
| 184 | Bizerba       | Bizerba slicer, model: SE 12, number: 10258797, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 1.79 A, dimensions: 700 mm x 530 mm x 450 mm.  | 400     |
| 185 | Bizerba       | Bizerba slicer, type: GSP H, number: 10879622, year of construction: 2012, 230 V, 1 Ph, 50 Hz, 1.79 A, 0.360 kW, dimensions: 700 mm x 550 mm x 430 mm.   | 500     |
| 186 | Melior-Ganda  | Melior-Ganda tenderiser, model: 350 NH, machine number: 9910531, year of construction: 1999, dimensions: 600 mm x 400 mm x 1660 mm.  | 100     |
| 187 | Melior-Ganda  | Melior-Ganda tenderiser, model: 350 NSH, machine number: 12050101, dimensions: 600 mm x 400 mm x 1660 mm.  | 100     |
| 188 | NN counter    | S/s heated counter, dimensions: 1900 mm x 700 mm x 1580 mm.  | 250     |
| 189 | NN counter    | S/s mobile counter with refrigerated cabinets, dimensions: 1840 mm x 700 mm x 840 mm.  | 250     |
| 190 | Welters       | Welters wooden chop block on s/s frame, dimensions: 800 mm x 600 mm x 850 mm.  | 100     |
| 191 | Werca         | Werca wooden chop block on s/s frame, dimensions: 600 mm x 800 mm x 900 mm.  | 100     |
| 192 | Welters       | Welters wooden chop block on s/s frame, dimensions: 800 mm x 600 mm x 820 mm.  | 100     |



| Nr  | Title                          | Description  | Start € |
|-----|--------------------------------|--|---------|
| 193 | Ideal                          | Ideal mobile refrigerated topping station, type: BLGZ 3-70-3T, 230 V, 50 Hz, refrigerant: R134a, dimensions: 1660 mm x 800 mm x 990 mm.  | 500     |
| 194 | Steelco                        | Steelco table model dishwasher, type: DS 50/2 DRS, serial number: 1018021, 240 V, 50 Hz, 12 A, 2750 W, dimensions: 620 mm x 550 mm x 560 mm.   | 500     |
| 195 | Hobart                         | Hobart cutter, model: 8181 D, serial number: 11-239-178, 220 V, 50 Hz, 1 Ph, 5.5 A, dimensions: 800 mm x 560 mm x 500 mm.  | 500     |
| 196 | NN dispenser rack              | 4 dispenser racks with trays, dimensions: (4x) 190 mm x 350 mm x 530 mm.   | 40      |
| 197 | NN vacuum machine              | Mobile vacuum machine, dimensions chamber: 490 mm x 480 mm, seal length: 445 mm, with Rietschle vacuum pump, type: SVLE 60, number: 246261, capacity: 60 m <sup>3</sup> /h, 1400 rpm, total dimensions: 800 mm x 680 mm x 1080 mm. | 150     |
| 198 | NN sink                        | S/s sink with faucet, foot control, dimensions: 500 mm x 450 mm x 1050 mm.   | 25      |
| 199 | Maxima                         | Maxima planetary mixer, model: MPM20, serial number: MPM20-1976, 230 V, 1 Ph 50 Hz, 0.75 kW, capacity: 20 liter, dimensions: 500 mm x 500 mm x 800 mm. Including whisk, flat beater and hook.                                      | 250     |
| 200 | Maxima                         | Maxima planetary mixer, model: MPM20, serial number: MPM20-Y20-2827, 230 V, 1 Ph 50 Hz, 0.75 kW, capacity: 20 liter, dimensions: 500 mm x 500 mm x 800 mm. Including whisk, flat beater and hook.                                  | 250     |
| 201 | Antoine                        | Antoine mobile bottle cooler, type: 2400 \$DMSF, number: 112662 273358, year of construction: 2017, 230 V, 50 Hz, 2.45 A, 0.56 kW, refrigerant: R134a, 170 gram, dimensions: 2750 mm x 700 mm x 900 mm.                            | 350     |
| 202 | Poly-clip System GmbH & Co. KG | Poly-clip System GmbH & Co. KG table model clipper, type: SCD - 600, number: 6203/10, pressure: 5-7 bar, dimensions: 370 mm x 260 mm x 950 mm.   | 400     |
| 203 | K+G Wetter                     | K+G Wetter mobile grinder, type: Profi machine number: 340/1105, year of construction: 2010, 400 V, 3 kW, 12.5/20 A, plate diameter: 98 mm, total dimensions: 930 mm x 500 mm x 1370 mm. Trolley not included.                     | 950     |
| 204 | NN frame                       | S/s frame, dimensions: 2500 mm x 390 mm x 230 mm.  | 50      |
| 205 | NN table                       | S/s table with plastic worktop, dimensions: 2000 mm x 750 mm x 1050 mm.  | 150     |
| 206 | Rubbens                        | Rubbens s/s table, dimensions: 1600 mm x 800 mm x 970 mm.  | 150     |
| 207 | NN table                       | S/s table, dimensions: 1200 mm x 520 mm x 880 mm.  | 150     |
| 208 | NN table                       | Mobile s/s table with plastic worktop, dimensions: 1200 mm x 700 mm x 980 mm.  | 100     |
| 209 | NN table                       | Mobile s/s table with plastic worktop, dimensions: 1200 mm x 700 mm x 980 mm.  | 100     |
| 210 | NN table                       | S/s table, dimensions: 800 mm x 600 mm x 980 mm.   | 75      |





| Nr  | Title               | Description  | Start € |
|-----|---------------------|--|---------|
| 211 | Safescan            | Safescan coin counter, model: 1200, serial number: 2008040408, 230 V, 3.15 A, 45 W, dimensions: 350 mm x 350 mm x 300 mm.  | 80      |
| 212 | JCM                 | JCM coin counter, model: CS-30, serial number: 0109116865, 220 V, 50 Hz, 0.3 A, dimensions: 390 mm x 230 mm x 350 mm.  | 200     |
| 213 | NN table            | S/s table, dimensions: 1200 mm x 700 mm x 1000 mm.   | 75      |
| 214 | NN sink             | S/s sink dimensions: 1800 mm x 600 mm x 950 mm.  | 100     |
| 215 | NN table            | S/s sink, dimensions: 1400 mm x 700 mm x 1000 mm.  | 100     |
| 216 | Vulcan              | Vulcan insulated heated holding cabinet, model: VHP7-11, serial number: CF-1001774, 208 V, 60 Hz, 2.5 A, 600 W, 7 floors, floor dimensions: (7x) 515 mm x 325 mm, total dimensions: 650 mm x 450 mm x 830 mm.  | 100     |
| 217 | Polar refrigeration | Polar refrigeration refrigerated counter: model: G606, serial number: G606 095280, 230 V, 50 Hz, 1.6 A, 230 W, refrigerant: R134a, inside dimensions: (2x) 550 mm x 330 mm, total dimensions: 900 mm x 700 mm x 850 mm.  | 125     |
| 218 | LTH                 | LTH refrigerator, type: HO_1500 DEM_EX, year of construction: 2006, 230 V, 1 Ph, 50 Hz, 480 W, refrigerant: R134a, 055 kg, weight: 226 kg, volume: 1170 liter, 10 floors, floor dimensions: (10x) 620 mm x 530 mm, total dimensions: 1420 mm x 800 mm x 1980 mm.   | 750     |
| 219 | Furka               | Furka s/s cabinet, 3 floors, dimensions floors: (3x) 1310 mm x 500 mm, total dimensions: 510 mm x 1400 mm x 800 mm.  | 75      |
| 220 | NN trays            | Approximately 65 plastic trays, dimensions per tray: 345 mm x 265 mm.  | 25      |
| 221 | Mogler              | (2x) Mogler cash drawer, without keys, dimensions: (2x) 430 mm x 410 mm x 110 mm.  | 20      |
| 222 | Multivac            | Multivac mobile traysealer, type: T200, serial number: 230392, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 20 A, 3.8 kW, dye dimensions: (2x) 230 mm x 180 mm, with Busch vacuum pump, type: RA 0063 F 503, serial number: DEM121020847, Vmax: 60 m <sup>3</sup> /h, total dimensions: 1300 mm x 800 mm x 1600 mm. | 1500    |
| 223 | NN ham moulds       | 7 Ham moulds, dimensions: (7x) 400 mm x 300 mm x 220 mm.   | 25      |



| Nr  | Title              | Description   | Start € |
|-----|--------------------|---|---------|
| 224 | Lauer              | Lauer reverse osmosis system consisting of: Lauer reverse osmosis device, type: Aquaboss EcoRO Dia II 1800, serial number: 200336, year of construction: 2004/01, 400 V, 50 Hz, 14.15 A, max 25 bar, temperature range: +5°C-+40°C, dimensions: 1900 mm x 900 mm x 1850 mm. Lauer mobile reverse osmosis device with central concentrate supply, type: SoftControll II, serial number: 400209, year of construction: 2004/02, 230 V, 50 Hz, 0.06 A, max 6 bar, temperature range: +5°C-40°C, dimensions: 2000 mm x 800 mm x 2050 mm. S/s rack with Lauer water softeners, type: Duo AK I-ZG 2000, serial number: 600517, year of construction: 2004/05, 230 V, 50 Hz, max 6 bar, temperature range: +5°C-+40°C, dimensions: 1200 mm x 830 mm x 1900 mm. Lauer tank with 2 IMI pressure expansion vessels, type: ADF 50.10 and central concentrate supply, type: CCS-PII, dimensions: 2100 mm x 1500 mm x 2000 mm. Lauer switch cabinet, dimensions: 800 mm x 420 mm x 2150 mm, Extra IMI pressure expansions vessel and box with parts. | 1500    |
| 225 | Viessmann          | Viessmann boiler with electric burner, model: Vitocorral 200, dimensions: 2100 mm x 820 mm x 2000 mm. Including Reflex pressure vessel.   | 2000    |
| 226 | NN transport belt  | Mobile transport belt, s/s frame, plastic belt, belt width: 480 mm, total dimensions: 2000 mm x 650 mm x 850 mm.  | 200     |
| 227 | Spako              | Spako cooking vessel, type: RHA400, number: 0085 BM 0459, year of construction: 2014, 230 V, 50 Hz, 60 W, 27.9/31 kW, gas heated, natural gas, gas consumption: 2.70 m <sup>3</sup> per hour, inside dimensions: 1100 mm x 650 mm x 485 mm, total dimensions: 1400 mm x 1170 mm x 985 mm.   | 750     |
| 228 | NN hood            | S/s hood, dimensions: 2000 mm x 450 mm x 950 mm.  | 250     |
| 229 | Günther            | Günther injector, type: PIH 21, machine number: 27734, year of construction: 2003, 400 V, 16 A, 1.5 kW, 21 needles, plastic mesh belt, belt width: 260 mm, clearance: 260 mm x 200 mm, total dimensions: 650 mm x 1350 mm x 2000 mm.  | 1000    |
| 230 | Röschermatic       | Röschermatic mobile vacuum tumbler, type: RH-150, serial number: 542, 380/220 V, 0.85 kW, volume: 150 liter, inside dimensions: Ø 500 mm x 650 mm, total dimensions: 900 mm x 800 mm x 1700 mm. Without vacuum pump.  | 1000    |
| 231 | NN mixer           | Mixer, dimensions: 830 mm x 500 mm x 1000 mm.   | 100     |
| 232 | Diamond            | Diamond refrigerated counter, model: Gastro Line Plus, dimensions: 1750 mm x 700 mm x 840 mm.   | 150     |
| 233 | Quarto             | 7 Quarto payment systems with receipt printer from which 6 in a frame, dimensions each: 600 mm x 600 mm x 440 mm. Table not included.   | 700     |
| 234 | NN roller conveyor | Mobile driven roller conveyor, s/s frame, plastic rollers, roller width: 600 mm, total dimensions: 1600 mm x 700 mm x 930 mm.   | 250     |



| Nr  | Title                    | Description  | Start € |
|-----|--------------------------|--|---------|
| 235 | Bedelec Automatisatie    | Bedelec Automatisatie de-elevating belt, 230 V, 4.2 - 20 A, year of construction: 2006, s/s frame, plastic rollers, roller width: (2x) 400 mm, elevating height: 1080 mm, total dimensions: 2020 mm x 1000 mm x 1080 mm.                                 | 150     |
| 236 | Alinox                   | Alinox refrigerated showcase, dimensions: 1430 mm x 390 mm x 450 mm.   | 400     |
| 237 | Flauw S.A                | Flauw S.A mobile transport belt, machine number: 06/113, year of construction: 07/2006, plastic belt, belt width: 350 mm, total dimensions: 1500 mm x 650 mm x 1100 mm.  | 300     |
| 238 | NN elevating belt        | Mobile elevating belt, s/s frame, plastic mesh belt, belt width: 1200 mm, elevating height: 1600 mm, total dimensions: 1500 mm x 1500 mm x 1700 mm.  | 600     |
| 239 | Tecnobanc                | Tecnobanc refrigerated showcase, model: RF4 CM 150, machine number: 16885, year of construction: 2013, 220 V, 50 Hz, 40 W, refrigerant: R404A, dimensions: 1500 mm x 600 mm x 1700 mm.   | 500     |
| 240 | Videojet                 | Videojet inkjet printer, model: 1620, serial number: 16190018C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.   | 250     |
| 241 | Videojet                 | Videojet inkjet printer, model: 1620, serial number: 16292105C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.   | 250     |
| 242 | Videojet                 | Videojet inkjet printer, model: 1620, serial number: 16190019C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.   | 250     |
| 243 | Videojet                 | Videojet inkjet printer, model: 1620, serial number: 16190012C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.   | 250     |
| 244 | Videojet                 | Videojet inkjet printer, model: 1620, serial number: 16190011C23ZH, 100-120/200-240 V, 1 PH, 50/60 Hz, 3 A, 120 W, dimensions: 450 mm x 350 mm x 850 mm.   | 250     |
| 245 | Alpina                   | Alpina heated showcase, model: ADA SGd 25, fabrication number: 162, year of construction: 2012, 230 V, 50 Hz, 2.5 kW, weight: 65 kg, 3 floors, dimensions floor: (3x) 730 mm x 570 mm, total dimensions: 950 mm x 630 mm x 880 mm. Trolley not included. | 450     |
| 246 | Roband Australia PTY LTD | Roband Australia PTY LTD grill plate, model: GSA815S, code: F01, serial number: 3713, year of construction: 2021, 230 V, 50 Hz, 13.0 A, 2990 W, total dimensions: 560 mm x 500 mm x 240 mm.  | 175     |
| 247 | Roband Australia PTY LTD | Roband Australia PTY LTD grill plate, model: GSA815R, serial number: 898, year of construction: 2017, 230 V, 50 Hz, 13.0 A, 2990 W, total dimensions: 560 mm x 500 mm x 240 mm.  | 250     |
| 248 | Roller Grill             | Roller Grill grill, grill plate dimensions: 750 mm x 300 mm, total dimensions: 860 mm x 450 mm x 450 mm.   | 150     |



| Nr  | Title                             | Description   | Start € |
|-----|-----------------------------------|---|---------|
| 249 | Roband Australia PTY LTD          | Roband Australia PTY LTD griddle toaster, model: GT700, serial number: 496, year of construction: 2016, 400/230 V, 50 Hz, 12.8 A, 5.9 kW, dimensions: 730 mm x 500 mm x 380 mm.   | 250     |
| 250 | Kranzle                           | Kranzle high pressure cleaner, type: 1150T, 230 V, 50 Hz, 12 A, 2.8/2.0 kW, capacity: 10 liter per minute, dimensions: 300 mm x 300 mm x 1050 mm.   | 250     |
| 251 | Getra                             | Getra mobile binding machine, working width: 770 mm, plastic strap width: 8 mm, total dimensions: 930 mm x 580 mm x 950 mm.   | 200     |
| 252 | Thermodyne                        | Thermodyne mobile slow cook and hold oven, model: 1900G, serial number: 14567, year of construction: 1/1/17, 230/440 V, 3 Ph, 50 Hz, 11 A, 10 floors, floor dimensions: 650 mm x 550 mm, total dimensions: 830 mm x 680 mm x 1960 mm.   | 3500    |
| 253 | Multivac                          | Multivac traysealer, type: Galaxy, model: TS 355, machine number: 996, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 2.3 A, 8.75 kW, film width: 500 mm, dye: (3x) 211 mm x 163 mm, with Busch vacuum pump, type: RA 0063 E 5Z1, 63 m³/h, total dimensions: 730 mm x 1250 mm x 1540 mm. | 1750    |
| 254 | NN tempering and moulding machine | Mobile tempering and moulding machine for chocolate, dimensions: 1050 mm x 660 mm x 1150 mm.  | 400     |
| 255 | Pama Parsi Macchine S.r.l.        | Pama Parsi Macchine S.r.l. mobile pasteurizer, model: PS 150, serial number: 3621, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 14 A, 9 kW, weight: 150 kg, s/s mesh belt, belt width: 400 mm, total dimensions: 1580 mm x 850 mm x 2450 mm.   | 1000    |
| 256 | AFI                               | AFI weighing scale, model: SWB-150, serial number: 16100145, 230 V, 50 Hz, 0.1 A, capacity: 150 kg, dimensions scale: 520 mm x 420 mm, total dimensions: 730 mm x 420 mm x 820 mm.  | 50      |
| 257 | Weber                             | Weber mobile skinning machine, type: AS 450, number: 1531, 380 V, 50 Hz, 0.4 kW, working width: 400 mm, total dimensions: 560 mm x 670 mm x 1000 mm.  | 300     |
| 258 | Kolbe                             | Kolbe grinder, type: SW 100, serial number: 68 5822, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 6.9 A, 2.9 kW, weight: 110/115 kg, plate diameter: 100 mm, total dimensions: 900 mm x 540 mm x 700 mm.   | 950     |
| 259 | Kolbe                             | Kolbe mobile grinder, type: SW 100, serial number: 68 7834, year of construction: 2018, 230/400 V, 3 Ph, 50 Hz, 6.9 A, 2.9 kW, plate diameter: 100 mm, total dimensions: 900 mm x 550 mm x 1300 mm.   | 1850    |
| 260 | NN mixer                          | Spiral mixer, model: XBE20, s/s tub, tub dimensions: Ø 310 mm x 300 mm, total dimensions: 700 mm x 450 mm x 1200 mm. Including extra whisk and flat beater.   | 500     |



| Nr  | Title                  | Description   | Start € |
|-----|------------------------|---|---------|
| 261 | Jac                    | Jac mobile bread slicer, model: SLD 450/10, machine number: 13102019, year of construction: 20/06/2013, 400 V, 3 Ph, 50/60 Hz, 1.50 A, 0.49 kW, weight: 230 kg, working width: 410 mm, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.   | 400     |
| 262 | Weber                  | Weber mobile skinning machine, type: ASE 553, number: 1110, 380 V, 50 Hz, 0.4 kW, working width: 500 mm, total dimensions: 800 mm x 650 mm x 1000 mm.   | 500     |
| 263 | Europack               | Europack mobile vacuum machine, seal length: (2x) 500 mm, chamber: 500 mm x 520 mm, Busch vacuum pump, type: RA 0040 F 5R3, capacity: 40 m <sup>3</sup> per hour, total dimensions: 710 mm x 700 mm x 1050 mm.  | 1250    |
| 264 | Rottiers               | Rottiers piston filler, knee controll, dimensions: 400 mm x 400 mm x 1150 mm.   | 250     |
| 267 | NN piston filler       | Piston filler, knee controll, dimensions: 400 mm x 400 mm x 1150 mm.  | 250     |
| 268 | Debotec                | Debotec piston filler, model: D.I.V 20, serial number: 20 13 14, year of construction: 2013, 230-400 V, 3 Ph, 50 Hz, 0.75 kW, knee controll, dimensions: 400 mm x 400 mm x 1150 mm.   | 250     |
| 269 | Italdibipack S.p.A.    | Italdibipack S.p.A. mobile seal packaging machine, model: Dibipack 4255EVX restyling, serial number: 022634, year of construction 2021, 230 V, 50/60 Hz, 3.5 kW, weight: 90 Kg, film width: 515 mm, seal length: 570 mm x 440 mm, total dimensions: 800 mm x 1300 mm x 1500 mm. Including 2 extra film rolls. | 450     |
| 270 | Melior-Ganda           | Melior-Ganda grinder, model: MMI 32, machine number: 07216, year of construction: 1998, 220 V, 50 Hz, 96 A, 22 kW, plate diameter: 100 mm, total dimensions: 850 mm x 600 mm x 1200 mm.   | 1000    |
| 271 | Melior-Ganda           | Melior-Ganda mobile grinder, plate diameter: 118 mm, dimensions 880 mm x 650 mm x 1230 mm.  | 1000    |
| 272 | VMI                    | VMI mixer, model: PH602 XV, machine number: 150493, year of construction: 27/03/08, 400 V, 50 Hz, 8.1 A, 2.2 kW, s/s tub, tub dimensions: Ø 450 mm x 450 mm, total dimensions: 1000 mm x 650 mm x 1520 mm. Including extra flat beater.   | 1000    |
| 273 | Dito-Sama              | Dito-Sama mixer, type: BM20S, serial number: 19482 0345 002, 380-415 V, 3 Ph, 50 Hz, 1.8 A, 750 W, dimensions: 650 mm x 500 mm x 950 mm. Including whisk, spiral and flat beater.   | 300     |
| 274 | Teraoka Seiko Co., LTD | Teraoka Seiko Co., LTD semi automatic weigh, wrap and labelling machine, model: AW-4600CP, serial number: 14172045, year of construction: 2014, 220-240 V, 1 Ph, 50/60 Hz, 5 A, 1.0 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e=1/2 gram, T=-2.999 kg, dimensions: 1100 mm x 1050 mm x 1500 mm.    | 1500    |



| Nr  | Title               | Description  | Start € |
|-----|---------------------|--|---------|
| 275 | Webomatic           | Webomatic mobile vacuum machine, chamber dimensions: 540 mm x 465 mm, seal length: 460 mm, total dimensions: 940 mm x 570 mm x 1050 mm.  | 1000    |
| 276 | Dadaux              | Dadaux meat slicer with integrated cooling, type: NEOCUT, number: P-1656, year of construction: 05-16, 230 V, 50 Hz, refrigerant: R134a, 140 gram, dimensions: 350 mm x 500 mm x 600 mm. Never used.   | 1000    |
| 278 | Convotherm          | Convotherm combi steamer, model: OES 6.10 mini, serial number: FSMHG3295, 400 V, 3 Ph, 50/60 Hz, 14.8 A, 7.1 kW, water pressure: 200-600 kP, 12 floors, floor dimensions: (12x) 500 mm x 330 mm, total dimensions: 840 mm x 580 mm x 680 mm. | 750     |
| 279 | Millot              | 2 Millot weighing scales, model: SUPER-SS, serial number: 210100951, maximum weight: 15 kg, d= 1 g, dimensions: (2x) 290 mm x 235 mm x 120 mm.   | 50      |
| 280 | Millot              | Millot weighing scale, model: SS15 PMC, serial number: 1212770382 / 0212770408, 12 V, 830 mA, maximum weight: 15 kg, dimensions: 290 mm x 235 mm x 120 mm.   | 25      |
| 281 | Mettler Toledo GmbH | Mettler Toledo GmbH weighing scale with label printer, type: FB-T 15, serial number: C206493906, 100/240 V, 50/60 Hz, 1.0 A, scale dimensions: 390 mm x 290 mm, total dimensions: 400 mm x 390 mm x 530 mm.                                  | 250     |
| 282 | Bizerba             | Bizerba strip cutter, type: S 111 PLUS, number: 10627217, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 2.7 A, working width: 280 mm, total dimensions: 400 mm x 350 mm x 500 mm. Including extra parts.                                   | 150     |
| 283 | NN grill            | Double grill, type: Panini DR, serial number: 111232587, 220-240 V, 50-60 Hz, 3000 W, grill dimensions: (2x) 350 mm x 220 mm, total dimensions: 800 mm x 500 mm x 260 mm.  | 30      |
| 284 | NN piston filler    | Manual piston filler, inside dimensions: Ø 190 mm x 400 mm, dimensions: 400 mm x 260 mm x 1200 mm.   | 200     |
| 285 | Diko GmbH           | Diko GmbH double waffle iron with depositor, type: WBG, waffle dimensions: (2x) 240 mm x 200 mm, total dimensions: 570 mm x 450 mm x 700 mm.   | 400     |
| 286 | Merychef            | Merychef turbo oven, type: eikon e4, serial number: 1412213091208, 400 V, 3 Ph, 50 Hz, inside dimensions: 370 mm x 310 mm x 190 mm, total dimensions: 770 mm x 585 mm x 590 mm.  | 1250    |
| 287 | Unox                | Unox oven on trolley, model: XF193, serial number: 2751, year of construction: 31/03/2008, 230/400 V, 3 Ph, 50/60 Hz, 6.3 kW, 4 floors, floor dimensions: 610 mm x 370 mm, total dimensions: 800 mm x 800 mm x 1230 mm.                      | 250     |
| 288 | NN cabinet          | S/s cabinet, inside dimensions: 1750 mm x 310 mm, total dimensions: 1800 mm x 400 mm x 600 mm.   | 50      |
| 289 | Animo               | Animo coffee machine, model: CB 1x5W r, serial number: 10625, 380-415 V, 3 Ph, 50-60 Hz, 5400 W, dimensions: 530 mm x 430 mm x 700 mm.   | 120     |



| Nr  | Title                        | Description   | Start € |
|-----|------------------------------|---|---------|
| 290 | Dick                         | Dick manual piston filler, inside dimensions: Ø 190 mm x 420 mm, total dimensions: 400 mm x 260 mm x 1150 mm.   | 200     |
| 291 | NN stove                     | 4-burner stove, dimensions: 800 mm x 700 mm x 320 mm.   | 125     |
| 292 | NN burger forming attachment | Burger forming attachment, oval forms: (4x) 70 mm x 90 mm, total dimensions: 440 mm x 320 mm.   | 175     |
| 293 | NN vegetable slicer          | Vegetable slicer, serial number: C19413, 127-220 V, 50 Hz, 250 W, dimensions: 430 mm x 230 mm x 400 mm.   | 150     |
| 294 | Recsi                        | Recsi slicer, diameter knife: 215 mm, total dimensions: 550 mm x 360 mm x 360 mm.   | 25      |
| 295 | Combivac                     | Combivac vacuum machine, type: combivac 2502, serial number: 159029485, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 6 A, 1.3 kW, chamber dimensions: 450 mm x 400 mm, seal length: 440 mm, total dimensions: 540 mm x 540 mm x 450 mm.                  | 150     |
| 296 | MetalTech                    | MetalTech lid closer for metal trays, type: 227, serial number: 8207, year of construction: 2016, dye: 230 mm x 175 mm, total dimensions: 300 mm x 350 mm x 390 mm.   | 100     |
| 297 | NN knife sharpener           | Knife sharpener, dimensions: 240 mm x 320 mm x 140 mm.  | 150     |
| 298 | Koxka                        | Koxka mobile refrigerated showcase, model: -SG-19, number: 439.825, 230 V, 50 Hz, 8.50 A, 1690 W, refrigerant: R404A - 1200 g, 3 floors, floor dimensions: (3x) 1140 mm x 340 mm, total dimensions: 1200 mm x 700 mm x 1360 mm.                             | 50      |
| 299 | NN showcase                  | Refrigerated showcase, dimensions: 1000 mm x 850 mm x 900 mm.   | 200     |
| 300 | NN au bain marie             | S/s mobile au bain marie, type: LWE, 220 V, 50 Hz, 3 Kw, inside dimensions: 950 mm x 510 mm x 190 mm, total dimensions: 1050 mm x 580 mm x 160 mm.  | 50      |
| 301 | NN rack                      | S/s mobile rack, 6 floors, floor dimensions: (2x) 2600 mm x 700 mm, and (4x) 2600 mm x 400 mm, total dimensions: 2650 mm x 730 mm x 1930 mm.  | 150     |
| 302 | Testo AG                     | 5 Testo AG thermometers, model: T106.   | 25      |
| 303 | Colged                       | Colged dishwasher, model: PT810 / PROTECH810, serial number: 169960, year of construction: 04/11/2008, 400 V, 3 Ph, 50 Hz, 16 A, 8.8 kW, 1-6 bar, dimensions: 840 mm x 700 mm x 1560 mm.  | 750     |
| 304 | Winterhalter                 | Winterhalter dishwasher, inside dimensions: 700 mm x 640 mm, total dimensions: 850 mm x 780 mm x 1600.  | 150     |
| 305 | Jeros A/S                    | Jeros A/S dishwasher, type: 8115, machine number: 0993, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 14 A, 9 kW, dimensions: 880 mm x 720 mm x 1610 mm.  | 400     |
| 306 | Electrolux                   | Electrolux combi steamer, model: AOS201ECA1, serial number: 94600001, year of construction: 2009, 400 V, 3 Ph, 50/60 Hz, 34.5 kW, total dimensions: 900 mm x 1000 mm x 1800 mm. Including s/s trolley, 20 floors, dimensions floors: (20x) 505 mm x 330 mm. | 1250    |



| Nr  | Title              | Description   | Start € |
|-----|--------------------|---|---------|
| 307 | Delrue             | Delrue cooking vessel, type: C100RPC, serial number: 21100380B, year of construction: 2010, 230 V, inside dimensions: ø 530 mm x 500 mm, total dimensions: 1050 mm x 800 mm x 1750 mm.  | 350     |
| 308 | Metos              | Metos combi steamer, model: CPCM 10G, type: B13/A3, serial number: G11CD02091074660, 230 V, 1 Ph, 50-60 Hz, 1.0 kW, gas heated, 10 floors, dimensions each floor: 540 mm x 330 mm, with s/s frame with rack for plates, total dimensions: 900 mm x 830 mm x 1885 mm.      | 1250    |
| 309 | Exkal concept S.L. | Exkal concept S.L. mobile refrigerated showcase, model: IHON-1,5.00, serial number: 000004739, year of construction: 12/2017, refrigerant: R134A, 230 V, 50 Hz, dimensions: 1150 mm x 1060 mm x 950 mm.   | 75      |
| 310 | Leventi            | Leventi combi steamer on s/s table, 6 floors, floor dimensions: (6x) 550 mm x 410 mm, total dimensions: 970 mm x 800 mm x 1670 mm.  | 500     |
| 311 | NN combi steamer   | Combi steamer on s/s trolley, model: SM-795EE, machine number: 1109010, year of construction: 2011.03, 380 V, 3 Ph, 50 Hz, 9.5 kW, 5 floors, floor dimensions: (5x) 600 mm x 400 mm, total dimensions: 1150 mm x 800 mm x 1700 mm.  | 500     |
| 312 | Thirode            | Thirode oven, 4 floors, floor dimensions: (4x) 800 mm x 590 mm, total dimensions: 1100 mm x 800 mm x 1600 mm.   | 100     |
| 313 | Delrue             | Delrue oven, number: 387077107, electric heated, dimensions: 800 mm x 850 mm x 1180 mm.   | 150     |
| 314 | Distform           | Distform combi steamer, model: 63SLCOAI MK2, serial number: F19017994001, year of construction: 2019, 400/230 V, 50 Hz, 5600 W, 13 floors, floor dimensions: (13) 320 mm x 350 mm, total dimensions: 520 mm x 700 mm x 760 mm. Including box with parts and 2 s/s plates. | 750     |
| 315 | KIIMASAN KLIMA SAN | KIIMASAN KLIMA SAN refrigerator, type: vertical cooler, model: S 880 SC TD SLIM, 220/240 V, 50 Hz, 2.5 A, 464 W, refrigerant: R600a, 85 g, 4 floors, floor dimensions: 800 mm x 480 mm, total dimensions: 900 mm x 750 mm x 2000 mm.                                      | 250     |
| 316 | Iarp               | Iarp freezer, model: AB 500 N P.SX, serial number: 09NB93439, volume: 525 L, 230 V, 50 Hz, 1.9 A, 250 W, 6 floors, floor dimensions: (6x) 650 mm x 505 mm, total dimensions: 780 mm x 760 mm x 1700 mm.   | 50      |
| 317 | Jeken              | Jeken refrigerator, model: KS-91R, volume: 91 L, 220-240 V, 50 Hz, 0.65 A, refrigerant: R600a, dimensions: 450 mm x 500 mm x 830 mm.  | 50      |
| 318 | AHT                | AHT freezer, model: RIO S 175, type: B 835N, serial number: 331801 00000178, 220-240 V, 50 Hz, 3.7 A, 370 W, refrigerant: R290/0.080 Kg, inside dimensions: 1600 mm x 500 mm, total dimensions: 1730 mm x 650 mm x 880 mm.  | 150     |
| 319 | Sagi               | Sagi refrigerator, model: GX70, number: 02752609209, 230 V, 50 Hz, 2 A, 380 W, refrigerant: R404A, 03 kg, 4 floors, floor dimensions: 650 mm x 530 mm, total dimensions: 750 mm x 800 mm x 2150 mm.   | 400     |





| Nr  | Title                    | Description   | Start € |
|-----|--------------------------|---|---------|
| 320 | Ilsa                     | Ilsa refrigerator, serial number: 1444.0147, 230 V, 50 Hz, refrigerant: R 404 A/ 0.280, dimensions: 1020 mm x 780 mm x 2020 mm.   | 200     |
| 321 | Liebherr                 | Liebherr refrigerator, model: GKS 1470 Index 10D/001, type: 2 0018 2, serial number: 75.307.259.0, 220-230 V, 50 Hz, 350 W, gross capacity: 1380 liter, refrigerant: R134A - 280 g, 8 floors, floor dimensions: (8x) 530 mm x 650 mm, total dimensions: 1550 mm x 820 mm x 2000 mm. | 400     |
| 322 | Crionovo                 | Crionovo refrigerator, model: A70/1M, serial number: 051807472, 230 V, 50 Hz, 1.8 A, 328 W, refrigerant: R452a, 250 g, 5 floors, floor dimensions: (5x) 650 mm x 530 mm, total dimensions: 740 mm x 820 mm x 2100 mm.   | 350     |
| 323 | NN refrigerated showcase | Refrigerated showcase, 5 floors, floor dimensions: (5x) Ø 750 mm, total dimensions: 1050 mm x 1050 mm x 1960 mm.  | 250     |
| 324 | NN trolley               | S/s trolley for glasses, 8 floors, floor dimensions: 630 mm x 650 mm, max glass diameter: 85 mm, total dimensions: 1000 mm x 800 mm x 2000 mm.  | 150     |
| 325 | Panimatic                | Panimatic proofer, type: 8TK 1900x400 V2 MP4, number: 1.CA1, 1500 W, inside dimensions: 900 mm x 340 mm x 1800 mm, total dimensions: 1250 mm x 740 mm x 2400 mm.  | 350     |
| 327 | NN trolley               | Trolley with 3 floors, floor dimensions: (3x) 850 mm x 500 mm, total dimensions: 850 mm x 500 mm x 1250 mm.   | 50      |
| 328 | REA                      | REA plastic trolley, 5 floors, floor dimensions: (5x) 550 mm x 330 mm, total dimensions: 550 mm x 430 mm x 880 mm.  | 50      |
| 329 | NN trolleys              | 3 s/s trolleys, 20 floors, floor dimensions: (20x) 650 mm x 415 mm, total dimensions: (3x) 680 mm x 480 mm x 1910 mm.   | 300     |
| 330 | NN trolleys              | 2 s/s trolleys, dimensions: (2x) 780 mm x 600 mm x 1650 mm.   | 100     |
| 331 | Kleyn                    | Kleyn trailer, inside dimensions: 9470 mm x 2480 mm x 2180 mm, total dimensions: 9500 mm x 2550 mm x 2200 mm.   | 1250    |
| 332 | Packo                    | Packo cryogene freezer, type: tunnel, number: 0QF1014, year of construction: 09/01, working width: 645 mm, total dimensions: 4600 mm x 1300 mm x 1780 mm, 4000 mm x 1300 mm x 1750 mm and 4500 mm x 1350 mm x 1800 mm. Incomplete.  | 5000    |
| 333 | NN container unit        | Container unit used as shop, dimensions: 7150 mm x 3000 mm x 2820 mm.   | 2000    |
| 334 | Clivet                   | Clivet condensing unit with 6 fans, type: WSAT-XEE 302, serial number: AAG1382G0314, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 71 A, 37.1 kW, refrigerant: R410A, 17.5 kg, dimensions: 2350 mm x 1100 mm x 1520 mm.   | 1000    |
| 335 | NN cooling panels        | Large amount of cooling panels.   | 250     |
| 336 | NN cooling panels        | Large amount of cooling panels.   | 250     |



| Nr  | Title                 | Description  | Start € |
|-----|-----------------------|--|---------|
| 337 | NN refrigerated doors | Large amount of refrigerated doors.  | 150     |
| 338 | Convotherm            | Convotherm combi steamer, type: OD20,20P, number: P7P99111796, 380-415 V, 3 Ph, 50/60 Hz, 92-101 A, 61-72 kW, trolley with 20 floors, dimensions floors: 640 mm x 530 mm, total dimensions: 1150 mm x 1200 mm x 1920 mm. | 750     |
| 339 | Pastorfrigor          | Pastorfrigor freezer, model: Sardegna Small BT 2500 C02, serial number: 79963, year of construction: 06-2021, 400 V, 3 Ph, 50 Hz, 4884 W, volume: 1149 dm <sup>3</sup> , dimensions: 5200 mm x 1650 mm x 1180 mm.        | 2500    |
| 340 | Sicli                 | Plastic crate with 21 sicli fire extinguishers, volume: 6 L, approved in 2024, total dimensions: 1200 mm x 1000 mm x 750 mm.   | 150     |
| 341 | Sicli                 | Plastic crate with 21 sicli fire extinguishers, volume: 6 L, approved in 2024, total dimensions: 1200 mm x 1000 mm x 750 mm.   | 150     |
| 342 | Sicli                 | Plastic crate with 24 sicli fire extinguishers, volume: 9 L, approved in 2024, total dimensions: 1200 mm x 1000 mm x 1000 mm.  | 240     |
| 343 | Sicli                 | Plastic crate with 20 sicli fire extinguishers, volume: 9 L, approved in 2024, total dimensions: 1200 mm x 1000 mm x 1000 mm.  | 200     |
| 344 | Sicli                 | Sicli fire extinguishers with mousse, volume: 9 L, approved in 2024, dimensions: 240 mm x 200 mm x 700 mm.   | 10      |
| 345 | Sicli                 | Sicli fire extinguishers with mousse, volume: 9 L, approved in 2024, dimensions: 240 mm x 200 mm x 700 mm.   | 10      |
| 346 | Sicli                 | Sicli fluor free fire extinguishers with mousse, volume: 6 L, approved in 2024, dimensions: 240 mm x 200 mm x 700 mm.  | 80      |
| 347 | Sicli                 | Sicli fluor free fire extinguisher with mousse, volume: 6 L, approved in 2024, dimensions: 240 mm x 200 mm x 700 mm.   | 80      |
| 348 | Sicli                 | Sicli fire extinguishers with mousse, volume: 6 L, approved in 2024, dimensions: 240 mm x 200 mm x 600 mm.   | 10      |
| 349 | Sicli                 | Sicli fire extinguishers with mousse, volume: 6 L, approved in 2024, dimensions: 240 mm x 200 mm x 600 mm.   | 10      |
| 350 | Sicli                 | Sicli frost-free fire extinguisher with mousse, volume: 9 L, approved in 2024, dimensions: 240 mm x 200 mm x 700 mm.   | 15      |
| 351 | Sicli                 | Sicli frost-free fire extinguisher with mousse, volume: 9 L, approved in 2024, dimensions: 240 mm x 200 mm x 700 mm.   | 15      |
| 352 | Sicli                 | Sicli frost-free fire extinguisher with mousse, volume: 9 L, approved in 2024, dimensions: 240 mm x 200 mm x 700 mm.   | 15      |

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a



lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

## **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.




## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

