



**Industrial
Auctions**

**1905: Online auction butter processing, packaging
and palletizing machinery and other inventory due
to company closure FrieslandCampina in Den
Bosch (NL)**

END DATE

10 September 2025 12:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	10 September 2025 from 12:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	Pick up in consultation with Industrial Auctions BV.
Pick up address	Pieter Langendijksingel 2 5216 JZ 's-Hertogenbosch Netherlands
Pick up instructions	You are fully responsible for the transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	NN raw milk unloading station	Raw milk unloading station with various hoses, s/s pipes, switch cabinets and valves, total dimensions: 5300 mm x 3100 mm x 2500 mm.	1500
2	Raasm S.p.A.	Raasm S.p.A. s/s hose reel with plastic hose, model: S420, dimensions: 560 mm x 300 mm x 500 mm.	150
3	NN raw milk unloading station	Raw milk unloading station for 4 trucks, with various hoses, s/s pipes, switch cabinets and valves, total dimensions: 16000 mm x 1800 mm x 1700 mm.	1500
4	Raasm S.p.A.	Raasm S.p.A. s/s hose reel with plastic hose and spray pistol, model: S420, serial number: 2017112007-0002, dimensions: 560 mm x 300 mm x 500 mm.	150
5	Raasm S.p.A.	Raasm S.p.A. s/s hose reel with plastic hose and spray pistol, model: S420, serial number: 2017112007-0001, dimensions: 560 mm x 300 mm x 500 mm.	150
6	Raasm S.p.A.	Raasm S.p.A. s/s hose reel with plastic hose and spray pistol, model: S420, serial number: 2017112007-0004, dimensions: 560 mm x 300 mm x 500 mm.	150
7	WSM Raumsysteme	WSM Raumsysteme office unit, dimensions: 2300 mm x 1200 mm x 2800 mm.	400
8	NN cabinet	Wall mounted s/s cabinet, dimensions: 800 mm x 440 mm x 380 mm.	100
9	Siemens	Wall mounted s/s cabinet with Siemens Simatic Panel PC touch screen, dimensions: 790 mm x 320 mm x 770 mm.	150
11	NN plastic fence	2 plastic barrier fences, dimensions: (2x) 2100 mm x 1000 mm.	20
12	Trelleborg	Trelleborg Vinitrell hose, diameter: 70 mm, length: 3250 mm.	20
13	NN spill unit for oils	Spill unit for oils, petrol and diesel, dimensions: 850 mm x 630 mm x 600 mm.	25
14	NN plastic tub with road salt	Plastic tub with road salt, dimensions: 1150 mm x 800 mm x 600 mm.	20
15	NN waste bin	Plastic waste bin, dimensions: Ø 450 mm x 1000 mm.	15
16	Comege / Linde	Comege steel lifting arm, serial number: 211824, year of construction: 2021, with Verlinde manual chain hoist, type: CHD0500, serial number: 101349519, year of construction: 17.05.2021, max capacity: 500 kg, total dimensions: 4800 mm x 850 mm x 3200 mm.	750



Nr	Title	Description	Start €
17	NN tank	Insulated s/s tank used for raw milk reception, volume: approximately 200.000 litres, diameter: 5800 mm, height: 9750 mm.	7500
18	NN tank	Insulated s/s tank with Veenstra b.v. mixer used for raw milk reception, volume: approximately 200.000 litres, diameter: 5800 mm, height: 9750 mm.	7500
19	NN tank	Insulated s/s tank with Veenstra b.v. mixer used for raw milk reception, volume: approximately 200.000 litres, diameter: 5800 mm, height: 9750 mm.	7500
20	NN tank	Insulated s/s tank with Veenstra b.v. mixer used for raw milk reception, volume: approximately 200.000 litres, diameter: 5800 mm, height: 9750 mm.	7500
21	NN platform with stairs	S/s platform with stairs, working height: 730 mm, total dimensions: 1000 mm x 580 mm x 1800 mm.	100
22	NN platform with stairs	S/s platform with stairs, working height: 730 mm, total dimensions: 1000 mm x 580 mm x 1800 mm.	100
23	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, serial number: 05 2022 3501, PS: max 100 bar, temperature: max 90 °C, dimensions: 600 mm x 300 mm x 560 mm.	150
24	NN platform with stairs	S/s platform with stairs, working height: 740 mm, total dimensions: 1700 mm x 1000 mm x 1550 mm.	150
25	Holvrieka Nirota	Holvrieka Nirota insulation s/s tank with Veenstra b.v. mixer used for cream, serial number: 061.249, year of construction: 2007, volume: 162.000 litres, empty weight: 6000 kg, diameter: 5200 mm, height: 9750 mm.	15000
26	Holvrieka Nirota	Holvrieka Nirota insulation s/s tank with Veenstra b.v. mixer used for cream, serial number: 131.035, year of construction: 2013, volume: 162.000 litres, empty weight: 6000 kg, diameter: 5200 mm, height: 9750 mm.	15000
27	NN platform with stairs	S/s platform with stairs, working height: 1020 mm, total dimensions: 2000 mm x 580 mm x 2000 mm.	150
28	Holvrieka Nirota	Holvrieka Nirota s/s tank with Jongia mixer, fabrication number: 931.161, year of construction: 1993, volume: 15.000 litres, empty weight: 1665 kg, dimensions: Ø 2500 mm x 5500 mm.	3500



Nr	Title	Description	Start €
29	Holvrieka Nirota	Holvrieka Nirota s/s tank with Jongia mixer and heating element for hot water, fabrication number: 931.160, year of construction: 1993, volume: 15.000 litres, empty weight: 1665 kg, dimensions: Ø 2500 mm x 5500 mm.	3500
30	Holvrieka Nirota	Holvrieka Nirota s/s tank with Jongia mixer and heating element for hot water, fabrication number: 931.163, year of construction: 1993, volume: 15.000 litres, empty weight: 1665 kg, dimensions: Ø 2500 mm x 5500 mm.	3500
31	Holvrieka Nirota	Holvrieka Nirota s/s tank with Jongia mixer and heating element for hot water, fabrication number: 931.162, year of construction: 1993, volume: 15.000 litres, empty weight: 1665 kg, dimensions: Ø 2500 mm x 5500 mm.	3500
32	NN platform with stairs	S/s and aluminium platform with stairs, working height: 4150 mm, total dimensions: 5350 mm x 850 mm x 5250 mm.	1000
33	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, model: EHT20, serial number: 170366, year of construction: 07/2020, PS: max 300 bar, temperature: max 100 °C, dimensions: 600 mm x 300 mm x 560 mm.	150
34	NN switch cabinet	Wall mounted s/s switch cabinet, dimensions: 760 mm x 320 mm x 770 mm.	200
35	Endress + Hauser	Endress + Hauser mass-flowmeter, model: Promass 83, dimensions: 250 mm x 180 mm x 170 mm.	200
36	Alfa Laval	Alfa Laval centrifugal pump, pump type: LKH-25, serial number: 252961, year of construction: 2020, power: 7.5 kW, dimensions: 750 mm x 400 mm x 500 mm.	300
37	Alfa Laval	Alfa Laval centrifugal pump, pump type: LKH-25, serial number: 252962, year of construction: 2020, power: 7.5 kW, dimensions: 750 mm x 400 mm x 500 mm.	300
38	Alfa Laval	Alfa Laval centrifugal pump, pump type: LKH-25, serial number: 252959, year of construction: 2020, power: 7.5 kW, dimensions: 750 mm x 400 mm x 500 mm.	300
39	Alfa Laval	Alfa Laval centrifugal pump, pump type: LKH-25, serial number: 252963, year of construction: 2020, power: 7.5 kW, dimensions: 750 mm x 400 mm x 500 mm.	300
40	Alfa Laval	Alfa Laval centrifugal pump, pump type: LKH-25, serial number: 252960, year of construction: 2020, power: 7.5 kW, dimensions: 750 mm x 400 mm x 500 mm.	300



Nr	Title	Description	Start €
41	Endress + Hauser	S/s frame with 5 Endress + Hauser flowmeters and filters, model: Promag P, Promag F, Promag P and Promag 300, total dimensions: 2500 mm x 750 mm x 1500 mm. Pumps are not included, they are sold separately.	500
42	Endress + Hauser	Endress + Hauser flowmeter, model: Promag 50/ Promag H, dimensions: 250 mm x 250 mm x 450 mm.	200
43	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H/ Promag 300, dimensions: 200 mm x 250 mm x 370 mm.	200
44	FHD	FHD s/s filter housing, model: 610330AN20AN20A1AEE1, serial number: A16393, working temperature: 0-110 °C, max working pressure: 10 BAR G, liquid: gas, dimensions: 400 mm x 250 mm x 1100 mm.	250
45	Alfa Laval	Alfa Laval lobe pump, type: SSCP2/220, serial number: E222539, year of construction: 2020, dimensions: 1300 mm x 400 mm x 600 mm.	750
46	Alfa Laval	Alfa Laval valve, type: LKLA-TNC, year of construction: 8/2020, dimensions: 150 mm x 150 mm x 550 mm and Alfa Laval valve, type: Unique SSV, serial number: 62007119145, year of construction: 2020, dimensions: 720 mm x 350 mm x 200 mm.	200
47	AMG	Valve with AMG pneumatic actuator, dimensions: 250 mm x 200 mm x 200 mm.	200
48	Elster	Elster water meter, type: WPH-1 D, number: 3038385, year of construction: 1994, Qn: 60 m ³ /h, dimensions: 400 mm x 300 mm x 200 mm.	200
49	Interflow	Interflow centrifugal pump, pump type: HRN 65-200, number: 05-14-2150012, capacity: 100 m ³ /h, power: 9.2 kW, dimensions: 770 mm x 300 mm x 550 mm.	300
50	Interflow	Interflow centrifugal pump, pump type: HRN 20-200, number: 05-14-2150014, capacity: 150 m ³ /h, power: 15 kW, dimensions: 1000 mm x 380 mm x 620 mm.	300
51	Anema	Anema centrifugal pump, type: 1065/160, dimensions: 550 mm x 300 mm x 350 mm.	250
52	Pomac	Pomac centrifugal pump, type: CPC21066 / Ø 140x20, serial number: 33 296, year of construction: 01/2023, capacity: 60 m ³ /h, dimensions: 750 mm x 320 mm x 500 mm.	300
53	APV/Nocado	10 APV and Nocado valves.	500
54	Anema	Anema centrifugal pump, dimensions: 550 mm x 300 mm x 430 mm.	200



Nr	Title	Description	Start €
55	NN filter housings	S/s frame with 2 s/s filter housings and various valves, dimensions: (2x) 800 mm x 300 mm x 250 mm.	250
56	Pomac	Pomac lobe pump, type: PLP 3-4 Bi-Wing, serial number: 26 131, year of construction: 12-2015, capacity: 20 m³/h, dimensions: 1250 mm x 450 mm x 580 mm.	500
57	Waukesha	Waukesha lobe pump, model: 220, serial number: 147358, dimensions: 1500 mm x 500 mm x 1000 mm.	400
58	Alfa Laval	Alfa Laval circumferential piston pump, pump type: DURACIRC 73, serial number: E256142, year of construction: 2021, dimensions: 1600 mm x 600 mm x 800 mm, including various valves and s/s filter housing.	500
59	NN switch cabinet	Wall mounted s/s switch cabinet, dimensions: 600 mm x 200 mm x 600 mm.	200
60	NN tank	S/s tank for condensation water, dimensions: 2050 mm x 1000 mm x 1050 mm.	300
61	Pomac	Pomac centrifugal pump, type: 15544/100X7, number: 18016, capacity: 10 m³/h, dimensions: 500 mm x 300 mm x 400 mm.	200
62	NN pump	S/s water pump with pipe, length: 1500 mm.	150
63	NN hose reel with hose	S/s hose reel with plastic hose, dimensions: 380 mm x 150 mm x 220 mm.	75
64	Ecodora	Ecodora s/s hose reel with plastic hose and spray pistol, dimensions: 650 mm x 250 mm x 500 mm.	150
65	NN switch cabinet	Wall mounted s/s switch cabinet, dimensions: 1000 mm x 300 mm x 1000 mm.	300
66	Westfalia Separator AG	Westfalia Separator AG milk-cream separator, type: MSA200-01-076, machine number: 1667 443, year of construction: 1979, drum speed: 4700 rpm, dimensions: 2050 mm x 1500 mm x 1950 mm. Tools are not included, they are sold separately.	12500
67	Endress + Hauser	Endress + Hauser mass-flowmeter, model: Promass F/Promass 83, dimensions: 570 mm x 250 mm x 350 mm.	300
68	Endress + Hauser	Endress + Hauser mass-flowmeter, model: Promass F/Promass 83, dimensions: 570 mm x 250 mm x 350 mm.	300
69	Samson	Samson valve, dimensions: 200 mm x 200 mm x 400 mm.	100



Nr	Title	Description	Start €
70	Westfalia Separator AG	Westfalia Separator AG milk-cream separator, type: MSA200-01-076, machine number: 1667 182, year of construction: 1979, drum speed: 4700 rpm, dimensions: 2050 mm x 1500 mm x 1950 mm. Tools are not included, they are sold separately.	12500
71	Endress + Hauser	Endress + Hauser mass-flowmeter, model: Promass F/Promass 83, dimensions: 570 mm x 250 mm x 350 mm.	300
72	Endress + Hauser	Endress + Hauser mass-flowmeter, model: Promass F/Promass 83, dimensions: 570 mm x 250 mm x 350 mm.	300
73	Samson	Samson valve, dimensions: 200 mm x 200 mm x 400 mm.	200
74	Samson	2 Samson valves, including various APV valves.	300
75	Anema	Anema centrifugal pump, dimensions: 450 mm x 220 mm x 360 mm.	200
76	NN platform with stairs	S/s platform with stairs, working height: 700 mm, total dimensions: 1400 mm x 670 mm x 1700 mm.	50
77	Verlinde	Verline steel lifting arm, type: PR10-2,5, serial number: 223723/01--P25646/10/0, year of construction: 09/2012, capacity: 1000 kg, swing: 2 meter, ØCpower: 1050 mm, with Verline electrical chain hoist, type: VL5 1004B1, serial number: 1238208180, year of construction: 25/09/2012, capacity: 1000 kg, total dimensions: 2600 mm x 500 mm x 4300 mm.	750
78	GEA Ahlborn	GEA Ahlborn cream pasteurizer, dimensions: 2200 mm x 550 mm x 1800 mm.	1500
79	Samson	Samson valve, dimensions: 500 mm x 250 mm x 250 mm.	200
80	Samson	Samson valve, dimensions: 250 mm x 250 mm x 400 mm.	100
81	Hovap	Hovap centrifugal pump, type: HP-1250, number: 39042, year of construction: 2012, dimensions: 600 mm x 250 mm x 460 mm.	200
82	IPBE	IPBE s/s switch cabinet, dimensions: 400 mm x 260 mm x 770 mm.	200
83	Alfa Laval / Tetra Pak	Alfa Laval / Tetra Pak milk pasteurizer, type: C10-KSM, serial number: 30107-33858, year of construction: 2012, volume: 1060.0 litres, PS: 10.0 bar, PT: 14.3 bar, TS: 120 °C, dimensions: 5000 mm x 1000 mm x 2300 mm.	4000
84	Alfa Laval	Alfa Laval centrifugal pump, dimensions: 850 mm x 350 mm x 600 mm.	200



Nr	Title	Description	Start €
85	APV	3 APV valves, total dimensions: 300 mm x 300 mm x 700 mm.	250
86	Samson	Samson valve, dimensions: 400 mm x 400 mm x 800 mm.	200
87	Pomac	Pomac centrifugal pump, type: SPC21066 / Ø160X20, serial number: 31 227, year of construction: 01-2021, capacity: 60 m³/h, power: 7.5 kW, dimensions: 750 mm x 300 mm x 430 mm.	300
88	Samson	Samson valve, dimensions: 400 mm x 400 mm x 800 mm.	200
89	APV	Various APV valves.	800
90	NN platform	S/s platform with aluminium grid, dimensions: 1200 mm x 800 mm x 1000 mm.	250
91	Anema	Anema centrifugal pump, number: 3207, capacity: 20 m³/h, dimensions: 650 mm x 370 mm x 420 mm.	200
92	APV	Various APV valves.	600
93	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H/ Promag 50, dimensions: 350 mm x 300 mm x 200 mm.	150
94	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell lobe pump, model: 130 U1, serial number: 1000003247118, year of construction: 20-May-17, dimensions: 1200 mm x 500 mm x 500 mm.	750
95	NN tank	S/s double jacketed tank, tank dimensions: Ø 850 mm x 600 mm, total dimensions: Ø 900 mm x 1600 mm.	400
96	Terlet	Terlet s/s double jacketed tank, volume: 3000 litres, dimensions: Ø 2500 mm x 3500 mm, including various valves.	2500
97	Hovap	Hovap centrifugal pump, type: HP-5050/190, number: 33606, year of construction: 2002, capacity: 50 m³/h, dimensions: 900 mm x 380 mm x 560 mm. Including Endress + Hauser flowmeter, model: Promag P / Promag 50, dimensions: 400 mm x 250 mm x 200 mm.	200
98	NN platform	S/s platform with stairs, working height: 1780 mm, total dimensions: 2400 mm x 720 mm x 2730 mm.	250
99	Rittal	Rittal s/s switch cabinet for valves from cream separation line, dimensions: 1250 mm x 400 mm x 1200 mm.	300



Nr	Title	Description	Start €
100	Elpress	Elpress foam mixing unit with hose reel with plastic hose and spray pistol, type foam mixing unit: 83801050, serial number: 20006389-003, year of construction: 2020, weight: 10 kg, maximum temperature: 70°C, dimensions foam mixing unit: 460 mm x 120 mm x 450 mm, dimensions hose reel: 450 mm x 200 mm x 500 mm.	250
101	Ecodora	Ecodora s/s hose reel with plastic hose and spray pistol, model: 532, dimensions: 650 mm x 250 mm x 500 mm.	150
102	Alfa Laval	Alfa Laval circumferential piston pump, pump type: DURACIRC 73, serial number: E256143, year of construction: 2021, dimensions: 1600 mm x 600 mm x 800 mm, including various valves and s/s filter housing.	750
103	NN tank	S/s tank, tank dimensions: Ø 1100 mm x 1700 mm, total dimensions: Ø 1200 mm x 2900 mm.	750
104	Alfa Laval	6 Alfa Laval valves, type: Unique SSV.	300
105	Endress + Hauser	Endress + Hauser flowmeter, model: Promag P/ Promag P, dimensions: 200 mm x 200 mm x 350 mm.	150
106	LKM	LKM centrifugal pump, type: LKH 20/155 5.5 kW, manufacturing number: 20-02319, dimensions: 700 mm x 380 mm x 400 mm.	200
107	Armaturen AG	Armaturen AG valve, type: MA9.31A6 5S Po, dimensions: 600 mm x 400 mm x 400 mm.	200
108	Alfa Laval / Tetra Pak	Alfa Laval / Tetra Pak cream pasteurizer, type: C10-SH, serial number: 30104-38526, year of construction: 2003, volume: 1311 litres, PS: 0/20.0 bar, PT: 28.6 bar, TS: 0/130 °C, dimensions: 5000 mm x 800 mm x 2200 mm.	4000
109	Pomac	Pomac centrifugal pump, type: CP29068/230 X 15, serial number: 22 818, year of construction: 12-2011, capacity: 45 m³/h, power: 15.0 kW, dimensions: 950 mm x 400 mm x 500 mm.	200
110	Nocado	5 Nocado valves.	250
111	Eldon/IPBE	Eldon and IPBE switch cabinets for cream pasteurizing line, dimensions: 400 mm x 230 mm x 770 mm and 1000 mm x 300 mm x 1000 mm.	750
112	NN platform with stairs	S/s platform with stairs, working height: 1550 mm, total dimensions: 2400 mm x 680 mm x 3000 mm.	250
113	Siersma Scheffers	Siersma Scheffers s/s tank, serial number: Karnemelk, year of construction: 1995, volume: 1000 litres, total dimensions: Ø 1100 mm x 3000 mm.	750



Nr	Title	Description	Start €
114	APV	4 APV valves.	250
115	Pomac	Pomac centrifugal pump, type: CP19555 / 165 x 10, serial number: 20080, year of construction: 2007, capacity: 30 m³/h, power: 5.5 kW, dimensions: 700 mm x 350 mm x 450 mm.	200
116	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H/ Promag 300, dimensions: 350 mm x 200 mm x 200 mm.	200
117	Samson	Samson valve, dimensions: 560 mm x 300 mm x 300 mm.	200
118	Alfa Laval / Tetra Pak	Alfa Laval / Tetra Pak buttermilk pasteurizer, type: C8-K8M, serial number: 30107-33855, year of construction: 2012, volume: 559.0 litres, PS: 16.0 litres, PT: 22.9 bar, TS: 120 °C, dimensions: 3200 mm x 550 mm x 1850 mm.	2500
119	Hovap	Hovap centrifugal pump, type: HP-5032/170, serial number: 33740, capacity: 35 m³/h, power: 7.5 kW, dimensions: 700 mm x 320 mm x 550 mm.	200
120	IPBE	IPBE s/s switch cabinet for buttermilk pasteurizing line, dimensions: 620 mm x 230 mm x 770 mm.	300
121	NN platform with stairs	S/s platform with stairs, working height: 3400 mm, total dimensions: 6500 mm x 4600 mm x 4500 mm.	750
122	APV	Approximately 14 APV valves.	600
123	APV	Approximately 18 APV valves.	650
124	NN heat extender	S/s heat extender, dimensions: 6500 mm x 1600 mm x 2000 mm.	3000
125	GEA	12 GEA valves, model: PAMS-93.	400
126	Grundfos	S/s tub with 2 Grundfos pumps and expansion vessel, dimensions tub: 800 mm x 400 mm x 560 mm, total dimensions: 1300 mm x 700 mm x 1700 mm.	300
127	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-20/165 5.5 kW, manufacturing number: 20-01838, dimensions: 700 mm x 400 mm x 400 mm.	200
128	Jonker	Jonker steam distribution unit, type: Stoomverdelers DN150x5900, factory number: JON132687, year of construction: 2021, design pressure: 0-12 bar, design temperature: 0-192 °C, volume: 125 litre, test pressure: 21 bar, test temperature: 18 °C, including various valves and expansion vessels, total dimensions: approximately 8000 mm x 1000 mm x 2500 mm.	2500



Nr	Title	Description	Start €
129	Pomac	Pomac centrifugal pump, type: 23588/170X23, serial number: 17004, capacity: 100 m³/h, dimensions: 900 mm x 450 mm x 550 mm.	200
130	Pomac	Pomac centrifugal pump, type: CP19655-65/165 X 10, serial number: 20624, year of construction: 2008, capacity: 35 m³/h, power: 7.5 kW, dimensions: 700 mm x 400 mm x 450 mm.	200
131	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1300 mm and 650 mm x 1300 mm.	100
132	Endress + Hauser	Endress + Hauser flowmeter, dimensions: 400 mm x 250 mm x 250 mm.	150
133	Endress + Hauser	Endress + Hauser flowmeter, model: Promag P/ Promag 53, dimensions: 400 mm x 250 mm x 250 mm.	150
134	Endress + Hauser	Endress + Hauser flowmeter, model: Promag F/ Promag 30F, dimensions: 400 mm x 250 mm x 250 mm.	150
136	Pomac	Pomac centrifugal pump, type: CP19544/150 X 7, serial number: 22 546, year of construction: 2008, capacity: 17.5 m³/h, power: 3.0 kW, dimensions: 600 mm x 300 mm x 400 mm.	200
137	Endress + Hauser	Endress + Hauser flowmeter, model: Promag 50, dimensions: 250 mm x 250 mm x 400 mm.	150
138	Endress + Hauser	Endress + Hauser mass-flowmeter, model: Promass F/Promass 83, dimensions: 1200 mm x 250 mm x 600 mm.	300
139	Rittal	Rittal s/s switch cabinet, dimensions: 760 mm x 350 mm x 800 mm.	350
140	Samson/Alfa Laval	Samson/Alfa Laval valve, dimensions: 500 mm x 250 mm x 200 mm.	50
141	Endress + Hauser	Endress + Hauser mass-flowmeter, model: Promass F/Promass 83, dimensions: 400 mm x 250 mm x 400 mm.	150
142	Foss	Foss in-line dairy process analyser, model: Profoss™ 2, serial number: 91846200, year of construction: 2021, 100-240 VAC, 50-60 Hz, dimensions: 500 mm x 200 mm x 400 mm and 170 mm x 150 mm x 400 mm.	2000
143	Samson/Alfa Laval	Samson valve, dimensions: 170 mm x 170 mm x 400 mm, 2 Alfa Laval valves, dimensions: 250 mm x 150 mm x 700 mm.	200
144	Endress + Hauser	Endress + Hauser flowmeter, model: Promag 53, dimensions: 250 mm x 250 mm x 400 mm.	150
145	Alfa Laval	5 Alfa Laval valves, type: Unique SSV, dimensions: 400 mm x 350 mm x 800 mm.	350



Nr	Title	Description	Start €
146	NN platform with stairs	S/s platform with stairs, working height: 2050 mm, total dimensions: 2400 mm x 1300 mm x 3050 mm.	250
147	Delta	Delta safety shower, dimensions: 750 mm x 450 mm x 2400 mm.	100
148	Alfa Laval	Alfa Laval centrifugal pump, pump type: LKH-50, serial number: 252968, year of construction: 2020, dimensions: 650 mm x 360 mm x 530 mm.	300
149	Alfa Laval	Alfa Laval centrifugal pump, pump type: LKH PRIME 40, serial number: 253012, year of construction: 2020, dimensions: 1000 mm x 500 mm x 600 mm.	300
150	Alfa Laval	Alfa Laval manifold with large amount of valves, type: LKLA-T NC and Unique, total dimensions: 6000 mm x 4320 mm x 1500 mm, including switch cabinet, dimensions: 800 mm x 350 mm x 1250 mm.	4000
151	Nocado	15 Nocado valves, dimensions: 1400 mm x 700 mm x 600 mm, including switch cabinet, dimensions: 1000 mm x 350 mm x 1000 mm.	1250
152	NN platform with stairs	S/s platform with stairs, working height: 1550 mm, total dimensions: 2150 mm x 1000 mm x 2600 mm.	250
153	APV	5 APV valves.	250
154	APV	Manifold with 13 APV valves, dimensions: 1450 mm x 1200 mm x 1100 mm.	750
155	NN CIP tank	S/s double jacketed CIP tank, volume: 10000 litres, total dimensions: Ø 2100 mm x 4500 mm.	2250
156	NN platform	S/s platform, working height: 1200 mm, total dimensions: 950 mm x 900 mm x 2230 mm.	100
157	Bürkert	Bürkert steam distribution unit with various valves.	1000
158	NN CIP tank	S/s double jacketed CIP tank, volume: 10000 litres, total dimensions: Ø 2100 mm x 4500 mm.	2250
159	NN platform	S/s platform, working height: 1200 mm, total dimensions: 950 mm x 900 mm x 2230 mm.	100
160	Pomac	Pomac centrifugal pump, type: CPC21066 / Ø 140X20, serial number: 31 280, year of construction: 02-2021, capacity: 60 m³/h, power: 7.5 kW, dimensions: 750 mm x 320 mm x 450 mm.	300
161	Hovap	Hovap centrifugal pump, type: HR-5050/175, serial number: 33405, year of construction: 2001, capacity: 25 m³/h, power: 7.5 kW, dimensions: 800 mm x 320 mm x 500 mm.	200



Nr	Title	Description	Start €
162	NN steam unit	Steel vessel with various steam valves, dimensions: 500 mm x 200 mm x 1000 mm.	150
163	NN CIP tank	S/s double jacketed CIP tank, volume: 10000 litres, total dimensions: Ø 2100 mm x 4500 mm.	2250
164	NN CIP tank	S/s double jacketed CIP tank, volume: 10000 litres, total dimensions: Ø 2100 mm x 4500 mm.	2250
165	Hilge	Hilge centrifugal pump, pump type: F&B-HYGIA-I-K-SUPER,, serial number: 979712700001, dimensions: 700 mm x 300 mm x 450 mm.	200
166	Hilge	Hilge centrifugal pump, pump type: F&B-HYGIA-I-K-SUPER,, serial number: 979712700000, dimensions: 700 mm x 300 mm x 450 mm.	200
167	Grundfos	Grundfos centrifugal pump, capacity: 10 m³/h, dimensions: 300 mm x 200 mm x 1000 mm.	200
168	Anema	Anema centrifugal pump, dimensions: 680 mm x 350 mm x 400 mm.	200
169	Anema	Anema centrifugal pump, type: 4666, number: 7190, capacity: 60000 l/h, power: 7.5 kW, dimensions: 600 mm x 350 mm x 400 mm.	200
170	Anema	Anema centrifugal pump, number: 32080, capacity: 20 m³/h, dimensions: 600 mm x 350 mm x 450 mm.	200
171	Anema	Anema centrifugal pump, number: 32052, capacity: 10 m³/h, dimensions: 500 mm x 300 mm x 450 mm.	200
172	NN platform with stairs	S/s platform with stairs, working height: 2900 and 4800 mm, total dimensions: 8200 mm x 6800 mm x 5700 mm.	1500
173	Mennens	Mennens steel lifting arm with GIS electrical chain hoist, maximum capacity: 125 kg, length lifting arm: 5000 mm.	750
174	APV	Manifold with various APV valves and Endress + Hauser actuators.	1000
175	APV	5 APV valves.	250
176	Westfalia Separator AG	2 Westfalia Separator AG s/s double jacketed CIP tanks, machine type: CIP-TANK 3000 L, serial numbers: 96/00408-1 and 96/00408-2, year of construction: 1996, working pressure: 0 bar, operating temperature: 80 °C, capacity: (2x) 3300 litre, dimensions: (2x) 3000 mm x 1900 mm x 2300 mm.	1750
177	NN stairs	S/s stairs, dimensions: 600 mm x 600 mm x 500 mm.	0
178	NN platform with stairs	S/s platform with stairs, dimensions: 2950 mm x 2200 mm x 2400 mm, including s/s cabinet, dimensions: 600 mm x 400 mm x 400 mm.	250



Nr	Title	Description	Start €
179	Ecodora S.r.l.	Ecodora S.r.l. s/s hose reel with plastic hose and spray pistol, model: 532, dimensions: 550 mm x 250 mm x 500 mm.	200
180	Hilge	Hilge centrifugal pump, pump type: EURO-HYGIA-B-SUPER-II/60 B, number: 23/96/11349, capacity: 30 m³/h, power: 11.0 kW, dimensions: 750 mm x 350 mm x 450 mm.	200
181	Endress + Hauser	Endress+Hauser flowmeter: model: Promag 53, dimensions: 350 mm x 200 mm x 200 mm.	200
182	Anema	Anema centrifugal pump, dimensions: 530 mm x 300 mm x 300 mm.	200
183	GEA Ecoflex GmbH	GEA Ecoflex GmbH plate heat exchanger, type: VT20 CDS, serial number: 170/13832, dimensions: 900 mm x 550 mm x 1500 mm.	500
184	NN switch cabinet	S/s switch cabinet, dimensions: 670 mm x 220 mm x 800 mm.	400
185	NN tank	S/s CIP tank, tank dimensions: Ø 800 mm x 800 mm, total dimensions: 1150 mm x 900 mm x 1770 mm.	300
186	Anema	Anema centrifugal pump, number: 32078, capacity: 12 bar, dimensions: 650 mm x 400 mm x 450 mm.	200
187	Endress + Hauser	Endress + Hauser flowmeter, model: Promag P/ Promag 50, dimensions: 400 mm x 250 mm x 250 mm.	200
188	Endress + Hauser	Endress + Hauser flowmeter, model: Promag P/ Promag 50, dimensions: 400 mm x 250 mm x 250 mm.	200
189	Endress + Hauser	Endress + Hauser flowmeter, model: Promag P/ Promag 50, dimensions: 400 mm x 250 mm x 250 mm.	200
190	Rittal	Rittal wall mounted s/s switch cabinet, dimensions: 900 mm x 320 mm x 800 mm.	300
191	Terlet	Terlet s/s double jacketed tank, number: 88.805, volume: 1500 litres, maximum operating temperature: 95 °C, dimensions: Ø 2600 mm x 2450 mm, including aluminium ladder.	1500
192	Pomac	Pomac centrifugal pump, type: CP15544 / 110 x 7, serial number: 20637, year of construction: 2008, capacity: 10 m³/h, dimensions: 600 mm x 300 mm x 400 mm.	200
193	Gestra	Gestra steam valve, model: UNA 45hl, dimensions: 150 mm x 200 mm x 200 mm.	100
194	Endress + Hauser	Endress + Hauser flowmeter, model: Promag F/ Promag 30F, dimensions: 400 mm x 250 mm x 250 mm.	150



Nr	Title	Description	Start €
195	Tankbau Gruss GmbH	Tankbau Gruss GmbH s/s double jacketed tank, serial number: 396/03, year of construction: 2003, volume: 4250 litres, maximum operating temperature: 95 °C, dimensions: Ø 1600 mm x 3800 mm.	2000
196	Pomac	Pomac centrifugal pump, dimensions: 600 mm x 350 mm x 450 mm.	200
197	NN centrifugal pump	Centrifugal pump, dimensions: 650 mm x 260 mm x 400 mm.	200
198	Alfa Laval	Alfa Laval centrifugal pump, pump type: LKH-25, serial number: 176366, year of construction: 2014, dimensions: 650 mm x 400 mm x 450 mm.	250
199	Samson	Samson valve, dimensions: 300 mm x 200 mm x 500 mm.	250
200	Reflex	Reflex expansion vessel, dimensions: Ø 300 mm x 450 mm.	75
201	NN switch cabinet	S/s switch cabinet, dimensions: 630 mm x 220 mm x 800 mm.	200
202	HRS Spiraltube S.L.	HRS Spiraltube S.L. tubular heat exchanger, model: HRS K37 30 3047316, serial number: P7023/1, max allowable pressure: 10/-1 bar, max allowable temperature: 185 °C, test pressure: 16.2 bar, dimensions: 350 mm x 350 mm x 3300 mm.	500
203	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, dimensions flowmeter: 350 mm x 250 mm x 200 mm, dimensions: 250 mm x 220 mm x 200 mm.	150
204	GEA Tuchenhausen/Samson	GEA Tuchenhausen/Samson valve, dimensions: 300 mm x 300 mm x 650 mm.	150
205	Terlet	Terlet s/s insulated tank with agitator, number: 84.269, volume: 5000 litre, maximum operating temperature: 100 °C, dimensions: Ø 2100 mm x 4300 mm.	2000
206	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 200 mm x 800 mm.	300
207	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell lobe pump, model: 220, serial number: 192844-96, dimensions: 1300 mm x 400 mm x 600 mm.	400
208	NN centrifugal pump	Centrifugal pump, dimensions: 650 mm x 350 mm x 450 mm.	200
209	Alfa Laval	Alfa Laval lobe pump, type: SRU6/206/LS, serial number: E206486, year of construction: 2019, dimensions: 1450 mm x 500 mm x 570 mm.	750
210	APV	16 APV valves.	750



Nr	Title	Description	Start €
211	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1300 mm and 650 mm x 1300 mm.	100
212	Terlet	Terlet s/s double jacketed tank with agitator, volume: 8000 litres, dimensions: Ø 2150 mm x 3250 mm.	3000
213	Pomac	Pomac centrifugal pump, type: 23555/175X10, number: 17596, capacity: 30 m³/h, dimensions: 850 mm x 400 mm x 500 mm.	200
214	Pomac	Pomac centrifugal pump, type: CP15533/115 OS, serial number: 19651, year of construction: 2007, capacity: 15 m³/h, dimensions: 600 mm x 250 mm x 350 mm.	200
215	APV	Manifold with 10 APV valves, dimensions: 1300 mm x 800 mm x 900 mm.	350
216	Rittal	2 Rittal wall mounted s/s switch cabinets, dimensions: 500 mm x 300 mm x 500 mm and 600 mm x 240 mm x 600 mm.	300
217	NN tank with mixer	S/s double jacketed tank with mixer, volume: 6000 litres, dimensions: Ø 2000 mm x 4250 mm.	2750
218	Terlet	Terlet s/s double jacketed tank with agitator, volume: 10000 litres, maximum operating temperature: 100 °C, dimensions: Ø 2300 mm x 5000 mm.	3000
219	Terlet	Terlet s/s double jacketed tank with mixer, volume: 8000 litres, dimensions: Ø 2100 mm x 4900 mm.	3000
220	Pomac	Pomac centrifugal pump, type: CP19555 / 160 x 10, serial number: 21011, year of construction: 2009, capacity: 20 m³/h, dimensions: 650 mm x 300 mm x 400 mm.	200
221	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
222	Gamko	Gamko s/s refrigerator, type: KK71F03*H01, serial number: 2007.29.9.002828, 220-240 V, 50 Hz, 550 W, refrigerant: R134a/350 gram, temperature range: -2/+8 °C, dimensions: 1430 mm x 800 mm x 2100 mm.	300
223	Elpress	Elpress mobile foam mixing unit with hose reel and plastic hose, dimensions: 1200 mm x 630 mm x 1120 mm.	250
224	NN table	S/s table, dimensions: 1500 mm x 400 mm x 1000 mm.	50
225	NN white board	White board, dimensions: 1500 mm x 900 mm.	50
226	Bosgraaf	Bosgraaf s/s waste bin, dimensions: 450 mm x 480 mm x 1070 mm.	50



Nr	Title	Description	Start €
227	Rittal	Rittal switch cabinet, dimensions: 800 mm x 550 mm x 2000 mm.	400
228	ABB STIEBEL & JOHN GmbH	ABB STIEBEL & JOHN GmbH switch cabinet dimensions: 640 mm x 340 mm x 2050 mm.	400
229	GTI Siersema Procestechnologie	GTI Siersema Procestechnologie s/s double jacketed tank with mixer, factory number: 1320230, year of construction: 2004, volume: 15000 litres, design temperature: 100 °C, operating temperature: 40-60 °C, empty weight: 1500 kg, dimensions: Ø 2800 mm x 4600 mm.	7500
230	Alfa Laval	Manifold with 12 Alfa Laval valves, dimensions: 1300 mm x 1100 mm x 1000 mm.	750
231	GTI Siersema Procestechnologie	GTI Siersema Procestechnologie s/s double jacketed tank with mixer, factory number: 1320230, year of construction: 2004, volume: 15000 litres, design temperature: 100 °C, operating temperature: 40-60 °C, empty weight: 1500 kg, dimensions: Ø 2800 mm x 4600 mm.	7500
232	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-10/140, serial number: 88957, year of construction: 2006, dimensions: 500 mm x 300 mm x 400 mm.	200
233	Rittal	Rittal wall mounted s/s switch cabinet, dimensions: 300 mm x 200 mm x 300 mm.	200
234	Alto Denmark A/S	Alto Denmark A/S wall soap mixing unit, type: S 3100, number: 3681, year of construction: 26-05-1998, dimensions: 500 mm x 300 mm x 400 mm, including wall mounted s/s can holder.	250
235	Rittal	Rittal s/s wall mounted switch cabinet, dimensions: 500 mm x 300 mm x 500 mm.	250
236	Gebra	Gebra safety glasses, dimensions: 250 mm x 120 mm x 120 mm.	50
237	Nederman	Nederman s/s hose reel with plastic hose, serial number: 886, year of construction: 2000, dimensions: 750 mm x 400 mm x 600 mm.	200
238	Endress + Hauser	Endress + Hauser mass-flowmeter, dimensions: 900 mm x 300 mm x 500 mm, including various valves.	250
239	Terlet	Terlet s/s insulated tank with agitator, number: 98.00056 3, volume: 12000 litres, maximum operating temperature: 100 °C, dimensions: Ø 2600 mm x 4600 mm. Tank is dented.	3000
240	NN ladder	Aluminium ladder, height: 4100 mm.	50
241	Rittal	Rittal s/s wall mounted switch cabinet, dimensions: 700 mm x 200 mm x 770 mm.	250



Nr	Title	Description	Start €
242	Cool it	Cool it refrigeration sliding door with rail, type: SI-8B, fabrication number: 08 065608 001 01, year of construction: 07.07.2008, dimensions door: 1600 mm x 2150 mm, thickness: 100 mm, length rail: 3450 mm.	550
243	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
244	Cool it	Cool it double refrigeration sliding door with rail, type: ZSI-8B, fabrication number: 04 023112 001 01, year of construction: 08.03.2004, dimensions door: (2x) 1050 mm x 2150 mm, thickness: 80 mm, length rail: 4500 mm.	550
245	Berson	Berson insect killer, type: I.220E*1, serial number: 2903177, 230 V, 50 Hz, 55 W, dimensions: 700 mm x 200 mm x 400 mm.	75
246	NN table	S/s table, dimensions: 1200 mm x 800 mm x 830 mm.	100
247	Cool it	Cool it refrigeration sliding door with rail, type: SI-8B, fabrication number: 04 023112 002 01, year of construction: 08.03.2004, dimensions door: 2080 mm x 2150 mm, thickness: 80 mm, length rail: 4350 mm.	550
248	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500
249	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500
250	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500
251	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500
252	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500



Nr	Title	Description	Start €
253	DP Pumps	DP Pumps pump hydro-unit, model: HU 4 UL DPV15/4 SVP NW100 R L LEFT, ID: 0945600033, year of construction: 08/2020, 3x400 V, 50 Hz, 32.2 A, dimensions pumps: 1350 mm x 900 mm x 950 mm, dimensions switch cabinet: 600 mm x 350 mm x 1520 mm.	1500
254	NN tub	S/s tub with drain, dimensions: 1300 mm x 600 mm x 1100 mm.	250
255	EMS	EMS double refrigeration door, type: BTM-2-FLG, year of construction: 2014, door dimensions: (2x) 1050 mm x 2300 mm, thickness: 80 mm.	550
256	Endress + Hauser	Rittal s/s switch cabinet with Endress + Hauser touch screen, model: CVM40, dimensions: 500 mm x 300 mm x 500 mm.	250
257	NN platform	S/s platform, dimensions: 500 mm x 150 mm x 450 mm.	50
258	Raasm S.p.A.	Raasm S.p.A. s/s hose reel with plastic hose and spray pistol, model: S420, dimensions: 560 mm x 300 mm x 500 mm.	150
259	NN paper holder	Steel paper holder, dimensions: 450 mm x 450 mm x 900 mm.	25
260	NN refrigeration door	Double refrigeration door, door dimensions: (2x) 1250 mm x 2500 mm, thickness: 100 mm.	550
261	WAM GROUP	Powder dosing station, consisting of: s/s platform with stairs, working height: 1650 mm, total dimensions: 2650 mm x 1400 mm x 2700 mm, s/s infeed silo with pump, dimensions: 2400 mm x 1800 mm x 2300 mm, WAM GROUP powder filter, dimensions: 1100 mm x 800 mm x 2950 mm.	3500
262	NN centrifugal pump	Centrifugal pump, dimensions: 800 mm x 300 mm x 400 mm.	200
263	Nocado	3 Nocado valves, dimensions: 350 mm x 300 mm x 300 mm.	200
264	Altermij De Gouwe Tank & Procestechniek	Altermij De Gouwe Tank & Procestechniek s/s tank with ladder, type: Opslagtank, year of construction: 2016, volume: 10000 litres, empty weight: 750 kg, dimensions: 3000 mm x 2100 mm x 4350 mm.	2500
265	Van der Ploeg	Van der Ploeg s/s insulated tank with mixer, tank dimensions: Ø 1600 mm x 1600 mm, total dimensions: 2000 mm x 1800 mm x 3200 mm.	1250
266	Altermij De Gouwe Tank & Procestechniek	Altermij De Gouwe Tank & Procestechniek horizontal s/s tank, type: Opslagtank, year of construction: 2016, volume: 4500 litres, empty weight: 500 kg, dimensions: 4000 mm x 1300 mm x 1750 mm.	2000



Nr	Title	Description	Start €
267	Rittal	Rittal s/s switch cabinet, dimensions: 760 mm x 300 mm x 760 mm.	350
268	Hovap	7 Hovap valves, type: HC82, dimensions: 700 mm x 400 mm x 400 mm.	200
269	Pomac	Pomac centrifugal pump, type: 15544/115X7, number: 14337, capacity: 20 m³/h, dimensions: 500 mm x 250 mm x 300 mm.	200
270	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H/Promag 53, dimensions: 220 mm x 150 mm x 350 mm.	200
271	Pomac	Pomac centrifugal pump, type: CP/A19555/130X10, serial number: 26 803, year of construction: 2016, capacity: 35 m³/h, power: 3 kW, dimensions: 770 mm x 300 mm x 500 mm.	250
272	NN filter	S/s filter housing, dimensions: Ø 220 mm x 600 mm.	200
273	Elpress	Elpress s/s hose reel with soap mixing station, type soap mixing station: 83801050, serial number: 20006389-007, year of construction: 11/2020, dimensions: 470 mm x 130 mm x 470 mm, Elpress s/s hose reel with plastic hose and spray pistol, serial number: 10 2019 1100, dimensions: 500 mm x 250 mm x 500 mm.	250
274	Cederroth	Cederroth eye shower, dimensions: 90 mm x 100 mm x 270 mm, Uvex safety glasses, dimensions: 250 mm x 120 mm x 120 mm.	50
275	NN cabinet	S/s cabinet, dimensions: 750 mm x 500 mm x 2060 mm.	100
276	Haws	Haws safety shower, model: 8300, dimensions: 350 mm x 800 mm x 2400 mm.	150
277	Nederman	Nederman air extraction unit, dimensions: 1600 mm x 1300 mm x 2700 mm.	350
278	Grenco B.V.	Grenco B.V. switch cabinet, dimensions: 600 mm x 200 mm x 600 mm.	350
279	Gebhardt Ventilatoren	Gebhardt Ventilatoren s/s fan, type: P2M-MBR2L RRA, dimensions: 1200 mm x 900 mm x 700 mm.	350
280	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
281	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 3 wall mounted boards with various locks, dimensions: 650 mm x 1320 mm, 750 mm x 1320 mm and 820 mm x 1320 mm.	100
282	Camfil	Camfil s/s air filter unit, dimensions: 1200 mm x 700 mm x 750 mm.	500



Nr	Title	Description	Start €
283	Rittal	Rittal s/s switch cabinet with Siemens Simatic HMI touch screen and scanner, dimensions: 500 mm x 350 mm x 1800 mm.	250
284	Kovu	Kovu chest freezer, type: UNI31/EL31LT, number: 09220376, 220-240 V, 50 Hz, 360 W, refrigerant: R404A/200 gram, dimensions: 1310 mm x 700 mm x 1060 mm.	100
285	Elcold	Elcold chest freezer, type: UNI21/EL21LT, number: 47120324, 220-240 V, 50 Hz, 4 A, 360 W, refrigerant: R404A/180 gram, dimensions: 1060 mm x 750 mm x 1020 mm.	100
286	Ø-H-K	Ø-H-K s/s double jacketed tank with agitator, volume: approximately 4000 litres, dimensions: Ø 2100 mm x 3350 mm.	3000
287	Ø-H-K	Ø-H-K s/s double jacketed tank with agitator, volume: approximately 4000 litres, dimensions: Ø 2100 mm x 3350 mm.	3000
288	Terlet	Terlet s/s double jacketed tank with agitator, number: 88.804 1, volume: 3000 litres, maximum operating temperature: 95 °C, maximum operating pressure: 4 bar, dimensions: Ø 1800 mm x 3200 mm.	3000
289	Altermij De Gouwe Tank & Procestechniek	Altermij De Gouwe Tank & Procestechniek s/s double jacketed tank with agitator, type: Mengtank, year of construction: 2016, TS: 95 °C, PS: +4 bar, PT: +6.5 bar, volume: 5000 litres, empty weight: 1300 kg, dimensions: Ø 2050 mm x 3400 mm.	5000
290	Terlet	Terlet s/s double jacketed tank with agitator, number: 88.804 2, volume: 3000 litres, maximum operating temperature: 95 °C, maximum operating pressure: 4 bar, dimensions: Ø 1800 mm x 3200 mm.	3000
291	Terlet	Terlet s/s double jacketed tank with agitator, number: 93.00413 1, volume: 3000 litres, maximum operating temperature: 95 °C, maximum operating pressure: 4 bar, dimensions: Ø 1800 mm x 3200 mm.	3000
292	Terlet	Terlet s/s double jacketed tank with agitator, number: 93.00413 2, volume: 3000 litres, maximum operating temperature: 95 °C, maximum operating pressure: 4 bar, dimensions: Ø 1800 mm x 3200 mm.	3000
294	Pomac	Pomac centrifugal pump, type: CPC16033 / Ø 120X14, serial number: 31 922, year of construction: 09-2021, capacity: 0.3 m³/h, power: 0.75 kW, dimensions: 570 mm x 220 mm x 350 mm.	200



Nr	Title	Description	Start €
295	Alfa Laval / Nocado	Manifold with approximately 30 Alfa Laval and Nocado valves, dimensions: 1800 mm x 850 mm x 820 mm.	750
296	Pomac	Pomac centrifugal pump, type: CPC15544/110X, capacity: 10 m ³ /h, dimensions: 580 mm x 270 mm x 400 mm.	200
297	Pomac	Pomac centrifugal pump, type: 15533/130, number: 9321, capacity: 0.5 m ³ /h, dimensions: 480 mm x 220 mm x 330 mm.	200
298	Alfa Laval / Nocado	Manifold with approximately 20 Alfa Laval and Nocado valves, dimensions: 1300 mm x 800 mm x 850 mm.	500
299	NN platform	S/s platform with stairs, working height: 1750 mm, total dimensions: 13400 mm x 1800 mm x 2800 mm.	1500
300	Rittal	7 Rittal s/s switch cabinets, dimensions: (7x) 770 mm x 300 mm x 770 mm.	1750
301	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
302	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 20, serial number: 057117, year of construction: 05/2006, dimensions: 550 mm x 400 mm x 480 mm.	150
303	Zarges	Zarges aluminium platform with stairs, working height: 740 mm, total dimensions: 1300 mm x 800 mm x 1740 mm.	75
304	NN hose reel	S/s hose reel with plastic hose, dimensions: 560 mm x 200 mm x 230 mm.	75
305	Elpress	Elpress s/s hose reel with soap mixing station, type soap mixing station: 83801050, serial number: 19002344-009, year of construction: 2019, dimensions: 470 mm x 130 mm x 470 mm, Elpress s/s hose reel with plastic hose and spray pistol, type: EHT20, serial number: 15416, year of construction: 11/98, dimensions: 520 mm x 350 mm x 470 mm.	250
306	NN safety glasses	Safety glasses, dimensions: 250 mm x 120 mm x 120 mm.	25
307	Samson	Samson steam distribution unit with various steam valves, dimensions: 1750 mm x 400 mm x 1000 mm.	350
308	GEA Alborn GmbH & Co	GEA Alborn GmbH & Co s/s plate heat exchanger, type: VT 10, fabrication number: 169/261, dimensions: 1050 mm x 600 mm x 1200 mm.	500
309	Hovap	Acidification distribution unit with 49 Hovap valves.	3000
310	NN tank	S/s tank, dimensions: Ø 1350 mm x 1750 mm.	500



Nr	Title	Description	Start €
311	Pomac	Pomac centrifugal pump, type: 23566/175X15, serial number: 17524, dimensions: 830 mm x 430 mm x 400 mm.	200
312	NN tank	S/s tank, dimensions: Ø 1400 mm x 2100 mm.	500
313	Pomac	Pomac centrifugal pump, capacity: 60 m ³ /h, dimensions: 750 mm x 330 mm x 450 mm.	200
314	NN switch cabinet	S/s wall mounted switch cabinet, dimensions: 600 mm x 200 mm x 600 mm.	200
315	Johnson Control	Johnson Control wall mounted switch cabinet, dimensions: 800 mm x 320 mm x 800 mm.	200
316	NN platform	S/s platform, working height: 490 mm, dimensions: 580 mm x 450 mm x 490 mm.	50
317	Endress + Hauser	Endress + Hauser conductivity meter, type: Smartec, dimensions: 150 mm x 150 mm x 200 mm.	250
318	Hilge	Hilge centrifugal pump with valve, dimensions: 670 mm x 320 mm x 400 mm.	200
319	NN CIP tank	S/s insulated CIP tank, tank dimensions: Ø 2500 mm x 2100 mm, total dimensions: 2700 mm x 3100 mm.	2750
320	Endress + Hauser	3 Endress + Hauser flowmeters, model: Promag H, including 3 Endress + Hauser conductivity meters, model: Smartec, total dimensions: 1200 mm x 700 mm x 1100 mm.	500
321	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 220 mm x 750 mm.	200
322	Pomac	Pomac centrifugal pump with s/s filter housing, capacity: 30 m ³ /h, dimensions: 900 mm x 380 mm x 470 mm.	250
323	Pomac	Pomac centrifugal pump with s/s filter housing, dimensions: 750 mm x 300 mm x 400 mm.	250
324	Pomac	Pomac centrifugal pump with s/s filter housing, type: CPC21066 / Ø 140X20, serial number: 33 297, year of construction: 01-2023, capacity: 60 m ³ /h, power: 5.5 kW, dimensions: 750 mm x 320 mm x 450 mm.	250
325	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H, dimensions: 360 mm x 250 mm x 170 mm.	200
326	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H, dimensions: 360 mm x 250 mm x 170 mm.	200
327	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H, dimensions: 360 mm x 250 mm x 170 mm.	200
328	Samson	Steam distribution unit with various Samson valves, dimensions: 2100 mm x 750 mm x 2400 mm.	750



Nr	Title	Description	Start €
329	NN CIP tank	S/s insulated CIP tank, tank dimensions: Ø 2500 mm x 2100 mm, total dimensions: 2700 mm x 3800 mm.	2750
330	Pomac	Pomac centrifugal pump, type: CP9755 / Ø 130X10, serial number: 30 200, year of construction: 11-2019, capacity: 30 m³/h, power: 2.2 kW, dimensions: 600 mm x 220 mm x 350 mm.	200
331	NN CIP tank	S/s CIP tank, tank dimensions: Ø 1250 mm x 2200 mm, total dimensions: Ø 1400 mm x 3150 mm.	1000
332	NN valves	7 valves.	250
333	NN platform with stairs	S/s platform with stairs, working height: 1400 mm, total dimensions: 9700 mm x 1150 mm x 2450 mm.	1500
334	Nocado	10 Nocado valves, total dimensions: 700 mm x 350 mm x 250 mm and (2x) 400 mm x 150 mm x 150 mm.	500
335	NN hose reel	S/s hose reel with plastic hose and spray pistol, dimensions: 520 mm x 250 mm x 660 mm.	75
336	DAS	DAS aluminium ladder, height: 2650 mm.	50
337	APV / Nocado	Approximately 21 APV and Nocado valves.	250
338	Rittal	2 wall mounted s/s switch cabinet, dimensions: 600 mm x 220 mm x 380 mm and 380 mm x 220 mm x 300 mm.	250
339	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H, dimensions: 220 mm x 200 mm x 350 mm.	200
340	Pomac	Pomac centrifugal pump, type: CPC21055 / 180X14, serial number: 28 514, year of construction: 01-2018, capacity: 15 m³/h, power: 5.5 kW, dimensions: 750 mm x 320 mm x 500 mm.	300
341	NN flowmeter	Flowmeter, dimensions: 300 mm x 300 mm x 280 mm.	200
342	NN cool box	5 cool boxes, dimensions: (5x) 410 mm x 250 mm x 350 mm.	25
343	NN laboratory equipment	Various s/s laboratory equipment.	25
344	Heraeus	Heraeus laboratory drying cabinet, type: T 5028, fabrication number: 8702296, 220 V, 1 Ph, 50/60 Hz, 3.68 A, 0.81 kW, nominal temperature: 250 °C, 2 floors, dimensions each floor: 290 mm x 250 mm, total dimensions: 510 mm x 500 mm x 540 mm.	150



Nr	Title	Description	Start €
345	Heraeus	Heraeus laboratory drying cabinet, type: T 5028, fabrication number: 82 04 696, 220 V, 1 Ph, 50/60 Hz, 3.68 A, 0.81 kW, nominal temperature: 250 °C, 2 floors, weight: 28 kg, dimensions each floor: 290 mm x 250 mm, total dimensions: 510 mm x 500 mm x 540 mm.	150
346	Elbanton B.V.	Elbanton B.V. laboratory refrigerator, type: SKV 2D 260, serial number: 200509900, year of construction: 2005, 230 V, 2 A, refrigerant: R 134a/110 gram, dimensions: 600 mm x 600 mm x 1230 mm.	150
347	Elbanton B.V.	Elbanton B.V. chilling unit for water bath, type: Koelbad-Plaat, serial number: 9903525, year of construction: 1999, 230 V, 9 A, refrigerant: 134A/230 gram, dimensions: 660 mm x 770 mm x 1080 mm.	150
348	Elbanton B.V.	Elbanton B.V. laboratory refrigerator, dimensions: 730 mm x 600 mm x 860 mm.	150
349	Elbanton B.V.	Elbanton B.V. laboratory refrigerator, dimensions: 730 mm x 600 mm x 860 mm.	150
350	Asecos	Asecos fume cabinet used for acids, model: UB90.060.089.5, serial number: A0103-174293-3216-0, year of construction: 2016, inside dimensions: 1150 mm x 800 mm x 1200 mm, total dimensions: 1250 mm x 900 mm x 2500 mm. Without content.	1500
351	Siemens	Siemens extraction hood, dimensions: 600 mm x 500 mm x 770 mm.	150
352	Liebherr	Liebherr refrigerator, type: UKS 2600 Index 11 / 001, serial number: 73.584.972.1, 220/230 V, 50 Hz, 170 W, refrigerant: R 134 a/120 g, volume: 252 litres, dimensions: 650 mm x 650 mm x 1230 mm.	100
353	NN laboratory inventory	Laboratory inventory consisting of: 11 desks, 7 chairs, 5 white boards and 3 paper roll holders.	2000
354	PBI	PBI colony counter, number: 06555, 220 V, 50 W, dimensions: 240 mm x 350 mm x 200 mm.	25
355	NN clock	Clock, diameter: 430 mm.	25
356	Daalderop	Daalderop boiler, type: 07.14.28.049, serial number: 0617002, 220/240 V, 2500 W, volume: 80 litres, dimensions: 550 mm x 500 mm x 850 mm.	250
357	NN clock	Clock, diameter: 430 mm.	25
358	NN first aid	First aid kit, dimensions: 450 mm x 160 mm x 300 mm.	25



Nr	Title	Description	Start €
359	MMM-Group	MMM-Group laboratory incubator, type: FRIOCELL 111, serial number: B 042749, 230 V, 50/60 Hz, 990 W, volume: 111 litres, dimensions: 770 mm x 670 mm x 1000 mm. Technical condition unknown.	150
360	Funke Gerber	Funke Gerber sediment tester, type: Sedilab-E, serial number: 4810-E-0707, year of construction: 2007, 230 V, 50/60 Hz, 0.74 kW, dimensions: 400 mm x 230 mm x 280 mm.	150
361	NN cabinet	Cabinet, dimensions: 850 mm x 500 mm x 640 mm.	75
362	NN rack	2 steel racks, 5 floors each, floor dimensions: 1000 mm x 500 mm, total dimensions: (2x) 2000 mm x 1000 mm x 2000 mm.	100
363	Memmert	Memmert waterbath, type: WB 29, number: 1697.0206, 230 V, 50/60 Hz, 10.4 A, 2400 W, inside dimensions: 580 mm x 350 mm x 150 mm, total dimensions: 820 mm x 520 mm x 350 mm.	75
364	NN chair	Chair, dimensions: 600 mm x 600 mm x 900 mm.	25
365	NN rack	Steel rack, 8 floors, floor dimensions: 1000 mm x 500 mm, total dimensions: 2000 mm x 500 mm x 2000 mm.	150
366	Foss	Foss analyser, model: FoodScanTM, serial number: 91751762, year of construction: 2014, 100/240 V, 50/60 Hz, 2 A, inside dimensions: 240 mm x 200 mm x 120 mm, total dimensions: 430 mm x 530 mm x 500 mm.	4000
367	Altrex	Altrex aluminium ladder, working height: 1050 mm, maximum capacity: 150 kg, total dimensions: 1000 mm x 400 mm x 1650 mm.	50
368	NN crates	5 plastic crates, dimensions: (4x) 600 mm x 400 mm x 170 mm, (1x) 600 mm x 400 mm x 120 mm.	25
369	NN elevator	S/s elevator, platform dimensions: 700 mm x 700 mm, lifting height: 3800 mm, capacity: 60 kg, total dimensions: 5000 mm x 900 mm x 950 mm.	1500
370	NN trolley	Steel trolley, dimensions: 650 mm x 550 mm x 1320 mm.	25
371	Johnson Diversey	3 Johnson Diversey drip trays on s/s frame, dimensions: 1050 mm x 630 mm x 1770 mm.	100
372	NN safety shower	Safety shower, model: MB 150/30, serial number: 00182772, year of construction: 01/2018, dimensions: 850 mm x 300 mm x 2550 mm.	100



Nr	Title	Description	Start €
373	NN paper roll holders	2 paper roll holders, dimensions: (2x) 450 mm x 450 mm x 900 mm.	25
374	NN tank	S/s tank, inside dimensions: Ø 580 mm x 800 mm, total dimensions: 950 mm x 600 mm x 1050 mm.	200
375	Pomac	Pomac centrifugal pump, type: GP15544/110 x 2, serial number: 21 238, year of construction: 11/2009, 230/400 V, 50 Hz, 1.1 kW, capacity: 25 m³/h, dimensions: 600 mm x 270 mm x 400 mm.	200
376	NN filters	2 s/s filters, dimensions: 750 mm x 250 mm x 700 mm.	150
377	NN hose reel	S/s hose reel with plastic hose, dimensions: 350 mm x 120 mm x 250 mm.	75
378	Trelleborg	S/s hose reel with Trelleborg plastic hose, hose dimensions: Ø 60 mm x 3000 mm.	75
379	NN hose reel and frames	S/s hose reels and 2 s/s wall mounted frames, hose reel dimensions: 450 mm x 200 mm x 800 mm, frame dimensions: (2x) 520 mm x 260 mm x 250 mm.	75
380	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
381	NN tub	S/s tub with drain on steel mobile frame, inside dimensions: 1240 mm x 850 mm x 500 mm, total dimensions: 1530 mm x 950 mm x 1050 mm.	75
382	NN tub	Mobile s/s tub with drain, inside dimensions: 870 mm x 510 mm x 620 mm, total dimensions: 1070 mm x 600 mm x 1180 mm.	75
383	NN tub	Mobile s/s tub with drain, inside dimensions: 1250 mm x 1000 mm x 770 mm, total dimensions: 1600 mm x 1100 mm x 1180 mm.	75
384	NN tub	Mobile s/s tub with drain, inside dimensions: 1450 mm x 750 mm x 350 mm, total dimensions: 1800 mm x 850 mm x 1100 mm.	75
385	NN tub	Mobile s/s tub with drain, inside dimensions: 1250 mm x 850 mm x 500 mm, total dimensions: 1750 mm x 1000 mm x 970 mm.	75
386	NN buckets	11 plastic buckets, dimensions: (11x) Ø 370 mm x 440 mm.	25
387	NN bucket	S/s bucket, dimensions: Ø 350 mm x 350 mm.	25
388	NN cabinet	S/s cabinet, dimensions: 380 mm x 220 mm x 600 mm.	75
389	NN switch cabinet	S/s switch cabinet, dimensions: 760 mm x 300 mm x 770 mm.	150



Nr	Title	Description	Start €
390	NN butter mixing line	Butter mixing line, consisting of: Various Siersema Wassenaar s/s buffer tanks; Various Hilge/APV/Pomac centrifugal pumps; Various SPX and Waukesha Cherry-Burrell lobe pumps; Various Alfa Laval/GEA/APV heat exchangers; Various other valves, flowmeters and filters; S/s switch cabinet; Total dimensions: 10000 mm x 3900 mm x 4000 mm.	25000
391	Westfalia Separator AG	Butter making machine, consisting of: Westfalia Separator AG continuous butter making machine, type: BUD 6000, serial number: 1715 181, year of construction: 1996, capacity: approximately 12.000 kg of cream per hour and approximately 5.500 kg of butter per hour, total dimensions: 8500 mm x 2450 mm x 3500 mm; Acidifying culture mixing system with cream heating unit, total dimensions: 3800 mm x 3200 mm x 2300 mm; Switch cabinet, dimensions: 3700 mm x 1250 mm x 2100 mm.	60000
392	FAICOM	FAICOM s/s hose reel with plastic hose and spray pistol, dimensions: 500 mm x 250 mm x 500 mm.	150
393	Siemens	Siemens control panel, type: Multi panel MP 370 Touch-12 TFT, dimensions: 600 mm x 220 mm x 500 mm.	250
394	Beckhoff	Beckhoff control panel, type: CP6732-0002-0020, serial number: 20307 42-009, year of construction: 20/02/2013, dimensions: 600 mm x 220 mm x 600 mm.	250
395	Anema	Anema centrifugal pump, dimensions: 550 mm x 300 mm x 400 mm.	200
396	NN vessel	S/s vessel used for cooling water return acid preparation, dimensions: 400 mm x 400 mm x 1500 mm.	200
397	NN tank	S/s tank, inside dimensions: Ø 700 mm x 150 mm, total dimensions: Ø 800 mm x 1500 mm.	250
398	Pomac	Pomac centrifugal pump, capacity: 15 m ³ /h, dimensions: 600 mm x 300 mm x 300 mm.	200
399	NN tank	S/s tank, inside dimensions: Ø 650 mm x 1000 mm, total dimensions: 900 mm x 750 mm x 1500 mm.	175
400	Pomac	Pomac centrifugal pump, type: CPC21044 / Ø 155X14, serial number: 31 166, year of construction: 12/2020, 400/690 V, 50 Hz, power: 4 kW, capacity: 15 m ³ /h, dimensions: 650 mm x 270 mm x 380 mm.	200
401	Anema	Anema centrifugal pump, capacity: 30 m ³ /h, dimensions: 560 mm x 350 mm x 500 mm.	200



Nr	Title	Description	Start €
402	Siersema Scheffers	Siersema Scheffers s/s tank with agitator, type: ROOMBUFFERTANK, serial number: 1523, year of construction: 1993, capacity: 1750 litres, dimensions: 1400 mm x 1400 mm x 2700 mm.	1500
403	APV	10 APV valves, dimensions: 750 mm x 750 mm x 700 mm.	500
404	Rothenburg	Rothenburg buffer installation for butter, consisting of: Rothenburg buffer tank with 2 s/s screws used for butter, serial number: 54575, year of construction: 2012, capacity: 4000 litre, 2 Waukesha Cherry Burrel lobe pumps, model: 134 U, Alfa Laval and APV valves, centrifugal pump, Endress + Hauser flowmeter, s/s switch cabinet, total dimensions: 4500 mm x 2700 mm x 3000 mm. Tank is dented.	3000
405	Elpress	Elpress s/s hose reel with soap mixing station, type soap mixing station: 83801050, serial number: 20006389-002, year of construction: 11/2020, dimensions: 470 mm x 130 mm x 470 mm, hose reel dimensions: 650 mm x 250 mm x 500 mm.	250
406	NN platform	S/s mobile platform, working height: 1200 mm, total dimensions: 1750 mm x 750 mm x 2000 mm.	250
407	NN platform	S/s platform, working height: 250 mm, total dimensions: 500 mm x 310 mm x 250 mm.	25
408	Waukesha Cherry-Burrel	Waukesha Cherry-Burrell lobe pump, model: 18002, serial number: 437365 07, dimensions: 1700 mm x 600 mm x 900 mm. Including 3 APV valves.	750
409	APV	APV skid with 3 scraped surface heat exchangers, type: SSHE 3VT 680+, serial number: 5204083 Pos 1-3, year of construction: 15/12/2006, dimensions: 1400 mm x 1200 mm x 3100 mm.	1000
410	NN protection frame	S/s protection frame, dimensions: 1620 mm x 1520 mm x 300 mm.	100
411	APV	APV butter bulk packaging machine, type: FMG BULKPAKKER, serial number: DKU 10248.01/29002910, 230 V, 50 Hz, capacity: 5000 kg/h, 25 kg carton boxes, maximum weighing capacity: 30 kg, minimum weighing capacity: 0.2 kg, clearance box infeed: 680 mm x 500 mm, filling dye: 380 mm x 280 mm, total dimensions: 7300 mm x 3100 mm x 5500 mm, dimensions switch cabinet: 900 mm x 700 mm x 2100 mm.	10000



Nr	Title	Description	Start €
412	Siat	Siat box closing machine, model: SM11 INOX, serial number: SEB000084050012, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 1.08 A, 260 W, dimensions: 1700 mm x 1350 mm x 2350 mm, transport belt, type: BL, year of construction: 2001, plastic belt, belt width: 450 mm, total dimensions: 1050 mm x 700 mm x 900 mm.	1750
413	NN pneumatic pusher	Pneumatic pusher, dimensions: 700 mm x 700 mm x 1100 mm.	150
414	NN roller conveyor	Electrically driven roller conveyor with pusher, s/s rollers, roller width: 400 mm, total dimensions: 1300 mm x 1300 mm x 1100 mm.	350
415	Nederman	S/s frame with Nederman air hose reel, dimensions: 1750 mm x 500 mm x 1400 mm.	150
416	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
417	NN trolley	S/s trolley, dimensions: 550 mm x 370 mm x 1160 mm.	25
418	NN chair	Chair, dimensions: 600 mm x 500 mm x 950 mm.	15
419	Mettler Toledo	Mettler Toledo weighing scale on s/s frame, model: ID1 MultiRange, maximum capacity: 30 kg, minimum capacity: 0.2 kg, e=d=0.01 kg, scale dimensions: 500 mm x 400 mm, total dimensions: 600 mm x 500 mm x 1300 mm.	100
420	APV	Butter making machine, consisting of: APV continuous butter making machine, type: HCT-3.5, serial number: 29004022/10357, year of construction: 8/02, capacity: approximately 25.000 kg of cream per hour and approximately 11.000 kg of butter per hour, total dimensions: 8500 mm x 3300 mm x 3800 mm; Acidifying culture mixing system, dimensions: 1900 mm x 1400 mm x 2000 mm; Cream heating unit, dimensions: 4000 mm x 1500 mm x 2300 mm; Switch cabinet, dimensions: 3200 mm x 650 mm x 2100 mm and 2400 mm x 650 mm x 2200 mm.	60000
421	Siersema Scheffers	Siersema Scheffers s/s tank with agitator on s/s frame, model: ROOMBUFFERTANK, number: 1523, year of construction: 1993, capacity: 1750 litres, dimensions: 1350 mm x 1350 mm x 2650 mm.	1500
422	NN platform	S/s platform, working height: 220 mm, total dimensions: 780 mm x 310 mm x 220 mm.	20



Nr	Title	Description	Start €
423	Egli	Egli buffer installation for butter, consisting of: Egli buffer tank with 2 s/s screws, type: 6000 SU, machine number: EBW 214, volume: 6000 litre, 2 Waukesha Cherry-Burrell lobe pumps, model: 224 U1, APV centrifugal pump, type: W+35/35 160, 35 m³/h, APV valves and Endress + Hauser flow meter, total dimensions: 4700 mm x 3100 mm x 2800 mm. Tank is dented.	3000
424	NN protection frame	S/s protection frame, dimensions: 2650 mm x 600 mm x 1100 mm.	100
425	Elpress	Elpress s/s hose reel with plastic hose and pistol, model: EHT20, serial number: 170373, year of construction: 07/2020, pressure: 300 bar, dimensions: 500 mm x 300 mm x 500 mm.	150
426	APV	APV double butter bulk packaging machine, type: Bulk Packer FMG+, serial number: 5204003, capacity: 10.000 kg/h, 25 kg carton boxes, maximum weighing capacity: 30 kg, minimum weighing capacity: 0.2 kg, clearance box infeed: 670 mm x 550 mm, filling dye: 380 mm x 280 mm, total dimensions: 7200 mm x 4800 mm x 4300 mm, dimensions switch cabinets: (2x) 600 mm x 500 mm x 1250 mm.	15000
427	NN pneumatic pusher	Pneumatic pusher, dimensions: 650 mm x 600 mm x 1200 mm.	150
428	Siat	Siat box closing machine, model: SM11 INOX, serial number: SEB00005815026, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 1.08 A, 260 W, dimensions: 2000 mm x 1350 mm x 2400 mm.	1750
429	NN roller conveyor	Electrically driven roller conveyor with pusher, s/s rollers, roller width: 400 mm, total dimensions: 1700 mm x 1600 mm x 1050 mm. Including s/s steps.	350
430	NN frame	S/s frame, dimensions: 1050 mm x 400 mm x 1400 mm.	150
431	Newton	Newton pneumatic pusher, serial number: 205008-2, year of construction: 02/2020, dimensions: 650 mm x 600 mm x 1200 mm.	150
432	Siat	Siat box closing machine, model: SM11 INOX, serial number: SEB000084050013, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 1.08 A, 260 W, dimensions: 2000 mm x 1350 mm x 2400 mm.	1750
433	NN roller conveyor	Electrically driven roller conveyor with pusher, s/s rollers, roller width: 400 mm, total dimensions: 1000 mm x 1200 mm x 1000 mm.	350



Nr	Title	Description	Start €
434	NN frame	S/s frame, dimensions: 850 mm x 400 mm x 1400 mm.	150
435	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
436	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
437	Polyketting	Polyketting 3 lane transport belt, type: GB, serial number: 140456, year of construction: 2014, s/s frame, plastic mesh belt, belt width: 410 mm, total belt length: 34200 mm, 35700 mm, 37400 mm.	7500
438	NN safety mirror	Safety mirror, dimensions: 650 mm x 300 mm x 600 mm.	50
439	NN protection frames	S/s protection frames, dimensions: (2x) 1750 mm x 50 mm x 300 mm, 3900 mm x 50 mm x 300 mm.	100
440	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
441	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
442	NN frame with film roll holders	S/s frame with film roll holders, film width: 725 mm, total dimensions: 1650 mm x 800 mm x 1350 mm.	50
443	NN paper roll holders	2 paper roll holders, dimensions: (2x) 450 mm x 450 mm x 900 mm.	25
444	NN film roll holder	Mobile s/s film roll holder, film width: 735 mm, total dimensions: 1100 mm x 1250 mm x 900 mm.	25
445	Elpress	Elpress s/s hose reel with plastic hose and pistol, serial number: 49 2019, maximum pressure: 200 bar, dimensions: 470 mm x 250 mm x 450 mm.	150
446	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
447	Ensysta	Ensysta s/s computer cabinet, dimensions: 600 mm x 700 mm x 2050 mm.	250
448	Raasm S.p.A. / Elpress	Raasm S.p.A. s/s hose reel with plastic hose and spray pistol, model: 544-1/2, serial number: 2017112408-0002, maximum pressure: 100 bar, dimensions: 720 mm x 350 mm x 550 mm and Elpress soap mixing station, type: mixing station: 83801050, serial number: 20006389-008, year of construction: 11/2020, dimensions: 470 mm x 120 mm x 460 mm.	250



Nr	Title	Description	Start €
449	NN computer cabinet	S/s computer cabinet, dimensions: 600 mm x 700 mm x 2050 mm.	250
450	NN display	S/s cabinet with display, dimensions: 570 mm x 570 mm x 500 mm.	150
451	NN air sock	Air sock, length: 27500 mm.	250
452	NN frame	S/s wall mounted frame, dimensions: 775 mm x 180 mm x 1400 mm.	75
453	NN waste bag holders	2 waste bag holders, dimensions: (2x) 500 mm x 550 mm x 1300 mm.	25
454	NN tool trolley	S/s tool trolley, dimensions: 780 mm x 470 mm x 940 mm.	100
455	Bosgraaf	Bosgraaf mobile s/s writing desk, dimensions: 600 mm x 570 mm x 2070 mm.	75
456	NN writing desks	2 s/s writing desks, dimensions: (2x) 620 mm x 530 mm x 1280 mm.	150
457	NN waste bins	2 s/s waste bins, dimensions: (2x) 450 mm x 500 mm x 1050 mm.	50
458	NN writing desks	3 s/s writing desks, dimensions: (3x) 620 mm x 530 mm x 1280 mm.	225
459	NN tables	2 s/s tables, dimensions: (2x) 400 mm x 400 mm x 800 mm.	50
460	NN frames	2 s/s frames, dimensions: (2x) 850 mm x 390 mm x 980 mm.	75
461	Johnson Diversey	2 Johnson Diversey drip trays on s/s frame, dimensions: 700 mm x 620 mm x 1780 mm.	75
462	Liebherr	Liebherr refrigerator, type: 1760 Index 20B / 001, serial number: 45.418.076.1, 220/240 V, 1 Ph, 50 Hz, 0.8 A, volume: 156 litre, refrigerant: R 600a/22 g, dimensions: 600 mm x 650 mm x 1230 mm.	50
463	Polyketting	Polyketting transport belt, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 18000 mm x 1100 mm x 1250 mm.	2000
464	Polyketting	Polyketting transport belt, type: GB, serial number: 130766, year of construction: 2013, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 4150 mm x 700 mm x 1150 mm.	1000
465	Polyketting	Polyketting transport belt, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 3250 mm x 850 mm x 1220 mm.	1000
466	Polyketting	Polyketting 90° curve conveyor, type: GB, serial number: 130766, year of construction: 2013, plastic mesh belt, belt width: 400 mm, total dimensions: 4800 mm x 8500 mm x 1250 mm.	1000



Nr	Title	Description	Start €
467	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
468	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
469	H&V	Buffer installation for butter consisting of: H&V; buffer tank with 2 s/s screws, number: 511 159, inside dimensions: 3500 mm x 1450 mm x 1800 mm, 2 Waukesha Cherry Burrell lobe pumps, type: 124807 / 134 U1, Alfa Laval centrifugal pump, various Alfa Laval valves, Endress + Hauser flowmeter, s/s platform, total dimensions: 5700 mm x 2500 mm x 3400 mm. Tank is dented.	3000
470	Elpress	Elpress s/s hose reel with plastic hose and pistol, maximum pressure: 200 bar, dimensions: 500 mm x 250 mm x 500 mm.	150
471	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, maximum pressure: 200 bar, dimensions: 500 mm x 250 mm x 500 mm.	150
472	NN platform	S/s platform, working height: 440 mm, total dimensions: 900 mm x 600 mm x 1550 mm.	100
473	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
474	NN protection frame	S/s protection frame, dimensions: 3750 mm x 50 mm x 160 mm.	175
475	NN clock	Clock, diameter: 800 mm.	50
476	NN protection frame	S/s protection frame, dimensions: 8800 mm x 300 mm x 180 mm.	100
477	International Door Automation AB	International Door Automation AB electrical high speed shutter door, 400 V, 3 Ph, 50 Hz, 4.4 A, door width: 3600 mm, frame dimensions: 4150 mm x 4600 mm, dimensions switch cabinet: 350 mm x 150 mm x 550 mm.	500
478	A-Safe	A-Safe plastic protection frame, length: 26000 mm.	250
479	NN safety mirror	Safety mirror, diameter: 700 mm.	50
480	NN table	Table, dimensions: 1220 mm x 620 mm x 750 mm.	25
481	NN platform	S/s platform, working height: 1000 mm, total dimensions: 1650 mm x 1000 mm x 1920 mm.	150
482	NN tank	S/s salt tank with mixer, inside dimensions: 1050 mm x 1400 mm, total dimensions: 1100 mm x 1400 mm x 2300 mm.	400



Nr	Title	Description	Start €
483	Hovap	Hovap centrifugal pump, type: HP-1280/245, number: 33840, year of construction: 2002, 230/400 V, 1.5 kW, capacity: 8 m³/h, dimensions: 550 mm x 350 mm x 400 mm.	200
484	Endress + Hauser	Endress + Hauser flowmeter, type: Promag H, serial number: 490EC891000, dimensions: 180 mm x 220 mm x 300 mm.	150
485	Nocado	4 Nocado valves.	150
486	NN switch cabinet	S/s switch cabinet, dimensions: 380 mm x 170 mm x 300 mm.	150
487	NN paper roll holder	Paper roll holder, dimensions: 450 mm x 450 mm x 900 mm.	15
488	NN lock in/out station	3 white boards and lock in/out station, dimensions white board: (2x) 1500 mm x 600 mm x 2150 mm, 1500 mm x 850 mm x 2000 mm, dimensions lock in/out station: 2300 mm x 1200 mm.	150
489	Boplan	Boplan plastic protection frame, dimensions: 2000 mm x 1300 mm x 1150 mm.	100
490	NN insect killer	Insect killer, dimensions: 650 mm x 200 mm x 700 mm.	75
491	Tecna	Tecna balancer, serial number: 0567097, capacity: 1 / 2 kg, cable length: 1600 mm.	50
492	Elpress	Elpress s/s hose reel with plastic hose and pistol, model: EHT20, serial number: 170363, year of construction: 07/2020, maximum pressure: 300 bar, dimensions: 500 mm x 300 mm x 450 mm.	150
493	NN sink	S/s sink, dimensions: 1400 mm x 700 mm x 1060 mm.	50
494	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1320 mm and 850 mm x 1320 mm.	100
495	NN sink with faucet	S/s sink with faucet, soap dispenser, paper dispenser and Cederroth eye wash, sink dimensions: 500 mm x 470 mm x 930 mm, paper dispenser dimensions: 240 mm x 250 mm x 400 mm, eye wash dimensions: 100 mm x 100 mm x 260 mm.	150
496	Panasonic	2 Panasonic televisions, dimensions: (2x) 560 mm x 340 mm x 100 mm.	100
497	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
498	NN computer cabinet	S/s computer cabinet, dimensions: 600 mm x 700 mm x 1800 mm.	250
499	NN screen	S/s cabinet with screen display, dimensions: 800 mm x 280 mm x 850 mm.	200



Nr	Title	Description	Start €
500	NN tables	2 s/s tables, dimensions: 400 mm x 400 mm x 700 mm, 400 mm x 400 mm x 1000 mm.	50
501	NN clock	Clock, dimensions: 800 mm x 200 mm x 650 mm.	50
502	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 850 mm x 1320 mm and 950 mm x 1320 mm.	100
503	Dotec / Ingersoll Rand	Dotec / Ingersoll Rand lifting and balancing unit on steel beam, model: BW015080, serial number: KTB193, capacity: 68 kg, dimensions: 2200 mm x 1200 mm x 3500 mm.	750
504	Egli / ABB	Agli / ABB de-packaging unit used for de-packaging carton boxes with butter, consisting of: Various in-/ outfeed roller conveyors for pallets, roller width: 1100 mm; ABB robot, type: IRB460 M2004, serial number: 460-500335, year of construction: 01/11/2013, weight: 925 kg, dimensions: 2300 mm x 1400 mm x 2900 mm; Busch vacuum pump, type: MM 1104 B V03, serial number: D15480621, capacity: 62 m³/h; Roller conveyor, plastic and s/s rollers, roller width: 480 mm, dimensions: 2000 mm x 3900 mm x 1400 mm; Carton de-packaging machine, s/s belt width dividers, belt width: 80 mm, divider height: 50 mm, distance between dividers: 560 mm, total dimensions: 5900 mm x 2500 mm x 2400 mm; 90° curve conveyor for empty boxes, plastic mesh belt, belt width: 510 mm, total dimensions: 2050 mm x 1600 mm x 1500 mm; Elevating belt, plastic belt width dividers, belt width: 510 mm, divider height: 40 mm, distance between dividers: 900 mm, elevating height: 1300 mm, total dimensions: 1450 mm x 800 mm x 2650 mm; Transport belt for empty cartons, belt width: 510 mm, total dimensions: 11000 mm x 800 mm x 850 mm; Outfeed station for empty carton boxes, dimensions: 4050 mm x 1450 mm x 2800 mm; Switch cabinet, dimensions: 2400 mm x 600 mm x 2250 mm; Total dimensions complete installation: 13400 mm x 9250 mm x 2900 mm.	15000
505	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 450 mm, divider height: 150 mm, distance between dividers: 550 mm, elevating height: 4000 mm, total dimensions: 5500 mm x 850 mm x 4200 mm.	750



Nr	Title	Description	Start €
506	Egli	Egli double lane ellectrically driven roller conveyor, plastic and s/s rollers, roller width: 480 mm, total dimensions: 7000 mm x 850 mm x 4100 mm, 14800 mm x 1100 mm x 4100 mm.	3000
507	NN 90° curve conveyor	90° curve conveyor, plastic mesh belt, belt width: 460 mm, total dimensions: 2000 mm x 4800 mm x 2350 mm.	400
508	APV	APV butter reworker, consisting of: double screw reworker, clearance: 600 mm x 400 mm, Waukesha Cherry Burrell lobe pump, model: 134, serial number: 243121, APV centrifugal pump, various valves, total dimensions: 5100 mm x 1900 mm x 3700 mm. Including s/s platform, working height: 1180 mm, total dimensions: 3200 mm x 700 mm x 2200 mm and 2 switch cabinets.	7500
509	Pomac	Pomac centrifugal pump, type: CPC21055 140X14, serial number: 24 236, year of construction: 10/2013, 400/690 V, 50 Hz, power: 4 kW, capacity: 35 m³/h, dimensions: 700 mm x 260 mm x 440 mm.	200
510	NN tank	S/s tank, inside dimensions: Ø 800 mm x 1000 mm, total dimensions: 850 mm x 1000 mm x 1850 mm.	350
511	Endress + Hauser	Endress + Hauser flowmeter, type: Promag H, serial number: LB296C19000, year of construction: 12/2004, dimensions: 350 mm x 250 mm x 200 mm.	150
512	Apperatebau GmbH	Apperatebau GmbH butter buffer tank with 2 screws, factory number: 30518, year of construction: 1988, capacity: 1500 litre, dimensions: 2650 mm x 1700 mm x 2650 mm.	750
513	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell lobe pump, model: 180 U2, serial number: 1000002612723, year of construction: 03/29/11, dimensions: 1000 mm x 500 mm x 1100 mm.	500
514	NN platform	S/s platform, working height: 200 mm, total dimensions: 540 mm x 200 mm x 200 mm.	20
515	NN protection frame	S/s protection frame, dimensions: 500 mm x 160 mm x 1300 mm.	75
516	NN platform	S/s platform, working height: 200 mm, total dimensions: 600 mm x 280 mm x 300 mm.	20
517	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 280 mm x 2000 mm.	500
518	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 210 mm x 1200 mm.	300
519	NN switch cabinets	5 switch cabinets, dimensions: 4700 mm x 600 mm x 2100 mm.	1750



Nr	Title	Description	Start €
520	NN locker	Steel locker, dimensions: 600 mm x 500 mm x 1800 mm.	75
521	NN server cabinet	Steel server cabinet, dimensions: 800 mm x 1150 mm x 2100 mm.	500
522	NN switch cabinets	10 steel switch cabinets, dimensions: 6500 mm x 600 mm x 2100 mm.	2500
523	Danfoss	Danfoss frequency converter, model: VLT 5000, dimensions: 220 mm x 200 mm x 360 mm.	150
524	Danfoss	Danfoss frequency converter, model: VLT HVAC Drive, dimensions: 220 mm x 200 mm x 360 mm.	200
525	Danfoss	5 Danfoss frequency converters, model: VLT AutomationDrive, dimensions: (4x) 170 mm x 250 mm x 350 mm, 90 mm x 220 mm x 250 mm.	750
526	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 300 mm x 2000 mm.	300
527	Danfoss	11 Danfoss frequency converters, model: VLT AutomationDrive, dimensions: (11x) 200 mm x 100 mm x 250 mm.	1500
528	Danfoss	3 Danfoss frequency converters, model: VLT 5000, dimensions: (3x) 240 mm x 250 mm x 520 mm.	600
529	Danfoss	3 Danfoss frequency converters, model: VLT 5000 / VLT AutomationDrive, dimensions: (2x) 130 mm x 250 mm x 350 mm, 140 mm x 200 mm x 250 mm.	600
530	Danfoss	Danfoss frequency converter, model: VLT AutomationDrive, dimensions: 220 mm x 200 mm x 430 mm.	200
531	NN switch cabinets	8 switch cabinets, dimensions: 4700 mm x 600 mm x 2100 mm.	1500
532	Manutan	Manutan fan, 220-240 V, 1 Ph, 50 Hz, 50 W, dimensions: 450 mm x 450 mm x 1300 mm.	20
533	NN table	Table, dimensions: 1400 mm x 700 mm x 750 mm.	25
534	Danfoss	Danfoss frequency converter, dimensions: 300 mm x 270 mm x 800 mm.	200
535	Danfoss	Danfoss frequency converter, dimensions: 240 mm x 180 mm x 530 mm.	200
536	CompactLAN	CompactLAN patch cabinet, dimensions: 280 mm x 230 mm x 360 mm.	100
537	Danfoss	Danfoss frequency converter, dimensions: 130 mm x 250 mm x 350 mm.	200
538	Danfoss	Danfoss frequency converter, model: VLT HVAC Drive, dimensions: 130 mm x 200 mm x 240 mm.	200



Nr	Title	Description	Start €
539	Danfoss	Danfoss frequency converter, model: VLT 5000, dimensions: 220 mm x 200 mm x 350 mm.	200
540	Danfoss	Danfoss frequency converter, model: VLT 5000, dimensions: 240 mm x 250 mm x 520 mm.	200
541	NN switch cabinets	3 switch cabinets, dimensions: 3600 mm x 600 mm x 2100 mm.	1500
542	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 270 mm x 2050 mm.	300
543	NN switch cabinets	7 switch cabinets, dimensions: 7800 mm x 600 mm x 2100 mm.	2000
544	NN cabinet	Steel cabinet, dimensions: 1000 mm x 400 mm x 2000 mm.	75
545	NN table	Table with chair, table dimensions: 1200 mm x 600 mm x 650 mm, chair dimensions: Ø 650 mm x 1300 mm.	25
546	NN airco units	2 airco units, dimensions: (2x) 2500 mm x 500 mm x 250 mm.	400
547	NN server cabinet	Server cabinet, dimensions: 550 mm x 400 mm x 330 mm.	250
548	NN switch cabinet	Steel switch cabinet, 380 V, 3 Ph, 50 Hz, 20/35 A, 750 mm x 350 mm x 1450 mm.	200
549	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 280 mm x 2000 mm.	300
550	Danfoss	2 Danfoss frequency converters, model: VLT AutomationDrive, dimensions: (2x) 130 mm x 200 mm x 250 mm.	250
551	Danfoss	2 Danfoss frequency converters, model: VLT 5000, dimensions: (2x) 130 mm x 260 mm x 340 mm.	250
552	NN switch cabinets	3 switch cabinets, dimensions: 3000 mm x 600 mm x 2100 mm.	1250
553	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 200 mm x 1400 mm.	300
554	NN airco units	2 airco units, dimensions: (2x) 2500 mm x 500 mm x 250 mm.	400
555	Danfoss	Danfoss frequency converter, model: VLT AutomationDrive, dimensions: 170 mm x 250 mm x 350 mm.	250
556	Danfoss	2 Danfoss frequency converter, model: VLT 5000, dimensions: (2x) 240 mm x 250 mm x 520 mm.	400
557	NN table	S/s table, dimensions: 400 mm x 400 mm x 1000 mm.	50
558	Danfoss	Danfoss frequency converter, model: VLT 5000, dimensions: 170 mm x 250 mm x 350 mm.	150
559	Danfoss	2 Danfoss frequency converter, model: VLT 5000, dimensions: (2x) 240 mm x 250 mm x 520 mm.	350



Nr	Title	Description	Start €
561	Danfoss	2 Danfoss frequency converters, dimensions: (2x) 130 mm x 250 mm x 350 mm.	200
562	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: (4x) Ø 250 mm x 1850 mm.	500
563	Indeko	Indeko electrical high speed shutter door, clearance: 2600 mm x 2600 mm, total dimensions: 3000 mm x 250 mm x 3350 mm.	500
564	NN work table	Steel work table with bench vice, dimensions: 1100 mm x 750 mm x 1000 mm.	50
565	NN protection frames	Steel protection frames, dimensions: 4470 mm x 200 mm x 500 mm and 1750 mm x 200 mm x 500 mm.	200
566	NN tub	S/s mobile tub, inside dimensions: 2000 mm x 900 mm x 550 mm, total dimensions: 2150 mm x 1000 mm x 1000 mm.	75
567	NN tub	S/s mobile tub, inside dimensions: 1600 mm x 900 mm x 450 mm, total dimensions: 1750 mm x 1000 mm x 1100 mm.	75
568	IDEX Pump Technologies	Mobile foam unit with IDEX Pump Technologies membrane pump, model: B1501KTBBOTK, serial number: 264742, dimensions: 1250 mm x 650 mm x 1000 mm.	75
569	Kärcher	Mobile Kärcher low pressure cleaning sprayer, type: RM Sprayer EK I, year of construction: 2020, capacity: 4.52 l/m, dimensions: 350 mm x 350 mm x 1000 mm.	75
570	CM	CM clock, dimensions: Ø 400 mm x 140 mm.	25
571	NN hose reel	S/s hose reel with plastic hose and pistol, dimensions reel: 580 mm x 240 mm x 350 mm.	50
572	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
573	NN protection fence	Plastic protection fence, dimensions: 2050 mm x 300 mm x 1000 mm.	25
574	Alfa Laval	Alfa Laval plate heat exchanger, type: CB110-30L, serial number: 44237235, year of construction: 2017, temperature range: -196/+225°C, with valves, dimensions: 340 mm x 160 mm x 650 mm.	175
575	Grundfos	Grundfos centrifugal pump, type: MAGNA3 50-120 F 280, model: E, serial number: 10053382, 230 V, 1 Ph, 50/60 Hz, 0.22/2.3 A, 20/498 W, dimensions: 370 mm x 230 mm x 300 mm.	175
576	NN stairs	S/s stairs, dimensions: 550 mm x 900 mm x 1850 mm.	100
577	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 310 mm x 1000 mm.	200



Nr	Title	Description	Start €
578	NN platform	S/s platform, working height: 730 mm, total dimensions: 890 mm x 700 mm x 1800 mm.	100
579	Pomac	Pomac centrifugal pump, type: CPC16044 / Ø 150x14, serial number: 31 337, year of construction: 03/2021, capacity: 9 m³/h, dimensions: 600 mm x 250 mm x 400 mm.	300
580	Alfa Laval	Manifold with 11 Alfa Laval valves and 6 regulators, dimensions: 800 mm x 550 mm x 1200 mm.	350
581	NN platform	S/s platform with stairs, working height: 730 mm, total dimensions: 1450 mm x 670 mm x 1800 mm.	125
582	NN switch cabinets	2 s/s switch cabinets on s/s frame, dimensions: 750 mm x 350 mm x 750 mm and 595 mm x 210 mm x 595 mm, total dimensions with frame: 1400 mm x 350 mm x 1100 mm.	200
583	NN tank	S/s tank with mixer, top side insulated, dimensions: Ø 3200 mm x 10000 mm.	5750
584	NN tank	S/s tank with mixer, top side insulated, dimensions: Ø 3200 mm x 10000 mm.	5750
585	Rentokil	Rentokil insect killer, dimensions: 550 mm x 130 mm x 280 mm.	50
586	APV / SPX	Approximately 23 APV / SPX valves.	350
587	NN platform	S/s platform with stairs, working height: 600 mm, total dimensions: 1950 mm x 1900 mm x 1650 mm.	125
588	Alfa Laval	Manifold with 14 Alfa Laval valves and 8 regulators, dimensions: 1050 mm x 1000 mm x 1250 mm.	750
589	NN switch cabinet	S/s switch cabinet, dimensions: 750 mm x 350 mm x 750 mm.	200
590	Pomac	Pomac centrifugal pump, type: CPC21066 / Ø 150x20, serial number: 32 485, year of construction: 03/2022, power: 2.5 kW, 3000 rpm, capacity: 45 m³/h, dimensions: 700 mm x 300 mm x 500 mm.	300
591	NN platform	S/s platform with stairs, working height: 750 mm / 900 mm, total dimensions: 4500 mm x 1750 mm x 1920 mm.	200
592	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 200 mm x 800 mm.	200



Nr	Title	Description	Start €
593	Schwarte-Milfor	Schwarte-Milfor s/s double jacketed tank with agitator, type: Rahmreifer, fabrication number: 1661, year of construction: 2005, capacity working space: 100 m ³ , capacity heating space: 1.18 m ³ , working pressure, 4 bar, working temperature working space: 8+90°C, working temperature heating space: 2+25°C, dimensions: Ø 3300 mm x 15000 mm.	12500
594	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 600 mm.	200
595	NN platform	S/s platform with stairs, working height: 620 mm, total dimensions: 2000 mm x 870 mm x 1670 mm.	125
596	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 300 mm x 1000 mm.	200
597	Schwarte-Milfor	Schwarte-Milfor s/s double jacketed tank with agitator, type: Rahmreifer, fabrication number: 1659, year of construction: 2005, capacity working space: 100 m ³ , capacity heating space: 1.18 m ³ , working pressure, 4 bar, working temperature working space: 8+90°C, working temperature heating space: 2+25°C, dimensions: Ø 3300 mm x 15000 mm.	12500
598	Elpress	Elpress foam mixing unit with hose reel with plastic hose and spray pistol, type foam mixing unit: 83801050, serial number: 19002344-010, year of construction: 2019, weight: 10 kg, maximum temperature: 70°C, dimensions foam mixing unit: 460 mm x 120 mm x 450 mm, dimensions hose reel: 450 mm x 200 mm x 500 mm.	250
599	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1300 mm and 560 mm x 1300 mm.	100
600	NN hose reel	S/s hose reel with plastic hose, dimensions hose reel: 500 mm x 220 mm x 250 mm.	50
601	Alfa Laval	Manifold with 22 Alfa Laval valves and 16 regulators, dimensions: 1900 mm x 1300 mm x 1300 mm.	2000
602	NN platform	S/s platform with stairs, working height: 620 mm, total dimensions: 2100 mm x 880 mm x 1700 mm.	150
603	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 300 mm x 1000 mm.	200



Nr	Title	Description	Start €
604	Schwarte-Milfor	Schwarte-Milfor s/s double jacketed tank with agitator, type: Rahmreifer, fabrication number: 1660, year of construction: 2005, capacity working space: 100 m ³ , capacity heating space: 1.18 m ³ , working pressure: 4 bar, working temperature working space: 8+90°C, working temperature heating space: 2+25°C, dimensions: Ø 3300 mm x 15000 mm.	12500
605	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 300 mm x 1000 mm.	200
606	APV / SPX	Manifold with 8 APV / SPX valves, s/s frame, dimensions: 1150 mm x 600 mm x 1900 mm.	350
607	Pomac	Pomac centrifugal pump, type: CPC21066 / Ø 160x20, serial number: 31 610, year of construction: 04/2021, power: 2.5 kW, 3000 rpm, capacity: 55/60 m ³ /h, dimensions: 700 mm x 300 mm x 500 mm.	300
608	Miba	Miba s/s tank, number: 14584 00, inside dimensions: Ø 1100 mm x 1150, total dimensions: Ø 1150 mm x 2050 mm.	500
609	Pomac	Pomac rotary lobe pump, type: PLP 3-3 BI-Wing, serial number: 26 130, year of construction: 12-2015, power: 3 kW, 6 bar, capacity: 7 m ³ /h, dimensions: 1150 mm x 350 mm x 500 mm.	500
610	Pomac	Pomac rotary lobe pump, type: PLP 3-3 BI-Wing, serial number: 30 894, year of construction: 08-2020, power: 3 kW, 15 bar, capacity: 1 litre per rotation, dimensions: 1150 mm x 350 mm x 500 mm.	500
611	Alfa Laval	Manifold with 12 Alfa Laval valves and 4 regulators, dimensions: 1400 mm x 800 mm x 1300 mm.	500
612	NN platform	S/s platform with stairs, working height: 700 mm, total dimensions: 1900 mm x 1900 mm x 1700 mm.	100
613	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 1200 mm.	200
614	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 300 mm x 1500 mm.	200
615	NN hose reel	S/s hose reel with plastic hose, dimensions hose reel: 500 mm x 220 mm x 250 mm.	50
616	Miba	Miba s/s tank, number: 14583 00, inside dimensions: Ø 1100 mm x 1150, total dimensions: Ø 1150 mm x 2050 mm.	500
617	APV / SPX	Manifold with 8 APV / SPX valves, s/s frame, dimensions: 1150 mm x 600 mm x 1900 mm.	350
618	NN centrifugal pump	Centrifugal pump, dimensions: 700 mm x 350 mm x 400 mm.	200



Nr	Title	Description	Start €
619	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 600 mm.	200
620	NN platform	S/s platform with stairs, working height: 690 mm, total dimensions: 2000 mm x 900 mm x 1750 mm.	125
621	GPI	GPI s/s double jacketed tank with agitator, fabrication number: 313112-10a, year of construction: 2013, empty weight: 11000 kg, capacity: 108 m ³ , temperature range: +3/+95°C, dimensions: Ø 3300 mm x 15500 mm.	12500
622	Alfa Laval	Manifold with 24 Alfa Laval valves and 16 regulators, dimensions: 1900 mm x 1300 mm x 1300 mm.	2000
623	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 1200 mm.	200
624	NN platform	S/s platform with stairs, working height: 630 mm, total dimensions: 1500 mm x 900 mm x 1700 mm.	100
625	GPI	GPI s/s double jacketed tank with agitator, fabrication number: 312147-15, year of construction: 2012, empty weight: 11000 kg, capacity: 108 m ³ , temperature range: +3/+95°C, dimensions: Ø 3300 mm x 15500 mm.	12500
626	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 1200 mm.	200
627	GPI	GPI s/s double jacketed tank with agitator, fabrication number: 312147-10, year of construction: 2012, empty weight: 11000 kg, capacity: 108 m ³ , temperature range: +3/+95°C, dimensions: Ø 3300 mm x 15500 mm.	12500
628	NN platform	S/s platform with stairs, working height: 630 mm, total dimensions: 1500 mm x 900 mm x 1700 mm.	100
629	APV / SPX	Manifold with 8 APV / SPX, s/s frame, dimensions: 1150 mm x 600 mm x 1900 mm.	350
630	Endress + Hauser	Endress + Hauser flowmeter, type: Promag H / Promag 300, year of construction: 2019-03, capacity: 180 m ³ /h, dimensions: 350 mm x 250 mm x 200 mm.	300
631	Hovap	Hovap centrifugal pump, type: HP-2550/170, number: 3382, year of construction: 2002, 4 kW, capacity: 15 m ³ /h, dimensions: 600 mm x 300 mm x 500 mm.	200
632	NN tank	S/s tank, dimensions: Ø 1300 mm x 1900 mm.	450
633	Bürkert	Bürkert flowmeter, type: 2712 A, dimensions: 260 mm x 220 mm x 500 mm.	200
634	NN tank	S/s tank, dimensions: Ø 1200 mm x 1900 mm.	450



Nr	Title	Description	Start €
635	Pomac	Pomac centrifugal pump, type: CPC21055 / Ø 175x14, serial number: 25 950, year of construction: 10-2015, power: 2.5 kW, 3000 rpm, capacity: 25 m³/h, dimensions: 680 mm x 330 mm x 500 mm.	300
636	NN hose reel	S/s hose reel with plastic hose, dimensions hose reel: 500 mm x 220 mm x 250 mm.	50
637	Polyketting	Polyketting transport belt with line dividing elevator, type: GB, serial number: 140456, year of construction: 2014, dimensions elevator: 850 mm x 200 mm x 2400 mm, s/s frame, plastic mesh belt, belt width: 405 mm, total dimensions transport belt: 2750 mm x 650 mm x 1350 mm.	750
638	Polyketting	Polyketting 90° curve conveyor, type: GB, serial number: 140456, year of construction: 2014, s/s frame, plastic mesh belt, belt width: 405 mm, total dimensions: 8200 mm x 1750 mm x 1350 mm.	1500
640	ABB	ABB palletizing robot, consisting of: Infeed belts for boxes, belt width: 460 mm; Outfeed roller conveyors for pallets, roller width: 1000 mm; ABB palletizing robot, type robot: IRB 640 M2000, serial number: 64Z-20274, year of construction: 2018/12/12, weight: 1950 kg, type control cabinet: IRC5 M2004, serial number: 6640-102812. year of construction: 2024/10/23, 400 V, 3 Ph, 50-60 Hz, 20 A, weight: 150 kg, dimensions robot: 1800 mm x 950 mm x 3600 mm, dimensions control cabinet: 700 mm x 580 mm x 900 mm; Total floor dimensions: 8000 mm x 5000 mm.	7500
641	Polyketting	Polyketting 90° curve conveyor, type: GB, serial number: 130766, year of construction: 2013, s/s frame, plastic mesh belt, belt width: 400 mm, total dimensions: 8000 mm x 2700 mm x 1400 mm.	1500
642	Polyketting	Polyketting transport system consisting of 2 transport belts, s/s frame, plastic mesh belt, belt width: 300 mm, 450 mm, total dimensions: 5200 mm x 2300 mm x 520 mm, 7000 mm x 650 mm x 1300 mm.	1500
643	Polyketting	Polyketting transport belt, type: GB, serial number: 191296, year of construction: 2019, s/s frame, plastic mesh belt, belt width: 450 mm, dimensions: 7000 mm x 650 mm x 1300 mm.	1500



Nr	Title	Description	Start €
644	UES	2 UES glue units, type: (2x) 109024, year of construction: 2010, 230/400 V, 50/60 Hz, 1.85 kW, dimensions: (2x) 580 mm x 320 mm x 660 mm. Including box with glue sticks.	750
645	ABB	ABB palletizing robot, consisting of: Infeed belts for boxes, belt width: 460 mm; Outfeed roller conveyors for pallets, roller width: 1100 mm; ABB palletizing robot, type robot: IRB 660 M2000, serial number: 660-102850, year of construction: 2020-12-02, weight: 1750 kg, type control cabinet: IRC5 Single, serial number: 660-102850, year of construction: 2020-12-02, 400 V, 3 Ph, 50-60 Hz, 20 A, weight: 150 kg, dimensions robot: 1800 mm x 2800 mm x 3750 mm, dimensions control cabinet: 700 mm x 580 mm x 900 mm; Total floor dimensions: 8000 mm x 7000 mm.	7500
646	Demag	Demag conveyor system for pallets, type: V 89/5, fabrication number: 724 729 00, year of construction: 1993, consisting of: 2 pallet infeed stations, dimensions: (2x) 1550 mm x 2400 mm x 3500 mm, Infeed conveyor for pallets, total length: 16000 mm; Pallet outfeed train, steel rollers, roller width: 1120 mm, total length rails: 27500 mm; Pallet infeed train for cold store; Total floor dimensions: 27500 mm x 12500 mm.	4000
647	Good-Tech	Good-Tech labelling unit, serial number: A391P015-1, dimensions: 800 mm x 600 mm x 2600 mm.	250
648	NN switch cabinets	6 steel switch cabinets, dimensions: (6x) 1200 mm x 500 mm x 2200 mm.	5000
649	Demag	Complete cold storage warehouse, consisting of: Demag warehouse control device, type: Destamat 1016 I, fabrication number: 582 945-01, year of construction: 1994, loading capacity: (2x) 1325 kg, dimensions: 4400 mm x 2150 mm x 1600 mm; Steel pallet racks, consisting of 140 uprights, dimensions: 15000 mm x 1000 mm, large amount of beams, length: 6000 mm; Roller conveyor for pallets, steel rollers, roller width: 1050 mm, total dimensions: 3200 mm x 1200 mm x 1000 mm; Switch cabinet, dimensions: 790 mm x 400 mm x 1900 mm; Various evaporators; Total dimensions warehouse: 60000 mm x 12000 mm x 16500 mm.	225000
650	NN warning poles	2 plastic poles with warning tape, dimensions: (2x) 350 mm x 350 mm x 1050 mm.	25



Nr	Title	Description	Start €
651	NN table	Steel table with chair, dimensions table: 1600 mm x 800 mm x 750 mm. Without computer equipment.	25
652	NN pallet lifter	Steel pallet lifter, year of construction: 2000, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1500 mm x 540 mm x 1250 mm.	25
653	NN pole	S/s pole, dimensions: 750 mm x 750 mm x 2130 mm.	15
655	NN table	Steel table with chair, dimensions table: 1600 mm x 800 mm x 750 mm.	25
656	Safeline	3 boxes with test equipment for Safeline metal detector, dimensions: (3x) 390 mm x 280 mm x 250 mm.	25
657	ABB	ABB control cabinet for palletizing robot, type: IRB 640 M2000, serial number: 64Z-26040, year of construction: 2003-08-04, 400 V, 3 Ph, 50-60 Hz, weight: 350 kg, dimensions: 750 mm x 750 mm x 2130 mm.	250
658	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 500 mm x 1730 mm.	250
659	NN platform	Steel platform with stairs, working height: 2200 mm, total dimensions: 4600 mm x 3100 mm x 3150 mm.	400
660	NN air hose reel	Air hose reel, number: L701154, 20 bar, hose length: 15 meters, dimensions: 400 mm x 150 mm x 400 mm.	75
661	NN table	S/s table, dimensions: 750 mm x 250 mm x 800 mm.	50
662	NN platform	S/s platform with stairs, working height: 800 mm, total dimensions: 1200 mm x 850 mm x 1700 mm.	50
663	NN cabinet	S/s cabinet, dimensions: 400 mm x 400 mm x 1350 mm.	50
664	Crawford / Assa Abloy	Crawford / Assa Abloy electric overhead door, clearance: 1600 mm x 1870 mm, dimensions control panel: 550 mm x 400 mm x 130 mm.	500
665	NN air hose reel	Air hose reel, number: L701154, 20 bar, hose length: 15 meters, dimensions: 400 mm x 150 mm x 400 mm.	75
666	HP / Zebra	Steel computer cabinet with HP display and Zebra label printer, dimensions: 700 mm x 800 mm x 1700 mm.	125
667	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
668	A-Safe	A-Safe plastic protection frame, dimensions: 2500 mm x 130 mm x 1130 mm.	50



Nr	Title	Description	Start €
669	NN protection poles	2 steel protection poles, dimensions: (2x) Ø 110 mm x 1000 mm.	50
670	NN white board	White board, dimensions: 1500 mm x 900 mm.	20
671	NN insect killer	Insect killer, dimensions: 600 mm x 200 mm x 700 mm.	50
672	NN protection frames	Steel protection frames, dimensions: (2x) Ø 110 mm x 1200 mm and 700 mm x 50 mm x 1100 mm.	50
673	NN coat rack	Wooden / steel coat rack, dimensions: 600 mm x 150 mm x 150 mm.	25
674	A-Safe	2 A-Safe plastic protection frames, dimensions: 3100 mm x 130 mm x 1130 mm and 2300 mm x 130 mm x 1130 mm.	100
675	NN protection frame	Steel protection frame, dimensions: 950 mm x 950 mm x 1000 mm.	25
676	Oostwoud	2 steel Oostwoud 16-doors lockers, dimensions: (2x) 600 mm x 500 mm x 1950 mm.	50
677	NN paper roll holders	2 steel paper roll holders, dimensions: (2x) 450 mm x 400 mm x 900 mm.	20
678	NN coat rack	Steel coat rack, dimensions: 1040 mm x 150 mm x 150 mm.	15
679	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1300 mm.	100
680	A-Safe	2 A-Safe plastic protection frames, dimensions: 3020 mm x 130 mm x 1130 mm and 1800 mm x 130 mm x 1130 mm.	100
681	NN waste containers	3 mobile steel waste containers, dimensions: (3x) 1190 mm x 1000 mm x 1350 mm.	150
682	NN fences	3 steel fences, dimensions: 14000 mm x 50 mm x 4400 mm, 7000 mm x 50 mm x 4400 mm and 6000 mm x 50 mm x 4400 mm.	750
683	ITW	ITW high speed shutter door, type: Schnellauf-Roll or Minirapid, serial number: FA1703177, year of construction: 2018, clearance: 3400 mm x 3400 mm, total dimensions: 3800 mm x 300 mm x 3850 mm, dimensions control panel: 200 mm x 100 mm x 400 mm.	500
684	NN pallets	15 plastic pallets, dimensions: (15x) 1000 mm x 1200 mm x 150 mm.	20
685	Kärcher	Kärcher sweeping machine, dimensions: 900 mm x 700 mm x 1050 mm.	25
686	Indapp	Indapp crane arm forklift attachment, type: HIKA V 3650 2 TON, serial number: 30206, year of construction: 2010, capacity: 2000 kg, dimensions: 2300 mm x 400 mm x 860 mm.	125



Nr	Title	Description	Start €
687	Altrex / Axsto / LCS	2 steel trolleys with Altrex / Axsto / LCS parts for scaffold, dimensions: 3000 mm x 900 mm x 1100 mm and 1200 mm x 730 mm x 1700 mm.	100
688	NN plastic bags	Pallet with large amount of plastic bags.	25
689	NN tape	Pallet with large amount of tape rolls.	25
690	NN CMR documents	Pallet with 4 boxes of CMR documents.	25
691	NN tape	Pallet with 5 boxes of tape.	25
692	NN film	Pallet with 22 rolls of film, film width: 500 mm.	25
693	Barthel GmbH	Pallet with 3 Boxes of Barthel GmbH labels.	25
694	Jowat	Pallet with 8 boxes of Jowat glue sticks.	25
695	Jowat	Pallet with 14 boxes of Jowat glue sticks.	25
696	NN labels	Pallet with 6 boxes of labels.	25
697	NN laboratory equipment	11 plastic pallet boxes with large amount of laboratory and hygiene equipment, among others: hair nets, coats, plastic tubes, cups and trays.	275
698	NN waste bags	Pallet with 9 boxes of plastic waste bags.	25
699	Still	Still steel pallet rack, type: CI 70/80/2.0, number: 254904, year of construction: 2014, consisting of: 12 uprights, dimensions: (12x) 4950 mm x 1100 mm, 40 beams, length: 2750 mm.	750
700	Still	Still steel pallet rack, type: CI 70/80/2.0, number: 254904, year of construction: 2014, consisting of 12: uprights, dimensions: (12x) 4950 mm x 1100 mm, 40 beams, length: 2750 mm.	750
701	Still	Still steel pallet rack, type: CI 70/80/2.0, number: 254904, year of construction: 2014, consisting of: 12 uprights, dimensions: (12x) 4950 mm x 1100 mm, 40 beams, length: 2750 mm.	750
702	Still	Still steel pallet rack, type: CI 70/80/2.0, number: 254904, year of construction: 2014, consisting of: 12 uprights, dimensions: (12x) 4950 mm x 1100 mm, 40 beams, length: 2750 mm.	750
703	Still	Still steel pallet rack, type: CI 70/80/2.0, number: 254904, year of construction: 2014, consisting of 8: uprights, dimensions: (8x) 2520 mm x 1100 mm, 12 beams, length: (10x) 3600 mm and (2x) 1800 mm.	500
704	Still	Still steel pallet rack, type: CI 70x80x2.0, number: 254904, year of construction: 2014, consisting of 11: uprights, dimensions: (11x) 4500 mm x 1100 mm, 36 beams, length: (36x) 2700 mm.	750



Nr	Title	Description	Start €
705	IN2Food	Pallet with 27 IN2Food jerry cans. All cans are empty.	15
706	IN2Food	Pallet with 7 jerry cans with IN2Food demineralised water, 20 kg each.	25
707	Demag	Pallet with 2 Demag motors and 2 gearboxes, type motors: (1x) KBA100B 4 R, 230/400 V, 3 Ph, 50 Hz, 3/1.75 A, 0.75 kW, (1x) KBA 100 B 12/4, 380 V, 3 Ph, 50 Hz, 5.5 A, 0.28/1.6 kW.	100
708	SEW-Eurodrive / Euromotor	Pallet with SEW-Eurodrive motor with gearbox, type: R87 DRN132M4, number: 907331823601000116, 380-400/660-690 V, 3 Ph, 50 Hz, 15.5/9/13.6 A, 7.5 kW, and Euromotor motor, type: HS 180L-8/4, number: 28002423, 400 V, 3 pH, 50 Hz, 20.7/41.1 A, 5.5/22 kW.	100
709	ABB / Demag / SEW-Eurodrive	Pallet with 2 ABB motors, Demag motor with gearbox and SEW-Eurodrive motor with gearbox.	100
710	Demag	Pallet with 3 Demag motors and gearboxes, and 1 motor.	100
711	SEW-Eurodrive / Euromotor	Pallet with 2 SEW-Eurodrive motor with gearboxes, type: (2x) RF47 DRN80M4, 220-230/380-400 V, 3 Ph, 50 Hz, 3.05/1.75 A, 0.75 kW, 1 Euromotor motor, type: 2SIEK 180LA-4, 400/690/440/760 V, 3 Ph, 50 Hz, 30/34.5 kW, 31,6/54.6/55.3/31.9 A.	100
712	Invensys / Grundfos	Pallet with Invensys motor, type: Alpak II, 400/690 V, 3 Ph, 50 Hz, 28.50/16.50 A, 15 kW, Grundfos motor, type: MG112MC2-28FT130-D1.	100
713	Demag / IBO	Pallet with Demag motor, type: KBA100 A, number: 70543216, 230/400 V, 3 Ph, 50 Hz, 1.45/2.50 A, 0.55 kW, and 5 boxes with IBO cam followers.	100
714	Elsto	Pallet with 2 Elsto planetary gearboxes, type: 337L2-E7-2 and 307L2-EZ-21.8.	100
715	Demag / Euromotor	Pallet with Demag motor, type: GCH 140 D2Z1105, and 2 Euromotor motors, type: 3SIE 90L-2 and SKG 112M-8.	100
716	Cantoni	Cantoni motor, type: S10-208-002, 400-690 V, 3 Ph, 50 Hz, dimensions: 550 mm x 300 mm x 400 mm.	100
717	Demag / ABB	Pallet with Demag motor with Gearbox and ABB motor with gearbox, type: M2BAX 100LB4, number: 3G1C214000000324006, year of construction: 2021.	100



Nr	Title	Description	Start €
718	ABB	Pallet with 2 ABB motors, type: (1x) M3AA132SMF4, number: 3G1P193002132, year of construction: 2019, 400/460/690 V, 3 Ph, 50/60 Hz, 12.4 /21 A, 11 kW, (1x) M2BAX132SME 1 IMB5/IM3001, number: 361P214001365, year of construction: 2021, 380/400/660/690 V, 3 Ph, 50/60 Hz, 7.6/13.1/8.12/11.4 A, 7.5 kW.	100
719	WEG	WEG motor, 380/660 V, 3 Ph, 50 Hz, 222/128 A, 110 kW, dimensions: 1050 mm x 700 mm x 700 mm.	150
720	SEW-Eurodrive	SEW-Eurodrive motor, type: R77 DRN132L4/TF, number: 90.8333455301.0001.23, year of construction: 2023, 400/690 V, 3 Ph, 50 Hz, 18.7/10.8 A, 9.2 kW, 1470/277 rpm, dimensions: 950 mm x 450 mm x 500 mm.	250
721	NN floors for pallet rack	2 pallets with approximately 60 s/s floors for pallet racks, dimensions: (60x) 1100 mm x 900 mm.	50
722	Denios	Denios drip tray, type: KTC-Station Duo, serial number: 110639255-000200-001, year of construction: 2012, capacity: 1000 litres, dimensions: 2500 mmx 1400 mm x 470 mm.	25
723	Crawfod / Assa Abloy	Crawfod / Assa Abloy electrical high speed shutter door, type: 9310, serial number: NL389330A, year of construction: 05/2014. clearance: 3000 mm x 3400 mm, total dimensions: 3400 mm x 4010 mm x 3900 mm, dimensions control cabinet: 300 mm x 130 mm x 400 mm.	500
724	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
725	NN mirrors	2 safety mirrors, dimensions: (2x) Ø 500 mm.	25
726	NN film	Pallet with 6 rolls of film, film width: 720 mm.	25
727	Siemens	Pallet with Siemen PLC's, type: SIMATIC S5.	25
728	NN film	Pallet with 6 rolls of film, film width: 720 mm.	25
729	NN labels	Pallet with 6 boxes with labels.	25
730	ABB	ABB industrial robot, type: IRB640 M2000, serial number: 64Z-20331, year of construction: 2018/12/12, weight: 1950 kg, dimensions: 2100 mm x 1100 mm x 1900 mm, with control box, type: IRB640 M2000, serial number: 64Z-20474, year of construction: 2003/05/06, weight: 350 kg, dimensions: 800 mm x 500 mm x 950 mm.	2500
732	Rittal	Rittal steel side panels, total dimensions: 2100 mm x 650 mm.	25
733	NN split unit	Mobile split unit for oil, dimensions: 850 mm x 850 mm x 650 mm.	50



Nr	Title	Description	Start €
734	NN eye shower	Eye shower, dimensions: 800 mm x 250 mm x 1900 mm.	50
735	Rittal	Rittal steel switch cabinet, dimensions: 1600 mm x 1250 mm x 2100 mm. Empty.	100
736	Kärcher	Kärcher scrubbing machine, type: BR 40/10 C, dimensions: 650 mm x 450 mm x 1150 mm.	50
737	NN warning poles	2 plastic warning poles, dimensions: Ø 380 mm x 970 mm and Ø 350 mm x 1030 mm.	20
738	Kärcher	Kärcher steam vacuum cleaner, type: SGV 8/5, serial number: 01427090190, year of construction: 2019, 220-240 V, 1 Ph, 50 Hz, 3.4 kW, maximum temperature: 173°C, dimensions: 700 mm x 500 mm x 950 mm.	150
739	Nieros	Nieros s/s table with plastic top, dimensions: 2000 mm x 1040 mm x 600 mm.	150
740	NN cabinets	2 steel cabinets, dimensions: 600 mm x 500 mm x 1800 mm and 1000 mm x 450 mm x 1950 mm.	30
741	Bosgraaf	Bosgraaf s/s waste bin, dimensions: 450 mm x 450 mm x 1050 mm.	50
742	NN protection frames	Steel protection frames, dimensions: 2050 mm x 250 mm x 600 mm and (2x) Ø 110 mm x 1000 mm.	150
743	NN LDPE bags	Steel trolley with 7 rolls of LDPE bags, dimensions: 1750 mm x 900 mm x 1050 mm.	25
744	A-Safe	A-Safe plastic protection frame, dimensions: 1000 mm x 130 mm x 1130 mm.	50
745	NN protection poles	2 steel protection poles, dimensions: (2x) Ø 110 mm x 1000 mm.	25
746	Crawfod / Assa Abloy	Crawfod / Assa Abloy electrical high speed shutter door, type: 9110, serial number: NL40394 year of construction: 11-2014. clearance: 3480 mm x 4600 mm, total dimensions: 3800 mm x 600 mm x 4800 mm, dimensions control cabinet: 300 mm x 130 mm x 400 mm.	500
747	Crawfod / Assa Abloy	Crawfod / Assa Abloy electrical high speed shutter door, type: 9310, serial number: NL38930B year of construction: 05-2014. clearance: 3050 mm x 3400 mm, total dimensions: 3550 mm x 450 mm x 3900 mm, dimensions control cabinet: 300 mm x 130 mm x 400 mm.	500
748	A-Safe	A-Safe plastic protection frames, dimensions: (3x) Ø 200 mm x 1200 mm and 1030 mm x 130 mm x 1130 mm.	75
749	NN frame	S/s frame, dimensions: 12500 mm x 80 mm x 1800 mm.	300



Nr	Title	Description	Start €
750	Alti safe	Steel cabinet with Alti safe safety gear, dimensions: 500 mm x 500 mm x 1000 mm.	50
751	Tecna	4 Tecna balancers, dimensions: (4x) Ø 150 mm x 60 mm.	50
752	NN cabinet	Steel cabinet, dimensions: 280 mm x 80 mm x 350 mm.	25
753	Hoppecke	Hoppecke steel cabinet with safety kit, dimensions: 300 mm x 140 mm x 460 mm.	25
754	Rentokil	Rentokil insect killer, dimensions: 550 mm x 130 mm x 400 mm.	25
755	Tecna	2 Tecna balancers, dimensions: (2x) Ø 150 mm x 60 mm.	50
756	Boplan	Boplan plastic protection frame, dimensions: 4100 mm x 1100 mm x 1150 mm.	150
757	NN protection poles	2 steel protection poles, dimensions: (2x) Ø 110 mm x 1000 mm.	50
758	NN server cabinet	Server cabinet, dimensions: 560 mm x 500 mm x 500 mm.	50
759	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm, including Rathor plastic waste bin, dimensions: 500 mm x 400 mm x 750 mm.	100
760	Assa Abloy	Assa Abloy electric overhead door, type: CH1042P, serial number: 112302332, year of construction: 07/02/2022, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 100 mm x 350 mm.	25
761	Crawford	Crawford electric overhead door, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 160 mm x 370 mm.	500
762	Crawford	Crawford electric overhead door, type: C3, year of construction: 1994, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 160 mm x 370 mm.	500
763	Crawford	Crawford electric overhead door, type: C6, year of construction: 1994, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 160 mm x 370 mm.	500
764	Crawford	Crawford electric overhead door, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 160 mm x 370 mm.	500



Nr	Title	Description	Start €
765	Crawford	Crawford electric overhead door, type: C1, year of construction: 1994, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 160 mm x 370 mm.	500
766	Zebra / Datalogic	S/s cabinet with Datalogic scanner and HP display, dimensions: 900 mm x 500 mm x 1300 mm, including s/s frame with Zebra label printer, dimensions: 350 mm x 400 mm x 1100 mm.	100
767	RothoPro	RothoPro plastic waste bin, dimensions: 500 mm x 400 mm x 750 mm.	20
768	A-Safe	A-Safe plastic protection frames, dimensions: 1150 mm x 130 mm x 1130 mm.	50
769	NN mirrors	4 safety mirrors, dimensions: (4x) Ø 300 mm.	50
770	NN clock	Clock, diameter: 800 mm.	25
771	RothoPro	RothoPro plastic waste bin, dimensions: 500 mm x 400 mm x 750 mm. Missing lid.	15
772	Fujitsu	Pallet with 6 Fujitsu computer screens, dimensions: (6x) 340 mm x 520 mm x 120 mm.	20
773	NN white boards	2 white boards, dimensions: 1200 mm x 900 mm and 900 mm x 600 mm.	25
774	NN lockers	Steel 12 doors-lockers, dimensions: 900 mm x 560 mm x 1860 mm.	50
775	NN lock in / lock out	Lock in / lock out station, dimensions: 290 mm x 550 mm.	50
776	NN coat rack	Steel coat rack, dimensions: 600 mm x 60 mm x 100 mm.	25
777	Nilfisk Alto	Nilfisk Alto high pressure unit, type: MC 4M, dimensions: 400 mm x 350 mm x 1050 mm.	100
778	Gardena	Gardena spray bottle, dimensions: 190 mm x 200 mm x 500 mm.	20
779	Cederroth	Cederroth eye wash, dimensions: 100 mm x 80 mm x 230 mm.	15
780	NN first aid kit	First aid kit, dimensions: 830 mm x 130 mm x 240 mm.	15
781	NN office inventory	Office inventory consisting of: 3 office desks, dimensions: 1000 mm x 1580 mm x 790 mm, 2 drawers, dimensions: (2x) 900 mm x 4010 mm x 500 mm, steel cabinet, dimensions: 1200 mm x 950 mm x 21050 mm, 4 chairs, white board. Computer equipment is not included.	175
782	NN paper dispenser	S/s paper dispenser, dimensions: 280 mm x 250 mm x 360 mm.	15
783	Pal / Tork	Pal hair net dispensers, dimensions: (2x) 200 mm x 200 mm x 500 mm, Tork soap dispenser, dimensions: 120 mm x 120 mm x 280 mm.	15



Nr	Title	Description	Start €
784	LG	LG television dimensions: 730 mm x 430 mm x 100 mm.	15
785	NN chairs	Steel / wooden wall mounted chairs, dimensions: (3x) 400 mm x 470 mm x 100 mm.	25
786	Chameleon	Chameleon insect killer, dimensions: 470 mm x 300 mm x 70 mm.	50
787	NN temperature check system	S/s frame with digital temperature check system, dimensions: 480 mm x 440 mm x 1650 mm.	25
788	Curver	Curver plastic steps, capacity: 150 kg, dimensions: 450 mm x 150 mm x 650 mm.	15
789	NN switch cabinet	Steel switch cabinet, dimensions: 790 mm x 460 mm x 2100 mm.	350
790	NN switch cabinet	Steel switch cabinet, dimensions: 1000 mm x 500 mm x 2100 mm.	500
791	NN switch cabinet	Steel switch cabinet, dimensions: 3150 mm x 500 mm x 2100 mm.	1000
792	NN switch cabinet	Steel switch cabinet, dimensions: 800 mm x 500 mm x 2100 mm.	350
793	NN switch cabinet for milk-cream separation line	Steel switch cabinet for milk-cream separation line, dimensions: 2370 mm x 500 mm x 2100 mm.	3000
794	NN switch cabinet	Steel switch cabinet, dimensions: 1200 mm x 500 mm x 2100 mm.	750
795	NN fuses	Wooden cabinet with various fuses, dimensions cabinet: 250 mm x 450 mm x 2100 mm.	100
796	NN cabinet with personal protective equipment	Steel cabinet with personal protective equipment, dimensions: 1000 mm x 400 mm x 2000 mm.	75
797	NN cabinet	Steel cabinet with personal protective equipment, dimensions: 600 mm x 500 mm x 1800 mm. With content.	75
798	NN switch cabinet	Steel switch cabinet, dimensions: 600 mm x 500 mm x 1300 mm.	350
799	NN switch cabinet	Steel switch cabinet, dimensions: 3600 mm x 500 mm x 2200 mm.	5000
800	Danfoss	Danfoss frequency converter, 380-500 V, 3 Ph, 50/60 Hz, 22/19 A, 11 kW, dimensions: 220 mm x 280 mm x 450 mm.	250
801	Danfoss	Danfoss frequency converter, 380-500 V, 3 Ph, 50/60 Hz, 22/19 A, 11 kW, dimensions: 220 mm x 280 mm x 450 mm.	250
802	Danfoss	Danfoss frequency converter, 380-500 V, 3 Ph, 50/60 Hz, 22/19 A, 11 kW, dimensions: 220 mm x 280 mm x 450 mm.	250



Nr	Title	Description	Start €
803	Danfoss	2 Danfoss frequency converters, 380-500 V, 3 Ph, 50/60 Hz, 22/19/9/7.4 A, 11/4 kW, dimensions: 180 mm x 250 mm x 340 mm and 90 mm x 230 mm x 250 mm.	200
804	Inergen	Inergen fire extinguishing system for switch cabinets, volume: (2x) 80 litre, dimensions: (2x) Ø 250 mm x 1800 mm.	300
805	Eurom	2 Eurom fans, type: GVF 18-2, 220-240 V, 50 Hz, 120 W, dimensions: (2x) Ø 500 mm.	150
806	Danfoss	S/s frame with 7 Danfoss frequency converters, dimensions: 1000 mm x 2000 mm.	1000
807	Clivet	2 Clivet air curtains, dimensions: (2x) 1700 mm x 500 mm x 280 mm.	300
808	NN trolley	Steel trolley, dimensions: 600 mm x 500 mm x 800 mm.	200
809	NN lockers	2 steel 8-doors lockers, dimensions: (2x) 800 mm x 500 mm x 1800 mm.	150
810	Van Wijk & Boerma Waterzuivering N.V.	Van Wijk & Boerma Waterzuivering N.V. water de-ironing system, consisting of: 4 steel water tanks, dimensions: (4x) Ø 2000 mm x 3900 mm; 2 Grundfos vertical centrifugal pumps, type: CR32-5 A-F-A-E-HQQE and CR32-3 A-F-A-HQQE, capacity: (2x) 30 m ³ /h; Becker rotary vane compressor, type: DTLF 2.250, capacity: 244/286 m ³ /h, dimensions: 1150 mm x 630 mm x 700 mm; Various valves, flowmeters and pipes; Steel switch cabinet, dimensions: 800 mm x 500 mm x 2070 mm.	9500
811	Grundfos	Plastic chemical tub with Grundfos dosing pump, type CDA 7.5-16 FCM-PVC/V/C-F-31U2U2FG, 100-240 V, 50/60 Hz, capacity: 7.5 l/h, dimensions: 1200 mm x 800 mm x 900 mm.	150
812	NN hose reel	Steel hose reel with plastic hose and spray pistol, dimensions: 700 mm x 240 mm x 340 mm.	75
813	NN wall panel	S/s wall panel with plastic cover, dimensions: 3000 mm x 550 mm x 2650 mm.	75
814	NN fence	S/s fence, dimensions: 4300 mm x 330 mm x 2400 mm.	150
815	Brady	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 1300 mm x 950 mm and 1300 mm x 850 mm.	100
816	LSC	LSC steel steps, dimensions: 450 mm x 220 mm x 1350 mm.	20
817	NN trolley	Steel trolley, dimensions: 640 mm x 560 mm x 1100 mm. With content.	25
818	NN rack	Steel rack, dimensions: 2950 mm x 620 mm x 2000 mm. With content.	200



Nr	Title	Description	Start €
819	NN table	Wooden table with chair, dimensions table: 1600 mm x 800 mm x 750 mm.	25
820	NN covers	Various s/s covers, dimensions among others: 1430 mm x 850 mm and 1400 mm x 900 mm.	50
821	Gedore / Brockhaus	Gedore work table with cabinets and Brockhaus bench vice, dimensions: 2000 mm x 900 mm x 1750 mm.	150
822	Westfalia Separator AG	Steel trolley with tool set for Westfalia Separator AG separators, dimensions: 1300 mm x 600 mm x 1500 mm.	2000
823	NN pressure vessel	Steel pressure vessel, number: 08801, year of construction: 2008, volume: 500 litre, dimensions: Ø 600 mm x 2100 mm.	175
824	Pomac	Pomac centrifugal pump, type: 1955/160, number: 8163, dimensions: 600 mm x 300 mm x 350 mm.	200
825	NN cover	S/s cover for pump, dimensions: 540 mm x 470 mm x 430 mm.	20
826	Pomac	Pomac centrifugal pump, type: 1955/160, number: 10631, capacity: 42 m³/h, dimensions: 680 mm x 300 mm x 350 mm.	200
827	Pomac	Pomac centrifugal pump, type: CP19544/160, serial number: 20121, year of construction: 2008, power: 4 kW, 3000 rpm, capacity: 26 m³/h, dimensions: 680 mm x 300 mm x 400 mm.	200
828	NN waste bag holder	Steel waste bag holder, dimensions: 460 mm x 430 mm x 910 mm.	20
829	NN platform	S/s platform with stairs, working height: 460 mm, total dimensions: 1350 mm x 500 mm x 1450 mm.	50
830	Hengelo Salt Specialisaties B.V.	Pallet with 12 bags with Hengelo Salt Specialisaties B.V. industrial salt, 25 kg each bag.	25
831	NN cabinet	S/s cabinet, dimensions: 1200 mm x 4360 mm x 2030 mm.	75
832	Emec	Plastic chemical tub with Emec dosing pump, type: KCL 1802 EP, 230 V, 50-60 Hz, 0.08 A, capacity: 2 litre per hour, dimensions: Ø 520 mm x 900 mm.	25
833	Elster	Elster water metering device.	50
834	NN dip trays	2 plastic drip trays, dimensions: (2c) 1200 mm x 1000 mm x 400 mm.	25
835	NN trolley	Steel trolley, dimensions: 600 mm x 500 mm x 1300 mm.	20
836	Nilfisk Alto	Nilfisk Alto industrial vacuum cleaner, type: ATTIX 40, dimensions: 400 mm x 400 mm x 750 mm.	25



Nr	Title	Description	Start €
837	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
838	NN cables	3 pallets and wooden reel with various cables.	150
839	Zarges / Alga	2 Zarges and 1 Alga ladders, height: 1750 mm, 1800 mm and 2350 mm.	150
840	NN valves	Pallet with various valves.	50
841	BEG GmbH	BEG GmbH steel trolley, type: EF 170 O.D, year of construction: 2014, capacity: 400 kg, dimensions: 1830 mm x 900 mm x 700 mm.	25
842	Atlas Copco	Atlas Copco screw compressor, type: ZT55VSD, number: API1780441, year of construction: 2008, 55 kW, 5255 r/min, capacity: 142.5 l/s, 8.55 m³/min, dimensions: 2440 mm x 1020 mm x 1880 mm.	3500
843	Atlas Copco	Atlas Copco air compressor, type: ZT 55 FF, serial number: APF.136194, year of construction: 2008, 56 kW, 2960 r/min, 8.35 bar, dimensions: 2900 mm x 1450 mm x 2200 mm.	3500
844	Kaeser	Kaeser rotary screw compressor, type: CS 75, number: 601766, year of construction: 1988, 45 kW, 9 bar, capacity: 6.66 m³/h, dimensions: 1750 mm x 1100 mm x 1450 mm.	500
845	Kaeser	Kaeser air dryer, type: TD 76, serial number: 1236, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 3.7 A, refrigerant: R134a, dimensions: 1100 mm x 730 mm x 1200 mm.	750
846	Kaeser	Kaeser steel pressure vessel, type: K6070115, year of construction: 1989, volume: 3000 litre, dimensions: Ø 1200 mm x 2700 mm.	500
847	NN switch cabinet for compressed air supply	S/s switch cabinet for compressed air supply, dimensions: 400 mm x 250 mm x 1900 mm.	250
848	EFC	3 EFC air filters with valves, dimensions: 900 mm x 800 mm x 2000 mm.	400
849	Sabroe	Sabroe oil and water separator, dimensions: Ø 700 mm x 1200 mm.	100
850	NN platform	S/s working platform, working height: 1400 mm, total dimensions: 1750 mm x 1500 mm x 2500 mm.	250
851	DAB	DAB submersible pump, type: NOVA 300 MA 40th, number: 8.2005, 200-240 V, 50 Hz, 1.5 A, 350 W, capacity: 13 m³/h, dimensions: 300 mm x 200 mm x 130 mm.	25



Nr	Title	Description	Start €
852	Siller & Jamart / Weishaupt	Siller & Jamart steam boiler with economizer and Weishaupt burner, type boiler: 12, number: 16492, year of construction: 1964, type burner: WM-G50/1-A, fabrication number: 40615062, year of construction: 2021, 230/400 V, 1/3 Ph, 50 Hz, 18.31 kW, dimensions boiler: 7000 mm x 3100 mm x 3100 mm, dimensions burner: 1500 mm x 1300 mm x 1050 mm, with switch cabinet, dimensions: 1000 mm x 400 mm x 2000 mm.	15000
853	Jonker	Jonker steam distributor with various valves, type: DN250x5300, fabrication number: JONI32686, year of construction: 2021, volume: 300 litre, temperature range: 0-192°C, dimensions: 6000 mm x 550 mm x 2300 mm.	2000
854	Grundfos	2 Grundfos vertical centrifugal pumps, type: CR10-12 A-FJ-A-E-HQQE, capacity: (2x) 10 /h, dimensions: (2x) 210 mm x 250 mm x 1100 mm.	400
855	Alfa Laval	Alfa Laval plate heat exchanger, type: M6-MFG, serial number: 30109-33512, year of construction: 2015, maximum temperature 150°C, dimensions: 400 mm x 330 mm x 900 mm.	200
856	NN water storage tanks	2 isolated water storage tanks with steel frame, dimensions tanks: Ø 1600 mm x 4500 mm and Ø 1400 mm x 1900 mm, dimensions frame: 6000 mm x 2300 mm x 4500 mm.	2500
857	Danfoss	2 Danfoss frequency converters, 380-480 V, 3 Ph, 50/60 Hz, 9/7.4 A, 4 kW, dimensions: (2x) 180 mm x 180 mm x 390 mm.	300
858	NN first aid kit	Plastic first aid kit and wooden cabinet with working clothes, dimensions: 400 mm x 150 mm x 300 mm and 500 mm x 320 mm x 580 mm.	50
859	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	50
860	NN work table	Gedore work table with cabinets and bench vice, dimensions: 2000 mm x 750 mm x 1800 mm.	200
861	Danfoss	Plastic switch cabinet with Danfoss frequency inverter, dimensions: 850 mm x 400 mm x 1050 mm.	300
862	NN switch cabinet	Steel switch cabinet, dimensions: 1000 mm x 300 mm x 1200 mm.	750
863	MHG	MHG s/s water tank, dimensions: 4000 mm x 1100 mm x 2100 mm.	2000
864	Verder	Verder centrifugal pump, type: NCM80X65X125B, number: 288491, year of construction: 2017, power: 5.5 kW, capacity: 75 m³/h, dimensions: 600 mm x 400 mm x 550 mm.	250



Nr	Title	Description	Start €
865	Verder	Verder centrifugal pump, type: NCM80X65X125B, number: 288492, year of construction: 2017, power: 5.5 kW, capacity: 75 m³/h, dimensions: 600 mm x 400 mm x 550 mm.	250
866	Verder	Verder centrifugal pump, type: NCM80X65X125B, number: 288494, year of construction: 2017, power: 5.5 kW, capacity: 75 m³/h, dimensions: 600 mm x 400 mm x 550 mm.	250
867	Verder	Verder centrifugal pump, type: NCM80X65X125B, year of construction: 2017, power: 5.5 kW, capacity: 75 m³/h, dimensions: 600 mm x 400 mm x 550 mm.	250
868	Pomac	Pomac centrifugal pump, type: 19555/145, capacity: 30 m³/h, dimensions: 500 mm x 350 mm x 400 mm.	250
869	SPX	SPX liquid filter, type: S2-EL-200F-V, serial number: 100000 3318502, year of construction: 2018, dimensions: 300 mm x 400 mm x 1000 mm.	250
870	Verder	Plastic chemical tub with Verder dosing pump, type: G/4B1002PP1000, serial number: 0096149871, 230 V, 50 Hz, capacity: 2.30 l/h, dimensions: 800 mm x 500 mm x 1200 mm.	75
871	NN platform	Steel platform, dimensions: 420 mm x 300 mm x 220 mm.	25
872	Grundfos	Plastic chemical tub with Grundfos dosing pump, type: DDE 6-10 Pr-PP/E/C-X-31U2U2FG, 100-240 V, 50/60 Hz, capacity: 6 l/h, dimensions: 800 mm x 500 mm x 1200 mm.	75
873	NN switch cabinet for cooling installation	Steel switch cabinet for GEA/Stal cooling installation, dimensions: 2400 mm x 600 mm x 2000 and 3200 mm x 600 mm x 2000 mm.	1750
874	GEA	GEA reciprocating piston compressor, type: RC 612, number: 02101703, year of construction: 2002, capacity: 1194 m³/h, refrigerant: NH 3, 25.5 bar, 1500 rpm, dimensions: 2500 mm x 2100 mm x 1800 mm.	2500
875	GEA	GEA reciprocating piston compressor, type: RC 412E, number: 02101702, year of construction: 2002, capacity: 796 m³/h, refrigerant: NH 3, 25.5 bar, 1500 rpm, dimensions: 3000 mm x 1500 mm x 1700 mm.	2500
876	GEA	GEA reciprocating piston compressor, type: RC 412E, number: 02101701, year of construction: 2002, capacity: 796 m³/h, refrigerant: NH 3, 25.5 bar, 1500 rpm, dimensions: 3000 mm x 1500 mm x 1700 mm.	2500



Nr	Title	Description	Start €
877	Stal	Stal screw compressor, type: SVA26-DMG-BDB-FBB, 30 bar, refrigerant: R717, dimensions: 1600 mm x 1000 mm x 2600 mm.	2500
878	Travaini	Travaini centrifugal pump, type: TCHM 80-200/1-C/GS, serial number: HR831, year of construction: 2021, 1450 rpm, capacity: 80 m ³ /h, dimensions: 700 mm x 350 mm x 450 mm.	200
879	Verder	2 Verder centrifugal pumps, type: (2x) NCL80-65-200, number: 282619, year of construction: 2015 / 2011, dimensions: (2x) 1300 mm x 400 mm x 600 mm.	400
880	Verder	2 Verder centrifugal pumps, type: NCL 80-65/194C, dimensions: (2x) 1300 mm x 400 mm x 600 mm.	400
881	Swanenberg	Swanenberg steel trolley with oil pump, dimensions: 750 mm x 470 mm x 600 mm.	25
882	Hydrobull	Hydrobull mobile hoist, fabrication number: 0501/19479, year of construction: 2001, capacity: 550 kg, dimensions: 2450 mm x 800 mm x 1650 mm.	75
883	NN falling film chiller	Falling film chiller for ice water, dimensions: 5000 mm x 7500 mm x 4000 mm. Side panels from ice water tank may not be included, depending on how the panels come out when they are dismantled.	8000
884	Apparatenfabriek Helpman NV	Apparatenfabriek Helpman NV ammonia separation vessel, type: 664307, fabrication number: 7856, year of construction: 1985, working pressure: 15 bar, dimensions: Ø 1500 mm x 6000 mm.	4000
885	Grundfos	Grundfos pump installation with Grundfos centrifugal pump, type: TP 80-400/2 B-F-A-BQQE, capacity: 114.8 m ³ /h, heat exchanger and pressure vessel, dimensions: 1600 mm x 500 mm x 1800 mm.	600
886	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
887	Brady	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1300 mm and 400 mm x 1300 mm.	100
888	NN gas mask	S/s cabinet with gas mask, dimensions: 600 mm x 200 mm x 400 mm.	25



Nr	Title	Description	Start €
889	Van Wijk & Boerma	Van Wijk & Boerma sprinkler pump, model pump: LSN200-150-400, serial number: 44709601, 113 kW, speed: 1750 rpm, capacity: 420 m ³ /h, model engine: 8210SI.02, number: 406891, system: TURBO, 220 V, 50 Hz, power: 107 kW, fuel: Diesel, dimensions: 4000 mm x 1000 mm x 1800 mm. Please notice that the pump will be available at the end of the project in December 2025.	4000
890	Van Wijk & Boerma	Van Wijk & Boerma sprinkler pump, model pump: HC.150-400, serial number: 9403299A, 139 kW, speed: 1750 rpm, capacity: 420 m ³ /h, model engine: 8210SI.02, number: 406891, system: TURBO, 220 V, 50 Hz, power: 107 kW, fuel: Diesel, dimensions: 4000 mm x 1000 mm x 1800 mm. Please notice that the pump will be available at the end of the project in December 2025.	4000
891	NN barrel with pump	Steel barrel for Diesel with pump and steel drip tank, dimensions: 800 mm x 800 mm x 1400 mm.	100
892	DAS	DAS ladder, height: 1400 mm.	25
893	NN office inventory	Office inventory consisting of: 5 tables, dimensions: 1200 mm x 600 mm x 750 mm and (4x) 1600 mm x 800 mm x 750 mm, 8 steel cabinets, dimensions: (6x) 1200 mm x 400 mm x 1980 mm, 600 mm x 480 mm x 1950 mm and 900 mm x 550 mm x 180 mm, computer cabinet, dimensions: 1000 mm x 650 mm x 1300 mm, 5 drawers, dimensions: (5x) 800 mm x 400 mm x 550 mm. Computer equipment is not included.	350
894	DAS	DAS ladder, height: 1400 mm.	25
895	NN first aid kit	Plastic first aid kit, dimensions: 450 mm x 350 mm x 180 mm.	25
896	Grant Instruments Ltd	Grant Instruments Ltd water bath, model: LSB18, serial number: Q41847002, 220-240 V, 50/60 Hz, 6.2 A, dimensions: 560 mm x 340 mm x 350 mm.	25
897	Memmert	Memmert water bath, type: WNB 7, fabrication number: L214.0949, 230 V, 50/60 Hz, 5.2 A, 1200 W, dimensions: 460 mm x 370 mm x 300 mm.	25
898	APC	APC server cabinet, dimensions: 1000 mm x 800 mm x 1950 mm.	250
899	Insectron	Insectron insect killer, type: I-310ED*21, serial number: A3801476, 230 V, 50 Hz, 95 W, dimensions: 640 mm x 200 mm x 430 mm.	50



Nr	Title	Description	Start €
900	Memmert	Memmert incubator, type: ICP 110, fabrication number: F413.0022, 230 V, 50/60 Hz, 5.3 A, 1200 W, dimensions: 640 mm x 200 mm x 430 mm.	350
901	Cardiac Science	Cardiac Science AED kit, dimensions: 300 mm x 120 mm x 300 mm.	250
902	NN hose reel	S/s hose reel with plastic hose and spray pistol, dimensions reel: 7010 mm x 200 mm x 400 mm.	150
903	Elpress	Elpress s/s sink, type: 83207020, serial number: 38730, year of construction: 2022-1, 230 V, 50 Hz, 16 A, 0.1 kW, dimensions: 950 mm x 950 mm x 660 mm, 3 s/s waste bins, dimensions: (3x) 390 mm x 390 mm x 750 mm and 3 hair net dispensers.	350
904	NN lockers	18 steel 8-doors lockers, dimensions: (18x) 420 mm x 500 mm x 2150 mm.	300
905	NN cabinet	Steel cabinet, dimensions: 920 mm x 420 mm x 2120 mm.	75
906	NN soap dispenser	2 soap dispensers, dimensions: (2x) 490 mm x 400 mm x 1430 mm.	20
907	Samsung	Samsung mobile television, model: UE65DU7170U, 220-240 V, 50/60 Hz, 165 W, dimensions: 1450 mm x 750 mm x 2000 mm, with writing desk, dimensions: 600 mm x 500 mm x 1200 mm.	150
908	NN tables	3 tables, dimensions: Ø 770 mm x 1100 mm.	15
909	NN table	Steel table with wooden top, dimensions: 1600 mm x 800 mm x 750 mm.	15
910	NN notice boards	10 notice boards, dimensions: (10x) 1200 mm x 900 mm, white board, dimensions: 1550 mm x 550 mm x 2150 mm.	75
911	NN notice boards	Notice boards, dimensions: (6x) 340 mm x 450 mm, (2x) 880 mm x 660 mm, 640 mm x 480 mm.	50
912	NN cabinet	Steel cabinet, dimensions: 1200 mm x 450 mm x 750 mm.	25
913	NN cabinet	Steel key cabinet, dimensions: 380 mm x 80 mm x 450 mm.	25
914	NN cabinet with safety equipment	Steel cabinet, with various working equipment, among other: walkie talkie's, gas monitor, and safety vests.	150
915	NN display cabinets	2 display cabinets, dimensions: (2x) 800 mm x 400 mm x 2000 mm.	75
916	Rentokil	Rentokil insect killer, dimensions: 550 mm x 130 mm x 340 mm.	50



Nr	Title	Description	Start €
917	Baltimore Aircoil International	Baltimore Aircoil International evaporative condenser, model: VXC-250, serial number: H160220703, fan overall efficiency: 53.79%, dimensions: 3600 mm x 3530 mm x 5000 mm.	4000
918	Baltimore Aircoil International	Baltimore Aircoil International evaporative condenser, model: VXC-250, serial number: H160220702, fan overall efficiency: 53.79%, dimensions: 3600 mm x 3530 mm x 5000 mm.	4000
919	Baltimore Aircoil International	Baltimore Aircoil International evaporative condenser, model: VXC-250, serial number: H160220701, fan overall efficiency: 53.79%, dimensions: 3600 mm x 3530 mm x 5000 mm.	4000
920	Carrier	Carrier air treatment cabinet on steel frame, type: RZR 11-800 566, 400 V, 4/16 kW, air quant: 9.73 m ³ /s, dimensions without steel frame: 6050 mm x 2000 mm x 2250 mm, dimensions including steel frame: 9800 mm x 2190 mm x 2350 mm.	2500
921	Systemair	Systemair explosion proof roof fan, type: DVVI-Ex 630D4-XS IE3+H2, serial number: 50089, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 6.6 A, 3 kW, 1424 rpm, weight: 209 kg, dimensions: 1300 mm x 1300 mm x 1550 mm.	750
922	Grasso Products B.V.	Grasso Products B.V. automatic air purger, number: 02109179, year of construction: 2002, 230 V, 50 Hz, 400 W, minimum temperature: -15 °C, maximum temperature: 45 °C, dimensions: 1000 mm x 1000 mm x 1250 mm.	300
923	NN fences	3 Steel fences, dimensions: 2600 mm x 500 mm x 1100 mm, 1 plastic fence, dimensions: 2000 mm x 400 mm x 1100 mm.	25
924	Bumax	Bumax fire resistant cage for gas bottles, number: 1820618, year of construction: 2018, fire resistance declaration: CA 14256-6-RA 002, dimensions: 2000 mm x 1400 mm x 2450 mm.	250
925	NN safety cage for gas bottles	Steel safety cage for gas bottles, dimensions: 1800 mm x 600 mm x 2500 mm.	250
926	NN storage tank	Insulated storage tank used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	7500
927	NN storage tank	Insulated storage tank used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	7500
928	NN storage tank	Insulated storage tank used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	7500



Nr	Title	Description	Start €
929	NN storage tank	Insulated storage tank with mixing arm used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	7500
930	NN storage tank	Insulated storage tank with mixing arm used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	7500
931	NN storage tank	Insulated storage tank with mixing arm used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	7500
932	Holvrieka	Holvrieka Insulated storage tank with mixing arm used for raw milk and butter milk, factory number: 061.250, year of construction: 2007, volume: 233.000 litre, dimensions: Ø 6300 mm x 10750 mm.	15000
933	NN platform	S/s platform, working height: 860 mm, total dimensions: 14000 mm x 2300 mm x 1770 mm.	750
934	Pomac	Pomac centrifugal pump, dimensions: 600 mm x 300 mm x 450 mm.	200
935	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 240910, year of construction: 2019, 50 Hz, power: 7.5 kW, dimensions: 750 mm x 400 mm x 450 mm.	300
936	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 246434, year of construction: 2019, 50 Hz, power: 7.5 kW, dimensions: 750 mm x 400 mm x 450 mm.	300
937	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 240911, year of construction: 2019, 50 Hz, power: 7.5 kW, dimensions: 750 mm x 400 mm x 550 mm.	300
938	Pomac	Pomac centrifugal pump, type: CP19544/140 x 7, serial number: 22 547, year of construction: 08/2011, 400 V, 50 Hz, power: 2.2 kW, capacity: 8.2 m³/h, dimensions: 600 mm x 300 mm x 350 mm.	300
939	Endress + Hauser	Endress + Hauser flowmeter, type: Promag H / Promag 300, year of construction: 12/2020, capacity: 282 m³/h, dimensions: 700 mm x 200 mm x 350 mm.	150
940	Endress + Hauser	Endress + Hauser flowmeter, type: Promag H / Promag 300, year of construction: 03-2021, capacity: 282 m³/h, dimensions: 700 mm x 200 mm x 350 mm.	150



Nr	Title	Description	Start €
941	Nocado / Alfa Laval	Manifold with approximately 50 Nocado and Alfa Laval valves, dimensions: 3800 mm x 2400 mm x 1500 mm. Including 3 s/s switch cabinet, dimensions: 400 mm x 220 mm x 400 mm, 1000 mm x 300 mm x 1000 mm, 770 mm x 220 mm x 770 mm.	2500
942	NN hose reel	S/s hose reel with plastic hose and spray pistol, dimensions reel: 500 mm x 350 mm x 200 mm.	75
943	NN hygiene equipment	2 plastic boards with hygiene equipment, dimensions: (2x) 1000 mm x 2000 mm.	100
944	NN tank	S/s tank, tank dimensions: Ø 2200 mm x 2300 mm, total dimensions: Ø 2400 mm x 3500 mm.	2500
945	Gedore	Gedore tool cabinet, dimensions: 1800 mm x 170 mm x 890 mm.	50
946	NN lockers	4 steel lockers, dimensions: (3x) 450 mm x 500 mm x 1800 mm, 600 mm x 550 mm x 1850 mm.	75
947	NN switch cabinet	2 s/s switch cabinet, dimensions: 1200 mm x 600 mm x 2100 mm, 800 mm x 600 mm x 2100 mm.	400
948	Zarges	Zarges aluminium ladder, maximum capacity: 150 kg, working height: 1600 mm, total dimensions: 1500 mm x 800 mm x 2400 mm.	50
949	NN pipes	S/s frame with various s/s pipes, frame dimensions: 900 mm x 400 mm x 2050 mm.	100
950	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm, steel rack, 4 floors, floor dimensions: 1000 mm x 400 mm, total dimensions: 1000 mm x 400 mm x 2000 mm.	50
951	NN soap dispenser	Soap dispenser, dimensions: 500 mm x 400 mm x 1400 mm.	25
952	NN tub	Mobile s/s tub with drain, inside dimensions: 700 mm x 500 mm x 350 mm, total dimensions: 1000 mm x 600 mm x 750 mm.	25
953	NN pallet lifter	Steel Pallet lifter, fork length: 1150 mm, total dimensions: 1550 mm x 500 mm x 1200 mm.	75
954	NN pallet lifter	Steel pallet lifter, fork length: 1150 mm, total dimensions: 1550 mm x 500 mm x 1200 mm.	75
955	NN cabinet	Cabinet, dimensions: 1200 mm x 450 mm x 2000 mm.	25
956	NN cord strap	Cord strap trolley, plastic strap width: 12 mm, total dimensions: 1200 mm x 450 mm x 2000 mm.	25
957	NN writing desk	Writing desk, dimensions: 800 mm x 640 mm x 1180 mm.	20
958	NN sink with faucet	S/s sink with 3 faucets, dimensions: 1800 mm x 420 mm x 400 mm.	175



Nr	Title	Description	Start €
959	J.Plymoth	J.Plymoth air extraction unit with steel beam, beam length: 2200 mm, tube length: 4000 mm.	175
960	Manutan	Manutan trolley, maximum capacity: 300 kg, dimensions: 900 mm x 600 mm x 900 mm.	25
961	Creusen Industrial	Creusen Industrial sanding belt, belt width: 75 mm, total dimensions: 1050 mm x 500 mm x 1200 mm.	150
962	Flott / Huvema	S/s table with Flott column drill, type: B10, dimensions: 500 mm x 600 mm x 1000 mm, Huvema grinder, type: HU 200 BG, serial number: 14280, year of construction: 06/2017, 400 V, 50 Hz, 0.45 kW, grinding disc diameter: 200 mm, dimensions: 480 mm x 270 mm x 300 mm, total dimensions: 1400 mm x 800 mm x 900 mm.	400
963	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 550 mm x 1480 mm.	50
964	Nederman	Nederman hose reel with plastic air hose and spray pistol, dimensions: 400 mm x 150 mm x 300 mm.	75
965	Johnson Diversey	Johnson Diversey mobile high pressure cleaner, type: ME 25-2, number: 14225, year of construction: 2004, 400 V, 3 Ph, maximum pressure: 25 bar, maximum temperature: 70° C, capacity: 60 litre per minute, dimensions: 1500 mm x 600 mm x 900 mm.	250
966	Cazeneuve	Cazeneuve lathe, dimensions: 2800 mm x 1250 mm x 1450 mm.	750
967	NN cabinet	Steel cabinet, dimensions: 400 mm x 340 mm x 850 mm.	20
968	NN working bench	Steel working bench, dimensions: 1250 mm x 600 mm x 800 mm. Without content.	25
969	Edmo	Edmo mobile lift, type: WP 90L Angle-an, model: 101717002000, serial number: 26610/138620, year of construction: 08/19, platform dimensions: 500 mm x 400 mm, lifting height: 1250 mm, total dimensions: 750 mm x 460 mm x 1350 mm. 1 wheel is broken.	20
970	Maschinenbaugesellschaft Sinn	Maschinenbaugesellschaft Sinn column drill, type: MS III, factory number: 01517, year of construction: 1962, dimensions: 1800 mm x 1400 mm x 1900 mm.	750
971	NN tourniquet	S/s frame for tourniquet, dimensions: 900 mm x 200 mm x 1150 mm.	25
972	Mubea	Mubea metal cutter, working width: 200 mm, total dimensions: 1300 mm x 700 mm x 800 mm.	50



Nr	Title	Description	Start €
973	L. Te Strake	L. Te Strake manual punch press, dimensions: 900 mm x 460 mm x 1200 mm.	50
974	NN frame	Steel frame, dimensions: 1500 mm x 400 mm x 1050 mm.	20
975	Dantherm S.p.A.	Dantherm S.p.A. heater, model: B 15 EPB, serial number: 07C42019300, year of construction: 07.2022, 380/400 V, 3 Ph, 50 Hz, 22 A, 15 kW, dimensions: 500 mm x 250 mm x 500 mm.	25
976	Bomar	Bomar bandsaw machine, model: Ergonomic 275.230 DG, number: 6657, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 16 A, 2.0 kW, weight: 310 kg, working width: 200 mm, total dimensions: 1500 mm x 1250 mm x 1450 mm.	750
977	Geodore	Geodore working bench, dimensions: 2000 mm x 1000 mm x 1800 mm, including 2 stools, dimensions: (2x) Ø 400 mm x 830 mm. Including content.	200
978	NN pipes	5 steel wall mounted frames with large amount of pipes and beams, various diameters and lengths, frame dimensions: (5x) 600 mm x 300 mm x 1900 mm.	1500
979	NN memo and white boards	3 memo boards and 2 white boards.	20
980	Dantherm S.p.A.	Dantherm S.p.A. dehumidifier, model: DH 732 P, serial number: 85642008081, year of construction: 07.2022, 220/240 V, 50 Hz, 2.2 A, 500 W, weight: 18.5 kg, dimensions: 350 mm x 350 mm x 700 mm.	50
981	NN first aid kit	Plastic first aid kit, dimensions: 450 mm x 350 mm x 180 mm.	25
982	NN plumber spare parts	Large amount of various plumber spare parts, among others: couplings, pipe closures, pipes, etc.	500
983	Fort	Fort steel wheelbarrow, dimensions: 1500 mm x 600 mm x 800 mm.	15
984	NN drip trays with oil	10 steel drip trays, dimensions: (10x) 2400 mm x 800 mm x 200 mm, 5 drip shelves, dimensions: (5x) 940 mm x 370 mm x 120 mm. Including various oils.	400
985	Pressol	Pressol oil collecting tank, dimensions: 600 mm x 500 mm x 1130 mm.	25
986	NN cabinet	Steel cabinet, dimensions: 1200 mm x 400 mm x 1800 mm.	50
987	NN hoses	3 wooden shelves with hoses, various tube diameter and lengths.	500
988	NN hose connectors	Various s/s hose connectors and parts.	250



Nr	Title	Description	Start €
989	NN various chain hoists	5 various chain hoists.	50
990	Etna	Etna microwave, model: SMV2220WIT, dimensions: 500 mm x 360 mm x 300 mm. Defect.	15
991	Black + Decker	Black + Decker leaf blower, model: GWC3600L20, 36 V, 5 A, dimensions: 900 mm x 300 mm x 200 mm. Without battery.	15
992	NN office inventory	Office inventory, consisting of: 5 desks, dimensions: (2x) 2200 mm x 1400 mm x 770 mm, (2x) 2000 mm x 1000 mm x 760 mm, (1x) 2400 mm x 2400 mm x 800 mm, cabinet, dimensions: 900 mm x 420 mm x 1930 mm, various white boards. Without computer equipment.	175
993	Sharp	Sharp microwave, type: R-2S56, dimensions: 450 mm x 330 mm x 300 mm.	15
994	Etna	Etna refrigerator, model: KVV655WIT, serial number: 21160389, 220/240 V, 1 Ph, 50 Hz, 0.75 A, 100 W, refrigerant: R600a, 21 g, volume: 109 litre, dimensions: 550 mm x 600 mm x 870 mm.	50
995	Etna	Etna refrigerator, model: KVV655WIT, serial number: 21162422, 220/240 V, 1 Ph, 50 Hz, 0.75 A, 100 W, refrigerant: R600a, 21 g, volume: 109 litre, dimensions: 550 mm x 600 mm x 870 mm.	50
996	NN office inventory	2 Desks, dimensions: (2x) 1000 mm x 600 mm x 750 mm, 2 chairs, dimensions: (2x) 550 mm x 650 mm x 820 mm, Samsung television, dimensions: 1100 mm x 640 mm. Without computer equipment.	75
997	NN bar tables	2 plastic bar tables, dimensions: (2x) Ø 800 mm x 1120 mm.	20
998	Andrews	Andrews air conditioning, model: Polar Wind Style, year of construction: 01/2021, 220/240 V, 1 Ph, 50 Hz, 1550 W, weight: 35 kg, refrigerant: R290, 0.30 kg, dimensions: 450 mm x 400 mm x 840 mm.	25
999	NN document control panel	Plastic wall mounted document control panel, dimensions: 2000 mm x 100 mm x 2000 mm.	75
1000	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 550 mm x 2000 mm.	100
1001	NN rack with valve parts	Steel rack with various valves and parts, 10 floors, floor dimensions: 980 mm x 400 mm, total dimensions: 2080 mm x 400 mm x 2000 mm.	500



Nr	Title	Description	Start €
1002	Altisafe	4 Altisafe bags with personal safety harness, model: P-30, serial number: 18204320, year of construction: 10.2018, dimensions: (4x) 400 mm x 400 mm x 600 mm.	100
1003	NN rack with parts	Steel rack with various parts, 14 floors, floor dimensions: 1000 mm x 500 mm, total dimensions: 2100 mm x 500 mm x 2300 mm.	400
1004	NN desk	Desk, dimensions: 1600 mm x 800 mm x 720 mm. Including content.	50
1005	Elsto	Elsto motor, dimensions: 600 mm x 600 mm x 500 mm.	50
1006	NN trolley	Steel trolley, dimensions: 1000 mm x 350 mm x 800 mm.	20
1007	Manutan	Manutan trolley, maximum capacity: 300 kg, dimensions: 900 mm x 600 mm x 900 mm.	20
1008	NN trolley	Steel trolley, dimensions: 1000 mm x 450 mm x 1100 mm.	20
1009	NN trolley	Steel trolley, dimensions: 550 mm x 550 mm x 1150 mm.	20
1010	NN working bench	Steel working bench with wooden top, dimensions: 1500 mm x 1000 mm x 860 mm. Including content en roller conveyor, steel rollers, roller width: 480 mm, dimensions roller conveyor: 850 mm x 650 mm x 860 mm.	50
1011	Elabo / Vogel	Steel working bench with wooden top and Elabo / Vogel measuring testing unit, dimensions: 2000 mm x 880 mm x 1350 mm.	100
1012	NN working benches	4 working benches with vice, dimensions: (4x) 2700 mm x 800 mm x 2350 mm. Including content.	300
1013	Mölnlycke	2 paper roll holders, dimensions: 450 mm x 450 mm x 900 mm, 450 mm x 450 mm x 900 mm.	15
1014	NN waste bins	3 waste bins, dimensions: (3x) Ø 420 mm x 600 mm.	15
1015	Verline	Verlinde steel beam with chain hoist, beam type: PR5-2.0, serial number: 921889/01-CHP17791, year of construction: 06/2009, capacity: 500 kg, Verlinde hoist type: VL2 504b1, serial number: 0927205155, year of construction: 02/07/2009, 400 V, 3 Ph, 50 Hz, 0.8/0.2 kW, capacity: 500 kg, dimensions: 2200 mm x 500 mm x 3150 mm.	1000
1016	Wesma	Wesma mobile tool box, dimensions: 650 mm x 300 mm x 540 mm. Including content.	50
1017	NN trolley with pump parts	Steel trolley with pump parts, dimensions: 1300 mm x 800 mm x 1130 mm.	25



Nr	Title	Description	Start €
1018	Danfoss	Danfoss centrifugal pump, type: CR32-4 A-F-A-E-H00E, model: B96122013P11443, serial number: 0027, 50 Hz, 7.50 kW, capacity: 30 m ³ /h, dimensions: 350 mm x 300 mm x 1100 mm.	25
1019	Pomac	Pallet with Pomac centrifugal pump and s/s pump cover, pump type: ZA48066, serial number: 26 643, year of construction: 06.2016, power: 18.5 kW, capacity: 60 m ³ /h, dimensions: 550 mm x 400 mm x 550 mm.	300
1020	SEW-Eurodrive	SEW-Eurodrive motor, model: DRN10014/FG/TF, serial number: 90.8009585601.0001.21, year of construction: 2021, 220/230/380/400 V, 1/3 Ph, 50 Hz, 11.50/6.60 A, 3.01 kW, weight: 37 kg, dimensions: 400 mm x 300 mm x 300 mm.	50
1021	Cruse Hüb & Fördersysteme	Cruse Hüb & Fördersysteme mobile lifting platform, platform dimensions: 1200 mm x 740 mm, capacity: 500 kg, total dimensions: 1400 mm x 740 mm x 1050 mm.	100
1022	Travaini / Pomac	Pallet with Travaini vacuum pump, type: 32-60/CYZ, serial number: HC745, year of construction: 2020, Pomac centrifugal pump, type: CP19544/160 x 7, serial number: 20711, year of construction: 2008, capacity: 10 m ³ /h, various motors, total dimensions: 1200 mm x 800 mm x 600 mm.	75
1023	SEW-Eurodrive	SEW-Eurodrive motor for lobe pump, dimensions: 1150 mm x 450 mm x 550 mm.	100
1024	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 240912, year of construction: 2019, 50 Hz, power: 7.5 kW, dimensions: 750 mm x 400 mm x 500 mm.	250
1025	Waukesha Cherry Burrell	Waukesha Cherry Burrell part for lobe pump, model: 180 U2, serial number: 1000003447049, year of construction: 18/10/16, dimensions: 600 mm x 250 mm x 500 mm.	400
1026	NN motor and centrifugal pump	Pallet with Brook Crompton motor and centrifugal pump, dimensions: 1200 mm x 800 mm x 500 mm.	150
1027	Hilge / Pomac	Pallet with centrifugal pump and Hilge / Pomac parts for centrifugal pumps, dimensions: 1200 mm x 1000 mm x 500 mm.	150



Nr	Title	Description	Start €
1028	Grundfos / Busch	Pallet with Grundfos inline pump, type: 80-400/2 B-F-A-BQQE, model: A96732227P207120002 2, capacity: 114.8 m ³ /h, dimensions: 900 mm x 400 mm x 450 mm, Busch part for vacuum pump, type: SV 1040 C 000, serial number: V16440262, capacity: 48 m ³ /h, dimensions: 400 mm x 200 mm x 200 mm.	250
1029	NN parts for centrifugal pumps	Pallet with parts for centrifugal pumps, dimensions: 1200 mm x 800 mm x 400 mm.	150
1030	Pomac	Pomac centrifugal pump, type: CP15544 / 115X7, serial number: 26 969, year of construction: 09/2016, 230/400 V, 50 Hz, power: 1.1 kW, capacity: 20 m ³ /h, dimensions: 700 mm x 250 mm x 350 mm.	250
1031	Alfa Laval	2 Alfa Laval centrifugal pumps, type: (1x) LKH-40, serial number: 180858, year of construction: 2015, type: (1x) LKH-25, serial number: 24091, year of construction: 2019, dimensions: (2x) 700 mm x 500 mm x 500 mm. Incomplete.	300
1032	NN part for lobe pump	Part for lobe pump, type: 750 mm x 400 mm x 400 mm.	150
1033	Waukesha Cherry Burrel	Pallet with 3 Waukesha Cherry Burrel lobe pump heads, model: 120156, serial number: U1 134, year of construction: 2019, serial number: 192846, year of construction: 96, serial number: 204913, year of construction: 97, dimensions: 1200 mm x 1000 mm x 600 mm.	500
1034	Pomac / Waukesha Cherry Burrel	Pallet with Pomac lobe pump head, type: PLP 3-3 Bi-Wing, serial number: 26 132, year of construction: 12-2015, 230/400 V, 50 Hz, power: 4 kW, capacity: 15 m ³ /h, Waukesha Cherry Burrel lobe pump head, dimensions: 1200 mm x 800 mm x 500 mm.	250
1035	Alfa Laval	Alfa Laval centrifugal pump, type: LKH-25, serial number: 240914, year of construction: 2019, 50 Hz, power: 2.5 kW, dimensions: 1200 mm x 800 mm x 600 mm.	300
1036	NN centrifugal pumps	Pallet with 3 centrifugal pumps, dimensions: 1200 mm x 1000 mm x 800 mm.	250
1037	NN pallet rack	Steel pallet rack, consisting of: 3 uprights, dimensions: 900 mm x 2300 mm, 8 beams, length: 2700 mm.	250
1038	NN cabinet	S/s cabinet with safety equipment, dimensions: 750 mm x 500 mm x 2050 mm.	75
1039	NN water pump	S/s water pump, dimensions: Ø 150 mm x 1750 mm.	75



Nr	Title	Description	Start €
1040	Grundfos	Grundfos centrifugal pump, type: CRI10-22 A-P-I-E-HQQE, model: A96501261 P31249, serial number: 0001, 50 Hz, 7.5 kW, capacity: 10 m ³ /h, dimensions: 250 mm x 200 mm x 1400 mm.	100
1041	Nilfisk	Nilfisk high pressure cleaner, model: E 130.2, dimensions: 400 mm x 300 mm x 1000 mm.	25
1042	NN tool cleaning station	Tool cleaning station, dimensions: 720 mm x 550 mm x 900 mm.	50
1043	Betex	Betex portable induction heater on steel trolley, model: 24-RLDi, serial number: BE016862, year of construction: 2014, 230 V, 50/60 Hz, 16 A, dimensions: 700 mm x 450 mm x 1050 mm.	500
1044	NN lifting platform	S/s lifting platform, dimensions: 900 mm x 600 mm x 240 mm.	20
1045	Alkitronic/Hitachi	2 cabinets with large amount of tools, among other Alkitronic, Hitachi, etc dimensions: (2x) 1200 mm x 500 mm x 2100 mm.	500
1046	NN tools	Steel wall mounted frame with various tools, dimensions: 3000 mm x 2000 mm.	250
1047	Alkitronic/Hitachi	S/s cabinet with large amount of tools, hoist parts, dimensions: 1600 mm x 500 mm x 2100 mm.	500
1048	Bosch/Hitachi/Metabo	Steel cabinet with various tools, among others: Bosch, Metabo and Hitachi, dimensions: 950 mm x 400 mm x 1950 mm.	250
1049	NN tools	Steel cabinet with large amount of tools, dimensions: 730 mm x 700 mm x 1160 mm.	100
1050	NN power cables	Steel wall mounted frame with power cables, dimensions: 1500 mm x 1000 mm.	100
1051	NN cutting torch	Mobile cutting torch, dimensions: 530 mm x 500 mm x 1100 mm.	150
1052	Lincoln Electric Italia s.r.l.	Lincoln Electric Italia s.r.l. welding machine on trolley, type: Invertec V160-TP, serial number: I2 05 04 02626, 230 V, 1 Ph, 50/60 Hz, 23.6/30.4 A, dimensions: 600 mm x 500 mm x 1100 mm.	250
1053	Zarges	3 Zarges ladders, maximum capacity: 150 kg, working height: (1x) 1100 mm, total dimensions: 500 mm x 200 mm x 1800 mm, working height (1x) 1700 mm, total dimensions: 500 mm x 200 mm x 2400 mm, working height: (1x) 2200 mm, total dimensions: 500 mm x 200 mm x 3000 mm.	100
1054	Alfa Laval	Steel racks with Alfa Laval service kits, spare parts for Alfa Laval, Samson, Endress Hauser, and connection parts for pipes, dimensions: 7250 mm x 1000 mm x 2170 mm.	1500
1055	NN spare parts	Steel cabinet with various sensors, dimensions: 670 mm x 260 mm x 1580 mm.	75



Nr	Title	Description	Start €
1056	NN electrical parts	Steel racks with large amount of electrical parts, sensors, brands among others, dimensions: 7250 mm x 1000 mm x 2170 mm.	750
1057	NN rack	Steel rack with plastic trays, 5 floors, floor dimensions: 1000 mm x 600 mm, total dimensions: 1000 mm x 600 mm x 1400 mm.	50
1058	Overtoom	Overtoom cabinet with letter tags, dimensions: 1270 mm x 250 mm x 2000 mm.	75
1059	NN cabinet with parts	Steel cabinet with various plugs, power outlets, etc, dimensions: 1050 mm x 630 mm x 2170 mm.	100
1060	NN spare parts	Steel rack with plastic hoses, rubbers wires, steam gaskets, seals, and O-rings, dimensions: 5150 mm x 600 mm x 2170 mm.	750
1061	Festo	Steel rack with Festo pneumatic cylinders, clamping sleeves, seals, and other spare parts, dimensions: 6350 mm x 600 mm x 2170 mm.	1500
1062	NN bearings	Steel rack with large amount of bearings and oil rings, dimensions: 6350 mm x 600 mm x 2300 mm.	1000
1063	NN tools	Steel cabinet with drills, taps, bearings and other tools, dimensions: 1020 mm x 500 mm x 2200 mm.	200
1064	NN tools and parts	Steel rack with various tools and spare parts, dimensions: 3100 mm x 500 mm x 1500 mm.	400
1065	NN wheels	Steel rack with various wheels, dimensions: 3100 mm x 430 mm x 2000 mm.	350
1066	NN electrical cables and rubber tubes	3 steel racks with various electrical cables and rubber tubes, rack dimensions: (3x) 3100 mm x 430 mm x 2000 mm.	500
1067	Philips	Rack with large amount of various Philip lights, dimensions: 1520 mm x 3000 mm x 1800 mm.	250
1068	Siemens/Texas Instruments/Danfoss	Large amount of Siemens/Texas Instruments/ Danfoss PLC and electrical parts. Please notice, the 2 shelves marked with the letter X on the picuteres are not included.	5000
1069	Mettler-Toledo GmbH	Mettler-Toledo GmbH control screen, type: X-Terminal-HMI, serial number: 3405387, dimensions: 500 mm x 350 mm x 200 mm.	150
1070	NN rack	Steel rack with plastic trays, total dimensions: 2100 mm x 500 mm x 2300 mm.	150
1071	NN parts for steam boiler	Steel rack with various parts for steam boiler, among others: valves, filters, tec, dimensions rack: 1950 mm x 600 mm x 2020 mm.	500



Nr	Title	Description	Start €
1072	NN valves and parts	Steel rack with various parts, among other, valves, Samson steam valves, GEA heat exchanger, etc, total dimensions: 1000 mm x 600 mm x 2000 mm.	500
1073	Nijhuis/Westfalia	Steel rack with various spare parts, among others, parts for Nijhuis DAF unit, valves, parts for pumps, sieves, flowmeters, Westfalia parts, parts for butter mixing line, etc, total dimensions: 4100 mm x 600 mm x 2180 mm.	500
1074	NN trolley	Steel trolley, dimensions: 1000 mm x 550 mm x 1250 mm.	15
1075	NN stool	Stool, dimensions: Ø 600 mm x 550 mm.	15
1076	Alfa Laval	Alfa Laval heat exchanger, type: CB110-30L, serial number: AAD002765735, year of construction: 2024-06-26, dimensions: 650 mm x 150 mm x 200 mm, crate dimensions: 800 mm x 300 mm x 380 mm.	300
1077	Egli/Siat	2 steel racks with Siat box closing machine and Egli packaging machine spare parts, dimensions: (2x) 4100 mm x 500 mm x 2180 mm.	500
1078	Demag	2 steel racks with various transport belts, Demag spare parts and spare parts for robots, dimensions: (2x) 4100 mm x 500 mm x 2180 mm.	500
1079	NN stairs	Steel stairs, working height: 500 mm, total dimensions: 420 mm x 500 mm x 830 mm.	15
1080	Wampfler	Wampfler part for electrically driven hose reel, type: 80.2/10, serial number: 002, year of construction: 95, dimensions: 950 mm x 480 mm x 480 mm. Incomplete.	25
1081	Alfa Laval	Steel rack with various Alfa Laval valves and spare parts for Alfa Laval valves, dimensions: 2050 mm x 500 mm x 2200 mm.	500
1082	Alfa Laval	Steel rack with various Alfa Laval valves, service kits and spare parts for Alfa Laval valves, dimensions: 2050 mm x 500 mm x 2200 mm.	500
1083	APV /Alfa Laval	3 boxes with APV / Alfa Laval valves and parts, dimensions: 600 mm x 400 mm x 600 mm.	50
1084	Burkert/Grundfos/APV	Steel rack with Burkert, Grundfos, and APV parts, dimensions: 2050 mm x 500 mm x 2200 mm.	500
1085	NN rollers	Steel rack with large amount of plastic and s/s rollers for roller conveyors, dimensions: 1050 mm x 530 mm x 2200 mm.	175
1086	NN motors and parts	Wooden rack with various electro motors and spare parts, dimensions: 3050 mm x 300 mm x 2120 mm.	300



Nr	Title	Description	Start €
1087	Berson/Samson/APV	Rack with large amount of various motors, valves and other spare parts, among others: Berson, Samson, APV, SPX, etc, dimensions: 3200 mm x 1000 mm x 2000 mm.	1000
1088	NN cabinet	Steel cabinet, dimensions: 1060 mm x 500 mm x 1100 mm. Including content.	50
1089	NN chains	9 Plastic trays with chains, dimensions: (9x) 500 mm x 300 mm x 150 mm.	50
1090	Slingerland Techniek	Slingerland Techniek blower, type: BP201-C/4sisw/IEC71/RD/Ex, year of construction: 06/2014, 230/400 V, 3 Ph, 50 Hz, 0.25 kW, 1372 rpm, dimensions: 400 mm x 600 mm x 800 mm.	50
1091	NN waste bin	Plastic waste bin, dimensions: 500 mm x 300 mm x 800 mm.	20
1092	NN transport belts	2 plastic mesh belts, belt width: 500 mm, total dimensions: 400 mm x 400 mm x 1050 mm.	25
1093	Giss	Giss mobile tool trolley, dimensions: 700 mm x 520 mm x 600 mm.	25
1094	NN crates	5 plastic crates, dimensions: (5x) 600 mm x 400 mm x 150 mm.	15
1095	Asecos	Asecos fire resistant cabinet, model: Q90.195.120, serial number: A0101-160389-0816-4, year of construction: 2016, dimensions: 1200 mm x 610 mm x 1950 mm. Including content.	150
1096	NN cabinet	Steel cabinet, dimensions: 1000 mm x 530 mm x 1960 mm.	50
1097	Kemper	Kemper blower on steel trolley, dimensions: 1150 mm x 700 mm x 1100 mm.	100
1098	NN electrical parts	Steel rack with various electrical parts, dimensions: 1060 mm x 500 mm x 2300 mm.	250
1099	NN electrical parts	4 steel racks with various electrical parts, dimensions: (4x) 1060 mm x 500 mm x 2300 mm.	500
1100	NN electrical and pneumatic parts	4 steel racks with various electrical and pneumatic parts, dimensions: (4x) 1060 mm x 500 mm x 2300 mm.	500
1101	NN valves	2 steel racks with various spare parts for valves, dimensions: (2x) 1060 mm x 500 mm x 2300 mm.	400
1102	NN valves	Steel rack with various spare parts for valves, dimensions: 1060 mm x 500 mm x 2300 mm.	400
1103	NN electrical cable	Wooden reel with electrical cable, dimensions: Ø 750 mm x 550 mm.	50
1104	NN cable ladder	Cable ladder, dimensions: Ø 850 mm x 550 mm.	25
1105	Giss	Giss mobile tool trolley, dimensions: 700 mm x 520 mm x 600 mm.	50



Nr	Title	Description	Start €
1106	Raasm S.p.A.	Raasm s/s hose reel with plastic hose and spray pistol, model: 422-20bar, serial number: 2017112007.0007, dimensions: 450 mm x 200 mm x 450 mm.	150
1107	NN office inventory	Office inventory consisting of: 3 office desks, dimensions: (2x) 2100 mm x 1400 mm x 710 mm, 1000 mm x 1700 mm x 700 mm, table, dimensions: 2200 mm x 1200 mm x 770 mm, 8 chairs, dimensions: (6x) 600 mm x 500 mm x 850 mm, (2x) 600 mm x 700 mm x 900 mm. 3 White boards. Without computer equipment.	150
1108	NN stairs	Aluminium stairs, working height: 950 mm, total dimensions: 900 mm x 500 mm x 1580 mm.	50
1109	NN protection railing	S/s protection railing, dimensions: 1400 mm x 50 mm x 950 mm.	25
1110	NN cabinet	Glass cabinet, dimensions: 400 mm x 400 mm x 1800 mm.	25
1111	NN office inventory	Office inventory consisting of: 2 chairs, dimensions: (2x) 700 mm x 700 mm x 750 mm, 2 tables, dimensions: 400 mm x 300 mm x 400 mm, 500 mm x 300 mm x 500 mm. Without computer equipment.	50
1112	NN office inventory	Office inventory consisting of: desk, dimensions: 1800 mm x 1000 mm x 770 mm, 2 tables, dimensions: 2200 mm x 1100 mm x 720 mm, 1000 mm x 600 mm x 700 mm, 4 cabinets, dimensions: (3x) 1200 mm x 450 mm x 720 mm, 800 mm x 420 mm x 600 mm, 5 chairs, dimensions: 600 mm x 500 mm x 900 mm, white board. Without computer equipment.	150
1113	Samsung	Samsung television, dimensions: 910 mm x 530 mm.	75
1114	NN office inventory	Office inventory consisting of: desk, dimensions: 5600 mm x 1150 mm x 760 mm, 3 chairs, dimensions: (3x) 600 mm x 600 mm x 1000 mm, cabinet, dimensions: 1000 mm x 450 mm x 1950 mm. Without computer equipment.	175
1115	Pelco	Pelco monitor, dimensions: 570 mm x 350 mm.	25
1116	LG	LG television, dimensions: 900 mm x 600 mm.	25
1117	NN office inventory	Office inventory consisting of 10 cabinets, dimensions: (5x) 1250 mm x 450 mm x 1950 mm, (3x) 1200 mm x 450 mm x 450 mm, 1210 mm x 450 mm x 710 mm, 1200 mm x 450 mm x 1100 mm. Without computer equipment.	400



Nr	Title	Description	Start €
1118	NN office inventory	Office inventory consisting of: 2 desks, dimensions: 2800 mm x 2000 mm x 740, 1600 mm x 800 mm x 750 mm, 4 chairs, dimensions (4x) 600 mm x 600 mm x 800 mm, cabinet, dimensions: 1200 mm x 450 mm x 1950 mm, white board. Without computer equipment.	125
1119	NN office inventory	Office inventory consisting of: 3 desks, dimensions: (2x) 1600 mm x 800 mm x 750 mm, 1600 mm x 1000 mm x 750 mm, 3 cabinets, (3x) 800 mm x 420 mm x 560 mm, 2 white boards. Without computer equipment.	125
1120	Bosch	Bosch dishwasher, type: SIP1B, number: ;SGS2ITW11E, 220/240 V, 1 Ph, 50/60 Hz, 10/16 A, 2000/2400 W, dimensions: 590 mm x 600 mm x 850 mm.	25
1121	NN cabinets	2 wooden cabinets, dimensions: (2x) 890 mm x 340 mm x 1980 mm.	50
1122	Liebherr	Liebherr refrigerator, type: 1760 Index 20 / 001, serial number: 44.765.465.1, 220/240 V, 50 Hz, 0.8 A, refrigerant: R 600a/22 g, volume: 160 litre, dimensions: 600 mm x 650 mm x 850 mm,	25
1123	NN office inventory	Office inventory consisting of: 6 desks, dimensions: (6x) 1800 mm x 900 mm x mm, 1 table, dimensions: Ø 800 mm x 740 mm, 4 cabinets, dimensions: (4x) 1000 mm x 440 mm x 2000 mm, Intimus and Fellowes shredder, dimensions: 660 mm x 450 mm x 1050 mm, 300 mm x 550 mm x 550 mm. Without computer equipment.	125
1124	Samsung	Samsung television, dimensions: 1230 mm x 710 mm.	100
1125	Lips	Lips safe, dimensions: 900 mm x 850 mm x 1530 mm.	275
1126	NN office inventory	Office inventory consisting of: table, dimensions: 3200 mm x 2400 mm x 760 mm, 8 chairs, dimensions: (8x) 600 mm x 500 mm x 900 mm, 2 cabinets, dimensions: 1200 mm, 440 mm x 1600 mm, 430 mm x 370 mm x 1640 mm, 2 white boards. Without computer equipment.	200
1127	Optoma	Optoma beamer with projection screen, beamer dimensions: 400 mm x 300 mm x 150 mm, screen width: 2300 mm.	50
1128	NN office inventory	Office inventory consisting of: 2 desks, dimensions: (2x) 1600 mm x 1000 mm x 760 mm, 25 chairs, dimensions: (25x) 600 mm x 500 mm x 900 mm, white board. Without computer equipment.	150



Nr	Title	Description	Start €
1129	NN office inventory	Office inventory consisting of: desk, dimensions: 2300 mm x 1200 mm x 720 mm and white board. Without computer equipment.	50
1130	NN office inventory	Office inventory consisting of: 5 desks, dimensions: (2x) 2600 mm x 1600 mm x 780 mm, 1600 mm x 1000 mm x 700 mm, 1600 mm x 800 mm x 780 mm, 1700 mm x 950 mm x 750 mm, 4 chairs, dimensions: (4x) 600 mm x 500 mm x 750 mm, 4 cabinets, dimensions: (2x) 800 mm x 420 mm x 580 mm, (2x) 1200 mm x 450 mm x 1950 mm, 3 waste bins, dimensions: (3x) 400 mm x 300 mm x 700 mm. Without computer equipment.	125
1131	NN office inventory	Office inventory consisting of: 4 desks, dimensions: (2x) 1600 mm x 800 mm x 740 mm, 2450 mm x 1500 mm x 740 mm, 1600 mm x 1000 mm x 740 mm, 5 chairs, dimensions: (3x) 560 mm x 600 mm x 800 mm, (2x) 700 mm x 600 mm x 900 mm, 3 cabinets, dimensions: (2x) 800 mm x 420 mm x 580 mm, white board. Without computer equipment.	125
1132	NN office inventory	Office inventory consisting of: 8 tables, dimensions: (6x) 2000 mm x 1000 mm x 750 mm, 1000 mm x 800 mm x 720 mm, 2000 mm x 1000 mm x 700 mm, 20 chairs, dimensions: (2x) 550 mm x 550 mm x 800 mm, 2 white boards. Without computer equipment.	250
1133	Manutan	2 Manutan fans, 220/240 V, 1 Ph, 50 Hz, 50 W, dimensions: (2x) 450 mm x 400 mm x 1300 mm.	25
1134	Andrews	Andrews air conditioning, model: Polar Wind Style, year of construction: 01/2021, 220/240 V, 1 Ph, 50 Hz, 1550 W, weight: 35 kg, refrigerant: R290, 0.30 kg, dimensions: 450 mm x 400 mm x 840 mm.	50
1135	Optoma	Optoma beamer with projection screen, beamer dimensions: 400 mm x 300 mm x 150 mm, screen dimensions: 2300 mm x 1600 mm.	50
1136	NN lockers	14 steel lockers, dimensions: (14x) 400 mm x 500 mm x 1900 mm.	250
1137	NN office inventory	Office inventory consisting of: 6 desks, dimensions: (2x) 1600 mm x 800 mm x 760 mm, (2x) 2100 mm x 1500 mm x 760 mm, 1600 mm x 1000 mm x 700 mm, 1800 mm x 800 mm x 650 mm, 7 chairs, dimensions: (7x) 550 mm x 550 mm x 950 mm, 4 cabinets, dimensions: (4x) 1200 mm x 450 mm x 1950 mm, 2 white boards. Without computer equipment.	175



Nr	Title	Description	Start €
1138	NN office inventory	Office inventory consisting of: 4 desks, dimensions: (2x) 2300 mm x 1300 mm x 770 mm, (2x) 1750 mm x 950 mm x 770 mm, 5 cabinets, dimensions: (3x) 800 mm x 420 mm x 600 mm, (2x) 1200 mm x 440 mm x 2000 mm, 2 white boards. Without computer equipment.	125
1139	NN desks	2 desks, dimensions: (2x) 1600 mm x 800 mm x 750 mm.	25
1140	NN chairs	12 chairs, dimensions: (12x) 700 mm x 600 mm x 1000 mm.	25
1141	NN soap dispenser	Soap dispenser, dimensions: 500 mm x 400 mm x 1400 mm.	25
1142	NN hygiene and safety equipment	2 steel racks, 1 trolley and 1 cabinet with hygiene and safety equipment, dimensions: (2x) 4150 mm x 500 mm x 2250 mm, 1000 mm x 700 mm x 900 mm, 1000 mm x 500 mm x 1950 mm.	250
1143	NN crates	11 plastic crates, dimensions: (11x) 400 mm x 300 mm x 130 mm.	15
1144	Liebherr	Liebherr freezer, type: GS 800-2, serial number: 8778084, 220 V, 50 Hz, volume: 60 litre, refrigerant: R12/0.055 kg, dimensions: 550 mm x 650 mm x 630 mm.	25
1145	NN table	S/s table, dimensions: 1550 mm x 650 mm x 730 mm.	15
1146	Johnson Diversey	Johnson Diversey drip tray, dimensions: 350 mm x 600 mm x 1350 mm.	50
1147	Philips	Philips microwave, type: AKB 115/PH/01, number: C-067/81, 220 V, 1 Ph, 50 Hz, 13 A, 2.7 kW, inside dimensions: 530 mm x 350 mm x 200 mm, total dimensions: 600 mm x 600 mm x 480 mm.	15
1148	TopCold	TopCold refrigerator, model: XP140/2M, serial number: 101914109, 220/240 V, 50 Hz, 1.2 A, 260 W, refrigerant: R290/105 gram, 4 floors, floor dimensions: 530 mm x 650 mm, total dimensions: 1500 mm x 820 mm x 2100 mm.	300
1149	Proline	Proline washing machine, model: FP8140WH, serial number: 392004122, 220/240 V, 1 Ph, 50 Hz, 10 A, 2000 W, capacity: 8 kg, dimensions: 600 mm x 600 mm x 800 mm.	25
1150	NN writing desk	S/s writing desk with wooden top, dimensions: 750 mm x 680 mm x 1200 mm.	15
1151	Tüv	Tüv air conditioning, model: AC-12000M, serial number: 0301074, 230 V, 1 Ph, 50 Hz, 4.2 A, 850 W, refrigerant: R-407C/480 g, dimensions: 400 mm x 350 mm x 750 mm.	25



Nr	Title	Description	Start €
1152	NN cabinet	Steel cabinet, dimensions: 1000 mm x 400 mm x 2000 mm.	25
1153	NN temperature check system	3 s/s frames with digital temperature check system, dimensions: (3x) 480 mm x 440 mm x 1650 mm.	75
1154	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, serial number: 28 2028, maximum pressure: 200 bar, dimensions: 600 mm x 300 mm x 600 mm.	150
1155	Bauer Südlohn	1 Bauer Südlohn drip tray, type: WM-4/400, year of construction: 2007, volume: 400 litre, dimensions: 1200 mm x 1200 mm x 430 mm, 2 steel drip trays, dimensions: (2x) 800 mm x 800 mm x 550 mm. Without chemicals.	75
1156	Altop	Altop dosing cabinet for endurochlor on s/s frame with 2 plastic tubs, dimensions: 2400 mm x 1300 mm x 2550 mm. Containers are not included.	750
1157	Altop	Altop dosing cabinet for brightwash on s/s frame with 2 plastic tubs, dimensions: 2400 mm x 1300 mm x 2550 mm. Containers are not included.	750
1158	Altop	Altop dosing cabinet for nitric acid on s/s frame with 2 plastic tubs, dimensions: 2400 mm x 1300 mm x 2550 mm. Containers are not included.	750
1159	Altop	Altop dosing cabinet for sulphuric acid on s/s frame with 2 plastic tubs, dimensions: 2400 mm x 1300 mm x 2550 mm. Containers are not included.	750
1160	NN switch cabinet	S/s switch cabinet with control panel, dimensions: 1800 mm x 600 mm x 2050 mm.	1000
1161	NN spill unit	Mobile spill unit, dimensions: 850 mm x 600 mm x 700 mm.	25
1162	NN platform	Aluminium platform, dimensions: 650 mm x 600 mm x 400 mm.	25
1163	Trionyx	Trionyx fire resistant cabinet, dimensions: 1120 mm x 550 mm x 1900 mm.	100
1164	NN drip tray	Steel drip tray, dimensions: 800 mm x 800 mm x 550 mm.	25
1165	Denios	2 Denios drip trays, type: KTC-Station Duo, year of construction: 2016, capacity: 1000 litre, dimensions: (2x) 2500 mm x 1400 mm x 500 mm.	50
1166	Altop	Altop distribution cabinet for nitric acid, dimensions: 600 mm x 300 mm x 400 mm.	100



Nr	Title	Description	Start €
1167	Johnson Diversey / Elpress	Johnson Diversey / Elpress cleaning system with enduro chlorine, 2 Grundfos pumps, dimensions: 1200 mm x 900 mm x 1950 mm.	500
1168	Altop	Altop dosing cabinet for caustic soda, dimensions: 1600 mm x 700 mm x 2350 mm.	750
1170	Altop / Nijhuis Water Technolgy	Altop / Nijhuis Water Technolgy polymer unit, consisting of: plastic cabinet with dosing pumps, dimensions: 1300 mm x 600 mm x 2050 mm, Nijhuis Water Technolgy polymer unit, dimensions: 1400 mm x 1250 mm x 1650 mm, drip tray, dimensions: 1500 mm x 900 mm x 500 mm.	1500
1171	Altop	Altop plastic storage tank for PAX 14 with emergency tank on s/s frame with IBC tank on top, type storage tank: Opslagtank PAX 14, serial number: T-21-23426-230, year of construction: 01/2022, capacity: 1250 litre, type emergency tank: Calamiteitentank PAX 14, serial number: T-21-23426-231, year of construction: 01/2022, capacity: 1500 litre, dimensions: 1650 mm x 1800 mm x 2950 mm.	1500
1172	Altop	Altop dosing cabinet for PAX 14, dimensions: 1050 mm x 600 mm x 2050 mm. Including s/s switch cabinet, dimensions: 600 mm x 200 mm x 600 mm.	750
1173	WaterSam	WaterSam self-emptying sampler, model: WS 316, serial number: 410 622, year of construction: 2009, 230 V, 50/60 Hz, inside dimensions: 500 mm x 500 mm x 900 mm, total dimensions: 700 mm x 700 mm x 1570 mm.	500
1174	Endress + Hauser	Endress + Hauser flowmeter, type: Promag W/ Promag 10, serial number: SA284519000, dimensions: 500 mm x 300 mm x 140 mm.	150
1175	Nijhuis Water Technolgy	Nijhuis Water Technolgy flocculator with Altop injection system for PAX 14 and sulphuric acid, dimensions: 2800 mm x 800 mm x 1850 mm.	1000
1176	NN platform	S/s platform, working height: 520 mm & 800 mm, total dimensions: 1600 mm x 1250 mm x 800 mm.	50
1177	NN table	S/s table, dimensions: 520 mm x 400 mm x 880 mm.	15
1178	Haca Leitern	Haca Leitern aluminium platform, working height: 400 mm, total dimensions: 500 mm x 500 mm x 1550 mm.	20
1179	Polet	Polet mobile hose reel with plastic hose, dimensions: 500 mm x 400 mm x 900 mm.	15
1180	NN waste bag holder	Steel waste bag holder, dimensions: 500 mm x 500 mm x 1350 mm.	15



Nr	Title	Description	Start €
1181	Zarges	Zarges aluminium ladder, maximum capacity: 150 kg, working height: 2100 mm, total dimensions: 1600 mm x 650 mm x 2800 mm.	25
1182	Denios	Denios mobile lifter for tubs, type: Fasslifter Servo FL 8-SK, serial number: 111236081-000100-001, year of construction: 2018, capacity: 300 kg, clearance: Ø 550 mm, lifting height: 1250 mm, total dimensions: 1150 mm x 850 mm x 1620 mm	100
1183	Lutz	Lutz pump, model: B2 Vario, serial number: 0002-505019157, 220/240 V, 1 Ph, 50 Hz, 0.9 A, 200 W, dimensions: 250 mm x 100 mm x 1300 mm.	25
1184	NN ladder	Aluminium ladder, dimensions: 400 mm x 80 mm x 2600 mm.	25
1185	NN safety shower	Safety shower and Cederroth eye wash, dimensions: 350 mm x 400 mm x 2500 mm.	75
1186	NN cabinet	S/s cabinet with personal safety equipment, dimensions: 600 mm x 550 mm x 1900 mm.	100
1187	NN protection pole	S/s protection pole, dimensions: Ø 200 mm x 1030 mm.	15
1188	Nijhuis Water Technolgy	Nijhuis Water Technolgy flotation unit (DAF) with s/s platform, working height: 2400 mm, total dimensions: 4500 mm x 5250 mm x 4000 mm. Dimensions s/s switch cabinet: 1600 mm x 400 mm x 2300 mm.	4000
1189	NN elevating belt	Elevating belt for sludge, elevating height: 1650 mm, total dimensions: 3300 mm x 900 mm x 2800 mm.	2500
1190	Nijhuis	Nijhuis sludge dewatering screw press, model: NISD200, serial number: IP006831, year of construction: 2020, 230/400 V, 3 Ph, 50 Hz, 5 kW, dimensions: 3100 mm x 1300 mm x 2300 mm. S/s switch cabinet, dimensions: 1300 mm x 400 mm x 1200 mm.	2500
1191	NN stairs	Aluminium stairs, working height: 1550 mm, total dimensions: 1500 mm x 650 mm x 2200 mm.	25
1192	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
1193	Goavec S.A.	Goavec S.A. s/s tank with agitator and platform, type: Fermentation, serial number: 92 FB 02, year of construction: 10/92, volume: 10.000 litre, dimensions: 3500 mm x 3000 mm x 6100 mm.	2000
1194	Endress + Hauser	Endress + Hauser flowmeter, type: Promag W, serial number: JAIDFC19000, dimensions: 220 mm x 222 mm x 400 mm.	150



Nr	Title	Description	Start €
1195	Endress + Hauser	Endress + Hauser flowmeter, type: Promag 30 F/ Promag F, dimensions: 220 mm x 200 mm x 400 mm.	150
1196	Hiltra	Hiltra steel storage container for chemicals, dimensions: 4200 mm x 1400 mm x 3800 mm.	250
1197	NN soap dispenser	Soap dispenser, dimensions: 500 mm x 400 mm x 1400 mm.	25
1198	NN tubs	2 plastic tubs, dimensions: 1200 mm x 800 mm x 800 mm, 500 mm x 500 mm x 500 mm.	25
1199	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
1200	Dancop International GmbH	Dancop International GmbH mobile telescopic trailer stand, type: DVS1, year of construction: 2023, weight: 56 kg, maximum capacity: 40.000 kg, dimensions: 750 mm x 750 mm x 1350 mm.	50
1201	Fladafi	Fladafi steel storage container, dimensions: 2100 mm x 2100 mm x 2150 mm.	300
1202	Safe Master	Safe Master steel storage container, dimensions: 1430 mm x 1050 mm x 1670 mm.	150
1203	Johnson Diversey	2 Johnson Diversey drip trays, dimensions: (2x) 350 mm x 600 mm x 1660 mm.	25
1204	Bos	Bos steel storage container, dimensions: 3100 mm x 6500 mm x 2370 mm.	500
1205	NN desks	6 desks, dimensions: (6x) 5100 mm x 1450 mm x 740 mm.	25
1206	NN salt sprinkler trolley	Salt sprinkler trolley, dimensions: 850 mm x 600 mm x 850 mm.	25
1207	NN de-icing salt	2 pallets with 47 bags of de-icing salt, 20 kg each bag, dimensions: (2x) 1200 mm x 800 mm x 600 mm.	25
1208	NN refrigerator	Refrigerator, dimensions: 650 mm x 600 mm x 1250 mm.	25
1209	Comarme	Comarme box closing machine, model: GEM 520, serial number: AZ026577, year of construction: 2005, 400 V, 50 Hz, 1 A, 280 W, weight: 144 kg, s/s rollers, roller width: 520 mm, total dimensions: 1200 mm x 850 mm x 1550 mm.	150
1210	NN roller conveyors	2 extendable mobile roller conveyors, s/s rollers roller width: 230 mm, total dimensions: 1800 mm x 600 mm x 800 mm, 2300 mm x 550 mm x 800 mm.	150
1211	Eurostore bvba	Eurostore bvba steel water tank, installation date: June 1994, capacity: 750 m ³ , dimensions: Ø 7600 mm x 19500 mm. Please notice that the tank will be available at the end of the project in December 2025.	60000



Nr	Title	Description	Start €
1212	Frigotronic	Frigotronic chiller, type: HZB-WU-CSH 8561 ECO, number: 0024900, year of construction: 08/2007, 230/400 V, 3 Ph, 50 Hz, 93.75 kW, weight: 2.742 kg, refrigerant: R507/247.65 kg, dimensions: 2500 mm x 1500 mm x 1550 mm.	1250
1213	Güntner AG & Co. KG	Güntner AG & Co. KG condenser, type: GVH 100.2B/2x3-E(D), serial number: 100/1079233.0001, year of construction: 2007, dimensions: 7600 mm x 2650 mm x 1450 mm.	1500
1214	NN lockers	44 steel lockers and 6 benches, locker dimensions: (10x) 900 mm x 500 mm x 1750 mm, (30x) 900 mm x 500 mm x 1620 mm, (4x) 600 mm x 500 mm x 1750 mm, bench dimensions: (6x) 1950 mm x 750 mm x 420 mm.	1500
1215	NN waste bag holders	3 steel waste bag holders, dimensions: (3x) 700 mm x 700 mm x 1300 mm.	25
1216	Eurom	Eurom fan, model: HVF 18-2, 220/240 V, 1 Ph, 50 Hz, 120 W, dimensions: 580 mm x 250 mm x 540 mm.	15
1217	Kärcher	Kärcher vacuum cleaner with other hygiene equipment, dimensions: 500 mm x 600 mm x 450 mm.	25
1218	Andrews	Andrews air conditioning, model: Polar Wind Style, year of construction: 01/2021, 220/240 V, 1 Ph, 50 Hz, 1550 W, weight: 35 kg, refrigerant: R290, 0.30 kg, dimensions: 450 mm x 400 mm x 840 mm.	50
1219	NN sink with faucet	S/s sink with faucet, dimensions: 400 mm x 320 mm x 500 mm.	25
1220	NN cabinet	Steel cabinet and steel locker, cabinet dimensions: 1000 mm x 450 mm x 1950 mm, locker dimensions: 420 mm x 500 mm x 1900 mm.	50
1221	NN cleaning trolley	Cleaning trolley, dimensions: 1000 mm x 400 mm x 900 mm.	25
1222	Wetrok	Wetrok vacuum cleaner, type: Wetrok Twinvac 18, number: 30401-0915-017381, 230 V, 1 Ph, 50/60 Hz, 1200 W, dimensions: 500 mm x 400 mm x 650 mm.	25
1223	NN canteen inventory	Canteen inventory consisting of: 11 tables, dimensions: (11x) 1600 mm x 800 mm x 750 mm, 37 chairs, chair dimensions: (37x) 500 mm x 600 mm x 770 mm. Please notice that this lot will be available at the end of the project in December 2025.	300
1224	NN plants	3 pots with plants, dimensions: (3x) 2400 mm x 400 mm x 400 mm.	100



Nr	Title	Description	Start €
1225	NN table football table	Table football table, dimensions: 1200 mm x 900 mm x 850 mm.	50
1226	NN clothing cabinets and lockers	30 steel clothing cabinets, clearance: 300 mm x 500 mm x 40 mm, total dimensions: (30x) 420 mm x 500 mm x 1900 mm, 6 lockers, locker dimensions: (6x) 400 mm x 500 mm x 1900 mm.	400
1227	NN trolley	Steel trolley, dimensions: 640 mm x 820 mm x 1720.	25
1228	Rentokil	Rentokil insect killer, dimensions: 550 mm x 130 mm x 280 mm.	50
1229	Silver King	Silver King milk dispenser, capacity: (2x) 10 litre, dimensions: 650 mm x 450 mm x 790 mm.	75
1230	Unox	Unox cup a soup dispenser, dimensions: 270 mm x 420 mm x 590 mm.	25
1231	Etna	2 Etna microwaves on frame, model: SMV220WIT, 230 V, 1 Ph, 50 Hz, 1280 W, capacity: 20 litre, dimensions: (2x) 520 mm x 370 mm x 760 mm. Please notice that this lot will be available at the end of the project in December 2025.	25
1232	Waterlogic	Waterlogic water dispenser, model: F-2000-M-CA-DC-CS-PHS, serial number: U14S11F15016-CN2, dimensions: 340 mm x 370 mm x 480 mm.	50
1233	NN soup warmers	2 soup warmers, dimensions: (2x) Ø 300 mm x 250 mm. Please notice that this lot will be available at the end of the project in December 2025.	100
1234	Liebherr	Liebherr refrigerator, type: 5710 Index 20K / 001, serial number: 81.541.879.3, 220/240 V, 50 Hz, 1.0 A, capacity: 569 litre, refrigerant: R 600 a/60 g, dimensions: 740 mm x 750 mm x 1860 mm. Please notice that this lot will be available at the end of the project in December 2025.	150
1235	Liebherr	Liebherr refrigerator, type: GKv 5710 Index 23J/ 001, serial number: 85.746.484.0, 220/240 V, 50 Hz, 1.5 A, capacity: 432 litre, refrigerant: R600a/40 g, dimensions: 740 mm x 750 mm x 1840 mm. Please notice that this lot will be available at the end of the project in December 2025.	150
1236	Liebherr	Liebherr s/s freezer, type: GGv 5860 Index 42C/ 001, serial number: 86.077.625.1, 220/240 V, 50 Hz, 3.0 A, capacity: 377 litre, refrigerant: R290/95 g, dimensions: 740 mm x 750 mm x 2070 mm. Please notice that this lot will be available at the end of the project in December 2025.	175



Nr	Title	Description	Start €
1237	Hobart GmbH	Hobart GmbH dish washer, model: FXS-10B, serial number: 866954938, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 6.80 kW, 11.70 A, dimensions: 600 mm x 600 mm x 820 mm. Please notice that this lot will be available at the end of the project in December 2025.	250
1238	Sunnex	2 Sunnex electrical soup warmers, 220-240 V, 50 Hz, 400-450 W, dimensions: (2x) Ø 380 mm x 350 mm.	50
1239	Fetra	Fetra aluminium trolley, dimensions: 500 mm x 700 mm x 1300 mm.	25
1240	Multideur	Multideur roller shutter door, dimensions: 2510 mm x 1250 mm. Please notice that this lot will be available at the end of the project in December 2025.	250
1241	NN sink with faucet	S/s sink with faucet, soap dispenser and blower, dimensions sink: 400 mm x 350 mm x 600 mm, dimensions blower: 300 mm x 200 mm x 220 mm.	75
1242	NN valves and hose	2 valves and hose, dimensions: 500 mm x 300 mm x 1000 mm.	200
1243	Alfa Laval	2 Alfa Laval valves and hose, dimensions: 500 mm x 300 mm x 1000 mm.	200
1244	Alga	Alga aluminium ladder, dimensions: 1150 mm x 60 mm x 4200 mm.	25
1245	NN hose	Hose, length: 4400 mm.	50
1246	Pomac / Hovap	Pomac centrifugal pump with 5 Hovap valves, pump type: CP19555 / 13X10, serial number: 26473, year of construction: 02/2016, capacity: 30 m³/h, dimensions: 600 mm x 200 mm x 500 mm.	300
1247	Endress + Hauser	Endress + Hauser flowmeter, type: Promag H/ Promag 300, volume: 66 m³/h, dimensions: 300 mm x 200 mm x 200 mm.	150
1248	NN sink with faucet	S/s sink with faucet, boiler, soap dispenser and paper dispenser, sink dimensions: 500 mm x 450 mm x 500 mm, boiler dimensions: 300 mm x 250 mm x 500 mm.	100
1249	Asecos	Asecos fire resistant cabinet, serial number: 589058/520/5, year of construction: 2005, dimensions: 1200 mm x 610 mm x 1950 mm	150
1250	NN tub	Mobile plastic tub, dimensions: 1000 mm x 590 mm x 980 mm.	25
1251	NN service trolley for inkjet printers	S/s service trolley for inkjet printer, dimensions: 800 mm x 500 mm x 1100 mm.	50
1252	Videojet	2 s/s trolleys for Videojet inkjet printers, dimensions: (2x) 900 mm x 900 mm x 900 mm.	50



Nr	Title	Description	Start €
1253	NN table	S/s table with plastic worktop, dimensions: 2000 mm x 760 mm x 850 mm.	50
1254	NN display for inkjet printer	S/s trolley with display for inkjet printer, dimensions: 900 mm x 900 mm x 1550 mm.	50
1255	NN table	S/s table, dimensions: 1500 mm x 800 mm x 770 mm.	50
1256	Videojet	Steel cabinet with various Videojet spare parts, dimensions: 900 mm x 420 mm x 2000 mm.	75
1257	Bosgraaf	Bosgraaf s/s waste bin, dimensions: 450 mm x 480 mm x 1070 mm.	50

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

