



**Industrial
Auctions**

**1907: Online auction machinery for the food
industry in Tegelen (NL)**

END DATE
11 September 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	11 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	18 September 2025 from 09:00 till 16:00 hrs.
Pick up address	Kaldenkerkerweg 5 5932 CS Tegelen Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG belt vacuum machine, type: VC999 K7B2, machine number: 1716114, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 20 AT, 4 kW, 6 bar, seal length: (2x) 90 mm, plastic belt, belt width: 610 mm, divider high: 10 mm, distance between dividers: 50 mm, total dimensions: 2800 mm x 1100 mm x 1650 mm. Without vacuum pump.	2500
2	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG dip tank, type: VC999 85.47iE20, machine number: 95T151451, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 40 AT, 20.5 kW, 6 bar, clearance: 540 mm x 380 mm, plastic roller belt, roller width: 460 mm, total dimensions: 1320 mm x 950 mm x 1470 mm.	500
3	Risco S.p.A.	Risco S.p.A. double shaft paddle mixer, model: RS 750, serial number: 1205001, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 7.8 kW, weight: 1010 kg, volume: 750 liter, dimensions: 2760 mm x 1170 mm x 1720 mm.	4000
4	Risco S.p.A.	Risco S.p.A. double shaft paddle mixer, model: RS 750, serial number: 1205004, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 7.8 kW, weight: 1010 kg, volume: 750 liter, dimensions: 2760 mm x 1170 mm x 1720 mm.	4000
5	Risco S.p.A.	Risco S.p.A. double shaft paddle mixer, model: RS 750, serial number: 1296006, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 32 A, 8.4 kW, volume: 750 liter, dimensions: 2760 mm x 1170 mm x 1720 mm.	3000
6	Risco S.p.A.	Risco S.p.A. double shaft paddle mixer, model: RS 750, serial number: 1207001, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 7.8 kW, weight: 1010 kg, volume: 750 liter, dimensions: 2760 mm x 1170 mm x 1820 mm.	4000
7	NN frame	S/s frame used for Risco RS750, dimensions: 1400 mm x 900 mm x 920 mm.	100
8	Unitherm Food Systems	Unitherm Food Systems belt grill, model: infra-red grill, s/s mesh belt, belt width: 1000 mm, total dimensions: 2120 mm x 1480 mm x 1680 mm.	2500
9	MPE	MPE traysealer, model: SL 1200, serial number: 1108, year of construction: 2013, 415 V, 3 Ph, 50 Hz, dye: 190 mm x 145 mm, total dimensions: 2750 mm x 780 mm x 1230 mm.	1500
10	MPE	MPE traysealer, model: SL 1200, serial number: 1109, year of construction: 2013, 415 V, 3 Ph, 50 Hz, dye: 190 mm x 145 mm, total dimensions: 2750 mm x 780 mm x 1230 mm. Damaged.	500



Nr	Title	Description	Start €
11	Normit	Normit cooling tank with mixer, serial number: 466 01400, year of construction: 1/2020, 380 V, 3 Ph, 50 Hz, 10.75 A, 3567 W, pressure: 28 bar, capacity: 1000 liter, weight: 285 kg, refrigerant: R449A, inside dimensions: Ø 1400 mm x 750 mm, total dimensions: 1500 mm x 2350 mm x 1360 mm.	2500
12	Carpigiani	Carpigiani mobile ice cream machine, model: EVD 3 P/ F, serial number: IC92070, 400 V, 3 Ph, 50 Hz, 25 A, 5.4 kW, refrigerant: R-404A, 1.1 kg, dimensions: 510 mm x 880 mm x 1780 mm. Incomplete.	500
13	Carpigiani	Carpigiani mobile ice cream machine, model: EVD 3 P/ F, serial number: IC90059, 400 V, 3 Ph, 50 Hz, 25 A, 5.4 kW, refrigerant: R-404A, 1.1 kg, dimensions: 510 mm x 880 mm x 1780 mm. Incomplete.	500
14	Carpigiani	Carpigiani mobile ice cream machine, model: EVD 3 P/ F, serial number: IC90060, 400 V, 3 Ph, 50 Hz, 25 A, 5.4 kW, refrigerant: R-404A, 1.1 kg, dimensions: 510 mm x 880 mm x 1780 mm. Incomplete.	500
15	Carpigiani	Carpigiani mobile ice cream machine, model: EVD 3 P/ F, serial number: IC92071, 400 V, 3 Ph, 50 Hz, 25 A, 5.4 kW, refrigerant: R-404A, 1.1 kg, dimensions: 510 mm x 880 mm x 1780 mm. Incomplete.	500
16	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: KONTI-E80E, machine number: KE80E 1 352170 WU, 400 V, 50 Hz, 5.25 kW, dimensions: 930 mm x 660 mm x 1610 mm. Including box with parts.	1800
17	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH vacuum filling machine, type: KONTI-C55, machine number: KC55 005633, year of construction: 2003, 400 V, 50 Hz, 5.8 kW, dimensions: 930 mm x 680 mm x 1600 mm. Including box with parts.	6000
18	Frey Maschinenbau GmbH	Frey Maschinenbau GmbH piston filler, type: KOMPAKTA-2, machine number: K2-30-411293, 380 V, 50 Hz, dimensions: 760 mm x 700 mm x 1240 mm. Including box with parts.	2000
19	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer with outfeed conveyor, model: Divider 800, machine number: 440104.61936.103279, year of construction: 2007, 380-400 V, 3 Ph, 50/60 Hz, 19.5 A, 8.2 kW, weight: 1250 kg, capacity up to 3200 cuts / min, slicing thickness range: 0.5 – 25 mm, plastic belt, belt width: 445 mm, total dimensions: 2900 mm x 1800 mm x 2150 mm, 2600 mm x 1200 mm x 1600 mm.	5000



Nr	Title	Description	Start €
20	BD Lift & Container Int. AB	BD Lift & Container Int. AB liftable double working platform, type: RLXY2-10/160-20, serial number: 071081799, capacity each platform: 1000 kg, dimensions platform: (2x) 1400 mm x 1000 mm, maximum lifting height: 1750 mm, total dimensions: 3300 mm x 2100 mm x 2250 mm.	1000
21	Interpac	Interpac mobile depositor, type: inter DOS 2, machine number: WK 116/04, year of construction: 2005, 400 V, 3 Ph, 16 A, 2 heads, diameter outfeed: (2x) 30 mm, total dimensions: 2250 mm x 1200 mm x 2350 mm. Incomplete.	750
22	RVS NON FERRO	RVS NON FERRO mobile filtration pump unit, number: 46172-TK01, year of construction: 2016, dimensions tank: Ø 600 mm x 620 mm, total dimensions: 2900 mm x 1100 mm x 2400 mm.	750
23	Hidro Mechanika	Hidro Mechanika heating tank on steel frame with Alfa Laval plate heat exchanger, type heating tank: HCLK-50-16, year of construction 1999, 4 kW, type heat exchanger: M3-FG, number: 30104-54430, year of construction: 1997, volume: 1liter, dimensions tank: Ø 700 mm x 1100 mm, total dimensions: 1300 mm x 1100 mm x 1600 mm.	500
24	Ilpra	Ilpra rotating lidding machine, model: Metticoperchi, serial number: A367, year of construction: 2012, 380 V, cup size: rectangular/oval 105 mm x 75 mm, capacity: 1200 cups per hour, total dimensions: 2250 mm x 800 mm x 1850 mm.	500
25	Ilpra	Ilpra rotating traysealer with vacuum and gas flush option, series: FP 800 V, type: FP800 V/G, number: A178, year of construction: 1991, 24 V, film width: 200 mm, cup size: rectangular/oval 105 mm x 75 mm, capacity: 1200 cups per hour, dimensions cup sealer: 1600 mm x 1500 mm x 1650 mm, dimensions cup dispenser: 560 mm x 500 mm x 1500 mm.	1000
26	Osby Parca AB	Osby Parca AB electric steam boiler, type: H 120 E, serial number: 120117, year of construction: 2005, 400 V, 3 Ph, 120 kW, capacity: 156 kg per hour, pressure: 19.7 bar, dimensions: 1900 mm x 1500 mm x 1800 mm.	1000
27	Bag Turgi	Bag Turgi mobile lamp, type: HGI-TS2000W/D/S, serial number lamp: 6-4329-2000, serial number projector: 7-4003-1237, including control panel with hour counter, 2000 W, dimensions: 500 mm x 500 mm x 1400 mm.	50
28	Nikon	Nikon microscope, dimensions: 850 mm x 600 mm x 700 mm.	250



Nr	Title	Description	Start €
29	Kärcher	Kärcher high pressure washer, model: HD 9/18-4 ST, serial number: 012558, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6.8 kW, weight: 69 kg, dimensions: 530 mm x 440 mm x 800 mm.	100
30	Ceia	Ceia metal detector with 2 rejectors, model: THS/SL, serial number: 20400215010, plastic belt, belt width: 200 mm, clearance: 300 mm x 127 mm, total dimensions: 1500 mm x 900 mm x 1200 mm.	400
31	NN disinfection unit	Hand disinfection unit, dimensions: 380 mm x 380 mm x 1300 mm.	20
32	HEPRO GmbH	HEPRO GmbH asparagus peeler, type: HSM-180, machine number: 0049-2002-2580, year of construction: 2020, 230 V, 1 Ph, 1.5 kW, dimensions: 2450 mm x 600 mm x 1400 mm.	4000
33	Vemag	Vemag mobile linking machine, model: LPG 202, number: 2020269, 220/240/400/460/575 V, 3 Ph, 50/60 Hz, 10 A, 3.5 kW, dimensions: 1350 mm x 1850 mm x 1530 mm. Including spare parts.	1500
34	NN roller conveyor	Roller conveyor, plastic belt, belt width: 240 mm, clearance: 300 mm x 50 mm, roller width: 280 mm, total dimensions: 3000 mm x 620 mm x 960 mm.	200
35	NN table	S/s table, dimensions: 760 mm x 720 mm x 510 mm.	20
36	NN transport belt	S/s mobile frame for transport belt, dimensions: 3600 mm x 550 mm x 950 mm. Incomplete, belt and motor are missing.	100
39	Cryovac	Cryovac shrink tunnel, model: CJ51T RH, serial number: 02073, year of construction: 1994, 380 V, 50 Hz, 23 A, 15 kW, plastic roller conveyor, roller width: 300 mm, clearance: 300 mm x 100 mm, total dimensions: 2100 mm x 900 mm x 1300 mm.	500
40	Reepack	Reepack traysealer, model: REEFLEX 200/2, serial number: 0504003, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 31 A, film width: 380 mm, dye: (12x) 80 mm x 70 mm, s/s chain belt with dividers, distance between dividers: 230 mm, total dimensions: 4560 mm x 930 mm x 1700 mm. Without vacuum pump.	400
41	Spaleck	S/s platform with Spaleck vibrating gutter, type: SFDU 120-70-1000, fabrication number: 153316, year of construction: 2006, gutter width: 120 mm, working height platform: 1220 mm, total dimensions: 1800 mm x 1800 mm x 2400 mm.	500
42	Gelmini	Gelmini mobile automatic portioning machine, model: SPG-00/1000, serial number: 1179, year of construction: 2001, 3 lanes, lane width: 80 mm, maximum length product: 1000 mm, maximum diameter product: 95 mm, total dimensions: 2850 mm x 900 mm x 1820 mm.	500



Nr	Title	Description	Start €
43	Safeline Mettler Toledo	Safeline Mettler Toledo X-ray machine with rejecter, model: ADV3, serial number: 821ADV3, year of construction: July 2007, 220 V, 50 Hz, 10 A, 2.2 kW, plastic belt, belt width: 340 mm, clearance: 370 mm x 200 mm, total dimensions: 1400 mm x 900 mm x 1800 mm. Rejecter bin missing.	500
44	Sleater & Co	Sleater & Co rejecter belt, number: 21842-101, year of construction: 2020, 230 V, plastic mesh belt, belt width: 410 mm, clearance: 540 mm x 130 mm, total dimensions: 900 mm x 920 mm x 1150 mm.	150
45	Reepack	Reepack traysealer, model: REEFLEX 150FS, serial number: 1006028, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 21 A, film width: 400 mm, dye: (1x) 290 mm x 180 mm, total dimensions: 2650 mm x 1000 mm x 1700 mm. Extra dyes, dimensions: (6x) 100 mm x 90 mm, (6x) Ø 100 mm, (6x) 110 mm x 90 mm. Without vacuum pump.	1500
46	TBS-Pack GmbH	TBS-Pack GmbH mobile flow packer, model: FWH-400, serial number: 160229, 220 V, 3.2 kW, seal width: 200 mm, plastic belt, belt width: 180 mm, total dimensions: 3000 mm x 850 mm x 1520 mm.	3000
47	RVR	RVR mobile vacuum mixer, inside dimensions: 650 mm x 600 mm x 700 mm, total dimensions: 1460 mm x 670 mm x 1200 mm.	400
48	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0400050, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 21 A, dye: (1x) 290 mm x 225 mm, plastic rollers, roller width: 480 mm, total dimensions: 2300 mm x 900 mm x 1780 mm.	2250
49	Waldys S.A.	Waldys S.A. packaging machine, model: B-223-XR, serial number: 9-90, year of construction: 2005, 400 V, 3 Ph, 50-60 Hz, 10 A, weight: 500 kg, string belt, belt width: 360 mm, 260 mm, total dimensions: 1500 mm x 1700 mm x 1500 mm.	1500
50	Arca Etichette Spa	Arca Etichette Spa mobile labelling machine, model: LM030CS102, serial number: 013347, year of construction: 03/2017, 110/230 V, 50/60 Hz, 700 W, dimensions: 1000 mm x 1100 mm x 2150 mm.	750
51	JA+F	JA+F lifter for boxes, type: 260/I, fabrication number: 98041C, year of construction: 1998, plastic infeed belt, belt width: 120 mm, dimensions lifting divider: 400 mm x 230 mm x 100 mm, plastic rollers, roller width: 280 mm, total dimensions: 2500 mm x 1300 mm x 3000 mm.	200
52	Thüringer Fleischereimaschinen	Thüringer Fleischereimaschinen vertical frozen block cutter, type: VFC-P500, machine number: 017, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 12 A, 5.5 kW, dimensions: 1160 mm x 1330 mm x 2550 mm.	1000



Nr	Title	Description	Start €
53	Zebra	Zebra label printer, model: S4M, serial number: 03C06260385, 90-264 V, 47-63 Hz, 3 A, 100 W, dimensions: 460 mm x 260 mm x 300 mm.	10
54	Logitrans	Logitrans s/s electric pallet lifter, type: EHL1004 RF+, year of construction: 2015, capacity: 1500 kg, fork length: 1200 mm. Technical condition unknown.	400
55	Eima	Eima sorting table, fabrication number: 311737730, year of construction: 2014, plastic rollers, roller width: 825 mm, plastic belt, belt width: 95 mm, total dimensions: 2800 mm x 1400 mm x 900 mm.	1500
56	Reepack	Reepack thermoformer, model: RFM/E40, serial number: T512002, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 34 A, dimensions dye: (2x) 160 mm x 180 mm, index: 300 mm, plastic outfeed belt, belt width: 300 mm, total dimensions: 4280 mm x 980 mm x 1710 mm. With pallet with parts and additional dye, dimensions dye: (2x) 325 mm x 90 mm. Without vacuum pump.	4000
57	NN roller conveyor	S/s roller conveyor, s/s rollers, roller width: 1000 mm, total dimensions: 1300 mm x 600 mm x 830 mm.	50
58	Square	Square metal detector, model: SDII3012WH, serial number: M097201671, 100-240 V, 50/60 Hz, plastic belt, belt width: 250 mm, clearance: 300 mm x 110 mm, total dimensions: 1800 mm x 640 mm x 1320 mm.	400
59	Espera	Espera labelling machine, type: ES 1210, 230 V, 50-60 Hz, 3 A, plastic belt, belt width: (2x) 140 mm, total dimensions: 1300 mm x 700 mm x 1750 mm.	1500
60	NN coating machine	S/s coating machine, inside dimensions tub: Ø 600 mm x 600 mm, diameter head: 20 mm, total dimensions: 1080 mm x 1000 mm x 2140 mm.	400
61	Walter Mattle AG	Walter Mattle AG mixer, type: U2.275, fabrication number: 043-4-04, year of construction: 1980, 380 V, 50 Hz, 2.2 kW, dimensions: 1550 mm x 1100 mm x 1680 mm.	400
62	Pökomat	Pökomat mobile injector, model: P20/310SL, serial number: 20116.1, 400 V, 6.4 A, 2600 W, 20 needles, weight: 300 kg, s/s mesh belt, belt width: 300 mm, clearance: 310 mm x 250 mm, total dimensions: 1900 mm x 700 mm x 2200 mm.	500
63	Alpha Technical Services	Alpha Technical Services yoghurt-fruit blender, type: WA15/30, serial number: 21206, dimensions: 1200 mm x 800 mm x 1980 mm.	400
64	BBC Technologies	BBC Technologies packaging table with 2-level transport belts, product: 3TPT, model: 80052, serial number: 116028, plastic belt, belt width: (2x) 410 mm, total dimensions: 3900 mm x 1000 mm x 1150 mm.	1000



Nr	Title	Description	Start €
65	BBC Technologies	BBC Technologies packaging table with 2-level transport belts, product: PT3T, model: 80052, serial number: 117554, plastic belt, belt width: (2x) 410 mm, total dimensions: 3900 mm x 1000 mm x 1150 mm.	1000
66	MSF-Technik	MSF-Technik mobile turning table, s/s top, steel frame, dimensions: ø 1500 mm x 900 mm.	500
67	MSF-Technik	MSF-Technik turning table, type: FD 370 KR IP54, 230 V, 3 Ph, 50/60 Hz, 0-250 Hz, s/s top, steel frame, dimensions: ø 1500 mm x 1030 mm.	500
68	Dorit	Dorit vacuum tumbler, type: VV-2-300, serial number: 223, 380 V, 3 Ph, 50 Hz, 1.8 A, 0.8 kW, Busch vacuum pump, type: RB 0021 C 3Z3, capacity: 24 m ³ per hour, dimensions: 1000 m x 1500 mm x 1500 mm.	3500
69	Multivac	Multivac labelling machine, type: L310, serial number: 351328, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 10 A, 2 kW, plastic belt, belt width: 90 mm, label width: 270 mm, total dimensions: 3850 mm x 1260 mm x 2000 mm.	8000
70	Multivac	Multivac labelling machine, type: L310, serial number: 351329, year of construction: 2024, 400 V, 3 Ph, 50 Hz, 10 A, 2 kW, plastic belt, belt width: 90 mm, label width: 270 mm, total dimensions: 3850 mm x 1260 mm x 2000 mm.	8000
71	Multivac	Multivac labelling machine, type: L320, machine number: 290271, year of construction: 2020, 400 V, 3 Ph, 2000 VA, plastic belt, belt width: 110 mm, total dimensions: 3600 mm x 1600 mm x 1900 mm.	4000
72	Seydelmann	Seydelmann double shaft ribbon mixer, type: MR 600, machine number: 16 670-1, year of construction: 2016, 400 V, 50 Hz, 40 A, 18 kW, weight: 1250 kg, volume: 600 liter, dimensions: 2000 mm x 1500 mm x 1960 mm. Including s/s platform, dimensions: 1450 mm x 920 mm x 1900 mm.	8000
73	Eckert	Eckert case erector, type: TRAYAUFRICHTER, machine number: 153, year of construction: 1998, plastic belt, belt width: 130 mm, 30 mm, Nordson glue unit, total dimensions: 3200 mm x 1500 mm x 2260 mm.	750
74	Sealpac	Sealpac thermoformer, type: RE25, machine number: 2500054, year of construction: 2011, 240/400 V, 3 Ph, 50 Hz, 30 A, 12 kW, film width: 410 mm, dye: 320 mm x 160 mm, plastic outfeed belt, belt width: 400 mm, total dimensions: 8700 mm x 1100 mm x 2150 mm. Without vacuum pump.	2000
75	Sealpac	Sealpac thermoformer, type: RE25, machine number: 2500161, year of construction: 2009, 240/400 V, 3 Ph, 50 Hz, 30 A, 12 kW, film width: 450 mm, dye: 390 mm x 350 mm, plastic outfeed belt, belt width: 400 mm, total dimensions: 8700 mm x 1100 mm x 2150 mm.	2000



Nr	Title	Description	Start €
76	Krause	Krause mobile ladder, working height: 1660 mm, total dimensions: 1900 mm x 950 mm x 2650 mm.	200
77	Scharfen	Scharfen tenderizer, type: Tender iT, number: 864204-1, 220/380 V, 6/4.5 A, 1100 W, working width: 250 mm, total dimensions: 700 mm x 580 mm x 880 mm.	100
78	Melior-Ganda Sprl	Melior-Ganda Sprl tenderizer, model: E93, machine number: 020680, year of construction: 2002, 230/400 V, 50 Hz, 5.60-3.20 A, 0.75 kW, working width: 250 mm, total dimensions: 600 mm x 600 mm x 1100 mm.	100
79	Uberr Gastrotechnik GmbH	Uberr Gastrotechnik GmbH heated showcase, dimensions: 1100 mm x 750 mm x 540 mm.	200
80	NN turning table	Turning table, s/s top, steel frame, dimensions: ø 2000 mm x 910 mm.	750
81	NN heating cabinet	S/s heating cabinet, dimensions: 1050 mm x 600 mm x 560 mm.	150
82	D&T Products	D&T Products coffee machine, type: FD520, 230 V, 50 Hz, 2800 W, 6 bar, dimensions: 450 mm x 360 mm x 700 mm.	50
83	Bartscher	Bartscher grill, model: 100.512, number: 5282, year of construction: 1996, 400 V, 2 Ph, 50/60 Hz, 3.9 kW, dimensions: 660 mm x 540 mm x 580 mm.	20
84	Bartscher	Bartscher rotisserie grill, serial number: 00634, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 5 kW, 3 baskets, dimensions baskets: (3x) 570 mm x 140 mm, total dimensions: 880 mm x 450 mm x 710 mm.	75
85	Küppersbusch	Küppersbusch grill, 2 floors, dimensions floors: (2x) 460 mm x 420 mm, total dimensions: 730 mm x 570 mm x 520 mm.	150
86	NN stove	4-pits electric stove, dimensions: 800 mm x 700 mm x 60 mm.	40
87	Uberr Gastrotechnik GmbH	Uberr Gastrotechnik GmbH fryer, type: ROFRY, serial number: RF-100-0398-1305, year of construction: 03-98, 400 V, 3 Ph, 50 Hz, 21 A, 14.5 kW, dimensions basket: 200 mm x 200 mm x 210 mm, total dimensions: 660 mm x 600 mm x 700 mm.	75
88	Alto-Shaam Inc.	Alto-Shaam Inc. cook and hold oven, model: AS-3000, serial number: 5421-33-492, 200-240 V, 50/60 Hz, 3000 W, 11 floors, dimensions floors: (11x) 530 mm x 630 mm, total dimensions: 900 mm x 770 mm x 640 mm.	40
89	Uberr Gastrotechnik GmbH	Uberr Gastrotechnik GmbH rotisserie grill, model: Convex, RT Serie, 6 baskets, dimensions basket: (6x) 460 mm x 170 mm, total dimensions: 800 mm x 700 mm x 910 mm.	200



Nr	Title	Description	Start €
90	Criosbank Refrigeration	Criosbank Refrigeration mobile refrigerated showcase, model: ARTEMIS PJ321/E9005IS/S/F, serial number: AM06001690, 230 V, 1 Ph, 50 Hz, 6.7 A, refrigerant: R404A / 1 kg, inside dimensions: 1250 mm x 1050 mm x 240 mm, total dimensions: 1300 mm x 1150 mm x 920 mm.	50
91	NN inliner	Inliner, plastic belt, belt width: 380 mm, total dimensions: 1900 mm x 700 mm x 1000 mm.	300
92	Bizerba	Bizerba metal detector with rejector, type: GLS 350/200/150/290, serial number: 2003-02-0474, year of construction: 2003, 230 V, 50/60 Hz, 0.5 A, plastic belt, belt width: 300 mm, clearance: 350 mm x 170 mm, total dimensions: 1300 mm x 1250 mm x 1140 mm.	300
93	Trepko	Trepko cup denester for preformed cups, type: Cup.M., machine number: 3547, year of construction: 2001, 380 V, 3 Ph, 50/60 Hz, capacity: 1500 cups per hour, cup diameter: Ø 95 mm, dimensions: 1400 mm x 1000 mm x 2000 mm. Cover damaged.	150
94	NN roller conveyors	3 mobile roller conveyors, plastic rollers, roller width: 540 mm, total dimensions: 4000 mm x 600 mm x 880 mm, (2x) 3050 mm x 600 mm x 880 mm.	600
95	NN work table	Work table with s/s top, dimensions: 2000 mm x 700 mm x 900 mm.	75
96	Risco	Risco vacuum filling machine, model: RS 2005 V, serial number: H195004, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 63 A, 12 kW, dimensions: 1600 mm x 1100 mm x 2700 mm.	500
97	NN rollies	12 rollies, 9 steel rollies, dimensions: (9x) 820 mm x 600 mm x 200 mm and 3 plastic rollies, dimensions: (3x) 760 mm x 420 mm x 180 mm.	75
98	NN traysealer	Traysealer, model: QDF95-2, film width: 230 mm, dye: 210 mm x 160 mm, total dimensions: 630 mm x 410 mm x 800 mm.	500
99	Cool Compact	Cool Compact refrigerator, inside dimensions: 1280 mm x 500 mm x 680 mm, total dimensions: 1640 mm x 860 mm x 1460 mm.	200
100	Multivac	Multivac transport belt, type: Transportband, serial number: 20103044, year of construction: 2013, s/s frame, plastic mesh belt, belt width: 150 mm, total dimensions: 1750 mm x 500 mm x 1050 mm.	400
101	Polaris	Polaris s/s refrigerated counter, type: KSTP 03 710 DX, serial number: BN020084275, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 300 W, refrigerant: R404a, dimensions: 700 mm x 1560 mm x 900 mm.	200



Nr	Title	Description	Start €
102	Ilapak s.p.a.	Ilapak s.p.a. flowpacker, type: UNO, serial number: 019 97, year of construction: 1997, 380 V, 50 Hz, 5000 W, plastic belt with dividers, distance between dividers: 430 mm, plastic belt, belt width: 220 mm, total dimensions: 6700 mm x 1350 mm x 1490 mm.	2000
103	NN waste bag holder	S/s mobile waste bag holder, inside dimensions: (2x) 360 mm x 230 mm, total dimensions: 600 mm x 430 mm x 950 mm.	5
104	Alto-Shaam Inc.	Alto-Shaam Inc. heated showcase, dimensions: 1230 mm x 660 mm x 780 mm.	40
105	Beer	Beer mobile au-bain-marie, dimensions: 800 mm x 660 mm x 1300 mm.	150
106	Kiekens Products	Kiekens Products dust extractor, type: DM-55913 L-Atec, fabrication number: W13-1482-01, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 0.55 kW, dimensions: 1350 mm x 1600 mm x 2550 mm, 2900 mm x 1000 mm x 300 mm.	750
107	Reepack	Reepack thermoformer, model: RFM/E40, serial number: T512003, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 34 A, dimensions dye: 320 mm x 180 mm, index: 300 mm, plastic outfeed belt, belt width: 300 mm, total dimensions: 4280 mm x 980 mm x 1710 mm. Without vacuum pump.	2000
108	NN server cabinet	Steel server cabinet, dimensions: 1000 mm x 800 mm x 2120 mm.	75
111	Cryovac	Cryovac dip tank, model: ST77 RHS, serial number: A51600512, year of construction: 2000, 380/415 V, 50 Hz, 16 A, 4 kW, 6 bar, clearance: 800 mm x 300 mm, s/s mesh belt, belt width: 720 mm, total dimensions: 1200 mm x 1350 mm x 2000 mm.	400
112	MR	MR checkweigher with rejector, model: DACS-W-030-SB/WP-I-N(CTS), serial number: 560588, year of construction: 09/2010, 230 V, 1 Ph, 50 Hz, 2 A, maximum weight: 3000 g, plastic belt, belt width: 300 mm, total dimensions: 1700 mm x 1000 mm x 1500 mm.	400
113	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 300 mm, total dimensions: 2020 mm x 440 mm x 910 mm.	80
114	Siat S.p.a.	Siat S.p.a. mobile box closing machine with top and bottom taper, model: SM11/89, serial number: 19967, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 1.4 A, 240 W, dimensions: 1560 mm x 900 mm x 1660 mm.	150
115	Wipotec	Wipotec labelling machine, serial number: 0003733, year of production: 2006, plastic belt, belt width: 300 mm, total dimensions: 1400 mm x 650 mm x 1800 mm.	100



Nr	Title	Description	Start €
116	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 300 mm, distance between dividers: 305 mm, divider height: 50 mm, elevating height: 1200 mm, total dimensions: 2400 mm x 600 mm x 1420 mm.	400
117	Valko	Valko traysealer on s/s trolley, film width: 340 mm, dye: 260 mm x 155 mm and 150 mm x 120 mm, total dimensions traysealer: 700 mm x 450 mm x 540 mm, total dimensions trolley: 840 mm x 560 mm x 1400 mm.	500
118	NN paraffin bath	Mobile paraffin bath, dimensions: 1250 mm x 600 mm x 1050 mm.	75
119	NN filling head	Mobile frame with filling head, 8x4 filling heads, dimensions: 740 mm x 400 mm x 1500 mm.	75
120	Tarrington House	Tarrington House raclette grill, type: RG2081 RE, dimensions box: 200 mm x 620 mm x 320 mm.	75
121	Tristar	Tristar coffee machine, type: CM-1244, dimensions box: 220 mm x 240 mm x 510 mm.	10
122	Krups	Krups handmixer, type: GN5021, dimensions box: 170 mm x 260 mm x 200 mm.	40
123	NN denester	Denester, dye: (2x) 150 mm x 110 mm, total dimensions: 680 mm x 650 mm x 1740 mm. Including extra tray mould, dimensions: (2x) 120 mm x 93 mm.	100
124	NN screen	Mobile plastic screen, dimensions: 3100 mm x 700 mm x 1940 mm.	50
125	Höfelmeyer	Höfelmeyer indicator for weighing scale, model: HKW2843HE-C7.55-A-3.75-S, serial number: 6113276, year of construction: 2018, 400 V, 50 Hz, 1.55 kVA, weighing range: 150 gram - 2500 gram, dimensions: 800 mm x 870 mm x 1850 mm.	200
126	AEW Delford	AEW Delford checkweigher, model: G2200-01, serial number: 92774, year of construction: 2003, 415 V, 3 Ph, 50/60 Hz, 3 A, minimum weight: 10 g, maximum weight: 990 g, belt width: 350 mm, total dimensions: 1600 mm x 900 mm x 1430 mm.	400
127	Loma Systems	Loma Systems rejector belt, plastic belt, belt width: 250 mm, total dimensions: 900 mm x 1000 mm x 1160 mm.	300
128	Weiss Enet Industrietechnik B.V.	Weiss Enet Industrietechnik B.V. climate cabinet, 230 V, 4.1 A, refrigerant: R404A, 0.71 kg, 2 floors, floor dimensions: 530 mm x 650 mm, total dimensions: 710 mm x 800 mm x 1150 mm.	75
129	Siat S.p.a.	Siat S.p.a. mobile box closing machine, model: SK2 A, serial number: 3131, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 1.08 A, 260 W, plastic rollers, roller width: 500 mm, total dimensions: 1500 mm x 750 mm x 1500 mm.	75



Nr	Title	Description	Start €
130	Electrolux	Electrolux oven, model number: 9764 01, 380 V, 3 Ph, 50 Hz, 9 floors, dimensions floors: (9x) 540 mm x 320 mm, total dimensions: 850 mm x 830 mm x 1700 mm.	75
131	Bosch	Bosch checkweigher, type: KWE 4000, number: 809005, year of construction: 2005, 230 V, 50 Hz, 400-600 kPa, plastic belt, belt width: 120 mm, total dimensions: 1000 mm x 1350 mm x 2000 mm.	200
132	NN tub	Plastic tub on mobile s/s frame, dimensions: 1040 mm x 600 mm x 900 mm.	40
133	Bravilor Bonamat	Bravilor Bonamat coffee machine, dimensions: 600 mm x 300 mm x 220 mm.	20
134	Animo	2x Animo coffee dispenser, type: DE, number: 12285, 220 V, 150 W, volume: 5 liter, dimensions: (2x) Ø 200 mm x 420 mm.	5
135	Restomat	Restomat grill, model: KFT-4E, number: 11098700, 220/380 V, 3 Ph, 50 Hz, grill dimensions: 500 mm x 350 mm, total dimensions: 600 mm x 400 mm x 400 mm.	75
136	Mecaplast	Mecaplast traysealer, type: 2002, number: 5093, year of construction: 09.2001, dimensions dye: (3x) 120 mm x 100 mm, film width: 430 mm, total dimensions: 3500 mm x 900 mm x 1700 mm. Without vacuum pump.	400
137	Talsa	Talsa mobile mixer, model: MIX 150 PT, serial number: 97544, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 14.55 A, 1.65 kW, s/s bowl, volume: 150 liter, total dimensions: 800 mm x 1100 mm x 1200 mm.	1000
138	NN vibrating gutter	Mobile vibrating gutter, gutter width: 290 mm, total dimensions: 1300 mm x 750 mm x 1500 mm.	400
139	Digi	Digi mobile weigh-, wrap-, and label machine, number: 97160965, 380 V, 50/60 Hz, clearance: 350 mm x 170 mm, total dimensions: 860 mm x 900 mm x 1450 mm.	400
140	BBC Technologies	BBC Technologies mobile denester, model: 30581, serial number: 117538, dye: 150 mm x 120 mm, total dimensions: 1750 mm x 1040 mm x 1540 mm.	1000
141	NN gastronorm bins	Pallet with s/s gastronorm bins and s/s lids for gastronorm bins, sizes: 1/1-65, 1/2 150, 1/1-100.	80
142	MK	MK mobile labelling machine, type: VST 2011-H-G, number: 200414103805001, year of construction: 20/07/2004, dimensions: 1250 mm x 900 mm x 1900 mm.	200
143	Möllervac	Möllervac mobile vacuum machine, type: SB 550-A, machine number: 209123902, 380 V, 3 Ph, 50 Hz, 6.3 A, 2.4 kW, seal length: (2x) 500 mm, dimensions chamber: 500 mm x 500 mm, Busch vacuum pump, type: RA 0063 B 5Z1, number: 371602/GMAT/KL, total dimensions: 680 mm x 600 mm x 1040 mm.	250



Nr	Title	Description	Start €
144	TSC	TSC label printer, model: TTP-346M Pro, serial number: MP314300081, 100-240 Vac, 50-60 Hz, 2 A, dimensions: 500 mm x 270 mm x 310 mm.	40
145	GGG	GGG conveyor toaster, model: TCT-01, serial number: CKGGG202105N1-029, 220-240 V, 50 Hz, 1940 W, s/s mesh belt, belt width: 250 mm, total dimensions: 520 mm x 440 mm x 420 mm.	400
146	Stephan	Stephan high speed cutter, type: TK 150, machine number: 714.539.01, year of construction: 1989, 380 V, 50 Hz, 14 kW, dimensions infeed: 350 mm x 220 mm, diameter drum: 560 mm, dimensions outfeed: 430 mm x 220 mm, total dimensions: 1880 mm x 1000 mm x 1730 mm. Missing knife.	2500
147	Rational	Rational combi steamer, 10 floors, floor dimensions: (10x) 540 mm x 320 mm, total dimensions: 900 mm x 840 mm x 1100 mm.	650
148	Talsa	Talsa mobile mixer, model: MIX 100P, serial number: 22402, year of construction: 2002, 390/225 V, 3 Ph, 50 Hz, 2.35/4.1 A, 0.75 kW, s/s bowl, volume: 100 liter, dimensions: 850 mm x 620 mm x 1000 mm.	1350
149	Panasonic	Panasonic microwave, type: NE-1630, 220 V, 50 Hz, 15.0 A, 2300 W, inside dimensions: 400 mm x 340 mm, total dimensions: 650 mm x 550 mm x 500 mm.	150
150	Bizerba	Bizerba tenderizer, type: 110, 220 V, 50 Hz, working width: 180 mm, total dimensions: 470 mm x 230 mm x 460 mm.	150
151	Electrolux Professional SpA	Electrolux Professional SpA grill, model: RRV/E1 FR, serial number: 60400002, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 3.75 kW, dimensions: 700 mm x 360 mm x 880 mm.	100
152	Talsa	Talsa mobile mixer, model: MIX 80P, serial number: 274201, year of construction: 2008, 220/400 V, 3 Ph, 50 Hz, 2.35/4.1 A, 0.8 kW, s/s bowl, volume: 80 liter, total dimensions: 660 mm x 900 mm x 1100 mm.	800
153	Christen & Co.	Christen & Co. weighing scale, maximum capacity: 150 kg, dimensions scale: 600 mm x 660 mm, total dimensions: 900 mm x 630 mm x 2040 mm.	150
154	NN kitchen equipment	2 pallets with kitchen equipment.	40
155	Parry	Parry kitchen equipment, dimensions: 750 mm x 660 mm x 460 mm.	10
156	Parry	Parry kitchen equipment, dimensions: 610 mm x 450 mm x 300 mm.	10
157	NN filling machine	3 heads mobile filling machine, 3 funnels, dimensions funnel: Ø 200 mm x 500 mm, diameter output: 20 mm, total dimensions: 1220 mm x 950 mm x 1800 mm. Including 1 extra cylinder.	500



Nr	Title	Description	Start €
158	Parry	Parry fryer, type: AS 9009, 240/415 V, 50 Hz, 37.5/12.5 A, inside dimensions: 340 mm x 240 mm x 180 mm, total dimensions: 610 mm x 300 mm x 420 mm.	10
159	Roundup	Roundup hamburger grill, model: VHB-B, serial number: 07080641, 230 V, 50/60 Hz, 3200 Watt, dimensions: 550 mm x 400 mm x 530 mm.	10
161	PMB	PMB fastpack packaging machine, dye: 210 mm x 160 mm, total dimensions: 850 mm x 470 mm x 400 mm.	30
162	PMB	PMB fastpack packaging machine, dye: 210 mm x 160 mm, total dimensions: 850 mm x 470 mm x 400 mm.	30
163	Barnstead	Box with colorimeter.	5
164	Mach	Mach heated tub, dimensions: 1000 mm x 530 mm x 350 mm.	10
165	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 490 mm, total dimensions: 5000 mm x 800 mm x 300 mm. Rollies not included.	400
166	NN frames	3 s/s frames, dimensions: 1580 mm x 1000 mm x 210 mm, 1350 mm x 1000 mm x 210 mm and 2400 mm x 1000 mm x 210 mm.	5
167	Hupfer	Hupfer mobile tray dispenser, model: KO/50-50, serial number: BL_3211813, year of construction: 28.07.2014, weight: 40.5 kg, clearance: 500 mm x 500 mm, total dimensions: 760 mm x 700 mm x 1100 mm.	50
168	Herzog+Langen G.m.b.H.	Herzog+Langen G.m.b.H. cooking counter, consisting of: 2 fryers, type: 1276 S, number: 4498 and 4499, 380 V, 3 Ph, 7.8 A, 5.1 kW, inside dimensions: 220 mm x 130 mm x 150 mm, 2 grills, type: 277 S, number: 1694 and 1695, 220 V, 13.6 A, 3 kW, dimensions: (2x) 480 mm x 230 mm, total dimensions: 1250 mm x 830 mm x 900 mm.	20
169	NN waste bag holder	Steel mobile waste bag holder, dimensions: 700 mm x 400 mm x 1000 mm.	1
170	Insectzap	Pallet with 9 Insectzap insect killers and 2 CRI-CRI insect killers.	40
171	NN expansion vessel	Expansion vessel, dimensions: 400 mm x 400 mm x 300 mm.	5
172	PI Electronique	PI Electronique label printer, type: TP16A, number: 109050501175, dimensions: 215 mm x 140 mm x 150 mm.	5
173	Sato	Sato barcode printer, model: M-84Pro-6, 100-120/200-240 V, 3 Ph, 50/60 Hz, 3/1.15 A, dimensions: 430 mm x 260 mm x 350 mm.	5
175	Best Code	Best Code inkjet printer, model: C-88, dimensions: 430 mm x 300 mm x 470 mm. Missing cover.	80
176	Rieber	Rieber mobile plate warmer and dispenser, plate diameter: 300 mm, total dimensions: 900 mm x 450 mm x 920 mm.	50



Nr	Title	Description	Start €
177	Rieber	Rieber mobile plate warmer and dispenser, plate diameter: 300 mm, total dimensions: 900 mm x 450 mm x 920 mm.	50
178	Rieber	Rieber refrigerated banquet trolley, 8 floors, dimensions floors: (8x) 570 mm x 330 mm, refrigerant: R134a, total dimensions: 650 mm x 470 mm x 760 mm.	75
179	Nilfisk	Nilfisk vacuum cleaner, dimensions: 700 mm x 700 mm x 1230 mm.	40
180	Citronix	2 Citronix inkjet printer, model: ci3200, serial number: 0516055K and 0516057N, 100-240 Vac, 50/60 Hz, 3.15 A, dimensions: (2x) 430 mm x 400 mm x 350 mm.	800
181	Parry	Parry 2 stove cooking plate, type: AS 9170, 240 V, 50 Hz, 12.5 A, 3 kW, plate diameter: 140 mm, total dimensions: 620 mm x 300 mm x 300 mm.	10
182	Cryovac	Cryovac flowpacker, model: CJ55, serial number: A91600109, year of construction: 1997, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: 200 mm, seal width: 330 mm, total dimensions: 5100 mm x 1400 mm x 1950 mm. Including crate with parts.	2500
183	NN paper rolls	3 pallets with paper rolls, dimensions rolls: (50x) Ø 320 mm x 180 mm, (18x) Ø 370 mm x 80 mm.	100
184	WIPAK	WIPAK plastic film, film width: 461 mm, film length: 500 meter, dimensions film: (52x) Ø 230 mm x 461 mm.	100
185	NN film rolls	8 pallets with 88 rolls of Sicht Pack Hagner transparent film, type: P100FKW20, thickness film: 250 µ, film width: 461 mm, dimensions film roll: (52x) Ø 330 mm x 461 mm.	400
186	Hinst	Hinst complete stainless steel, electric heated, washing machine for machine parts, type: 2-Kammer-TS-Anlage number: 98416, year of construction: 1998, inside dimensions: (2x) 800 mm x 880 mm x 850 mm, total dimensions: 2300 mm x 1500 mm x 2200 mm.	750
187	NN denester	S/s denester, dimensions output: 400 mm x 400 mm, 6 suckers, diameter sucker: 20 mm, total dimensions: 1100 mm x 500 mm x 1600 mm.	100
188	3M-Matic	3M-Matic box closing machine, type: 39600, serial number: 50013, year of construction: 2012, 380/415 V, 3 Ph, 50 Hz, 1.08 A, 260 W, (2x) plastic belt, belt width: (2x) 80 mm, tape width: 50 mm, clearance: 560 mm, s/s rollers, roller width: 480 mm, total dimensions: 1600 mm x 800 mm x 1500 mm.	400
189	DIVUS	DIVUS scale and scanner, dimensions scale: 300 mm x 270 mm x 100 mm, total dimensions: 630 mm x 600 mm x 1700 mm.	100



Nr	Title	Description	Start €
190	R.BAYER	4 pallets with R.BAYER film, 80 rolls, type: OPAPE-045-15, production date: 17.09.20, film width: 340 mm.	200
191	NN bag-filling machine	Bag-filling machine, diameter filling pipe: 60 mm, clearance bag holder: 130 mm x 40 mm, total dimensions: 1100 mm x 900 mm x 1800 mm.	250
192	DOSELEC	DOSELEC dosing machine, type: VOL1, serial number: 3005D2, year of construction: 09-2009, diameter hose: 40 mm, total dimensions: 1000 mm x 400 mm x 1340 mm.	150
193	AFC Air Filtration & Containment GmbH	AFC Air Filtration & Containment GmbH mobile vacuum cleaner, type: AFM 2KK-1.1CR, machine number: 538, year of construction: 11/2008, 230 V, 50 Hz, 2.4 A, 0.85 kW, weight: 150 kg, inside dimensions: 680 mm x 400 mm, dimensions vessel: Ø 250 mm x 300 mm, total dimensions: 950 mm x 430 mm x 1150 mm. Including 3 extra filters.	100
194	Pfankuch	Pfankuch feeder system, type: ASB 310-KR, number: 2002 3110, 90-240 V, 50-60 Hz, clearance: input: 150 mm x 350 mm, (2x) plastic belt, belt width: (2x) 50 mm, total dimensions: 100 mm x 500 mm x 1680 mm.	100
195	NN dosing pump	Mobile dosing pump, total dimensions: 600 mm x 500 mm x 1000 mm.	50
196	CFS Tiromat	CFS Tiromat thermoformer, type: 660, machine number: 665/0185, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 45 A, Busch vacuum pump, type: 063-138, capacity: 63 m ³ per hour, dimensions dye: (2x) 250 mm x 180 mm, film width: 425 mm, index: 420 mm, plastic outfeed belt, belt width: 355 mm, total dimensions: 7500 mm x 1300 mm x 1950 mm. With pallet with parts, dimensions pallet: 1500 mm x 800 mm x 1000 mm.	1000
197	Gram Equipment	Gram Equipment ice cream extruder/forming, cutting with stick inserter, type: CUTTER, clearance input: 650 mm x 100 mm, dimensions pipe: 100 mm x 40 mm, total dimensions: 1400 mm x 1000 mm x 1850 mm.	500
198	Gram Equipment	Gram Equipment ice cream extruder/forming, cutting with stick inserter, type: CUTTER, clearance input: 650 mm x 100 mm, dimensions pipe: 100 mm x 40 mm, total dimensions: 1400 mm x 1000 mm x 1850 mm.	500
199	Pulsar	Pulsar mobile diaphragm metering pump, model: 25HJ, serial number: F457752-1, max capacity: 1.3 liter per hour, max pressure: 17.2 bar, dimensions: 1300 mm x 600 mm x 1200 mm.	100
200	Wiking	Wiking mobile CIP tank, dimensions vessel: 460 mm x 460 mm x 460 mm, total dimensions: 800 mm x 700 mm x 1450 mm.	50



Nr	Title	Description	Start €
201	Grundfos	Grundfos mobile circulation pump, diameter in/output pipe: 50 mm, total dimensions: 800 mm x 700 mm x 1450 mm.	250
202	Ganzhorn + Stirn	Ganzhorn + Stirn filling machine, number: 452.67, output: Ø 20, dimensions funnel: Ø 320 mm x 670 mm, total dimensions: 700 mm x 600 mm x 1800 mm.	200
203	Carpigiani	Carpigiani mobile ice cream machine, model: IC88398, 220-230 V, 1 Ph, 50 Hz, 16 A, 2.2 kW, refrigerant: R404A 0.8 kg, dimensions input: 380 mm x 280 mm x 200 mm, total dimensions: 750 mm x 500 mm x 750 mm.	200
204	Gebhardt	Gebhardt conveyor system, type: 510.01.9, year of construction: 2011, steel frame and rollers, roller width: 800 mm, total length approximately: 10000 mm, total dimensions: 1600 mm x 1100 mm x 1200 mm, 3300 mm x 1300 mm x 1400 mm.	400
205	Schulz & Busch	Schulz & Busch conveyor system, type: LZR 50S, number: A5568, year of construction: 2014, 230/400 V, 50 Hz, 0.37 kW, steel frame and rollers, roller width: 370 mm, total length approximately: 11000 mm, total dimensions: 4000 mm x 800 mm x 1350 mm.	400
206	Turbo Systems	Turbo Systems mobile dosing and filling machine, dimensions funnel: 700 mm x 400 mm x 500 mm, diameter output pipe: (6x) 20 mm, total dimensions: 1000 mm x 950 mm x 1900 mm.	750
207	NN heating element	S/s heating element, dimensions: 3100 mm x 700 mm x 1000 mm.	400
208	Poly-Clip System Corporation	Poly-Clip System Corporation bag blower, type: PL-100, serial number: 111569306, 80 PSI, clearance: 60 mm 60 mm, total dimensions: 440 mm x 400 mm x 900 mm.	50
209	Regal	Regal denester with vibration gutter, type: 14000, serial number: 139, year of construction: 9-98, 240 V, 1 Ph, 50 Hz, dimensions gutter: (2x) 360 mm x 70 mm, dimensions funnel output: 90 mm x 90 mm x 230 mm, dimensions funnel input: 40 mm x 30 mm x 450 mm, total dimensions: 1200 mm x 600 mm x 2100 mm.	400
210	Assa Abloy	Assa Abloy glass slide door, dimensions rail: 1900 mm x 150 mm x 150 mm, dimensions door: 2150 mm x 970 mm.	75
211	Grassair	Part for Grassair dryer, type: ADC-SFX, serial number: 1057367/1, year of construction: 2000, 230 V, 50-60 Hz, dimensions: 340 mm x 340 mm x 100 mm.	50
212	Essor	Essor gluing machine, machine number: 016/1287, year of construction: 1996, 230 V, working width: 50 mm, total dimensions: 400 mm x 400 mm x 320 mm.	150



Nr	Title	Description	Start €
214	Nordson	Nordson glue unit, type: PROBLUE 10, serial number: SA07G40483, 400/230 V, 50/60 Hz, 35 A, dimensions: 600 mm x 380 mm x 510 mm. Including box with hoses.	400
215	Unox	Unox oven, type: XEFT-04EU-ELDV, serial number: 2019A0006215, 380-415 V, 3 Ph, 6.9 kW, weight: 57 kg, 4 floors, floor dimensions: 605 mm x 370 mm, total dimensions: 800 mm x 840 mm x 480 mm.	480
216	EKA	EKA oven, model: KF 937 D UD, serial number: 4012008464, 220-230 V, 50/60 Hz, 3.7 kW, 3 floors, floor dimensions: 395 mm x 370 mm, total dimensions: 790 mm x 710 mm x 470 mm.	150
217	Maschinenbau Helmerts GmbH	Maschinenbau Helmerts GmbH box stacker, machine number: 1012307, year of construction: 2015, working width: 385 mm x 580 mm, total dimensions: 1720 mm x 1020 mm x 2900 mm.	500
218	Maschinenbau Helmerts GmbH	Maschinenbau Helmerts GmbH box turner, machine number: 1012307, year of construction: 2015, working width: 620 mm x 280 mm, total dimensions: 750 mm x 675 mm x 1480 mm.	100
219	NN dosing unit	Dosing unit, dimensions pipe: Ø 100 mm and (4x) 90 mm, total dimensions: 850 mm x 460 mm x 880 mm.	190
220	Roxell	Roxell dosing unit, serial number: 351745, diameter pipe: 100 mm and 85 mm, total dimensions: 810 mm x 250 mm x 390mm.	50
221	Nerimotori	Nerimotori motor, dimensions: 330 mm x 230 mm.	20
222	Smits Techniek	Smits Techniek dosing and weighing unit, type: EWM120, serial number: 18-13-2011-7, year of construction: 2011, dimensions: 1000 mm x 920 mm x 3900 mm.	380
223	Smits Techniek,	Smits Techniek dosing and weighing unit, type: EWM120, serial number: 48-13-2015-09, year of construction: 2015, dimensions: Ø (2x) 85 mm, total dimensions: 1200 mm x 1100 mm x 4000 mm.	190
224	NN dosing unit	Dosing unit, diameter pipe: 75 mm and (6x) 90 mm, total dimensions: 880 mm x 450 mm x 980 mm.	240
225	Roxell	Roxell dosing unit, diameter pipe: 85 mm, total dimensions: 1060 mm x 250 mm x 210 mm.	50
226	NN pallet	Pallet with large amount spirals, dimensions: 1200 mm x 1200 mm x 1150 mm.	50
227	NN filter	Filter, dimensions pipe: Ø 65 mm Ø 50 mm and Ø 25 mm, total dimensions: 490 mm x 280 mm x 1600 mm.	50
228	NN infeed screw	Infeed screw, dimensions: Ø 155 mm, total dimensions: 3240 mm x 600 mm x 560 mm.	500
229	Hilge	Hilge pump, type: UNIVERSA-RM-25.1, serial number: 39A/95/760387103, 1.1 kW, 100-1500 m³/hour, dimensions: Ø 50 mm 45 mm and 35 mm, total dimensions: 1040 mm x 250 mm x 175 mm.	200



Nr	Title	Description	Start €
230	Hettich	Hettich laboratory refrigerator, type: PSC 1400, serial number: 202010544, year of construction: 2020, 220/240 V, 50 Hz, weight: 260 kg, refrigerant: R134A, 6 floors, dimensions floor: (6x) 600 mm x 520 mm, total dimensions: 1420 mm x 950 mm x 2000 mm.	400
231	Hettich	Hettich laboratory refrigerator, type: PSC 1400, serial number: 202010543, year of construction: 2020, 220/240 V, 50 Hz, weight: 260 kg, refrigerant: R134A, 8 floors, dimensions floor: (8x) 600 mm x 520 mm, total dimensions: 1420 mm x 950 mm x 2000 mm.	400
232	Hettich	Hettich laboratory refrigerator, type: PSC 1400, serial number: 202010542, year of construction: 2020, 220/240 V, 50 Hz, weight: 260 kg, refrigerant: R134A, 8 floors, dimensions floor: (8x) 600 mm x 520 mm, total dimensions: 1420 mm x 950 mm x 2000 mm.	400
233	Ruhle	Ruhle vacuum tumbler with lift for 200 liter meat bin, type: MPR 500, number: 0401, year of construction 2014, 400 V, 3 Ph, 50/60 Hz, 24.9 A, 12.6 kW, dimensions: 2000 mm x 1850 mm x 2320 mm.	10000
234	Wiltec	Wiltec spraying cabinet, type: WL 77 N, 380 V, 0.55, year of construction: 2018, clearance: 1100 mm x 950 mm, diameter pipe: Ø 240 mm, total dimensions: 1900 mm x 1280 mm x 2000 mm.	500
235	Combisteel	Combisteel refrigerated showcase, model: 7450.0815, serial number: 21080377, 230 V, 50 Hz, 3.9 A, 710 Watt, refrigerant: R290, net weight: 275 kg, dimensions shelf: (1x) 1950 mm x 300 mm, (1x) 1950 mm x 390 mm, total dimensions: 2020 mm x 700 mm x 1200 mm.	500
236	DEBAG	DEBAG double stacked oven, type Dila 5, serial number: D 317091, year of construction: 11/2012, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	500
237	Rhima/Wexiodisk AB	Rhima/Wexiodisk AB dishwasher, type: WD-6E, serial number: 073936, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 16 A, 0.9 kW, dimensions: 750 mm x 700 mm x 1440 mm.	300
238	DEBAG	DEBAG double stacked oven, type Dila 5, serial number: D 301967/D 301968, year of construction: 01/2014, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	500
239	DEBAG	DEBAG loading trolley for oven, type: ZBL000164-E, serial number: P-00-0756, 10 floors, floor dimensions: (10x) 620 mm x 355 mm, total dimensions: 765 mm x 530 mm x 1985 mm.	50



Nr	Title	Description	Start €
240	Wiesheu	Wiesheu loading trolley for oven, type: 18129130, year of construction: 11/2016, 14 floors, floor dimensions: (14x) 620 mm x 355 mm, total dimensions: 765 mm x 530 mm x 1985 mm.	50
241	Lutetia	Lutetia vacuum tumbler, number: 7257, dimensions: 2650 mm x 1500 mm x 2100 mm. Without vacuum pump.	3500
242	Lutetia	Lutetia vacuum tumbler, dimensions: 2800 mm x 1450 mm x 2100 mm. Without vacuum pump.	3500
243	Armour&Danforth	Armour&Danforth cordless drill, type: TMX5773, 230 V, 50 Hz, dimensions: 190 mm x 60 mm x 190 mm.	50
244	Armour&Danforth	Armour&Danforth cordless drill, type: TMX5773, 230 V, 50 Hz, dimensions: 190 mm x 60 mm x 190 mm.	25
245	Armour&Danforth	Armour&Danforth cordless drill, type: TMX5773, 230 V, 50 Hz, dimensions: 190 mm x 60 mm x 190 mm.	25
246	Armour&Danforth	Armour&Danforth impact drill, type: AD4406-016, 230 V, 50 Hz, dimensions: 270 mm x 70 mm x 240 mm.	50
247	Armour&Danforth	Armour&Danforth impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm.	50
248	Armour&Danforth	Armour&Danforth impact drill, type: TMX675-017, 230 V, 50 Hz, 820 Watt dimensions: 275 mm x 70 mm x 250 mm.	50
249	Hoonved	Hoonved dishwasher, model: C 60 E, serial number: BD 593320605, 400 V, 3 Ph, 50 Hz, 16 A, 4.75 kW, dimensions crate: 460 mm x 460 mm x 85 mm, total dimensions: 600 mm x 600 mm x 815 mm.	100
250	Winterhalter	Winterhalter dishwasher, type: GS 640, serial number: 433037, 400 V, 3 Ph, 50 Hz, 13 A, 2.3/8.4 kW, dimensions: 850 mm x 755 mm x 1615 mm.	50
251	Meiko	Meiko dishwasher, type DV 120 B, machine number: 58.795, 220 V, 3 Ph, 50 Hz, 38 A, 14 kW, inside dimensions: 520 mm x 520 mm, total dimensions: 850 mm x 800 mm x 1375 mm. Missing back panel.	100
252	DEBAG	DEBAG double stacked oven, type: Dila 5, serial number: D 315629/D 315630, year of construction: 04/2012, 400 V, 50 Hz, 16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1135 mm x 1050 mm x 1600 mm.	500
253	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 08/3645/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	300



Nr	Title	Description	Start €
254	Jac	Jac mobile bread slicer, model: SLD 450/11, machine number: 11/3433/02, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 40 knives, distance between knives: 11 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	350
255	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 11/0154/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 11 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	350
256	Jac	Jac mobile bread slicer, model: SLD 450/10, machine number: 10/8055/01, 400 V, 3 Ph, 50 Hz, 1.8 A, 0.49 kW, weight: 180 kg, working width: 440 mm, 41 knives, distance between knives: 10 mm, total dimensions: 700 mm x 600 mm x 1300 mm.	350
257	Eloma	ES Eloma mobile oven, 12 floors, floor dimensions: (12x) 600 mm x 400 mm, total dimensions: 1000 mm x 850 mm x 830 mm.	100
258	Maja	Maja skinning machine, type: SKS350, machine number: 21089, working width: 300 mm, total dimensions: 600 mm x 570 mm x 970 mm.	300
259	GS	GS splitting saw, working width: 420 mm, total dimensions: 1500 mm x 350 mm x 515 mm.	1000
260	Eloma	ES Eloma oven, type: EB 60 elec, serial number: 172005 702228, year of construction: 2004, 400 V, 3 Ph, 50/60 Hz, 13.5 kW, 6 floors, floor dimensions: (6x) 600 mm x 400 mm, total dimensions: 1000 mm x 860 mm x 920 mm. Glass broken.	25
261	Hinst GmbH	Hinst complete stainless steel, electric heated, washing machine for machine parts. Consisting of 3 steps. Wash, after rinse and drying. Section 1: wash in hot water by dip and flushing, electric heated. Section 2: after rinse by dipping in hot water, electric heated. Circulation pump 0,25 kW. With automatic tank filling and level monitoring. Section 3: drying above the bath, by heat of the parts. Including hose for hand washing. Bath size: 60 x 40 x 25 cm. Complete with lifting device, roller conveyor, automatic mode. Total dimensions: 1600 x 2400 x 2300 mm.	750
262	Telstar Industrial S.L.	Telstar Industrial S.L. flow cabinet, inside dimensions: 1180 mm x 530 mm x 730 mm, total dimensions: 1300 mm x 900 mm x 2200 mm.	100
263	Termarks	Termarks incubator, 7 floors, floor dimensions: (7x) 590 mm x 425 mm, total dimensions: 820 mm x 650 mm x 1365 mm.	150



Nr	Title	Description	Start €
264	Rühle	Rühle mobile traysealer with label printer, type: VR 1, number: 170, year of construction: 2004, 230 V, 50 Hz, 1.5 kW, dimensions dye: 300 mm x 240 mm, index: 430 mm x 330 mm, total dimensions: 720 mm x 620 mm x 1700 mm. Including pallet with extra dye sets, dye (4x) 170 mm x 120 mm, index: 430 mm x 330 mm, dye: (2x) 210 mm x 160 mm, index: 430 mm x 330 mm, dye: Ø (6x) 95 mm, index: 430 mm x 330 mm, dye: (2x) 160 mm x 110 mm, index: 470 mm x 370 mm, dye: Ø (6X) 90 mm, indes 470 mm x 370 mm, dye: (4x) 120 mm x 70 mm.	2000
265	Rheon	Rheon mobile encrusting machine, name: CORNUCOPIA, model: KN 200, serial number: 039, year of construction: sept 1989, 415 V, 3 Ph, 50 Hz, 1.64 kW, plastic belt, belt width: 130 mm, total dimensions: 1240 mm x 800 mm x 1590 mm. Including crate and box with parts.	4000
266	Comenda	Comenda plate washer, type: LAV 1000, model: P1 13931/11/00, 380 V, 3 Ph, 50 Hz, 28.84 kW, 43 A, clearance: 385 mm x 35 mm, total dimensions: 2460 mm x 900 mm x 1950 mm.	600
267	NN frame	S/s frame, dimensions: 970 mm x 500 mm x 1215 mm.	50
268	NN Frame	S/s frame, dimensions: 970 mm x 500 mm x 1215 mm.	50
269	GFL	GFL incubator, type: 7601, serial number: 10146101 D, 230 V, 50/60 Hz, 2.7 A, 0.65 kW, dimensions: 600 mm x 570 mm x 650 mm.	150
270	Sanyo	Sanyo incubator, model: MIR-153, serial number: 21113957, 230 V, 50 Hz, 1.2 A, 141/158 W, 126 liter, refrigerant: R-134a, weight: 69 kg, 3 floors, floor dimension: (3x) 560 mm x 305 mm, total dimensions: 705 mm x 600 mm x 1020 mm.	150
271	Sanyo	Sanyo incubator, model: MIR-153, serial number: 21113957, 230 V, 50 Hz, 1.2 A, 141/158 W, 126 liter, refrigerant: R-134a, weight: 69 kg, 3 floors, floor dimension: (3x) 560 mm x 305 mm, total dimensions: 705 mm x 600 mm x 1020 mm.	150
272	Pentair Water	Pentair Water water softener cylinders, model: VC9100 Electr, serial number: A0951-220124, dimensions: (2x) Ø 240 mm x 900 mm.	50
273	Reflex	Reflex pressure vessel, type: Reflex N 400, serial number: 16 R 1108 90370, dimensions: Ø 730 mm, total dimensions: 1000 mm x 750 mm x 1100 mm.	30
274	Axxair / Metabo	Axxair / Metabo cutting tool, type: 121ECO, serial number: ADFA1806168, year of construction: 06/2018, working width: 80 mm x 80 mm, total dimensions: 600 mm x 500 mm x 420 mm.	200



Nr	Title	Description	Start €
275	Moretti Forni	Moretti Forni mobile pizza oven, model: PM 105.105, serial number: 291383, year of construction: 2/2022, 400 V, 3 Ph, 50/60 Hz, weight: 135, clearance: 1050 mm x 130 mm, 6 floors, dimensions floors: (6x) 1200 mm x 450 mm.	500
276	Silver King	Silver King milk dispenser, model: SKMAJ2, serial number: SBED163572A, 230 V, 50 Hz, 1.4 A, refrigerant: 134A, inside dimeisons: (2x) 290 mm x 260 mm x 500 mm, total dimensions: 720 mm x 440 mm x 1000 mm.	250
277	Silver King	Silver King milk dispenser, model: SKMAJ2, serial number: SBED163469A, 230 V, 50 Hz, 1.4 A, refrigerant: 134A, inside dimeisons: (2x) 290 mm x 260 mm x 500 mm, total dimensions: 720 mm x 440 mm x 1000 mm.	250
278	Tool-Temp	Tool-Temp temperatur control unit, type: TT-162 E, serial number: 25-05688-4, (3x) 380/415 V, 50 Hz, 12'850 Watt, dimensions: 600 mm x 305 mm x 710 mm.	100
279	Tool-Temp	Tool-Temp temperatur control unit, type: TT-157 E, serial number: 24-04522-111, (3x) 380/415 V, 50 Hz, 9'850 Watt, dimensions: 610 mm x 230 mm x 525 mm.	100
280	Tool-Temp	Tool-Temp temperatur control unit, type: TT-180 c, serial number: 318-5457-2, year of construction: 2018, (3x) 380/415 V, 50 Hz, 9.85 kW, 9'850 Watt, weight: 55 kg, dimensions: 610 mm x 230 mm x 525 mm.	100
281	IEX	IEX mobile column, 43 liter, dimensions: Ø 220 mm, total dimensions: 900 mm x 900 mm x 1750 mm.	50
282	VEB Wägetechnik Rapido Radebeul	VEB Wägetechnik Rapido Radebeu weighing scale, model: Nagma Rapido, serial number: 35-012/012, year of construction: 1986, weight: 310, minimum weight: 10 kg maximum weight: 300 kg, e: 0.2 kg dimensions scale: 780 mm x 780 mm, total dimensions: 1370 mm x 780 mm x 1950 mm.	50
283	Josto	Josti waste bin, dimensions inside: 390 mm x 330 mm x 520 mm, total dimensions: 400 mm x 370 mm x 760 mm.	20
284	La Cimbali	La Cimbali coffee machine, type: M31 Dosatron, dimensions: 780 mm x 600 mm x 500 mm.	400
285	El Banton	El Banton water bath, inside dimensions: 520 mm x 520 mm x 120 mm, total dimensions: 970 mm x 750 mm x 350 mm.	100
286	Clean Air	Clean Air low cabinet, type: CLF 275 rvs, serial number: WO 03945, year of construction: 14/02/2008, 230 V, 50 Hz, 0.69 kW, 3 A, dimensions inside: 580 mm x 570 mm x 350 mm, total dimensions: 900 mm x 700 mm x 1350 mm.	100



Nr	Title	Description	Start €
287	Kolbe	Kolbe bandsaw, dimensions: 800 mm x 750 mm x 1650 mm.	1250
288	Graselli	Grasselli mobile skinning machine, model: RST520-M, serial number: U08R04/1789, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 0.9 kW, 2.35 A. working width: 480 mm, total dimensions: 700 mm x 650 mm x 1000 mm.	500
289	Industrias Gaser S.L.	Industrias Gaser S.L. hamburger forming machines, model: A-2000, serial number: 1695, year of construction: 2009, tub dimensions: Ø 360 mm x 235 mm, plastic belt, belt width: 145 mm, total dimensions: 620 mm x 580 mm x 630 mm.	600
290	Maxx Packer	Maxx Packer mobile semi-automatic strapping machine, model: HUM-2M, serial number: 14101627, 220 V, 50/60 Hz, working width: 710 mm, total dimensions: 780 mm x 540 mm x 750 mm.	50
291	Cretel	Cretel mobile skinning machine, type: 746PX, serial number: CT460083, 230/400 V, 50 Hz, 2.7/4.7 A, 1.1 kW, working width: 460 mm, total dimensions: 750 mm x 750 mm x 1000 mm.	600
292	Treif	Treif mobile vertical slicer, model: Zebra-CE, 64 knives, distance between knives: 0.5 mm, 8 chambers, chamber dimensions: 375 mm x 140 mm x 5 mm, total dimensions: 1800 mm x 1000 mm x 1620 mm. Including extra parts.	2000
293	Rexhip	Rechip side channel vacuum pump, model: 2HB530A21, 220/240 V, 50/60 Hz, 2810/3360 rpm, 1.5/ 1.75 kW, 9/10 A, dimensions: 380 mm x 350 mm x 330 mm.	100
294	Gardner Denver	Gardner Denver motor, type: G_200, serial number: BN 10018136 bo 2, dimensions: 600 mm x 250 mm x 400 mm.	100
295	Kremer	Kremer high pressure cleaner, model: KR-5300HW, serial number: 8.627.0020C-SM22100208-2021/53-0022, 400 V, 3 Ph, 7.3 kW, boiler feeding: diesel, dimensions: 1250 mm x 700 mm x 860 mm.	100
296	Busch	Busch vacuum pump, type: RA 0302 D 5Z1, number: C0814000026 QMXX, capacity: 300 m³ per hour, dimensions: 1050 mm x 530 mm x 420 mm.	250
297	Bush	Busch vacuum pump, type: RA 0250 D 561, number: C9916000135 CUXX, capacity: 250 m³ per hour, dimensions: 970 mm x 550 mm x 610 mm.	250
298	NN trays	3 pallets with approximately 80 plastic bins.	30
299	Edwards	Edwards booster pump, model: EH1200IND, serial number: 056101159, capacity: 1200 m³ per hour, weight: 149 kg, dimensions: 1000 mm x 430 mm x 430 mm.	100



Nr	Title	Description	Start €
300	Busch	Busch vacuum pump, type: RA 0100 F 503, number: 130037258, year of construction: 2013, capacity: 100 m ³ per hour, dimensions: 710 mm x 410 mm x 280 mm.	300
301	Busch	Busch booster pump, type: WV 0500 B 0HI KAEA, number: PE01150201, year of construction: 1998, capacity: 500 m ³ per hour, dimensions: 880 mm x 350 mm x 530 mm.	200
302	Busch	Busch booster pump, type: WV 0500 B 0HI KAEA, number: C0019000558, year of construction: 2000, capacity: 500 m ³ per hour, dimensions: 880 mm x 350 mm x 530 mm.	200
303	Busch	Busch vacuum pump, type: SV 1025 C 000, serial number: C1545000383, year of construction: 2015, capacity: 30 m ³ per hour, dimensions: 500 mm x 300 mm x 360 mm.	100
304	Busch	Busch vacuum pump, type: RD 0360 A 5H3, serial number: CHM122130306, year of construction: 2022, capacity: 300 m ³ per hour, dimensions: 970 mm x 600 mm x 430 mm.	250
305	Multivac	Multivac vacuum pump, type: MRP150, serial number: 2002906, year of construction: 2020, capacity: 106/127 m ³ per hour, dimensions: 700 mm x 380 mm x 310 mm.	200
306	Mitsubishi Electric	Mitsubishi Electric control panel, type: GOT2000, dimensions: 620 mm x 305 mm x 600 mm.	100
307	Busch	Busch vacuum pump, type: RA 0063 F 503, serial number: D14470660, year of construction: 2014, capacity: 63 m ³ per hour, dimensions: 620 mm x 400 mm x 350 mm.	50
308	Bell-Mark	Bell-Mark coding attachment for thermoformer, type: EasyPrint mlp, dimensions: 500 mm x 300 mm x 595 mm.	100
309	Edwards	Edwards vacuum pump, model: EH500A, total dimensions: 800 mm x 300 mm x 310 mm.	100
310	Witt	Witt gas mixing station, dimensions: 450 mm x 310 mm x 250 mm.	50
311	Busch	Busch vacuum pump, type: RA 0302 D 5Z3, serial number: C1617000356, year of construction: 2016, capacity: 300 m ³ per hour, dimensions: 1180 mm x 580 mm x 410 mm.	250
312	Edwards	Edwards booster pump, model: EH1200IND, serial number: 066069213, capacity: 1200 m ³ per hour, weight: 149 kg, dimensions: 1000 mm x 430 mm x 430 mm.	100
313	Busch	Busch vacuum pump, type: RA 0100 B 5M3, number: 01028-26, capacity: 100 m ³ per hour, dimensions: 900 mm x 370 mm x 360 mm.	200



Nr	Title	Description	Start €
314	Busch	Busch vacuum pump, type: WV 1000 C 001, serial number: C1542000392, year of construction: 2015, dimensions: 1050 mm x 600 mm x 490 mm.	350
315	Pago	Pago labelling machine, type: 6AM4. serial number: 5021076, year of construction: 2002, 230 V, 50/60 Hz, 5 A, dimensions: 1250 mm x 1050 mm x 1050 mm.	400
316	Multivac	Multivac vacuum pump, type: MRP400HV, serial number: 1630436, year of construction: 2016, capacity: 305 m ³ per hour, weight: 180 kg, dimensions: 1000 mm x 760 mm x 620 mm.	300
317	Busch	Busch vacuum pump, type: RA 0100 E 501, number: 4205241FAU/MJ, year of construction: 1995, capacity: 100 ³ per hour, dimensions: 675 mm x 410 mm x 380 mm.	150
318	Busch	Busch vacuum pump, type: RA 0100 F, number: 120096060, year of construction: 2012, capacity: 100 m ³ per hour, dimensions: 710 mm x 400 mm x 300 mm.	100
319	Gardner Denver	Gardner Denver vacuum pump, type: V-VTN 26 (01), serial number: SC10484981004, year of construction: 2023, capacity: 27/32 m ³ per hour, dimensions: 510 mm x 250 mm x 270 mm.	100
320	Busch	Busch vacuum pump on s/s frame, type: SV 1040 C 000, serial number: C1708000280, year of construction: 2017, capacity: 48 m ³ per hour, dimensions: 580 mm x 350 mm x 440 mm.	100
321	NN side channel vacuum pump	Side channel vacuum pump with s/s frame and covers, dimensions: 600 mm x 360 mm x 590 mm.	100
322	Multivac	Multivac vacuum pump, type: MRP150, serial number: 2035409, year of construction: 2020, capacity: 106/127 m ³ per hour, dimensions: 700 mm x 380 mm x 310 mm.	200
323	Busch	Busch vacuum pump, type: MM 1102 B V03, serial number: DEM122071981, year of construction: 2022, capacity: 135 m ³ per hour, weight: 172 kg, dimensions: 1000 mm x 410 mm x 450 mm.	350
324	Busch	Busch vacuum pump, type: RA 0100 F 503, number: 130000061, year of construction: 2012, capacity: 100 m ³ per hour, dimensions: 710 mm x 410 mm x 280 mm.	150
325	Busch	Busch vacuum pump, type: RA 0250 D 5Z3, serial number: C1617000309, year of construction: 2016, capacity: 300 m ³ per hour, weight: 250 kg, dimensions: 1000 mm x 560 mm x 430 mm.	200
326	NN control panel	Control panel.	100
327	GEA	GEA control panel, type: Power Panel 400.	100
328	Zodiac	3 Zodiac control panels.	150



Nr	Title	Description	Start €
329	Multivac	Multivac gas mix station, dimensions: 375 mm x 330 mm x 220 mm.	150
330	Multivac	Multivac gas mix station, dimensions: 375 mm x 330 mm x 220 mm.	150
331	Busch	Busch vacuum pump, type: WP 1000 D 2v1 MYXX, serial number: C11001000450, year of construction: 2011, dimensions: 980 mm x 320 mm x 220 mm.	200
332	Leybold	Leybold vacuum pump, type: VVS 25/80 (018), serial number: 152811, year of construction: 1994, capacity: 25/30 m ³ /h, dimensions: 1060 mm x 350 mm x 580 mm.	50
333	Maschinenenbau Helmberts GmbH	Maschinenenbau Helmberts GmbH conveyor belt, type: Pufferbahn, serial number: 1012307, year of construction: 2015, plastic mash belt, belt width: 405 mm, total dimensions: 4450 mm x 670 mm x 460 mm.	250
334	Bizerba	Bizerba weighing scale & printer, type: GLP-W, serial number: 10890941, 24/230 V, 50 Hz, 0.65 A, minimum weight: 20 gram, maximum weight: 3/6/15 kg, e= 1/5 gram, scale dimensions: 350 mm x 260 mm, total dimensions: 440 mm x 350 mm x 400 mm.	200
335	Bizerba	Bizerba weighing scale & printer, type: GLP-W, serial number: 11168261, 230 V, 50 Hz, 1.2 A, minimum weight: 20 gram, maximum weight: 3/6/15 kg, e= 1/5 gram, scale dimensions: 350 mm x 260 mm, total dimensions: 440 mm x 350 mm x 400 mm.	200
336	Digi	Digi weighing scale & printer, type: SM-500EP, serial number: 09903694, 230 V, 50/60 V, 0.4 A, minimum weight: 40 gram, maximum weight: 6/15 kg, e=d=2/5 gram, scale dimensions: 360 mm x 255 mm, total dimensions: 450 mm x 400 mm x 600 mm.	150
337	Bizerba	Bizerba weighing scale & printer, type: GLP-W, serial number: 10975306, 24/230 V, 50 Hz, 0.65 A, minimum weight: 20 gram, maximum weight: 3/6/15 kg, e= 1/5 gram, scale dimensions: 350 mm x 260 mm, total dimensions: 440 mm x 350 mm x 400 mm.	200
338	Bizerba	Bizerba weighing scale & printer, type: GLP-W, serial number: 10890947, 24/230 V, 50 Hz, 0.65 A, minimum weight: 20 gram, maximum weight: 3/6/15 kg, e= 1/5 gram, scale dimensions: 350 mm x 260 mm, total dimensions: 440 mm x 350 mm x 400 mm.	200
339	NN lamp	Lamp, dimensions: 1300 mm x 300 mm x 1400 mm.	10
340	CFS	CFS traysealer with conveyor, type: TwinStar, machine number: 773-119, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 18 A, 12 kW, weight: 2200 kg, plastic belt, belt width: (2x) 150 mm, total dimensions: 4750 mm x 910 mm x 2350 mm. With conveyor belt, plastic mesh belt, belt width: (2x) 175 mm, total dimensions: 880 mm x 850 mm x 1800. Without rollies.	5000



Nr	Title	Description	Start €
341	Rational	Rational oven, model: SCC201, serial number: E21SE06092076153, year of construction: 2006 400 V, 3 Ph, 50/60 Hz, 37 kW, dimensions: 880 mm x 750 mm x 1040 mm.	1600
342	Strautmann	Strautmann baler, type: PP 1207, serial number: 533 02 596, year of construction: 2004, 400 V, 50 Hz, 9.2 kW, 580 kN, inside dimensions: 1190 mm x 680 mm x 1400 mm, total dimensions: 2400 mm x 1600 mm x 3100 mm.	2000
343	Strautmann	Strautmann baler, type: PP 1207, serial number: 533 02 062, year of construction: 2004, 400 V, 50 Hz, 9.2 kW, 580 kN, inside dimensions: 1190 mm x 680 mm x 1400 mm, total dimensions: 2400 mm x 1600 mm x 3100 mm.	2000
344	NN frame	Frame without table top.	20
345	Maschinenbau Helmers GmbH	Maschinenbau Helmers GmbH transport belt, type: transportbelt, machine number: 1012307, year of construction: 2015, plastic mesh belt, belt width: 400 mm, total dimensions: 3700 mm x 800 mm x 300 mm.	200
346	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10220913, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B4-E2, serial number: 10220914, year of construction: 10/2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, dimensions: 765 mm x 530 mm x 1985 mm.	700
347	Ullmann & Co. GmbH	Ullmann & Co. GmbH s/s tank, number: 3110, year of construction: 1986, volume: 45 liter, working temperature: 90 °C, dimensions: 3100 mm x 1600 mm x 1700 mm.	750
348	Tank	S/s tank, dimensions: 3100 mm x 1600 mm x 1700 mm.	500
349	Delta Technics Engineering	Delta Technics Engineering evaporator, model: DSP-65, serial number: 01007, year of construction: 2007, 230 V, 50 Hz, 5 fans, dimensions, 2700 mm x 950 mm x 300 mm.	200
350	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG gas mixing station, type: KM 100-2 M, serial number: 28070, year of construction: 1997, gas: CO2/N2, dimensions: 400 mm x 310 mm x 300 mm.	75
351	Conovalve	Conovalve valve, model: S900, serial number: 2007267-1, DN: 65, PN: 10, dimensions: Ø 380 mm x 420 mm.	40
352	Siemens	Siemens control screen used for thermoformer, dimensions: 650 mm x 400 mm x 560 mm.	75
353	NN knife sharpener	Knife sharpener, dimensions: 200 mm x 200 mm x 120 mm.	5



Nr	Title	Description	Start €
354	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG gas mixing station, type: KM 100-3 MEM, serial number: 56807, year of construction: 2003, gas type: CO2 - O2 - N2, PN max: 5 bar, Pv min: 6 bar, Pv max: 20 bar, dimensions: 370 mm x 300 mm x 230 mm.	50
355	Witt-Gasetechnik GmbH & Co. KG	Witt-Gasetechnik GmbH & Co. KG gas mixing station, type: KM 100-2 MEM, serial number: 71341, year of construction: 2006, gas type: CO2 - O2 - N2, PN max: 5 bar, Pv min: 6 bar, Pv max: 20 bar, dimensions: 380 mm x 320 mm x 230 mm.	40
356	Getränketechnik Grote & Blohm GmbH & Co. KG	Getränketechnik Grote & Blohm GmbH & Co. KG cooling unit, type: begleitkühlgerät BK20, serial number: NJ 158585, year of construction: 2013, 230 V, 50 Hz, 1.4 A, 250 W, refrigerant: R134a/120 g, dimensions: 380 mm x 300 mm x 340 mm.	100
357	Intermec	Intermec label printer, model: PM4i, year of construction: 2009, 100-240 V, 50/60 Hz, 2-1 A, dimensions: 530 mm x 290 mm x 250 mm.	5
358	Avery Dennison	Avery Dennison label printer, type: 6405, serial number: 0831631001-6405, 100-240 V, 50-60 Hz, 3.2 A, dimensions: 500 mm x 320 mm x 310 mm.	5
359	Avery Berkel	Avery Berkel weighing scale, type: LC 116, serial number: 59009256, 220-240 V, 50-60 Hz, 250 mA, maximum weight: 60 kg, minimum weight: 0.4 kg, e=: 20 gram, T=: - 60 kg, dimensions: 600 mm x 400 mm x 160 mm.	50
360	S.A.M.	S.A.M. seal machine, model: S.A.M. IL-3-200, serial number: 100061, year of construction: 1997, 230 V, 50 Hz, 0.43 A, film width: 170 mm, total dimensions: 800 mm x 500 mm x 400 mm.	75
361	Clima	Clima electro motor, dimensions: 260 mm x 200 mm x 200 mm.	75
362	NN motor	Motor, dimensions: Ø 300 mm x 260 mm. Incomplete.	40
363	Bonfiglioli	Bonfiglioli electro motor with gears, type: A102 UH25 S1 S0, dimensions: 450 mm x 200 mm x 190 mm.	50
364	Busch	Busch vacuum pump, type: SV 1025 C 000 IKXX, number: C0920000135, year of construction: 2009, dimensions: 500 mm x 240 mm x 250 mm.	200
365	Teko	Teko evaporator, mode: T1, serial number: 00289, year of construction: 2013, 230 V, 50 Hz, 3.0 A, dimensions: 930 mm x 500 mm x 800 mm.	40
366	Markem-Imaje	Markem-Imaje inkjet printer, type: 9020, dimensions: 400 mm x 350 mm x 250 mm.	100
367	NN roller conveyor	Roller conveyor with s/s frame and rollers, roller width: 500 mm, total dimensions: 1000 mm x 600 mm x 500 mm.	100



Nr	Title	Description	Start €
368	Hyfra GmbH	Hyfra GmbH cooling unit, type: Kälteanlage Chilly 35-400V-S, machine number: 13090287, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 5.4 A, 2.4 kW, refrigerant: R407C / 1.20 kg, dimensions: 800 mm x 600 mm x 580 mm.	100
369	Alfa Laval	2 Alfa Laval plate heat exchangers, type: CB76-20L, number: 18170204, year of construction: 2007, dimensions: (2x) 330 mm x 300 mm x 700 mm.	75
370	Kronen	Kronen knife for GS 14, diameter: 560 mm.	25
371	Kronen	Kronen knife for GS 14, diameter: 560 mm.	25
372	Kronen	Kronen knife for GS 14, diameter: 560 mm.	25
373	BWC	BWC water softener, serial number: 50295, dimensions water softener: 370 mm x 260 mm x 690 mm, dimensions jerrycan: 300 mm x 250 mm x 430 mm, dimensions container: 250 mm x 250 mm x 610 mm.	5
374	Multivac	2 QRP knife sets for Multivac R7000, web width: 620 mm.	20
375	NN trolley	Steel trolley, dimensions: 950 mm x 600 mm x 1080 mm.	1
376	NN trolley	Steel trolley, dimensions: 950 mm x 600 mm x 1080 mm.	1
377	Busch	Busch vacuum pump, type: MM 1104 BV, number: 080013753, year of construction: 2008, 50/60 Hz, volume: 62/75 m ³ /hour, dimensions: 800 mm x 400 mm x 350 mm.	130
378	Busch	Busch vacuum pump, type: CB 0220 C 1, number: 460239/OPXX/OC, year of construction: 1997, capacity: 220 m ³ per hour, dimensions: 1000 mm x 300 mm x 600 mm.	100
379	Soehnle	Soehnle floor weighing scale with indicators, 220 V, 50 Hz, maximum 600 kg, minimum 10 kg, e=d=0.2 kg, dimensions: 1500 mm x 1250 mm x 80 mm.	400
380	NN vacuum pump	Vacuum pump, dimensions: 1100 mm x 300 mm x 600 mm.	100
381	Soehnle	Soehnle floor weighing scale and indicator, dimensions: 1250 mm x 1000 mm x 160 mm.	400
382	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), serial number: 1697924, year of construction: 1995, 1450 rates per minute, capacity: 200 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	100
383	Grundfos	Pallet with 7 Grundfos single stage oil pumps, type: MTA120-250A-W-A-B, model: A, 220-440 V, 3 Ph, 50/60 Hz, 440-730 W, nominal flow rate: 100-120 l/min, pumping height: 7.2/9.8 m, dimensions: (7x) 590 mm x 220 mm x 260 mm.	500



Nr	Title	Description	Start €
384	Woodhead L.P.	Woodhead L.P. cable reel, serial number: 816758757 AB, year of construction: 102101, 600 VAC, 30 A, dimensions: 450 mm x 400 mm x 250 mm.	75
385	Kanon Loading Equipment B.V.	Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010733, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm.	75
386	Kanon Loading Equipment B.V.	Kanon Loading Equipment B.V. steel cable reel, type: CR01, serial number: CR010734, year of construction: 2019, dimensions: 300 mm x 250 mm x 350 mm.	75
387	Flamco	2 Flamco degassing units, type: (2x) ENA 1, dimensions: (2x) 800 mm x 400 mm x 1400 mm.	200
388	VDL Delmas GmbH	VDL Delmas GmbH heat exchanger, type: S14A-IG16-43TKTL, serial number: 901-122316-08, year of construction: 2018, temperature range: 0 °C-80 °C, volume: 8 litres, dimensions: 500 mm x 350 mm x 1030 mm.	400
389	Busch	Busch vacuum pump, type: RA 0100 E, number: U101101928, capacity: 100 m ³ /h, dimensions: 700 mm x 400 mm x 400 mm.	75
390	Busch	Busch vacuum pump, dimensions: 800 mm x 380 mm x 400 mm.	100
391	Gefi	Gefi vacuum pump, type: LC106-9603032/SF, serial number: 1924828, year of construction: 2018, dimensions: 700 mm x 300 mm x 500 mm.	100
392	Kreyenborg GmbH	Kreyenborg GmbH screen changer, type: K-SWE-101, machine number: 21118/C, year of construction: 2007, dimensions: (2x) 1200 mm x 800 mm x 900 mm.	200
393	Busch	Busch vacuum pump, type: WP 1000 D 2V1 TMXX, number: C1142000350, year of construction: 2011, capacity: 1000 m ³ per hour, dimensions: 1000 mm x 350 mm x 350 mm.	100
395	Linx	Linx inkjet printer, model: 5900, serial number: GL190, serial number: 2014, dimensions: 550 mm x 450 mm x 250 mm.	80
396	Linx	Linx inkjet printer, model: 5900, serial number: GF178, serial number: 2014, dimensions: 550 mm x 450 mm x 250 mm.	80
397	Busch	Busch vacuum pump, dimensions: 980 mm x 350 mm x 630 mm.	100
398	NN gripper	Robot gripper for crates, dimensions: 1450 mm x 1000 mm x 450 mm.	150
399	Gardner Denver	Gardner Denver vacuum pump, type: VFS 201 (01) 100921-0117, number: 1783802, year of construction: 1996, capacity: 200 m ³ /h, dimensions: 980 mm x 300 mm x 440 mm.	100
400	Alfaco	Alfaco steel server cabinet, dimensions: 1000 mm x 800 mm x 2000 mm.	80



Nr	Title	Description	Start €
401	Busch	Busch vacuum pump, type: RA 0063 E 5Z1, number: 528934/GMZZ/PI, year of construction: 1998, capacity: 63 m ³ /h, dimensions: 600 mm x 400 mm x 400 mm.	100
402	Busch	Busch vacuum pump, type: CB 0220 D, number: 04048231, year of construction: 2004, capacity: 220 m ³ /h, dimensions: 1000 mm x 550 mm x 600 mm.	100
403	Edwards	Edwards booster pump, model: EH500 HYD, serial number: 05618620, capacity: 500 m ³ per hour, weight: 74 kg, dimensions: 740 mm x 300 mm x 250 mm.	100
404	Güntner	Güntner evaporator, type: S-GHDE 45/28, number: 6 328410, year of construction: 1993, 2 fans, dimensions: 1700 mm x 680 mm x 620 mm.	250
405	Rietschle	Rietschle vacuum pump, type: VFS 220 80 (01), year of construction: 2008, 1450 rates per minute, capacity: 220 / 80 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	50
406	Rietschle	Rietschle vacuum pump, type: VFS 220 80 (01), year of construction: 2008, 1450 rates per minute, capacity: 220 / 80 m ³ per hour, dimensions: 960 mm x 430 mm x 620 mm.	100
407	GEA Food Solutions Germany GmbH	GEA Food Solutions Germany GmbH labelling unit, type: LPM 108-12 LI, serial number: 18861281, year of construction: 2018, 30 V, 50-60 Hz, 12 A. dimensions: 850 mm x 350 mm x 600 mm.	100
408	NN various equipment	Steel trolley with various equipment, among others: plastic crates, plastic boxes, plastic buckets and plastic tubes, dimensions trolley: 1000 mm x 660 mm x 1780 mm.	20
409	Rietschle	Rietschle vacuum pump, type: VFS 201 (01), serial number: 2636069, year of construction: 2006, 230/400 V, 50 Hz, 19.7/11.4 A, 1450 rates per minute, capacity: 200 m ³ per hour, dimensions: 960 mm x 300 mm x 600 mm.	100
410	Busch	Busch vacuum pump, type: CB 0220 C, number: 03025433, capacity: 220 m ³ per hour, dimensions: 1250 mm x 350 mm x 600 mm.	100
411	Rietschle	Rietschle vacuum pump, type: VCH 140 (05), serial number: 2363164, year of construction: 2003, capacity: 140 m ³ per hour, dimensions: 700 mm x 400 mm x 300 mm. Incomplete. Technical condition unknown.	100
413	Denios AG	2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-002, year of construction: 2002, dimensions: (2x) 1650 mm x 430 mm x 350 mm.	50



Nr	Title	Description	Start €
414	Denios AG	2 Denios AG drip trays, type: FK 20, serial number: 110011991-000100-001, year of construction: 2002, dimensions: (2x) 1650 mm x 430 mm x 350 mm.	50
415	BT	BT pallet lifter, type: L23/12, fork length: 1000 mm, total dimensions: 1340 mm x 510 mm x 1200 mm.	25
416	Citronix	Citronix inkjet printer, model: Ci700, serial number: 0410229F, dimensions: 400 mm x 440 mm x 400 mm.	80
417	Multivac	Multivac gas mixing station, type: MGM300, serial number: 20294257, year of construction: 2021, dimensions: 400 mm x 370 mm x 270 mm.	100
418	PBI-Dansensor A/S	PBI-Dansensor A/S gas mixing station, type: MAP Mix 9001-2/400B, serial number: 40103782, year of construction: 2010, 90-264 VAC, 50-60 Hz, 20 VA, dimensions: 420 mm x 240 mm x 190 mm.	100
419	Busch	Busch vacuumbooster pump, type: WP 0500 D 4V1, serial number: C1708000156, year of construction: 2017, capacity: 500 m³/h, dimensions: 1000 mm x 350 mm x 320 mm.	200
420	Kreyenborg GmbH	Kreyenborg GmbH screen changer, type: K-SWE-050, machine number: 18489/A, year of construction: 1999, dimensions: 1200 mm x 600 mm x 1650 mm.	200
421	Samson	Samson pneumatic actuator, type: 3277, dimensions: 540 mm x 300 mm x 360 mm.	150
422	Samson	Samson pneumatic actuator, type: 3277, dimensions: 500 mm x 320 mm x 310 mm.	150
423	Hitachi	Hitachi inkjet printer, type: PB-260E, serial number: PB10520811, 100-120 V/200-240 V, 1 Ph, 50/60 Hz, 1.5/0.75 A, 25 kg, dimensions: 480 mm x 350 mm x 520 mm.	100
424	NN valves	9 valves, dimensions: (9x) Ø 140 mm x 500 mm.	40
425	Busch	Busch vacuum pump, type: RA 0250 D 563 CWXX, number: C1217000087, year of construction: 2012, capacity: 250 m³ per hour, dimensions: 1000 mm x 550 mm x 800 mm.	300
426	Cafe Bar	Cafe Bar coffee machine, model: CB932NL/BK/L, 230 V, 50 Hz, 2.31 kW, dimensions: 500 mm x 250 mm x 460 mm.	20
427	NN pallet	Pallet box with various parts including 2 weighing scales.	50
428	NN control panel	Control panel, type: RE30, serial number: 3000008, dimensions: 1100 mm x 150 mm x 750 mm.	10
430	Sogevac	Sogevac vacuum pump, dimensions: 700 mm x 400 mm x 300 mm.	100
431	NN pump	Pump, dimensions: 1000 mm x 500 mm x 300 mm.	100
432	Allen Coding Systems	Allen Coding Systems, serial number: 00 107 CB 144, year of construction: 2000, 110/230 V, 1 Ph, 50/60 Hz, dimensions: 550 mm x 200 mm x 200 mm.	100



Nr	Title	Description	Start €
433	Thermo Allen Coding	Thermo Allen Coding, dimensions: 550 mm x 200 mm x 200 mm.	50
434	Videojet	3x Videojet dataflex coding machine, dimensions: 550 mm x 190 mm x 200 mm.	150
435	Videojet	3x Videojet display , dimensions: 200 mm x 100 mm x 150 mm.	50
436	Busch	Busch vacuum pump, type: CB 0220 D, serial number: 130083481, year of construction: 2013, capacity: 220 m ³ per hour, dimensions: 1000 mm x 350 mm x 600 mm.	100
437	Busch	Busch vacuum pump, dimensions: 900 mm x 400 mm x 500 mm.	100
438	NN IBC tanks	4 IBC tanks, volume: (4x) 1000 litres, dimensions: (4x) 1000 mm x 1200 mm x 1150 mm.	100
439	NN IBC tanks	3 IBC tanks, volume: (3x) 1000 litres, dimensions: (3x) 1000 mm x 1200 mm x 1150 mm.	100
440	NN rejector bin	S/s rejector bin, dimensions: 450 mm x 310 mm x 1100 mm.	25
441	Webomatic	Webomatic thermoformer with water cooler, type: ML-C 2600, machine number: l6513ZB196, 400 V, 3 Ph, 50 Hz, 15.3 kW, dye: (1x) 380 mm x 290 mm x 70 mm, plastic mesh belt, belt width: 360, film width: 420 mm, Busch vacuum pump, type: RA 0155 A 503, capacity: 150 m ³ per hour, total dimensions: 3900 mm x 1100 mm x 1980 mm.	4000
442	NN vending machine	Vending machine, total dimensions: 840 mm x 670 mm x 170 mm.	100
443	Berg&schmid s.a.getechnik	Berg&schmid s.a.getechnik metal saw, type: VKS 300, dimensions: 1200 mm x 800 mm x 1700 mm.	150
444	Beckhoff	Beckhoff control panel, serial number: 3011207-001, year of construction: 2012, dimensions: 500 mm x 210 mm x 450 mm.	50
445	Videojet	Videojet coding machine with display, model: DATAFLEX+ and DATAFLEX 6330.	100
446	Busch	Busch vacuum pump, type: RC 0063 W 501, number: 060119488, year of construction: 2006, capacity: 60 m ³ per hour, dimensions: 600 mm x 400 mm x 300 mm.	150
447	Busch	Busch booster pump, type: WF 0500 D 4VI, C0533000075, year of construction: 2005, capacity: 500 m ³ per hour, dimensions: 1000 mm x 350 mm x 350 mm.	250
448	HYFRA Industriekuhlanlagen GmbH	HYFRA Industriekuhlanlagen GmbH mobile cooling unit, type: Kälteanlage Chilly 15-S, machine number: 13090516, year of construction: 2013, 230 V, 1 Ph, 50 Hz, refrigerant: R407C, dimensions: 700 mm x 500 mm x 500 mm.	100

Nr	Title	Description	Start €
449	Busch	Busch booster pump, dimensions: 900 mm x 360 mm x 400 mm.	150
450	Busch	Busch vacuum pump, type: RD 0200 A 5Z1, serial number: CHM122050243, year of construction: 2022, capacity: 160 m ³ per hour, dimensions: 900 mm x 600 mm x 600 mm.	400
451	Busch	Busch vacuum pump, type: RA 0100 F 503, number: 130024021, year of construction: 2013, capacity: 100 m ³ per hour, dimensions: 700 mm x 400 mm x 300 mm.	150
452	Edwards	Edwards booster pump, dimensions: 1050 mm x 400 mm x 360 mm.	400
453	Valentin	Valentin labelling machine, type: DPM III i 107-12, 230 V, 50-60 Hz, 1.5 A, dimensions: 600 mm x 400 mm x 880 mm.	350
454	MK Gilze bv	MK Gilze BV control panel, dimensions panel: 520 mm x 370 mm.	50
455	MK Gilze BV	MK Gilze BV control panel, dimensions panel: 520 mm x 370 mm.	50
456	Crone	Crone boiler with Puriper burner, type: CLM 115, capacity: 3 million k/cal, estimated weight: 12000/15000 kg, gas/diesel heated, total dimensions: 7000 mm x 3000 mm x 3200 mm. Lot located on other location in Monster (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	5000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.




This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

