



**Industrial  
Auctions**

1910: Online auction unsold lots butter processing,  
packaging and palletizing machinery and other  
inventory due to company closure  
FrieslandCampina in Den Bosch (NL)

**END DATE**

17 September 2025 12:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

End date	17 September 2025 from 12:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	Pick up in consultation with Industrial Auctions BV.
Pick up address	Pieter Langendijksingel 2 5216 JZ 's-Hertogenbosch Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
3	NN raw milk unloading station	Raw milk unloading station for 4 trucks, with various hoses, s/s pipes, switch cabinets and valves, total dimensions: 16000 mm x 1800 mm x 1700 mm.	1500
7	WSM Raumsysteme	WSM Raumsysteme office unit, dimensions: 2300 mm x 1200 mm x 2800 mm.	375
8	NN cabinet	Wall mounted s/s cabinet, dimensions: 800 mm x 440 mm x 380 mm.	100
11	NN plastic fence	2 plastic barrier fences, dimensions: (2x) 2100 mm x 1000 mm.	20
12	Trelleborg	Trelleborg Vinitrell hose, diameter: 70 mm, length: 3250 mm.	20
13	NN spill unit for oils	Spill unit for oils, petrol and diesel, dimensions: 850 mm x 630 mm x 600 mm.	25
14	NN plastic tub with road salt	Plastic tub with road salt, dimensions: 1150 mm x 800 mm x 600 mm.	20
15	NN waste bin	Plastic waste bin, dimensions: Ø450 mm x 1000 mm.	15
16	Comege / Linde	Comege steel lifting arm, serial number: 211824, year of construction: 2021, with Verlinde manual chain hoist, type: CHD0500, serial number: 101349519, year of construction: 17.05.2021, max capacity: 500 kg, total dimensions: 4800 mm x 850 mm x 3200 mm.	500
21	NN platform with stairs	S/s platform with stairs, working height: 730 mm, total dimensions: 1000 mm x 580 mm x 1800 mm.	100
22	NN platform with stairs	S/s platform with stairs, working height: 730 mm, total dimensions: 1000 mm x 580 mm x 1800 mm.	100
24	NN platform with stairs	S/s platform with stairs, working height: 740 mm, total dimensions: 1700 mm x 1000 mm x 1550 mm.	150
25	Holvrieka Nirota	Holvrieka Nirota insulation s/s tank with Veenstra b.v. mixer used for cream, serial number: 061.249, year of construction: 2007, volume: 162.000 litres, empty weight: 6000 kg, diameter: 5200 mm, height: 9750 mm.	9500
26	Holvrieka Nirota	Holvrieka Nirota insulation s/s tank with Veenstra b.v. mixer used for cream, serial number: 131.035, year of construction: 2013, volume: 162.000 litres, empty weight: 6000 kg, diameter: 5200 mm, height: 9750 mm.	9500
43	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H/Promag 300, dimensions: 200 mm x 250 mm x 370 mm.	200
47	AMG	Valve with AMG pneumatic actuator, dimensions: 250 mm x 200 mm x 200 mm.	200
48	Elster	Elster water meter, type: WPH-1 D, number: 3038385, year of construction: 1994, Qn: 60 m³/h, dimensions: 400 mm x 300 mm x 200 mm.	200
53	APV/Nocado	10 APV and Nocado valves.	500
55	NN filter housings	S/s frame with 2 s/s filter housings and various valves, dimensions: (2x) 800 mm x 300 mm x 250 mm.	250
59	NN switch cabinet	Wall mounted s/s switch cabinet, dimensions: 600 mm x 200 mm x 600 mm.	200



Nr	Title	Description	Start €
60	NN tank	S/s tank for condensation water, dimensions: 2050 mm x 1000 mm x 1050 mm.	300
61	Pomac	Pomac centrifugal pump, type: 15544/100X7, number: 18016, capacity: 10 m <sup>3</sup> /h, dimensions: 500 mm x 300 mm x 400 mm.	200
62	NN pump	S/s water pump with pipe, length: 1500 mm.	150
63	NN hose reel with hose	S/s hose reel with plastic hose, dimensions: 380 mm x 150 mm x 220 mm.	75
65	NN switch cabinet	Wall mounted s/s switch cabinet, dimensions: 1000 mm x 300 mm x 1000 mm.	300
74	Samson	2 Samson valves, including various APV valves.	300
75	Anema	Anema centrifugal pump, dimensions: 450 mm x 220 mm x 360 mm.	200
76	NN platform with stairs	S/s platform with stairs, working height: 700 mm, total dimensions: 1400 mm x 670 mm x 1700 mm.	50
80	Samson	Samson valve, dimensions: 250 mm x 250 mm x 400 mm.	100
81	Hovap	Hovap centrifugal pump, type: HP-1250, number: 39042, year of construction: 2012, dimensions: 600 mm x 250 mm x 460 mm.	200
82	IPBE	IPBE s/s switch cabinet, dimensions: 400 mm x 260 mm x 770 mm.	200
85	APV	3 APV valves, total dimensions: 300 mm x 300 mm x 700 mm.	250
86	Samson	Samson valve, dimensions: 400 mm x 400 mm x 800 mm.	200
88	Samson	Samson valve, dimensions: 400 mm x 400 mm x 800 mm.	200
89	APV	Various APV valves.	800
90	NN platform	S/s platform with aluminium grid, dimensions: 1200 mm x 800 mm x 1000 mm.	250
91	Anema	Anema centrifugal pump, number: 3207, capacity: 20 m <sup>3</sup> /h, dimensions: 650 mm x 370 mm x 420 mm.	200
92	APV	Various APV valves.	600
93	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H/Promag 50, dimensions: 350 mm x 300 mm x 200 mm.	150
97	Hovap	Hovap centrifugal pump, type: HP-5050/190, number: 33606, year of construction: 2002, capacity: 50 m <sup>3</sup> /h, dimensions: 900 mm x 380 mm x 560 mm. Including Endress + Hauser flowmeter, model: Promag P / Promag 50, dimensions: 400 mm x 250 mm x 200 mm.	200
98	NN platform	S/s platform with stairs, working height: 1780 mm, total dimensions: 2400 mm x 720 mm x 2730 mm.	250
99	Rittal	Rittal s/s switch cabinet for valves from cream separation line, dimensions: 1250 mm x 400 mm x 1200 mm.	300
112	NN platform with stairs	S/s platform with stairs, working height: 1550 mm, total dimensions: 2400 mm x 680 mm x 3000 mm.	250
121	NN platform with stairs	S/s platform with stairs, working height: 3400 mm, total dimensions: 6500 mm x 4600 mm x 4500 mm.	750
122	APV	Approximately 14 APV valves.	600



Nr	Title	Description	Start €
123	APV	Approximately 18 APV valves.	650
124	NN heat extender	S/s heat extender, dimensions: 6500 mm x 1600 mm x 2000 mm.	2950
126	Grundfos	S/s tub with 2 Grundfos pumps and expansion vessel, dimensions tub: 800 mm x 400 mm x 560 mm, total dimensions: 1300 mm x 700 mm x 1700 mm.	300
128	Jonker	Jonker steam distribution unit, type: Stoomverdeler DN150x5900, factory number: JON132687, year of construction: 2021, design pressure: 0-12 bar, design temperature: 0-192 °C, volume: 125 litre, test pressure: 21 bar, test temperature: 18 °C, including various valves and expansion vessels, total dimensions: approximately 8000 mm x 1000 mm x 2500 mm.	2500
129	Pomac	Pomac centrifugal pump, type: 23588/170X23, serial number: 17004, capacity: 100 m³/h, dimensions: 900 mm x 450 mm x 550 mm.	200
130	Pomac	Pomac centrifugal pump, type: CP19655-65/165 X 10, serial number: 20624, year of construction: 2008, capacity: 35 m³/h, power: 7.5 kW, dimensions: 700 mm x 400 mm x 450 mm.	200
132	Endress + Hauser	Endress + Hauser flowmeter, dimensions: 400 mm x 250 mm x 250 mm.	150
133	Endress + Hauser	Endress + Hauser flowmeter, model: Promag P/Promag 53, dimensions: 400 mm x 250 mm x 250 mm.	150
139	Rittal	Rittal s/s switch cabinet, dimensions: 760 mm x 350 mm x 800 mm.	350
151	Nocado	15 Nocado valves, dimensions: 1400 mm x 700 mm x 600 mm, including switch cabinet, dimensions: 1000 mm x 350 mm x 1000 mm.	1250
188	Endress + Hauser	Endress + Hauser flowmeter, model: Promag P/Promag 50, dimensions: 400 mm x 250 mm x 250 mm.	200
189	Endress + Hauser	Endress + Hauser flowmeter, model: Promag P/Promag 50, dimensions: 400 mm x 250 mm x 250 mm.	200
190	Rittal	Rittal wall mounted s/s switch cabinet, dimensions: 900 mm x 320 mm x 800 mm.	300
191	Terlet	Terlet s/s double jacketed tank, number: 88.805, volume: 1500 litres, maximum operating temperature: 95 °C, dimensions: Ø 2600 mm x 2450 mm, including aluminium ladder.	1250
193	Gestra	Gestra steam valve, model: UNA 45hl, dimensions: 150 mm x 200 mm x 200 mm.	100
194	Endress + Hauser	Endress + Hauser flowmeter, model: Promag F/Promag 30F, dimensions: 400 mm x 250 mm x 250 mm.	150
196	Pomac	Pomac centrifugal pump, dimensions: 600 mm x 350 mm x 450 mm.	200
197	NN centrifugal pump	Centrifugal pump, dimensions: 650 mm x 260 mm x 400 mm.	200



Nr	Title	Description	Start €
199	Samson	Samson valve, dimensions: 300 mm x 200 mm x 500 mm.	250
200	Reflex	Reflex expansion vessel, dimensions: Ø 300 mm x 450 mm.	75
201	NN switch cabinet	S/s switch cabinet, dimensions: 630 mm x 220 mm x 800 mm.	200
203	Endress + Hauser	Endress + Hauser flowmeter, model: Promag W, dimensions flowmeter: 350 mm x 250 mm x 200 mm, dimensions: 250 mm x 220 mm x 200 mm.	150
204	GEA Tuchenhausen/Samson	GEA Tuchenhausen/Samson valve, dimensions: 300 mm x 300 mm x 650 mm.	150
206	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 200 mm x 800 mm.	300
208	NN centrifugal pump	Centrifugal pump, dimensions: 650 mm x 350 mm x 450 mm.	200
210	APV	16 APV valves.	750
211	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1300 mm and 650 mm x 1300 mm.	100
216	Rittal	2 Rittal wall mounted s/s switch cabinets, dimensions: 500 mm x 300 mm x 500 mm and 600 mm x 240 mm x 600 mm.	300
217	NN tank with mixer	S/s double jacketed tank with mixer, volume: 6000 litres, dimensions: Ø 2000 mm x 4250 mm.	2000
219	Terlet	Terlet s/s double jacketed tank with mixer, volume: 8000 litres, dimensions: Ø 2100 mm x 4900 mm.	2500
221	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
224	NN table	S/s table, dimensions: 1500 mm x 400 mm x 1000 mm.	50
225	NN white board	White board, dimensions: 1500 mm x 900 mm.	50
227	Rittal	Rittal switch cabinet, dimensions: 800 mm x 550 mm x 2000 mm.	400
228	ABB STIEBEL & JOHN GmbH	ABB STIEBEL & JOHN GmbH switch cabinet dimensions: 640 mm x 340 mm x 2050 mm.	400
233	Rittal	Rittal wall mounted s/s switch cabinet, dimensions: 300 mm x 200 mm x 300 mm.	200
235	Rittal	Rittal s/s wall mounted switch cabinet, dimensions: 500 mm x 300 mm x 500 mm.	250
236	Gebra	Gebra safety glasses, dimensions: 250 mm x 120 mm x 120 mm.	50
238	Endress + Hauser	Endress + Hauser mass-flowmeter, dimensions: 900 mm x 300 mm x 500 mm, including various valves.	250
239	Terlet	Terlet s/s insulated tank with agitator, number: 98.00056 3, volume: 12000 litres, maximum operating temperature: 100 °C, dimensions: Ø 2600 mm x 4600 mm. Tank is dented.	2750
240	NN ladder	Aluminium ladder, height: 4100 mm.	50



Nr	Title	Description	Start €
241	Rittal	Rittal s/s wall mounted switch cabinet, dimensions: 700 mm x 200 mm x 770 mm.	250
242	Cool it	Cool it refrigeration sliding door with rail, type: SI-8B, fabrication number: 08 065608 001 01, year of construction: 07.07.2008, dimensions door: 1600 mm x 2150 mm, thickness: 100 mm, length rail: 3450 mm.	550
243	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
244	Cool it	Cool it double refrigeration sliding door with rail, type: ZSI-8B, fabrication number: 04 023112 001 01, year of construction: 08.03.2004, dimensions door: (2x) 1050 mm x 2150 mm, thickness: 80 mm, length rail: 4500 mm.	550
245	Berson	Berson insect killer, type: I.220E*1, serial number: 2903177, 230 V, 50 Hz, 55 W, dimensions: 700 mm x 200 mm x 400 mm.	75
246	NN table	S/s table, dimensions: 1200 mm x 800 mm x 830 mm.	100
247	Cool it	Cool it refrigeration sliding door with rail, type: SI-8B, fabrication number: 04 023112 002 01, year of construction: 08.03.2004, dimensions door: 2080 mm x 2150 mm, thickness: 80 mm, length rail: 4350 mm.	550
248	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500
249	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500
250	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500
251	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500
252	Holvrieka	Holvrieka horizontal steel tank, year of construction: 1965, volume: 25000 litres, tank dimensions: Ø 3100 mm x 4700 mm, total dimensions: 3100 mm x 3800 mm x 4700 mm.	2500
254	NN tub	S/s tub with drain, dimensions: 1300 mm x 600 mm x 1100 mm.	250
255	EMS	EMS double refrigeration door, type: BTM-2-FLG, year of construction: 2014, door dimensions: (2x) 1050 mm x 2300 mm, thickness: 80 mm.	550
256	Endress + Hauser	Rittal s/s switch cabinet with Endress + Hauser touch screen, model: CVM40, dimensions: 500 mm x 300 mm x 500 mm.	250
257	NN platform	S/s platform, dimensions: 500 mm x 150 mm x 450 mm.	50
259	NN paper holder	Steel paper holder, dimensions: 450 mm x 450 mm x 900 mm.	25



Nr	Title	Description	Start €
260	NN refrigeration door	Double refrigeration door, door dimensions: (2x) 1250 mm x 2500 mm, thickness: 100 mm.	550
262	NN centrifugal pump	Centrifugal pump, dimensions: 800 mm x 300 mm x 400 mm.	200
263	Nocado	3 Nocado valves, dimensions: 350 mm x 300 mm x 300 mm.	200
265	Van der Ploeg	Van der Ploeg s/s insulated tank with mixer, tank dimensions: Ø 1600 mm x 1600 mm, total dimensions: 2000 mm x 1800 mm x 3200 mm.	1250
266	Altermij De Gouwe Tank & Procestechniek	Altermij De Gouwe Tank & Procestechniek horizontal s/s tank, type: Opslagtank, year of construction: 2016, volume: 4500 litres, empty weight: 500 kg, dimensions: 4000 mm x 1300 mm x 1750 mm.	1500
267	Rittal	Rittal s/s switch cabinet, dimensions: 760 mm x 300 mm x 760 mm.	350
268	Hovap	7 Hovap valves, type: HC82, dimensions: 700 mm x 400 mm x 400 mm.	200
272	NN filter	S/s filter housing, dimensions: Ø 220 mm x 600 mm.	200
274	Cederroth	Cederroth eye shower, dimensions: 90 mm x 100 mm x 270 mm, Uvex safety glasses, dimensions: 250 mm x 120 mm x 120 mm.	50
275	NN cabinet	S/s cabinet, dimensions: 750 mm x 500 mm x 2060 mm.	100
276	Haws	Haws safety shower, model: 8300, dimensions: 350 mm x 800 mm x 2400 mm.	150
277	Nederman	Nederman air extraction unit, dimensions: 1600 mm x 1300 mm x 2700 mm.	350
278	Grenco B.V.	Grenco B.V. switch cabinet, dimensions: 600 mm x 200 mm x 600 mm.	350
279	Gebhardt Ventilatoren	Gebhardt Ventilatoren s/s fan, type: P2M-MBR2L RRA, dimensions: 1200 mm x 900 mm x 700 mm.	350
280	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
282	Camfil	Camfil s/s air filter unit, dimensions: 1200 mm x 700 mm x 750 mm.	500
283	Rittal	Rittal s/s switch cabinet with Siemens Simatic HMI touch screen and scanner, dimensions: 500 mm x 350 mm x 1800 mm.	250
284	Kovu	Kovu chest freezer, type: UNI31/EL31LT, number: 09220376, 220-240 V, 50 Hz, 360 W, refrigerant: R404A/ 200 gram, dimensions: 1310 mm x 700 mm x 1060 mm.	100
285	Elcold	Elcold chest freezer, type: UNI21/EL21LT, number: 47120324, 220-240 V, 50 Hz, 4 A, 360 W, refrigerant: R404A/180 gram, dimensions: 1060 mm x 750 mm x 1020 mm.	100
300	Rittal	7 Rittal s/s switch cabinets, dimensions: (7x) 770 mm x 300 mm x 770 mm.	1500





Nr	Title	Description	Start €
302	Elpress	Elpress s/s hose reel with plastic hose and spray pistol, type: EHT 20, serial number: 057117, year of construction: 05/2006, dimensions: 550 mm x 400 mm x 480 mm.	150
304	NN hose reel	S/s hose reel with plastic hose, dimensions: 560 mm x 200 mm x 230 mm.	75
306	NN safety glasses	Safety glasses, dimensions: 250 mm x 120 mm x 120 mm.	25
307	Samson	Samson steam distribution unit with various steam valves, dimensions: 1750 mm x 400 mm x 1000 mm.	350
309	Hovap	Acidification distribution unit with 49 Hovap valves.	2750
335	NN hose reel	S/s hose reel with plastic hose and spray pistol, dimensions: 520 mm x 250 mm x 660 mm.	75
337	APV / Nocado	Approximately 21 APV and Nocado valves.	250
339	Endress + Hauser	Endress + Hauser flowmeter, model: Promag H, dimensions: 220 mm x 200 mm x 350 mm.	200
341	NN flowmeter	Flowmeter, dimensions: 300 mm x 300 mm x 280 mm.	200
342	NN cool box	5 cool boxes, dimensions: (5x) 410 mm x 250 mm x 350 mm.	25
343	NN laboratory equipment	Various s/s laboratory equipment.	25
344	Heraeus	Heraeus laboratory drying cabinet, type: T 5028, fabrication number: 8702296, 220 V, 1 Ph, 50/60 Hz, 3.68 A, 0.81 kW, nominal temperature: 250 °C, 2 floors, dimensions each floor: 290 mm x 250 mm, total dimensions: 510 mm x 500 mm x 540 mm.	150
345	Heraeus	Heraeus laboratory drying cabinet, type: T 5028, fabrication number: 82 04 696, 220 V, 1 Ph, 50/60 Hz, 3.68 A, 0.81 kW, nominal temperature: 250 °C, 2 floors, weight: 28 kg, dimensions each floor: 290 mm x 250 mm, total dimensions: 510 mm x 500 mm x 540 mm.	150
346	Elbanton B.V.	Elbanton B.V. laboratory refrigerator, type: SKV 2D 260, serial number: 200509900, year of construction: 2005, 230 V, 2 A, refrigerant: R 134a/110 gram, dimensions: 600 mm x 600 mm x 1230 mm.	150
347	Elbanton B.V.	Elbanton B.V. chilling unit for water bath, type: Koelbad-Plaat, serial number: 9903525, year of construction: 1999, 230 V, 9 A, refrigerant: 134A/230 gram, dimensions: 660 mm x 770 mm x 1080 mm.	150
348	Elbanton B.V.	Elbanton B.V. laboratory refrigerator, dimensions: 730 mm x 600 mm x 860 mm.	150
349	Elbanton B.V.	Elbanton B.V. laboratory refrigerator, dimensions: 730 mm x 600 mm x 860 mm.	150
350	Asecos	Asecos fume cabinet used for acids, model: UB90.060.089.5, serial number: A0103-174293-3216-0, year of construction: 2016, inside dimensions: 1150 mm x 800 mm x 1200 mm, total dimensions: 1250 mm x 900 mm x 2500 mm. Without content.	1500



Nr	Title	Description	Start €
351	Siemens	Siemens extraction hood, dimensions: 600 mm x 500 mm x 770 mm.	150
352	Liebherr	Liebherr refrigerator, type: UKS 2600 Index 11 / 001, serial number: 73.584.972.1, 220/230 V, 50 Hz, 170 W, refrigerant: R 134 a/120 g, volume: 252 litres, dimensions: 650 mm x 650 mm x 1230 mm.	100
353	NN laboratory inventory	Laboratory inventory consisting of: 11 desks, 7 chairs, 5 white boards and 3 paper roll holders.	2000
354	PBI	PBI colony counter, number: 06555, 220 V, 50 W, dimensions: 240 mm x 350 mm x 200 mm.	25
355	NN clock	Clock, diameter: 430 mm.	25
356	Daalderop	Daalderop boiler, type: 07.14.28.049, serial number: 0617002, 220/240 V, 2500 W, volume: 80 litres, dimensions: 550 mm x 500 mm x 850 mm.	250
357	NN clock	Clock, diameter: 430 mm.	25
358	NN first aid	First aid kit, dimensions: 450 mm x 160 mm x 300 mm.	25
359	MMM-Group	MMM-Group laboratory incubator, type: FRIOCELL 111, serial number: B 042749, 230 V, 50/60 Hz, 990 W, volume: 111 litres, dimensions: 770 mm x 670 mm x 1000 mm. Technical condition unknown.	150
360	Funke Gerber	Funke Gerber sediment tester, type: Sedilab-E, serial number: 4810-E-0707, year of construction: 2007, 230 V, 50/60 Hz, 0.74 kW, dimensions: 400 mm x 230 mm x 280 mm.	150
361	NN cabinet	Cabinet, dimensions: 850 mm x 500 mm x 640 mm.	75
363	Memmert	Memmert waterbath, type: WB 29, number: 1697.0206, 230 V, 50/60 Hz, 10.4 A, 2400 W, inside dimensions: 580 mm x 350 mm x 150 mm, total dimensions: 820 mm x 520 mm x 350 mm.	75
365	NN rack	Steel rack, 8 floors, floor dimensions: 1000 mm x 500 mm, total dimensions: 2000 mm x 500 mm x 2000 mm.	150
367	Altrex	Altrex aluminium ladder, working height: 1050 mm, maximum capacity: 150 kg, total dimensions: 1000 mm x 400 mm x 1650 mm.	50
368	NN crates	5 plastic crates, dimensions: (4x) 600 mm x 400 mm x 170 mm, (1x) 600 mm x 400 mm x 120 mm.	25
369	NN elevator	S/s elevator, platform dimensions: 700 mm x 700 mm, lifting height: 3800 mm, capacity: 60 kg, total dimensions: 5000 mm x 900 mm x 950 mm.	1500
370	NN trolley	Steel trolley, dimensions: 650 mm x 550 mm x 1320 mm.	25
371	Johnson Diversey	3 Johnson Diversey drip trays on s/s frame, dimensions: 1050 mm x 630 mm x 1770 mm.	100
372	NN safety shower	Safety shower, model: MB 150/30, serial number: 00182772, year of construction: 01/2018, dimensions: 850 mm x 300 mm x 2550 mm.	100
373	NN paper roll holders	2 paper roll holders, dimensions: (2x) 450 mm x 450 mm x 900 mm.	25



Nr	Title	Description	Start €
374	NN tank	S/s tank, inside dimensions: Ø 580 mm x 800 mm, total dimensions: 950 mm x 600 mm x 1050 mm.	200
375	Pomac	Pomac centrifugal pump, type: GP15544/110 x 2, serial number: 21 238, year of construction: 11/2009, 230/400 V, 50 Hz, 1.1 kW, capacity: 25 m³/h, dimensions: 600 mm x 270 mm x 400 mm.	200
376	NN filters	2 s/s filters, dimensions: 750 mm x 250 mm x 700 mm.	150
377	NN hose reel	S/s hose reel with plastic hose, dimensions: 350 mm x 120 mm x 250 mm.	75
378	Trelleborg	S/s hose reel with Trelleborg plastic hose, hose dimensions: Ø 60 mm x 3000 mm.	75
379	NN hose reel and frames	S/s hose reels and 2 s/s wall mounted frames, hose reel dimensions: 450 mm x 200 mm x 800 mm, frame dimensions: (2x) 520 mm x 260 mm x 250 mm.	75
381	NN tub	S/s tub with drain on steel mobile frame, inside dimensions: 1240 mm x 850 mm x 500 mm, total dimensions: 1530 mm x 950 mm x 1050 mm.	75
384	NN tub	Mobile s/s tub with drain, inside dimensions: 1450 mm x 750 mm x 350 mm, total dimensions: 1800 mm x 850 mm x 1100 mm.	75
385	NN tub	Mobile s/s tub with drain, inside dimensions: 1250 mm x 850 mm x 500 mm, total dimensions: 1750 mm x 1000 mm x 970 mm.	75
388	NN cabinet	S/s cabinet, dimensions: 380 mm x 220 mm x 600 mm.	75
389	NN switch cabinet	S/s switch cabinet, dimensions: 760 mm x 300 mm x 770 mm.	150
392	FAICOM	FAICOM s/s hose reel with plastic hose and spray pistol, dimensions: 500 mm x 250 mm x 500 mm.	150
417	NN trolley	S/s trolley, dimensions: 550 mm x 370 mm x 1160 mm.	25
418	NN chair	Chair, dimensions: 600 mm x 500 mm x 950 mm.	15
434	NN frame	S/s frame, dimensions: 850 mm x 400 mm x 1400 mm.	150
435	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
436	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
440	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
442	NN frame with film roll holders	S/s frame with film roll holders, film width: 725 mm, total dimensions: 1650 mm x 800 mm x 1350 mm.	50
444	NN film roll holder	Mobile s/s film roll holder, film width: 735 mm, total dimensions: 1100 mm x 1250 mm x 900 mm.	25
446	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
451	NN air sock	Air sock, length: 27500 mm.	250
452	NN frame	S/s wall mounted frame, dimensions: 775 mm x 180 mm x 1400 mm.	75



Nr	Title	Description	Start €
453	NN waste bag holders	2 waste bag holders, dimensions: (2x) 500 mm x 550 mm x 1300 mm.	25
458	NN writing desks	3 s/s writing desks, dimensions: (3x) 620 mm x 530 mm x 1280 mm.	225
460	NN frames	2 s/s frames, dimensions: (2x) 850 mm x 390 mm x 980 mm.	75
461	Johnson Diversey	2 Johnson Diversey drip trays on s/s frame, dimensions: 700 mm x 620 mm x 1780 mm.	75
462	Liebherr	Liebherr refrigerator, type: 1760 Index 20B / 001, serial number: 45.418.076.1, 220/240 V, 1 Ph, 50 Hz, 0.8 A, volume: 156 litre, refrigerant: R 600a/22 g, dimensions: 600 mm x 650 mm x 1230 mm.	50
467	Nederman	Nederman hose reel with plastic air hose and pistol, dimensions: 370 mm x 180 mm x 320 mm.	75
472	NN platform	S/s platform, working height: 440 mm, total dimensions: 900 mm x 600 mm x 1550 mm.	100
473	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
474	NN protection frame	S/s protection frame, dimensions: 3750 mm x 50 mm x 160 mm.	175
475	NN clock	Clock, diameter: 800 mm.	50
476	NN protection frame	S/s protection frame, dimensions: 8800 mm x 300 mm x 180 mm.	100
477	International Door Automation AB	International Door Automation AB electrical high speed shutter door, 400 V, 3 Ph, 50 Hz, 4.4 A, door width: 3600 mm, frame dimensions: 4150 mm x 4600 mm, dimensions switch cabinet: 350 mm x 150 mm x 550 mm.	500
479	NN safety mirror	Safety mirror, diameter: 700 mm.	50
480	NN table	Table, dimensions: 1220 mm x 620 mm x 750 mm.	25
482	NN tank	S/s salt tank with mixer, inside dimensions: 1050 mm x 1400 mm, total dimensions: 1100 mm x 1400 mm x 2300 mm.	400
483	Hovap	Hovap centrifugal pump, type: HP-1280/245, number: 33840, year of construction: 2002, 230/400 V, 1.5 kW, capacity: 8 m <sup>3</sup> /h, dimensions: 550 mm x 350 mm x 400 mm.	200
484	Endress + Hauser	Endress + Hauser flowmeter, type: Promag H, serial number: 490EC891000, dimensions: 180 mm x 220 mm x 300 mm.	150
485	Nocado	4 Nocado valves.	150
486	NN switch cabinet	S/s switch cabinet, dimensions: 380 mm x 170 mm x 300 mm.	150
487	NN paper roll holder	Paper roll holder, dimensions: 450 mm x 450 mm x 900 mm.	15



Nr	Title	Description	Start €
488	NN lock in/out station	3 white boards and lock in/out station, dimensions white board: (2x) 1500 mm x 600 mm x 2150 mm, 1500 mm x 850 mm x 2000 mm, dimensions lock in/out station: 2300 mm x 1200 mm.	150
490	NN insect killer	Insect killer, dimensions: 650 mm x 200 mm x 700 mm.	75
493	NN sink	S/s sink, dimensions: 1400 mm x 700 mm x 1060 mm.	50
494	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1320 mm and 850 mm x 1320 mm.	100
495	NN sink with faucet	S/s sink with faucet, soap dispenser, paper dispenser and Cederroth eye wash, sink dimensions: 500 mm x 470 mm x 930 mm, paper dispenser dimensions: 240 mm x 250 mm x 400 mm, eye wash dimensions: 100 mm x 100 mm x 260 mm.	150
496	Panasonic	2 Panasonic televisions, dimensions: (2x) 560 mm x 340 mm x 100 mm.	100
501	NN clock	Clock, dimensions: 800 mm x 200 mm x 650 mm.	50
503	Dotec / Ingersoll Rand	Dotec / Ingersoll Rand lifting and balancing unit on steel beam, model: BW015080, serial number: KTB193, capacity: 68 kg, dimensions: 2200 mm x 1200 mm x 3500 mm.	750
504	Egli / ABB	Agli / ABB de-packaging unit used for de-packing carton boxes with butter, consisting of: Various in-/ outfeed roller conveyors for pallets, roller width: 1100 mm; ABB robot, type: IRB460 M2004, serial number: 460-500335, year of construction: 01/11/2013, weight: 925 kg, dimensions: 2300 mm x 1400 mm x 2900 mm; Busch vacuum pump, type: MM 1104 B V03, serial number: D15480621, capacity: 62 m <sup>3</sup> /h; Roller conveyor, plastic and s/s rollers, roller width: 480 mm, dimensions: 2000 mm x 3900 mm x 1400 mm; Carton de-packaging machine, s/s belt width dividers, belt width: 80 mm, divider height: 50 mm, distance between dividers: 560 mm, total dimensions: 5900 mm x 2500 mm x 2400 mm; 90° curve conveyor for empty boxes, plastic mesh belt, belt width: 510 mm, total dimensions: 2050 mm x 1600 mm x 1500 mm; Elevating belt, plastic belt width dividers, belt width: 510 mm, divider height: 40 mm, distance between dividers: 900 mm, elevating height: 1300 mm, total dimensions: 1450 mm x 800 mm x 2650 mm; Transport belt for empty cartons, belt width: 510 mm, total dimensions: 11000 mm x 800 mm x 850 mm; Outfeed station for empty carton boxes, dimensions: 4050 mm x 1450 mm x 2800 mm; Switch cabinet, dimensions: 2400 mm x 600 mm x 2250 mm; Total dimensions complete installation: 13400 mm x 9250 mm x 2900 mm.	12500



Nr	Title	Description	Start €
506	Egli	Egli double lane electrically driven roller conveyor, plastic and s/s rollers, roller width: 480 mm, total dimensions: 7000 mm x 850 mm x 4100 mm, 14800 mm x 1100 mm x 4100 mm.	2500
507	NN 90° curve conveyor	90° curve conveyor, plastic mesh belt, belt width: 460 mm, total dimensions: 2000 mm x 4800 mm x 2350 mm.	400
517	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 280 mm x 2000 mm.	400
518	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 210 mm x 1200 mm.	250
519	NN switch cabinets	5 switch cabinets, dimensions: 4700 mm x 600 mm x 2100 mm.	1750
520	NN locker	Steel locker, dimensions: 600 mm x 500 mm x 1800 mm.	75
521	NN server cabinet	Steel server cabinet, dimensions: 800 mm x 1150 mm x 2100 mm.	500
522	NN switch cabinets	10 steel switch cabinets, dimensions: 6500 mm x 600 mm x 2100 mm.	2500
526	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 300 mm x 2000 mm.	300
527	Danfoss	11 Danfoss frequency converters, model: VLT AutomationDrive, dimensions: (11x) 200 mm x 100 mm x 250 mm.	750
531	NN switch cabinets	8 switch cabinets, dimensions: 4700 mm x 600 mm x 2100 mm.	1500
532	Manutan	Manutan fan, 220-240 V, 1 Ph, 50 Hz, 50 W, dimensions: 450 mm x 450 mm x 1300 mm.	20
533	NN table	Table, dimensions: 1400 mm x 700 mm x 750 mm.	25
534	Danfoss	Danfoss frequency converter, dimensions: 300 mm x 270 mm x 800 mm.	150
535	Danfoss	Danfoss frequency converter, dimensions: 240 mm x 180 mm x 530 mm.	150
536	CompactLAN	CompactLAN patch cabinet, dimensions: 280 mm x 230 mm x 360 mm.	100
537	Danfoss	Danfoss frequency converter, dimensions: 130 mm x 250 mm x 350 mm.	150
538	Danfoss	Danfoss frequency converter, model: VLT HVAC Drive, dimensions: 130 mm x 200 mm x 240 mm.	150
541	NN switch cabinets	3 switch cabinets, dimensions: 3600 mm x 600 mm x 2100 mm.	1500



Nr	Title	Description	Start €
542	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 270 mm x 2050 mm.	300
543	NN switch cabinets	7 switch cabinets, dimensions: 7800 mm x 600 mm x 2100 mm.	2000
544	NN cabinet	Steel cabinet, dimensions: 1000 mm x 400 mm x 2000 mm.	75
545	NN table	Table with chair, table dimensions: 1200 mm x 600 mm x 650 mm, chair dimensions: Ø 650 mm x 1300 mm.	25
546	NN airco units	2 airco units, dimensions: (2x) 2500 mm x 500 mm x 250 mm.	400
547	NN server cabinet	Server cabinet, dimensions: 550 mm x 400 mm x 330 mm.	250
548	NN switch cabinet	Steel switch cabinet, 380 V, 3 Ph, 50 Hz, 20/35 A, 750 mm x 350 mm x 1450 mm.	200
549	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 280 mm x 2000 mm.	300
551	Danfoss	2 Danfoss frequency converters, model: VLT 5000, dimensions: (2x) 130 mm x 260 mm x 340 mm.	250
552	NN switch cabinets	3 switch cabinets, dimensions: 3000 mm x 600 mm x 2100 mm.	1250
553	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: Ø 200 mm x 1400 mm.	300
554	NN airco units	2 airco units, dimensions: (2x) 2500 mm x 500 mm x 250 mm.	400
557	NN table	S/s table, dimensions: 400 mm x 400 mm x 1000 mm.	50
558	Danfoss	Danfoss frequency converter, model: VLT 5000, dimensions: 170 mm x 250 mm x 350 mm.	150
562	NN fire extinguishing system for switch cabinets	Fire extinguishing system for switch cabinets, dimensions: (4x) Ø 250 mm x 1850 mm.	400
563	Indeko	Indeko electrical high speed shutter door, clearance: 2600 mm x 2600 mm, total dimensions: 3000 mm x 250 mm x 3350 mm.	400
565	NN protection frames	Steel protection frames, dimensions: 4470 mm x 200 mm x 500 mm and 1750 mm x 200 mm x 500 mm.	200
567	NN tub	S/s mobile tub, inside dimensions: 1600 mm x 900 mm x 450 mm, total dimensions: 1750 mm x 1000 mm x 1100 mm.	75
571	NN hose reel	S/s hose reel with plastic hose and pistol, dimensions reel: 580 mm x 240 mm x 350 mm.	50



Nr	Title	Description	Start €
572	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
573	NN protection fence	Plastic protection fence, dimensions: 2050 mm x 300 mm x 1000 mm.	25
574	Alfa Laval	Alfa Laval plate heat exchanger, type: CB110-30L, serial number: 44237235, year of construction: 2017, temperature range: -196/+225°C, with valves, dimensions: 340 mm x 160 mm x 650 mm.	175
577	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 310 mm x 1000 mm.	200
578	NN platform	S/s platform, working height: 730 mm, total dimensions: 890 mm x 700 mm x 1800 mm.	100
581	NN platform	S/s platform with stairs, working height: 730 mm, total dimensions: 1450 mm x 670 mm x 1800 mm.	125
582	NN switch cabinets	2 s/s switch cabinets on s/s frame, dimensions: 750 mm x 350 mm x 750 mm and 595 mm x 210 mm x 595 mm, total dimensions with frame: 1400 mm x 350 mm x 1100 mm.	200
585	Rentokil	Rentokil insect killer, dimensions: 550 mm x 130 mm x 280 mm.	50
586	APV / SPX	Approximately 23 APV / SPX valves.	350
587	NN platform	S/s platform with stairs, working height: 600 mm, total dimensions: 1950 mm x 1900 mm x 1650 mm.	125
590	Pomac	Pomac centrifugal pump, type: CPC21066 / Ø 150x20, serial number: 32 485, year of construction: 03/2022, power: 2.5 kW, 3000 rpm, capacity: 45 m³/h, dimensions: 700 mm x 300 mm x 500 mm.	300
591	NN platform	S/s platform with stairs, working height: 750 mm / 900 mm, total dimensions: 4500 mm x 1750 mm x 1920 mm.	200
592	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 200 mm x 800 mm.	200
594	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 600 mm.	200
595	NN platform	S/s platform with stairs, working height: 620 mm, total dimensions: 2000 mm x 870 mm x 1670 mm.	125
596	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 300 mm x 1000 mm.	200
599	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1300 mm and 560 mm x 1300 mm.	100
600	NN hose reel	S/s hose reel with plastic hose, dimensions hose reel: 500 mm x 220 mm x 250 mm.	50
602	NN platform	S/s platform with stairs, working height: 620 mm, total dimensions: 2100 mm x 880 mm x 1700 mm.	150
603	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 300 mm x 1000 mm.	200
605	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 300 mm x 1000 mm.	200





Nr	Title	Description	Start €
606	APV / SPX	Manifold with 8 APV / SPX valves, s/s frame, dimensions: 1150 mm x 600 mm x 1900 mm.	350
611	Alfa Laval	Manifold with 12 Alfa Laval valves and 4 regulators, dimensions: 1400 mm x 800 mm x 1300 mm.	500
612	NN platform	S/s platform with stairs, working height: 700 mm, total dimensions: 1900 mm x 1900 mm x 1700 mm.	100
613	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 1200 mm.	200
614	NN switch cabinet	S/s switch cabinet, dimensions: 1000 mm x 300 mm x 1500 mm.	200
615	NN hose reel	S/s hose reel with plastic hose, dimensions hose reel: 500 mm x 220 mm x 250 mm.	50
617	APV / SPX	Manifold with 8 APV / SPX valves, s/s frame, dimensions: 1150 mm x 600 mm x 1900 mm.	350
618	NN centrifugal pump	Centrifugal pump, dimensions: 700 mm x 350 mm x 400 mm.	200
620	NN platform	S/s platform with stairs, working height: 690 mm, total dimensions: 2000 mm x 900 mm x 1750 mm.	125
623	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 1200 mm.	200
626	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 250 mm x 1200 mm.	200
629	APV / SPX	Manifold with 8 APV / SPX, s/s frame, dimensions: 1150 mm x 600 mm x 1900 mm.	350
630	Endress + Hauser	Endress + Hauser flowmeter, type: Promag H / Promag 300, year of construction: 2019-03, capacity: 180 m <sup>3</sup> /h, dimensions: 350 mm x 250 mm x 200 mm.	300
631	Hovap	Hovap centrifugal pump, type: HP-2550/170, number: 3382, year of construction: 2002, 4 kW, capacity: 15 m <sup>3</sup> /h, dimensions: 600 mm x 300 mm x 500 mm.	200
632	NN tank	S/s tank, dimensions: Ø 1300 mm x 1900 mm.	450
633	Bürkert	Bürkert flowmeter, type: 2712 A, dimensions: 260 mm x 220 mm x 500 mm.	200
634	NN tank	S/s tank, dimensions: Ø 1200 mm x 1900 mm.	450
635	Pomac	Pomac centrifugal pump, type: CPC21055 / Ø 175x14, serial number: 25 950, year of construction: 10-2015, power: 2.5 kW, 3000 rpm, capacity: 25 m <sup>3</sup> /h, dimensions: 680 mm x 330 mm x 500 mm.	300
636	NN hose reel	S/s hose reel with plastic hose, dimensions hose reel: 500 mm x 220 mm x 250 mm.	50
637	Polyketting	Polyketting transport belt with line dividing elevator, type: GB, serial number: 140456, year of construction: 2014, dimensions elevator: 850 mm x 200 mm x 2400 mm, s/s frame, plastic mesh belt, belt width: 405 mm, total dimensions transport belt: 2750 mm x 650 mm x 1350 mm.	750



Nr	Title	Description	Start €
640	ABB	ABB palletizing robot, consisting of: Infeed belts for boxes, belt width: 460 mm; Outfeed roller conveyors for pallets, roller width: 1000 mm; ABB palletizing robot, type robot: IRB 640 M2000, serial number: 64Z-20274, year of construction: 2018/12/12, weight: 1950 kg, type control cabinet: IRC5 M2004, serial number: 6640-102812. year of construction: 2024/10/23, 400 V, 3 Ph, 50-60 Hz, 20 A, weight: 150 kg, dimensions robot: 1800 mm x 950 mm x 3600 mm, dimensions control cabinet: 700 mm x 580 mm x 900 mm; Total floor dimensions: 8000 mm x 5000 mm.	6000
645	ABB	ABB palletizing robot, consisting of: Infeed belts for boxes, belt width: 460 mm; Outfeed roller conveyors for pallets, roller width: 1100 mm; ABB palletizing robot, type robot: IRB 660 M2000, serial number: 660-102850, year of construction: 2020-12-02, weight: 1750 kg, type control cabinet: IRC5 Single, serial number: 660-102850. year of construction: 2020-12-02, 400 V, 3 Ph, 50-60 Hz, 20 A, weight: 150 kg, dimensions robot: 1800 mm x 2800 mm x 3750 mm, dimensions control cabinet: 700 mm x 580 mm x 900 mm; Total floor dimensions: 8000 mm x 7000 mm.	6000
646	Demag	Demag conveyor system for pallets, type: V 89/5, fabrication number: 724 729 00, year of construction: 1993, consisting of: 2 pallet infeed stations, dimensions: (2x) 1550 mm x 2400 mm x 3500 mm, Infeed conveyor for pallets, total length: 16000 mm; Pallet outfeed train, steel rollers, roller width: 1120 mm, total length rails: 27500 mm; Pallet infeed train for cold store; Total floor dimensions: 27500 mm x 12500 mm.	4000
647	Good-Tech	Good-Tech labelling unit, serial number: A391P015-1, dimensions: 800 mm x 600 mm x 2600 mm.	250
648	NN switch cabinets	6 steel switch cabinets, dimensions: (6x) 1200 mm x 500 mm x 2200 mm.	2500
649	Demag	Complete cold storage warehouse, consisting of: Demag warehouse control device, type: Destamat 1016 I, fabrication number: 582 945-01, year of construction: 1994, loading capacity: (2x) 1325 kg, dimensions: 4400 mm x 2150 mm x 1600 mm; Steel pallet racks, consisting of 140 uprights, dimensions: 15000 mm x 1000 mm, large amount of beams, length: 6000 mm; Roller conveyor for pallets, steel rollers, roller width: 1050 mm, total dimensions: 3200 mm x 1200 mm x 1000 mm; Switch cabinet, dimensions: 790 mm x 400 mm x 1900 mm; Various evaporators; Total dimensions warehouse: 60000 mm x 12000 mm x 16500 mm.	225000
651	NN table	Steel table with chair, dimensions table: 1600 mm x 800 mm x 750 mm. Without computer equipment.	25
653	NN pole	S/s pole, dimensions: 750 mm x 750 mm x 2130 mm.	15



Nr	Title	Description	Start €
655	NN table	Steel table with chair, dimensions table: 1600 mm x 800 mm x 750 mm.	25
657	ABB	ABB control cabinet for palletizing robot, type: IRB 640 M2000, serial number: 64Z-26040, year of construction: 2003-08-04, 400 V, 3 Ph, 50-60 Hz, weight: 350 kg, dimensions: 750 mm x 750 mm x 2130 mm.	250
658	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 500 mm x 1730 mm.	250
660	NN air hose reel	Air hose reel, number: L701154, 20 bar, hose length: 15 meters, dimensions: 400 mm x 150 mm x 400 mm.	75
661	NN table	S/s table, dimensions: 750 mm x 250 mm x 800 mm.	50
662	NN platform	S/s platform with stairs, working height: 800 mm, total dimensions: 1200 mm x 850 mm x 1700 mm.	50
663	NN cabinet	S/s cabinet, dimensions: 400 mm x 400 mm x 1350 mm.	50
664	Crawford / Assa Abloy	Crawford / Assa Abloy electric overhead door, clearance: 1600 mm x 1870 mm, dimensions control panel: 550 mm x 400 mm x 130 mm.	500
665	NN air hose reel	Air hose reel, number: L701154, 20 bar, hose length: 15 meters, dimensions: 400 mm x 150 mm x 400 mm.	75
666	HP / Zebra	Steel computer cabinet with HP display and Zebra label printer, dimensions: 700 mm x 800 mm x 1700 mm.	125
667	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
669	NN protection poles	2 steel protection poles, dimensions: (2x) Ø 110 mm x 1000 mm.	50
671	NN insect killer	Insect killer, dimensions: 600 mm x 200 mm x 700 mm.	50
673	NN coat rack	Wooden / steel coat rack, dimensions: 600 mm x 150 mm x 150 mm.	25
675	NN protection frame	Steel protection frame, dimensions: 950 mm x 950 mm x 1000 mm.	25
676	Oostwoud	2 steel Oostwoud 16-doors lockers, dimensions: (2x) 600 mm x 500 mm x 1950 mm.	50
677	NN paper roll holders	2 steel paper roll holders, dimensions: (2x) 450 mm x 400 mm x 900 mm.	20
678	NN coat rack	Steel coat rack, dimensions: 1040 mm x 150 mm x 150 mm.	15
679	NN lock-in / lock-out station	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1300 mm.	100
680	A-Safe	2 A-Safe plastic protection frames, dimensions: 3020 mm x 130 mm x 1130 mm and 1800 mm x 130 mm x 1130 mm.	100
681	NN waste containers	3 mobile steel waste containers, dimensions: (3x) 1190 mm x 1000 mm x 1350 mm.	150
682	NN fences	3 steel fences, dimensions: 14000 mm x 50 mm x 4400 mm, 7000 mm x 50 mm x 4400 mm and 6000 mm x 50 mm x 4400 mm.	750



Nr	Title	Description	Start €
683	ITW	ITW high speed shutter door, type: Schnellauf-Roll or Minirapid, serial number: FA1703177, year of construction: 2018, clearance: 3400 mm x 3400 mm, total dimensions: 3800 mm x 300 mm x 3850 mm, dimensions control panel: 200 mm x 100 mm x 400 mm.	500
685	Kärcher	Kärcher sweeping machine, dimensions: 900 mm x 700 mm x 1050 mm.	25
706	IN2Food	Pallet with 7 jerry cans with IN2Food demineralised water, 20 kg each.	25
717	Demag / ABB	Pallet with Demag motor with Gearbox and ABB motor with gearbox, type: M2BAX 100LB4, number: 3G1C214000000324006, year of construction: 2021.	100
720	SEW-Eurodrive	SEW-Eurodrive motor, type: R77 DRN132L4/TF, number: 90.8333455301.0001.23, year of construction: 2023, 400/690 V, 3 Ph, 50 Hz, 18.7/10.8 A, 9.2 kW, 1470/277 rpm, dimensions: 950 mm x 450 mm x 500 mm.	250
723	Crawford / Assa Abloy	Crawford / Assa Abloy electrical high speed shutter door, type: 9310, serial number: NL389330A, year of construction: 05/2014. clearance: 3000 mm x 3400 mm, total dimensions: 3400 mm x 4010 mm x 3900 mm, dimensions control cabinet: 300 mm x 130 mm x 400 mm.	500
724	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
725	NN mirrors	2 safety mirrors, dimensions: (2x) Ø 500 mm.	25
727	Siemens	Pallet with Siemen PLC's, type: SIMATIC S5.	25
728	NN film	Pallet with 6 rolls of film, film width: 720 mm.	25
729	NN labels	Pallet with 6 boxes with labels.	25
730	ABB	ABB industrial robot, type: IRB640 M2000, serial number: 64Z-20331, year of construction: 2018/12/12, weight: 1950 kg, dimensions: 2100 mm x 1100 mm x 1900 mm, with control box, type: IRB640 M2000, serial number: 64Z-20474, year of construction: 2003/05/06, weight: 350 kg, dimensions: 800 mm x 500 mm x 950 mm.	1500
732	Rittal	Rittal steel side panels, total dimensions: 2100 mm x 650 mm.	25
733	NN split unit	Mobile split unit for oil, dimensions: 850 mm x 850 mm x 650 mm.	50
734	NN eye shower	Eye shower, dimensions: 800 mm x 250 mm x 1900 mm.	50
735	Rittal	Rittal steel switch cabinet, dimensions: 1600 mm x 1250 mm x 2100 mm. Empty.	100
737	NN warning poles	2 plastic warning poles, dimensions: Ø 380 mm x 970 mm and Ø 350 mm x 1030 mm.	20
739	Nieros	Nieros s/s table with plastic top, dimensions: 2000 mm x 1040 mm x 600 mm.	150
740	NN cabinets	2 steel cabinets, dimensions: 600 mm x 500 mm x 1800 mm and 1000 mm x 450 mm x 1950 mm.	30



Nr	Title	Description	Start €
742	NN protection frames	Steel protection frames, dimensions: 2050 mm x 250 mm x 600 mm and (2x) Ø 110 mm x 1000 mm.	150
744	A-Safe	A-Safe plastic protection frame, dimensions: 1000 mm x 130 mm x 1130 mm.	50
745	NN protection poles	2 steel protection poles, dimensions: (2x) Ø 110 mm x 1000 mm.	25
748	A-Safe	A-Safe plastic protection frames, dimensions: (3x) Ø 200 mm x 1200 mm and 1030 mm x 130 mm x 1130 mm.	75
750	Alti safe	Steel cabinet with Alti safe safety gear, dimensions: 500 mm x 500 mm x 1000 mm.	50
752	NN cabinet	Steel cabinet, dimensions: 280 mm x 80 mm x 350 mm.	25
753	Hoppecke	Hoppecke steel cabinet with safety kit, dimensions: 300 mm x 140 mm x 460 mm.	25
754	Rentokil	Rentokil insect killer, dimensions: 550 mm x 130 mm x 400 mm.	25
755	Tecna	2 Tecna balancers, dimensions: (2x) Ø 150 mm x 60 mm.	50
757	NN protection poles	2 steel protection poles, dimensions: (2x) Ø 110 mm x 1000 mm.	50
759	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm, including Rathor plastic waste bin, dimensions: 500 mm x 400 mm x 750 mm.	100
761	Crawford	Crawford electric overhead door, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 160 mm x 370 mm.	500
763	Crawford	Crawford electric overhead door, type: C6, year of construction: 1994, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 160 mm x 370 mm.	500
764	Crawford	Crawford electric overhead door, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 160 mm x 370 mm.	500
765	Crawford	Crawford electric overhead door, type: C1, year of construction: 1994, dimensions door: 1600 mm x 1950 mm, rail length: 5000 mm, dimensions control cabinet: 200 mm x 160 mm x 370 mm.	500
766	Zebra / Datalogic	S/s cabinet with Datalogic scanner and HP display, dimensions: 900 mm x 500 mm x 1300 mm, including s/s frame with Zebra label printer, dimensions: 350 mm x 400 mm x 1100 mm.	100
767	RothoPro	RothoPro plastic waste bin, dimensions: 500 mm x 400 mm x 750 mm.	20
768	A-Safe	A-Safe plastic protection frames, dimensions: 1150 mm x 130 mm x 1130 mm.	50
769	NN mirrors	4 safety mirrors, dimensions: (4x) Ø 300 mm.	50
771	RothoPro	RothoPro plastic waste bin, dimensions: 500 mm x 400 mm x 750 mm. Missing lid.	15



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
772	Fujitsu	Pallet with 6 Fujitsu computer screens, dimensions: (6x) 340 mm x 520 mm x 120 mm.	20
773	NN white boards	2 white boards, dimensions: 1200 mm x 900 mm and 900 mm x 600 mm.	25
774	NN lockers	Steel 12 doors-lockers, dimensions: 900 mm x 560 mm x 1860 mm.	50
775	NN lock in / lock out	Lock in / lock out station, dimensions: 290 mm x 550 mm.	50
776	NN coat rack	Steel coat rack, dimensions: 600 mm x 60 mm x 100 mm.	25
779	Cederroth	Cederroth eye wash, dimensions: 100 mm x 80 mm x 230 mm.	15
780	NN first aid kit	First aid kit, dimensions: 830 mm x 130 mm x 240 mm.	15
781	NN office inventory	Office inventory consisting of: 3 office desks, dimensions: 1000 mm x 1580 mm x 790 mm, 2 drawers, dimensions: (2x) 900 mm x 4010 mm x 500 mm, steel cabinet, dimensions: 1200 mm x 950 mm x 21050 mm, 4 chairs, white board. Computer equipment is not included.	175
782	NN paper dispenser	S/s paper dispenser, dimensions: 280 mm x 250 mm x 360 mm.	15
783	Pal / Tork	Pal hair net dispensers, dimensions: (2x) 200 mm x 200 mm x 500 mm, Tork soap dispenser, dimensions: 120 mm x 120 mm x 280 mm.	15
784	LG	LG television dimensions: 730 mm x 430 mm x 100 mm.	15
785	NN chairs	Steel / wooden wall mounted chairs, dimensions: (3x) 400 mm x 470 mm x 100 mm.	25
786	Chameleon	Chameleon insect killer, dimensions: 470 mm x 300 mm x 70 mm.	50
787	NN temperature check system	S/s frame with digital temperature check system, dimensions: 480 mm x 440 mm x 1650 mm.	25
788	Curver	Curver plastic steps, capacity: 150 kg, dimensions: 450 mm x 150 mm x 650 mm.	15
789	NN switch cabinet	Steel switch cabinet, dimensions: 790 mm x 460 mm x 2100 mm.	350
790	NN switch cabinet	Steel switch cabinet, dimensions: 1000 mm x 500 mm x 2100 mm.	500
791	NN switch cabinet	Steel switch cabinet, dimensions: 3150 mm x 500 mm x 2100 mm.	750
792	NN switch cabinet	Steel switch cabinet, dimensions: 800 mm x 500 mm x 2100 mm.	350
794	NN switch cabinet	Steel switch cabinet, dimensions: 1200 mm x 500 mm x 2100 mm.	750
795	NN fuses	Wooden cabinet with various fuses, dimensions cabinet: 250 mm x 450 mm x 2100 mm.	100



Nr	Title	Description	Start €
796	NN cabinet with personal protective equipment	Steel cabinet with personal protective equipment, dimensions: 1000 mm x 400 mm x 2000 mm.	75
797	NN cabinet	Steel cabinet with personal protective equipment, dimensions: 600 mm x 500 mm x 1800 mm. With content.	75
798	NN switch cabinet	Steel switch cabinet, dimensions: 600 mm x 500 mm x 1300 mm.	350
799	NN switch cabinet	Steel switch cabinet, dimensions: 3600 mm x 500 mm x 2200 mm.	2500
801	Danfoss	Danfoss frequency converter, 380-500 V, 3 Ph, 50/60 Hz, 22/19 A, 11 kW, dimensions: 220 mm x 280 mm x 450 mm.	150
802	Danfoss	Danfoss frequency converter, 380-500 V, 3 Ph, 50/60 Hz, 22/19 A, 11 kW, dimensions: 220 mm x 280 mm x 450 mm.	150
804	Inergen	Inergen fire extinguishing system for switch cabinets, volume: (2x) 80 litre, dimensions: (2x) Ø 250 mm x 1800 mm.	250
805	Eurom	2 Eurom fans, type: GVF 18-2, 220-240 V, 50 Hz, 120 W, dimensions: (2x) Ø 500 mm.	150
807	Clivet	2 Clivet air curtains, dimensions: (2x) 1700 mm x 500 mm x 280 mm.	300
808	NN trolley	Steel trolley, dimensions: 600 mm x 500 mm x 800 mm.	200
809	NN lockers	2 steel 8-doors lockers, dimensions: (2x) 800 mm x 500 mm x 1800 mm.	150
810	Van Wijk & Boerma Waterzuivering N.V.	Van Wijk & Boerma Waterzuivering N.V. water de-ironing system, consisting of: 4 steel water tanks, dimensions: (4x) Ø 2000 mm x 3900 mm; 2 Grundfos vertical centrifugal pumps, type: CR32-5 A-F-A-E-HQQE and CR32-3 A-F-A-HQQE, capacity: (2x) 30 m <sup>3</sup> /h; Becker rotary vane compressor, type: DTLF 2.250, capacity: 244/286 m <sup>3</sup> /h, dimensions: 1150 mm x 630 mm x 700 mm; Various valves, flowmeters and pipes; Steel switch cabinet, dimensions: 800 mm x 500 mm x 2070 mm.	9500
812	NN hose reel	Steel hose reel with plastic hose and spray pistol, dimensions: 700 mm x 240 mm x 340 mm.	75
813	NN wall panel	S/s wall panel with plastic cover, dimensions: 3000 mm x 550 mm x 2650 mm.	75
814	NN fence	S/s fence, dimensions: 4300 mm x 330 mm x 2400 mm.	150
815	Brady	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 1300 mm x 950 mm and 1300 mm x 850 mm.	100
818	NN rack	Steel rack, dimensions: 2950 mm x 620 mm x 2000 mm. With content.	200
819	NN table	Wooden table with chair, dimensions table: 1600 mm x 800 mm x 750 mm.	25
820	NN covers	Various s/s covers, dimensions among others: 1430 mm x 850 mm and 1400 mm x 900 mm.	50



Nr	Title	Description	Start €
823	NN pressure vessel	Steel pressure vessel, number: 08801, year of construction: 2008, volume: 500 litre, dimensions: Ø 600 mm x 2100 mm.	175
825	NN cover	S/s cover for pump, dimensions: 540 mm x 470 mm x 430 mm.	20
828	NN waste bag holder	Steel waste bag holder, dimensions: 460 mm x 430 mm x 910 mm.	20
830	Hengelo Salt Specialisaties B.V.	Pallet with 12 bags with Hengelo Salt Specialisaties B.V. industrial salt, 25 kg each bag.	25
832	Emec	Plastic chemical tub with Emec dosing pump, type: KCL 1802 EP, 230 V, 50-60 Hz, 0.08 A, capacity: 2 litre per hour, dimensions: Ø 520 mm x 900 mm.	25
835	NN trolley	Steel trolley, dimensions: 600 mm x 500 mm x 1300 mm.	20
837	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100
841	BEG GmbH	BEG GmbH steel trolley, type: EF 170 O.D, year of construction: 2014, capacity: 400 kg, dimensions: 1830 mm x 900 mm x 700 mm.	25
842	Atlas Copco	Atlas Copco screw compressor, type: ZT55VSD, number: API1780441, year of construction: 2008, 55 kW, 5255 r/min, capacity: 142.5 l/s, 8.55 m³/min, dimensions: 2440 mm x 1020 mm x 1880 mm.	2750
843	Atlas Copco	Atlas Copco air compressor, type: ZT 55 FF, serial number: APF.136194, year of construction: 2008, 56 kW, 2960 r/min, 8.35 bar, dimensions: 2900 mm x 1450 mm x 2200 mm.	2750
844	Kaeser	Kaeser rotary screw compressor, type: CS 75, number: 601766, year of construction: 1988, 45 kW, 9 bar, capacity: 6.66 m³/h, dimensions: 1750 mm x 1100 mm x 1450 mm.	500
846	Kaeser	Kaeser steel pressure vessel, type: K6070115, year of construction: 1989, volume: 3000 litre, dimensions: Ø 1200 mm x 2700 mm.	500
847	NN switch cabinet for compressed air supply	S/s switch cabinet for compressed air supply, dimensions: 400 mm x 250 mm x 1900 mm.	250
849	Sabroe	Sabroe oil and water separator, dimensions: Ø 700 mm x 1200 mm.	100
850	NN platform	S/s working platform, working height: 1400 mm, total dimensions: 1750 mm x 1500 mm x 2500 mm.	250
851	DAB	DAB submersible pump, type: NOVA 300 MA 40th, number: 8.2005, 200-240 V, 50 Hz, 1.5 A, 350 W, capacity: 13 m³/h, dimensions: 300 mm x 200 mm x 130 mm.	25





Nr	Title	Description	Start €
852	Siller & Jamart / Weishaupt	Siller & Jamart steam boiler with economizer and Weishaupt burner, type boiler: 12, number: 16492, year of construction: 1964, type burner: WM-G50/1-A, fabrication number: 40615062, year of construction: 2021, 230/400 V, 1/3 Ph, 50 Hz, 18.31 kW, dimensions boiler: 7000 mm x 3100 mm x 3100 mm, dimensions burner: 1500 mm x 1300 mm x 1050 mm, with switch cabinet, dimensions: 1000 mm x 400 mm x 2000 mm.	14500
853	Jonker	Jonker steam distributor with various valves, type: DN250x5300, fabrication number: JONI32686, year of construction: 2021, volume: 300 litre, temperature range: 0-192°C, dimensions: 6000 mm x 550 mm x 2300 mm.	1500
856	NN water storage tanks	2 isolated water storage tanks with steel frame, dimensions tanks: Ø 1600 mm x 4500 mm and Ø 1400 mm x 1900 mm, dimensions frame: 6000 mm x 2300 mm x 4500 mm.	2500
857	Danfoss	2 Danfoss frequency converters, 380-480 V, 3 Ph, 50/60 Hz, 9/7.4 A, 4 kW, dimensions: (2x) 180 mm x 180 mm x 390 mm.	200
858	NN first aid kit	Plastic first aid kit and wooden cabinet with working clothes, dimensions: 400 mm x 150 mm x 300 mm and 500 mm x 320 mm x 580 mm.	50
859	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	50
862	NN switch cabinet	Steel switch cabinet, dimensions: 1000 mm x 300 mm x 1200 mm.	750
863	MHG	MHG s/s water tank, dimensions: 4000 mm x 1100 mm x 2100 mm.	2000
865	Verder	Verder centrifugal pump, type: NCM80X65X125B, number: 288492, year of construction: 2017, power: 5.5 kW, capacity: 75 m³/h, dimensions: 600 mm x 400 mm x 550 mm.	250
866	Verder	Verder centrifugal pump, type: NCM80X65X125B, number: 288494, year of construction: 2017, power: 5.5 kW, capacity: 75 m³/h, dimensions: 600 mm x 400 mm x 550 mm.	250
867	Verder	Verder centrifugal pump, type: NCM80X65X125B, year of construction: 2017, power: 5.5 kW, capacity: 75 m³/h, dimensions: 600 mm x 400 mm x 550 mm.	250
869	SPX	SPX liquid filter, type: S2-EL-200F-V, serial number: 100000 3318502, year of construction: 2018, dimensions: 300 mm x 400 mm x 1000 mm.	250
870	Verder	Plastic chemical tub with Verder dosing pump, type: G/ 4B1002PP1000, serial number: 0096149871, 230 V, 50 Hz, capacity: 2.30 l/h, dimensions: 800 mm x 500 mm x 1200 mm.	75
871	NN platform	Steel platform, dimensions: 420 mm x 300 mm x 220 mm.	25



Nr	Title	Description	Start €
873	NN switch cabinet for cooling installation	Steel switch cabinet for GEA/Stal cooling installation, dimensions: 2400 mm x 600 mm x 2000 and 3200 mm x 600 mm x 2000 mm.	750
887	Brady	Lock-in / lock-out station, consisting of: 2 wall mounted boards with various locks, dimensions: 950 mm x 1300 mm and 400 mm x 1300 mm.	100
888	NN gas mask	S/s cabinet with gas mask, dimensions: 600 mm x 200 mm x 400 mm.	25
892	DAS	DAS ladder, height: 1400 mm.	25
893	NN office inventory	Office inventory consisting of: 5 tables, dimensions: 1200 mm x 600 mm x 750 mm and (4x) 1600 mm x 800 mm x 750 mm, 8 steel cabinets, dimensions: (6x) 1200 mm x 400 mm x 1980 mm, 600 mm x 480 mm x 1950 mm and 900 mm x 550 mm x 180 mm, computer cabinet, dimensions: 1000 mm x 650 mm x 1300 mm, 5 drawers, dimensions: (5x) 800 mm x 400 mm x 550 mm. Computer equipment is not included.	350
895	NN first aid kit	Plastic first aid kit, dimensions: 450 mm x 350 mm x 180 mm.	25
896	Grant Instruments Ltd	Grant Instruments Ltd water bath, model: LSB18, serial number: Q41847002, 220-240 V, 50/60 Hz, 6.2 A, dimensions: 560 mm x 340 mm x 350 mm.	25
899	Insectron	Insectron insect killer, type: I-310ED*21, serial number: A3801476, 230 V, 50 Hz, 95 W, dimensions: 640 mm x 200 mm x 430 mm.	50
900	Memmert	Memmert incubator, type: ICP 110, fabrication number: F413.0022, 230 V, 50/60 Hz, 5.3 A, 1200 W, dimensions: 640 mm x 200 mm x 430 mm.	250
904	NN lockers	18 steel 8-doors lockers, dimensions: (18x) 420 mm x 500 mm x 2150 mm.	300
905	NN cabinet	Steel cabinet, dimensions: 920 mm x 420 mm x 2120 mm.	75
906	NN soap dispenser	2 soap dispensers, dimensions: (2x) 490 mm x 400 mm x 1430 mm.	20
909	NN table	Steel table with wooden top, dimensions: 1600 mm x 800 mm x 750 mm.	15
910	NN notice boards	10 notice boards, dimensions: (10x) 1200 mm x 900 mm, white board, dimensions: 1550 mm x 550 mm x 2150 mm.	75
911	NN notice boards	Notice boards, dimensions: (6x) 340 mm x 450 mm, (2x) 880 mm x 660 mm, 640 mm x 480 mm.	50
913	NN cabinet	Steel key cabinet, dimensions: 380 mm x 80 mm x 450 mm.	25
916	Rentokil	Rentokil insect killer, dimensions: 550 mm x 130 mm x 340 mm.	50



Nr	Title	Description	Start €
920	Carrier	Carrier air treatment cabinet on steel frame, type: RZR 11-800 566, 400 V, 4/16 kW, air quant: 9.73 m³/s, dimensions without steel frame: 6050 mm x 2000 mm x 2250 mm, dimensions including steel frame: 9800 mm x 2190 mm x 2350 mm.	2000
921	Systemair	Systemair explosion proof roof fan, type: DVVI-Ex 630D4-XS IE3+H2, serial number: 50089, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 6.6 A, 3 kW, 1424 rpm, weight: 209 kg, dimensions: 1300 mm x 1300 mm x 1550 mm.	750
922	Grasso Products B.V.	Grasso Products B.V. automatic air purger, number: 02109179, year of construction: 2002, 230 V, 50 Hz, 400 W, minimum temperature: -15 °C, maximum temperature: 45 °C, dimensions: 1000 mm x 1000 mm x 1250 mm.	300
923	NN fences	3 Steel fences, dimensions: 2600 mm x 500 mm x 1100 mm, 1 plastic fence, dimensions: 2000 mm x 400 mm x 1100 mm.	25
926	NN storage tank	Insulated storage tank used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	6000
927	NN storage tank	Insulated storage tank used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	6000
928	NN storage tank	Insulated storage tank used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	6000
929	NN storage tank	Insulated storage tank with mixing arm used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	6000
930	NN storage tank	Insulated storage tank with mixing arm used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	6000
931	NN storage tank	Insulated storage tank with mixing arm used for raw milk and butter milk, volume: approximately 230.000 litre, dimensions: Ø 6300 mm x 10750 mm.	6000
932	Holvrieka	Holvrieka Insulated storage tank with mixing arm used for raw milk and butter milk, factory number: 061.250, year of construction: 2007, volume: 233.000 litre, dimensions: Ø 6300 mm x 10750 mm.	9500
933	NN platform	S/s platform, working height: 860 mm, total dimensions: 14000 mm x 2300 mm x 1770 mm.	750
934	Pomac	Pomac centrifugal pump, dimensions: 600 mm x 300 mm x 450 mm.	200
941	Nocado / Alfa Laval	Manifold with approximately 50 Nocado and Alfa Laval valves, dimensions: 3800 mm x 2400 mm x 1500 mm. Including 3 s/s switch cabinet, dimensions: 400 mm x 220 mm x 400 mm, 1000 mm x 300 mm x 1000 mm, 770 mm x 220 mm x 770 mm.	2250



Nr	Title	Description	Start €
942	NN hose reel	S/s hose reel with plastic hose and spray pistol, dimensions reel: 500 mm x 350 mm x 200 mm.	75
943	NN hygiene equipment	2 plastic boards with hygiene equipment, dimensions: (2x) 1000 mm x 2000 mm.	100
944	NN tank	S/s tank, tank dimensions: Ø 2200 mm x 2300 mm, total dimensions: Ø 2400 mm x 3500 mm.	2500
946	NN lockers	4 steel lockers, dimensions: (3x) 450 mm x 500 mm x 1800 mm, 600 mm x 550 mm x 1850 mm.	75
947	NN switch cabinet	2 s/s switch cabinet, dimensions: 1200 mm x 600 mm x 2100 mm, 800 mm x 600 mm x 2100 mm.	400
949	NN pipes	S/s frame with various s/s pipes, frame dimensions: 900 mm x 400 mm x 2050 mm.	100
950	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm, steel rack, 4 floors, floor dimensions: 1000 mm x 400 mm, total dimensions: 1000 mm x 400 mm x 2000 mm.	50
951	NN soap dispenser	Soap dispenser, dimensions: 500 mm x 400 mm x 1400 mm.	25
955	NN cabinet	Cabinet, dimensions: 1200 mm x 450 mm x 2000 mm.	25
956	NN cord strap	Cord strap trolley, plastic strap width: 12 mm, total dimensions: 1200 mm x 450 mm x 2000 mm.	25
958	NN sink with faucet	S/s sink with 3 faucets, dimensions: 1800 mm x 420 mm x 400 mm.	175
963	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 550 mm x 1480 mm.	50
964	Nederman	Nederman hose reel with plastic air hose and spray pistol, dimensions: 400 mm x 150 mm x 300 mm.	75
967	NN cabinet	Steel cabinet, dimensions: 400 mm x 340 mm x 850 mm.	20
969	Edmo	Edmo mobile lift, type: WP 90L Angle-an, model: 101717002000, serial number: 26610/138620, year of construction: 08/19, platform dimensions: 500 mm x 400 mm, lifting height: 1250 mm, total dimensions: 750 mm x 460 mm x 1350 mm. 1 wheel is broken.	20
972	Mubea	Mubea metal cutter, working width: 200 mm, total dimensions: 1300 mm x 700 mm x 800 mm.	50
974	NN frame	Steel frame, dimensions: 1500 mm x 400 mm x 1050 mm.	20
978	NN pipes	5 steel wall mounted frames with large amount of pipes and beams, various diameters and lengths, frame dimensions: (5x) 600 mm x 300 mm x 1900 mm.	950
979	NN memo and white boards	3 memo boards and 2 white boards.	20
986	NN cabinet	Steel cabinet, dimensions: 1200 mm x 400 mm x 1800 mm.	50
987	NN hoses	3 wooden shelves with hoses, various tube diameter and lengths.	300
990	Etna	Etna microwave, model: SMV2220WIT, dimensions: 500 mm x 360 mm x 300 mm. Defect.	15



Nr	Title	Description	Start €
992	NN office inventory	Office inventory, consisting of: 5 desks, dimensions: (2x) 2200 mm x 1400 mm x 770 mm, (2x) 2000 mm x 1000 mm x 760 mm, (1x) 2400 mm x 2400 mm x 800 mm, cabinet, dimensions: 900 mm x 420 mm x 1930 mm, various white boards. Without computer equipment.	175
993	Sharp	Sharp microwave, type: R-2S56, dimensions: 450 mm x 330 mm x 300 mm.	15
996	NN office inventory	2 Desks, dimensions: (2x) 1000 mm x 600 mm x 750 mm, 2 chairs, dimensions: (2x) 550 mm x 650 mm x 820 mm, Samsung television, dimensions: 1100 mm x 640 mm. Without computer equipment.	75
999	NN document control panel	Plastic wall mounted document control panel, dimensions: 2000 mm x 100 mm x 2000 mm.	75
1000	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 550 mm x 2000 mm.	100
1001	NN rack with valve parts	Steel rack with various valves and parts, 10 floors, floor dimensions: 980 mm x 400 mm, total dimensions: 2080 mm x 400 mm x 2000 mm.	400
1003	NN rack with parts	Steel rack with various parts, 14 floors, floor dimensions: 1000 mm x 500 mm, total dimensions: 2100 mm x 500 mm x 2300 mm.	350
1004	NN desk	Desk, dimensions: 1600 mm x 800 mm x 720 mm. Including content.	50
1005	Elsto	Elsto motor, dimensions: 600 mm x 600 mm x 500 mm.	50
1006	NN trolley	Steel trolley, dimensions: 1000 mm x 350 mm x 800 mm.	20
1007	Manutan	Manutan trolley, maximum capacity: 300 kg, dimensions: 900 mm x 600 mm x 900 mm.	20
1008	NN trolley	Steel trolley, dimensions: 1000 mm x 450 mm x 1100 mm.	20
1013	Mölnlycke	2 paper roll holders, dimensions: 450 mm x 450 mm x 900 mm, 450 mm x 450 mm x 900 mm.	15
1014	NN waste bins	3 waste bins, dimensions: (3x) Ø 420 mm x 600 mm.	15
1030	Pomac	Pomac centrifugal pump, type: CP15544 / 115X7, serial number: 26 969, year of construction: 09/2016, 230/400 V, 50 Hz, power: 1.1 kW, capacity: 20 m³/h, dimensions: 700 mm x 250 mm x 350 mm.	200
1044	NN lifting platform	S/s lifting platform, dimensions: 900 mm x 600 mm x 240 mm.	20
1046	NN tools	Steel wall mounted frame with various tools, dimensions: 3000 mm x 2000 mm.	250
1057	NN rack	Steel rack with plastic trays, 5 floors, floor dimensions: 1000 mm x 600 mm, total dimensions: 1000 mm x 600 mm x 1400 mm.	50
1058	Overtoom	Overtoom cabinet with letter tags, dimensions: 1270 mm x 250 mm x 2000 mm.	75
1059	NN cabinet with parts	Steel cabinet with various plugs, power outlets, etc, dimensions: 1050 mm x 630 mm x 2170 mm.	100



Nr	Title	Description	Start €
1060	NN spare parts	Steel rack with plastic hoses, rubbers wires, steam gaskets, seals, and O-rings, dimensions: 5150 mm x 600 mm x 2170 mm.	500
1064	NN tools and parts	Steel rack with various tools and spare parts, dimensions: 3100 mm x 500 mm x 1500 mm.	400
1065	NN wheels	Steel rack with various wheels, dimensions: 3100 mm x 430 mm x 2000 mm.	350
1067	Philips	Rack with large amount of various Philip lights, dimensions: 1520 mm x 3000 mm x 1800 mm.	250
1070	NN rack	Steel rack with plastic trays, total dimensions: 2100 mm x 500 mm x 2300 mm.	150
1075	NN stool	Stool, dimensions: Ø 600 mm x 550 mm.	15
1077	Egli/Siat	2 steel racks with Siat box closing machine and Egli packaging machine spare parts, dimensions: (2x) 4100 mm x 500 mm x 2180 mm.	400
1078	Demag	2 steel racks with various transport belts, Demag spare parts and spare parts for robots, dimensions: (2x) 4100 mm x 500 mm x 2180 mm.	400
1079	NN stairs	Steel stairs, working height: 500 mm, total dimensions: 420 mm x 500 mm x 830 mm.	15
1080	Wampfler	Wampfler part for electrically driven hose reel, type: 80.2/10, serial number: 002, year of construction: 95, dimensions: 950 mm x 480 mm x 480 mm. Incomplete.	25
1081	Alfa Laval	Steel rack with various Alfa Laval valves and spare parts for Alfa Laval valves, dimensions: 2050 mm x 500 mm x 2200 mm.	400
1084	Burkert/ Grundfos/APV	Steel rack with Burkert, Grundfos, and APV parts, dimensions: 2050 mm x 500 mm x 2200 mm.	400
1085	NN rollers	Steel rack with large amount of plastic and s/s rollers for roller conveyors, dimensions: 1050 mm x 530 mm x 2200 mm.	175
1087	Berson/ Samson/APV	Rack with large amount of various motors, valves and other spare parts, among others: Berson, Samson, APV, SPX, etc, dimensions: 3200 mm x 1000 mm x 2000 mm.	750
1088	NN cabinet	Steel cabinet, dimensions: 1060 mm x 500 mm x 1100 mm. Including content.	50
1089	NN chains	9 Plastic trays with chains, dimensions: (9x) 500 mm x 300 mm x 150 mm.	50
1090	Slingerland Techniek	Slingerland Techniek blower, type: BP201-C/4sisw/IEC71/RD/Ex, year of construction: 06/2014, 230/400 V, 3 Ph, 50 Hz, 0.25 kW, 1372 rpm, dimensions: 400 mm x 600 mm x 800 mm.	50
1091	NN waste bin	Plastic waste bin, dimensions: 500 mm x 300 mm x 800 mm.	20
1092	NN transport belts	2 plastic mesh belts, belt width: 500 mm, total dimensions: 400 mm x 400 mm x 1050 mm.	25



Nr	Title	Description	Start €
1094	NN crates	5 plastic crates, dimensions: (5x) 600 mm x 400 mm x 150 mm.	15
1098	NN electrical parts	Steel rack with various electrical parts, dimensions: 1060 mm x 500 mm x 2300 mm.	200
1100	NN electrical and pneumatic parts	4 steel racks with various electrical and pneumatic parts, dimensions: (4x) 1060 mm x 500 mm x 2300 mm.	400
1101	NN valves	2 steel racks with various spare parts for valves, dimensions: (2x) 1060 mm x 500 mm x 2300 mm.	300
1102	NN valves	Steel rack with various spare parts for valves, dimensions: 1060 mm x 500 mm x 2300 mm.	300
1103	NN electrical cable	Wooden reel with electrical cable, dimensions: Ø 750 mm x 550 mm.	50
1109	NN protection railing	S/s protection railing, dimensions: 1400 mm x 50 mm x 950 mm.	25
1111	NN office inventory	Office inventory consisting of: 2 chairs, dimensions: (2x) 700 mm x 700 mm x 750 mm, 2 tables, dimensions: 400 mm x 300 mm x 400 mm, 500 mm x 300 mm x 500 mm. Without computer equipment.	50
1112	NN office inventory	Office inventory consisting of: desk, dimensions: 1800 mm x 1000 mm x 770 mm, 2 tables, dimensions: 2200 mm x 1100 mm x 720 mm, 1000 mm x 600 mm x 700 mm, 4 cabinets, dimensions: (3x) 1200 mm x 450 mm x 720 mm, 800 mm x 420 mm x 600 mm, 5 chairs, dimensions: 600 mm x 500 mm x 900 mm, white board. Without computer equipment.	150
1114	NN office inventory	Office inventory consisting of: desk, dimensions: 5600 mm x 1150 mm x 760 mm, 3 chairs, dimensions: (3x) 600 mm x 600 mm x 1000 mm, cabinet, dimensions: 1000 mm x 450 mm x 1950 mm. Without computer equipment.	175
1115	Pelco	Pelco monitor, dimensions: 570 mm x 350 mm.	25
1118	NN office inventory	Office inventory consisting of: 2 desks, dimensions: 2800 mm x 2000 mm x 740, 1600 mm x 800 mm x 750 mm, 4 chairs, dimensions (4x) 600 mm x 600 mm x 800 mm, cabinet, dimensions: 1200 mm x 450 mm x 1950 mm, white board. Without computer equipment.	125
1119	NN office inventory	Office inventory consisting of: 3 desks, dimensions: (2x) 1600 mm x 800 mm x 750 mm, 1600 mm x 1000 mm x 750 mm, 3 cabinets, (3x) 800 mm x 420 mm x 560 mm, 2 white boards. Without computer equipment.	125
1121	NN cabinets	2 wooden cabinets, dimensions: (2x) 890 mm x 340 mm x 1980 mm.	50
1122	Liebherr	Liebherr refrigerator, type: 1760 Index 20 / 001, serial number: 44.765.465.1, 220/240 V, 50 Hz, 0.8 A, refrigerant: R 600a/22 g, volume: 160 litre, dimensions: 600 mm x 650 mm x 850 mm,	25



Nr	Title	Description	Start €
1123	NN office inventory	Office inventory consisting of: 6 desks, dimensions: (6x) 1800 mm x 900 mm x mm, 1 table, dimensions: Ø 800 mm x 740 mm, 4 cabinets, dimensions: (4x) 1000 mm x 440 mm x 2000 mm, Intimus and Fellowes shredder, dimensions: 660 mm x 450 mm x 1050 mm, 300 mm x 550 mm x 550 mm. Without computer equipment.	125
1129	NN office inventory	Office inventory consisting of: desk, dimensions: 2300 mm x 1200 mm x 720 mm and white board. Without computer equipment.	50
1130	NN office inventory	Office inventory consisting of: 5 desks, dimensions: (2x) 2600 mm x 1600 mm x 780 mm, 1600 mm x 1000 mm x 700 mm, 1600 mm x 800 mm x 780 mm, 1700 mm x 950 mm x 750 mm, 4 chairs, dimensions: (4x) 600 mm x 500 mm x 750 mm, 4 cabinets, dimensions: (2x) 800 mm x 420 mm x 580 mm, (2x) 1200 mm x 450 mm x 1950 mm, 3 waste bins, dimensions: (3x) 400 mm x 300 mm x 700 mm. Without computer equipment.	125
1131	NN office inventory	Office inventory consisting of: 4 desks, dimensions: (2x) 1600 mm x 800 mm x 740 mm, 2450 mm x 1500 mm x 740 mm, 1600 mm x 1000 mm x 740 mm, 5 chairs, dimensions: (3x) 560 mm x 600 mm x 800 mm, (2x) 700 mm x 600 mm x 900 mm, 3 cabinets, dimensions: (2x) 800 mm x 420 mm x 580 mm, white board. Without computer equipment.	125
1132	NN office inventory	Office inventory consisting of: 8 tables, dimensions: (6x) 2000 mm x 1000 mm x 750 mm, 1000 mm x 800 mm x 720 mm, 2000 mm x 1000 mm x 700 mm, 20 chairs, dimensions: (2x) 550 mm x 550 mm x 800 mm, 2 white boards. Without computer equipment.	250
1133	Manutan	2 Manutan fans, 220/240 V, 1 Ph, 50 Hz, 50 W, dimensions: (2x) 450 mm x 400 mm x 1300 mm.	25
1134	Andrews	Andrews air conditioning, model: Polar Wind Style, year of construction: 01/2021, 220/240 V, 1 Ph, 50 Hz, 1550 W, weight: 35 kg, refrigerant: R290, 0.30 kg, dimensions: 450 mm x 400 mm x 840 mm.	50
1137	NN office inventory	Office inventory consisting of: 6 desks, dimensions: (2x) 1600 mm x 800 mm x 760 mm, (2x) 2100 mm x 1500 mm x 760 mm, 1600 mm x 1000 mm x 700 mm, 1800 mm x 800 mm x 650 mm, 7 chairs, dimensions: (7x) 550 mm x 550 mm x 950 mm, 4 cabinets, dimensions: (4x) 1200 mm x 450 mm x 1950 mm, 2 white boards. Without computer equipment.	175
1138	NN office inventory	Office inventory consisting of: 4 desks, dimensions: (2x) 2300 mm x 1300 mm x 770 mm, (2x) 1750 mm x 950 mm x 770 mm, 5 cabinets, dimensions: (3x) 800 mm x 420 mm x 600 mm, (2x) 1200 mm x 440 mm x 2000 mm, 2 white boards. Without computer equipment.	125
1139	NN desks	2 desks, dimensions: (2x) 1600 mm x 800 mm x 750 mm.	25





Nr	Title	Description	Start €
1140	NN chairs	12 chairs, dimensions: (12x) 700 mm x 600 mm x 1000 mm.	25
1141	NN soap dispenser	Soap dispenser, dimensions: 500 mm x 400 mm x 1400 mm.	25
1143	NN crates	11 plastic crates, dimensions: (11x) 400 mm x 300 mm x 130 mm.	15
1144	Liebherr	Liebherr freezer, type: GS 800-2, serial number: 8778084, 220 V, 50 Hz, volume: 60 litre, refrigerant: R12/0.055 kg, dimensions: 550 mm x 650 mm x 630 mm.	25
1146	Johnson Diversey	Johnson Diversey drip tray, dimensions: 350 mm x 600 mm x 1350 mm.	50
1147	Philips	Philips microwave, type: AKB 115/PH/01, number: C-067/81, 220 V, 1 Ph, 50 Hz, 13 A, 2.7 kW, inside dimensions: 530 mm x 350 mm x 200 mm, total dimensions: 600 mm x 600 mm x 480 mm.	15
1148	TopCold	TopCold refrigerator, model: XP140/2M, serial number: 101914109, 220/240 V, 50 Hz, 1.2 A, 260 W, refrigerant: R290/105 gram, 4 floors, floor dimensions: 530 mm x 650 mm, total dimensions: 1500 mm x 820 mm x 2100 mm.	250
1150	NN writing desk	S/s writing desk with wooden top, dimensions: 750 mm x 680 mm x 1200 mm.	15
1151	Tüv	Tüv air conditioning, model: AC-12000M, serial number: 0301074, 230 V, 1 Ph, 50 Hz, 4.2 A, 850 W, refrigerant: R-407C/480 g, dimensions: 400 mm x 350 mm x 750 mm.	25
1152	NN cabinet	Steel cabinet, dimensions: 1000 mm x 400 mm x 2000 mm.	25
1161	NN spill unit	Mobile spill unit, dimensions: 850 mm x 600 mm x 700 mm.	25
1162	NN platform	Aluminium platform, dimensions: 650 mm x 600 mm x 400 mm.	25
1178	Haca Leitern	Haca Leitern aluminium platform, working height: 400 mm, total dimensions: 500 mm x 500 mm x 1550 mm.	20
1180	NN waste bag holder	Steel waste bag holder, dimensions: 500 mm x 500 mm x 1350 mm.	15
1184	NN ladder	Aluminium ladder, dimensions: 400 mm x 80 mm x 2600 mm.	25
1185	NN safety shower	Safety shower and Cederroth eye wash, dimensions: 350 mm x 400 mm x 2500 mm.	75
1186	NN cabinet	S/s cabinet with personal safety equipment, dimensions: 600 mm x 550 mm x 1900 mm.	100
1197	NN soap dispenser	Soap dispenser, dimensions: 500 mm x 400 mm x 1400 mm.	25
1198	NN tubs	2 plastic tubs, dimensions: 1200 mm x 800 mm x 800 mm, 500 mm x 500 mm x 500 mm.	25
1199	NN hygiene equipment	Plastic board with hygiene equipment, dimensions: 1000 mm x 2000 mm.	100



Nr	Title	Description	Start €
1203	Johnson Diversey	2 Johnson Diversey drip trays, dimensions: (2x) 350 mm x 600 mm x 1660 mm.	25
1204	Bos	Bos steel storage container, dimensions: 3100 mm x 6500 mm x 2370 mm.	400
1205	NN desks	6 desks, dimensions: (6x) 5100 mm x 1450 mm x 740 mm.	25
1208	NN refrigerator	Refrigerator, dimensions: 650 mm x 600 mm x 1250 mm.	25
1209	Comarme	Comarme box closing machine, model: GEM 520, serial number: AZ026577, year of construction: 2005, 400 V, 50 Hz, 1 A, 280 W, weight: 144 kg, s/s rollers, roller width: 520 mm, total dimensions: 1200 mm x 850 mm x 1550 mm.	150
1211	Eurostore bvba	Eurostore bvba steel water tank, installation date: June 1994, capacity: 750 m <sup>3</sup> , dimensions: Ø 7600 mm x 19500 mm. Please notice that the tank will be available at the end of the project in December 2025.	60000
1212	Frigotronic	Frigotronic chiller, type: HZB-WU-CSH 8561 ECO, number: 0024900, year of construction: 08/2007, 230/400 V, 3 Ph, 50 Hz, 93.75 kW, weight: 2.742 kg, refrigerant: R507/247.65 kg, dimensions: 2500 mm x 1500 mm x 1550 mm.	1000
1214	NN lockers	44 steel lockers and 6 benches, locker dimensions: (10x) 900 mm x 500 mm x 1750 mm, (30x) 900 mm x 500 mm x 1620 mm, (4x) 600 mm x 500 mm x 1750 mm, bench dimensions: (6x) 1950 mm x 750 mm x 420 mm.	1250
1215	NN waste bag holders	3 steel waste bag holders, dimensions: (3x) 700 mm x 700 mm x 1300 mm.	25
1216	Eurom	Eurom fan, model: HVF 18-2, 220/240 V, 1 Ph, 50 Hz, 120 W, dimensions: 580 mm x 250 mm x 540 mm.	15
1219	NN sink with faucet	S/s sink with faucet, dimensions: 400 mm x 320 mm x 500 mm.	25
1220	NN cabinet	Steel cabinet and steel locker, cabinet dimensions: 1000 mm x 450 mm x 1950 mm, locker dimensions: 420 mm x 500 mm x 1900 mm.	50
1221	NN cleaning trolley	Cleaning trolley, dimensions: 1000 mm x 400 mm x 900 mm.	25
1222	Wetrok	Wetrok vacuum cleaner, type: Wetrok Twinvac 18, number: 30401-0915-017381, 230 V, 1 Ph, 50/60 Hz, 1200 W, dimensions: 500 mm x 400 mm x 650 mm.	25
1224	NN plants	3 pots with plants, dimensions: (3x) 2400 mm x 400 mm x 400 mm.	100
1226	NN clothing cabinets and lockers	30 steel clothing cabinets, clearance: 300 mm x 500 mm x 40 mm, total dimensions: (30x) 420 mm x 500 mm x 1900 mm, 6 lockers, locker dimensions: (6x) 400 mm x 500 mm x 1900 mm.	400
1227	NN trolley	Steel trolley, dimensions: 640 mm x 820 mm x 1720.	25
1228	Rentokil	Rentokil insect killer, dimensions: 550 mm x 130 mm x 280 mm.	50



Nr	Title	Description	Start €
1229	Silver King	Silver King milk dispenser, capacity: (2x) 10 litre, dimensions: 650 mm x 450 mm x 790 mm.	75
1233	NN soup warmers	2 soup warmers, dimensions: (2x) Ø 300 mm x 250 mm. Please notice that this lot will be available at the end of the project in December 2025.	100
1240	Multideur	Multideur roller shutter door, dimensions: 2510 mm x 1250 mm. Please notice that this lot will be available at the end of the project in December 2025.	250
1241	NN sink with faucet	S/s sink with faucet, soap dispenser and blower, dimensions sink: 400 mm x 350 mm x 600 mm, dimensions blower: 300 mm x 200 mm x 220 mm.	75
1244	Alga	Alga aluminium ladder, dimensions: 1150 mm x 60 mm x 4200 mm.	25
1245	NN hose	Hose, length: 4400 mm.	50
1248	NN sink with faucet	S/s sink with faucet, boiler, soap dispenser and paper dispenser, sink dimensions: 500 mm x 450 mm x 500 mm, boiler dimensions: 300 mm x 250 mm x 500 mm.	100
1250	NN tub	Mobile plastic tub, dimensions: 1000 mm x 590 mm x 980 mm.	25
1251	NN service trolley for inkjet printers	S/s service trolley for inkjet printer, dimensions: 800 mm x 500 mm x 1100 mm.	50
1252	Videojet	2 s/s trolleys for Videojet inkjet printers, dimensions: (2x) 900 mm x 900 mm x 900 mm.	50
1253	NN table	S/s table with plastic worktop, dimensions: 2000 mm x 760 mm x 850 mm.	50
1255	NN table	S/s table, dimensions: 1500 mm x 800 mm x 770 mm.	50

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial



Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

## **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.


16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on its right side, suggesting it's resting on a surface.

# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

