



**Industrial  
Auctions**

**1915: Online auction machinery for the food  
industry on behalf of Windsor Food Machinery Ltd  
in Ashford (UK)**

**END DATE**  
18 September 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

End date	18 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	20% over the highest bid including premium
Pick up days	25 September 2025 from 09:00 till 16:00 hrs.
Pick up address	Units 1-6, Mountain Farm Marsh Road, Hamstreet TN26 2JD Ashford, Kent United Kingdom
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place. Industrial Auctions must prove the export of the lots from the UK, therefore VAT is charged as a deposit. Once you send the appropriate export documents, we will transfer the VAT amount back to you. Industrial Auctions can assist you in applying for transport and export documents.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Multivac	Multivac thermoformer, type: R085, serial number: 219291, year of construction: 2015, 400/230 V, 3 Ph, 50 Hz, 24 A, 8 kW, dye: 170 mm x 290 mm, film width: 423 mm bottom and 412 mm top, total dimensions: 3250 mm x 1120 mm x 1440 mm.	17500
2	Kolbe	Kolbe mobile grinder, type: MWE 52, number: 126 0716, year of construction: 2007, plate diameter: 130 mm, total dimensions: 800 mm x 1550 mm x 1320 mm.	2500
3	Mado	Mado mobile grinder, type: MEW 621, number: 30593, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 12.4 A, 5.5 kW, plate diameter: 100 mm, total dimensions: 1050 mm x 820 mm x 1380 mm.	2500
4	Mainca	Mainca piston filler, model: EM-30, number: 5609, year of construction: 2007, 230 V, 2 Ph, 50 Hz, 12 A, 1.9 kW, dimensions: 470 mm x 530 mm x 1160 mm.	450
5	JayCraft	JayCraft mobile dicer, working width: 100 mm, distance between knives, 130 mm, total dimensions: 1560 mm x 800 mm x 1630 mm.	1000
6	NN boot washer	Boot washer with 3 brushes, brush length: (2x) 440 mm and (1x) 640 mm, total dimensions: 750 mm x 850 mm x 1250 mm.	500
7	NN boot washer	Boot washer with 3 brushes, brush length: (2x) 440 mm and (1x) 640 mm, total dimensions: 750 mm x 850 mm x 1250 mm.	500
8	Rex	Rex forming machine for burgers, type: FB 100, form diameter: 70 mm, plastic outfeed belt, belt width: 320 mm, total dimensions: 1640 mm x 600 mm x 1100 mm.	1500
9	KT-ALP	KT-ALP schnitzel-press, pressing diameter: 275 mm, total dimensions: 470 mm x 810 mm x 900 mm.	700
10	Loma	Loma mobile pipeline metal detector, 230 V, 1 Ph, 50 Hz, year of construction: 2000, pipe diameter: 55 mm, total dimensions: 720 mm x 500 mm x 1480 mm.	500
11	Formatic	Formatic mobile forming machine for burgers, form diameter: 35 mm, total dimensions: 1040 mm x 850 mm x 2020 mm.	2500
12	Bizerba	Bizerba mobile slicer, model: A 404, number: 1471465, 230 V, 1 Ph, 50 Hz, 3.1 A, dimensions: 1100 mm x 650 mm x 1370 mm.	1250
13	Ross Reiser	Dye for Ross Reiser Junior gas flush traysealer, model: Twin D2, dye: (2x) 195 mm x 150 mm, index: 485 mm, total dimensions: 900 mm x 660 mm x 600 mm.	150
14	MHS	MHS mobile slicer, type: PCE 70E, serial number: 080203, year of construction: 2003, 415 V, 6.5 A, 2.6 kW, chamber dimensions: 700 mm x 210 mm x 210 mm, total dimensions: 1850 mm x 820 mm x 1350 mm.	1300



Nr	Title	Description	Start €
15	Treif	Treif mobile dicer, model: Argon, number: 410005.70131.106284, year of construction: 2009, 380-480 V, 3 Ph, 50/60 Hz, 5-4- A, 2.0 kW, weight: 415 kg, chamber dimensions: 550 mm x 100 mm x 100 mm, distance between knives: 25 mm x 20 mm, plastic outfeed belt, belt width: 230 mm, total dimensions: 1750 mm x 1500 mm x 1200 mm. Switch cabinet is incomplete. Including extra knives, distance between knives: 25 mm x 25 mm.	1500
16	Fabbri Group	Fabbri Group packaging machine, model: B-220, serial number: 240-2395, year of construction: 2014, 400 V, 3 Ph, 50-60 Hz, 13 A, clearance: 400 mm x 250 mm, total dimensions: 2600 mm x 1500 mm x 1500 mm. With infeed belt, belt width: 400 mm, total dimension infeed belt: 2050 mm x 550 mm x 900 mm.	4500
17	DEM weighing systems	DEM weighing systems weighing scale and indicator, scale dimensions: 1000 mm x 1000 mm.	150
18	Grasselli	Grasselli slicer, type: SL600, serial number: R26001/287, year of construction: 2001, 415 V, 3 Ph, 50 Hz, working width: 610 mm, distance between knives: 20 mm, total dimensions: 1250 mm x 1350 mm x 1820 mm.	2000
19	Rex	Rex vacuum filling machine, type: RVF 327 F/P/A, serial number: 19300-30085, year of construction: 10/2006. 400 V, 50 Hz, 16 A, Busch vacuum pump, type: KC 0016D, dimensions: 700 mm x 800 mm x 1850 mm.	3000
20	Treif	Treif dicer, model: Argon, serial number: 410005.70131.106656, year of construction: 2009, 380-480 V, 3 Ph, 50/60 Hz, 5-4 A, 2.0 kW, weight: 415 kg, chamber dimensions: 550 mm x 100 mm x 100 mm, plastic outfeed belt, belt width: 230 mm, total dimensions: 1750 mm x 1440 mm x 1200 mm.	2500
21	Handtmann	Handtmann piston filler, type: FA30TOP, number: 1171, 242/420 V, 50 Hz, 11.5/6.6, 3 kW, dimensions: 950 mm x 800 mm x 1200 mm.	250
22	Vemag	Vemag vacuum filling machine, model: Robby, type: 134, number: 134 1397, 220-240/400-460 V, 3 Ph, 50/60 Hz, 20/11 A, dimensions: 800 mm x 900 mm x 1600 mm. Including attachment with case spooler.	2000
23	Kerres	Kerres smoke generator for wood chips, type: RE 982, number: 8.2326, 400 V, 3 Ph, 50 Hz, 1 kW, dimensions: 550 mm x 1000 mm x 1900 mm.	650
24	Kolbe	Kolbe mobile mixer-grinder, type: MW 100, serial number: 124 0672, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 8.2 + 2.4 A, 4.0 + 0.75 kW, weight: 380 kg, plate diameter: 100 mm, total dimensions: 690 mm x 1200 mm x 1300 mm. Without knife plates.	1250



Nr	Title	Description	Start €
25	Handtmann	Handtmann vacuum filling machine, type: VF50, dimensions: 600 mm x 800 mm x 1650 mm. Without vanes.	2500
26	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF628, number: 17439, year of construction: 2003, 420 V, 3 Ph, 50 Hz, 18.6 A, 13.5 kW, dimensions: 1900 mm x 1300 mm x 2200 mm.	13500
27	Turbovac	Turbovac mobile vacuum machine, serial number: 20081908, year of construction: 2008, 220-240 V, 1 Ph, 50 Hz, 14 A, weight: 182 kg, Busch vacuum pump, type: RA 0100 E, capacity: 100 m <sup>3</sup> /h, chamber dimensions: 750 mm x 500 mm, seal length: 800 mm and 500 mm, total dimensions: 900 mm x 700 mm x 1400 mm.	500
28	Grasselli	Grasselli mobile skinning machine, model: RST800-Piclo, serial number: W09R02IP135, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 2.5 A, 1.1 kW, foot control, working width: 800 mm, total dimensions: 1050 mm x 550 mm x 1000 mm.	3000
29	Unitech	Unitech turning table, serial number: 137100, year of construction: 01/2019, 230 V, 50 Hz, s/s frame, plastic top, dimensions: Ø 810 mm x 900 mm.	450
30	Webomatic	Webomatic mobile vacuum machine, type: supermax, machine number: 187HF443, 400 V, 3 Ph, 50 Hz, 4.0 A, 1.5 kW, capacity: 050-R m <sup>3</sup> /h, chamber dimensions: 600 mm x 500 mm, seal length: (2x) 500 mm, total dimensions: 790 mm x 790 mm x 800 mm.	375
31	Vemag	Vemag mobile vacuum filling machine, model: 500, type: 128/230, number: 128 3016, 220-240/400-460/575 V, 3 Ph, 50/60 Hz, 17/10/10 A, dimensions: 700 mm x 900 mm x 1800 mm. Damaged, incomplete.	500
32	Pacproinc	Pacproinc mobile interleaver, model: PPI-200-IP-LX-P4-06, serial number: M404361101, 240 V, 1 Ph, 50-60 Hz, 7.5 A, 2.0 kW, plastic belt, belt width: 170 mm, leaf width: 120 mm, total dimensions: 800 mm x 700 mm x 1300 mm.	3500
33	Blue Seal	Blue Seal tiltable roasting pan, model: G520-12E, gas heated, inside dimensions: 1130 mm x 530 mm x 220 mm, total dimensions: 1200 mm x 800 mm x 1070 mm.	550
34	Inauen	Inauen VC999 mobile vacuum machine, with Rietschle vacuum pump, type: CLFH 220 (20), dimensions: 1100 mm x 800 mm x 1020 mm.	275
35	Inauen Maschinen AG	Inauen Maschinen AG dip tank, type: VC999/Tank 85.47 E, machine number: 95T94 813, 415 V, 3 Ph, 50 Hz, 29 A, 20.6 kW, s/s rollers, roller width: 470 mm, clearance: 550 mm x 320 mm, total dimensions: 1300 mm x 1000 mm x 1830 mm.	700



Nr	Title	Description	Start €
36	Turbovac	Turbovac mobile double chamber vacuum machine, model: D40, serial number: 20171513, year of construction: 2017, 380-415 V, 3 Ph, 50 Hz, 18 A, chamber dimensions: (2x) 900 mm x 870 mm, seal length: (4x) 910 mm, total dimensions: 2000 mm x 1150 mm x 1400 mm.	2000
37	Inauen	Inauen VC999 mobile vacuum machine, with Rietschle vacuum pump, type: CLFH 220 (20), dimensions: 1100 mm x 800 mm x 1020 mm.	275
38	Beelonia	Beelonia smoke chamber, model: Räucher F II 70/60, year of construction: 2022, 400 V, 50 Hz, 5.8 kW, 6 floors, dimensions each floor: 550 mm x 600 mm, inside dimensions: 550 mm x 600 mm x 1100 mm, total dimensions: 850 mm x 600 mm x 1700 mm.	650
39	Butcher Boy	Butcher Boy mixer-grinder, plate diameter: 129 mm, total dimensions: 750 mm x 1100 mm x 1270 mm.	250
40	Biro	Biro grinder, model: 3 42, serial number: 10258, plate diameter: 100 mm, total dimensions: 1330 mm x 730 mm x 1200 mm. Defect.	150
41	Kolbe	Kolbe bandsaw, type: 440RS, machine number: 96 0515, year of construction: 2002, 230/400 V, 3 Ph, 50 Hz, 5.4 A, dimensions sliding table: 850 mm x 880 mm, total dimensions: 1000 mm x 880 mm x 1850 mm.	1500
43	Pesutekno Oy	Pesutekno Oy chainmail glove and apron washer, model: Mahti 02, 14 racks, inside dimensions: 1060 mm x 510 mm x 670 mm, total dimensions: 1220 mm x 780 mm x 1680 mm.	150
44	Treif	Treif slicer, chamber dimensions: 700 mm x 200 mm x 200 mm, total dimensions: 1800 mm x 900 mm x 1600 mm. Technical condition unknown.	750
45	Grote	Grote mobile depositor, model: Mini Depositor II, serial number: 1173737, 208/240 V, 1 Ph, 50/60 Hz, dimensions: 1000 mm x 700 mm x 700 mm.	450
46	Dowson	Dowson mobile bread slicer, model: D55-1, serial number: 02531096, 50 knives, distance between knives: 14 mm, total dimensions: 850 mm x 620 mm x 1120 mm.	150
47	Bizerba	Bizerba slicer, model: A 404, number: 1533456, year of construction: 1997, 230 V, 1 Ph, 50 Hz, 3.1 A, dimensions: 1100 mm x 650 mm x 1370 mm.	650
48	Ramon	Ramon piston filler, model: SC40, serial number: SC, year of construction: 2007, 380 V, 3 Ph, 50 Hz, 2.9 A, 1.12 kW, dimensions: 700 mm x 500 mm x 1350 mm.	750
49	J&E Hall	J&E; Hall outside unit for air-conditioning, model: JEHS-0500-M-3, serial number: 20531701-082, year of construction: 2010/04, 380/420 V, 3 Ph, 50 Hz, 14 A, refrigerant: R404a, dimensions: 1300 mm x 500 mm x 900 mm.	250



Nr	Title	Description	Start €
50	Stephan	Stephan mobile tiltable universal machine, model: UM 40, machine number: 34705 B, 415 V, 3 Ph, 4/5.5 kW, volume: 40 liter, dimensions: 780 mm x 550 mm x 1100 mm.	350
51	VC999 Verpackungssysteme AG	VC999 Verpackungssysteme AG vacuum machine, type: VC999 07S H15/205, machine number: 07152588, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 7 kW, seal length: (2x) 450 mm and (1x) 1000 mm, dimensions chamber: 1050 mm x 530 mm, total dimensions: 1350 mm x 850 mm x 1100 mm.	1250
52	Frampton Worldwide Ltd	Frampton Worldwide Ltd mobile flash roaster, model: FR-1-3, serial number: 7765/0414, 415 V, 3 Ph, 20 kW, s/ s mesh belt, belt width: 140 mm, clearance: Ø 260 mm, total dimensions: 2350 mm x 900 mm x 1650 mm.	3750
53	Multivac	Multivac mobile double chamber vacuum machine with gas flush, model: C500, serial number: 121904, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 21 A, 5.5 kW, Busch vacuum pump, type: RA0160 D 5Z1 GQZZ, capacity: 160 m³/h, chamber dimensions: (2x) 660 mm x 740 mm, seal length: (4x) 665 mm, total dimensions: 1600 mm x 1010 mm x 1350 mm.	2500
54	Turbovac	Turbovac mobile double chamber vacuum machine, model: D30, serial number: 20151997, year of construction: 2015, 380-400 V, 3 Ph, 50 Hz, 20 A, chamber dimensions: (2x) 820 mm x 700 mm, seal length: (4x) 820 mm, total dimensions: 1800 mm x 1150 mm x 1300 mm.	2500
55	Rational	Rational combi steamer on s/s frame, type: SCC 102, serial number: E12SG09062194261, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 37.0 kW, 150-600 kPa, 10 floors, floor dimensions: (10x) 650 mm x 530 mm, total dimensions: 1070 mm x 1000 mm x 1700 mm.	1250
56	NN slicer knives	Pallet with knives for Holac dicer, Ø knives: (4x) 700 mm, total dimensions: 1400 mm x 1000 mm x 400 mm. Including 2 crates with extra parts.	50
57	Danfoss	Danfoss outside unit for air-conditioning, model: OP-MSXM057MLW05E, serial number: 099243CG1119, 400 V, 3 Ph, 50 Hz, 10.5 A, refrigerant: R404a/R507/ R407a/R448/9A, dimensions: 1040 mm x 500 mm x 700 mm.	275
59	Pakseal	Pakseal mobile binding machine, type: MRT, serial number: 3610, 440 V, 50 Hz, clearance: 370 mm x 300 mm, total dimensions: 700 mm x 900 mm x 1350 mm. With spare tying head.	950



Nr	Title	Description	Start €
60	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300, number: 2377, year of construction: 1995, 400 V, 50 Hz, 23.6 A, 9.5 kW, dimensions: dimensions: 1700 mm x 1300 mm x 2000 mm.	3000
61	A.L.X.-Metall	A.L.X.-Metall traysealer, model: M-fix-285/250-F-89, number: 1701, year of construction: 2004, 230 V, 50 Hz, 800 W, dimensions dye: 210 mm x 160 mm, total dimensions: 370 mm x 450 mm x 450 mm. Including 4 boxes with trays.	25
62	FMC FoodTech	FMC FoodTech mobile multi-fruit juicer, model: POS-1, serial number: 82005006, 220 V, 1 Ph, 50 Hz, 10 A, dimensions: 850 mm x 550 mm x 1860 mm.	1250
63	Cintex	Cintex mobile metal detector, plastic belt, belt width: 600 mm, clearance: 640 mm x 320 mm, total dimensions: 1800 mm x 1200 mm x 1450 mm.	750
64	Attwell	Attwell automatic labelling machine, type: LC-1600/300-S2, serial number: 19074, year of construction: 2020, 230 V, 50/60 Hz, 350 W, plastic belt, belt width: 240 mm, total dimensions: 1650 mm x 700 mm x 1000 mm.	750
65	Hoonved	Hoonved dishwasher, model: HD60BT, serial number: JB1847990918, 12/16 A, 6/7.62 kW, dimensions basket: 700 mm x 700 mm x 150 mm, total dimensions: 850 mm x 870 mm x 1900 mm.	250
66	Lincat	Lincat oven, serial number: 21522056, 400 V, 3 Ph, 50/60 Hz, 5 floors, dimensions each floor: 720 mm x 500 mm, total dimensions: 1000 mm x 660 mm x 1620 mm. 1 floor rack missing.	150
67	NN transport belt	Mobile retracting transport belt with sensors, s/s frame, plastic belt, belt width: 250 mm, dimensions: 3400 mm x 800 mm x 1700 mm.	750
68	Bobet Materiel	Bobet Materiel boot cleaner, type: L.B.M92E, serial number: 1255, year of construction: 2006, brush length: 350 mm, total dimensions: 1500 mm x 600 mm x 1280 mm.	600
69	Bertrand	Bertrand mobile cooled mixer, type: Fermentolevain FL 80, serial number: 93000000000107480, year of construction: 11/2013, 400 V, 50/60 Hz, 1.5 kW, refrigerant: R404A, 0.46 kg, dimensions: 800 mm x 1100 mm x 1490 mm.	750
70	Handtmann	Handtmann vacuum filling machine, model: VF 50, dimensions: 550 mm x 900 mm x 1700 mm. Handtmann linker and case holding device sold sold separately (lot 1915-71)	2500
71	Handtmann	Handtmann linker and case holding device, number: 34-4/3411 and 60-7/1487, dimensions: 450 mm x 450 mm x 200 mm.	250



Nr	Title	Description	Start €
72	Treif	Treif slicer, chamber dimensions: 700 mm x 200 mm x 200 mm, total dimensions: 1800 mm x 900 mm x 1600 mm. Without knife. Technical condition unknown.	750
73	NN forming machine	Burger forming machine on s/s trolley, form diameter: 100 mm, plastic outfeed belt, belt width: 150 mm, total dimensions: 1300 mm x 800 mm x 1500 mm. Technical condition unknown.	500
74	Frima	Frima VarioCooking Center, type: VCC 112 +, serial number: E11PJ15038019262, 400 V, 3 Ph, 50/60 Hz, 19.4 kW, volume: 112 liter, dimensions: 1250 mm x 800 mm x 1200 mm.	2750
75	Endoline	Endoline mobile semi-automatic case taper with top and bottom taper and case erector, type: 706 series case sealer and 100 series case erector, model: 706 and 103, serial number: 230195553, year of construction: 2023, 400 V, 3 Ph, 50 Hz, 3 A, clearance: 450 mm x 450 mm, total dimensions: 2200 mm x 800 mm x 1650 mm.	1500
76	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 741, year of construction: 2009, 420 V, 3 Ph, 50/60 Hz, 3.4 A, 2.5 kW, dimensions: 1700 mm x 700 mm x 1200 mm.	550
77	NN boot washer	Boot washer with 2 brushes, brush length: (2x) 1000 mm, total dimensions: 1900 mm x 850 mm x 1400 mm.	1450
79	Korimat	Korimat autoclave, type: KA 380/2.5, manufacturing number: 382311, year of construction: 12/2023, 230/400 V, 3 Ph, 25 kW, volume: 380 liter, dimensions: 1700 mm x 1100 mm x 1850 mm. New, never used.	25000
80	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 611, year of construction: 2004, 420 V, 3 Ph, 50 Hz, 3.4 A, 2.5 kW, dimensions: 1300 mm x 700 mm x 1250 mm.	700
81	Parry	Parry 4 pits stove, model: N1871, serial number: 160160283, 240/415 V, 50 Hz, 8.5/12.5/29.2 A, 7 kW, dimensions: 600 mm x 610 mm x 220 mm.	35
82	Poly-clip system	Poly-clip system clipper, dimensions: 260 mm x 360 mm x 930 mm.	500
83	Espera	Espera weighing and labelling machine, type: ES 5000, maximum weight: 6 kg, minimum weight: 40 g, e=d=2g, T= -6 kg, plastic belt, belt width: 300 mm, total dimensions: 1300 mm x 850 mm x 1600 mm.	500
84	Aera max	Aera max air conditioning unit, dimensions: 900 mm x 250 mm x 500 mm.	10
85	Berkel	Berkel slicer, type: 800 S, number: 505445, year of construction: 1996, 230 V, 1 Ph, 50 Hz, 184 W, dimensions: 750 mm x 600 mm x 600 mm. Incomplete.	125
86	Noaw	Noaw slicer, model: 370/81CE220, number: 13/00000257, 230 V, 1 Ph, 50 Hz, 400 W, dimensions: 750 mm x 900 mm x 1450 mm.	1500



Nr	Title	Description	Start €
87	Henkelman	Henkelman mobile vacuum machine, type: Atmoz 90, number: H0A10180013, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 10.5 A, 3 kW, chamber dimensions: 880 mm x 550 mm, seal length: (2x) 880 mm, total dimensions: 970 mm x 1000 mm x 1150 mm.	1750
88	Inauen	Inauen mobile dip tank, type: VC999/62.41 i SA 12 kW, number: 96T96 481, 400 V, 3 Ph, 50 Hz, 20 A, 12.8 kW, inside dimensions: 600 mm x 400 mm x 300 mm.	300
89	Scharfen	Scharfen slicer, type: ATM3, model: type: ATM3-S number: 2021322, year of construction: 2002, 230 V, 1 Ph, 3 A, 600 W, dimensions: 750 mm x 500 mm x 600 mm.	375
90	Robot Coupe	Robot Coupe vegetable slicer, type: R502, diameter knife: 175 mm, total dimensions: 350 mm x 360 mm x 660 mm.	250
91	Brita	Brita water softener, number: 272000, dimensions: 250 mm x 220 mm x 580 mm.	10
92	Poly-Clip system	Poly-Clip system double clipper on s/s trolley, type: DCD-E, dimensions: 900 mm x 700 mm x 1700 mm.	1300
93	Avery	Avery weighing scale, model: 1770, maximum weight: 15 kg, minimum weight: 100 gram, e=: 5 gram, dimensions: 350 mm x 300 mm x 600 mm.	10
94	NN weighing scale	Weighing scale, maximum weight: 30 kg, minimum weight: 200 gram, e=: 5 gram, dimensions: 340 mm x 320 mm x 120 mm.	10
96	Deighton Manufacturing Ltd	Deighton Manufacturing Ltd forming machine for burgers, model: R series Formatic Machine, serial number: R2200/11/09/198, 220/240 V, 50 Hz, 750 W, form diameter: 100 mm, plastic outfeed belt, belt width: 120 mm, total dimensions: 1000 mm x 900 mm x 820 mm.	1250
97	Mecnosud	Mecnosud mixer, model: SP250, serial number: SP250-059, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 24.8 A, 11.4 kW, weight: 845 kg, s/s bowl and whisk, dimensions: 1600 mm x 1050 mm x 1600 mm.	850
98	Maja	Maja mobile skinning and derinding machine, type: VBA 505, working width: 380 mm, total dimensions: 1200 mm x 850 mm x 1150 mm.	350
99	Maja	Maja mobile skinning machine, type: ESM4550 OPS, serial number: M-52508, year of construction: 2016, 415 V, 3 Ph, 50 Hz, 1.83 A, 0.75 kW, weight: 170 kg, working width: 530 mm, total dimensions: 1000 mm x 830 mm x 1000 mm.	1500
100	Merrychef	Merrychef turbo oven, model: eikon e2, serial number: 1208213090272, 230 V, 1 Ph, 50 Hz, 12.9 A, 2.97 kW, inside dimensions: 300 mm x 240 mm x 240 mm, total dimensions: 800 mm x 380 mm x 630 mm. Display broken.	125



Nr	Title	Description	Start €
101	Base	Base lifter for 200 liter meat bins, serial number: 105194, year of construction: 3.2010, capacity: 250 kg, lifting height: 1900 mm, total dimensions: 2800 mm x 1100 mm x 700 mm.	500
102	Thompson	Thompson mixer-grinder, type: 3000, serial number: 3000.M1.2.34, year of construction: 6/2011, 415 V, plate diameter: approx. 120 mm, total dimensions: 1200 mm x 1250 mm x 1300 mm. Without knife plates.	1250
103	Handtmann	Handtmann mobile linking machine, type: 217-21, number: 526, year of construction: 2010, 420 V, 3 Ph, 50/60 Hz, 3.5 A, 5.2 kW, dimensions: 1300 mm x 700 mm x 1250 mm.	950
104	Webomatic	Webomatic vacuum machine, seal length: 420 mm, dimensions chamber: 450 mm x 430 mm, total dimensions: 570 mm x 490 mm x 400 mm. Technical condition unknown. Cover broken.	50
105	Butcher boy	Butcher boy grinder, model: A56H, serial number: S253, year of construction: 1997, 415 V, 3 Ph, 50 Hz, 22 A, 15 kW, plate diameter: 151 mm, total dimensions: 1500 mm x 800 mm x 1400 mm.	500
106	Butcher boy	Butcher boy grinder, plate diameter: 130 mm, total dimensions: 1300 mm x 650 mm x 1250 mm.	250
107	Mainca	Mainca piston filler, model: EM-25, number: 3228, year of construction: 1997, 240 V, 2 Ph, 50 Hz, 11.5 A, 1.84 kW, dimensions: 400 mm x 500 mm x 1100 mm.	450
108	Mainca	Mainca piston filler, model: EM-20, number: 4864, year of construction: 2002, 230 V, 2 Ph, 50 Hz, 10 A, 1.1 kW, dimensions: 4450 mm x 450 mm x 1100 mm.	450
109	Dadaux	Dadaux mobile piston filling and twisting machine, type: Torsado 2, number: L-531, year of construction: 10/12, 400 V, 50 Hz, dimensions: 850 mm x 750 mm x 1500 mm.	2250
110	Falcon	Falcon gas stove with oven, model: G1006FX, serial number: F574077, dimensions: 900 mm x 950 mm x 900 mm.	150
111	NN mesh belt	Mobile mesh belt, belt width: 1000 mm, total dimensions: 2900 mm x 1430 mm x 930 mm.	700
114	Mainca	Mainca piston filler, type: EB-12, number: 12794, 240 V, 2 Ph, 50 Hz, 7 A, 0.85 kW, dimensions: 400 mm x 500 mm x 1000 mm.	450
115	Laska	Laska grinder with lifter for 200 liter meat bins, plate diameter: 200 mm, dimensions grinder: 1500 mm x 1940 mm x 1700 mm. With lifter for meat bins, dimensions lifter: 1100 mm x 700 mm x 3000 mm and pallet with knives and plates.	7000
116	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 490 mm, total dimensions: 1700 mm x 650 mm x 1150 mm.	200



Nr	Title	Description	Start €
117	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 740 mm, total dimensions: 3900 mm x 1010 mm x 1330 mm.	200
118	NN trolley	Trolley with 4 floors, dimensions: 1180 mm x 650 mm x 1650 mm.	25
119	NN trolley	Aluminium trolley, 2 floors, dimensions: 960 mm x 760 mm x 1570 mm.	25
120	NN packaging table	Aluminium packaging table with plastic top, dimensions worktop: 800 mm x 600 mm, 4 floors, dimensions each floor: (4x) 600 mm x 600 mm, total dimensions: 1500 mm x 600 mm x 1500 mm.	125
121	NN packaging table	Aluminium packaging table with plastic top, dimensions worktop: 800 mm x 600 mm, 4 floors, dimensions each floor: (4x) 600 mm x 600 mm, total dimensions: 1500 mm x 600 mm x 1500 mm.	125
122	NN packaging table	Aluminium packaging table with plastic top, dimensions worktop: 800 mm x 600 mm, 4 floors, dimensions each floor: (4x) 600 mm x 600 mm, total dimensions: 1500 mm x 600 mm x 1500 mm.	125
123	NN packaging table	Aluminium packaging table with plastic top, dimensions worktop: 800 mm x 600 mm, 4 floors, dimensions each floor: (4x) 600 mm x 600 mm, total dimensions: 1500 mm x 600 mm x 1500 mm.	125
125	Mainca	Mainca piston filler, type: EM-20, number: 6879, year of construction: 2007, 230 V, 2 Ph, 50 Hz, 10 A, 1.1 kW, dimensions: 400 mm x 400 mm x 1100 mm.	450
128	NN trolleys	2 s/s trolleys, 24 floors, floor dimensions: 530 mm x 700 mm, total dimensions: 600 mm x 700 mm x 1760 mm.	50
129	PSV Group	PSV Group mobile piston filler, model: Villa SP 15, dimensions: 400 mm x 500 mm x 1000 mm.	500
130	Scharfen	Scharfen grinder, type: XT132, number: 2032011, year of construction: 2003, 230 V, 1 Ph, 12.4 A, 2000 W, plate diameter: 100 mm, total dimensions: 850 mm x 520 mm x 700 mm.	375
131	Scotsman	Scotsman flaked ice machine, type: AF 206 AS 230/50/1, serial number: DK 1078 12 I, 230 V, 50 Hz, 4.0 A, 760 W, weight: 60 kg, refrigerant: R 404A / 0.660 kg, capacity: up to 200 kg ice per 24 h, up to 60 kg container, dimensions: 950 mm x 600 mm x 1000 mm.	200
132	NN mixer	Mixer, s/s bowl and whisk, bowl dimensions: Ø 900 mm x 500 mm, total dimensions: 1300 mm x 950 mm x 1400 mm.	550
135	NN roller conveyor	Mobile extendable roller conveyor with plastic rollers, roller width: (2x) 180 mm, total dimensions: 2300 mm x 500 mm x 550 mm.	150
136	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2500 mm x 500 mm x 1200 mm.	200



Nr	Title	Description	Start €
137	N&N Nadratowski	N&N; Nadratowski double shaft paddle mixer with lifter for 200 liter meat bins, type: Mix-450, number: 171, year of construction: 2006, 400 V, 50 Hz, 4.5 kW, 720 kg, volume: 450 liter, dimensions: 1600 mm x 1750 mm x 2600 mm.	6750
138	Crown	Crown infeed belt, serial number: 9290, plastic mesh belt, belt width: 230 mm, total dimensions: 2700 mm x 500 mm x 900 mm.	200
139	Deighton Manufacturing Ltd	Deighton Manufacturing Ltd forming machine for burgers, model: C series 180 Formatic Machine, serial number: C4000/14/11/275, 220/240 V, 50 Hz, 1.1 kW, form diameter: 100 mm, plastic outfeed belt, belt width: 140 mm, total dimensions: 700 mm x 900 mm x 1800 mm.	1250
140	Crown	Crown transport belt, serial number: 9558, plastic mesh belt, belt width: 230 mm, total dimensions: 2530 mm x 500 mm x 830 mm.	200
141	Lutetia	Lutetia vacuum tumbler, type: 4, serial number: 16555, year of construction: 2004, 400 V, 50 Hz, volume: 1800 liter, Busch vacuum pump, type: RA 0040 F 503, capacity: 40 m <sup>3</sup> per hour, dimensions: 3300 mm x 1500 mm x 2100 mm.	3500
142	Lutetia	Lutetia vacuum tumbler, volume: 1800 liter, Leybold vacuum pump, type: SV40B, capacity: 40 m <sup>3</sup> per hour, dimensions: 3300 mm x 2100 mm x 2300 mm.	3500
143	Hobart	Hobart mixer-grinder, model: 5166, diameter plate: 150 mm, total dimensions: 2100 mm x 1400 mm x 1900 mm.	550
144	Syspal	Syspal s/s roller conveyor, roller width: 480 mm, total dimensions: 2200 mm x 550 mm x 700 mm.	350
145	Syspal	Syspal s/s roller conveyor, roller width: 480 mm, total dimensions: 2200 mm x 550 mm x 700 mm.	350
146	NN parts for grinder	Pallet with various parts for various grinders in various dimensions.	150
147	Mainca	Mainca vacuum machine, model: PP5.7, serial number: 690, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 1.2 kW, chamber dimensions: 460 mm x 360 mm, seal length: 450 mm, total dimensions: 550 mm x 550 mm x 450 mm.	150
149	NN tube rail	Steel tube rail with Avery Berkel weighing station and s/s hooks, model: L136, dimensions hooks: 200 mm x 100 mm, total dimensions: 6000 mm x 1000 mm x 1000 mm. With pallet and pallet box with parts.	500
150	Henkelman	Henkelman vacuum machine, type: Boxer 42 XL II, number: B200911480, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 8.5 A, 1 kW, chamber dimensions: 430 mm x 420 mm, seal length: (2x) 420 mm, total dimensions: 500 mm x 600 mm x 500 mm.	300



Nr	Title	Description	Start €
151	Vac-Star	Vac-Star vacuum machine, type: X-25, number: 060761, 230 V, 50 Hz, 1.6 kW, chamber dimensions: 500 mm x 480 mm, seal length: (2x) 470 mm, total dimensions: 580 mm x 620 mm x 400 mm.	150
152	Omega	Omega slicer, type: 300-AM, serial number: 0M07E1118, year of construction: 10/2007, 240 V, 50 Hz, 1.4 A, 0.2 kW, dimensions: 500 mm x 600 mm x 500 mm.	100
153	Sure	Sure slicer, model: SSG300TM, number: 00003457, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 242 W, dimensions: 500 mm x 600 mm x 500 mm.	100
154	Kurt Schaffner AG	Kurt Schaffner Agcase case spooling device, type: DA 2001, number: 311-1558, 220/240 V, 50/60 Hz, 100/120 W, dimensions: 300 mm x 400 mm x 350 mm. New in box.	750
155	Ecolab	Ecolab insect killer, dimensions: 600 mm x 400 mm x 250 mm.	10
156	NN insect killer	Insect killer, dimensions: 520 mm x 360 mm x 200 mm.	10
157	NN slicer	Slicer, model Eur 300, serial number: 06022890, 240 V, 50 Hz, dimensions: 500 mm x 600 mm x 500 mm.	100
158	Lumar Ideal	Lumar Ideal table model vacuum tumbler, model: DU-25, serial number: 03L25438. 220 V, 1 Ph, 50 Hz, 2.5 A, 60 W, inside dimensions: Ø 300 mm x 250 mm, total dimensions: 450 mm x 350 mm x 600 mm.	250
159	Berkel	Berkel slicer, type: BSPSL04011000, serial number: 0706S553/2006, 230 V, 50 Hz, 0.240 kW, dimensions: 650 mm x 600 mm x 600 mm.	100
160	Berkel	Berkel slicer, type: RMM-355 CE, serial number: 05.2824/2005, 240 V, 50 Hz, 0.37 kW, dimensions: 700 mm x 600 mm x 550 mm.	100
161	Omas	Omas slicer, model: OG 35E, serial number: 040926, 230 V, 1 Ph, 50 Hz, 270 W, 650 mm x 550 mm x 600 mm.	100
162	The Handee	The Handee cheese cutter, dimensions: 280 mm x 350 mm x 80 mm.	25
163	Günther	Günther manual injector, type: PP 2, number: 34338, year of construction: 2014, 230 V, 1.9 A, 0.18 kW, dimensions: 220 mm x 400 mm x 290 mm.	50
164	Multivac	Multivac traysealer, model: T400, serial number: 127080, year of construction: 2008, 415 V, 3 Ph, 50 Hz, 24 A, 4 kW, s/s chain belt with dividers, dimensions dividers: 90 mm x 20 mm, plastic belt, belt width: (8x) 30 mm, plastic film, film width: 330 mm, dimensions dye: (3x) 190 mm x 150 mm, total dimensions: 5850 mm x 1350 mm x 2150 mm. Including trolley with parts, dimensions dye: 240 mm x 160 mm, total dimensions: 1300 mm x 800 mm x 1600 mm.	4750
165	Vakona	Vakona manual injector, model: Ideal VA, number: 20687, year of construction: 2012, 230 V, 1 Ph, 50 Hz, dimensions: 200 mm x 400 mm x 250 mm.	75



Nr	Title	Description	Start €
166	Avery Berkel	Avery Berkel weighing scale with printer, serial number: 221F0082-5, 220/240 V, 50/60 Hz, 160 mA, scalde dimensions: 350 mm x 280 mm, total dimensions: 350 mm x 500 mm x 640 mm.	10
167	NN injector	Manual injector, dimensions: 300 mm x 300 mm x 350 mm.	50
168	Avery Berkel	Avery Berkel weighing scale with printer, model: m <sup>2</sup> 420, year of construction: 2009, maximum load: 6/15 kg, minimum load: 40 g, e=d= 2/5 g, T= -15 kg, scale dimensions: 360 mm x 280 mm, total dimensions: 410 mm x 450 mm x 550 mm.	25
169	Avery Berkel	Avery Berkel weighing scale, model: DX342, 9 V, 100 mA, maximum load: 15 kg, minimum load: 100 g, T= 9.995 kg, scale dimensions: 340 mm x 240 mm, total dimensions: 350 mm x 400 mm x 440 mm.	20
170	Henkelman	Henkelman vacuum machine, type: 200 A, number: 21000005, year of construction: 2000, 240 V, 1 Ph, 50 Hz, 5 A, 1.2 kW, chamber dimensions: 430 mm x 430 mm, seal length: 410 mm, total dimensions: 500 mm x 520 mm x 450 mm.	175
171	Bizerba	Bizerba vacuum machine, model: GM200 2, serial number: 793, 50 Hz, 5.6 A, chamber dimensions: 440 mm x 440 mm, seal length: 430 mm, total dimensions: 460 mm x 470 mm x 360 mm.	125
172	Henkelman	Henkelman vacuum machine, type: 200 A, number: 200401044, year of construction: 2004, 240 V, 1 Ph, 50 Hz, 5 A, 1.2 kW, chamber dimensions: 430 mm x 430 mm, seal length: 410 mm, total dimensions: 500 mm x 520 mm x 450 mm.	150
173	Bizerba	Bizerba weighing scale, model: 150/352, number: 10907237, year of construction: 2013, maximum load: 30/60 kg, minimum load: 200 g, e= 10/20, dimensions: 500 mm x 400 mm x 100 mm with Bizerba operating panel, model: GT-12C, number: 10902086, dimensions: 370 mm x 320 mm x 500 mm and Bizerba label printer, model: GLP-W, serial number: 10920329, 230 V, 50 Hz, 0.65 A, dimensions: 250 mm x 330 mm x 230 mm.	200
174	Bizerba	3 sets of Bizerba weighing scales with indicator and label printer, mode scale: KF D08-09-021, serial number: 10810802, 230 V, 50 Hz, 0.35 A, scale dimensions: 280 mm x 280 mm.	300
175	Bizerba	Bizerba weighing scale with label printer, model: KH 800, serial number: 10878389, maximum load: 6/15 kg, minimum load: 40 g, e= 2/5 g, T= -6/15 kg, 230 V, 50 Hz, 0.35 A, scale dimensions: 390 mm x 250 mm, total dimensions: 450 mm x 450 mm x 600 mm.	100
176	Bizerba	Bizerba operating panel, model: GT-12C, number: 10902084, dimensions: 370 mm x 320 mm x 500 mm	35



Nr	Title	Description	Start €
177	Teraoka	Teraoka packaging machine, model: RGW-560A, serial number: 22152035, year of construction: 2022, 220-240 V, 50/60 Hz, 1.5 A, 280 W, maximum load: 3/6 kg, minimum load: 20 g, e= 1/2 g, T= -2999 g, m= 42 kg, clearance: 280 mm x 150 mm, total dimensions: 650 mm x 350 mm x 800 mm.	2500
178	Bizerba	Bizerba weighing scale with label printer, model: KH 800, serial number: 10879754, maximum load: 6/15 kg, minimum load: 40 g, e= 2/5 g, T= -6/15 kg, 230 V, 50 Hz, 0.35 A, scale dimensions: 390 mm x 250 mm, total dimensions: 450 mm x 450 mm x 600 mm.	100
179	HFE Vacuum Systems BV	HFE Vacuum Systems BV mobile vacuum machine, type: SB 800 KL, serial number: 98088372, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 9.9 A, 3.8 kW, seal length: 495 mm and 790 mm, dimensions chamber: 750 mm x 505 mm, with vacuum pump, total dimensions: 850 mm x 810 mm x 1040 mm.	475
180	Dorit	Dorit injector, type: PSM 21, serial number: 13481-220, 415 V, 3 Ph, 50 Hz, 2.8 A, 2.5 kW, 21 needles, plastic mesh belt, belt width: 300 mm, total dimensions: 1950 mm x 600 mm x 1950 mm.	200
181	Cretel	Cretel mobile skinning machine, working width: 440 mm, total dimensions: 750 mm x 450 mm x 980 mm.	250
182	Tender Star	Tender Star mobile tenderizer, model: T.S.B. serial number: 201326, year of construction: 2001, 220/380 V, 3 Ph, 50 Hz, 12 A, s/s belt, belt width: 400 mm, clearance: 340 mm x 150 mm, total dimensions: 2200 mm x 850 mm x 1950 mm.	2000
183	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile injector, type: INJEKTOR PI 21 M, serial number: 34630, year of construction: 2015, 400 V, 16 A, 2.2 kW, 21 needles, plastic mesh belt, belt width: 225 mm, total dimensions: 2100 mm x 740 mm x 1950 mm.	2500
184	Koneteollisuus OY	Koneteollisuus OY mobile mixer-grinder, type: LM-32 A, number: 180041, 240 V, 1 Ph, 50 Hz, 6.9+1.8 A, 2.2+1.1 kW, diameter plate: 98 mm, total dimensions: 900 mm x 700 mm x 1450 mm.	1500
185	Pozzi Proge. CO S.r.l.	Pozzi Proge. CO S.r.l. mobile clipper press, model: CL 0110, number: 22, year of construction: 2007, dimensions: 1300 mm x 500 mm x 1070 mm. Incomplete.	75
186	Yang	Yang traysealer, model: Posga, serial number: 1040059, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 1.6 kW, dimensions dye: 310 mm x 250 mm, film width: 330 mm, total dimensions: 700 mm x 500 mm x 770 mm.	125
187	GMC Rapidaire	GMC Rapidaire s/s heated tank, 220/240 V, 1 Ph, inside dimensions: Ø 475 mm x 470 mm, total dimensions: Ø 530 mm x 750 mm.	100



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
188	Thompson Meat Machinery	Thompson Meat Machinery mobile portioning machine, type: MP-425 CE, machine number: 05E0470, year of construction: 2006, 230/400 V, 3 Ph, 310 W, plastic belt, belt width: 200 mm, total dimensions: 1400 mm x 610 mm x 1210 mm.	675
190	NN meat hooks	Pallet with 70 s/s meat hooks. Lot located on other location in Carluke (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	350
191	NN meat hooks	Pallet with 70 s/s meat hooks. Lot located on other location in Carluke (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	350
192	NN meat hooks	Pallet with 70 s/s meat hooks. Lot located on other location in Carluke (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	350
193	NN meat hooks	3 Pallets with 70 s/s meat hooks per pallet. Lot located on other location in Carluke (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	1050
194	NN meat hooks	3 Pallets with 70 s/s meat hooks per pallet. Lot located on other location in Carluke (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	1050
195	NN meat hooks	3 Pallets with 70 s/s meat hooks per pallet. Lot located on other location in Carluke (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	1050
196	NN meat hooks	3 Pallets with 70 s/s meat hooks per pallet. Lot located on other location in Carluke (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	1050
197	NN meat hooks	5 Pallets with 70 s/s meat hooks per pallet. Lot located on other location in Carluke (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	1750
198	NN meat hooks	3 Pallets with 70 s/s meat hooks per pallet. Lot located on other location in Carluke (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	1050
199	Pecon	Pecon pasteuriser, s/s in-outfeed belt, belt width: 80 mm, clearance: 2200 mm x 240 mm, total dimensions: 8700 mm x 3800 mm x 2700 mm. Including all pipes, plate heat exchanger and salt tub for water treatment. Already professionally dismantled. Lot located on other location in Ashford (UK). Viewing and pick-up in consultation with Industrial Auctions BV.	20000

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

#### **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

#### **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.




## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on its right side, suggesting it's resting on a surface.



## This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

