



**Industrial
Auctions**

**1921: Online auction machinery for the food
industry in Ystad (SE)**

END DATE
24 September 2025 14:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	24 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	25% over the highest bid including premium
Pick up days	02 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Bornholmstgatan 1B 27139 Ystad Sweden
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Karl Schnell	Karl Schnell grinder, type: 445R, serial number: 24349, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 280 A, 150 kW, plate diameter: 400 mm, total dimensions grinder: 3500 mm x 3500 mm x 3500 mm. Karl Schnell elevating belt, type: 638, serial number: 14151, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 2.8 A, 1.1 kW, s/s chain belt with dividers, distance between dividers: 1030 mm, divider height: 200 mm, elevating height: 3300 mm, total dimensions: 5300 mm x 1300 mm x 3500 mm. Nimo KG elevator for pallet boxes, type: SK 800 MK-S, serial number: 10548, year of construction: 2007, maximum load: 800 kg, clearance: 1000 mm x 870 mm, elevating height: 2580 mm, total dimensions: 2060 mm x 2300 mm x 4400 mm, including switch cabinet, dimensions: 1210 mm x 440 mm x 1960 mm, and tool trolley, dimensions: 1200 mm x 700 mm x 1350 mm.	25000
2	Limitech A/S	Limitech A/S double high shear mixer, type: 2x A2-480, year of construction: 2005, volume: (2x) 480 liter, maximum temperature: 100 °C, total dimensions: 2000 mm x 1200 mm x 2500 mm.	9500
3	Colussi Ermers S.r.l.	Colussi Ermers S.r.l. meat bin washer, model: L013-014, type: 9646, serial number: 1683, year of construction: 2008, dimensions: 1950 mm x 1950 mm x 2800. Including s/s fences.	7500
4	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 liter meat bins, type: RS 4001CP, serial number: Q294004, 380 V, 3 Ph, 50 Hz, 15/20 A, 6.3 kW, Becker vacuum pump, type: U 1.16 SA-31, year of construction: 1994, capacity: 16 m ³ /h, dimensions: 2100 mm x 1200 mm x 1950 mm.	3750
5	Townsend	Townsend mobile linking and hanging line, consisting of: Townsend mobile linker, model: RT 7 +, serial number: 110 A, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 15.9 A, dimensions: 2500 mm x 700 mm x 1700 mm, Mobile hanging line, dimensions: 3900 mm x 600 mm x 1450 mm. Including 6 crates with spare parts.	1750
6	Dixie-Union Verpackungen GmbH	Dixie-Union Verpackungen GmbH slicer with mobile outfeed belt, type: S 495, number: 495 1461, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 12 A, weight: 1250 kg, plastic belt, belt width: 300 mm, total dimensions: 4000 mm x 1200 mm x 2100 mm. Including 1 knife and 1 knife holder.	1100
7	Weber	Weber knife sharpener, type: SSG, number: 180, year of construction: 10.2005, 400 V, 50 Hz, 0.3 kW, dimensions: 1100 mm x 550 mm x 1770 mm.	750



Nr	Title	Description	Start €
8	Gastro Quik	Gastro Quik mixer, model: B30, serial number: 1804/588/B30/10, 400 V, 50 Hz, 1300 kW, s/s bowl and whisks, volume bowl: 30 liter, dimensions: 650 mm x 600 mm x 1100 mm.	490
9	Silkeborg	Silkeborg batter tumbler, number: 5796, dimensions tumbler: Ø 1800 mm x 1400 mm, total dimensions: 3400 mm x 2100 mm x 2800 mm.	2400
10	KMG	KMG vibrating gutter, number: 601501, 220 V, 50 Hz, 12.5 A, gutter length: 1700 mm, gutter width: 200 mm, total dimensions: 1900 mm x 800 mm x 3650 mm.	1000
11	CFS Slicer	CFS Slicer, type: UNI-SLICER, serial number: 450.2081, year of construction: 2001, plastic infeed belt, belt width: 230 mm, plastic outfeed belt, belt width: 350 mm, total dimensions: 4220 mm x 850 mm x 2300 mm.	1900
12	Österbergs Förpackingsmaskiner AB	Österbergs Förpackingsmaskiner AB sleeve wrapping and shrinking machine, type: B5, serial number: 7286, year of construction: 2006, 400 V, 13.5 kW, plastic infeed mesh belt, belt width: 330 mm, film width: 340 mm, s/s outfeed mesh belt, belt width: 440 mm, clearance: 400 mm x 250 mm, total dimensions: 2300 mm x 1100 mm x 2120 mm.	1000
13	Delford	Delford labelling machine, type: MPL80, machine number: MA0012, year of construction: 2015, 230 V, 50/60 Hz, 3/5 A, weight: 256 kg, plastic belt, belt width: 285 mm, total dimensions: 1800 mm x 1150 mm x 1750 mm.	1900
14	Sam Stein Associates	Sam Stein Associates mobile breading machine, model: EA14J, serial number: 291, s/s mesh belt, belt width: 355 mm, total dimensions: 3000 mm x 1000 mm x 2100 mm.	2000
15	Kaj Olesen A/S	Kaj Olesen A/S 4 lanes pin bone remover and hopper, type: EM.202, serial number: 225.01.01, year of construction: 03.04, plastic belt, belt width: 1130 mm, total dimensions: 2500 mm x 1370 mm x 1850 mm, dimensions hopper: 600 mm x 600 mm x 1150 mm.	6500
16	Nimo KG	Nimo KG mobile pneumatic tilting device for 3 x 200 liter meat bins used for washing meat bins, type: DV 200 P, serial number: 13144, year of construction: 2020, maximum load: 130 kg, dimensions: 2800 mm x 1150 mm x 1200 mm.	1900
17	Frescold	Frescold cooling compressor, type: NRL5-100-360Y, number: 8Q001006, 380-420 / 440-480 V, 50 / 60 Hz, dimensions: 1700 mm x 1300 mm x 1900 mm.	1500



Nr	Title	Description	Start €
18	Infrico	Infrico drive in blast chiller, model: ABT201C, serial number: 300613046, year of construction: 04/11/2021, 380 V, 3 Ph, 50 Hz, 13.0 A, 9773 Watt, refrigerant: R452A / 2500 gram, netto capacity: 1860 liter, dimensions: 1100 mm x 1200 mm x 2300 mm. Including s/s trolley, 20 floors, dimensions floors: (20x) 530 mm x 330 mm, total dimensions trolley: 530 mm x 380 mm x 1740 mm and Intracon evaporator, model: BDF-JB-2136A, serial number: 202109130037, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 14.9 A, 6.79 kW, refrigerant: R452A, weight: 97 kg, dimensions evaporator: 1160 mm x 410 mm x 820 mm.	3500
19	Nor Reg	Nor Reg box forming machine, model: CE 1630, number: 2808-2 11-02, 400 V, 50 Hz, 20 A, 4.0 kW, with Nordson glue unit, type: 3100V-2EAV2D/R, total dimensions: 2200 mm x 1500 mm x 2200 mm.	1200
20	Novapac	Novapac cup filling and sealing machine, type: RM 150, machine number: 25 178, year of construction: 2005, 400 V, 50 Hz, denester: 85 mm x 85 mm, dyes: (2x) 72 mm x 72 mm, plastic belt, belt width: (2x) 100 mm, total dimensions: 2400 mm x 2350 mm x 2370 mm. S/s switch cabinet, dimensions: 1000 mm x 400 mm x 2150 mm, s/s control panel, dimensions: 800 mm x 350 mm x 800 mm.	6700
21	Dosimaq	Dosimaq cup filling/sealing/closing machine, model: FS-32-8-2, serial number: 857, year of construction: 2019, plastic outfeed belt, belt width: 275 mm, cup diameter: 60 mm, total dimensions: 2000 mm x 2000 mm x 2000 mm.	9000
22	Laska	Laska double shaft vacuum paddle mixer with lifter for 200 liter meat bins, number: B-1133, number: 5/1893/573, year of construction: 1989, volume: 800 liter, dimensions: 2250 mm x 2460 mm x 3250 mm. Including switch cabinet, dimensions: 800 mm x 800 mm x 270 mm.	7500
23	Nimo KG	Nimo KG lift for 200 liter meat bins, type: SKV 300 C3T-V, serial number: 12826, year of construction: 2019, maximum load: 350 kg, 400 V, 3 Ph, 50 Hz, 14 A, lifting height: 2200 mm, total dimensions: 1500 mm x 1350 mm x 2850 mm.	1900
24	Nimo KG	Nimo KG tilting device for pallet boxes, type: SK 800 HA, serial number: 11628, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 4.83 A, capacity: 1000 kg, clearance: 1300 mm x 1140 mm x 910 mm, total dimensions: 2400 mm x 1650 mm x 2300 mm.	3900
25	Nimo KG	Nimo KG lifter for pallet boxes, type: SK 800 MK, number: 9151, clearance: 930 mm x 900 mm x 890 mm, lifting height: 2900 mm, total dimensions: 1560 mm x 1800 mm x 4300 mm.	1750



Nr	Title	Description	Start €
26	Scanio a/s	Scanio a/s lifter for meat bins / pallet boxes, type: K16, serial number: 4553, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 5.2 A, 2.2 kW, capacity: 1000 kg, lifting height: 2360 mm, total dimensions: 2450 mm x 1250 mm x 3830 mm.	1900
27	Stork	Stork belt fryer, s/s mesh belt, belt width: 1000 mm, total dimensions: 8850 mm x 2300 mm x 2510 mm. Including 2 s/s switch cabinets, dimensions switch cabinets: 1200 mm x 400 mm x 2250 mm and 800 mm x 600 mm x 2000 mm.	7500
28	Nimo KG	Nimo KG lifter for 200 liter meat bins with s/s protection fence, type: SKV200MKRTV, number: 4538, lifting height: 1100 mm, total dimensions: 1500 mm x 1300 mm x 2400 mm.	750
29	VEÅ AB	Boiler installation consisting of: VEÅ AB steam boiler, type: ÅNGPANNA VEÅ UNIVEX 32 H-13, manufacturing number: 880025, year of construction: 1988, steam generation: 3000 kg/h, nominal output: 1965 kW, steam evaporation: 1.111 kg/s, design pressure: 13 bar, design temperature: 195 °C, with Weishaupt GmbH burner, type: WM-G10/3-A, number: 5867560, year of construction: 2009, maximum: 1000 kW, gas type: N, total dimensions: 4800 mm x 2500 mm x 3400 mm. VEÅ AB storage tank with switch cabinet and pallet with parts, type: MATARVATTENTANK 2.5 m³ MFD AVGASARE, year of construction: 1988, design temperature: 150 °C, design temperature: 4 bar, dimensions: 2800 mm x 1500 mm x 2000 mm, switch cabinet, dimensions switch cabinet: 600 mm x 300 mm x 1100 mm, pallet box with parts, dimensions: 1200 mm x 800 mm x 400 mm. VEÅ AB boiler tank, type: UTBLÅSNINGSKÄRL Ø500-1, manufacturing number: 030290, year of construction: 2003, design temperature: 160 °C, design temperature: 5 bar, dimensions: 600 mm x 600 mm x 1400 mm. BWT water softening installation consisting of 2 composite tanks and Pentair panel, model: VC 9000 MECH., dimensions: 900 mm x 500 mm x 1600 mm. Insulated vessel, dimensions: 750 mm x 650 mm x 900 mm. 2 Lowara circulation pump, type: 10SV08F030T/D, capacity: 5 - 14 m³ per hour, 3.22 kW, dimensions: 300 mm x 250 mm x 900 mm.	5500
30	Foodco AB	Foodco AB continuous cooling tunnel, type: FCF/C 600, number: 0115-1, 230 / 400 V, 50 Hz, 30 A, 13 kW, s/s mesh belt, belt width: 600 mm, 11 floors, dimensions cooling tunnel: 6800 mm x 2050 mm x 2750 mm, dimensions switch cabinets: 770 mm x 310 mm x 830 mm and 1400 mm x 400 mm x 1800 mm, pallet with fan and belt, dimensions: 1200 mm x 1000 mm x 500 mm.	8500



Nr	Title	Description	Start €
31	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector, machine number: 1189 1979, 44 needles, s/s mesh belt, belt width: 580 mm, total dimensions: 2300 mm x 900 mm x 2300 mm.	1750
32	Schröder Maschinenbau GmbH	Schröder Maschinenbau GmbH brine mixer, type: DM 500, number: DM 117 98, year of construction: 1998, 220/400 V, 50 Hz, 5.3 A, 2.2 kW, pressure: 6 bar, volume: 500 liter, dimensions: 1350 mm x 1350 mm x 1840 mm.	800
33	Schröder Maschinenbau GmbH	Schröder Maschinenbau GmbH brine mixer, type: DM 500, number: DM 125 98, year of construction: 1998, 220/400 V, 50 Hz, 5.3 A, 2.2 kW, pressure: 6 bar, volume: 500 liter, dimensions: 1350 mm x 1350 mm x 1840 mm.	800
34	Porkka	Porkka freezer, model: FuturePlus F1432 S/S, number: 1150-113784, 230 V, 50 Hz, 0.95 kW, refrigerant: R404A, 370 g, dimensions: 1420 mm x 800 mm x 2090 mm.	250
36	Tipper Tie	Tipper Tie mobile automatic double clipper, model: SAM3E, serial number: T0007097, year of construction: 04/10/1995, dimensions: 2050 mm x 1050 mm x 2050 mm.	3000
37	Scanvaegt	Scanvaegt checkweigher, type: 7147.275.10, serial number: BMN00266, year of construction: 2006, 230 V, 3 Ph, 50 Hz, 12.0 A, weight: 85 kg, plastic belt, belt width: 275 mm, total dimensions: 940 mm x 850 mm x 1450 mm.	2500
38	Scanvaegt	Scanvaegt sorting belt 8 stations, type: 7160.350.08, serial number: BDF00449, year of construction: 2006, 230 V, 3 Ph, 50 Hz, 4.0 A, weight: 225 kg, plastic belt, belt width: 350 mm, total dimensions: 3250 mm x 950 mm x 1520 mm.	1500
39	Scanvaegt	Scanvaegt infeed belt, type: JJS 55281, number: 60067401, year of construction: 06.04.13, plastic belt, belt width: 230 mm, total dimensions: 3270 mm x 950 mm x 1990 mm.	1000
40	Stein	Stein mobile breeding machine, model: EA-14, serial number: 337, s/s mesh belt, belt width: 380 mm, total dimensions: 2500 mm x 1050 mm x 1850 mm,	2500
41	Stein	Stein mobile coating machine, s/s mesh belt, belt width: 420 mm, total dimensions: 2300 mm x 1100 mm x 1600 mm.	1500
42	NN brine tank	S/s brine tank, inside dimensions: Ø 1800 mm x 850 mm, total dimensions: Ø 1900 mm x 2100 mm.	600
43	NN brine tank	S/s brine tank, inside dimensions: Ø 1400 mm x 900 mm, total dimensions: 1600 mm x 1450 mm x 1120 mm. Including Alfa Laval centrifugal pump, type: FM-OS, serial number: 278903, year of construction: 2022.	750
44	NN mixer	Mobile s/s mixer, inside dimensions: Ø 1250 mm x 850 mm, total dimensions: 1500 mm x 1310 mm x 1250 mm.	1250



Nr	Title	Description	Start €
45	NN brine tank	S/s brine tank, inside dimensions: Ø 1800 mm x 850 mm, total dimensions: Ø 1900 mm x 2100 mm.	600
46	NN brine tank	S/s brine tank, inside dimensions: Ø 1400 mm x 900 mm, total dimensions: 1600 mm x 1450 mm x 1120 mm. Including Alfa Laval centrifugal pump, type: FMOS/095 SSS 1.1 kW, serial number: 072018, year of construction: 2005.	750
47	NN brine tank	S/s brine tank, inside dimensions: Ø 1400 mm x 900 mm, total dimensions: 1600 mm x 1450 mm x 1120 mm. Including Alfa Laval centrifugal pump, type: FM-OS/95 SSS 1.1 kW, serial number: 051199, year of construction: 2003.	750
48	AB Garos	AB Garos s/s brine tank, dimensions: 1540 mm x 1540 mm x 1840 mm.	500
49	Hoegger Alpina AG	Hoegger Alpina AG clipper, type: DKF 18/15, machine number: 848758, 400 V, 50 Hz, dimensions: 1500 mm x 1100 mm x 1800 mm.	1700
50	Teltek	Teltek checkweigher, type: C60, serial number: 109400, year of construction: 2009, 230 V, 50-60 Hz, minimum weight: 100 gram, maximum weight: 1000 kg, e= 1 gram, pcs/min: 40, plastic belt, belt width: 160 mm, dimensions control unit: 450 mm x 270 mm x 1450 mm, dimensions belt: 1750 mm x 550 mm x 900 mm.	400
51	NN netting machine	Mobile netting machine, diameter clearance: 160 mm, total dimensions: 770 mm x 600 mm x 1670 mm.	125
52	NN netting machine	Mobile netting machine, diameter clearance: 160 mm, total dimensions: 770 mm x 600 mm x 1670 mm.	125
53	Maja Maschinenfabrik	Maja Maschinenfabrik mobile portioning machine, type: FPS 40, number: 41514, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.6 A, 1.0 kW, Busch vacuum pump, type: RC 0025 E 501, number: 04013900, year of construction: 2004, capacity: 25 m³ per hour, dimensions chamber: 550 mm x 160 mm x 100 mm, plastic belt, belt width: 200 mm, total dimensions: 2800 mm x 690 mm x 1800 mm.	1200
54	Magurit	Magurit flaker, type: 345, number: 2748, year of construction: 1985, 380 V, 10 A, working width: 570 mm, total dimensions: 2200 mm x 1200 mm x 1920 mm.	4500
55	Glass GmbH	Glass GmbH tiltable vacuum tumbler, type: VSM/F 300, machine number: 3180, year of construction: 2009, 400 V, 50 Hz, 7.60 A, 2.77 kW, volume: 300 liter, dimensions: 1800mm x 1100 mm x 1800 mm. Without vacuum pump.	5900
56	AB Garos	AB Garos vacuum tumbler for 2 meat bins volume: 1000 liter, dimensions: 3100 mm x 1200 mm x 1700 mm.	1800



Nr	Title	Description	Start €
57	Pro Food smoke chamber	Pro Food smoke chamber for 1 trolley, total dimensions: 1470 mm x 1350 mm x 3000 mm, including smoke generator for wood chips, dimensions: 500 mm x 750 mm x 1600 mm.	1900
58	Fessmann	Fessmann smoking chamber for 1 trolley, inside dimensions: 1100 mm x 800 mm x 1550 mm, total dimensions: 1300 mm x 1130 mm x 2370 mm. Including s/s cabinet with control panel, dimensions cabinet: 800 mm x 530 mm x 2100 mm.	3500
59	Red Arrow	Red Arrow smoke shower, name: POWDRENCH, model: 2000, serial number: E0115, inside dimensions: 1400 mm x 1330 mm x 1800 mm, total dimensions: 2350 mm x 2000 mm x 2530 mm.	4500
60	Protech	Protech cooking and smoking chamber for 2 trolleys, Tarber liquid smoke generator, dimensions smoke chamber: 2700 mm x 2200 mm x 3100 mm, dimensions smoke generator: 900 mm x 500 mm x 1800 mm, dimensions membrane pump and tub: Ø 600 mm x 950 mm, dimensions boiler: 700 mm x 550 mm x 1850 mm.	3500
61	Capro Product AB	Capro Product AB oven, type: G14 L, number: 624, 380 V, 3 Ph, 50 Hz, 8.0 kW, 3 floors, floor dimensions: (3x) 340 mm x 530 mm, total dimensions: 760 mm x 700 mm x 1450 mm.	450
62	Baader	Baader whitefish filleting machine, type: 185, machine number: 10 3863 1185, year of construction: 1983, 220 V, 3 Ph, 50 Hz, 43 A, 10 kW, plastic belt, belt width: (2x) 160 mm, s/s mesh outfeed belt, belt width: 365 mm, total dimensions: 7000 mm x 1400 mm x 1900 mm.	6900
63	Bilwinco A/S	Bilwinco A/S mobile elevating belt, s/s frame, type: TILF01, serial number: 337, plastic belt with dividers, belt width: 320 mm, divider height: 65 mm, distance between dividers: 190 mm, elevating height: 3400 mm, total dimensions: 4400 mm x 1600 mm x 3450 mm.	3500
64	Fomaco injector	Fomaco injector, model: FGM 88 DW, machine number: 7312 R-2010, 3x400 V, 50 Hz, 36 A, max. fuse 40 A, air: 6 bar, s/s machine, beam: 750 mm, total dimensions: 2900 mm x 1100 mm x 2300 mm, including tub mobile, dimensions: 2400 mm x 1000 mm x 650 mm.	3000
65	CFS Tiromat	CFS Tiromat thermoformer, type: TIROMAT COMPACT M420 3.00, serial number: 787 185 1281, year of construction: April 1999, 400 V, 3 Ph, 50 Hz, 14.26 kW, film width: 420 mm, dimensions dye: (6x) 150 mm x 120 mm, total dimensions: 6150 mm x 1050 mm x 2150 mm.	3900
66	Anker Maschinenbau	Anker Maschinenbau bottle/jar labelling machine, fabrication number: 0095-98-116L, year of construction: 1998, 400 V, 50 Hz, 10 A, s/s belt, belt width: 80 mm, total dimensions: 3500 mm x 1350 mm x 1750 mm. Including switch cabinet	1000



Nr	Title	Description	Start €
67	Reepack	Reepack traysealer, model: REEFLEX, serial number: 0402029, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 21 A, film width: 230 mm, dye: 240 mm x 195 mm, s/s rollers, roller width: 500 mm, Busch vacuum pump, type: RC 0025, capacity: 25 m ³ /h, total dimensions: 3150 mm x 900 mm x 1760 mm.	2900
68	Ilpra	Ilpra traysealer, model: STAMPO, serie: Foodpack, serial number: 53870, 220 V, film width: 290 mm, plastic string belt, belt width: 200 mm, 2 dyes, dimensions dye: (2x) 210 mm x 160 mm, total dimensions: 2850 mm x 930 mm x 1700 mm. Including 3 crates with parts.	1900
69	CFS	CFS thermoformer, type: Powerpak 420, machine number: 665/0569, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 25 A, 17 kW, film width: 422 mm, dimensions dye: 572 mm x 362 mm, plastic outfeed belt, belt width: 360 mm, total dimensions: 5800 mm x 1100 mm x 2050 mm.	4900
70	Colimatic	Colimatic thermoformer, model: Thera 450, type: F420/400, serial number: 1892, year of construction: 03/2007, 400 V, 3 Ph, 50 Hz, 22 A, index: 410 mm, estimated film width: 420 mm, dimensions dye: 410 mm x 180 mm, plastic outfeed belt, belt width: 380 mm, total dimensions: 4600 mm x 1100 mm x 1920 mm. Including Rietschle vacuum pump, type: VC 150 (20), number: 1026522059, capacity: 150 m ³ /h, dimensions: 720 mm x 440 mm x 340 mm.	5000
71	Multivac	Multivac thermoformer, type: R 80, machine number: 048/114, year of construction: 1983, 380 V, 50 Hz, 43 A, 20 kW, film width: 545 mm, dimensions dye: 183 mm x 577 mm and 298 mm x 577 mm, index: 625 mm, top film width: 420 mm, total dimensions: 5800 mm x 1100 mm x 1800 mm.	1200
72	Multivac	Multivac thermoformer, type: R530, machine number: 1149, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 43 A, 19 kW, bottom film width: 422 mm, top film width: 410 mm, dimensions dye: (4x) 261 mm x 185 mm, plastic belt, belt width: 380 mm, total dimensions: 7300 mm x 1050 mm x 2050 mm. Including suction device for rest film, dimensions: 550 mm x 500 mm x 1140 mm box with parts, dimensions: 1000 mm x 700 mm x 600 mm.	7900



Nr	Title	Description	Start €
73	CFS	CFS thermoformer, type: 660, machine number: 661/0300, year of construction: 2002, 400 V, 50 Hz, 43 A, film width: 460 mm, dimensions dye: (6x) 120 mm x 215 mm, index: 415 mm, top film width: 455 mm, plastic outfeed belt, belt width: 400 mm, with Witt-Gasetchnik gas mixing unit, type: KM 300-2M, Markem coder, type: Smartdate 2, MR labelling machine, type: MR 4328, Busch vacuum pump, type: RA 0305 DE 561 QMXX, total dimensions: 8300 mm x 1500 mm x 2320 mm.	3900
74	AB Garos	AB Garos tiltable cooled vacuum tumbler, type: MDF 5600 K, machine number: 29106012, year of construction: 2001, 400 V, 50 Hz, 26 A, 11.5 kW, weight: 3570 kg, maximum capacity: 3500 kg / liter, Busch vacuum pump, total dimensions: 5600 mm x 2450 mm x 2950 mm.	17000
75	SFK-Danfotech	SFK-Danfotech vacuum tumbler, type: MA 3000 SD, serial number: 855 , year of construction: 2001, 400 V, 3 Ph, 50 Hz, 5/12.4 A, 2.2/5.5 kW, working pressure: 100 bar, volume: 3000 liter, total dimensions: 3230 mm x 2150 mm x 2400 mm. Including mobile s/s charge container, dimensions charge container: 870 mm x 870 mm x 1060 mm.	3900
76	Ulma	Ulma flowpacker, model: Alaska, machine number: 2504032, year of construction: 1999, 400 V, 50 Hz, infeed belt with dividers, distance between dividers: 400 mm, divider height: 30 mm, film width: 560 mm, plastic belt, belt width: 300 mm, seal width: 330 mm, with PBI Dansensor gas mixer, model: Module TGC-2 335, total dimensions: 5900 mm x 1250 mm x 1900 mm.	3500
77	Danfotech	Danfotech lifter for 200 liter meat bins, type: CH300, serial number: 1599, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 1.9 A, 0.75 kW, maximum capacity: 300 kg, lifting height: 1600 mm, total dimensions: 1100 mm x 1200 mm x 2600 mm.	750
78	Wolfgang	Wolfgang double shaft paddle mixer, type: TSM 400L, number: 56065, year of construction: 09/1993, 380 V, 3 Ph, 50 Hz, 20 A, 8 kW, volume: 400 liter, dimensions: 2000 mm x 1650 mm x 2700 mm.	5000
79	Meca Plastic	Meca Plastic traysealer with infeed belt, type: MECA 2002, number: 5344, year of construction: 11/2004, plastic infeed belt, belt width: 300 mm, infeed chain with dividers, distance between dividers: 340 mm, film width: 310 mm, dye: 255 mm x 255 mm, plastic outfeed rollers, roller width: 410 mm, Busch vacuum pump, type: RA 0160 D 561 QLXX, capacity: 160 m³ per hour, total dimensions: 4350 mm x 850 mm x 1950 mm.	2500



Nr	Title	Description	Start €
80	Schröder Maschinenbau GmbH	Schröder Maschinenbau GmbH vacuum massager on weighing cells, type: MAX 3000, number: M30 142 00, year of construction: 2000, 400 V, 50 Hz, 7 kW, 12 A, volume: 3000 liter, dimensions massager: 4800 mm x 1800 mm x 2750 mm, dimensions switch cabinet: 720 mm x 320 mm x 1050 mm. Without vacuum pump. Including pallet with parts.	6900
81	Getinge Sterilization AB	Getinge Sterilization AB autoclave with steam generator, model: GEVC 6712 AC-1, serial number: 5300461-010-01, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 11 A, 5 kW, dimensions autoclave: 1860 mm x 1280 mm x 2240 mm, dimensions steam generator: 900 mm x 730 mm x 2060 mm, dimensions s/s trolley: 1450 mm x 570 mm x 1050 mm.	8000
82	NN mixing tank	S/s mixing tank, inside dimensions: Ø 1050 mm x 1060 mm, total dimensions: 2000 mm x 1250 mm x 1850 mm.	1500
83	ABB AB	ABB AB robot, type: IRC5 M2004, serial number: 66Z-51404, year of construction: 11/06/2007, 400 V, 3 Ph, 50/60 Hz, 20 A, weight: 150 kg, 16 suction cups, dimensions robot: 2400 mm x 1350 mm x 2100 mm, dimensions switch cabinet: 720 mm x 700 mm x 1400 mm.	4900
84	Marel	Marel mobile portioning machine, type: Portio 4003 S, serial number: 080S-0020, year of construction: 2004, 400/220 V, 3 Ph, 50/60 Hz, 1.2/2.2 A, 0.5 kW, weight: 500 kg, pressure: 6 / 9 bar, dye: (2x) 90 mm x 90 mm, plastic mesh outfeed belt, belt width: 250 mm, total dimensions: 2600 mm x 740 mm x 2550 mm.	1900
85	AB Garos	AB Garos injector/tenderiser, type: GSI 620 CWP, serial number: 11060610.30053, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 25 A, 12 kW, machine weight: 1680 kg, s/s walking beam, walking beam width: 620 mm, clearance: 620 mm x 280 mm, 144 needles, diameter needles: 5 mm, total dimensions: 3100 mm x 1250 mm x 2250 mm. Including s/s mobile filter tub, dimensions filter tub: 1800 mm x 860 mm x 1220 mm.	12500
86	Belam B.V.	Belam B.V. mobile tenderizer, type: IT-3, machine number: 8212-3024, 380 V, 50 Hz, plastic infeed belt with dividers, belt width: 300 mm, divider height: 5 mm, distance between dividers: 300 mm, working width: 340 mm, total dimensions: 1950 mm x 940 mm x 1220 mm.	1900
87	NN ribbon mixer	Double jacketed ribbon mixer, suitable for heating with steam, inside dimensions: 1020 mm x 700 mm x 750 mm, total dimensions: 2050 mm x 960 mm x 2280 mm.	1900



Nr	Title	Description	Start €
88	Röschermatic	Röschermatic mobile dip tank, type: ST/H-120, number: 7800288, year of construction: 10/02, 230/400 V, 50 Hz, 12 kW, weight: 300 kg, inside dimensions: 700 mm x 500 mm, plastic rollers, roller width: 550 mm, dimensions: 1750 mm x 900 mm x 1270 mm.	900
89	Wexiödisk AB	Wexiödisk AB dishwasher, type: WD-6, number: 0920008, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 16 A, 10.8 / 9.9 kW, clearance: 500 mm x 500 mm, dimensions dishwasher: 710 mm x 690 mm x 1410 mm, infeed belt, dimensions infeed: 1300 mm x 1000 mm x 900 mm, outfeed belt, dimensions outfeed: 2150 mm x 560 mm x 900 mm. Including 3 trolleys with crates, dimensions trolleys: (2x) 560 mm x 510 mm x 1640 mm and 560 mm x 510 mm x 1380 mm.	750
90	Cryovac	Cryovac shrink tunnel, model: ST 90, serial number: 28, year of construction: 1989, 380 V, 50 Hz, s/s mesh belt, belt width: 600 mm, clearance: 730 mm x 440 mm, total dimensions: 1900 mm x 650 mm x 1750 mm.	900
91	Wolfking	Wolfking mixer-grinder, type: SFG 1500/250, number: 56772, year of construction: 1994, weight: 380 V, 3 Ph, 50 Hz, 109 A, 59 kW, 2000 kg, plate diameter: 250 mm, total dimensions: 1950 mm x 1900 mm x 2520 mm, including switch cabinet: 1200 mm x 800 mm x 4600 mm.	7500
92	NN tilting device	S/s tilting device, clearance: 1050 mm x 900 mm x 900 mm, tilting height: 1220 mm, total dimensions: 1800 mm x 1700 mm x 1300 mm.	1200
93	NN vibrating gutter	S/s vibrating gutter, gutter width: 750 mm, total dimensions: 3750 mm x 1300 mm x 1240 mm.	1150
94	NN tubs	54 s/s tubs, dimensions: (54x) 930 mm x 1150 mm x 860 mm.	5400
95	NN plate dispenser	Mobile plate dispenser, inside dimensions: 1300 mm x 620 mm x 400 mm, total dimensions: 1450 mm x 710 mm x 930 mm.	290
96	NN meat bin	S/s meat bin, volume: 200 liter.	50
97	NN meat bins	3 s/s meat bins, volume: 200 liter.	150
98	NN meat bins	3 s/s meat bins, volume: 200 liter.	150
99	NN meat bins	3 s/s meat bins, volume: 200 liter.	150
100	NN meat bins	2 plastic meat bins, volume: 200 liter.	50
101	NN meat bins	12 s/s meat bins, volume: 200 liter.	600
102	NN meat bins	18 s/s meat bins, volume: 200 liter.	900
103	NN trolley	S/s trolley, 4 floors, floor dimensions: 800 mm x 590 mm, total dimensions: 800 mm x 650 mm x 1570 mm.	75
104	NN trolleys	5 s/s trolleys, each 5 floors, floor dimensions: 800 mm x 600 mm, total dimensions: 800 mm x 650 mm x 1830 mm.	375



Nr	Title	Description	Start €
105	NN trolleys	10 s/s trolleys, each 4 floors, floor dimensions: 800 mm x 600 mm, total dimensions: 800 mm x 650 mm x 1760 mm.	750
106	NN trolleys	S/s trolley, 5 floors, floor dimensions: 990 mm x 600 mm, total dimensions: 610 mm x 610 mm x 1830 mm.	75
107	NN trolleys	5 s/s trolleys, 18 floors per trolley, dimensions floors: (18x) 560 mm x 400 mm, total dimensions: (5x) 600 mm x 460 mm x 1820 mm.	250
108	NN trolleys	10 s/s trolleys, 4 floors per trolley, floor dimensions: (4x) 800 mm x 590 mm, total dimensions: (10x) 800 mm x 650 mm x 1770 mm.	750
109	NN forms	2 rollies and 2 trolleys with large amount for forms used for vegetarian hamburgers, dimensions forms: Ø 113 mm x 20 mm, 12 forms per tray, dimensions each tray: 600 mm x 410 mm, 9 floors per trolley, dimensions floors: (9x) 500 mm x 500 mm, dimensions trolleys: (2x) 550 mm x 500 mm x 1750 mm.	200
110	Nimo KG transportsystem AB	Nimo-KG transportsystem AB batching station with 4 tilting stations for 200 liter meat bins, type: ESV 200 HA K4, number: 9738, year of construction: 2002, maximum load: 350 kg per station, dimensions: 2400 mm x 2850 mm x 1950 mm.	2900
111	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 200 B, number: 175, 400 V, 50 Hz, 400 A, 5.5 kW, dimensions: 1600 mm x 1300 mm x 1920 mm.	2750
112	Handtmann	Handtmann vacuum filling machine, type: VF 200, number: 3971, year of construction: 1997, 400 V, 50 Hz, 15 A, 6 kW, dimensions: 1000 mm x 900 mm x 1890 mm.	2500
113	Lundgren Machinery	Lundgren Machinery carton erector, type: TF12-2, serial number: 12-728, year of construction: 2012, 230-400 V, 3 Ph, 50/60 Hz, 16 A, 2.5 kW, Robatech glue unit, type glue unit: Concept B 5/4, serial number: 2012-40-03, year of construction: 2012, clearance: (2x) 540 mm x 460 mm, total dimensions: 2750 mm x 2900 mm x 2000	1500



Nr	Title	Description	Start €
114	Convenience Food Systems	Convenience Food Systems automatic slicer line, consisting of: type: UNI-SLICER, number: 450.2251, year of construction: 2004, plastic belt, belt width: 230 mm, clearance: 260 mm x 140 mm, diameter knife: 420 mm, slicer dimensions: 2550 mm x 880 mm x 2170 mm. Dividing belt, wire belt, belt width: 270 mm, dimensions: 850 mm x 610 mm x 1110 mm. Check weigher, type: CW2000MK3 091.1992, year of construction: 2004, plastic belt, belt width: 275 mm, dimensions: 700 mm x 780 mm x 1100 mm. Outfeed belt, type: ATB 791 991.1994, plastic belt, belt width: 400 mm, dimensions: 3030 mm x 900 mm x 1260 mm. Knife sharpener, dimensions: 710 mm x 530 mm x 1170 mm. Transport rollies are not included.	7500
115	AEW Delford	AEW Delford checkweigher, type: G2200, machine number: 93426, year of construction: 2015, plastic belt, belt width: 360 mm, total dimensions: 1200 mm x 920 mm x 1310 mm.	2500
116	The A.E.W. Engineering Co. Ltd.	The A.E.W. Engineering Co. Ltd. vertical slicer, machine number: APS, type: MK.1, serial number: 40880096, 380 V, 3 Ph, 5 chambers, chamber dimensions: (5x) 120 mm x 120 mm x 850 mm, plastic in and outfeed belt, belt width: 150 mm, s/s mesh belt, belt width: 180 mm, total dimensions: 2800 mm x 1350 mm x 2680 mm.	2900
117	Bilwinco A/S	Bilwinco A/S 14 heads multihead weigher on s/s platform, type: BW110-D, number: 5310, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 10 A, weighing range: 50 g - 1000 g, dimensions: 2000 mm x 1520 mm x 2370 mm.	3900
118	Nimo KG	Nimo KG tilting device for tubs, type: SK 800 HA2, serial number: 12322, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 4.59 A, maximum capacity: 800 kg, clearance: 1250 mm x 1040 mm x 900 mm, total dimensions: 2000 mm x 2000 mm x 2050 mm.	4500
119	NN lifter for pallet boxes	Lifter for pallet boxes, clearance: 1200 mm x 1200 mm x 840 mm, lifting height: 3080, total dimensions: 1870 mm x 1750 mm x 4500 mm.	1900
120	Carnitech	Carnitech lifter for pallet boxes, type: L120, identification number: 07-4605, year of construction: 2007, 400 V, 3 Ph, 2.2 kW, lifting height: 2460 mm, total dimensions: 2000 mm x 1700 mm x 3600 mm.	2500
121	NN oil tank	S/s oil tank, dimensions: 1300 mm x 1200 mm x 2350 mm	450
122	NN oil tank	S/s oil tank, dimensions: 1300 mm x 1200 mm x 2350 mm	450



Nr	Title	Description	Start €
123	Colimatic	Colimatic thermoformer, model: THERA 650, type: F 420, serial number: 1608, year of construction: 03/2000, 380 V, 3 Ph, 50 Hz, 32 A, plastic belt, belt width: 350 mm, dyes: (1x) 405 mm x 230 mm, index: 310 mm, total dimensions: 5650 mm x 1100 mm x 1950 mm.	3900
124	Formcook AB	Formcook AB combi cooker, model: COMBI 650 1108 FFS, year of construction: 2011, plastic belt, belt width: 630 mm, s/s mesh belt, belt width: 630 mm, total dimensions: 7900 mm x 1550 mm x 2150 mm.	12500
125	Hitec BV	Hitec BV pasteurizer, type: Steamer 450/4000E, serial number: 20212536, year of construction: 2021, 74 kW, s/s mesh belt, belt width: 440 mm, with switch cabinet, dimensions: 1400 mm x 800 mm x 400 mm, total dimensions: 5300 mm x 1100 mm x 1400 mm.	14500
126	Carnitech	Carnitech fat analyser, type: CT 3601, number: 05-0002, year of construction: 2005, 400 V, 3 Ph, 50 Hz, plastic belt, total dimensions: 550 mm x 2200 mm x 1550 mm.	1900
127	Krämer+Grebe / Intech International	Krämer+Grebe grinder with Intech International a/s lifter for 200 liter meat bins, type: WW 200, machine number: 281/113, year of construction: 1990, plate Ø: 200 mm, total dimensions grinder: 1700 mm x 1300 mm x 1750 mm. Intech International a/s lifter for 200 liter meat bins, type: IL350, serial number: H16409, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 0.75 kW, lifting height: 1850 mm, total dimensions lifter: 1400 mm x 1200 mm x 3000 mm. Including tool trolley, dimensions tool trolley: 800 mm x 500 mm x 900 mm.	12000
128	Tronrud Engineering	Tronrud Engineering case packer, type: CP30, serial number: TE1002350, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 25 A, weight: 2700 kg, capacity: 30 cases / minute, plastic infeed belt, belt width: (2x) 30 mm, clearance: 340 mm x 380 mm, plastic outfeed belt, belt width: 330 mm, total dimensions: 4650 mm x 5650 mm x 2570 mm.	15000
129	Bradman-Lake	Bradman-Lake end load cartoner, type: SL80, serial number: RF4922-06-03, 415 V, 3 Ph, 50 Hz, 20 A, infeed clearance: 340 mm x 320 mm, with Nordson hot melt unit, unit number: 3100 V - 2EAV2D/R, serial number: AN97C23112, 400/230 V, 3 Ph, 50/60 Hz, 16 A, total dimensions: 5100 mm x 1000 mm x 1200 mm.	2850
130	NN slicer	S/s slicer, 5 knives, distance between knives: 135 mm, working width: 670 mm, total dimensions: 1750 mm x 1200 mm x 1670 mm.	750
131	Ishida Co., Ltd.	Ishida Co., Ltd. 10 heads multihead weigher on s/s platform, model: CCW-RZ-214W-S/30-WP, number: 24756, year of construction: 1996, 240 V, 1 Ph, 50 Hz, 7 A, dimensions cups: 130 mm x 190 mm x 250 mm, total dimensions: 3600 mm x 5400 mm x 3700 mm.	3000



Nr	Title	Description	Start €
132	Ulma	Ulma mobile flowpacker with MAP, model: PV-350 SPHIX, machine number: 1217437, year of construction: 2001, 380 V, 50 Hz, 26 A, film width: 300 mm, seal width: 380 mm, plastic belt, belt width: 300 mm, total dimensions: 5400 mm x 1100 mm x 1600 mm. Including PBI Dansensor gas mixing station, type: MODULE TGC-2 422, serial number: 33000343, year of construction: 2000.	6000
133	Arenco	Arenco deheader used for whitefish, type: CUB, number: 2408, year of construction: 1980, 380 V, 50 Hz, dimensions: 2600 mm x 1200 mm x 1800 mm.	1900
134	Band-A-Matic	Band-A-Matic mobile binding machine, clearance: 720 mm x 620 mm, dimensions: 1150 mm x 680 mm x 1600 mm.	200
135	Weber GmbH & Co. KG	Weber GmbH & Co. KG mobile skinning machine, type: AVH 400, number: 552, year of construction: 2002, 400 V, 50 Hz, 0.37 kW, weight: 200 kg, working width: 380 mm, total dimensions: 740 mm x 660 mm x 1950 mm.	950
136	Carnitech	Carnitech industrial microwave, type: Thawing, identification number: 08-0050, year of construction: 2007, 400 V, 3 Ph, 2x 75 kW, plastic belt, belt width: 460 mm, total dimensions microwave: 11150 mm x 1750 mm x 2660 mm. Including s/s cabinet with Grundfoss pump, dimensions cabinet: 1320 mm x 700 mm x 1920 mm. Galvanized shed with electrical cabinets, dimensions shed: 3380 mm x 4200 mm x 3650 mm.	17500
137	Repak	Repak thermoformer, type: RE3, machine number: 18614, year of construction: 2004, 220/380 V, 3 Ph, 50 Hz, 34 A, 15 kW, film width: 420 mm, dye: (2x) 290 mm x 180 mm, plastic outfeed belt, belt width: 380 mm, Busch vacuum pump, type vacuum pump: CB 02350 B, number: 04002605, year of construction: 2004, capacity: 250 m ³ /h, total dimensions: 7800 mm x 1020 mm x 2100 mm. Including suction device, dimensions: Ø 410 mm x 1110 mm.	5500
138	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CVS/MT-VG.1-S, serial number: 1761/00, year of construction: 18/10/00, 400 V, 3 Ph, 50 Hz, plastic infeed belt, belt width: 200, dimensions dye: 240 mm x 170 mm, total dimensions: 2250 mm x 950 mm x 2250 mm. With outfeed belt, plastic belt, belt width: 190 mm, total dimensions: 1500 mm x 320 mm x 950 mm. Including Busch vacuum pump, type: RC01600 and pallet with parts.	2900
139	Multivac	Multivac traysealer, type: T350, 400 V, 3 Ph, 50 Hz, 19 A, 4 kW, dimensions dye: 300 mm x 250 mm, film width: 350 mm, plastic mesh belt, belt width: 200 mm, total dimensions: 3750 mm x 1050 mm x 2100 mm. Including 3 plastic crates with dye's, film and other parts, dimensions dye's: (2x) 236 mm x 190 mm.	4900



Nr	Title	Description	Start €
140	Nimo KG	Nimo KG lifter for pallet boxes, type: SK 800 MK-L, number: 10415, year of construction: 2006, maximum loading capacity: 800 kg, lifting height: 6000 mm, total dimensions: 1760 mm x 1850 mm x 7250 mm.	2750
141	Nimo KG	Nimo KG lifter for pallet boxes, type: SK 800 MK-L, number: 10749, year of construction: 2008, maximum loading capacity: 800 kg, lifting height: 6000 mm, total dimensions: 1760 mm x 1850 mm x 7250 mm.	2750
142	CFS	CFS mobile elevating screw, type: GEA ScrewLoader L 500, serial number: E010970405027, year of construction: 04-2018, 400 V, 3 Ph, 50 Hz, 15.5 A, 7.5 kW, weight: 1500 kg, diameter screw: 500 mm, tier: 345 mm, total dimensions: 7000 mm x 1100 mm x 1650 mm. Never used.	7500
144	Svenema AB	Svenema AB mobile lifter, product: Lyftvagn MIDI, model: 90 004, serial number: 30846-01, year of construction: 21/02/2008, 2x 12 V, 6.5 Ah, maximum capacity: 80 kg, weight: 39 kg, lifting height: 1530 mm, dimensions platform: 500 mm x 500 mm, total dimensions: 740 mm x 500 mm x 1650 mm.	350
145	Tetra Laval Food Koppens	Tetra Laval Food Koppens belt fryer, type: BR 2000/400, machine number: BR 2000/400-1121, 380 V, 3 Ph, 50 Hz, 73 A, 47 kW, weight: 1250 kg, s/s mesh belt, belt width: 400 mm, clearance: 480 mm x 90 mm, frying length: 2000 mm, total dimensions: 4350 mm x 1500 mm x 3100 mm.	13500
146	Toyota	Toyota steel pallet lifter, type: LHM230, serial number: 4611199, year of construction: 2020-04-01, fork length: 1150 mm, total dimensions: 1500 mm x 500 mm x 1200 mm.	100
147	Toyota	Toyota steel pallet lifter, type: LHM230, serial number: 882693, fork length: 1150 mm, total dimensions: 1500 mm x 500 mm x 1200 mm.	100
148	Toyota	Toyota steel pallet lifter, type: LHM230, serial number: 4472813, year of construction: 2018-11-13, fork length: 2000 mm, total dimensions: 2350 mm x 510 mm x 1230 mm.	125
149	Atlet AB	Atlet AB steel electric pallet lifter, type: ERE10, serial number: 120868 .4.0, year of construction: 2007, lifting capacity: 1000 kg, 12 V, fork length: 1500 mm, total dimensions: 1800 mm x 540 mm x 1200 mm.	150
150	Pramac S.P.A.	Pramac S.P.A. steel pallet lifter, model: GS, serial number: 930531, year of construction: 2008, fork length: 800 mm, total dimensions: 1200 mm x 520 mm x 1150 mm.	75
151	Inter System	Inter System transport system consisting of: 12 transport belts, belt width: 500 mm, various sizes, 5 curve conveyors, plastic rollers, roller width: 460 mm, 45° curve, and switch cabinet.	5000



Nr	Title	Description	Start €
152	NN elevating belt	Elevating belt with s/s platform, s/s frame, plastic mesh belt with dividers, belt width: 200 mm, dividers height: 30 mm, distance between dividers: 200 mm, elevating height: 2150 mm, total dimensions: 2340 mm x 1950 mm x 2400 mm.	750
153	Carsø	Transport belt with Carsø denester, type denester: DENESTER, number: SO 8475 2, year of construction: 2009, 4.8 A, 8 bar, clearance; 250 mm x 180 mm, plastic belt, belt width: 340 mm, total dimensions: 2500 mm x 700 mm x 1680 mm.	650
154	NN transport belt	transport belt with s/s frame and plastic mesh belt with dividers, belt width: 200 mm, distance between dividers: 260 mm, divider height: 15 mm, total dimensions: 1600 mm x 330 mm x 170 mm.	200
155	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 580 mm, total dimensions: 5700 mm x 1300 mm x 720 mm.	450
156	FMC	FMC elevating belt, s/s frame, number: 2431-10454, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 0.83/1.44 A, 0.31 kW, plastic belt with dividers, belt width: 380 mm, divider height: 30 mm, distance between dividers: 310 mm, elevating height: 910 mm, total dimensions: 6270 mm x 700 mm x 1110 mm.	1250
157	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 630 mm, total dimensions: 4700 mm x 850 mm x 700 mm.	900
158	Weber GmbH & Co. KG	Weber GmbH & Co. KG slicer line, consisting of: Weber GmbH & Co. KG slicer, type: SLC 901, number: 1047, 400 V, 50 Hz, 8 kW, s/s infeed rollers, roller width: 235 mm and 220 mm, plastic infeed belt, belt width: 290 mm, plastic wire belt, belt width: 290 mm, total dimensions slicer: 3000 mm x 1300 mm x 2300 mm. Weber GmbH & Co. KG checkweigher, plastic wire belt, belt width: 285 mm, total dimensions checkweigher: 500 mm x 700 mm x 1180 mm. Weber GmbH & Co. KG ejector, plastic wire belt, belt width: 285 mm, total dimensions ejector: 660 mm x 950 mm x 1710 mm. Weber GmbH & Co. KG mobile outfeed belt, plastic belt, belt width: 320 mm, total dimensions outfeed belt: 3900 mm x 700 mm x 1280 mm.	3500
159	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 590 mm, total dimensions: 5600 mm x 750 mm x 860 mm.	500
160	NN transport belt	Transport belt with s/s frame and plastic belt with dividers, belt width: 500 mm, distance between dividers: 930 mm, divider height: 70 mm, total dimensions: 3700 mm x 850 mm x 1030 mm.	950
161	NN evaporator	Evaporator with 2 fans, dimensions: 3300 mm x 700 mm x 1900 mm.	300



Nr	Title	Description	Start €
162	Asea	Asea transformer, type: OE 424, serial number: 5938 653, total weight: 2900 kg, dimensions: 1700 mm x 1000 mm x 2200 mm.	1900
163	Güntner	Güntner evaporator with 1 fan, dimensions: 1020 mm x 800 mm x 590 mm.	390
164	Güntner	Güntner evaporator with 1 fan, type: GGHF 040.1C/17-EW/30P, serial number: 400/3228834.0001, year of construction: 2008, volume: 6 liter, dimensions: 1020 mm x 600 mm x 960 mm.	390
165	Güntner	Güntner evaporator with 2 fans, dimensions: 2700 mm x 1550 mm x 600 mm.	700
166	L'unite Hermentique	L'unite Hermentique condenser, serial number: 17A13 064340 S993530205, 400/440 V, 3 Ph, 50/60 Hz, 5.4/5.7 A, refrigerant: R404A, 1 fan, dimensions: 1100 mm x 720 mm x 820 mm.	250
167	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 590 mm, elevating height: 2300 mm, total dimensions: 5400 mm x 2450 mm x 1550 mm.	900
168	Proval Innovations	Proval Innovations mobile curve elevating belt, type: BCS2400, serial number: 231008-01, year of construction: 2003, plastic mesh belt, belt width: 200 mm, elevating height: 1370 mm - 1550 mm, total dimensions: 1200 mm x 2200 mm x 1600 mm.	850
169	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 500 mm x 320 mm x 970 mm.	500
170	KJ Maskinfabriken A/S	KJ Maskinfabriken A/S mobile elevating belt, type: KA69B-550B, year of construction: 1983, plastic belt, belt width: 495 mm, elevating height: 650 mm, total dimensions: 4400 mm x 880 mm x 770 mm.	650
171	GEA Grasso / Sabroe Refrigeration	Pallet with GEA Grasso screw compressor block, type: S-51, serial number: S1134, year of construction: 2006, allowable pressure: 28 bar, geometric volume: 7313 cm ³ /U, maximum speed: 3600 rates per minute, weight: 918 kg, dimensions: 1100 mm x 700 mm x 700 mm and Sabroe Refrigeration compressor block, type: F19C, manufacturing number: 123139, year of construction: 1998, test pressure: 28 bar, maximum working pressure: 25 bar, maximum speed: 6000 rates per minute, swept volume: 1.13 dm ³ /rev, dimensions: 600 mm x 600 mm x 700 mm.	1000
172	Pfeiffer	Pfeiffer Vacuum roots pump, type: WKP 2000 A, number: 22016621, year of construction: 07/2002, capacity: 2060 m ³ per hour, dimensions: 1750 mm x 1150 mm x 1200 mm.	500
173	NN vacuum pump	Vacuum pump, dimensions: 1200 mm x 950 mm x 630 mm.	450



Nr	Title	Description	Start €
174	Busch	Busch vacuum pump, type: 630-212, number: 22821, capacity: 630 m ³ per hour, dimensions: 1650 mm x 900 mm x 1000 mm. Including switch cabinet.	1500
175	Busch	Busch vacuum pump, type: 4000, number: 508, capacity: 4000 m ³ /h, dimensions: 1470 mm x 1100 mm x 1820 mm.	1500
176	Busch	Busch vacuum pump, type: 630-212, number: 22760, capacity: 630 m ³ /h, dimensions: 1700 mm x 850 mm x 1220 mm. Including switch cabinet.	1500
177	Idesta	Idesta mobile au-bain Marie, dimensions: 900 mm x 700 mm x 900 mm.	100
178	Electrolux	Electrolux mobile au-bain Marie, dimensions: 800 mm x 650 mm x 900 mm.	100
179	Goldpack	Goldpack Packaging Systems pallet wrapper, type: OP 133 SA/2005, serial number: 2-1594-08, year of construction: 2008, 230 V, 50 Hz, 1.3 kW, weight: 600 kg, diameter platform: 1650 mm, total dimensions: 3000 mm x 1700 mm x 2500 mm.	750
180	Siat	Siat pallet wrapper, model: AF3SCF1.2.4.11, serial number: 2832, year of construction: 09-09, 380 V, 3 Ph, 50 Hz, 2.2 A, 600 W, platform diameter: 1500 mm, total dimensions: 2500 mm x 1500 mm x 2500 mm.	750
181	GEA	GEA roof condenser, type: GAV L08-1X1 C, number: 10048425, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 1200 W, volume: 43.40 liter, dimensions: 2400 mm x 1300 mm x 1700 mm.	950
182	Nederman	2 Nederman hose reels with hose with spray heads for meat bins, total dimensions: (2x) 750 mm x 350 mm x 700 mm.	200
183	Zarges	Zarges mobile aluminium working platform, working height: 1700 mm, total dimensions: 900 mm x 1900 mm x 2850 mm.	75
184	NN working platform	Steel working platform, working height: 1300 mm, total dimensions: 1500 mm x 900 mm x 2200 mm.	50
185	NN trolley with meat hooks	S/s trolley with 19 s/s meat hooks, length meat hooks: (6x) 900 mm, (10x) 1100 mm, (2x) 1300 mm, (1x) 1500 mm, total dimensions: 1200 mm x 800 mm x 1760 mm.	195
186	NN sink	S/s sink, dimensions: 1650 mm x 600 mm x 940 mm.	100
187	NN buffet trolley	Refrigerated buffet trolley, dimensions: 1150 mm x 1300 mm x 1300 mm.	75
188	Kerres	Kerres cooking and smoke chamber, inside dimensions: 950 mm x 1000 mm x 1900 mm, total dimensions: 1500 mm x 1130 mm x 2500 mm. Including s/s smoke trolley, 11 floors, dimensions floors: (11x) 840 mm x 770 mm, dimensions trolley: 910 mm x 780 mm x 1700 mm and Kerres smoke generator, dimensions smoke generator: 700 mm x 400 mm x 1400 mm.	1900



Nr	Title	Description	Start €
189	Nederman	Nederman extraction device, dimensions: 2100 mm x 1000 mm x 1200 mm.	200
190	L'unite Hermentique	L'unite Hermentique condenser, serial number: 17A18 162219 S998030202, 400/440 V, 3 Ph, 50/60 Hz, 25.2/28.2 A, refrigerant: R404A, 2 fans, dimensions: 1700 mm x 600 mm x 1440 mm.	450
191	NN hygiene equipment	2 plastic pallet boxes, 2 wooden pallets with frames and 1 plastic pallet with large amount of soap and paper dispensers.	100
192	Profood	Profood smoke generator, type: DO 3, number: 1117, year of construction: 1987, 380 V, 3 Ph, 50 Hz, 6.5 A, 1.7 kW, dimensions: 1030 mm x 740 mm x 1660 mm	400
193	Dohmeyer	Dohmeyer freezing tumbler, type: DOH-TUM-D200, serial number: 200 603 151 514, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 16 kW, weight: 3850 kg, maximum loading tumbler: 350 kg IQF, total dimensions tumbler: 2600 mm x 2250 mm x 3000 mm, dimensions fences: (2x) 1650 mm x 570 mm x 4000 mm, dimensions funnel: 1350 mm x 2250 mm x 1350 mm.	9000
194	NN milk tank	S/s cooled milk tank, volume: 1200 liter, dimensions: 2200 mm x 1300 mm x 1100 mm.	400
195	NN milk tank	S/s cooled milk tank, volume: 1870 liter, dimensions: 3300 mm x 1100 mm x 1400 mm.	450
196	NN tank	S/s mobile tank, steel frame, dimensions: Ø 900 mm x 2000 mm.	350
197	Krämer+Grebe	Krämer+Grebe cutter with lifter for 200 liter meat bins and ejector, type: SM 325, serial number: 173/197, year of construction: 1981, steel bowl, volume: 325 liter, type lifter: Beschick. machine number: 17/1/861, year of construction: 1981, total dimensions: 2550 mm x 2400 mm x 1600 mm. Including switch cabinet, dimensions: 1000 mm x 550 mm x 2200 mm.	1900
198	BUSE Gastek GmbH & Co. KG	BUSE Gastek GmbH & Co. KG process freezer, type: SF 150, number: 10511, year of construction: 2011, inside dimensions: 1350 mm x 1250 mm x 1100 mm, total dimensions: 2100 mm x 1650 mm x 2730 mm.	6500
199	CES Group	CES Group nitrogen freezing tunnel, type: CES-LT-LIN-8mx0.66-PODB, year of construction: 2-12-1998, 380 V, 3 Ph, s/s mesh belt, belt width: 1570 mm, clearance: 1500 mm x 140 mm, total dimensions: 13750 mm x 2300 mm x 1700 mm. Including s/s switch cabinet, dimensions switch cabinet: 2250 mm x 310 mm x 850 mm and Danfoss frequency convertor, dimensions frequency convertor: 250 mm x 200 mm x 500 mm.	9500



Nr	Title	Description	Start €
200	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill- and seal machine, type: J350FV, serie: 40004, machine number: 12644, year of construction: 2016, 400 V, 3 Ph, 16 A, 4.5 kW, 6 bar, weight: 775 kg, dimensions filling pipe: 230 mm x 1750 mm, horizontal seal: 370 mm, vertical seal: 450 mm, total dimensions: 2400 mm x 1350 mm x 1860 mm. Including 2 extra filling pipes, diameter filling pipes: (2x) 125 mm.	17500
201	IV Produkt	IV Produkt air treatment cabinet, model: Flexomix, order number: 7115-2059, year of construction: 03-2015, 400 V, 3 Ph, 7.3 A, 4.70 kW, dimensions: 3250 mm x 1750 mm x 1200 mm.	500
202	SCM Frigo S.p.a. / Bitzer / AIA / Searle / Güntner	Complete cooling installation consisting of: SCM Frigo S.p.a. cooling compressor rack consisting of 5 Bitzer cooling compressors, type compressors: (3x) 4HTC-15K-40S and (2x) 4HTC-15K-40S, dimensions: 4450 mm x 1000 mm x 2000 mm, Güntner roof condenser, 3 fans, dimensions: 4450 mm x 1000 mm x 2200 mm, 31 evaporators, among others: AIA, Searle and Güntner, dimensions: (11x) 2300 mm x 350 mm x 550 mm, (4x) 2550 mm x 420 mm x 550 mm, (4x) 1500 mm x 400 mm x 520 mm, (1x) 1340 mm x 850 mm x 260 mm, (11x) 1400 mm x 1600 mm x 400 mm, switch cabinet, dimensions: 1000 mm x 1000 mm x 300 mm, pallet with parts.	9500
203	Justech AB	Justech AB freezing tunnel, type: LIN-X4, number: 135.3004, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 5 kW, s/s mesh belt, belt width: 680 mm, clearance: 620 mm x 50 mm, total dimensions: 4250 mm x 1750 mm x 1550 mm.	12500
204	AMTek	AMTek microwave, model: AMT7510U, serial number: AO439, year of construction: September 2010, 400 V, 3 Ph, 50 Hz, 150 A, 75 kW, microwave frequency: 896 MHz, maximum voltage inside: 20.000 V, working hours: 61041 hour, plastic mesh belt, belt width: 610 mm, clearance: 650 mm x 280 mm, total dimensions: 9850 mm x 1600 mm x 2300 mm. Including transmitter cabinet, dimensions: 1600 mm x 1120 mm x 2100 mm and 2 pallet with parts.	19000
205	Stalam S.p.A.	Stalam S.p.A. industrial microwave, type: Thermal Processing Equipment, model: RF 20 kW, machine number: 2540/1, year of construction: 2020, 380 V, 3 Ph, 50 Hz, 60 A, weight: 3500 kg, plastic mesh belt, belt width: 1400 mm, clearance: 1560 mm x 390 mm, total dimensions: 5700 mm x 2500 mm x 3400 mm.	26000



Nr	Title	Description	Start €
206	Cabinplant	Cabinplant 14 heads multihead weigher, number: 5210, year of construction: 2001.06.25, baskets: 140 mm x 140 mm x 170 mm, total dimensions: 1300 mm x 2070 mm x 2800 mm.	1500
207	Serap	Serap shock freezing tunnel, type: CRUST FLOW P, number: P95.05, year of construction: 1997 (revised in 2020), 400 V, 3 Ph, 50 Hz, 1 kW, weight: 1300 kg, plastic belt, belt width: 450 mm, clearance: 440 mm x 110 mm, total dimensions: 4300 mm x 1200 mm x 1700 mm. Including s/s switch cabinet, dimensions: 1000 mm x 920 mm x 1600 mm.	7000
208	CES Group	CES Group liquid nitrogen freezing tunnel, type: CES-LT-LIN-8mx0.66-PODB, serial number: CES 238, year of construction: December 1998, 400 V, 3 Ph, 9 kW, weight: 3500 kg, plastic mesh belt, belt width: 680 mm, clearance: 640 mm x 50 mm, total dimensions: 5850 mm x 1450 mm x 2880 mm.	9500
209	EMC AB	EMC AB vegetable washer, machine number: 11952, year of construction: 2008, plastic mesh belt, belt width: 450 mm, clearance: 450 mm x 150 mm, total dimensions: 3950 mm x 970 mm x 1450 mm.	3500
210	Marel Stork Poultry Processing B.V.	Marel Stork Poultry Processing B.V. modular filleting system for chicken, model: BX, consisting of: Total dimensions: 12700 mm x 1250 mm x 1920 mm. Including 2 pallets with parts. S/s switch cabinet, dimension switch cabinet: 800 mm x 410 mm x 2250 mm.	37000
211	Alco food-machines	Alco food-machines hot air tunnel, type: AGU 600/6000-E, serial number: 02725228, year of construction: 2017, 400 V, 50 Hz, 222 A, 148 kW, weight: 4000 kg, s/s mesh belt, belt width: 600 mm, cooking length: 6000 mm, clearance: 680 mm x 250 mm, total dimensions: 7100 mm x 1900 mm x 2700 mm. Including s/s filter tub.	37000
212	Atlet AB	Atlet AB electric pallet lifter, model: TS/140STP167, serial number: TS79065/06, year of construction: 2012, fork length: 1150 mm, total dimensions: 2200 mm x 900 mm x 1350 mm.	950
213	Atlet AB	Atlet AB electric pallet lifter, model: AJN/160SDTFV540, serial number: AJN15017S, year of construction: 2000, maximum lifting height: 5400 mm, fork length: 1150 mm, total dimensions: 2000 mm x 970 mm x 1980 mm.	400
214	BT Products AB	BT Products AB electric pallet lifter, type: LEF 1250 E/10, number: 231188AA/19, fork length: 1150 mm, total dimensions: 2050 mm x 850 mm x 2670 mm.	300
215	Atlet AB	Atlet AB electric pallet lifter, fork length: 1150 mm, total dimensions: 1650 mm x 700 mm x 1430 mm.	300



Nr	Title	Description	Start €
216	Logitrans	Logitrans electric pallet lifter, model: SGL 1600V, serial number: 311107, year of construction: 2003, weight: 185 kg, fork length: 1150 mm, total dimensions: 1600 mm x 600 mm x 1270 mm.	200
217	Skyjack	Skyjack scissor lift, model: SJ4626, serial number: 708997, year of construction: January 2003, machine weight: 2243 kg, drive height: 7900 mm, capacity: 386 kg, maximum wheel load: 1051 kg, maximum speed: 12.5 m/s, dimensions: 2350 mm x 1150 mm x 2250 mm.	1500
218	Nissan	Nissan diesel forklift truck, model: PRO1A150, lifting capacity: 1250 kg, truck weight: 2665 kg, dimensions: 3100 mm x 1350 mm x 3050 mm. Technical condition unknown.	1500
219	BT Products AB	BT Products AB electric reach truck, type: RR E2CC, number: 972915, year of construction: 2007, lifting capacity: 1600 kg, 48 V, dimensions: 2550 mm x 1350 mm x 3050 mm. Technical condition unknown.	1200
220	Denios	Denios steel storage container, dimensions: 4200 mm x 1500 mm x 3300 mm.	750
221	Denios	Denios steel storage container, dimensions: 3200 mm x 1500 mm x 3300 mm.	750
222	Toyota	Toyota forklift, model: 7FBCU25, number: 67757, year of construction: 2006, capacity: 2250 kg, fork length: 1200 mm, total dimensions: 3500 mm x 1000 mm x 2240 mm. Including Hawker charger, type: TE 48V 100A, serial number: JW1142, dimensions: 800 mm x 400 mm x 500 mm.	2500
223	Turatti	Turatti grape destamper, model: 1668.02.60.00, serial number: 018/422.01, year of construction: 05/2019, diameter holes: 20 mm, length drum: 2850 mm, total dimensions: 4100 mm x 1850 mm x 2400 mm.	4900
224	NN vibrating gutter	S/s vibrating gutter, infeed width: 650 mm, outfeed width: 1300 mm, total dimensions: 1700 mm x 1400 mm x 2250 mm.	650
225	Turatti	Turatti vegetable washer, used for lettuce, width: 570 mm, total dimensions: 4300 mm x 1300 mm x 2150 mm.	2500
226	NON	NON vegetable dryer, consisting of: Infeed belt, plastic sieve belt, belt width: 1500 mm, total dimensions: 2000 mm x 2250 mm x 2000 Memnon vegetable dryer, plastic sieve belt, belt width: 2000 mm, total dimensions: 6130 mm x 2250 mm x 3800 mms/s switch cabinet, dimensions: 2400 mm x 500 mm x 2200 mm.	17500
227	NN sorting belt	Sorting belt, s/s frame, 2x 5 stations, 2 plastic belts, belt width: 340 mm and 250 mm, total dimensions: 4070 mm x 1250 mm x 1710 mm.	1900

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.



This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.




This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

