



**Industrial  
Auctions**

**1924: Online auction machinery and inventory due  
to closing Der Pommeraner Loitz GmbH on behalf  
of Progressu GmbH in Loitz (DE)**

**END DATE**  
25 September 2025 14:00

[WWW.INDUSTRIAL-AUCTIONS.COM](http://WWW.INDUSTRIAL-AUCTIONS.COM)

## General terms and conditions of the online auction

End date	25 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: <a href="mailto:info@industrial-auctions.com">info@industrial-auctions.com</a>
Buyers premium	18% over the highest bid
VAT	19% over the highest bid including premium
Pick up days	08 October 2025 from 09:00 till 16:00 hrs. For more information regarding dismantling / transport of the lots, you can contact Julian van de Laar, <a href="mailto:julian@industrial-auctions.com">julian@industrial-auctions.com</a> .
Pick up address	Hiddenhausener Str. 6 17121 Loitz Germany
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	Heifo / Mettler Toledo	Heifo tube rail with Mettler Toledo weighing scale, type weighing scale, DO600, serial number: 2083800, maximum capacity: 600 kg, approximately tube rail length: 50 meters. Weighing scale without indicator.	500
2	Heifo	Heifo tube rail, approximately 80 meters.	750
3	Heifo	Heifo tube rail, approximately 50 meters.	500
4	Henneken	Henneken cooled vacuum tumbler, type: B6, volume: 3000 liter, dimensions: 3200 mm x 2360 mm x 2100 mm. Including Busch vacuum pump, dimensions: 700 mm x 400 mm x 600 mm, and Maneurop cooling unit, type: MGM 64-47, number: 0197404, year of construction: 1997, refrigerant: R22, 6 kg, dimensions: 1300 mm x 1000 mm x 1360 mm.	5000
5	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 220, number: 0461, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 16 A, 3.8 kW, volume: 220 liter, dimensions: 1250 mm x 1000 mm x 1800 mm.	3000
6	NN meat bin	S/s meat bin, volume: 200 liter.	50
7	CFS	CFS mobile lifter for 200 liter meat bins, type: 300S, serial number: 11148, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 1.4 kW, capacity: 300 kg, lifting height: 1850 mm, total dimensions: 1450 mm x 1600 mm x 3150 mm.	1500
8	CFS	CFS grinder, type: UNIGRIND-200, machine number: 5000064281, year of construction: 2005, 400 V, 50 Hz, 55.1 A, 30 kW, plate diameter: 200 mm, total dimensions: 1800 mm x 1100 mm x 1730 mm, dimensions switch cabinet: 800 mm x 310 mm x 1000 mm. Including s/s trolley with plates, knives and parts, dimensions: 1400 mm x 800 mm x 730 mm.	3500
9	NN meat bin	S/s meat bin, volume: 200 liter.	50
10	Seydelmann	Seydelmann vacuum cutter with lifter for 200 liter meat bins and ejector, type: K504 AC8 VA, machine number: 06180-1, year of construction: 2006, 400 V, 50 Hz, 402 A, 217 kW, s/s bowl, volume: 500 liter, dimensions: 3500 mm x 3100 mm x 2200 mm, dimensions control panel: 470 mm x 90 mm x 320 mm, dimensions switch cabinet: 1600 mm x 550 mm x 2800 mm. Including pallet with extra cutter knives, dimensions: 1200 mm x 800 mm x 700 mm.	17500
11	Nematec	Nematec cutter, type: SM 65 S, number: 110, year of construction: 1994, 400 V, 3 Ph, 50 Hz, s/s bowl, volume: 65 liter, dimensions: 1300 mm x 1000 mm x 1350 mm.	1500
12	NN meat bin	S/s meat bin, volume: 200 liter.	50



Nr	Title	Description	Start €
13	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF616, number: 21700, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 8.7 A, 6.0 kW, Busch vacuum pump, type: KB 0016 D, number: 01039107, capacity: 16 m <sup>3</sup> per hour, dimensions: 1900 mm x 1350 mm x 2120 mm.	15000
14	Loma / Handtmann	Loma pipe line metal detector with Handtmann linking attachment, metal detector type: IQ <sup>2</sup> , serial number: EPE40918-56881, year of construction: 28-10-2004, 230 V, 1 Ph, 50 Hz, 0.2 A, clearance: Ø 55 mm, type Handtmann linking attachment: 34-5, number: 13324211, total dimensions: 500 mm x 600 mm x 500 mm.	500
15	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 216-21, number: 1405, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3.6 A, 2.5 kW, dimensions: 1500 mm x 700 mm x 1250 mm, type hanging line: 220-16, number: 1364, year of construction: 2004, dimensions: 2600 mm x 500 mm x 1300 mm. Including crate with extra plastic hangers.	1500
16	NN meat bin	S/s meat bin, volume: 200 liter.	50
17	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF616, number: 26190, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 17.3 A, 12.0 kW, Busch vacuum pump, type: KC 0016 E, serial number: V19220646, capacity: 19 m <sup>3</sup> per hour, dimensions: 1900 mm x 1350 mm x 2120 mm.	15000
18	Loma / Handtmann	Loma pipe line metal detector with Handtmann linking attachment, metal detector type: IQ <sup>2</sup> , serial number: MHPLEU-36885, year of construction: 21-10-2004, 230 V, 1 Ph, 50 Hz, 0.2 A, clearance: Ø 55 mm, type Handtmann linking attachment: 34-5, number: 13059, total dimensions: 500 mm x 600 mm x 500 mm.	500
19	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 216-21, number: 1041, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1500 mm x 700 mm x 1250 mm, type hanging line: 220-16, number: 1643, year of construction: 2007, dimensions: 2650 mm x 550 mm x 1300 mm.	1500
20	NN meat bin	S/s meat bin, volume: 200 liter.	50
21	Risco S.p.A.	Risco S.p.A. vacuum filling machine with lifter for 200 liter meat bins, model: RS 4001, serial number: Q395053, year of construction: 1996, 380 V, 3 Ph, 50 Hz, 20 A, 6.3 kW, dimensions: 2100 mm x 1200 mm x 1900 mm. Including crate with parts.	2500
22	Loma	Loma mobile pipe line metal detector, model: IQ <sup>2</sup> , serial number: EPL080514-08228D, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 1.2 A, clearance: 55 mm, total dimensions: 700 mm x 500 mm x 1400 mm.	500



Nr	Title	Description	Start €
23	Handtmann	Handtmann mobile linking and hanging line, type linking machine: 216-21, number: 1216, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1550 mm x 700 mm x 1300 mm, type hanging line: 220-16, number: 1276, year of construction: 2003, dimensions: 2600 mm x 500 mm x 1300 mm.	1500
24	NN meat bin	S/s meat bin, volume: 200 liter.	50
25	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF616, number: 21837, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 26.0 A, 12 kW, Busch vacuum pump, dimensions: 1900 mm x 1350 mm x 2150 mm.	15000
26	Loma / Handtmann	Loma pipe line metal detector with Handtmann linking attachment, metal detector type: IQ <sup>2</sup> , serial number: MHPLEU-33124, year of construction: 01-2004, 85/265 V, 50/60 Hz, clearance: Ø 50 mm, type Handtmann linking attachment: 34-5, number: 14230, total dimensions: 500 mm x 600 mm x 500 mm.	500
27	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG mobile double automatic clipper, type: FCA 3430-18, number: 212, year of construction: 2006, plastic belts, belt width: (2x) 75 mm, total dimensions: 1800 mm x 1200 mm x 2000 mm. Including 2 crates with parts.	15000
28	NN meat bin	S/s meat bin, volume: 200 liter.	50
29	Risco S.p.A.	Risco S.p.A. vacuum filling machine with lifter for 200 liter meat bins, model: RS 4001, serial number: Q399020, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 6.3 kW, weight: 900 kg, dimensions: 1900 mm x 1200 mm x 1930 mm. Without rotor and vanes.	1500
30	Loma	Pallet with 3 Loma pipe line metal detectors, model: IQ <sup>2</sup> , serial numbers: EPL50638-01611D / MHPLEV-36889 / MHPLEV-053180, 85/265 V, 50/60 Hz, clearance: Ø 55 mm, total dimensions: (3x) 380 mm x 550 mm x 500 mm.	500
31	Handtmann / Risco	3 plastic crates with parts for Handtmann and Risco, dimensions: (3x) 600 mm x 400 mm x 220 mm.	100
32	Handtmann	Handtmann case holding device, type: 216-01, number: 1200, dimensions: 600 mm x 350 mm x 220 mm.	250
33	Handtmann	Handtmann case holding device, type: 216-01, number: 1384, dimensions: 600 mm x 350 mm x 220 mm.	250
34	Handtmann	Handtmann case holding device, type: 216-01, number: 1702, dimensions: 600 mm x 350 mm x 220 mm.	250
35	NN table	S/s table, dimensions: 2080 mm x 1200 mm x 770 mm.	150
36	Handtmann	Pallet with parts for Handtmann vacuum filling machine, dimensions: 1200 mm x 800 mm x 400 mm.	1000
37	Handtmann / Risco	Pallet with parts for Handtmann and Risco, dimensions: 1200 mm x 800 mm x 400 mm.	250



Nr	Title	Description	Start €
38	NN parts for vacuum filling machine	3 plastic crates with parts for vacuum filling machine, dimensions: (3x) 600 mm x 400 mm x 220 mm.	250
39	NN cabinet	S/s cabinet, dimensions: 1300 mm x 700 mm x 1920 mm.	75
40	Handtmann	3 plastic crates with parts for Handtmann vacuum filling machine, dimensions: (7x) 600 mm x 400 mm x 220 mm.	500
41	NN rollies	28 s/s rollies, dimensions: (28x) 630 mm x 430 mm x 160 mm.	250
42	Inject Star	Inject Star mobile ham press, type: FWP-I-21, number: 271, year of construction: 1997, inside dimensions: 1500 mm x 500 mm x 1400 mm, total dimensions: 2000 mm x 600 mm x 1750 mm.	400
43	Inject Star	Inject Star mobile ham press, type: FWP-I-21, number: 244, year of construction: 1995, inside dimensions: 1500 mm x 500 mm x 1400 mm, total dimensions: 2000 mm x 600 mm x 1750 mm.	400
44	Inject Star	Inject Star mobile ham press, type: FWP-I-21, number: 243, year of construction: 1995, inside dimensions: 1500 mm x 500 mm x 1400 mm, total dimensions: 2000 mm x 600 mm x 1750 mm.	400
45	Inject Star	Inject Star mobile ham press, type: FWP-I-21, number: 272, year of construction: 1997, inside dimensions: 1500 mm x 500 mm x 1400 mm, total dimensions: 2000 mm x 600 mm x 1750 mm.	400
46	NN ham press	Ham press, inside dimensions: 1640 mm x 600 mm x 1030 mm, total dimensions: 2200 mm x 800 mm x 1750 mm.	250
47	Röschermatic	Röschermatic vacuum tumbler, type: TU-800, number: 724 0008, 380/220 V, 50 Hz, 2.6 kW, s/s tub, volume: 800 liter, Busch vacuum pump, type: RB 0016 D 100, capacity: 16 m <sup>3</sup> per hour, total dimensions: 2200 mm x 1350 mm x 2000 mm.	500
48	NN tub	Mobile s/s tub, inside dimensions: 1200 mm x 900 mm x 400 mm, total dimensions: 1300 mm x 960 mm x 700 mm.	150
49	Röschermatic	Röschermatic vacuum tumbler, type: TU-800, number: 724 0014, year of construction: 04/95, 380/220 V, 50 Hz, 2.6 kW, s/s tub, volume: 800 liter, Busch vacuum pump, type: RA 0040, capacity: 16 m <sup>3</sup> per hour, total dimensions: 2200 mm x 1350 mm x 2000 mm.	500
50	NN tub	S/s tub, inside dimensions: 1000 mm x 670 mm x 600 mm, total dimensions: 1080 mm x 740 mm x 800 mm.	100
51	NN meat bins	18 s/s meat bins, volume: 200 liter.	900
52	NN meat bins	20 s/s meat bins, volume: 200 liter.	1000
53	NN smoke trolleys	7 s/s smoke trolleys, (4x) 6 floors, (3x) 11 floors, floor dimensions: 1000 mm x 950 mm, total dimensions: (7x) 1040 mm x 1030 mm x 1970 mm.	525



Nr	Title	Description	Start €
54	NN smoke trolleys	6 s/s smoke trolleys, (5x) 6 floors, (1x) 11 floors, floor dimensions: 1000 mm x 950 mm, total dimensions: (6x) 1040 mm x 1030 mm x 1970 mm.	450
55	NN smoke trolleys	6 s/s smoke trolleys, (4x) 6 floors, (2x) 11 floors, floor dimensions: 1000 mm x 950 mm, total dimensions: (6x) 1040 mm x 1030 mm x 1970 mm.	450
56	NN smoke trolleys	6 s/s smoke trolleys, (5x) 6 floors, (1x) 11 floors, floor dimensions: 1000 mm x 950 mm, total dimensions: (6x) 1040 mm x 1030 mm x 1970 mm.	450
57	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, floor dimensions: 1000 mm x 950 mm, total dimensions: (5x) 1030 mm x 1020 mm x 1980 mm.	375
58	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, floor dimensions: 1000 mm x 950 mm, total dimensions: (5x) 1030 mm x 1020 mm x 1980 mm.	375
59	NN smoke trolleys	2 s/s smoke trolleys, 5 floors, floor dimensions: 990 mm x 970 mm, total dimensions: (2x) 1050 mm x 1000 mm x 1850 mm.	150
60	NN smoke trolleys	2 s/s smoke trolleys with s/s moulds, 5 floors, floor dimensions: 1000 mm x 990 mm, total dimensions: 1060 mm x 1000 mm x 1930 mm. S/s mould dimensions: 360 mm x 110 mm x 110 mm,	150
61	Weber	Weber flake ice machine, type: WIR 3000M, serial number: 327, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 1/1.5 A, 0.30 kW, refrigerant: R 404 A, dimensions: 1300 mm x 1400 mm x 1900 mm. Without cooling compressor.	750
62	Röschermatic	Röschermatic tumbler, type: TUF 300, number: 7270032, 220 , 1 Ph, volume: 300 liter, dimensions: 1400 mm x 1200 mm x 1250 mm.	250
63	Inject Star	Inject Star mobile ham press, type: FWP-I-21, number: 270, year of construction: 1996, inside dimensions: 1000 mm x 500 mm x 1100 mm, total dimensions: 1600 mm x 600 mm x 1480 mm.	400
64	NN frame	S/s frame, s/s rollers, roller width: 780 mm, total dimensions: 1900 mm x 800 mm x 1000 mm.	75
65	NN meat bins	23 s/s meat bins, volume: 200 liter.	1150
66	NN smoke trolley	S/s smoke trolley, 4 floors, floor dimensions: 980 mm x 970 mm, total dimensions: 1050 mm x 1000 mm x 1800 mm.	75
67	NN smoke trolley	S/s smoke trolley, 5 floors, floor dimensions: 990 mm x 970 mm, total dimensions: 1050 mm x 1000 mm x 1940 mm.	75
68	NN smoke trolley	S/s smoke trolley, 11 floors, floor dimensions: 1010 mm x 930 mm, total dimensions: 1020 mm x 1020 mm x 1970 mm.	75
69	NN smoke trolley	S/s smoke trolley, 11 floors, floor dimensions: 1010 mm x 930 mm, total dimensions: 1020 mm x 1020 mm x 1970 mm.	75



Nr	Title	Description	Start €
70	NN smoke trolleys	3 s/s smoke trolleys, 11 floors, floor dimensions: 1010 mm x 930 mm, total dimensions: (3x) 1020 mm x 1020 mm x 1970 mm.	225
71	Treif	Treif dicer with outfeed belt, model: Twister, type: 4120, machine number: 412303.77361.103402, year of construction: 2007, 380/480 V, 3 Ph, 50/60 Hz, 11/9/16 A, 4.5 kW, weight: 670 kg, chamber: 120 mm x 120 mm, plastic outfeed belt, belt width: 245 mm, total dimensions: 1900 mm x 1650 mm x 1330 mm. Including 3 crates with parts and grids.	5000
72	Treif	Treif slicer, type: 91/1, machine number: 35507/2016-1, year of construction: 78, 380/220 V, 3 Ph, 50 Hz, 2.8/6 A, chamber: 160 mm x 180 mm, total dimensions: 1500 mm x 660 mm x 1200 mm.	200
73	NN skinning and derinding machine	Mobile skinning and derinding machine, plastic belts, belt width: (2x) 380 mm, working width: 400 mm, total dimensions: 2000 mm x 860 mm x 1180 mm.	400
74	Bizerba	Bizerba mobile automatic slicer, model: A 510, number: 10597961, year of construction: 2009, 380/415 V, 3 Ph, 47/63 Hz, 4.15 A, 2.3 kW, clearance: 250 mm x 120 mm, s/s mesh belt, belt width: 300 mm, total dimensions: 2400 mm x 800 mm x 1850 mm.	6500
75	Adelmann	4 pallets with large amount of Adelmann ham moulds, mould dimensions: 250 mm x 160 mm x 140 mm, total dimensions: (4x) 1200 mm x 800 mm x 500 mm.	100
76	NN rack	S/s rack, dimensions: 2000 mm x 400 mm x 1810 mm. Including content.	25
77	NN frames	2 s/s frames, dimensions: 1800 mm x 500 mm x 1840 mm.	50
78	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, floor dimensions: 1000 mm x 950 mm, total dimensions: (5x) 1030 mm x 1020 mm x 1980 mm.	375
79	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, floor dimensions: 960 mm x 1000 mm, total dimensions: (5x) 1000 mm x 1010 mm x 1980 mm.	375
80	NN smoke trolleys	12 s/s smoke trolleys, 6 floors, floor dimensions: 980 mm x 1000 mm, total dimensions: (12x) 1010 mm x 1020 mm x 1970 mm.	900
81	NN smoke trolleys	5 s/s smoke trolleys, 6 floors, floor dimensions: 980 mm x 1000 mm, total dimensions: (5x) 1010 mm x 1020 mm x 1970 mm.	375
82	NN smoke trolley	S/s smoke trolley, 11 floors, floor dimensions: 1010 mm x 930 mm, total dimensions: 1020 mm x 1020 mm x 1970 mm.	75
83	NN smoke trolleys	3 s/s smoke trolleys, 9 floors, floor dimensions: 1000 mm x 900 mm, total dimensions: (3x) 1000 mm x 980 mm x 1960 mm.	225





Nr	Title	Description	Start €
84	NN smoke trolley	S/s smoke trolleys, 6 floors, floor dimensions: 1000 mm x 980 mm, total dimensions: 1020 mm x 1000 mm x 2000 mm.	75
85	NN smoke trolley	S/s smoke trolleys, 6 floors, floor dimensions: 1000 mm x 980 mm, total dimensions: 1020 mm x 1000 mm x 2000 mm.	75
86	NN smoke trolley	S/s smoke trolleys, 11 floors, floor dimensions: 1000 mm x 930 mm, total dimensions: 1020 mm x 1020 mm x 1930 mm.	75
87	NN smoke trolleys	S/s smoke trolleys, 8 floors, floor dimensions: 970 mm x 920 mm, total dimensions: 1030 mm x 1000 mm x 1980 mm.	75
88	NN s/s trays	27 plastic crates with s/s trays, tray dimensions: 365 mm x 170 mm x 900 mm, crate dimensions: 600 mm x 400 mm x 200 mm.	100
89	NN trolley	S/s trolley, 10 floors, floor dimensions: 800 mm x 550 mm, total dimensions: 850 mm x 650 mm x 1930 mm.	50
90	NN plastic crates	2 s/s rollies with 9 crates, crate dimensions: (4x) 600 mm x 400 mm x 200 mm, (5x) 600 mm x 400 mm x 120 mm.	10
91	NN cool packs	S/s rollie with 5 plastic crates with large amount of cool packs, crate dimensions: (5x) 600 mm x 400 mm x 200 mm.	10
92	NN smoke trolleys	8 s/s smoke trolleys, 6 floors, floor dimensions: 990 mm x 930 mm, total dimensions: (8x) 1020 mm x 1000 mm x 1980 mm.	600
93	NN smoke trolleys	38 s/s smoke trolleys, 6 floors, floor dimensions: 1010 mm x 950 mm, total dimensions: (38x) 1020 mm x 1030 mm x 1970 mm.	2850
94	NN smoke trolleys	2 s/s smoke trolleys, 6 floors, floor dimensions: 980 mm x 1000 mm, total dimensions: (2x) 1000 mm x 1020 mm x 1970 mm.	150
95	NN smoke trolleys	2 s/s smoke trolleys, 6 floors, floor dimensions: 980 mm x 1000 mm, total dimensions: (2x) 1000 mm x 1020 mm x 1970 mm.	150
96	NN smoke trolleys	2 s/s smoke trolleys, 6 floors, floor dimensions: 980 mm x 1000 mm, total dimensions: (2x) 1000 mm x 1020 mm x 1970 mm.	150
97	Ness	Ness double cooking vessel, model: Garant, number: 2004, year of construction: 1996, 230 V, 50 Hz, capacity: (2x) 400 liter, steam heated, dimensions: 2700 mm x 1350 mm x 1000 mm. Dimensions switch cabinet: 400 mm x 250 mm x 700 mm.	750
98	Ness	Ness smoke chamber for 2 smoke trolleys, type: UNIGAR 5000 B - HD/ND, inside dimensions: 2100 mm x 1100 mm x 2000 mm, total dimensions: 2000 mm x 2400 mm x 2750 mm.	1000
99	Ness	Ness double smoke chamber for 6 smoke trolleys, inside dimensions: 3200 mm x 2400 mm x 2050 mm, total dimensions: 3300 mm x 3200 mm x 2850 mm.	1500



Nr	Title	Description	Start €
100	Ness	Ness smoke chamber installation, consisting of: s/s door, dimensions: 1200 mm x 2100 mm, smoke channels, dimensions: (4x) 5400 mm x 450 mm x 600 mm, smoke generator, dimensions: 2500 mm x 1200 mm x 2100 mm.	1000
101	Ness	Ness smoke chamber installation, consisting of: s/s door, dimensions: 1200 mm x 2100 mm, smoke channels, dimensions: (4x) 5400 mm x 450 mm x 600 mm, smoke generator, dimensions: 2500 mm x 1200 mm x 2100 mm.	1000
102	Ness	Ness smoke chamber for 2 smoke trolleys, inside dimensions: 2100 mm x 1100 mm x 2000 mm, total dimensions: 2400 mm x 1500 mm x 3050 mm. Ness Unigar switch cabinet with digitronic rf3 d-n control panel, dimensions: 380 mm x 230 mm x 380 mm.	1000
103	Ness	Ness smoke chamber for 2 smoke trolleys, inside dimensions: 2100 mm x 1100 mm x 2000 mm, total dimensions: 2400 mm x 1500 mm x 3050 mm. Ness unigar switch cabinet with digitronic rf3 d-n control panel, dimensions: 380 mm x 230 mm x 380 mm.	1000
104	Ness	Ness smoke chamber for 1 smoke trolley, inside dimensions: 1100 mm x 1100 mm x 2000 mm, total dimensions: 1500 mm x 1500 mm x 3050 mm. Ness Unigar switch cabinet with digitronic rf3 d-n control panel, dimensions: 380 mm x 230 mm x 380 mm.	1000
105	NN smoke chamber	Smoke chamber for 1 trolley, inside dimensions: 1030 mm x 1120 mm x 2000 mm, total dimensions: 1350 mm x 1420 mm x 3050 mm. Switch cabinet with aditec control panel, type: MIC 200F, dimensions: 350 mm x 200 mm x 550 mm. Without door.	250
106	Ness	Ness shower for 2 smoke trolleys, inside dimensions: 2300 mm x 1170 mm x 2060 mm, total dimensions: 2400 mm x 1350 mm x 2700 mm. Ness duschmatic switch cabinet, dimensions: 380 mm x 230 mm x 380 mm.	250
107	Ness	Ness friction smoke generator, dimensions: 400 mm x 700 mm x 1700 mm.	100
108	Ness	Ness friction smoke generator, dimensions: 400 mm x 700 mm x 1700 mm.	100
109	Ness	Ness double smoke chamber for 8 smoke trolleys, inside dimensions: 4280 mm x 2950 mm x 2000 mm, total dimensions: 4450 mm x 3100 mm x 3050 mm. Incomplete. Without doors.	1000
110	Ness	Ness wood chip smoke generator, dimensions: 900 mm x 550 mm x 2400 mm.	150
111	Ness	Ness wood chip smoke generator, dimensions: 900 mm x 550 mm x 2400 mm.	150
112	NN condensate collection tank	Condensate collection tank with 2 Grundfos circulation pumps, dimensions condensate collection tank: 1100 mm x 1150 mm x 1200 mm, dimensions Grundfos pumps: (2x) 250 mm x 200 mm x 600 mm.	400



Nr	Title	Description	Start €
113	Ness	Ness double cooking vessel, capacity: (2x) 400 liter, dimensions: 3100 mm x 1300 mm x 1100 mm. Switch cabinet dimensions: (2x) 400 mm x 180 mm x 350 mm.	750
114	NN smoke chamber	Smoke chamber for 1 smoke trolley, inside dimensions: 1080 mm x 1100 mm x 2000 mm, total dimensions: 1700 mm x 1850 mm x 3050 mm.	1000
115	Ness	Ness wood chip smoke generator, dimensions: 900 mm x 550 mm x 2000 mm.	250
116	NN shower for smoke trolleys	Mobile s/s shower for 2 smoke trolleys, inside dimensions: 2200 mm x 1170 mm x 2000 mm, total dimensions: 2250 mm x 1300 mm x 2030 mm.	400
117	Maurer-Atmos	Maurer-Atmos double smoke chamber for 8 smoke trolleys with friction smoke generator, type: ASR 7287, serial number: X0278168, weight: 6400 kg, inside dimensions: (2x) 4100 mm x 1100 mm x 2030 mm, total dimensions: 5000 mm x 2700 mm x 3700 mm.	3000
118	Maurer-Atmos	Maurer-Atmos smoke chamber for 4 smoke trolleys with friction smoke generator, type: RG-A 2.5, inside dimensions: 4100 mm x 1050 mm x 2020 mm, total dimensions: 5000 mm x 1400 mm x 3700 mm.	1500
119	Maurer-Atmos	Maurer-Atmos smoke chamber for 4 trolleys with friction smoke generator, type: RG-A 2.5, serial number: 0278204, year of construction: 2007, 400 V, 50 Hz, 8 A, 7 kW, inside dimensions: 4100 mm x 1050 mm x 2020 mm, total dimensions: 5000 mm x 1400 mm x 3700 mm.	1500
120	Maurer-Atmos	Maurer-Atmos smoke chamber for 3 trolleys with friction smoke generator, inside dimensions: 3100 mm x 1100 mm x 2000 mm, total dimensions: 4000 mm x 1800 mm x 3300 mm.	1500
121	NN shower systems for trolleys	2 Shower systems for smoke trolleys, shower length: (2x) 3600 mm. Without wall panels.	250
122	Rühle	Rühle injector with lifter for crates, type: IR 56, number: 0293, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 16 A, 7.5 kW, 56 needles, s/s walking beam, beam width: 340 mm, total dimensions: 1800 mm x 800 mm x 2000 mm. Including crate with parts.	2500
123	NN smoke trolleys	5 s/s smoke trolleys, (3x) 11 floors, (2x) 5 floors, floor dimensions: 1010 mm x 1000 mm, total dimensions: (5x) 1030 mm x 1010 mm x 1980 mm.	375
124	NN smoke trolleys	19 s/s smoke trolleys, 6 floors, floor dimensions: 960 mm x 1000 mm, total dimensions: (19x) 1000 mm x 1020 mm x 1980 mm.	1425
125	NN smoke trolleys	20 s/s smoke trolleys, 6 floors, floor dimensions: 980 mm x 1000 mm, total dimensions: (20x) 1010 mm x 1000 mm x 1970 mm.	1500



Nr	Title	Description	Start €
126	NN smoke trolleys	3 s/s smoke trolleys, 6 floors, floor dimensions: 1000 mm x 1010 mm, total dimensions: (3x) 1000 mm x 1020 mm x 2000 mm.	225
127	Angelopo	Angelopo braising pan, inside dimensions: 720 mm x 610 mm x 200 mm, total dimensions: 800 mm x 1000 mm x 900 mm.	100
128	NN waste bag holders	3 plastic waste bag holders, dimensions: (3x) 550 mm x 550 mm x 1000 mm.	15
129	NN frame	S/s frame with aluminium top, dimensions: 600 mm x 500 mm x 450 mm.	10
130	NN cooking vessel	Double cooking vessel, inside dimensions: (2x) 1500 mm x 850 mm x 500 mm, total dimensions: 3700 mm x 1250 mm x 1100 mm. Switch cabinet dimensions: 400 mm x 200 mm x 350 mm.	750
131	Ness	Ness double friction smoke generator, dimensions: 900 mm x 700 mm x 1800 mm.	200
132	Townsend	Townsend mobile sausage peeler, model: 2600, number: 8292, year of construction: 2006, 380 V, 3 Ph, 50 Hz, clearance: Ø 35 mm, total dimensions: 2150 mm x 670 mm x 1450 mm. Including pallet with parts.	2500
133	Trinitas Trading GmbH	Trinitas Trading GmbH autoclave for 4 trolleys, type: SRX 1100-4, factory number: 12 2 03 267, year of construction: 2015, capacity: 2960 liter, maximum pressure: 6 bar, maximum working temperature: 165° Celsius, inside dimensions: Ø 1100 mm x 3500 mm, total dimensions: 4600 mm x 1650 mm x 2700 mm.	17500
134	NN autoclave baskets	21 s/s autoclave baskets, basket dimensions: 760 mm x 670 mm x 70 mm, total dimensions: 1350 mm x 800 mm x 830 mm.	200
135	NN autoclave trays	33 autoclave trays, tray dimensions: 770 mm x 630 mm x 900 mm, total dimensions: 1250 mm x 800 mm x 1130 mm.	300
136	NN autoclave trays	63 autoclave trays, tray dimensions: 770 mm x 630 mm x 900 mm, total dimensions: 1250 mm x 800 mm x 1930 mm.	600
137	NN autoclave trays	64 autoclave trays, tray dimensions: 770 mm x 630 mm x 900 mm, total dimensions: 1250 mm x 800 mm x 1930 mm.	600
138	H&H	H&H apron washer, type: SRSI 96X 194, year of construction: 1996, 1/16 A, 0.37 kW, working width: 1000 mm, total dimensions: 1430 mm x 430 mm x 900 mm.	150
139	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm, trolley dimensions: 1200 mm x 910 mm x 1060 mm.	100
140	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm, trolley dimensions: 1000 mm x 580 mm x 780 mm.	100



Nr	Title	Description	Start €
141	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm, trolley dimensions: 800 mm x 500 mm x 940 mm.	100
142	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm, trolley dimensions: 1000 mm x 600 mm x 800 mm.	100
143	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm, trolley dimensions: 1130 mm x 640 mm x 1100 mm.	100
144	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm, trolley dimensions: 1000 mm x 600 mm x 950 mm.	100
145	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm, trolley dimensions: 960 mm x 800 mm x 800 mm.	100
146	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm, trolley dimensions: 880 mm x 770 mm x 1130 mm.	100
147	NN smoke sticks	S/s trolley with large amount of aluminium Y-shaped smoke sticks, smoke stick length: 1000 mm, trolley dimensions: 900 mm x 800 mm x 600 mm.	100
148	Storm-Engineering	Storm-Engineering crate washer, serial number: 20 002 20, year of construction: 2020, 400 V, 50 Hz, 4.31 kW, weight: 325 kg, clearance: 410 mm x 260 mm, total dimensions: 3450 mm x 1100 mm x 1750 mm.	2500
149	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 600 mm, total dimensions: 1500 mm x 700 mm x 870 mm.	75
150	NN smoke stick washer	Smoke stick washer, dimensions drum: Ø 500 mm x 1050 mm, total dimensions: 1600 mm x 900 mm x 1100 mm.	1000
151	Variovac PS SystemPack GmbH	Variovac PS SystemPack GmbH thermoformer, type: OPTIMUS, number: OL2219, year of construction: 2023, 230/400 V, 50 Hz, 18 A, 12 kW, air pressure: 6 bar, bottom film width: 425 mm, top film width: 427 mm, dye: (2x) 175 mm x 224 mm, plastic outfeed belt, belt width: 385 mm, Variovac vacuum pump, type: VP100, capacity: 100/120 m <sup>3</sup> per hour, total dimensions: 3650 mm x 1150 mm x 1700 mm. Including suction device, dimensions: 650 mm x 500 mm x 1120 mm.	15000
152	CFS	CFS thermoformer with labeller, type: T3000, machine number: 741/0144, year of construction: 1989, 400 V, 3 Ph, 50 Hz, 36 A, 23.7 kW, bottom film width: 564 mm, top film width: 560 mm, dye: (6x) 198 mm x 162 mm, Busch vacuum pump, type: CB 0250, capacity: 250 m <sup>3</sup> per hour, total dimensions: 9000 mm x 1800 mm x 2250 mm. Including suction device for rest film, dimensions: 500 mm x 500 mm x 1150 mm.	1500



Nr	Title	Description	Start €
153	CFS	CFS thermoformer with labeller, type: Tiromat compact M420 2.10, serial number: 787 212 1346, year of construction: 02/2000, 400 V, 3 Ph, 50 Hz, bottom fill width: 425 mm, top film width: 420 mm, dye: (3x) 275 mm x 920 mm, plastic outfeed wire belt, belt width: 260 mm, vacuum pump, total dimensions: 7600 mm x 1750 mm x 2000 mm. Dimensions control unit labeller: 750 mm x 750 mm x 2050 mm. Including 3 pallets with parts and dye, dye: (8x) 167 mm x 85 mm, total dimensions: (3x) 1200 mm x 800 mm x 600 mm.	2000
154	CFS	CFS thermoformer with labeller, type: CFS compact M380 5.11+11, machine number: 786.127.1680, year of construction: 2004, 400 V, 3 Ph, 50 Hz, 38 A, 26 kW, weight: 3100 kg, bottom film width: 384 mm, top film width: 320 mm, dye: (8x) 160 mm x 70 mm, plastic outfeed wire belt, belt width: 320 mm, 2 Busch vacuum pumps, type: (1x) RA 0250 B 4ZI XXZZ, (1x) CB 0250 B, capacity: (2x) 250 m <sup>3</sup> per hour, total dimensions: 10800 mm x 1400 mm x 2100 mm. Including pallet with extra parts and dyes, dye: (4x) 163 mm x 163 mm, (2x) 210 mm x 160 mm, dimensions pallet: 1200 mm x 800 mm x 300 mm.	2500
155	CFS	CFS thermoformer with labeller, type: 660, machine number: 661/C389, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 48 A, 32 kW, bottom film width: 465 mm, top film width: 455 mm, dye: (6x) 190 mm x 114 mm, plastic outfeed belt, belt width: 400 mm, Busch vacuum pump, type: CB 0250 B, capacity: 250 m <sup>3</sup> per hour, total dimensions: 8200 mm x 1500 mm x 2150 mm. Including pallet with extra parts and dye, dye: (12x) 195 mm x 60 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	2000
156	CFS	CFS thermoformer with labeller, type: 660, machine number: 664/0561, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 45 A, 29 kW, bottom film width: 434 mm, top film width: 426 mm, dye: (6x) 160 mm x 160 mm, plastic outfeed belt, belt width: 375 mm, Busch vacuum pump, type: CB 0250 B, capacity: 250 m <sup>3</sup> per hour, total dimensions: 10250 mm x 1450 mm x 2200 mm. Including 3 pallets with parts and dye, dye: (9x) 135 mm x 115 mm, total dimensions: (3x) 1200 mm x 800 mm x 400 mm.	2000
157	Krämer + Grebe	Krämer + Grebe thermoformer, type: 3000, number: 721/429, year of construction: 1992, 220/380 V, 1/3 Ph, 50 Hz, 25/35 A, dye: (4x) 320 mm x 110 mm, plastic outfeed belt, belt width: 370 mm, total dimensions: 10000 mm x 1200 mm x 2350 mm. Including suction device for rest film and 2 crates with parts, dimensions suction device: 550 mm x 500 mm x 1150 mm, dimensions crates: 600 mm x 400 mm x 200 mm.	1500



Nr	Title	Description	Start €
158	MR Etikettiertechnik GmbH & Co. KG	MR Etikettiertechnik GmbH & Co. KG labelling machine, type: MR 4312 / MR 4371 / MR 425, plastic belt, belt width: 100 mm, total dimensions: 2250 mm x 1500 mm x 1850 mm. Including crate with parts.	1500
159	Espera	Espera checkweighing and labelling machine, checkweigher model: ESW 2504, maximum capacity: 6 kg, minimum capacity: 40 g, e= 2 g, T= -6000 g, model labelling machine: ESF 504 / ESG 304, 180/225 V, 50/60 Hz, 4 A, plastic belts, belt width: 145 mm, total dimensions: 1660 mm x 680 mm x 1550 mm. Including crate with parts.	1500
160	Espera	Espera checkweighing and labelling machine, checkweigher model: ESW 2504, maximum capacity: 6 kg, minimum capacity: 40 g, e= 2 g, T= -6000 g, plastic belts, belt width: 145 mm, total dimensions: 1700 mm x 650 mm x 1550 mm.	1500
161	Nematec	Nematec dicer, type: MS 120.4, year of construction: 1992, 380 V, 50 Hz, 11.2 A, 5.6 kW, chamber: 120 mm x 120 mm, total dimensions: 1560 mm x 700 mm x 1060 mm. Missing covers.	500
162	Schad GmbH u.Co. KG	Schad GmbH u.Co. KG mobile binding machine, type: E 85-1, number: 34, year of construction: 04.2005, 230/400 V, 50 Hz, 0.37 kW, weight: 143 kg, dimensions: 800 mm x 800 mm x 1250 mm.	250
163	NN depositor	Mobile s/s depositor, inside tub dimensions: 360 mm x 340 mm x 750 mm, total dimensions: 800 mm x 500 mm x 1620 mm.	100
164	Lanico	Lanico mobile lid applicator, type: VVG 140, number: 140017, year of construction: 2008, 230 V, 1 Ph, 50 Hz, 7 bar, clearance: (2x) 86 mm, total dimensions: 630 mm x 600 mm x 1440 mm.	1000
165	Stork & Herrmann GmbH	Stork & Herrmann GmbH mixer with 2 trolleys, type: MA200D, machine number: 0587, year of construction: 2007, 400 V, 3 Ph, 50/60 Hz, 16 A, 2.1/5.2 kW, mixer dimensions: 1400 mm x 900 mm x 1350 mm, dimensions trolleys: (2x) 1050 mm x 750 mm x 830 mm. Without mixing tubs.	250
166	Heinz Jürgen Bödicker GmbH	Heinz Jürgen Bödicker GmbH press, dimensions: 720 mm x 700 mm x 1800 mm. Incomplete.	100
167	Gottl. Kern & Sohn GmbH	Gottl. Kern & Sohn GmbH weighing scale, model: WTB 3K1 IPM, serial number: RW157986EH, maximum capacity: 3 kg, minimum capacity: 20 g, e= 1 g, scale dimensions: 230 mm x 180 mm, total dimensions: 310 mm x 230 mm x 130 mm.	10
168	Steinberg	Steinberg weighing scale, model: SBS-LW-7500A, serial number: 457920200892, year of construction: 2020, maximum capacity: 7500 g, minimum capacity: 0.5 g, scale dimensions: 180 mm x 180 mm, total dimensions: 260 mm x 180 mm x 80 mm.	10



Nr	Title	Description	Start €
169	Mettler-Toledo GmbH	Mettler-Toledo GmbH weighing scale, type: IDmini60s, number: 2000173, maximum capacity: 60 kg, minimum capacity: 0.4 kg, e= 0.02 kg, scale dimensions: 500 mm x 400 mm, total dimensions: 500 mm x 600 mm x 450 mm.	20
170	NN table	S/s table, dimensions: 680 mm x 680 mm x 860 mm.	25
171	Bartscher	Bartscher heated display, type: DH-260, serial number: C020372, 230 V, 50 Hz, 250 W, dimensions: 500 mm x 380 mm x 290 mm.	10
172	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH manual clipper, type: TC107.F. 2.0.185. 409, dimensions: 170 mm x 250 mm x 870 mm.	75
173	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH manual clipper, type: MP207M.1250.119, dimensions: 170 mm x 250 mm x 870 mm.	75
174	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH double manual clipper, type: DCK.615.207, dimensions: 750 mm x 500 mm x 800 mm.	100
175	NN table	S/s table, dimensions: 700 mm x 600 mm x 850 mm.	25
176	Bizerba	Bizerba automatic slicer, type: A330, machine number: 85657, 220/380 V, 3 Ph, 50 Hz, 2.1/1.2, 0.710 kW, dimensions: 750 mm x 650 mm x 570 mm.	75
177	NN slicer	Slicer, dimensions: 550 mm x 500 mm x 380 mm.	75
178	NN table	Aluminium table, dimensions: 1500 mm x 900 mm x 750 mm.	75
179	NN kitchen equipment	Kitchen equipment.	25
180	NN knives for slicer	Various slicer knives, diameter: (1x) 270 mm, (1x) 400 mm, (4x) 300 mm.	50
181	Bizerba	Bizerba slicer, type: VS 8, machine number: 1115963, 220/380 V, 3 Ph, 1.25/0.72 A, 0.300 kW, dimensions: 650 mm x 530 mm x 450 mm.	75
182	Graef GmbH & Co. KG	Graef GmbH & Co. KG slicer, type: Euro 2710 Fleischerei, serial number: 6461876, year of construction: 2008, 230 V, 50 Hz, 1.4 A, 300 W, dimensions: 550 mm x 500 mm x 400 mm.	75
183	Graef GmbH & Co. KG	Graef GmbH & Co. KG slicer, type: Euro 3010 gi.M. Fleischerei, serial number: 5464144, year of construction: 2005, 230 V, 50 Hz, 2.2 A, 500 W, dimensions: 600 mm x 570 mm x 430 mm.	75
184	Bartscher /Vega / Saro	5 au bain maries, (3x) Bartscher, type: ZCK165A, 230 V, 1 Ph, 50 Hz, 1200 W, dimensions: (3x) 650 mm x 360 mm x 300 mm, (1x) Vega, dimensions: (1x) 560 mm x 340 mm x 300 mm, (1x) Saro, type: IP20, 230 V, 1200 W, dimensions: 600 mm x 380 mm x 250 mm.	50
185	NN table	S/s table, dimensions: 2000 mm x 1200 mm x 770 mm.	150
186	Jünger	Jünger au bain-marie, type: 0253 000, 230 V, 600 W, dimensions: 410 mm x 300 mm x 300 mm.	10





Nr	Title	Description	Start €
187	NN sauce pump	S/s sauce pump, dimensions: 280 mm x 220 mm x 330 mm.	10
188	Coffee Perfect	Coffee Perfect coffee machine, dimensions coffee machine: 450 mm x 210 mm x 550 mm, dimensions warm holder: (1x) 300 mm x 300 mm x 420 mm, (1x) 230 mm x 230 mm x 270 mm.	25
189	NN table	S/s table, dimensions: 1240 mm x 1030 mm x 810 mm.	25
190	NN slicer	Slicer, dimensions: 600 mm x 600 mm x 430 mm.	75
191	Bizerba	Bizerba slicer, model: VS 12 D, number: 2166388, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz 1.9/1.38 A, 0.552 kW, dimensions: 800 mm x 650 mm x 480 mm.	200
192	Rewebo	Rewebo slicer, dimensions: 650 mm x 500 mm x 450 mm.	75
193	NN table	S/s table, dimensions: 2000 mm x 1200 mm x 750 mm.	150
194	Graef GmbH & Co. KG	Graef GmbH & Co. KG slicer, type: A-3000, number: 93956 1, 220 V, 1 Ph, 50 Hz, 2.0 A, 0.35 kW, dimensions: 650 mm x 500 mm x 400 mm. Including extra knife.	75
195	Graef GmbH & Co. KG	Graef GmbH & Co. KG slicer, type: EURO 3004, number: 9920762, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 2.4 A, 0.5 kW, dimensions: 600 mm x 370 mm x 440 mm.	75
196	NN slicer	Slicer, dimensions: 600 mm x 550 mm x 440 mm.	75
197	NN table	Mobile s/s table, dimensions: 2000 mm x 1200 mm x 830 mm.	150
198	Panasonic	Panasonic microwave, dimensions: 420 mm x 520 mm x 330 mm.	10
199	Bartscher	Bartscher 2 pits stove, dimensions: 600 mm x 350 mm x 170 mm.	10
200	Rewebo	Rewebo tenderizer, model: SM 301, factory number: FE 920100076, 400/240 V, 1/3 Ph, working width: 165 mm, dimensions: 400 mm x 180 mm x 500 mm.	75
201	Soehnle	Soehnle weighing scale with indicator, maximum capacity: 50 kg, dd= 20 g, scale dimensions: 520 mm x 400 mm x 80 mm, dimensions indicator: 260 mm x 140 mm x 70 mm.	10
202	NN table	Aluminium table, dimensions: 1850 mm x 920 mm x 960 mm.	75
203	Bizerba	Plastic crate with Bizerba knife sharpeners and parts, dimensions: 600 mm x 400 mm x 200 mm.	25
204	Dagama	Dagama table grinder, model: INT 90E, factory number: 765, year of construction: 1996, 230 V, 1 Ph, 50 Hz, 8 A, 200/400 W, maximum plate diameter: 60 mm, total dimensions: 500 mm x 200 mm x 400 mm. Incomplete.	25
205	NN gastronorm trays	S/s gastronorm trays, dimensions: (7x) 320 mm x 260 mm x 200 mm, (1x) 530 mm x 160 mm x 160 mm.	10
206	NN wooden chopping block	Wooden chopping block, dimensions: 400 mm x 400 mm x 900 mm.	25
207	Rasch	Rasch wooden chopping block, dimensions: 500 mm x 500 mm x 950 mm.	25



Nr	Title	Description	Start €
208	Deski	Deski oven, model: Mini-Backofen, number: 401062, 220/240 V, 1 Ph, 50/60 Hz, 1500 W, capacity: 30 liter, dimensions: 500 mm x 400 mm x 330 mm.	10
209	Alaska	Alaska fan, dimensions: 450 mm x 300 mm x 580 mm.	5
210	Sharp	Sharp microwave, dimensions: 460 mm x 350 mm x 290 mm.	10
211	NN refrigerated cabinet	S/s refrigerated cabinet, dimensions: 1360 mm x 700 mm x 860 mm.	50
212	Bartscher	Bartscher dishwasher, model: TF50 110418-230/50, serial number: DW11022070, year of construction: 2015, 220/240 V, 50 Hz, 1.63 A, 3650/650 W, dimensions: 590 mm x 620 mm x 830 mm.	50
213	Hobart	Hobart dishwasher, model: SXS-70N, serial number: 06650210, 400/230 V, 1/3 Ph, 50 Hz, dimensions: 600 mm x 600 mm x 810 mm.	50
214	Stalgast	Stalgast dishwasher, dimensions: 560 mm x 670 mm x 830 mm.	50
215	Electrolux	Electrolux 4 pits stove, dimensions: 800 mm x 760 mm x 900 mm.	50
216	Whirlpool	Whirlpool 4 pits stove with oven, model: AKZ612/IX/01, 230/400 V, 3 Ph, 50 Hz, 9.5 kW, dimensions: 660 mm x 580 mm x 630 mm.	50
217	Haka	Haka 2 pits stove, dimensions: 660 mm x 400 mm x 380 mm.	25
218	Bartscher	Bartscher 4 pits stove with oven, type: PCE66TF, 400 V, 3 Ph, 50/60 Hz, 10.5 kW, dimensions: 650 mm x 600 mm x 970 mm.	50
219	NN film rolls	3 pallets with plastic film rolls for thermoformer, film type: AMBAR 38/503NB TS MM463 MY300, film width: 463 mm.	300
220	NN film rolls	2 pallets with plastic film rolls for thermoformer, film material: AMBAR 38/503NB TS MM463 MY300, film width: 463 mm.	200
221	NN film rolls	Pallet with plastic film rolls for thermoformer, film width: 432 mm.	100
222	NN film rolls	3 pallets with plastic film rolls for thermoformer, type: AMBAR 38/503NB TS MM463 MY300, film width: 463 mm.	300
223	VF Verpackungen	Pallet with VF Verpackungen plastic film rolls for thermoformer, type: AMILEN ML 80, film width: 455 mm.	25
224	NN film rolls	Pallet with plastic film rolls for thermoformer, film width: 463 mm.	50
225	EK Pack Folien GmbH	Pallet with EK Pack Folien GmbH plastic film rolls for thermoformer, film width: 463 mm.	50
226	NN film rolls	Pallet with plastic film rolls for thermoformer, film width: 455 mm.	100
227	NN film rolls	2 pallets with plastic film rolls for thermoformer, type: AMBAR 38/503NB TS MM382 MY300, film width: 382 mm.	200



<b>Nr</b>	<b>Title</b>	<b>Description</b>	<b>Start €</b>
228	NN film rolls	3 pallets with various plastic film rolls for thermoformer, film width: 565 mm, 390 mm and 1200 mm.	75
229	NN film rolls	2 pallets with plastic film rolls for thermoformer, type: AMBAR 38/503NB TS MM382 MY300, film width: 382 mm.	200
230	Buergofol GmbH	Pallet with Buergofol plastic film rolls for thermoformer, type: OPA/KF61N, film width: 455 mm.	75
231	NN film rolls	2 pallets with various plastic film rolls for thermoformer, film width: 560 mm, 435 mm, 420 mm, 565 mm and 430 mm.	100
232	NN film rolls	2 pallets with plastic film rolls for thermoformer, type: AMILEN ML 120 and AMILEN ML 80, film width: 560 mm and 562 mm.	200
233	NN film rolls	3 pallets with plastic film rolls for thermoformer, type: AMBAR 38/503NB TS MM382 MY300, film width: 382 mm.	300
234	NN film rolls	Pallet with plastic film rolls for thermoformer, film width: 460 mm.	75
235	NN film rolls	Pallet with plastic film rolls for thermoformer, type: AMILEN MLX 80 BLACK, film width: 455 mm.	100
236	EK Pack Folien GmbH	Pallet with EK Pack Folien GmbH plastic film rolls for thermoformer, type: AMILEN ML 80, film width: 382 mm.	100
237	NN film rolls	Pallet with plastic film rolls for thermoformer, type: AMILEN ML 230, film width: 382 mm.	100
238	NN film rolls	Pallet with plastic film rolls for thermoformer, film width: 380 mm.	100
239	NN film rolls	Pallet with plastic film rolls for thermoformer, type: AMBAR 38/503NB TS MM382 MY500, film width: 382 mm.	10
240	NN film rolls	2 pallets with plastic film rolls for thermoformer, type: AMILEN ML 230, film width: 382 mm.	200
241	NN film rolls	Pallet with plastic film rolls for thermoformer, type: AMILEN ML 80, film width: 382 mm.	100
242	Buerfol GmbH	Pallet with Buerfol GmbH plastic film rolls for thermoformer.	100
243	NN film rolls	3 pallets with plastic film rolls for thermoformer, type: AMBAR 38/503NB TS MM382 MY500, film width: 382 mm.	300
244	NN film rolls	2 pallets with plastic film rolls for thermoformer, type: AMILEN ML 230, film width: 433 mm.	200
245	NN film rolls	2 pallets with plastic film rolls for thermoformer, type: AMILEN ML 120, film width: 430 mm.	200
246	NN film rolls	Pallet with plastic film rolls for thermoformer, film width: 462 mm.	75
247	Buergofol GmbH	Pallet with Buergofol GmbH plastic film rolls for thermoformer, type: DD13BO092MOD PEEL,,85, film width: 455 mm.	100
248	VF Verpackungen	2 pallets with VF Verpackungen plastic film rolls for thermoformer, type: AMILEN MLX 80 BLACK, film width: 560 mm and 455 mm.	100



Nr	Title	Description	Start €
249	Buergofol GmbH	Pallet with Buergofol GmbH plastic film rolls for thermoformer, type: OPET/T900AFEP.700522.12/70u, film width: 430 mm.	100
250	EK Pack Folien GmbH	Pallet with EK Pack Folien GmbH plastic film rolls for thermoformer, film width: 463 mm.	100
251	NN film rolls	Pallet with plastic film rolls for thermoformer, film width: 432 mm.	100
252	Allvac Folien GmbH	Pallet with Allvac Folien GmbH plastic film rolls for thermoformer, type: Allflex SC 80, film width: 560 mm.	100
253	NN film rolls	Pallet with various plastic film rolls for thermoformer, film width: 560 mm, 435 mm, 420 mm, 565 mm and 430 mm.	50
254	NN film rolls	Pallet with plastic film rolls for thermoformer, film width: 420 mm.	50
255	Poly-Clip System GmbH & Co. KG	2 pallet with large amount of Poly-Clip System GmbH & Co. KG clips, type: R 1809 5x2.000L, S 628 Rd and R 18-12 5x2.20 OL GH.	400
256	Hygostar / Ehlert / Med-comfort / Tork	Hygostar / Ehlert / Med-comfort / Tork personal hygiene clothing consists of: hairnets, beard nets and overalls.	150
257	NN paper rolls	Plastic crates with paper rolls, roll width: 57 mm, total dimensions: 600 mm x 400 mm x 200 mm.	10
258	NN carton boxes	3 pallets with carton boxes.	75
259	NN carton boxes and labels	19 pallets with carton boxes and 1 pallet with labels.	475
260	NN carton boxes	16 pallets with carton boxes.	400
261	NN carton boxes	10 pallets with carton boxes.	250
262	NN carton boxes	11 pallets with carton boxes.	275
263	NN carton boxes	25 pallets with carton boxes.	625
264	NN carton boxes	22 pallets with carton boxes.	550
265	NN carton boxes	22 pallets with carton boxes.	550
266	NN carton boxes	18 pallets with carton boxes.	450
267	NN carton boxes	18 pallets with carton boxes.	450
268	NN carton boxes	17 pallets with carton boxes.	425
269	NN carton boxes	19 pallets with carton boxes.	475
270	NN carton boxes and labels	21 pallets with carton boxes and labels.	525
271	NN carton boxes and labels	20 pallets with carton boxes and labels.	500
272	NN carton boxes and plastic crates	17 pallets with carton boxes, 2 pallets with plastic crates, crate dimensions: 600 mm x 400 mm x 100 mm.	425
273	NN carton boxes	23 pallets with carton boxes.	575
274	NN carton boxes	30 pallets with carton boxes.	750
275	NN carton boxes	13 pallets with carton boxes.	325
276	NN labels	2 pallets with labels.	50
277	NN carton boxes	31 pallets with carton boxes.	775



Nr	Title	Description	Start €
278	NN plastic plates	Pallet with large amount of plastic plates, plate dimensions: 1200 mm x 1000 mm, total dimensions: 1400 mm x 1200 mm x 600 mm.	50
279	NN labels	4 pallets with various labels.	100
280	NN lids	Pallet with green lids for jars, lid diameter: 85 mm.	25
281	NN labels	3 pallets with various labels.	75
282	NN workshop inventory with various machine parts	Rack with wooden floors, including content consisting of: motors, wheels, hose reels, hoses, pneumatic parts, thermoformer parts, electric parts, fuses, cables, drive wheels and welding masks, dimensions rack: 13000 mm x 380 mm x 2350.	1000
283	Hankison / SPX	Hankison oil / water separator, model: HS 120, dimensions: 500 mm x 350 mm x 680 mm, SPX air dryer, model: HHC 242, serial number: 369663-0107-2669, year of construction: 01/2007, 115/230 V, 1 Ph, 50/60 Hz, 0.5/0.25 A, air pressure: 4/10 bar, dimensions: 700 mm x 650 mm x 1400 mm.	50
284	NN paint spraying tool	2 pallets with paint spraying tool and various spraying paint, dimensions: (2x) 1200 mm x 800 mm x 600 mm.	50
285	Stonhard	Pallet with Stonhard self-priming, four-component, polyurethane mortar system, type: STONCLASD UT, dimensions: 1200 mm x 800 mm x 1000 mm.	25
286	NN workshop inventory with various machine parts	7 pallets with workshop inventory and various machine parts, consisting of: knife sharpeners, brushes, seals, motors, vacuum pumps, fuses, electric parts, thermoformer parts and various machine parts, dimensions: (7x) 1200 mm x 800 mm x 500 mm.	400
287	Berger	Berger labelling unit, dimensions: 950 mm x 400 mm x 800 mm.	100
288	Busch	Busch vacuum pump, type: 160-132, number: 39945, capacity: 160/132 m <sup>3</sup> per hour, dimensions: 850 mm x 550 mm x 600 mm.	150
289	Busch	Busch vacuum pump, dimensions: 1000 mm x 550 mm x 450 mm.	100
290	Busch	Busch vacuum pump, type: CB 0250 B, number: 070023593, year of construction: 2007, capacity: 250 m <sup>3</sup> per hour, dimensions: 1100 mm x 500 mm x 450 mm.	250
291	NN hydraulic units	2 hydraulic units, dimensions: (2x) 6650 mm x 380 mm x 730 mm.	200
292	Busch	Busch vacuum pump, type: GR 500, number: 272, capacity: 500 m <sup>3</sup> per hour, dimensions: 850 mm x 300 mm x 540 mm. Including s/s cover, dimensions: Ø 400 mm x 600 mm.	250
293	Busch	Busch vacuum pump, type: 250-132, number: 49470, capacity: 250/132 m <sup>3</sup> per hour, dimensions: 950 mm x 500 mm x 450 mm.	100
294	NN grids	Grids for dicer.	100



Nr	Title	Description	Start €
295	NN switch cabinet	S/s switch cabinet, dimensions: 600 mm x 600 mm x 250 mm.	50
296	Inject star	Inject star, dimensions: 900 mm x 380 mm x 560 mm.	50
297	Loma	Pallet with 3 Loma pipe line metal detectors, model: IQ <sup>2</sup> , dimensions: (3x) 300 mm x 550 mm x 500 mm. All metal detectors are incomplete.	150
298	NN dye's	Pallet with dye's for thermoformer, dye: (8x) 200 mm x 85 mm, (2x) 414 mm x 186 mm, (3x) 141 mm x 120 mm, (1x) 389 mm x 415 mm, (4x) 200 mm x 186 mm, (6x) 200 mm x 120 mm, total dimensions: 1200 mm x 1000 mm x 900 mm.	50
299	NN advertisement light	Wooden box with advertisement light of "Der Pommeraner" dimensions light board: 900 mm x 230 mm x 450 mm, dimensions box: 1200 mm x 800 mm x 700 mm.	25
300	NN motors and pumps	Pallet with various vacuum pumps and motors, to be used for parts, dimensions: 1200 mm x 800 mm x 300 mm.	50
301	NN parts	S/s smoke trolley with various parts and hoses.	75
302	NN parts	5 pallets with parts for thermoformer, dye: (6x) 185 mm x 108 mm and (4x) Ø 180 mm.	250
303	Busch	Busch suction device for thermoformer, type: SR 0400 C, 208-240/360-415 V, 50 Hz, 6.8/3.9 A, dimensions: 550 mm x 500 mm x 1150 mm.	25
304	NN cabinet	Steel cabinet with various tools and parts, tool cases are empty, dimensions: 940 mm x 420 mm x 1960 mm.	25
305	NN parts	Cabinet and trolley with electrical components, dimensions cabinet: 800 mm x 400 mm x 2050 mm, dimensions trolley: 700 mm x 470 mm x 820 mm.	100
306	Mettler Toledo	Mettler Toledo indicator in box, type: IND690 Desk, serial number: 3080641, 100-240 V, 50/60 Hz, 600- 240 mA, maximum: 600 - 1500 kg, minimum: 4 - 10 kg, e= 0.2 - 0.5 kg, dimensions display: 360 mm x 160 mm x 220 mm, dimensions box: 400 mm x 300 mm x 280 mm.	50
307	NN desk	Desk including content, dimensions: 4500 mm x 790 mm x 740 mm.	200
308	Hanse	Hanse tool trolley including content, dimensions: 770 mm x 460 mm x 950 mm.	100
309	Kärcher	Kärcher heated high pressure washer, type: HDS790C, year of construction: 1991 dimensions: 1050 mm x 600 mm x 700 mm.	150
310	NN workbench	Workbench with various tools and parts, dimensions: 2800 mm x 750 mm x 1070 mm.	150
311	Proficraft	Proficraft column drill, dimensions: 300 mm x 420 mm x 740 mm.	25
312	Stamos	Stamos tig welding machine, type: S-alu 225PH, dimensions: 600 mm x 360 mm x 400 mm.	100



Nr	Title	Description	Start €
313	De Walt	De Walt workbench grinder, type: DW753-QA, serial number: 004368, 230 V, 50 Hz, 1.86 A, 415 W, dimensions: 330 mm x 300 mm x 200 mm.	10
314	Einhell	Einhell welding machine, type: CEN 140, dimensions: 350 mm x 220 mm x 280 mm.	10
315	NN table	Table, wooden top, dimensions: 1200 mm x 720 mm x 900 mm. Including crates with parts and motors.	50
316	NN chair	Chair, dimensions: 700 mm x 660 mm x 1170 mm.	10
317	Busch	Pallet with Busch vacuum pump parts, type: RC 0063 L 501, number: 475413/GMZZ/0F, year of construction: 1997, dimensions: 800 mm x 600 mm x 300 mm.	25
318	NN table	Aluminium table, dimensions: 500 mm x 500 mm x 500 mm.	10
319	NN cabinet	Steel cabinet, dimensions: 950 mm x 500 mm x 1950 mm. Including content.	25
320	Eurochiller S.r.l.	Eurochiller S.r.l. mobile chiller, type: GCA..006., serial number: 200204200400440044, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 14 A, 2.8 kW, refrigerant: R407c, dimensions: 900 mm x 700 mm x 1200 mm.	150
321	Kaeser Kompressoren	Kaeser Kompressoren air dryer, type: TC 36, serial number: 36345, year of construction: 1995, 230 V, 1 Ph, 50 Hz, 4.6 A, refrigerant: R 22, 1050 g, dimensions: 770 mm x 670 mm x 1150 mm.	75
322	NN plastic cover	Plastic cover, dimensions: 820 mm x 300 mm x 500 mm.	10
323	NN table	Table, wooden top, dimensions: 1700 mm x 700 mm x 840 mm. Including content.	50
324	NN tool board	Steel wall mounted tool board, dimensions: 1500 mm x 460 mm. Including content.	10
325	Espera	Espera weighing scale with control display and label printer, scale dimensions: 330 mm x 260 mm x 80 mm, display dimensions: 400 mm x 480 mm x 350 mm, type label printer: ESD 104, 230 V, 1 Ph, 50/60 Hz, 1 A, dimensions: 530 mm x 350 mm x 260 mm.	200
326	NN table	S/s table, dimensions: 1300 mm x 800 mm x 760 mm.	100
327	NN table	S/s table, dimensions: 500 mm x 500 mm x 450 mm.	25
328	NN table	S/s table, dimensions: 500 mm x 500 mm x 450 mm.	25
331	NN doors	Steel pallet rack with various doors and wooden box, dimensions pallet rack, 1100 mm x 3150 mm, beam width: 2700 mm.	100
332	NN meat hooks	Steel crate with large amount of meat hooks, dimensions: 1250 mm x 850 mm x 900 mm.	25
333	NN rack	Aluminium rack, dimensions: 1900 mm x 400 mm x 1800 mm.	25
334	NN autoclave trolleys	37 steel autoclave trolleys, dimensions: (37x) 800 mm x 700 mm x 950 mm.	1750



Nr	Title	Description	Start €
335	Loos International	Loos International steam boiler with Wieshaupt burner, type: UL-S 3200, serial number: 102433, year of construction: 05/2007, volume: 4830 liter, capacity: 3000 kg per hour, with Economiser, type: ECO 1, serial number: 1026340, year of construction: 05/2007, burner type: G40/2-A, fabrication number: 5723360, year of construction: 2007, dimensions: 5800 mm x 2200 mm x 2550 mm.	3500
336	Loos International	Loos International steam condenser storage tank, type: FT.C 1.5, serial number: 1026345, year of construction: 05/2007, volume: 1500 liter, dimensions: 3200 mm x 1700 mm x 3100 mm. With 2 Grundfos pumps and 2 plastic tubs with water softener.	2500
337	NN catering equipment	Pallet with 4 plastic crates with catering equipment, dimensions: 1200 mm x 800 mm x 400 mm.	10
338	NN bowls	Pallet with 3 plastic crates and 1 box with bowls, dimensions each bowl: 170 mm x 170 mm x 70 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	10
339	NN restaurant inventory	Restaurant inventory, consisting of: 9 tables, 7 chairs and 1 bench, dimensions table: (3x) 800 mm x 700 mm x 770 mm, (2x) 700 mm x 700 mm x 770 mm and (4x) 700 mm x 700 mm x 1150 mm, dimensions bench: 2050 mm x 1600 mm x 900 mm.	100
340	NN trash cans	9 plastic trash cans, various sizes.	30
341	NN catering equipment	Pallet with 8 plastic crates with catering equipment, dimensions: 1200 mm x 800 mm x 600 mm.	10
342	NN catering equipment	Pallet with 8 plastic crates with catering equipment, dimensions: 1200 mm x 800 mm x 600 mm.	10
343	NN catering equipment	Pallet with 8 plastic crates with catering equipment, dimensions: 1200 mm x 800 mm x 600 mm.	10
344	NN catering equipment	Pallet with 6 plastic crates with catering equipment, dimensions: 1200 mm x 800 mm x 600 mm.	10
345	NN catering equipment	Pallet with 7 plastic crates with catering equipment, dimensions: 1200 mm x 800 mm x 600 mm.	10
346	NN catering equipment	Pallet with 4 plastic crates with catering equipment, dimensions: 1200 mm x 800 mm x 600 mm.	10
347	NN catering equipment	Pallet with 5 plastic crates with catering equipment, dimensions: 1200 mm x 800 mm x 600 mm.	10
348	NN brush	3 plastic brushes, dimensions brushes: (2x) 750 mm x Ø 500 mm and (1x) 400 mm x Ø 500 mm.	30
349	NN weighing scales	2 weighing scales and computer monitor, dimensions: 350 mm x 350 mm x 450 mm, 330 mm x 220 mm x 120 mm and 420 mm x 120 mm x 450 mm. Incomplete.	10
350	Bizerba	Bizerba label printer, dimensions: 450 mm x 280 mm x 180 mm.	10
351	Intertek	Intertek microwave, model: D70D17P-C6, year of construction: 2010, 230-240 V, 50 Hz, 2450 W,	10





Nr	Title	Description	Start €
352	Canon	Canon printer, dimensions: 700 mm x 650 mm x 700 mm. With mobile base.	10
354	Scholl	Scholl aluminium trolley, 10 floors, dimensions each floor: 530 mm x 350 mm, total dimensions: 560 mm x 430 mm x 1630 mm.	10
355	NN trolley	Aluminium trolley, 6 floors, dimensions each floor: 600 mm x 500 mm, total dimensions: 600 mm x 550 mm x 1450 mm.	10
356	Wanzl	9 Wanzl shopping carts, year of construction: 1992, dimensions: (9x) 600 mm x 380 mm x 930 mm.	30
357	Ariston	Ariston boiler, model: Pro Eco, number: 3200394, 230 V, 50/60 Hz, 1800 W, dimensions: Ø 480 mm x 800 mm.	25
358	NN air treatment systems	Air treatment system, consisting of: 1 evaporator and 2 channels, dimensions evaporator: 1100 mm x 400 mm x 200 mm, dimensions air channels: (2x) 750 mm x 750 mm x 1150 mm.	25
359	NN parts	Pallet with parts for thermoformer, dimensions: 1200 mm x 800 mm x 500 mm.	25
360	Kaeser Kompressoren	Kaeser Kompressoren oil-water separator, number: 174910, dimensions: 700 mm x 600 mm x 1300 mm.	25
361	AEG	AEG boiler, model: DEM 80 Basis, fabrication number: 1329-500502, dimensions: 500 mm x 480 mm x 900 mm.	25
362	NN cabinet	S/s cabinet, dimensions: 1000 mm x 600 mm x 870 mm.	20
363	NN trolley	Steel trolley with wooden top, dimensions: 950 mm x 700 mm x 950 mm.	15
364	NN trolley	S/s trolley, dimensions: 1200 mm x 720 mm x 1030 mm.	25
365	NN parts	Box with spare parts, dimensions: 500 mm x 300 mm x 400 mm.	25
366	NN hoses	Pallet and rack with hoses, various shapes and sizes.	25
367	NN parts	Steel pallet rack with various parts, consisting of: 3 uprights and 8 beams, dimensions uprights: 1100 mm x 2400 mm, beam width: 2700 mm.	100
368	NN locker	Steel 2-door locker, dimensions: 600 mm x 500 mm x 1800 mm.	25
369	NN lockers	2 steel 3-door lockers, dimensions: (2x) 920 mm x 500 mm x 1850 mm.	25
370	NN heating elements	Plastic crate with heating elements for chafing dishes, dimensions: 600 mm x 400 mm x 200 mm.	15
371	NN meat hooks	Plastic crate with meat hooks, dimensions: 600 mm x 400 mm x 200 mm.	10
372	NN trolley	Aluminium trolley, 10 floors, dimensions each floor: 750 mm x 280 mm, total dimensions: 800 mm x 350 mm x 1100 mm.	20
373	NN part	Part for tenderizer, dimensions: 580 mm x 200 mm x 520 mm.	10



Nr	Title	Description	Start €
374	KTK Klimatechnik	KTK Klimatechnik outside unit for airconditioning, model: SWA 18 S/Z/P/NS, serial number: 260755, year of construction: 2006, dimensions: 1170 mm x 500 mm x 1060 mm.	75
375	NN water softener	Water softener, serial number: 20181013, dimensions: 450 mm x 250 mm x 550 mm.	15
376	NN table	Aluminium table, dimensions: 700 mm x 420 mm x 450 mm.	20
377	Wolf GmbH	Wolf GmbH heater, type: LH 25-DSt, serial number: 0474, 380-415 V, 3 Ph, 0.4/0.25 A, 0.075/0.027 kW, dimensions: 750 mm x 500 mm x 550 mm.	20
378	NN trolley	S/s trolley, dimensions: 900 mm x 600 mm x 1100 mm.	20
379	NN vacuum pump	Side channel vacuum pump, dimensions: 450 mm x 500 mm x 450 mm.	25
380	NN trolley	S/s trolley, dimensions: 900 mm x 600 mm x 900 mm.	20
381	NN hood	S/s hood, dimensions: 2000 mm x 900 mm x 600 mm.	25
382	G.S. Gastronomie Systeme	G.S. Gastronomie Systeme s/s hood with suction device, year of construction: 2001, dimensions: 1400 mm x 900 mm x 400 mm.	25
383	NN crates	3 pallets with 80 plastic crates each, dimensions each crate: 600 mm x 400 mm x 75 mm.	150
384	NN crates	3 pallets with (2x) 80 plastic crates and (1x) 52 plastic crates, dimensions each crate: 600 mm x 400 mm x 75 mm.	150
385	Schütz	Schütz steel diesel tank, type: TWK, number: 846006, year of construction: 1996, volume: 1000 liter, dimensions: 1100 mm x 700 mm x 1600 mm.	75
386	Weber	Weber ice machine, dimensions: 1000 mm x 400 mm x 600 mm. Incomplete, technical condition unknown.	75
387	NN boxes	Aproximately 50 pallets with old carton boxes.	250

## General terms of the online auction

### Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: [www.Industrial-Auctions.com](http://www.Industrial-Auctions.com), which is maintained by Industrial Auctions, based in Eindhoven;

### Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

### Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

#### **Article 4. The auction**

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

#### **Article 5. Security**

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

#### **Article 6. Description lots**

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

#### **Article 7. Adjustments; operation**

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

#### **Article 8. Auction organization by Industrial Auctions**

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

#### **Article 9. Bid; Purchase Agreement**

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

#### **Article 10. Guarantees, claims and indemnities**

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

#### **Article 11. Payment obligations of the buyer**

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

#### **Article 12. Viewing days, auction days, pick-up days**

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

#### **Article 13. Delivery**

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

#### **Article 14. Termination**

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a



lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

## **Article 15. Liability**

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

## **Article 16. Applicable law**

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.




## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

# CONTACT

 [info@industrial-auctions.com](mailto:info@industrial-auctions.com)

 +31 (0)40 240 9208

