

1928: Online auction machinery for the food industry on behalf of BMG Trade in Zamość (PL)

END DATE

30 September 2025 14:00

General terms and conditions of the online auction

End date	30 September 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	23% over the highest bid including premium
Pick up days	07 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Lipisko 241 22-400 Zamość Poland
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Carnitech	Carnitech grinder, model: CT3113, type: ON 23960 00, serial number: 04-2063, year of construction: 2005, 400 V, 3 Ph, 50 Hz, plate diameter: 225 mm, total dimensions: 2200 mm x 2150 mm x 2450 mm. Including s/s tool trolley.	10000
2	Cryovac	Cryovac shrink tunnel, model: CJ61 RL-F, serial number: SN00615, year of construction: 2009, 400 V, 50 Hz, 32 A, 18 kW, clearance: 280 mm x 150 mm, total dimensions: 2100 mm x 930 mm x 1450 mm.	3000
3	Bilwinco/Hassia	Bilwinco/Hassia packaging line, consisting of: Bilwinco 10-heads multihead weigher, type: BW110-W, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 5000 VA, 10 KA, air pressure: 5-10 bar, weighing range: 10 gram to 3000 gram, weighing scale dimensions: 135 mm x 220 mm x 345 mm, Hassia vertical bag form- fill and seal machine, type: FB BI-400-IS, machine number: 152-710, year of construction: 2006, 230/400 V, 3 Ph, 50 Hz, 35 A, 23 kVA, dimensions: 1750 mm x 2700 mm x 2850 mm. Including 2 conveyors, dimensions: 4350 mm x 1400 mm x 3400 mm.	15000
4	Medoc S.A.	Medoc S.A. bandsaw, dimensions table: 950 mm x 880 mm, total dimensions: 1110 mm x 1000 mm x 1800 mm.	1500
5	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON evolution, machine number: 464001.227398.135490, year of construction: 2018, 380-480 V, 3 Ph, 18/22/32 A, 11.3/15.3 kW, machine weight: 2100 kg, clearance: 260 mm x 200 mm, total dimensions: 4150 mm x 1950 mm x 1820 mm. missing belts. Including transport belt, type: FÖRDERBAND conveyor belt, machine number: 481000.60223.135597, year of construction: 2018, 230 V, 1 Ph, 50/60 Hz, 1.25/10 A, 0.2/0,27 kW, machine weight: 165 kg,	50000
6	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH friction smoke generator, type: 501, number: 501.0234, year of construction: 2004, 400 V, 50 Hz, 15 A, dimensions: 1200 mm x 800 mm x 1920 mm. Including switch cabinet.	750
7	Unitherm	Unitherm spiral oven, model: XSSO-12-1.1-8t-G, serial number: SPOV-CS32, 380/415/480 VACC, 3 Ph, 50/60 Hz, 17/15/12.5 A, gas heated, 8 floors, netto space between floors: 90 mm, infeed height: 560 mm, s/s mesh belt, belt width: 300 mm, outfeed height: 1450 mm, total dimensions oven: 3400 mm x 1900 mm x 2300 mm, total dimensions platform: 4040 mm x 2350 mm x 150 mm.	32500
8	Lensink	Lensink meat press with Christmas moulds, dimensions: 2100 mm x 490 mm x 1290 mm.	200
9	ITW Packaging Systems Group GmbH	ITW Packaging Systems Group GmbH mobile strapping machine, model: B A32-102, serial number: 14258367, year of construction: 2008, 230 V, 50 Hz, clearance: 330 mm x 210 mm, total dimensions: 1070 mm x 570 mm x 1500 mm.	650

Nr	Title	Description	Start €
10	Stein	Stein hydraulic unit, type: HPP-75, number: 472, dimensions: 1330 mm x 1000 mm x 1900 mm.	250
11	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer, type: TWISTER AT, machine number: 418002.183054.120882, year of construction: 2014, 24/380/480 V, 3 Ph, 50/60 Hz, 12/15/25 A, 7/9.52 kW, plastic belt, belt width: 250 mm, total dimensions: 2050 mm x 1950 mm x 1850 mm. Including mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 630 mm, distance between dividers: 140 mm, divider height: 85 mm, elevating height: 1920 mm, total dimensions: 1750 mm x 960 mm x 2015 mm and s/s tool trolley, dimensions: 1450 mm x 500 mm x 1320 mm.	15000
12	Ilapak international s.a.	Ilapak flowpacker, type: Carrera 1000/40, serial number: 640490085, year of construction: 04-2014, 400 V, 3 Ph, 50 Hz, 7 A, plastic belt with dividers, distance between dividers: 200 mm, total dimensions: 5750 mm x 1350 mm x 1800 mm.	10000
14	Stein	Stein hydraulic unit, type: HPP-75/160, number: 454, dimensions: 1330 mm x 1000 mm x 1900 mm.	250
15	Seydelmann	Seydelmann grinder with lifter for 200 liter meat bins, type: AG 160 B, machine number: 05642, year of construction: 2004, 400 V, 50 Hz, 74 A, 42 kW, 6-10 bar, diameter plate: 160 mm, dimensions: 2850 mm x 2100 mm x 1750 mm.	17500
16	Ulma	Ulma flowpacker, model: NEVADA, machine number: 1300025, year of construction: 2002, 380 V, 50 Hz, 24 A, 5.5 kW, plastic belt, belt width: 200 mm, seal length: 250 mm, film width: 290 mm, total dimensions: 2750 mm x 1350 mm x 1830 mm.	2500
17	Grasselli SPA	Grasselli SPA mobile skinning machine, type: RST520-M/CLO, serial number: R36R00/M1441, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 2.3 A, 0.9 kW, 7 bar, working width: 485 mm, total dimensions: 700 mm x 650 mm x 935 mm.	2000
18	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF620, number: 16095, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 11.5 A, 8 kW, knee control, dimensions: 2200 mm x 1400 mm x 1900 mm.	15000
19	Marel	Marel portion cutter, type: OptiCut, serial number: A085335, year of construction: 2011, 380/480 V, 3 Ph, 50/60 Hz, 11 A, belt type: intralox s1100 FTAC, belt width: 250 mm, clearance: 410 mm x 75 mm, total dimensions: 2050 mm x 750 mm x 2700 mm. With outfeed belt, plastic mesh belt, belt width: 250 mm, clearance: 270 mm x 150 mm, total dimensions: 1000 mm x 550 mm x 1115 mm and 2 trolleys with parts, dimensions: (2x) 1000 mm x 500 mm x 1050 mm.	3500

Nr	Title	Description	Start €
20	Cryovac	Cryovac manual darfresh machine (skin packer), type: VS26, serial number: SN02604, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 21 A, weight: 500 Kg, seal length: 560 mm, dimensions chamber: 720 mm x 530 mm, dimensions dye: (8x) 240 mm x 150 mm, with Gardner Denver vacuum pump, type: V-VC 202, total dimensions: 1600 mm x 1040 mm x 1220 mm. Including pallet with film rolls, film width: 560 mm.	15000
21	Pulsotronic	Pulsotronic metal detector with rejector, type: M-pulse BD-HD 600 x 200 LPW MFT, serial number: 90007347, 115/230 V, 1 Ph, 50/60 Hz, 16 A, transport belt type: HQ-HD 1500x300-GK (WVG), serial number: 90003521, year of construction: 2012, 230 V, 1 Ph, 50/60 Hz, 350 W, 4-6 bar, plastic mesh belt, belt width: 450 mm, clearance: 310 mm x 150 mm, total dimensions: 1850 mm x 1100 mm x 1270 mm.	2500
22	Marel	Marel elevating belt, type: 19533, serial number: 1, year of construction: 2011, plastic mesh belt with dividers, belt width: 290 mm, divider heigth: 100 mm, distance between dividers: 520 mm, elevating heigth: 1800 mm, total dimensions: 5200 mm x 880 mm x 2600 mm. Missing belt.	2500
23	Pulsotronic	Pulsotronic metal detector with rejector, type: M-pulse BD-HD 600 x 200 LPW MFT, serial number: 90003517, year of construction: 2012, 230 V, 1 Ph, 50/60 Hz, 350 W, 4-6 bar, plastic mesh belt, belt width: 450 mm, clearance: 310 mm x 150 mm, total dimensions: 1850 mm x 1100 mm x 1270 mm.	2500
24	Pulsotronic	Pulsotronic metal detector with rejector, type: M-pulse BD-HD 500 x 175 LPW MFT, serial number: 90007346, year of construction: 2018, 115/230 V, 1 Ph, 50/60 Hz, 16A, 350 W, 4-6 bar, plastic mesh belt, belt width: 450 mm, clearance: 310 mm x 150 mm, transport belt type: HQ-HD 1600 x 450-GK (WVG), serial number: 90003522, year of construction: 2012, 230 V, 1 Ph, 50/60 Hz, 350 W, 4-6 bar, total dimensions: 1850 mm x 1100 mm x 1270 mm.	2500
25	K+G Wetter	K+G Wetter grinder, machine number: 400/1160, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 42/50 A, 19 kW, diameter plate : 130 mm, total dimensions: 1300 mm x 1050 mm x 1750 mm.	7500
26	Marel	Marel checkweigher, type: 4700 ProcessCheck 4727.205.10, serial number: E016280, year of construction: 2014, 400/480 V, 3 Ph, 50/60 Hz, 16 A, weight: 150 Kg, plastic belt, belt width: 430 mm, total dimensions: 930 mm x 830 mm x 1760 mm. Including crate with parts.	1500
27	Simo	Simo separator with infeed hopper, dimensions: 2400 mm x 1600 mm x 1680 mm, dimensions switch cabinet: 600 mm x 410 mm x 800 mm. Including pallets with extra drum and worm.	12500

Nr	Title	Description	Start €
28	Inotec GmbH	Inotec GmbH mobile sausage cutter, type: WT 99-S, machine number: 070-00325, year of construction: 2015, 200/240/400/460 V, 2 Ph, 50/60 Hz, 2 kW, machine weight: 290 kg, dimensions: 810 mm x 900 mm x 1400 mm.	10000
29	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH mobile linking machine, model: LPG, type: 202, serial number: 202 0084, year of construction: 2002, 220-240/400-460/575 V, 3 Ph, 50/60 Hz, 10-16/7.5-16 A, dimensions: 1400 mm x 650 mm x 1350 mm.	2000
30	Sepamatic	Sepamatic separator, type: Sepa 403, machine number: 114029, 400 V, 50 Hz, 9 A, diameter drum: 190 mm, drum perforations: 1 mm, total dimensions: 1500 mm x 1000 mm x 1900 mm.	4000
32	Heinrich GmbH	Heinrich GmbH mobile sausage cutter, model: Trenn-Fix, serial number: HM 920502, 220 V, 50 Hz, diameter drum: 750 mm, total dimensions: 2850 mm x 1000 mm x 2220 mm.	5000
33	Handtmann	Handtmann vacuum filling machine, type: VF200, number: 2271-1, dimensions: 1120 mm x 980 mm x 1900 mm.	3500
34	ITEC Food Technology	ITEC Food Technology mobile tilting device for 200 liter meat bins, type: 27100, serial number: 0110, year of construction: 03/2007, 400 V, 3 Ph, 50 Hz, 0.75 kW, outfeed height: 840 mm, total dimensions: 2000 mm x 1240 mm x 1330 mm.	2500
35	Maja	Maja ice machine with Dorin cooling compressor, type compressor: K1000CS, serial number: 020719110, 380/420 V, 3 Ph, 50 Hz, 7.4 kW, 1450 rpm, dimensions cooling compressor: 1450 mm x 1000 mm x 1150 mm, dimensions Maja ice machine: 1600 mm x 1200 mm x 2750 mm.	2000
36	Steen	Steen mobile skinning machine, type: ST 600, serial number: 2G8/1709B, 380 V, 50/60 Hz, 5.8 A, 2200 W, plastic belt, belt width: (2x) 430 mm, working width: 340 mm, clearance 520 mm x 60 mm, total dimensions: 2900 mm x 650 mm x 1460 mm.	3000
37	Ceia S.p.A.	Ceia S.p.A. mobile pipeline metal detector, model: THS/PL-63, serial number: 20600226014, 115/230 V, 50-60 Hz, Ø clearance: 100 mm, total dimensions: 580 mm x 360 mm x 1580 mm.	500
38	Webomatic	Webomatic traysealer, type: TL 500, machine number: F 9021RJ116, 400 V, 3 Ph, 50 Hz, 8.5 A, 4.5 kW, 100-B m3/h, plastic mesh belt, belt width: (2x) 150 mm, dye: (2x) 155 mm x 200 mm, plastic belt, belt width: 320 mm, total dimensions: 3500 mm x 1060 mm x 1570 mm. Without vacuum pump.	5000
39	Kilia	Kilia double shaft mixer-grinder with lifter for meat bins, capacity: 1000 liter, dimensions: 3500 mm x 2950 mm x 2400 mm.	12500

Nr	Title	Description	Start €
40	Henneken	Henneken mobile flattener, plastic belt, belt width: (2x) 415 mm, clearance: 420 mm x 45 mm, total dimensions: 2000 mm x 850 mm x 1240 mm.	4000
41	Nieros	Nieros hygiene station with sole cleaner, hand disinfection, Dyson hand dryer and tourniquet, type: URK/W, serial number: N3C35-04, article number: 2550-251-030, year of construction: 09/2012, 400 V, 3 Ph, 50 Hz, 2,2 kW, brush length: 920 mm, total dimensions: 2000 mm x 1300 mm x 1610 mm.	3500
42	NN meat bin washer	Meat bin washer for 200 liter meat bins, type: B42.1-MRD, serial number: 933250642, 320 V, 3 Ph, 35 A, 17.43 kW, clearance: 900 mm x 980 mm, total dimensions: 2940 mm x 1670 mm x 2630 mm.	5000
44	Herbert Grunwald GmbH	Herbert Grunwald GmbH cup filling, sealing and lidding machine, type: HITTPAC AKH-05/3, work number: 31/08, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 20.0 A, 9.0 kW, Busch vacuum pump, type: RA 0100 F 503, number: 080086618, year of construction: 2008, capacity: 100 m ³ per hour, dimensions cups: 113 mm x 83 mm, total dimensions: 2200 mm x 1750 mm x 2210 mm.	5500
45	ITEC Food Technology	ITEC Food Technology hygiene station with sole cleaner, hand disinfection and tourniquet, type: 23740/li, serial number: 0395, order number: 99003, year of construction: 10/2004, 230 V, 50 Hz, 0.3 kW, brush rollers length: 1600 mm, total dimensions: 2750 mm x 950 mm x 1900 mm.	3500
46	Bizerba GmbH & Co. KG	Bizerba GmbH & Co. KG slicer, type: A510, s/s mesh belt, belt width: 300 mm, total dimensions: 2380 mm x 820 mm x 1730 mm. Including box with extra parts.	12500
47	Kerres	Kerres meat bin washer for 200 liter meat bins, type: KBW 200, serial number: 20.041, year of construction: 04/2012, 400 V, 3 Ph, 13 kW, heating system: steam, clearance: 1120 mm x 1150 mm, total dimensions: 3580 mm x 1700 mm x 2500 mm.	8000
48	A&J Sp. Z o.o.	A&J Sp. Z o.o. cooking vessel, type: KKM300, serial number: 18972016, year of construction: 2016, 230 V, 0.5 kW, inside dimensions: 1000 mm x 1700 mm x 600 mm, total dimensions: 2250 mm x 1450 mm x 1350 mm. Missing display.	2000
49	Alco food-machines GmbH & Co. KG	Alco food-machines GmbH & Co. KG mobile flattener, type: ASP600HDW, serial number: 31608218, year of construction: 2007, 400 V, 3.0 kW, machine weight: 750 kg, plastic belt, belt width: (2x) 600 mm, s/s mesh belt, belt width: 600 mm, clearance: 600 mm x 45 mm, total dimensions: 2000 mm x 1050 mm x 1410 mm.	6000
50	Nieros	Nieros heated boot dryer, type: HSTT 20, serial number: N3D43-07, article number: 1088-020-003, year of construction: 10/2013, 230 V, 50 Hz, 2.3 kW, for 20 pairs of boots, total dimensions: 1610 mm x 455 mm x 1910 mm.	1000

Nr	Title	Description	Start €
51	Nieros	Nieros heated boot dryer, type: HSTT 20, serial number: N3D43-12, article number: 1088-020-003, year of construction: 10/2013, 230 V, 50 Hz, 2.3 kW, for 20 pairs of boots, total dimensions: 1610 mm x 455 mm x 1910 mm.	1000
52	Handtmann	Handtmann mobile AL linking and hanging line, consisting of: AL mobile linking device, type: 216-21, number: 706, year of construction: 2000, 400 V, 50 Hz, 3.5 A, 2.5 kW, dimensions linking device: 1600 mm x 700 mm x 1300 mm, Handtmann mobile hanging line for sausages, type: 220-16, number: 1310, year of construction: 2003, dimensions hanging line: 2600 mm x 500 mm x 1400 mm.	3500
53	NN skin removal machine	S/s mobile skin removal machine for turkey, year of construction: 2018, working width: 500 mm, total dimensions: 1900 mm x 750 mm x 1650 mm.	1000
54	Rühle	Rühle injector, model: IR 56, number: 0522, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 16 A, 7.5 kW, s/s walking beam, beam width: 350 mm, total dimensions: 1500 mm x 950 mm x 2040 mm.	5000
55	KYLteknik	KYLteknik cooling compressor installation with scroll compressors, type: KM 2, year of construction: 22-05-2010, refrigerant: R448A, dimensions: 1200 mm x 800 mm x 850 mm.	200
56	Logopak	Logopak labeller, dimensions: 950 mm x 600 mm x 1100 mm. Technical condition unknown.	200
58	NN breeding machine	S/s mobile breeding machine, s/s mesh belt, belt width: 600 mm, total dimensions: 2760 mm x 1100 mm x 1760 mm.	5000
59	Krämer + Grebe	Krämer + Grebe vacuum bowl cutter with lifter for 200 liter meat bins and ejector, volume: 325 liter, dimensions: 4250 mm x 2950 mm x 2080 mm. Including vacuum pump and two pallets with extra parts.	35000
61	NN tilting device	S/s mobile tilting device for 200 liter meat bins, dimensions: 1320 mm x 970 mm x 1330 mm.	3500
62	Krämer + Grebe	Krämer + Grebe mixer-grinder with GEA lifter for meat bins, type lifter: Column Loader 300S, serial number: E011270605473/7984, year of construction: 04/2010, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, type grinder: TMG, machine number: 371/0109, year of construction: 1998, 400/2000 V, 3 Ph, 50 Hz, 110/125 A, capacity: 1500 liter, diameter plate: 200 mm, dimensions grinder: 2900 mm x 2400 mm x 2350 mm, dimensions lifter: 2900 mm x 600 mm x 100 mm.	19500
63	Henny Penny	Henny Penny rotisserie chicken grill, model: SCR-6, serial number: CA1301016, 400 V, 3 Ph, 50/60 Hz, 13.5 A, dimensions: 820 mm x 700 mm x 840 mm.	500
64	A&J Sp. Z.o.o.	A&J Sp. Z.o.o. bowl cutter with ejector, type: VARIO 80, year of construction: 2018, 400 V, 39.9 kW, volume: 80 liter, dimensions: 1700 mm x 1200 mm x 1600 mm. Including switch cabinet, dimensions: 650 mm x 350 mm x 1210 mm.	5000

Nr	Title	Description	Start €
65	Ilpra	Ilpra traysealer, model: 1403 V/G, serial number: FP 8357, year of construction: 2011, 400 V, dye: (6x) 250 mm x 170 mm, total dimensions: 7500 mm x 1400 mm x 2200 mm. Including 2 trolleys with dye and extra parts, dye: (8x) 170 mm x 155 mm.	5000
66	Stork	Stork forming- and breading line, consisting of: Carnitech / Stork Titan B.V. mobile lifter for 200 liter meat bins, type: L25, serial number: ON 25103, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 2.1 A, 0.75 kW, elevating height: 2770 mm, total dimensions: 1500 mm x 1440 mm x 3000 mm, Stork Titan B.V. mobile forming machine, model: THV 400-E65 TA2107, type: 4779132, serial number: 10058201, year of construction: 2006, s/s mesh belt, belt width: 400 mm, diameter press: 95 mm, total dimensions: 2450 mm x 900 mm x 2040 mm, Stork Titan B.V. mobile battering machine, Marel Townsend Further Processing B.V. mobile breading machine, model: TPM 400 TD2104, type: 4279225, serial number: 10153206, year of construction: 2016, s/s mesh belt, belt width: 400 mm, clearance: 420 mm x 70 mm, total dimensions: 2400 mm x 830 mm x 1950 mm.	15000
67	Spomasz	Spomasz intestine crusher, working width: 450 mm, total dimensions: 900 mm x 600 mm x 1550 mm.	1250
68	Risco	Risco sausage cutter, clearance: 75 mm x 65 mm, total dimensions: 1000 mm x 900 mm x 1430 mm. Incomplete.	1500
70	Scanvaegt	Scanvaegt checkweigher, type: Powercheck, serial number: 56496, belt width: 315 mm, total dimensions: 1500 mm x 780 mm x 1400 mm. Missing belt.	500
71	Franz Anlagenbau	Franz Anlagenbau mobile strip cutter, type: MST/70/400/16, machine number: 592172, year of construction: 1995, 400 V, 50 Hz, 12 kW, working width: 350 mm, clearance: 395 mm 185 mm, total dimensions: 990 mm x 560 mm x 1260 mm.	1000
72	Tipper Tie Alpina	Tipper Tie Alpina bowl cutter, type: PB 90, serial number: 805 099 1, 400 V, 3 Ph, 50 Hz, 80 A, s/s bowl, volume: 90 liter, dimensions: 2030 mm x 1300 mm x 1690 mm. Including extra knives.	5000
73	Bizerba GmbH & Co. KG	Bizerba GmbH & Co. KG slicer, type: A330, machine number: 1174862, 220/380V, 3 Ph, 50 Hz, 2.1/1.2 A, 0.710 kW, diameter knife: 330 mm, total dimensions: 1000 mm x 650 mm x 520 mm.	500
74	Risco	Risco portioning machine, clearance (adjustable): 215 mm x 250 mm, plastic belt, belt width: 180 mm, total dimensions: 3600 mm x 800 mm x 2380 mm. Incomplete.	7500
75	Edertal Elektromotoren GmbH	Edertal Elektromotoren GmbH tenderizer, type: TM35, number: 67545, 400 V, 3 Ph, 50 Hz, 1.65 A, 600 kW, clearance: 30 mm x 210 mm, total dimensions: 610 mm x 270 mm x 520 mm.	500

Nr	Title	Description	Start €
76	Risco S.p.A.	Risco S.p.A. grinder, type: TR 130, machine number: G105004, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 11.75 kW, 590 kg, dimensions: 1000 mm x 900 mm x 1430 mm.	4000
77	Kolbe	Kolbe grinding- and portioning line, consisting of: Servotech mobile lifter for 200 liter meat bins, type: PST 200, machine number: 58, year of construction: 2018, 400 V, 3 Ph, 2.1 A, 0.75 kW, weight: 300 kg, elevating height: 1900 mm, total dimensions: 1400 mm x 1700 mm x 3050 mm; Kolbe mobile mixer-grinder type: MW130-120, serial number: 128 0260, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 20.5 + 2.8 A, 10 + 1.1 kW, weight: 500-560 kg, diameter plate: 175 mm, total dimensions: 1300 mm x 920 mm x 1640 mm; Kolbe mobile portioner, type: PM 150, serial number: 75 0475, year of construction: 2018, 230/400 V, 3 Ph, 50 Hz, 0.87 A, 0.25 kW, weight: 139-141 kg, plastic belt, belt width: 200 mm, total dimensions: 1450 mm x 630 mm x 1350 mm; Crate with various plates.	15000
78	Schmidt & Wezel/EFA	EFA splitting saw, type: SB/287F, article number: 110890935, year of construction: 2010, 230/400 V, 3 Ph, 50 Hz, 5,5/3,2 A, 1500 W, with Tecna balancer, type: 9405, serial number: 003255, year of construction: 2009, stroke: 2500 mm, capacity in kg: 50/60 kg, machine weight: 25 kg, total dimensions: 1450 mm x 550 mm x 1350 mm.	1500
79	Anritsu industrial solutions	Anritsu metal detector and checkweigher, type: KW5412AP3D, serial number: 4600197517, year of construction: 2013, 300 V, 1 Ph, 50/60 Hz, 1.5 kA, plastic belt, belt width: (2x) 250 mm, clearance: 300 mm x 80 mm, total dimensions: 860 mm x 670 mm x 1590 mm. Including transport belt with ejector, dimensions: 700 mm x 440 mm x 970 mm.	1500
80	Garvens Automation GmbH	Garvens Automation GmbH metal detector and checkweigher with rejector, type: S3, fabrication number: 333469-6.15/03, year of construction: 2005, 230 V, 50 Hz, maximum capacity: 3000 g, plastic belt, belt width: (3x) 300 mm, clearance: 350 mm x 850 mm, total dimensions: 1800 mm x 1200 mm x 1550 mm. Including s/s rejector bin.	1000
81	Sesotec GmbH	Sesotec GmbH mobile pipe line metal detector with rejector, type: LIQUISCAN-VF+, serial number: 10034160, year of construction: 2019, 100/240 V, 50/60 Hz, 0.50/0.25 A, 66/69 IP, machine weight: 125 kg, diameter pipe: 54 mm, total dimensions: 2080 mm x 750 mm x 1400 mm.	1250
82	Reich	Reich bandsaw, type: 4205, 380 V, 3 Ph, 50 Hz, 2.8 A, 1.1 kW, dimensions table: 680 mm x 630 mm, total dimensions: 950 mm x 630 mm x 1570 mm.	750

Nr	Title	Description	Start €
83	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 1180, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 500 mm, foot control, total dimensions: 900 mm x 550 mm x 1100 mm.	650
84	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 1179, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 500 mm, foot control, total dimensions: 900 mm x 550 mm x 1100 mm.	650
85	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning machine, type: ASE 570, number: 1472, 400 V, 50 Hz, 0.37 kW, working width: 520 mm, total dimensions: 900 mm x 600 mm x 1000 mm.	500
86	Krämer + Grebe	Krämer + Grebe bowl cutter with lifter for 200 liter meat bins and ejector, type: Cutter 325 L STL, serial number: 173/296, revised in 2005, s/s bowl and knives, volume: 325 liter, dimensions: 3000 mm x 2200 mm x 1900 mm. Including switch cabinet, dimensions: 1700 mm x 600 mm x 2000 mm and lifter, dimensions: 1800 mm x 1200 mm x 800 mm.	10000
87	Handtmann	Handtmann vacuum filling machine, type: VF 50, number: 12475, year of construction: 2004, 400 V, 50 Hz, 11.0 A, 4.0 kW, dimensions: 950 mm x 820 mm x 1650 mm. Including linking and case holding device.	4000
88	Townsend	Townsend mobile skinning machine, model: 7500, serial number: 1181, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 520 mm, foot control, total dimensions: 900 mm x 550 mm x 1100 mm.	500
89	Stork PMT B.V.	Stork PMT B.V. automatic transfer system, model: TR-10/NT 180° H2113, type: 3750866, serial number: 10064264, year of construction: 2007, dimensions: 2860 mm x 1920 mm x 2750 mm.	6000
90	Townsend	Townsend mobile skinning and derinding machine, model: 9000, serial number: 255, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 3.5 A, working width: 500 mm, plastic belt, belt width: 510 mm, total dimensions: 2100 mm x 900 mm x 1350 mm. Missing cover.	1500
91	Kronen	Kronen mobile slicer, type: GS10, serial number: 1043, year of construction: 2002, 230 V, 1 Ph, 50/60 Hz, 1.8 kW, plastic belt, belt width: (2x) 130 mm, total dimensions: 1500 mm x 650 mm x 145 mm. Belt broken.	1000
92	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: E3, machine number: 333.77, year of construction: 2005, maximum capacity: 3000 mg, plastic belt, belt width: 300 mm, clearance: 150 mm x 380 mm, total dimensions: 1350 mm x 850 mm x 1600 mm. Missing belts.	1000

Nr	Title	Description	Start €
93	Zomerdam	Zomerdam metal detector with retractor, type: MN 5.1 CI 250/100, serial number: 1444-CI, year of construction: 2010, 100-240 V, 50/60 Hz, 50-300 mA, plastic belt, belt width: 200 mm, clearance: 350 mm x 175 mm, total dimensions: 1600 mm x 800 mm x 1500 mm.	750
94	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with retractor, type: E3, maximum capacity: 3000 mg, plastic belt, belt width: 300 mm, clearance: 150 mm x 380 mm, total dimensions: 1350 mm x 850 mm x 1600 mm. Missing belt.	1000
95	Sepamatic	Parts for Sepamatic separator, dimensions: 1500 mm x 1050 mm x 1300 mm.	3000
97	Baader	Baader separator, type: 600/501, serial number: 120002228/10, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 4.0 A, 1.5 kW, plastic belt, belt width: 180 mm, diameter output: 190 mm, diameter perforations: 5 mm, total dimensions: 1050 mm x 850 mm x 1170 mm.	10000
98	Baader	Baader separator, type: 601-501, serial number: 120982, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 7.2 A, plastic belt, belt width: 210 mm, diameter output: 225 mm, diameter perforations: 2 mm, total dimensions: 1000 mm x 830 mm x 1170 mm.	10000
100	Sealpac GmbH	Sealpac GmbH traysealer, type: Sealpac A7, serial number: A7-01-3439, year of construction: 2018, 230/400 V, 3 Ph, 50-60 Hz, 8 kW, weight: 1800 kg, clearance: 375 mm x 140 mm, total dimensions: 4600 mm x 1000 mm x 2100 mm. Including outfeed belt, dimensions: 4100 mm x 850 mm x 1200 mm and 2 trolleys with dye, type: SEALPAC WWW-A7, serial number: 1696 and 1697, year of construction: 2018, weight: (2x) 180 kg, dye dimensions: (5x) 150 mm x 230 mm, total dimensions trolleys: (2x) 1100 mm x 1300 mm x 1300 mm.	45000
102	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with retractor, type: XS 3, serial number: 35001001, 100/240 V, 50/60 Hz, year of construction: 2008, maximum capacity: 2500 g, minimum capacity: 300 g, e=0.5 g, d=0.5 g, plastic belts, belt width: 380 mm, total dimensions: 1700 mm x 1000 mm x 1700 mm.	1250
103	Ulma	Ulma flowpacker, model: ARTIC C, serial number: 1310171, year of construction: 2010, 400 V, 50 Hz, 12 A, 7.8 kW, plastic belt, belt width: 280 mm, seal length: 380 mm, film width: 650 mm, total dimensions: 3800 mm x 1480 mm x 1800 mm. Including Cryovac shrink tunnel, model: CJ61 RL-F, serial number: SN00615, year of construction: 2009, 400 V, 50 Hz, 32 A, 18 kW, clearance: 275 mm x 130 mm, total dimensions: 2100 mm x 930 mm x 1400 mm.	9500

Nr	Title	Description	Start €
104	Sealpac GmbH	Sealpac GmbH traysealer, type: SEALPAC 800+, serial number: TVG 01 1123 01, year of construction: 2004, 230/400 V, 3 Ph, 10 kW, 2000 kg, chain belt, belt width: 40 mm, clearance: 340 mm x 110 mm, total dimensions: 3750 mm x 950 mm x 2150 mm. Including outfeed belt, dimensions: 3800 mm x 700 mm x 1200 mm and s/s trolley with dye, dimensions dye: 250 mm x 70 mm, total dimensions: 1500 mm x 1150 mm x 1350 mm.	5000
105	Inject Star	Inject Star injector, type: BI-176-P, serial number: BI176-358, year of construction: 2011, 400 V, 3 Ph, 12.5 kW, s/s walking beam, beam width: 360 mm, total dimensions: 1900 mm x 1300 mm x 2440 mm.	9000
107	Grasselli SpA	Grasselli SpA automatic slicer, type: SL 400, 16 knives, distance between knives: 20 mm, total dimensions: 1000 mm x 1150 mm x 1700 mm.	4500
108	Sleegers Technique	Sleegers Technique mobile s/s turning table, dimensions: 1050 mm x 1050 mm x 1150 mm.	500
109	EFA	EFA s/s pressure vessel, dimensions: 500 mm x 400 mm x 1500 mm.	50
113	Hema Technologies	Hema Technologies can seaming line consisting of: Hema Technologies ladder for cans, with denester, steel chain with dividers, clearance: 110 mm x 100 mm, dimensions: 3460 mm x 800 mm x 2050 mm, Hema Technologies can seamer, type: SHV 60, serial number: 196, year of construction: 1990, dimensions: 1550 mm x 1200 mm x 1850 mm.	4000
114	Fessmann	Fessman cooking chamber for 2 trolleys, year of construction: 2009, inside dimensions: 2200 mm x 1100 mm x 2000 mm, total dimensions: 2700 mm x 1060 mm x 2700 mm.	3000
115	Sealpac GmbH	Sealpac GmbH traysealer, type: SEALPAC A6, serial number: A6 01 2320, year of construction: 2010, 3x400/220 V, 50-60 Hz, 8 kW, weight: 1595 kg, dimensions dye: (3x) 280 mm x 180 mm, outfeed lane width: 125 mm, total dimensions traysealer: 5500 mm x 850 mm x 2100 mm. Including s/s rack with extra form, dimensions dye: (4x) 240 mm x 140 mm, total dimensions rack: 1800 mm x 660 mm x 1280 mm, and s/s trolley to change forms, dimensions: 1100 mm x 800 mm x 1450 mm.	9500
116	Sealpac GmbH	Sealpac GmbH traysealer, type: SEALPAC A4, serial number: A4-01-2552, year of construction: 2012, 220 V, 3 Ph, 50/60 Hz, 8 kW, weight: 1500 kg, total dimensions: 5500 mm x 850 mm x 2100 mm. Incomplete, technical condition unknown.	2500
117	Medoc S.A.	Medoc S.A. bandsaw, model: Beta 300 CE, number: 830 241, year of construction: 1998, 220/380 V, 50 Hz, 6.3/3.65 A, 1.49 kW, table dimensions: 600 mm x 500 mm, total dimensions: 750 mm x 600 mm x 1780 mm.	1000
118	Busch	Busch rotary vane vacuum pump, type: R5 RA 0302 D, capacity: 300 m³/h, on s/s frame with s/s cover, dimensions: 1500 mm x 650 mm x 970 mm.	1000

Nr	Title	Description	Start €
119	Reich	Reich bandsaw, table dimensions: 700 mm x 500 mm, total dimensions: 700 mm x 600 mm x 140 mm.	1200
122	Gruppo Fabbri Vignola S.p.A.	Gruppo Fabbri Vignola S.p.A. packaging machine, model: B-241, serial number: 5-429, year of construction: 2017, 400 V, 3 Ph, 50/60 Hz, 10 A, weight: 610 kg, belt width: 175 mm, dimensions: 2400 mm x 950 mm x 1720 mm. Cover and display are broken.	1750
123	Inject Star	Inject Star brine preparation unit, type: CLB-800-COOL, serial number: LB800-172, year of construction: 2010, 3x400 V, 50 Hz, 9 kW, capacity: 800 liter, total dimensions: 1800 mm x 1600 x 1720 mm. Including Inject Star infeed bunker, dimensions: 900 mm x 650 mm x 1420 mm.	4500
127	Ulma	Ulma stretch wrap packaging machine, model: GALAXY, machine number: 2103133, year of construction: 2003, 400 V, 50 Hz, 11 A, 2.8 kW, plastic wire belt, belt width: 250 mm, total dimensions: 3650 mm x 950 mm x 1550 mm.	1000
128	NN trolley	S/s trolley, dimensions: 1200 mm x 680 mm x 870 mm.	100
129	Fessmann	Fessmann smoke chamber for 1 trolley, inside dimensions: 1090 mm x 1030 mm x 2000 mm, with smoke generator, total dimensions: 1780 mm x 1280 mm x 2550 mm.	5000
130	Fessmann	Fessmann smoke chamber for 1 trolley, inside dimensions: 1090 mm x 1030 mm x 2000 mm, with smoke generator, total dimensions: 1780 mm x 1280 mm x 2550 mm.	5000
132	NN tumbler for meat bins	S/s tumbler for 200 liter meat bins, dimensions: 1800 mm x 1850 mm x 1360 mm.	1000
135	Henkovac	Henkovac traysealer, model: TPS-950, serial number: 29.07.10.22, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 15 A, weight: 500 kg, dimensions dyes: (2x) 250 mm x 165 mm, outfeed roller conveyor, roller width: 490 mm, total dimensions: 2650 mm x 1040 mm x 1400 mm. Missing cover.	3500
137	Skind Easy	Skind Easy s/s co-extrusion tub, inside dimensions: 1700 mm x 400 mm x 150 mm, total dimensions: 1765 mm x 700 mm x 1400 mm.	500
138	Asarums Industri	Asarums Industri evaporator with 4 fans, type: EVFA 6-8E, 220 V, dimensions: 1700 mm x 600 mm x 500 mm.	250
139	AIA	AIA evaporator with 2 fans, model: NE40-124F-XD-3-1/4"-EN, number: 0800684, year of construction: 2008, 230 V, 50 Hz, 1.05 A, 0.24 kW, dimensions: 1150 mm x 500 mm x 500 mm.	150
140	Alco	Alco double shaft cooled vacuum mixer with lifter for 200 liter meat bins, type: AMP 3000 V, number: 04512202, 380 V, 3 Ph, 50 Hz, capacity: 3000 liter, Busch vacuum pump, type: RA 0160 D 5ZI QLZZ, number: C0438000115, capacity: 160 m³ per hour, dimensions mixer: 3700 m x 1700 mm x 2900 mm. Lifter type: K 7, serial number: 3593, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 205 A, 0.75 kW, maximum capacity: 300 kg, dimensions: 1450 mm x 1300 mm x 3400 mm. Including s/s platform, dimensions: 2100 mm x 800 mm x 2400 mm.	20000

Nr	Title	Description	Start €
141	AIA	AIA evaporator with 2 fans, model: EVFC 7-8-N1-1-E1, 230 V, 1 Ph, 50 Hz, 0.65 A, 0.127 kW, dimensions: 1140 mm x 700 mm x 500 mm.	150
142	AEW-Thurne Ltd	AEW-Thurne Ltd slicer, model: Polyslicer, serial number: 1890022, year of construction: 2003, 420 V, 3 Ph, 50 Hz, 40 A, weight: 1100 kg, dimensions: 2750 mm x 1200 mm x 2400 mm. Without outfeed belt.	3000
145	NN table	S/s table with rack for plates, dimensions floors: (12x) 350 mm x 700 mm, total dimensions: 910 mm x 720 mm x 850 mm.	400
146	Repak	Repak thermoformer, type: RE 25, serial number: 250003, year of construction: 2005, 240/400 V, 3 Ph, 50 Hz, 32 A, 13 kW, dye: 185 mm x 125 mm, index: 450 mm x 415 mm, with Busch vacuum pump, total dimensions: 8500 mm x 1200 mm x 2000 mm. Including Busch suction device for rest film.	7500
147	Lima	Lima grinder, type: RM 500 S, number: 912, year of construction: 2008, perforation: 1 mm, grinder total dimensions: 2400 mm x 1100 mm x 1470 mm. Including s/s stairs, dimensions: 1100 mm x 510 mm x 1820 mm and mobile s/s tool trolley, dimensions: 2350 mm x 680 mm x 1220 mm.	20000
148	Treif	Treif dicer with lifter for 200 liter meat bins, type: 1040, machine number: 10400.74B1.0212, year of construction: 1990, 220/380 V, 3 Ph, 50 Hz, 13/25 A, dimensions: 2600 mm x 1600 mm x 2250 mm. Missing cover, technical condition unknown.	1000
149	Multivac	Multivac belt vacuum machine, type: B890, machine number 270, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 25 A, 7 kW, plastic belt with dividers, plastic belt width: 600 mm, distance between dividers: 75 mm, divider height: 30 mm, Busch vacuum pump, type: RA 0250 C 4ZI QMZZ, capacity: 250 m3/h, total dimensions: 1700 mm x 1100 mm x 1250 mm.	1500
150	Marelec	Marelec checkweigher, plastic mesh belt, belt width: 300 mm, total dimensions: 2000 mm x 900 mm x 1600 mm.	1000
151	Handtmann	Handtmann mobile AL linking and hanging line, consisting of: AL linking device, type: 216-21, number: 1433, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 3.6 A, 2.5 kW, dimensions linking device: 1500 mm x 700 mm x 1250 mm, hanging line for sausages, type: 220-16, number: 1677, year of construction: 2007, dimensions hanging line: 2600 mm x 700 mm x 1300 mm.	2000
152	Searle	Searle evaporator with 2 fans, model: KS35-5, serial number: 102538, medium: HCFCs & HFCs, dimensions: 1150 mm x 370 mm x 470 mm.	150

Nr	Title	Description	Start €
153	Marel	Marel grader, type: M2200-A01, serial number: A025708, max weight: 0.6/1.5/3 kg, min weight: 40/100/200g, plastic mesh belt, belt width: 305 mm, 6 rejecters, total dimensions: 2900 mm x 850 mm x 1600 mm.	4000
154	AIA	AIA evaporator with 2 fans, year of construction: 2008, dimensions: 1150 mm x 500 mm x 510 mm.	150
155	AIA	AIA evaporator with 2 fans, dimensions: 1150 mm x 500 mm x 510 mm.	150
156	Cryovac	Cryovac flowpacker, model: CJ50 MD-BDF, serial number: S91190098, year of construction: 01/1999, 400 V, 50 Hz, 6 A, 4 kW, air pressure: 6 bar, water pressure: 2.5 bar, plastic belt, belt width: 220 mm, seal length: 260 mm, total dimensions: 5150 mm x 1000 mm x 1880 mm.	4000
157	Carnitech	Carnitech mobile fat analyser, type: CT3601, number: 04-0032, year of construction: 2005, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 550 mm, total dimensions: 2300 mm x 1400 mm x 1780 mm.	1500
158	Carnitech	Carnitech mobile fat analyser, type: CT3601, number: 04-0031, year of construction: 2005, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 550 mm, total dimensions: 2300 mm x 1400 mm x 1780 mm.	1500
159	EDT	EDT hygiene station with sole and booth cleaner, hand disinfection and tourniquet, type: EDT1452, number: DSR100008IX131, year of construction: 2008, 230/400 V, 6/10 A, 210 kW, brush length: (2x) 600 mm, brush height: (2x) 400 mm, total dimensions: 2600 mm x 900 mm x 1725 mm.	4500
160	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF80B, number: 3290, year of construction: 1998, 400 V, 50 Hz, 12.6 A, 4.5 kW, filling, portioning and linking, dimensions: 1800 mm x 1200 mm x 1850 mm. Including Handtmann case holding device, type: 216-01, number: 1757.	4000
161	EDT	EDT Hygiene station with sole cleaner, hand disinfection and tourniquet, brush length: (2x) 900 mm, total dimensions: 2000 mm x 870 mm x 1740 mm.	3500
162	Bicold	Bicold condenser, dimensions: 1100 mm x 600 mm x 1150 mm.	500
163	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 573, 380 V, 50 Hz, 25.7 A, 10.9 kW, filling and portioning, dimensions: 1900 mm x 1400 mm x 2870 mm. Incomplete.	4000
164	Bicold	Bicold condenser, dimensions: 1100 mm x 650 mm x 1250 mm.	500
165	EDT	EDT hygiene station with hand disinfection and tourniquet, type: DSRKMHDDDB07XI001, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, 10 A, 110 kW, total dimensions: 2700 mm x 1000 mm x 1740 mm.	4000

Nr	Title	Description	Start €
166	Inauen Maschinen AG	Inauen Maschinen GmbH vacuum machine, type: VC999/07 DF15 220, machine number: 07062459, 400 V, 3 Ph, 50 Hz, 15 A, 10 kW, 5-6 bar, seal length: 440 mm and 950 mm, chamber dimensions: 440 mm x 950 mm, Rietschle vacuum pump, total dimensions: 1250 mm x 760 mm x 1100 mm. Missing rollers.	1250
167	Unipak	Unipak cup filling machine, type: PKG-2, year of construction: 1997, dimensions cups: 105 mm x 105 mm, dimensions lid: 115 mm x 115 mm, belt width: 170 mm, total dimensions: 2400 mm x 1150 mm x 2000 mm. Missing cover.	1500
168	NN sole cleaner	Sole cleaner, brush length: (2x) 1000 mm, total dimensions: 2040 mm x 640 mm x 1240 mm.	1500
169	ITEC Food Technology	ITEC Food Technology hygiene station with sole cleaner, hand disinfection and tourniquet, type: 23872, serial number: 0025, order number: 49447, year of construction: 11/2003, 400 V, 3 Ph, 50 Hz, 0.3 kW, brush length: (2x) 900 mm, total dimensions: 1950 mm x 1000 mm x 2000 mm.	3500
170	Elpek	Elpek hygiene station with sole cleaner, hand disinfection and tourniquet, type: 142-004-02, serial number: SR1115029, year of construction: 11/2015, 230/400 V, 3 Ph, 50 Hz, 500 W, brush length: (2x) 700 mm, total dimensions: 1500 mm x 1000 mm x 1640 mm.	3500
171	Elpek	Elpek hygiene station with sole cleaner, hand disinfection and tourniquet, type: 142-001, serial number: SR1115028, year of construction: 11/2015, 230/400 V, 3 Ph, 50 Hz, 500 W, brush length: (2x) 700 mm, total dimensions: 1500 mm x 1000 mm x 1640 mm.	3500
172	NN sole cleaner	Sole cleaner, brush length: 400 mm, total dimensions: 1100 mm x 1600 mm x 1200 mm.	700
173	Nieros	Nieros heated boot dryer, type: HSTT 20, serial number: N3D43-06, article number: 1088-020-003, year of construction: 10/2013, 230 V, 50 Hz, 2.3 kW, for 20 pairs of boots, total dimensions: 1610 mm x 455 mm x 1910 mm.	1000
174	Airpol	Airpol screw air compressor, type: PR75, serial number: P00250110, 10 A, 7.5 kW, dimensions: 2800 mm x 1420 mm x 1720 mm.	1500
175	Nieros	Nieros heated boot dryer, type: HSTT 20, serial number: N3D43-08, article number: 1088-020-003, year of construction: 10/2013, 230 V, 50 Hz, 2.3 kW, for 20 pairs of boots, total dimensions: 1610 mm x 455 mm x 1910 mm.	1000
176	Meissner	Meissner bowl cutter, type: RSM45, number: 458918, year of construction: 2018, 230/400 V, 3 Ph, 50 Hz, 39/50 A, s/s bowl, capacity: 45 liter, dimensions: 1110 mm x 1300 mm x 1250 mm.	8000
177	Ceia S.p.A.	Ceia S.p.A. mobile pipeline metal detector, model: THS/PL-63, serial number: 20600226014, 230 V, 50-60 Hz, clearance: Ø 100 mm, total dimensions: 580 mm x 360 mm x 1580 mm.	750

Nr	Title	Description	Start €
178	Gardner Denver Deutschland GmbH	Gardner Denver Deutschland GmbH rotary screw air compressor, type: L75-8, id-number: 349022/1806, year of construction: 2004, 400 V, 3 Ph, 50 Hz, volume rate of flow: 10.1 m ³ /min, motor capacity: 75 kW, weight: 1220 kg, dimensions: 1800 mm x 1200 mm x 1640 mm.	1500
179	Carsoe	Carsoe trimming table, s/s frame, plastic belt, type: TRIMMING TABLES X 3, SO-number: SO 14153, year of construction: 2018, 3x400 V, 0.18 kW, belt width: (2x) 130 mm, total dimensions: 3600 mm x 900 mm x 1300 mm, dimensions switch cabinet: 800 mm x 220 mm x 1050 mm.	2000
180	Karl Schnell	Karl Schnell process automat, type: 250, dimensions: 1700 mm x 1300 mm x 1850 mm.	1750
181	Kolbe	Kolbe bandsaw, type: K410, serial number: 49 230 ET, year of construction: 1990, table dimensions: 970 mm x 880 mm, total dimensions: 970 mm x 880 mm x 1820 mm.	1500
182	Cryovac	Cryovac belt vacuum machine, model: VS 85, serial number: A03600404, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 20 A, 7 kW, plastic belt, belt width: 535 mm, total dimensions: 2600 mm x 1100 mm x 2050 mm.	1750
183	Schröder	Schröder brine mixer, dimensions: 1900 mm x 1300 mm x 2300 mm.	2000
184	NN bandsaw	Table model bandsaw, table dimensions: 400 mm x 400 mm, total dimensions: 400 mm x 500 mm x 830 mm.	300
185	Campesa S.A.	Campesa S.A. weighing scale, model: MB-N, fabrication number: 901221, year of construction: 2000, maximum: 6 kg, minimum: 40 gram, e=: 2 gram, T=: -6 kg, dimensions scale: 385 mm x 340 mm, total dimensions: 385 mm x 400 mm x 650 mm.	50
186	Maurer AG	Maurer AG cooking chamber for 2 trolleys, type: SKK 3621 ND, serial number: 0275360, year of construction: 2003, 400 V, 50 Hz, 10.0 A, 3.0 kW, inside dimensions: 2100 mm x 1100 mm x 2100 mm, total dimensions: 2480 mm x 1470 mm x 2600 mm.	4500
187	Tramper	Tramper denester, type: D-360, serial number: 057, year of construction: 2013, 400 Vac, 6 bar, 160 kg, dimensions tray: (3x) 200 mm x 145 mm, total dimensions: 950 mm x 920 mm x 1400 mm.	1250
188	ANTTI Lindfors OY	ANTTI Lindfors OY mobile elevating belt, type: Hiku, serial number: 3205, year of construction: 2009, 0.85 kW, plastic belt, belt width: 400 mm, elevating height: 1250 mm, total dimensions: 2400 mm x 1200 mm x 1320 mm.	500
189	NN dip tank	S/s mobile dip tank, type: ST 02, machine number: 7692690, 380 V, 50 Hz, 14 A, clearance: 600 mm x 380 mm, total dimensions: 700 mm x 670 mm x 1100 mm.	350

Nr	Title	Description	Start €
191	Sealpac GmbH	Sealpac GmbH traysealer, type: SEALPAC 800+, serial number: TVG 01 1125 01, year of construction: 2004, 230/400 V, 3 Ph, 10 kW, 2000 kg, chain belt, belt width: 40 mm, clearance: 340 mm x 110 mm, total dimensions: 3600 mm x 1000 mm x 2100 mm. Including outfeed belt, dimensions: 4000 mm x 1000 mm x 1150 mm.	5000
192	Provisur Technologies	Provisur Technologies separator, model: SD 1830 Beluga, serial number: AM2C-22127, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 41 A, 22 kW, dimensions: 2200 mm x 1300 mm x 1950 mm. Including s/s tool trolley with auger and drums, dimensions: 1120 mm x 540 mm x 1065 mm.	5000
193	Verinox	Verinox oven / marking and cooling line, model: TU40, serial number: 3259, year of construction: 2012, 400 V, 130 kW, s/s mesh belt, belt width: 400 mm, clearance: 350 mm x 220 mm, total dimensions: 3520 mm x 880 mm x 1800 mm, 2550 mm x 850 mm x 1810 mm and 4100 mm x 1100 mm x 1150 mm. Including switch cabinets, dimensions: 1680 mm x 600 mm x 2200 mm.	10000
194	Inotec GmbH	Inotec GmbH mobile emulsifier, type: 175CD-75D, machine number: 101-01007, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 142 A, 87 kW, weight: 750 kg, inside dimensions: 1100 mm x 1100 mm x 500 mm, total dimensions: 2100 mm x 1150 mm x 1240 mm. Missing complete head, knives and plates.	6000
195	NN flattener	Mobile flattener, plastic belt, belt width: 650 mm, total dimensions: 2400 mm x 960 mm x 1380 mm.	1500
196	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, type: FALCON conti, machine number: 461005.154538.109916, year of construction: 2010, 24/380/480 V, 3 Ph, 50/60 Hz, 18/22/32 A, 8.6/11.7 kW, clearance: 260 mm x 220 mm, dimensions: 4300 mm x 1400 mm x 1900 mm. Including s/s tool trolley with knife holders, dimensions trolley: 1400 mm x 750 mm x 1600 mm.	15000
197	Stephan	Stephan universal machine, type: UM 44S, serial number: 3365956, machine number: 721.526.20, year of construction: 1994, 400 V, 3 Ph, 50 Hz, 9.4/12.4 A, 4/5.5 kW, s/s bowls, bowl dimensions: 500 mm x 300 mm, 300 mm x 315 mm, total dimensions: 1400 mm x 600 mm x 1200 mm.	3000
198	Hobart	Hobart combi steamer, type: CD.20126, serial number: 81.825.475, 415 V, 3 Ph, 50 Hz, 20 floors, floor dimensions: (20x) 325 mm x 535 mm, total dimensions: 1100 mm x 1150 mm x 1920 mm.	500
199	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer, model: FALCON, machine number: 460002.61806.100482, year of construction: 2005, 24/400/480 V, 3 Ph, 50/60 Hz, 9.6/11.5/25 A, 8.0 kW, clearance: 280 mm x 170 mm, total dimensions: 2800 mm x 1300 mm x 1750 mm. Missing belt.	5000

Nr	Title	Description	Start €
200	Carnitech	Carnitech mobile elevating screw, type: Giraf model B, serial number: 04 0254, order number: 23960 00, year of construction: 2005, 400 V, 3 Ph, 50 Hz, screw length: 2000 mm, diameter screw: 230 mm, tier screw: 185 mm, elevating height: 2650 mm, total dimensions: 2800 mm x 950 mm x 2850 mm.	5000
202	NN tilting device	S/s tilting device for tubs, dimensions: 1700 mm x 1200 mm x 1600 mm.	500
205	Karpowicz	Karpowicz dehairing machine, number: 811, dimensions: 2700 mm x 1000 mm x 1400 mm.	1000
208	CAB	CAB label printer, model: A4+/300P, serial number: 0150139 Y47, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm.	200
209	Sepamatic	Sepamatic mobile separator, type: SEPA 410 T, machine number: 108252, 400 V, 50 Hz, 2.2 kW, diameter drum: 175 mm, diameter perforations: 2 mm, total dimensions: 1300 mm x 1250 mm x 1930 mm. Including extra drum with 2 mm perforations.	5000
210	NN meat bins	6 s/s meat bins, volume: 200 liter each.	600
211	NN pump	Pump, dimensions: 1500 mm x 500 mm x 530 mm.	400
212	CAB	CAB label printer, model: A4+/300P, serial number: 0041296 Q34, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
213	CAB	CAB label printer, model: A4+/300P, serial number: 0091230 U29, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
214	CAB	CAB label printer, model: A4+/300P, serial number: 0176063 A25, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
215	CAB	CAB label printer, model: A3/300P, serial number: 0019597 O50, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
216	CAB	CAB label printer, model: A3/300P, serial number: 0019589 O50, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
217	CAB	CAB label printer, model: A3/300P, serial number: 0019591 O50, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
218	NN tray denester	Tray denester, dimensions dye: (2x) 140 mm x 90 mm, total dimensions: 1000 mm x 1100 mm x 2000 mm.	350
219	CAB	CAB label printer, model: A3/300P, serial number: 0022015 P13, 100/240 V, 1 Ph, 50/60 Hz, dimensions: 450 mm x 240 mm x 275 mm. Missing cover.	200
220	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH vacuum filling machine with lifter for 200 liter meat bins, type: HP10E, number: 1610384, year of construction: 2010, 400-460 V, 3 Ph, 50/60 Hz, 21 A, 14 kW, dimensions: 2100 mm x 1500 mm x 2400 mm.	20000

Nr	Title	Description	Start €
221	Risco S.p.A.	Risco S.p.A. vacuum filling machine with lifter for 200 liter meat bins, type: RS 505, serial number: C806029, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 11 kW, machine weight: 1000 kg, total dimensions: 2000 mm x 1400 mm x 2100 mm.	12000
222	Risco S.p.A.	Risco S.p.A. vacuum filling machine, type: RS 401, serial number: 01118019, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 8 kW, machine weight: 900 kg, dimensions: 2000 mm x 1400 mm x 2100 mm. Including tool trolley, dimensions: 1500 mm x 800 mm x 750 mm.	20000
223	Borncut A/S	Borncut A/S portioning machine, type: BC300-3, serial number: 16290129, year of construction: 2019, 380/400 V, 3 Ph, 50/60 Hz, 14/16 A, 6 kW, plastic mesh belt, belt width: 300 mm, clearance: 320 mm x 125 mm, total dimensions: 3200 mm x 1200 mm x 1800 mm. Missing in- and outfeed belt.	40000
224	Food Tech	Food Tech contact cooker, type: KBA 550/2500, serial number: 0103.10, year of construction: 10/2010, teflon belts, belt width: (2x) 540 mm, total dimensions: 2700 mm x 1300 mm x 1650 mm.	12000
225	Rational AG	Rational AG combi steamer, type: CPC 61, serial number: E61CD03061091383, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 10 kW, 6 floors, floor dimensions: (6x) 540 mm x 330 mm, total dimensions: 900 mm x 770 mm x 820 mm.	1000
226	NN meat bins	12 s/s meat bins, volume: 200 liter each.	1200
227	Tipper Tie Alpina	Tipper Tie Alpina double clipper, type: Swipper 18-15, serial number: 855.563, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 15 A, 6-7 bar, dimensions: 1250 mm x 1100 mm x 2120 mm. Missing matrix and outfeed conveyor. Technical condition unknown.	6000
228	Tipper Tie Alpina	Tipper Tie Alpina mobile double clipper, type: Swipper 15-12, serial number: 854.073, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 15 A, 7.5 kW, 6 bar, dimensions: 980 mm x 750 mm x 1740 mm. Technical condition unknown.	3000
229	Tipper Tie Alpina	Tipper Tie Alpina mobile double clipper, type: DC 15/12, serial number: 852.001, 400 V, 3 Ph, 50 Hz, 10 bar, dimensions: 1140 mm x 1160 mm x 1760 mm. Technical condition unknown.	3000
230	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: FCA 3462, serial number: 601/02, year of construction: 2002, 400 V, 3 Ph, 50/60 Hz, 4 A, 5-7 bar, dimensions: 1600 mm x 1350 mm x 2000 mm. Missing outfeed conveyor.	3500
231	Heat and Control	Heat and Control linear oven, model: 20/21 Electric MPO, serial number: SNA 35438, 380 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 600 mm, electric heated, total dimensions: 9230 mm x 1610 mm x 2530 mm.	3000

Nr	Title	Description	Start €
232	Tipper Tie Technopack GmbH	Tipper Tie Technopack GmbH mobile clipper, type: TT 1815, serial number: 4901.154.019, year of construction: 2019, 400/480 V, 3 Ph, 50/60 Hz, 15/25 A, 10 kA, maximum pressure: 6-7 bar, machine weight: 500 kg, plastic belt, belt width: 75 mm, dimensions: 1300 mm x 1250 mm x 1900 mm. Including various parts, trolley not included.	45000
233	Poly-clip System GmbH & Co. KG	Tipper Tie Alpina mobile double clipper, type: FCA 3452, serial number: 571/02, year of construction: 2010, 400 V, 3 Ph, 50/60 Hz, 50 A, 3.8 kW, 5-7 bar, dimensions: 1250 mm x 1100 mm x 2120 mm. Missing outfeed conveyor. Technical conditions unknown.	3000
234	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG double clipper, model: FCA 160, 3x400 V, 50/60 Hz, 6.0 A, 4.0 kW, 5-7 bar, 625 kg, dimensions: 1500 mm x 1200 mm x 1900 mm.	25000
235	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: FCA 3463, 400 V, 3 Ph, 50/60 Hz, plastic belt, belt width: 75 mm, total dimensions: 1300 mm x 1100 mm x 2000 mm.	9500
236	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: FCA 3462, plastic belt, belt width: 50 mm and 75 mm, dimensions: 1300 mm x 1100 mm x 2000 mm.	2000
237	Andritz	Andritz waste water system, consisting of: flotation unit, Andritz centrifuge, type: D2LC30BHP, number: 80.5799, year of construction: 2009, 15 kW, 5000 rpm, drum diameter: 260 mm, operating range: 2-70°C, maximum solid particle density: 1.2 kg/dm ³ , curved s/s screen and reaction chamber.	15000
238	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, number: 332/06, plastic belt, belt width: (2x) 75 mm, dimensions: 1600 mm x 1300 mm x 1900 mm.	15000
239	Doleschal	Doleschal cooking chamber for 1 trolley, 5 floors, inside dimensions: 1000 mm x 1000 mm x 1650 mm, total dimensions: 1600 mm x 1300 mm x 2500 mm.	2000
240	Vemag Maschinenbau GmbH	Vemag Maschinenbau GmbH cooking chamber for 1 trolley, dimensions: 3900 mm x 1940 mm x 2700 mm. Technical condition unknown.	3500
241	Niro-Tech	Niro-Tech three-shaft whip washer, capacity: 120 pcs/h, 400 V, 6.6 kW, dimensions: 1950 mm x 1750 mm x 3700 mm.	4500
242	Niro-Tech	Niro-Tech stunning box, 210 kg, dimensions: 1506 mm x 784 mm x 2432 mm.	2500
243	Niro-Tech	Niro-Tech scalding machine with ejector, capacity: up to 300 kg, dimensions: 2500 mm x 2500 mm x 1400 mm with Niro-Tech hair removal machine, dimensions: 2500 mm x 1600 mm x 2100 mm.	15000
244	WVG Kainz	WVG Kainz E2 AND E1 crate washer, steam heated, double row, including blower-dryer, belt width: 500 mm, clearance: 500 mm x 300 mm, dimensions washer: 2000 mm x 1100 mm x 3000 mm. Including conveyors, crate buffer and approximately 2500 crates. Already dismantled.	25000

Nr	Title	Description	Start €
249	Provisur Technologies	Provisur Technologies beehive separator, number: 41213, s/s worms, dimensions hopper: 650 mm x 500 mm x 300 mm, diameter drum perforations: 1 mm & 2 mm, total dimensions: 2020 mm x 680 mm x 1520 mm. Refurbished.	15000
251	NN tilting device	S/s tilting device for pallet boxes, clearance: 1600 mm x 1100 mm, total dimensions: 2200 mm x 1400 mm x 1800 mm.	1000
252	Inject Star	Inject Star infeed slide for Inject Star tumbler, type: Magnum 4600, number: 241, year of construction: 1996, 220 V, 3 Ph, 50 Hz, 14 kW, dimensions: 2200 mm x 1400 mm x 1800 mm.	800
255	Velati	Velati continuous frozen meat cutter, model: Q.E. Tagliacarne F/3, serial number: 069-Q-T.04, year of construction: 09/2004, 400 V, 50 Hz, 59 A, 27 kW, s/s mesh belt, belt width: 400 mm, total dimensions: 2100 mm x 1600 mm x 2200 mm and 1200 mm x 1050 mm x 1150 mm.	2500
257	Attec Food Technology	Attec Food Technology circular saw with transport belt, type belt: RSL300, serial number: 10854, year of construction: 1995, total dimensions: 1400 mm x 1100 mm x 1600 mm. Missing saw blade.	1500
258	Weber Maschinenbau GmbH	Weber Maschinenbau GmbH mobile skinning and derinding machine, type: ASC 560, number: 170, 400 V, 50 Hz, 1.1 kW, plastic belt, belt width: 500 mm, working width: 550 mm, total dimensions: 2000 mm x 1100 mm x 1340 mm.	1500
259	Kolbe	Kolbe bandsaw, type: K320, table dimensions: 700 mm x 600 mm, total dimensions: 850 mm x 800 mm x 1700 mm.	1200
260	SFK Systems A/S	SFK Systems A/S circular saw with transport belt, type: S690-011-007, number: 30695-1003, year of construction: 2012-08, diameter blade: 690 mm, plastic belt, total dimensions: 2200 mm x 1200 mm x 1700 mm. Missing saw blade.	1500
269	Attec Food Technology	Attec Food Technology film wrapping machine with in- and outfeed transport belts, type: FWAL, series: 453, order number: 15860-001, year of construction: 2004, seal length: 1050 mm, plastic belts, belt width: 1000 mm and 750 mm, total dimensions: 6200 mm x 1700 mm x 1830 mm.	2000
270	Attec Food Technology	Attack Food Technology film wrapping machine with transport belt, type: FWAL, series: 453, order number: 15860-001, year of construction: 2004, seal length: 1050 mm, plastic belt, belt width: 1000 mm, total dimensions: 3400 mm x 170 mm x 1830 mm. Including extra parts.	2000
271	Metrisoft KFT / Sato	Metrisoft KFT weighing scale, type: MSAR-150-1/22, number: 07-09, 230 V, 50 Hz, minimum load: 0.1 kg, maximum load: 15 kg, e=0.005 kg, dimensions scale: 400 mm x 300 mm, with Sato label printer, model: M-5900Rve, serial number: 6B520016, 100-120/200-240 V, 50/60 Hz, 3/1.5 A, total dimensions: 1200 mm x 700 mm x 1450 mm.	150

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
 - To consolidate articles into lots, to split lots and take lots from the auction;
 - To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
 - Lots whether or not to allocate;
 - To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;
- 8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
- 8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

[illegible]

