

1932: Online auction machinery for the food
industry in Kapelle (NL)

END DATE

02 October 2025 14:00

General terms and conditions of the online auction

End date	02 October 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	09 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Amfoor 6 4421 SE Kapelle Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	MHS Schneidetechnik GmbH	MHS Schneidetechnik GmbH slicer with infeed belt, type: IC610/21, serial number: 010604, year of construction: 2004, 400 V, 15.25 A, 6.1 kW, plastic belt, belt width: 610 mm, dimensions chamber: 210 mm x 210 mm, total dimensions: 2400 mm x 800 mm x 1500 mm, dimensions infeed belt: 2700 mm x 860 mm x 1500 mm.	1500
2	Jasa Packaging Solutions	Jasa Packaging Solutions double transport belt on s/s frame, model: 19100060300000, machine number: 14666, year of construction: 2019, 230 V, 3 Ph, 0.37 kW, 1.7 A, weight: 110 kg, belt width: (2x) 350 mm, belt length: (2x) 1400 mm, total dimensions: 3400 mm x 1450 mm x 2000 mm.	750
3	NN elevating belt	Elevating belt, steel frame, plastic belt, belt width: 300 mm, elevating height: 780 mm, total dimensions: 2000 mm x 550 mm x 850 mm.	50
4	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slicer and portion cutter, model: FALCON conti, machine number: 461005.154538.110208, year of construction: 2011, 380-480 V, 3 Ph, 50/60 Hz, 32 A, 8.6 kW, weight: 750 kg, plastic belt, belt width: 220 mm, clearance: 290 mm x 180 mm, total dimensions: 4630 mm x 1300 mm x 1900 mm.	10000
5	Vemag	Vemag co-extrusion machine, model: HP Coex, number: 172 0136, year of construction: 2020, 400-460 V, 3 Ph, 50/60 Hz, 2 A, 1.3 kW, 269 kg, Vemag vacuum pump, type: KC 0016 E 320, serial number: CZM120160352, year of construction: 2020, capacity: 19 m ³ per hour, dimensions: 1200 mm x 700 mm x 1750 mm.	4000
6	Servolift GmbH	Servolift GmbH lifter for barrels, type: mob. Fass-Hubsäule, serial number: 10905, year of construction: 2004, capacity: 160 kg, lifting height: 3300 mm, total dimensions: 1850 mm x 800 mm x 2300 mm.	1000
7	Rühle	Rühle cooled vacuum tumbler / mixer with lifter for 200 liter meat bins, model: MGR 400, serial number: 10110144, year of construction: 2015, 400 V, 50 Hz, 8.9 kW, volume: 400 liter, Busch vacuum pump, capacity: 10 m ³ per hour, dimensions: 2200 mm x 2100 mm x 2200 mm.	10000
8	Hoegger	Hoegger separator, type: FS 300, number: 067, year of construction: 2004, 400 V, 50 Hz, 6 kW, diameter outfeed: 65 mm, total dimensions: 1450 mm x 1280 mm x 1750 mm. Including tool rack and pallet with parts.	1000

Nr	Title	Description	Start €
9	Novopac s.r.l.	Novopac s.r.l. sleeve wrapper and shrinking machine, type: AND 070M-SP, serial number: 4560219, year of construction: 2019, 400 V, 50 Hz, 6 A, 23 kW, plastic infeed belt, belt width: 350 mm, film width: 550 mm, belt width shrinking tunnel: 600 mm, clearance: 770 mm x 480 mm, total dimensions: 4100 mm x 1500 mm x 2650 mm.	1000
10	Alpma	Alpma high speed portioning machine, type: CUT25/M, number: 5225.220.08, year of construction: 2009, weight: 1250 kg, capacity: 150 pieces per minute, plastic belt, belt width: 340 mm, knife width: 200 mm, total dimensions: 3100 mm x 1550 mm x 2050 mm. Including pallet box with parts.	6000
11	Handtmann	Handtmann mobile vacuum filling machine, type: VF300, number: 2804, year of construction: 1997, 400 V, 50 Hz, 21.8 A, 9 kW, dimensions: 1150 mm x 950 mm x 2050 mm. Incomplete.	2500
12	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: Robot 3000DC, type: 124, number: 1240611-1, 380 V, 3 Ph, 29/63 A, dimensions: 2100 mm x 1200 mm x 2350 mm. Incomplete.	1500
13	Vemag	Vemag vacuum filling machine with lifter for 200 liter meat bins, model: ROBOT HP10, type: 140/350 B-1, number: 140 0444, year of construction: 1995, 220-460 V, 3 Ph, 50/60 Hz, 21/63 A, with Rietschle vacuum pump, type: VCE 25, number: 1569062, dimensions: 2100 mm x 1200 mm x 2350 mm.	3000
14	Handtmann	Handtmann vacuum filling machine, type: VF 200 B, number: 1057, 420 V, 50 Hz, 15.6 A, 6.5 kW, dimensions: 950 mm x 950 mm x 2200 mm.	2000
15	Handtmann	Handtmann vacuum filling machine with lifter for meat bins, type: VF300B, number: 2645, 400 V, 50 Hz, 23.6 A, 9.5 kW, Becker vacuum pump, type: U 1.16SA-31, number: B 2678255, year of construction: 2012, capacity: 16 m ³ per hour, dimensions: 1700 mm x 1400 mm x 1970 mm.	2000
16	Vemag	Vemag vacuum filling machine, model: Robot 4000DC, type: 130, number: 1300053-1, 380 V, 50 Hz, 33/63 A, dimensions: 1400 mm x 1250 mm x 1040 mm. Including pallet with parts.	1500
17	Nawi BV	Nawi BV transport belt, s/s frame, type: 9761, year of construction: 2002, plastic mesh belt, belt width: 280 mm, total dimensions: 1500 mm x 570 mm x 1070 mm.	200

Nr	Title	Description	Start €
18	Automotion Systems	Automotion Systems tray filling machine, type: FST204, year of construction: 2014, 400 V, 3 Ph, 16 A, 4 kW, 2.5 bar, plastic belt with dividers, belt width: 165 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions tray filler: 1000 mm x 1400 mm x 2000 mm, including infeed belt, belt width: 265 mm, total dimensions: 1900 mm x 500 mm x 1000 mm. Including transport belt, s/s frame, plastic belt, belt width: 285 mm, total dimensions transport belt: 3850 mm x 430 mm x 1060 mm.	400
19	Multipond	Multipond mobile multihead weigher, 14 heads, type: MP 1401-F, year of construction: 1998, 230 V, 1 Ph, 50 Hz, weighing range: 20 - 100 gram, total dimensions: 2100 mm x 1250 mm x 3250 mm. Including s/s trolley for bins, dimensions trolley: 1450 mm x 800 mm x 1730 mm.	7000
20	Cryovac	Cryovac horizontal form, fill and seal machine, type: CJ55 MD-BDF, serial number: A91600205, year of construction: 2000, 400 V, 50 Hz, 8 A, 5 kW, plastic belt, belt width: (2x) 200 mm, seal width: 250 mm, clearance: 200 mm x 60 mm, total dimensions: 5000 mm x 1100 mm x 2300 mm.	2000
21	Blueprint Automation	Blueprint Automation tilting device for boxes, type: FBC01, serial number: V1081, year of construction: 06-2006, 400 V, 3 Ph, 50 Hz, plastic belts, belt width: 360 mm and 60 mm, working width: 320 mm, total dimensions: 3600 mm x 1200 mm x 1600 mm.	1500
22	Loma Systems	Loma Systems metal detector on mobile elevating belt, type: Blue IQ3 ST, serial number: Q3B55-10-28060D, year of construction: 17.3.2015, 110-240 V, 1 Ph, 50/60 Hz, 0.3-0.6 A, plastic belt, belt width: 410, clearance: 550 mm x 30 mm, elevating height: 1750 mm, total dimensions: 4600 mm x 1030 mm x 1760 mm.	750
23	Loma Systems	Loma Systems mobile metal detector on elevating belt with dividers, model: IQ ² , belt width: 600 mm, distance between dividers: 150 mm, divider height: 20 mm, elevating height: 1400 mm, clearance: 3100 mm x 1250 mm x 1800 mm.	500
24	Matco	Matco pallet wrapper, type: A618Z PREA, serial number: MA-99111, year of construction: 01/1999, 400 V, 3 Ph, 50 Hz, 765 kg, steel platform, diameter platform: 1750 mm, total dimensions: 3000 mm x 1750 mm x 2600 mm.	400

Nr	Title	Description	Start €
25	Matco	Matco pallet wrapper, type: A616L PRE-EL, serial number: MA04250, year of construction: 2005, 400 V, 3 Ph, 50 Hz, weight: 760 kg, maximum load: 1500 kg, diameter platform: 1600 mm, total dimensions: 2850 mm x 1600 mm x 2590 mm.	400
26	Youngsunpack	Youngsunpack pallet wrapper, type: MHFG2000B, serial number: E114811, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 1250 W, diameter platform: 1640 mm, total dimensions: 3000 mm x 1650 mm x 2780 mm.	600
27	Meiwa	Meiwa pallet wrapper, type: WP1 EVC, serial number: E0701347, year of construction: 11/2007, 220 V, 60 Hz, 1000 W, steel platform, diameter platform: 1650 mm, total dimensions: 2650 mm x 1650 mm x 2820 mm.	400
28	Bodijn	Bodijn slicer used for meat, serial number: HAK 217219/2, year of construction: 2018, 230 V, 50 Hz, 2.2 A, 0.5 kW, weight: 600 kg, belt width: 545 mm, working width: 500 mm, total dimensions: 2700 mm x 1200 mm x 2100 mm.	2000
29	NN transport belt	Transport belt, s/s frame, plastic mesh belts with rollers, belt width: 450 mm, total dimensions: 2450 mm x 830 mm x 820 mm.	400
30	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1050 mm, total dimensions: 3500 mm x 570 mm x 1170 mm.	600
31	Cabinplant	Cabinplant separation tumbler, type: SEPERATORTROMLE, number: 8431, diameter drum: 350 mm, length: 1200 mm, Scanvaegt indicator, type: 411, max: 30 Kg, min: 0.2 Kg, e=0.01 Kg, dimensions weighing scale: 400 mm x 300 mm, total dimensions: 1750 mm x 1250 mm x 2100 mm.	1500
32	Esse Gi Packaging Systems	Esse Gi Packaging Systems vertical bag form-, fill- and seal machine, model: F 700 Syncro 35, serial number: 16/2010, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 14 kva, vertical seal length: 300 mm, horizontal seal length: 300 mm, total dimensions: 2750 mm x 1200 mm x 2010 mm.	1500
33	NN lift	S/s lift for 200 liter meat bins, elevating height: 2200 mm, total dimensions: 1550 mm x 850 mm x 2950 mm.	1000
34	Sartorius	Sartorius metaldetector on elevating belt, plastic mesh belt, belt width: 304 mm, clearance: 350 mm x 160 mm, elevating height: 950 mm, total dimensions: 2900 mm x 1150 mm x 2220 mm. Incomplete.	750

Nr	Title	Description	Start €
35	Machinefabriek Hendriks B.V.	Machinefabriek Hendriks B.V. horizontal slicer for cheese, type: Horizontale deelmachine 2, serial number: 20400, year of construction: September 2003, 400 V, 3 Ph, 50 Hz, 4.9 A, 3 kW, 10 kA, 6 bar, plastic rollers, roller width: 400 mm, total dimensions: 2700 mm x 1250 mm x 2050 mm.	2000
36	Hoonved	Hoonved dishwasher, type: EDI13BT, serial number: IC1271580913, 400 V, 3 Ph, 50 Hz, 26 A, 16.7 kW, dimensions: 1500 mm x 900 mm x 1850 mm.	600
37	Automotion Systems BV	Automotion Systems BV box filling machine, type: ARE008, year of construction: 2018, 400 V, 3 Ph, 16 a, 3 kW, plastic belts, belt width: 280 mm and 170 mm, distance between dividers: 150 mm, divider height: 150 mm, total dimensions: 2300 mm x 2000 mm x 1850 mm. Including crate with extra parts.	1800
38	NN grater	S/s grater, total dimensions: 1700 mm x 900 mm x 600 mm. Incomplete, technical condition unknown.	500
39	Ishida	Ishida distribution system for batch weigher, model: DISTRIBUTION SYSTEM, serial number: 580010225, year of construction: December 2015, dimensions: 1350 mm x 1100 mm x 1150 mm.	500
40	Henny Penny	Henny Penny mobile double fryer with 4 baskets, model: Computron 1500, dimensions inside: (2x) 360 mm x 440 mm, total dimensions: 850 mm x 830 mm x 1180 mm.	750
41	Norfo A/S	Norfo A/S portion cutter, type: B 34/35, serial number: 1088.80.366, year of construction: 03.06.05, 400 V, 3 Ph, 50/60 Hz, 14/32 A, 6 kW, plastic belt, belt width: 300 mm, total dimensions: 3050 mm x 1320 mm x 1930 mm.	2500
42	Karl Schnell	Karl Schnell mobile micro cutter, type: 112, serial number: 35458, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 91.1 A, 52.2 kW, weight: 542 kg, dimensions: 1700 mm x 1600 mm x 1150 mm.	8000
43	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 390 mm, total dimensions: 2900 mm x 960 mm x 1300 mm.	500
44	Sen Seitz Zenit	Sen Seitz Zenit filter, type: 40/30, number: 59505, year of construction: 1986, width: 3 mm, total dimensions: 1250 mm x 650 mm x 800 mm.	500
45	Cretel	Cretel crate washing machine, s/s chain conveyor with dividers, belt width: 450 mm, distance between dividers: 760 mm, divider height: 15 mm, total dimensions: 3650 mm x 1000 mm x 1720 mm. Including blower.	2500

Nr	Title	Description	Start €
46	Henny Penny	Henny Penny mobile double fryer with 2 baskets, model: Computron 1500, dimensions inside: (2x) 170 mm x 440 mm, total dimensions: 850 mm x 490 mm x 1180 mm.	400
47	Mesutronic GmbH	Mesutronic GmbH mobile metal detector, type: MN 7.2 450/350, serial number: 2311-CI, year of construction: 2024, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 420 mm, clearance: 450 mm x 320 mm, total dimensions: 2150 mm x 920 mm x 1350 mm.	5000
48	Blueprint Automation	Blueprint Automation packaging line used for fries, consisting of: Blueprint Automation elevating belt, type: PF-AP3, serial number: V-415/01/01, year of construction: 03-1997, belt width: 310 mm, elevating height: from 330 mm to 1400 mm, total dimensions: 3450 mm x 900 mm x 1680 mm, OCS x-ray scanner, type: SC, serial number: 81100430, year of construction: 2016, plastic belt, belt width: 610 mm, clearance: 570 mm x 280 mm, total dimensions: 1660 mm x 1250 mm x 2400 mm, OCS checkweigher, type: HC, serial number: 1007558, year of construction: 2016, min: 500 gram, max: 550 gram, belt width: 410 mm, Eia metal detector with 2 rejectors, belt width: 410, clearance: 500 mm x 170 mm, total dimensions: 4000 mm x 1200 mm x 2180 mm, Blueprint Automation box filling machine, type: MGC-AM1, serial number: V-415/05/01, year of construction: 03-1997, plastic belt, belt width: 330 mm, 380 mm, 425 mm, 450 mm, total dimensions: 3700 mm x 2050 mm x 1550 mm, NN mobile transport belt, plastic belt, belt width: 330 mm, total dimensions: 2150 mm x 650 mm x 1050 mm, Blueprint Automation check weigher, type: XN1, serial number: V537/5, year of construction: 05-1999, roller width: 400 mm, total dimensions: 800 mm x 600 mm x 1650 mm, Blueprint Automation vibrating gutter with press, type: XL 4, serial number: V-415/08/01, year of construction: 03-1997, plastic belt, belt width: 330 mm, dimensions press: 340 mm x 230 mm, total dimensions: 1100 mm x 800 mm x 2250 mm, Siat box closing machine, model: SA11-S, serial number: SA11XA33SP000550007, year of construction: 2013, clearance: 250 mm x 190 mm, total dimensions: 2000 mm x 1200 mm x 2200 mm, Roller conveyor, plastic rollers, roller width: 520 mm, total dimensions: 1020 mm x 550 mm x 970 mm, including 3 pallets.	25000

Nr	Title	Description	Start €
49	Automation Systems	Automation Systems outfeed belt with weighing and sorting line, type: DNT101, year of construction: 2015, 400 V, 3 Ph, 18 A, 7 KW, plastic belt, belt width: 190 mm, 405 and 50 mm, tray dimensions: 175 mm x 125 mm, distance between dividers: 245 mm, total dimensions: 5750 mm x 2000 mm x 2150 mm.	4000
50	BG Pack SpA	BG Pack SpA flowpacker with labelling machine, model: BG2800 EWL210-Left, serial number: 99404, year of construction: 2011, 400 V, 50 Hz, 32 A, 10 kW, plastic belt, belt width: 150 mm, film width: 400 mm, total dimensions: 4600 mm x 1450 mm x 2300 mm. Including s/s trolley with parts and pallet with parts, dimensions trolley: 1100 mm x 600 mm x 1150 mm.	4000
51	Ishida	Ishida 14-heads multihead weigher, model: CCW-EM-214W-S/50-WR, serial number: 555175, year of construction: 2005, 220 V, 1 Ph, 50 Hz, 7 A, weight: 920 kg, dimensions: 1850 mm x 1700 mm x 2200 mm. Including pallet box with parts, dimensions pallet box: 1200 mm x 1000 mm x 1250 mm. Including s/s trolley, dimensions: 1710 mm x 700 mm x 2000 mm.	3500
52	Urschel Laboratories	Urschel Laboratories slicer, model: 1700, serial number: 2639, diameter drum: 155 mm, total dimensions: 1350 mm x 900 mm x 1900 mm.	5000
53	Lantech	Lantech carton erector, model C-1000-Hotmelt, serial number: SM20164280, year of construction: 06-jul-2016, 400 V, 3 Ph, 50 Hz, 4.37 kW, Robatech glue unit, type: Concept C 5/2, serial number: 11111103-001, year of construction: 2016, plastic belts, belt width: 65 mm, dimensions plano: 680 mm x 450 mm, total dimensions: 2400 mm x 2300 mm x 2600 mm.	8000
54	Ftnon Food Tech	Ftnon Food Tech blancher with Ghidini Benvenuto S.R.L. boiler and water softener, serial number: 11022, s/s belt, belt width: 290 mm, total dimensions blancher: 3700 mm x 1250 mm x 1850 mm, Ghidini Benvenuto S.R.L. boiler, model: MAXI 60, serial number: 200329, year of construction: 2020, 400 V, 3 Ph, 50 Hz, dimensions boiler: 750 mm x 680 mm x 900 mm, dimensions water softener: 800 mm x 600 mm x 1220 mm.	6000
55	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1000 mm x 1000 mm x 1170 mm.	400

Nr	Title	Description	Start €
56	Upmann Verpackungsmaschinen	Upmann Verpackungsmaschinen tray denester, type: 606-2, machine number: 09122580, year of construction: 2012, 380 V, 50 Hz, 2.5 kW, 4 nests, clearance: (4x) 210 mm x 240 mm, total dimensions: 1600 mm x 1600 mm x 2100 mm.	1250
57	Anritsu	Anritsu checkweigher and metal detector with rejectors, type checkweigher: KW5417BP5D, serial number: 4600173649, 100-120 / 200-240 Vac, 1 Ph, 50/60 Hz, maximum weight: 1500 / 3000 gram, minimum weight: 20 gram, e=d=0.5 / 1 gram, T= -1500 / -3000 gram, type metal detector: KD1125AW, serial number: 4600162333, plastic belt, belt width: 350 mm, clearance: 450 mm x 130 mm, total dimensions: 2250 mm x 1450 mm x 1550 mm.	1500
59	Machinefabriek Hendriks B.V.	Machinefabriek Hendriks B.V. cheese scraper, type: Kaasschraper ronde kaas, serial number: 33400, year of construction: 11-2008, 400 V, 3 Ph, 50 Hz, 3.65 A, 5 kW, clearance: 140 mm x 140 mm, total dimensions: 3350 mm x 1500 mm x 2150 mm. Including s/s switch cabinet, dimensions switch cabinet: 1000 mm x 400 mm x 2300 mm.	2500
60	Jansen Techniek	Jansen Techniek checkweigher with rejector, model: checkweigher, type: reject, year of construction: 2018, plastic mesh belt, belt width: 250 mm, clearance: 260 mm x 285 mm, plastic rollers, roller width: 315 mm, total dimensions: 1300 mm x 2550 mm x 1500 mm.	2000
61	Multipond	Multipond 20-heads multihead weigher, type: MP 20-3800/1250-H, serial number: M 2718, year of construction: 2011, 416 V, 3 Ph, 50/60 Hz, maximum weight: 3000 gram, minimum weight: 50 gram, e=0.5 gram, d=1.0 gram, T=150 gram, total dimensions: 2600 mm x 2200 mm x 1300 mm.	12500
62	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 0250801, year of construction: 2001, 400/230 V, 3 Ph, 3 kW, weight: 450 kg, dye dimensions: 300 mm x 250 mm, string outfeed belt, belt width: 230 mm, total dimensions: 5400 mm x 700 mm x 1900 mm. Without rollie.	2000
64	Multipond	Multipond 14-heads multihead weigher, type: MP 1434-F, fabrication number: M 1420, year of construction: 2001, 230 V, 50 Hz, maximum weight: 2400/6000 gram, e= 1/2 gram, dimensions: 1550 mm x 1900 mm x 1300 mm. Including pallet with infeed hopper.	2500

Nr	Title	Description	Start €
65	Saclark	Saclark rollstock bag filling machine, type: SCH 35, number: 166 06, year of construction: 2006, 220 V, 3 Ph, 50 Hz, net width: 900 mm, plastic belt, belt width: 300 mm, total dimensions: 4000 mm x 1000 mm x 1800 mm.	2000
66	Upmann Verpackungsmaschinen	Upmann Verpackungsmaschinen linear weigher, type: 2610, machine number: 02121889, year of construction: 2012, 380 V, 50 Hz, 4.0 kW, 10 lanes, lane width: 100 mm, plastic outfeed belt, belt width: 180 mm, total dimensions: 2100 mm x 1550 mm x 1970 mm. Including s/s switch cabinet, dimensions switch cabinet: 800 mm x 300 mm x 1670 mm.	2500
69	Machinefabriek Hendriks B.V.	Machinefabriek Hendriks B.V. cheese scraper, type: KAASCHRAPER II, serial number: 8900.001, year of construction: 2000, clearance: 130 mm x 180 mm, total dimensions: 3400 mm x 1500 mm x 2280 mm.	2500
70	G. Mondini S.p.A.	G. Mondini S.p.A. traysealer, machine type: CV/VG, machine number: 3382/07-1, year of construction: 2007, dye: (2x) 146 mm x 198 mm, film width: 270 mm, Busch vacuum pump, type: RA 0040 F 5R3, number: 070052960, year of construction: 2007, capacity: 40 m³ per hour, total dimensions: 1100 mm x 1000 mm x 1650 mm.	250
71	Kilia	Kilia cutter, type: KU 90 1 3000RS, number: 109212617, year of construction: 1992, 380 V, s/s bowl, volume: 90 liter, dimensions: 1450 mm x 1400 mm x 1150 mm.	3000
72	Sealpac	Sealpac traysealer, type: Sealpac 500, serial number: TVG 0264901, year of construction: 2002, 400/230 V, 3 Ph, 3 kW, weight: 500 kg, dye: 304 mm x 245 mm, Witt-Gasetechnik gas mixing station, type: KM 100-3 MEM, serial number: 905513, date: 2009, gas: C02/02/N2, dimensions: 4200 mm x 700 mm x 1750 mm.	2000
73	Prewa	Prewa mobile vertical form-, fill-, and seal machine, type: 250, film width: 355 mm, seal length: 270 mm, total dimensions: 2800 mm x 2150 mm x 2050 mm.	2500
74	Kolbe	Kolbe bandsaw, type: K330S, serial number: 98 0813, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 24 VDC, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions saw table: 760 mm x 580 mm, total dimensions: 760 mm x 720 mm x 1800 mm.	1500
75	Kolbe	Kolbe bandsaw, type: K330S, serial number: 98 0722, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 24 VDC, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions saw table: 760 mm x 580 mm, total dimensions: 760 mm x 720 mm x 1800 mm.	1500

Nr	Title	Description	Start €
76	Kolbe	Kolbe bandsaw, type: K330S, serial number: 98 0618, year of construction: 2013, 400 VAC, 3 Ph, 50 Hz, 24 VDC, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions saw table: 760 mm x 580 mm, total dimensions: 760 mm x 720 mm x 1800 mm.	1500
77	Kolbe	Kolbe bandsaw, type: K330S, serial number: 98 0721, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 24 VDC, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions saw table: 760 mm x 580 mm, total dimensions: 760 mm x 720 mm x 1800 mm.	1500
78	Kolbe	Kolbe bandsaw, type: K 330 S, serial number: 98 1082, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 24 VDC, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions saw table: 760 mm x 580 mm, total dimensions: 760 mm x 720 mm x 1800 mm.	1500
79	Kolbe	Kolbe bandsaw, type: K 330 S, serial number: 98 1082, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 24 VDC, 3.4 A, 1.5 kW, weight: 150-155 kg, dimensions saw table: 760 mm x 580 mm, total dimensions: 760 mm x 720 mm x 1800 mm.	1500
80	Mettler Toledo Safeline	Mettler Toledo Safeline mobile pipeline metal detector, 100-240 V, 50/60 Hz, 300 W, diameter clearance: 55 mm, total dimensions: 860 mm x 520 mm x 1440 mm.	500
81	K+G Wetter	K+G Wetter grinder, machine number: 418-1066, year of construction: 2004, 230/400 V, 3 Ph, 50 Hz, 32/35 A, 16 kW, plate diameter: 130 mm, total dimensions: 1350 mm x 950 mm x 1680 mm.	2500
82	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 4250 mm x 850 mm x 1150 mm.	750
84	AEW Delford	AEW Delford checkweigher with labelling machine, type checkweigher: 8060, fabrication number: 81133, year of construction: 2005, 230 V, 50 Hz, maximum weight: 1500-4000 gram, minimum weight: 20-40 gram, e =1-2 gram, T = -1000 gram, type labeller: 8000, plastic belt, belt width: (2x) 90 mm and 195 mm, dimensions checkweigher: 1500 mm x 700 mm x 1630 mm and dimensions labelling machine: 1200 mm x 700 mm x 1530 mm.	1000
86	Tetra Laval Food	Tetra Laval Food belt fryer, type: BRN 4500/700, machine number: BRN4500/700-1046, year of construction: 1995, 415 V, 3 Ph, 50 Hz, 17.87 A, 6.47 kW, weight: 4140 kg, s/s belt, belt width: 700 mm, total dimensions: 8300 mm x 2000 mm x 3450 mm. Including s/s mobile filter tub, dimensions: 1300 mm x 750 mm x 500 mm.	10000

Nr	Title	Description	Start €
87	Stephan	Stephan cheese processing machine, type: TC 300, machine number: 716.815, number: 2878172, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 67 kW, 123 A, dimensions: 3500 mm x 1800 mm x 2400 mm. Including s/s switch cabinet, dimensions: 2350 mm x 700 mm x 2200 mm.	25000
88	Koppens	Koppens belt fryer, s/s mesh belt, belt width: 600 mm, total dimensions: 5500 mm x 1400 mm x 2950 mm. With Buls system and s/s frame with 2 silos for oil and pallet with switch cabinet and hoists.	15000
89	Koppens	Koppens belt fryer, type: HLT 8000/600, machine number: HLT 8000/600-53, 380 V, 3 Ph, 50 Hz, 19.38 A, 8.05 kW, weight: 3500 kg, s/s belt, belt width: 600 mm, total dimensions: 8100 mm x 2100 mm x 2950 mm.	25000
90	Lantech	Lantech case erector, model: C-1000-Hotmelt, serial number: SM20154200, year of construction: 26 may 2015, 400 V, 3 Ph, 50 Hz, 4.37 kW, air supply: 87.0 PSI / 6.0 Bar, Robatech glue unit, type: Concept C 5/2, plastic infeed belts, belt width: (2x) 65 mm, total dimensions: 3000 mm x 2300 mm x 2650 mm.	10000
91	Günther	Günther cooled vacuum tumbler, type: GPC 2200K, machine number: 26781, year of construction: 2001, 400 V, 32 A, 5 KW, Rietschle vacuum pump, total dimensions: 2400 mm x 2100 mm x 2200 mm.	3000
92	Ulma	Ulma mobile flowpacker, model: Nevada BS, number: 130052, year of construction: 2003, 380 V, 50 Hz, 23 A, 5 kW, ELS labelling machine, infeed belt with dividers, belt width: 150 mm, distance between dividers: 300 mm, divider height: 30 mm, seal width: 300 mm, total dimensions: 4500 mm x 1300 mm x 1150 mm.	5000
93	GEA	Outfeed belt for GEA slicer, type: Shingle Loader 600, serial number: 4040860453, year of construction: 2015, 400 V, 3 Ph, 15.0 A, plastic belts, belt width: (2x) 250 mm, (3x) 120 mm, (2x) 300 mm and (1x) 380 mm, plastic string conveyor, belt width: 360 mm, total dimensions: 5400 mm x 1700 mm x 2050 mm.	8000
95	EMVE i Astorp AB	EMVE i Astorp AB mobile elevating belt with infeed bunker, model: ELEVATO E 550x4000, serial number: 7753, year of construction: 2007, plastic belt with dividers, belt width: 390 mm, divider height: 20 mm, distance between dividers: 310 mm, elevating height: 2020 mm, total dimensions: 3900 mm x 1050 mm x 2020 mm.	1000

Nr	Title	Description	Start €
96	Newtec	Newtec linear weigher, 9 heads, type: 3009M, number: 8625, year of construction: 2007 (software year of construction: 2019), 220 V, 3 Ph, 60 Hz, 5 A, 1 kW, lane width: 130 mm, total dimensions: 1400 mm x 1500 mm x 2680 mm.	6000
97	Affeldt	Affeldt netting machine, type: AVN 929, number: 2080, year of construction: 2003, 400 V, 50 Hz, diameter clearance: 185 mm, total dimensions: 1850 mm x 1200 mm x 1800 mm.	2000
98	Novopac s.r.l.	Novopac s.r.l. bundling machine, plastic belt, belt width: 360 mm and 100 mm, total dimensions: 3200 mm x 1400 mm x 1850 mm. With pallet with infeed belt.	1000
99	C.M.O. Pompe	C.M.O. Pompe pump, model: MN 120-870/20, serial number: 8572/20, year of construction: 2020, weight: 240 kg, capacity: 250 liter per minute, dimensions: 2500 mm x 580 mm x 710 mm.	1000
100	Wellfood	Wellfood s/s turning table, model: Tavolo Rotante, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 0.18 kW, dimensions: Ø 1200 mm x 850 mm.	1200
101	NN turning table	S/s turning table, dimensions: Ø 1000 mm x 880 mm. New.	1200
102	NN turning table	S/s turning table, dimensions: Ø 1270 mm x 950 mm.	1000
103	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 850 mm.	750
104	Mettler Toledo Garvens	Mettler Toledo Garvens checkweigher, type: XE 3 DMS, fabrication number: 35006719, year of construction: 2016, 100-240 V, 50-60 Hz, maximum weight: 2500 gram, minimum weight: 350 gram, e=d=: 2 gram, T=-2250 gram, plastic belt, belt width: 280 mm, total dimensions: 1350 mm x 1100 mm x 1700 mm.	2000
105	Mettler Toledo Garvens	Mettler Toledo Garvens checkweigher with rejector, type: PAS3012, number: 17000537, year of construction: 2007, 230 V, 50/60 Hz, 600 kPa, maximum: 7500 gram, plastic belt, belt width: 300 mm, total dimensions: 1750 mm x 1000 mm x 1850 mm.	1000
106	Ishida	Ishida checkweigher, model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557293, year of construction: 06/2007, 220 V, 1 Ph, 50 Hz, 3 A, plastic belt, belt width: 370 mm, total dimensions: 1070 mm x 850 mm x 1600 mm.	1000
107	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: XE 3 DMS, fabrication number: 35005493, year of construction: 2014, 100-240 V, 50-60 Hz, maximum weight: 3000 gram, minimum weight: 20 gram, e=d= 2 gram, T=-2700 gram, plastic belt, belt width: 300 mm, total dimensions: 1420 mm x 750 mm x 1400 mm.	1500

Nr	Title	Description	Start €
108	Thermo Scientific	Thermo Scientific checkweigher with rejector, model: VersaWeigh, serial number: 8500, year of construction: 2010, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, maximum speed: 1.2 m/s, plastic belt, belt width: 300 mm, total dimensions: 1250 mm x 1100 mm x 1550 mm.	600
110	Thermo Scientific	Thermo Scientific checkweigher, model: VersaWeigh, serial number: A132, year of construction: 2013, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, plastic belt, belt width: 300 mm, total dimensions: 1420 mm x 850 mm x 1570 mm.	600
111	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: XE 3, serial number: 35000253, year of construction: 2007, 230 V, 50 Hz, weighing range: 20-1500 gram, e=d= 1 gram, T= -1350 gram, plastic belt, belt width: 250 mm, total dimensions: 1050 mm x 700 mm x 1450 mm.	1500
112	Thermo Scientific	Thermo Scientific checkweigher, model: VersaWeigh, serial number: 7820, year of construction: 2008, 230 V, 50-60 Hz, minimum weight: 350 gram, maximum weight: 12000 gram, e=d= 5 gram, plastic belt, belt width: 290 mm, total dimensions: 1230 mm x 900 mm x 1550 mm. Technical condition unknown.	500
113	Ishida	Ishida checkweigher, model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557294, year of construction: 06/2007, 220 V, 1 Ph, 50 Hz, 3 A, weighing range: max 5000 gram, plastic belt, belt width: 370 mm, total dimensions: 1100 mm x 600 mm x 1900 mm.	750
114	Garvens Automation GmbH	Garvens Automation GmbH checkweigher with rejector, type: S3, serial number: 330078, year of construction: 1999, 230 V, 50 Hz, maximum: 800 gram, minimum: 20 gram, e= 0.5 gram, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 750 mm x 1500 mm.	750
115	Ishida	Ishida checkweigher , model: DACS-W-050-SB/SS-I-N(CTS), serial number: 557289, year of construction: 06/2007, 230 V, 1 Ph, 50 Hz, 3 A, maximum weighing range: 5000 gram, plastic belt, belt width: 370 mm, total dimensions: 1100 mm x 800 mm x 1800 mm.	750
116	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: ICS469-40 DMS, fabrication number: 14004952, year of construction: 2013, 230 V, 50 Hz, maximum weight: 35000 gram, d= 2 gram, plastic belt, belt width: 400 mm, total dimensions: 1050 mm x 800 mm x 1450 mm.	600

Nr	Title	Description	Start €
117	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0027-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d=0.2 gram, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm. Missing belt.	500
118	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0025-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d=0.2 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm.	500
119	Sartorius	Sartorius checkweigher with rejector, type: EWK3010, number: BO-GC2038AP0026-001, year of construction: 2008, 230 V, 50 Hz, 700 vA, e=d=0.2 gram, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 900 mm x 1700 mm.	500
120	NN ice breaker	Mobile ice breaker, clearance: 400 mm x 150 mm, total dimensions: 1850 mm x 1450 mm x 1950 mm.	750
121	Loma Systems	Loma Systems metal detector with rejector, number: 10960, year of construction: 2003, 400 V, 0.6 kW, plastic mesh belt, belt width: 400 mm, clearance: 450 mm x 140 mm, total dimensions: 1200 mm x 1000 mm x 1180 mm.	600
122	Zomerdam	Zomerdam metal detector with rejector, number: 010-1056-CI, plastic belt, belt width: 200 mm, clearance: 250 mm x 70 mm, total dimensions: 1350 mm x 800 mm x 1200 mm.	750
123	NN elevating belt	Elevating belt, plastic belt with dividers, s/s frame, belt width: 445 mm, divider height: 27 mm, distance between dividers: 230 mm, elevating height: 1150 mm, total dimensions: 2650 mm x 780 mm x 1200 mm.	500
124	Webomatic	Webomatic mobile diptank, type: ST40/60-II-RPF-H, machine number: 70TH2031, 400 V, 3 Ph, 50 Hz, 14.8 A, 9.3 kW, plastic infeed rollers, roller width: 350 mm, clearance: 600 mm x 400 mm, total dimensions: 1300 mm x 650 mm x 1730 mm.	600
125	Loma Systems	Loma Systems mobile metal detector, model: IQ2, serial number: DMC60564-03795D, year of construction: 2006, 380 V, 3 Ph, 50 Hz, 1.2 A, plastic mesh belt, belt width: 300 mm, clearance: 250 mm x 130 mm, total dimensions: 2100 mm x 850 mm x 1150 mm.	1000
126	Cryovac	Cryovac mobile vacuum machine, seal length: 440 mm, dimensions chamber: 580 mm x 450 mm, with Rietschle vacuum pump, type: VCA 40, number: 1442424, year of construction: 2002, capacity: 40 m ³ per hour, total dimensions: 700 mm x 650 mm x 950 mm. Missing seal bar.	500

Nr	Title	Description	Start €
127	Audion Elektro	Audion Elektro mobile bag sealing machine, type: VIS 750-2, serial number: 971047005028, year of construction: 1992, 230 V, 50 Hz, 1975 W, seal length: 750 mm, total dimensions: 1050 mm x 850 mm x 1480 mm.	500
128	Ceia	Ceia pipeline metal detector on mobile platform, model: T/G21E-175, serial number: 21300221075, year of construction: 2013, 100-240 V, 1 Ph, 50/60 Hz, 2.2 A, clearance: Ø 170 mm, total dimensions: 1250 mm x 1150 mm x 1600 mm.	400
129	Mesutronic GmbH	Mesutronic GmbH mobile metal detector with rejector, type: MN 7.2 300/250, serial number: 2313-Cl, year of construction: 2024, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 420 mm, clearance: 450 mm x 320 mm, total dimensions: 2250 mm x 950 mm x 1350 mm.	4000
130	Automac S.P.A.	Automac S.P.A. mobile packaging machine, model: B.204, number: 3208, year of construction: 1998, 230 V, 2 Ph, 50 Hz, 1.95 kW, weight: 150 kg, string infeed belt, belt width: 330 mm, plastic outfeed belt, belt width: 1150 mm x 1050 mm x 1350 mm.	500
131	Lock Inspection Systems Ltd.	Lock Inspection Systems Ltd. mobile metal detector, year of construction: 2004, plastic belt, belt width: 400 mm, clearance: 450 mm x 210 mm, total dimensions: 2000 mm x 900 mm x 1550 mm.	200
132	Loma Systems	Loma Systems mobile metal detector with rejector, model: Loma IQ ² , model: MHIOEU, serial number: 35291, year of construction: June 2004, 85-265 V, 50-60 Hz, plastic mesh belt, belt width: 400 mm, clearance: 445 mm x 140 mm, total dimensions: 1820 mm x 920 mm x 1100 mm.	1250
133	Loma Systems	Loma Systems pipeline metal detector with rejector, model: DTL121135, serial number: 53537F, year of construction: 2013, 200 V, 60 Hz, 0.4 A, diameter pipe: 200 mm, total dimensions: 910 mm x 800 mm x 1950 mm.	1250
134	Safeline	Safeline metal detector with rejector, serial number: 41261, year of construction: 4/2000, 100-240 Vac, 50/60 Hz, 330 W, plastic belt, belt width: 327 mm, clearance: 350 mm x 95 mm, total dimensions: 1550 mm x 1180 mm x 1130 mm.	750
135	Loma Systems	Loma Systems metal detector with rejector, model: IQ ³ +, serial number: MDP301-11193D, year of construction: 30.10.2009, 85-265 V, 50-60 Hz, plastic belt, belt width: 300 mm clearance: 350 mm x 110 mm, total dimensions: 1750 mm x 1450 mm x 1230 mm.	1800

Nr	Title	Description	Start €
136	N&N	N&N mobile tilting device for meat bins, type: SWING LOADER PZ-3/250, serial number: 1004, year of construction: 2016, 230 V, 50 Hz, 0.75 kW, weight: 186 kg, capacity: 250 kg, dimensions: 1300 mm x 1000 mm x 1300 mm.	2000
137	Gaser	Gaser mobile meat ball forming machine, model: S-1500-P, serial number: 3432-4174, year of construction: 2012, diameter forms: 25 mm, 30 mm and 32.5 mm, total dimensions: 650 mm x 500 mm x 1500 mm.	800
138	Jures / Speck	Jures / Speck high pressure unit, type: P41/58-110, number: 190405, year of construction: 11/97, 400 V, 11.50 kW, P maximum: 110 bar, T maximum: 70°C, dimensions: 1300 mm x 900 mm x 1400 mm.	400
139	Safeline	Safeline metal detector, serial number: 41262, year of construction: 4/2000, 100-240 Vac, 50/60 Hz, 330 W, plastic belt, belt width: 430 mm, clearance: 450 mm x 95 mm, total dimensions: 1750 mm x 1050 mm x 1130 mm.	750
140	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector with rejector, 100-240 V, 50/60 Hz, 330 W, plastic belt, belt width: 210 mm, clearance: 250 mm x 90 mm, total dimensions: 1100 mm x 800 mm x 1530 mm.	800
141	Sartorius	Sartorius mobile metal detector, type: MDP Plus-C 40x30, number: BO-61550040030, year of construction: 2008, 85-264 V, 47-440 Hz, 80 VA, plastic mesh belt, belt width: 355 mm, clearance: 350 mm x 125 mm, total dimensions: 1600 mm x 1000 mm x 1430 mm.	1250
142	Safeline / Mettler Toledo	Safeline / Mettler Toledo metal detector, plastic belt, belt width: 480 mm, clearance: 445 mm x 210 mm, total dimensions: 1100 mm x 1000 mm x 1100 mm.	800
143	Mesutronic GmbH	Mesutronic GmbH mobile metal detector, type: MN 7.0 CI 550/350, serial number: 1063-CI, year of construction: 2024, 100-240 V, 50/60 Hz, 1.25 A, calibrated until March 2026, plastic mesh belt, belt width: 520 mm, clearance: 550 mm x 320 mm, total dimensions: 2150 mm x 1050 mm x 1450 mm.	6000
144	Mesutronic GmbH	Mesutronic GmbH mobile metal detector with rejector, type: MN 7.2 CI 550/400, serial number: 2308-CI, year of construction: 2024, 100-240 V, 50/60 Hz, 1.25 A, plastic mesh belt, belt width: 520 mm, clearance: 550 mm x 370 mm, total dimensions: 2250 mm x 1000 mm x 1400 mm.	6000

Nr	Title	Description	Start €
145	Lock Inspection Systems Ltd.	Lock Inspection Systems Ltd. metal detector with rejector, model: MET 30+, serial number: 45296/1, year of construction: 12/10, 230 V, 1 Ph, 50 Hz, 0.8 A, 5.5 bar, plastic belt, belt width: 300 mm, clearance: 350 mm x 170 mm, total dimensions: 1500 mm x 1100 mm x 1300 mm.	2000
146	Amika	Amika dishwasher, inside dimensions: 500 mm x 500 mm, total dimensions: 900 mm x 700 mm x 1800 mm.	100
147	Stephan alvac	Stephan alvac vacuum machine on mobile s/s frame, type: Alvac I 90, machine number: 9114-4210, 230 V, 1 Ph, 50 Hz, 4.9 A, 0.75 kW, Busch vacuum pump, type: 021-336, seal length: 420 mm, dimensions chamber: 430 mm x 380 mm, total dimensions: 500 mm x 480 mm x 1070 mm.	200
148	Mainca	Mainca mobile cutter, model: CM-41, number: 3285, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 19 A, 8.6 kW, s/s bowl, volume bowl: 40 liter, s/s knives, 2 speeds, dimensions: 1300 mm x 900 mm x 1100 mm. Including extra knife set.	2500
150	Loma Systems	Loma Systems metal detector with rejector, model: IQ3+, serial number: AMC44407-45020F, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 1.2 A, plastic mesh belt, belt width: 305 mm, clearance: 350 mm x 160 mm, total dimensions: 1800 mm x 1000 mm x 1180 mm.	750
151	Safeline	Safeline metal detector, plastic belt, belt width: 250 mm, clearance: 245 mm x 65 mm, total dimensions: 2550 mm x 950 mm x 1150 mm.	500
152	Zomerdam	Zomerdam metal detector with rejector, type: MN 5.1 CI 250/100, serial number: 910816-CI, year of construction: 2009, 100/240 V, 50/60 Hz, 50/300 mA, string belt and plastic belt, belt width: 265 mm, clearance: 500 mm x 107 mm, total dimensions: 850 mm x 1850 mm x 1100 mm.	750
153	Bizerba	Bizerba weighing and labelling machine, model: GLE and GT-6M, number: 10853612 and 10853356, plastic belt, belt width: 298 mm, total dimensions: 2000 mm x 1000 mm x 1450 mm.	2500
154	Soco System	Soco System mobile box closing machine, model: T-10, machine number: 59-2007, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 1.5 A, plastic rollers, roller width: 600 mm, clearance: 290 mm x 290 mm, total dimensions: 1100 mm x 850 mm x 1750 mm.	500

Nr	Title	Description	Start €
155	Siat	Siat box closing machine, model: S8-S, serial number: 50266, year of construction: 2004, 220/240 V, 1 Ph, 50 Hz, 2 A, 0.18 kW, dimensions: 1000 mm x 900 mm x 1430 mm.	200
156	Comarme	Comarme box closing machine with bottom taper, model: GEM/52, serial number: AW024368, year of construction: 2005, 400 V, 50 Hz. 0.8 A, 184 W, weight; 77 kg, steel rollers, roller width: 520 mm, plastic belt, belt width: 50 mm, total dimensions: 1300 mm x 830 mm x 850 mm.	50
157	NN turning table	S/s turning table, dimensions: Ø 1200 mm x 1040 mm.	500
158	BCK Holland	BCK Holland s/s turning table, type: RVS Buffertafel, serial number: 144740-010, year of construction: 2014, dimensions: Ø 1250 mm x 850 mm.	750
159	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher, type: XE 3 DMS, number: 35005496, year of construction: 2014, 100-240 V, 50/60 Hz, weighing range: 20-3000 gram, e=d= 2 gram, t= - 2700 gram, plastic belt, belt width: 300 mm, total dimensions: 1330 mm x 710 mm x 1430 mm.	2000
160	Boska	2 Boska cheese slicers, dimensions pallet: 1200 mm x 800 mm x 1200 mm.	200
161	Bosch	Bosch checkweigher, type: KWE 6000 A, year of construction: 2014, serial number: 721586, 230 V, 50 Hz, 24 VDC, max: 800 gram, min: 80 gram, e= 0.5 gram, plastic belt, belt width: 250 mm, total dimensions: 1200 mm x 800 mm x 1700 mm.	500
162	Deighton Manufacturing UK LTD	Deighton Manufacturing UK LTD mobile hamburger forming machine with outfeed belt, diameter forms: 85 mm, belt width: 140 mm, total dimensions: 720 mm x 770 mm x 1600 mm.	1400
163	Garland	Garland mobile double press grill, model: XG24, serial number: 1104100101234, 230 V, 50 Hz, 8500 W, dye: (2x) 290 mm x 570 mm, total dimensions: 850 mm x 1050 mm x 1100 mm.	1000
164	Zomerdam	Zomerdam metal detector with rejector, serial number: 3122-4, year of construction: 2009, 400 V, 2 A, 0.25 kW, belt width: 210 mm, clearance: 250 mm x 70 mm, total dimensions: 1650 mm x 800 mm x 1050 mm.	1000
165	Mado	Mado mobile grinder, type: MEW 620, serial number: 9830524, 230/400 V, 3 Ph, 50 Hz, 15.2/8.8 A, 4 kW, plate diameter: 98 mm, total dimensions: 1050 mm x 800 mm x 1300 mm. Incomplete.	1000

Nr	Title	Description	Start €
166	Bosch	Bosch checkweigher, type: KWE 6000 A, serial number: 732379, year of construction: 2017, 230 V, 50 Hz, 24 VDC, max: 800 gram, min: 100 gram, e=0.5 gram, plastic belt, belt width: 250 mm, total dimensions: 1200 mm x 800 mm x 1700 mm.	1000
167	Weber GmbH & Co. KG	Weber GmbH & Co. KG mobile skinning machine, type: A-VI 520, number: 622, year of construction: 2004, 400 V, 50 Hz, 0.37 kW, weight: 210 kg, working width: 515 mm, total dimensions: 860 mm x 600 mm x 1000 mm.	400
168	Safeline	Safeline metal detector, serial number: 119579, plastic belt, belt width: 250 mm, clearance: 350 mm x 110 mm, total dimensions: 700 mm x 650 mm x 1600 mm.	100
169	JIA INDUSTRY CO, L.T.D.	JIA INDUSTRY CO, L.T.D. mobile strapping machine, model: S-315bYM, machine number: 97011094, year of construction: 01/1997, 220 V, 1 Ph, 50 Hz, 3.5 A, dimensions: 1000 mm x 670 mm x 1650 mm.	50
170	NN egg cutter	Mobile egg shell cutter for 16 eggs, dimensions: 950 mm x 850 mm x 1500 mm.	200
171	NN egg cutter	Mobile egg shell cutter for 16 eggs, dimensions: 950 mm x 850 mm x 1500 mm.	200
172	van Rijn	van Rijn mobile egg shell cutter, dimensions: 950 mm x 600 mm x 1480 mm.	200
173	van Rijn	van Rijn mobile egg shell cutter, number: 251040-1, dimensions: 950 mm x 600 mm x 1480 mm.	200
174	NN parts	Pallet with machine parts, dimensions: 1200 mm x 800 mm x 550 mm.	250
175	Comet	Comet generator, type: XRP-Power-2250, serial number: 437525, year of construction: 03/2014, 230 V, 50-60 Hz, dimensions: 730 mm x 370 mm x 540 mm.	500
176	Tipper Tie Technopack	Tipper Tie Technopack clipper, type: TCNV, dimensions: 250 mm x 220 mm x 850 mm.	50
177	NN trolley	Steel trolley, dimensions: 1450 mm x 900 mm x 1220 mm.	50
178	Milwaukee/Makita	Pallet with Milwaukee/Makita boxes, dimensions pallet: 1200 mm x 800 mm x 1200 mm.	20
179	Viteau	Viteau water dispenser, dimensions: 320 mm x 320 mm x 1000 mm.	20
181	Waterkracht	Waterkracht stationary high-pressure installation, type: CADDY AUTO 150/42, machine number: 151.053, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 26 A, 11 kW, capacity: 42 l/min, dimensions: 900 mm x 470 mm x 1530 mm.	600

Nr	Title	Description	Start €
182	European Labelling System GmbH	European Labelling System GmbH labelling machine, type: ELS-220, number: 5974, year of construction: 2006, total dimensions: 1050 mm x 800 mm x 1450 mm.	600
183	Myac	Myac mobile curing press, type: 650, machine number: 3002 636, year of construction: 1983, 380 V, 50 Hz, 0.75 kw, 6 bar, plastic belt, belt width: 650 mm, total dimensions: 1650 mm x 1000 mm x 1600 mm.	50
184	NN smoke trolley	S/s smoke trolley, 7 floors, floor dimensions: 940 mm x 1000 mm, total dimensions: 1050 mm x 1000 mm x 1940 mm.	250
185	Townsend	Townsend mobile skinning machine, type: 7620, year of construction: 2006, working width: 520 mm, total dimensions: 920 mm x 840 mm x 1000 mm.	200
186	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell rotary lobe pump, model: 18002, serial number: 420827-06, dimensions: 1800 mm x 700 mm x 700 mm.	2000
187	Smicon	Smicon screw pump, dimensions: 2600 mm x 420 mm x 450 mm.	2500
188	NN meat bin	S/s meat bin, volume: 300 liter.	200
189	Astrophysics Industry CA	Astrophysics Industry CA X-ray machine, model: XIS 1080D, serial number: ASTLA180YZ023, year of construction: MAR 2012, 220 V, 50/60 Hz, 15 A, plastic belt, belt width: 970 mm, clearance: 1010 mm x 810 mm, total dimensions X-ray scanner: 1600 mm x 1300 mm x 1800 mm, including in-and outfeed roller conveyors, roller width: 970 mm, total dimensions roller conveyors: (2x) 1100 mm x 1600 mm x 1800 mm.	200
190	Soco System	Soco System box taping machine, model: T-10, number: 621-88, 380 V, 3 Ph, plastic rollers, roller width: (2x) 260 mm, 70 mm, total dimensions: 1400 mm x 800 mm x 930 mm. Incomplete.	25
191	NN Zip unit	Zip machine, dimensions: 1200 mm x 800 mm x 1750 mm.	500

Nr	Title	Description	Start €
192	Groba	Groba cheese dosing and mixing line consisting of: Groba grated cheese dosing machine with elevating belt, type: PD-90, year of construction: 2008, plastic belt, belt width: 400 mm, elevating height: 1330 mm, total dimensions: 3100 mm x 800 mm x 2350 mm, Groba mobile mixer, type: PM-800, year of construction: 2008, dimensions: 2240 mm x 1340 mm x 2200 mm, Groba mobile elevating belt, type: TB-404 L=3000, year of construction: 2008, plastic belt with dividers, belt width: 400 mm, divider height: 30 mm, distance between dividers: 290 mm, elevating height: 1000 mm, total dimensions: 3000 mm x 680 mm x 1100 mm.	15000
193	Groba	Groba mobile cheese grater mill, type: KKR300, number: 113527, year of construction: 2006, machine weight: 350 kg, total dimensions: 1400 mm x 650 mm x 1790 mm. Including extra grater.	5000
194	Smicon	Smicon grinder, dimensions: 700 mm x 500 mm x 850 mm.	500
195	NN tub	Mobile s/s tub, dimensions: 1350 mm x 950 mm x 900 mm.	150
196	Staan / Alipack	Staan transport belt with Alipack top and bottom labeller, type transport belt: STA B1-00, serial number top labeller: 2893, year of construction: 2007, serial number bottom labeller: 3784, year of construction: 2009, chain belt with dividers, divider height: 15 mm, distance between dividers: 300 mm, total dimensions: 6200 mm x 800 mm x 1650 mm.	1000
197	S.A.M.	S.A.M. slicer, model: S.A.M. 310 fP2, serial number: 19749, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 1.54 A, dimensions: 950 mm x 700 mm x 650 mm.	100
198	NN tubs	3 s/s tubs, dimensions: 900 mm x 890 mm x 850 mm.	300
199	NN powder dosing machine	Mobile powder dosing machine, dimensions: 900 mm x 900 mm x 1700 mm.	500
200	Dell	Pallet with computer parts.	50
201	Coeman	Coeman box closing machine, model: EXC-103SD, serial number: C 11091052, 220 V, 50 Hz, aluminium rollers, roller width: 560 mm, total dimensions: 1300 mm x 800 mm x 1450 mm.	50
202	REA	REA mobile rack, dimensions: 540 mm x 660 mm x 1840 mm.	10
203	NN transport belt	Mobile transport belt, s/s frame, plastic mesh belt, belt width: 255 mm, total dimensions: 3050 mm x 800 mm x 1600 mm.	500
205	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 250 mm, elevating height: 950 mm, total dimensions: 1900 mm x 500 mm x 1000 mm.	500

Nr	Title	Description	Start €
206	Murre Techniek b.v.	Murre Techniek b.v. mobile elevating belt, model: 162140757, year of construction: 2016, machine weight: 390 kg, plastic belt, belt width: (1x) 590 mm, (1x) 340 mm, elevating height: 1400 mm, total dimensions: 2700 mm x 1230 mm x 1900 mm.	1000
207	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 570 mm, total dimensions: 2000 mm x 1000 mm x 1000 mm.	400
208	LH Packaging	LH Packaging vertical form-, fill-, and seal machine, type: LH-CB-420, serial number: 201407, year of construction: 2014, 230 V, 16 A, diameter pipe: 120 mm, vertical seal length: 320 mm, horizontal seal length: 220 mm, film width: 420 mm, total dimensions: 1300 mm x 1000 mm x 1420 mm.	800
209	Jasa Packaging Solutions	2 Jasa Packaging Solutions product turning conveyors, model: SIM-1000 DRAAI UNIT, year of construction: 2019, 400 V, 3 Ph, 0.47 kW, 16 A, 6 bar, weight: (2x) 60 kg, belt width: (2x) 150 mm and 100 mm, total dimensions: (2x) 600 mm x 550 mm x 1150 mm.	300
210	NN part for thermoformer	S/s part for thermoformer, dimensions: 1350 mm x 900 mm x 800 mm.	200
211	Lensink	Lensink mobile transport belt with rejector, s/s frame, plastic belt, belt width: 153 mm, total dimensions: 3400 mm x 850 mm x 2000 mm.	500
212	NN trolley	S/s trolley used for cheese, dimensions: 1000 mm x 1000 mm x 1900 mm.	100
213	Comarme	Comarme box closing machine with top taper, model: GEM-f47, serial number: AZ025815, year of construction: 2005, 400 V, 50 Hz, 1 A, 280 W, weight: 186 kg, steel rollers, roller width: 520 mm, plastic belt, belt width: 50 mm, total dimensions: 2200 mm x 980 mm x 1960 mm.	300
214	NN refrigeration showcase	Refrigeration showcase, model: RCS SCORPION 01 1.875, number: 64922/14, 230 V, 50 Hz, 8 A, 42/58 W, dimensions: 900 mm x 2000 mm x 2050 mm.	10
215	NN refrigeration showcase	Refrigeration showcase, dimensions: 850 mm x 1550 mm x 1950 mm.	10
216	NN refrigeration showcase	Mobile refrigeration showcase, dimensions: 1330 mm x 900 mm x 2050 mm.	10
217	J.Affeldt	J.Affeldt net loading machine, type: AVN/610, number: 181, year of construction: 000/03, 400 V, 50 Hz, dimensions: 950 mm x 1000 mm x 2100 mm.	50
219	A.O. Smith W.P.C.	A.O. Smith W.P.C. boiler, model: BFC 60 N (6567), serial number: 133305118501002, 230 V, 50 Hz, 115 W, volume: 368 liter, nominal capacity: 57.0 kW, maximum working pressure: 800 kPa (8 bar), dimensions: Ø 760 mm x 2100 mm.	500

Nr	Title	Description	Start €
220	NN grape destemmer / harvester	Grape destemmer / harvester, dimensions: 1150 mm x 750 mm x 2050 mm.	1000
221	Atlas Copco	Atlas Copco screw compressor, type: GAS, number: API108978, year of construction: 2009, 400 V, 50/60 Hz, 5.5 kW, 2940 r/min, dimensions: 1200 mm x 650 mm x 1780 mm.	500
223	ABB	ABB pick and place robot arm, type: IRB 360 M2004, serial number: 360-100055, year of construction: 2013, dimensions: 1000 mm x 900 mm x 500 mm. Including operating system.	50
224	ABB	ABB pick and place robot arm, type: IRB 360 M2004, serial number: 360-100055, year of construction: 2013, dimensions: 1000 mm x 900 mm x 500 mm. Including operating system.	50
225	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 160 mm, total dimensions: 2900 mm x 400 mm x 1100 mm.	500
226	Minipack-Torre S.p.a.	Minipack-Torre S.p.a. mobile shrink packaging machine, model: SYNTHESIS, number: 003315, year of construction: 2007, 220/230 V, 50/60 Hz, 15 A, 3200 W, chamber: 550 mm x 400 mm, total dimensions: 1300 mm x 850 mm x 1200 mm.	200
227	Delford-Sortaweigh Ltd	Delford-Sortaweigh Ltd indexer, model: Indexer, serial number: PA0061, year of construction: 2008, 380 V, 3 Ph, 3 A, plastic belts, plastic rollers, roller width: 300 mm, total dimensions: 1700 mm x 700 mm x 1200 mm.	100
228	NN tenderizer	Mobile tenderizer, plastic belt, belt width: 230 mm, total dimensions: 1200 mm x 550 mm x 1200 mm.	100
229	NN mesh belt	Mobile mesh belt, s/s frame, belt width: 700 mm, total dimensions: 1450 mm x 880 mm x 950 mm.	500
230	Bouwpaco B.V.	Bouwpaco B.V. mobile elevating belt, type: BPTB380, number: 0907019-3, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 0.3 KVA, weight: 60 kg, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 550 mm x 2850 mm x 1100 mm.	500
231	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 100 mm, divider height: 20 mm, elevating height: 1150 mm, total dimensions: 1700 mm x 800 mm x 1150 mm.	100
232	Gruppo Fabbri S.p.A.	Gruppo Fabbri S.p.A. packaging machine, model: Elixia Plus XS-B.228.XS, serial number: 1/13420, year of construction: 2010, 230 V, 1 Ph, 50-60 Hz, 8,6 A, weight: 170 kg, wire infeed belt, belt width: 662 mm, plastic outfeed belt, belt width: 340 mm, total dimensions: 1500 mm x 1300 mm x 1350 mm.	500

Nr	Title	Description	Start €
233	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1050 mm x 600 mm x 900 mm.	25
234	NN transport belt	Transport belt, model: 1000, serial number: 15115008, year of construction: 2015, 380 V, 3 Ph, 0.12 kW, s/s frame, plastic belt, belt width: 303 mm, total dimensions: 1000 mm x 540 mm x 930 mm.	100
235	Kortlever	Kortlever s/s switch cabinet, dimensions: 600 mm x 600 mm x 260 mm.	100
236	Rittal	Rittal s/s cabinet, dimensions: 1200 mm x 800 mm x 300 mm.	100
237	NN parts	Crate with parts.	150
238	Cataneo	Cataneo metal saw, model: Leonard 300, serial number: 2838, year of construction: 1995, 380 V, weight: 300 kg, dimensions: 1400 mm x 900 mm x 1600 mm.	500
239	NN machine parts	Machine parts.	50
240	NN parts	Crate with parts.	50
241	NN electric parts	Crate with electric parts.	50
242	NN electric parts	Crate with electric parts.	50
243	NN electric parts	Crate with electric parts.	50
244	NN electric parts	Crate with electric parts.	50
245	NN electric parts	Crate with electric parts.	50
246	NN electric parts	Crate with electric parts.	50
247	NN electric parts	Crate with electric parts.	50
248	NN electric parts	Crate with electric parts.	50
249	NN electric parts	Crate with electric parts.	50
250	NN electric parts	Crate with electric parts.	50
251	NN electric parts	Crate with electric parts.	50
252	NN electric parts	Crate with electric parts.	50
253	NN electric parts	Crate with electric parts.	50
254	NN electric parts	Crate with electric parts.	50
255	NN electric parts	Crate with electric parts.	50
256	NN electric parts	Crate with electric parts.	50
257	NN electric parts	Crate with electric parts.	50
258	NN electric parts	Crate with electric parts.	50
259	NN electric parts	Crate with electric parts.	50
260	NN electric parts	Crate with electric parts.	50
261	NN electric parts	Crate with electric parts.	50
262	NN electric parts	Crate with electric parts.	50
263	NN air hose	Air hose.	50
264	NN air hose	Air hose.	50
265	BBK	BBK labeller, serial number: 40112587, 230 VAC, 50 Hz, 4 A, dimensions: 900 mm x 800 mm x 1200 mm.	50
266	NN valve	Valve, DN: 65, dimensions: 750 mm x 300 mm x 250 mm.	10

Nr	Title	Description	Start €
267	Reepack	Reepack dye part, 230 V, 50-60 Hz, 5.5 A, dye: (2x) 220 mm x 170 mm, total dimensions: 400 mm x 480 mm x 220 mm.	10
268	NN labels	4 boxes with labels, 1500 pieces per roll.	20
269	Atlas Copco	Atlas Copco air dryer, type: FX 1 (A0), serial number: CAI676711, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 0.173 kW, weight: 19 kg, refrigerant: R134A, dimensions: 450 mm x 350 mm x 500 mm.	200
270	Weber	Pallet with parts for Weber slicer.	50
271	NN measuring tools	2 Measuring tools.	25
272	NN can opener	Can opener, dimensions: 530 mm x 350 mm x 470 mm.	10
273	NN machine parts	Box with machine parts.	50
274	NN labelling head with parts for box closing machine	Labelling head with parts for box closing machine.	50
276	NN weighing scale	S/s weighing scale, dimensions: 500 mm x 400 mm x 100 mm.	10
277	NN rejector bins	3 plastic rejector bins, dimensions: (3x) 500 mm x 350 mm x 600 mm.	30
278	Multivac	Multivac mould for thermoformer, dimensions: 1000 mm x 750 mm x 600 mm.	750
279	NN switch cabinet	Switch cabinet, dimensions: 2100 mm x 1150 mm x 370 mm.	500
280	NN computer cabinet	Computer cabinet, dimensions: 600 mm x 620 mm x 1730 mm.	5
281	NN motors	Pallet with motors.	250
282	NN valves	Box with various valves, dimensions: 600 mm x 350 mm x 400 mm.	10
283	NN control panel	Control panel, dimensions: 500 mm x 450 mm x 850 mm.	25
284	Jasa	Jasa vertical form-, fill-, and seal machine, type: J350-FLP, machine number: 11742, year of construction: 2009, serie: 00002, 400 V, 3 PH, 2.5 kW, 16 A, 6 bar, film width: 745 mm, seal length: 370 mm, total dimensions: 1150 mm x 850 mm x 1300 mm.	1500
285	Frey	Frey vacuum filling machine, type: Konti 50, machine number: K50 23 03 88, 380 V, dimensions: 750 mm x 900 mm x 1450 mm.	1000
286	NN machine parts	Pallet box with part for multihead weigher.	50
287	Eillert	Eillert vegetable spinner, type: MSD-500-IV-HD, machine number: 305, year of construction: 2012-50, 400 V, 3 Ph, 50 Hz, 16 A, dimensions: 880 mm x 600 mm x 950 mm.	500
288	NN turning table	S/s mobile turning table, diameter table: 1240 mm, total dimensions: 1250 mm x 1250 mm x 1000 mm.	400

Nr	Title	Description	Start €
289	Vemag	Vemag vacuum filling machine, dimensions: 1300 mm x 800 mm x 1980 mm. Missing augers.	500
290	Comarme	Comarme box closing machine, model: GEM-F47, serial number: AZ026005, year of construction: 2005, 400 V, 50 Hz, 1 A, 280 Watt, weight: 186 kg, dimensions: 900 mm x 1700 mm x 1600 mm.	200
291	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 3230 mm x 570 mm x 1150 mm.	350
292	NN roller conveyors	2 roller conveyors, s/s frame, s/s rollers, roller width: 480 mm, total dimensions: 2000 mm x 570 mm x 380 mm.	100
293	Loma Systems	Loma Systems metal detector, plastic belt, belt width: 380 mm, clearance: 460 mm x 120 mm, total dimensions: 1550 mm x 1000 mm x 1550 mm.	500
294	FTD	FTD s/s turning table, model: Carrouselrafel, number: 02027, year of construction: 2002, dimensions: 1250 mm x 1250 mm x 950 mm.	500
295	Siat	Siat box folding and closing machine, model: F344 SX, serial number: 50001, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 6 A, 1500 Watt, dimensions: 2100 mm x 1750 mm x 2050 mm.	500
296	Van Oirschot	Van Oirschot tilting device for pallet boxen, fork length: 800 mm, capacity: 800 kg, total dimensions: 1450 mm x 1000 mm x 1200 mm.	1000
297	Siat	Siat transport belt, model: CT1, steel frame, plastic belt, belt width: 460 mm, total dimensions: 1090 mm x 680 mm x 850 mm.	150
298	Loma Systems	Loma Systems metal detector, plastic belt, belt width: 380 mm, clearance: 465 mm x 115 mm, total dimensions: 1600 mm x 980 mm x 1500 mm.	500
299	Siat	Siat box closing machine, model: SM11-S, serial number: 55147, year of construction: 2011, 380/415 V, 3 Ph, 50 Hz, 1.08 A, 260 Watt, dimensions: 1500 mm x 950 mm x 2000 mm.	500
300	Multipond	Multipond batcher, 1 to 2 heads, model number: 12-1043-001, year of construction: 2012, dimensions: 1250 mm x 850 mm x 890 mm.	350
301	Eillert	Eillert vegetable spinner, type: CHAMPION-I-N, serial number: 974-98, year of construction: 1998, dimensions: 850 mm x 600 mm x 830 mm.	300
302	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 290 mm, total dimensions: 1500 mm x 600 mm x 500 mm.	100
303	NN transport belt	Pallet with 2 transport belts, belt width: (2x) 120 mm, total dimensions: 1000 mm x 500 mm x 900 mm and belt width: 260 mm, total dimensions: 700 mm x 600 mm x 950 mm.	100

Nr	Title	Description	Start €
304	Multipond	Multipond batcher, dimensions: 1200 mm x 1200 mm x 1400 mm.	500
305	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 1100 mm x 500 mm x 450 mm.	250
306	NN flattener	Mobile flattener, plastic belt, belt width: 240 mm, total dimensions: 1600 mm x 800 mm x 2000 mm.	500
307	Grundfos	Grundfos circulation pump, dimensions: 400 mm x 200 mm x 480 mm.	20
308	NN turning table	S/s turning table, dimensions: Ø 1250 mm x 860 mm.	500
309	Technoceam	Technoceam vegetable centrifuge, type: centrifuga manuale, inside dimensions: Ø 420 mm x 300 mm, total dimensions: 1100 mm x 600 mm x 800 mm.	500
310	Fabbri Group	Fabbri Group packaging machine, model: Elixia XP-B.249.XS, serial number: 2-2376, year of construction: 2014, 230 V, 1 Ph, 50-60 Hz, 8.7 A, plastic string infeed belt, belt width: 330 mm, plastic outfeed belt, belt width: 340 mm, plastic outfeed rollers, roller width: 300 mm, total dimensions: 1350 mm x 1250 mm x 1300 mm.	500
311	Eillert	Eillert vegetable centrifuge, model: MSD-500-VAR, number: 239, year of construction: 2011-12, 230 V, 1 Ph, 16 A, 0.75 kW, inside dimensions: Ø 400 mm x 280 mm, total dimensions: 850 mm x 600 mm x 900 mm. Technical condition unknown.	200
312	Waukesha	Waukesha mobile pump, model: 137, number: 337943, year of construction: 2003, dimensions: 1750 mm x 1220 mm x 900 mm.	250
313	NN powder dosing screw	Pallet with powder dosing screw, dimensions: 1200 mm x 800 mm x 500 mm.	200
314	Optima	Optima powder dosing machine, type: SD, fabrication number: 23159, year of construction: 1995, dimensions: 1200 mm x 800 mm x 1350 mm.	1000
315	Pen-Tec	Pen-Tec metal detector with checkweigher and rejecter, model metal detector: PenTec DUAL FREQUENCY, number: 09820, clearance: 300 mm x 135 mm, plastic belt, belt width: 240 mm, model checkweigher: MSR-1200, serial number: P01215, year of construction: 2015, 230 V, 50 Hz, 4 A, maximum weight: 1200 gram, minimum weight: 50 gram, T=-750 gram, e=d=0.5 gram, total dimensions: 1800 mm x 950 mm x 1800 mm.	500
316	Soco System	Soco System box closing machine, model: T-400, number: 06-98, year of construction: 1997, 400 V, 3 Ph, 10 A, 250 W, roller width: 400 mm, total dimensions: 1250 mm x 900 mm x 1540 mm. Damaged.	350

Nr	Title	Description	Start €
317	NN transport belt	Transport belt, s/s frame, plastic belt with dividers, belt width: 500 mm, distance between dividers: 540 mm, divider height: 10 mm, total dimensions: 1520 mm x 950 mm x 1900 mm.	100
318	NN water wheel	Mobile waterwheel, dimensions: 600 mm x 700 mm x 1500 mm. Incomplete.	500
319	VWS Nederland B.V.	VWS Nederland B.V. mobile labeller, type: LP400, model: A4+/300, serial number: 121110643938, 100-240 V, 50-60 Hz, 2 A, dimensions: 1200 mm x 1000 mm x 1800 mm.	500
320	Masosine	2 Masosine process pumps, type: SP 40, serial number: 16858 0413, Pm = 15 bar, dimensions: (2x) 1050 mm x 450 mm x 1030 mm. Including pallet with parts.	1000
321	NN skinning machine	Skinning machine, working width: 435 mm, foot control, total dimensions: 700 mm x 800 mm x 1000 mm.	200
322	Suhner AG	Suhner AG injector, type: WS 80 F, number: 9680203, 400 V, 50 Hz, 3.5 A, 1.1 kW, 80 needles, s/s mesh belt, belt width: 285 mm, total dimensions: 1300 mm x 500 mm x 1820 mm. Missing needles.	500
323	Ishida	Ishida 10-heads multihead weigher, type: CCW-EM-210/30, serial number: 552790, year of construction: FEB 2003, 220 V, 1 Ph, 50 Hz, 5.5 A, weight: 445 kg, dimensions: 1250 mm x 1250 mm x 1800 mm.	500
324	Rühle	Rühle vacuum tumbler, Busch vacuum pump, type: KC 0016 D IZO, capacity: 16 m ³ per hour, dimensions: 1950 mm x 1100 mm x 1920 mm. Incomplete, missing cooling compressor and lifter for 200 liter meat bins.	1000
325	Innotech Verpackungsmaschinen GmbH	Innotech Verpackungsmaschinen GmbH vertical bag form-, fill- and seal machine, type: 3200 EVO-02, serial number: 10802430, year of construction: 2002, 230-400 V, 50 Hz, vertical seal length: 500 mm, horizontal seal length: 350 mm, diameter filling pipe: 150 mm, total dimensions: 2300 mm x 1550 mm x 2350 mm.	1500
326	Ishida	Ishida traysealer, model: QX775-R-DEEP, serial number: 580092, year of construction: 09/2009, 450 V, 3 Ph, 50 Hz, 16 A, weight: 830 kg, dye: (5x) 90 mm x 90 mm, total dimensions: 2500 mm x 800 mm x 1850 mm. Without outfeed belt.	1500

Nr	Title	Description	Start €
327	Webomatic	Webomatic mobile double chamber vacuum machine, type: PNE 20, machine number: 537HI2631, 400 V, 3 Ph, 50 Hz, 14.1 A, 5.5 kW, seal length: (4x) 850 mm, chamber dimensions: (2x) 850 mm x 720 mm, Busch vacuum pump, type: RA 0250 D 561 CUXX, capacity: 250 m³ per hour, total dimensions: 1870 mm x 850 mm x 1100 mm.	750
329	Ulma	Ulma horizontal form, fill and seal machine, model number: NEVADA-BF-BI, serial number: 1600008, year of construction: 2003, 380 V, 50 Hz, 22 A, 4.6 kW, dimensions machine: 1950 mm x 1050 mm x 1550 mm, infeed belt, dimensions: 2200 mm x 600 mm x 1000 mm. Including pallet box with parts, dimensions: 1200 mm x 1000 mm x 1000 mm and pallet with film unwinding device, dimensions: 1200 mm x 900 mm x 900 mm. Incomplete, technical condition unknown.	1500
330	NN frame	S/s frame, total dimensions: 750 mm x 680 mm x 1000 mm.	50
331	Fortress	Fortress metal detector, model: Stealth, serial number: EP-2602, year of construction: 2015, plastic belt, belt width: 265 mm, clearance: 325 mm x 535 mm, total dimensions: 1270 mm x 780 mm x 1900 mm.	750
332	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 500 mm, total dimensions: 800 mm x 600 mm x 850 mm.	250
336	Multipond	Multipond 16-heads multihead weigher, dimensions: 1250 mm x 1500 mm x 1650 mm. Including pallet with parts. Incomplete.	500
338	Etscheid Anlagen GmbH	Etscheid Anlagen GmbH water dry cooler, type: IK-V 3/T, serial number: 108.268.035/2008, 400 V, 3 Ph, 50 Hz, 4.54 A, 1.58 kW, refrigerant: R 134a, ambient temperature: 32.00 °C, weight: 85 kg, dimensions: 800 mm x 450 mm x 700 mm.	750
339	Bizerba	Bizerba weighing and labelling machine, type: GLM-I, number: 10807906, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 6 A, plastic belt, belt width: 600 mm, total dimensions: 2600 mm x 1200 mm x 1950 mm.	1000
340	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile slicer, model: 2616, machine number: 261607.97691.0211, year of construction: 2001, 400 V, 50 Hz, 2.25 A, 0.90 kW, weight: 210 kg, dimensions chamber, 250 mm x 150 mm, total dimensions: 1700 mm x 800 mm x 1400 mm. Cover broken, technical condition unknown.	500
341	NN part for multihead weigher	S/s part for multihead weigher, dimensions: 1260 mm x 400 mm x 600 mm.	100

Nr	Title	Description	Start €
342	NN coating machine	Mobile coating machine, s/s mesh belt, belt width: 300 mm, total dimensions: 2100 mm x 900 mm x 2230 mm. Incomplete.	950
344	Bizerba	Bizerba weighing and labelling machine, type: GLM-I, number: 11066228, year of construction: 2014, 400 V, 3 Ph, 50 Hz, 6 A, plastic belt, belt width: 600 mm, (2x) 90 mm, total dimensions: 2700 mm x 1500 mm x 2050 mm.	1000
345	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF300B, number: 3025, year of construction: 1998, 400 V, 50 Hz, 23.6 A, 9.5 kW, dimensions: 1750 mm x 1350 mm x 1950 mm. Incomplete.	1000
346	NN batcher	Batcher, 2 heads, dimensions: 1200 mm x 1300 mm x 700 mm.	100
347	NN pump	Pump, dimensions: 1250 mm x 230 mm x 400 mm.	300
349	NN roller conveyor	Roller conveyor, steel frame, plastic rollers, roller width: 300 mm, total dimensions: 3600 mm x 2000 mm x 720 mm.	300
351	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 1373, 380 V, 50 Hz, 17.4 A, 7 kW, dimensions: 1650 mm x 1300 mm x 1950 mm.	1000
352	Technocean	Technocean vegetable centrifuge, type: centrifuga manuale, serial number: 19/32, year of construction: 2008, inside dimensions: Ø 420 mm x 300 mm, total dimensions: 1100 mm x 600 mm x 800 mm.	500
353	Eillert	Eillert vegetable centrifuge, type: MSD-500-V, number: 365, year of construction: 2014-33, 230 V, 1 Ph, 50 Hz, 16 A, 0.75 kW, dimensions: 900 mm x 600 mm x 900 mm. Incomplete.	200
354	Eillert	Eillert vegetable centrifuge, model: CHIN, number: 877, year of construction: 2010-14, 400 V, 3 Ph, 2.1 A, 0.75 kW, inside dimensions: Ø 450 mm x 350 mm, total dimensions: 800 mm x 600 mm x 930 mm. Technical condition unknown.	200
355	Blueprint Automation	Blueprint Automation elevating belt, s/s frame, plastic belt, belt width: 375 mm, elevating height: 810 mm, total dimensions: 1700 mm x 600 mm x 850 mm.	200
356	Fuerpla	Fuerpla mixer, model: A-65, number: 2910, year of construction: 2004, 380 V, 3 Ph, 50 Hz, 0.75 kW, volume: 65 liter, s/s bowl, dimensions: 1000 mm x 600 mm x 1300 mm.	500
357	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 569, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 210 mm, foot control, total dimensions: 260 mm x 950 mm x 1000 mm.	300

Nr	Title	Description	Start €
358	Ishida	Ishida 16-heads multihead weigher, model: CCW-RVE-216B1D/15-SS, serial number: 560012161, year of construction: 08/2017, 240 V, 1 Ph, 50 Hz, 11.3 A, weight: 535 kg, dimensions: 1750 mm x 1600 mm x 2850 mm.	10000
359	NN transport belt	Transport belt, s/s frame, plastic belt with dividers, belt width: 35 mm, divider height: 35 mm, distance between dividers: 370 mm, total dimensions: 4500 mm x 600 mm x 980 mm.	400
360	Uva-Butler	Uva-Butler vertical form-, fill-, and seal machine, type: BUT.2-230, machine number: 98518, year of construction: 1998, 400 V, 50 Hz, diameter filling pipe: 120 mm, vertical seal length: 600 mm, horizontal seal length: 370 mm, film width: 380 mm, total dimensions: 1970 mm x 1500 mm x 1910 mm.	1500
361	Gruppo Fabbri SA	Gruppo Fabbri SA traysealer, model: B-241, serial number: 4-251, year of construction: 2012, 400 V, 3 Ph, 50-60 Hz, 10 A, weight: 610 kg, plastic string belt, belt width: 175 mm, dimensions dye: 300 mm x 240 mm, film width: 330 mm, total dimensions: 3830 mm x 950 mm x 1770 mm.	4000
362	Rembrandt	Rembrandt box folding and closing machine, type: BOXER, machine number: 97839, year of construction: 1997, 400 V, 50 Hz, 0.4 kW, 6 bar, dimensions: 2200 mm x 2200 mm x 1550 mm.	500
363	Deltapack	Deltapack vertical bag form-, fill-, and seal machine, type: DE420FU, machine number: 269, year of construction: 2003, film width: 740 mm, vertical seal length: 540 mm, horizontal seal length: 430 mm, total dimensions: 2300 mm x 1550 mm x 2000 mm.	2500
365	Rühle	Rühle cooled vacuum tumbler with double lifter for 200 liter meat bins, Busch vacuum pump, type: KC 0016 E 320 MMZZ, capacity: 16 m³ per hour, Rivacold cooling compressor, year of construction: 2025, total dimensions: 1900 mm x 1600 mm x 2400 mm.	2500
366	Ulma	Ulma packaging machine, model: SUPERCHIK, machine number: 2103401, year of construction: 2005, 400 V, 50 Hz, 11 A, 2.8 kW, dimensions: 3500 mm x 900 mm x 1550 mm. Including pallet with part.	2500
367	Inno-Tech	Inno-Tech vertical bag fill-, form-, and seal machine, type: 3800SW/2002, machine number: 106 02 423, 230-400 V, 50 Hz, seal length: 400 mm, total dimensions: 2700 mm x 1600 mm x 2700 mm.	1000

Nr	Title	Description	Start €
368	Fawema	Fawema Verpackungsmaschinen vertical bag form-, fill- and seal machine, type: VI380, machine number: RN29081, year of construction: 2008, 230/400 V, 50 Hz, film width: 520 mm, diameter pipe: 150 mm, vertical seal length: 570 mm, horizontal seal length: 400 mm, total dimensions: 2300 mm x 1600 mm x 2300 mm.	1000
370	Ilapak	Ilapak vertical bag form-, fill-, and seal machine, type: VT 2000.OF S, serial number: 0741111003, year of construction: 05 2011, 400 V, 50 Hz, 5000 W, film width: 340 mm, diameter filling pipe: 100 mm, vertical seal length: 530 mm, horizontal seal length: 450 mm, total dimensions: 2100 mm x 1630 mm x 2110 mm. Including 3 pallets with parts and extra filling pipes, diameters filling pipes: 150 mm / 130 mm / 115 mm.	7500
371	Landpack	Landpack pouch filling machine, model: :D-8200A, serial number: LP250325, year of construction: 2025-5-5, plastic belt, belt width: 260 mm, dimensions: 2550 mm x 2000 mm x 1500 mm.	10000
372	Kawashima	Kawashima vertical bag form-, fill-, and seal machine, model: KBF-6122, serial number: 824, year of construction: August 2001, film width: 370 mm, vertical seal length: 340 mm, horizontal seal length: 280 mm, total dimensions: 1700 mm x 1450 mm x 1810 mm.	1000
373	Inno-Tech	Inno-Tech vertical bag fill-, form-, and seal machine, type: 3800 Revo S, machine number: 137 06 690, year of construction: 2006, 230-400 V, 3x25 A, film width: 635 mm, seal width: 420 mm, total dimensions: 2800 mm x 1600 mm x 2450 mm. With pallet with parts.	6000
374	Weber	Weber slicer, type: MCS 902, number: 2625, year of construction: 07/2006, 400 V, 50 Hz, 10 kW, 6 bar, plastic wired outfeed belt, belt width: 400 mm, total dimensions: 3150 mm x 1700 mm x 2600 mm.	15000
375	Weber	Weber checkweigher with lane dividing belt, type checkweigher: CCW, number: 2625, year of construction: 07/2006, plastic wired belt, belt width: 480 mm, type lane divider: CCR, number: 2625, year of construction: 07/2006, plastic wired belt, belt width: 440 mm, dimensions checkweigher: 750 mm x 500 mm x 1150 mm, dimensions lane divider: 950 mm x 480 mm x 1200 mm.	1750
376	Weber	Weber outfeed belt, type: CCA, number: 2622, year of construction: 2006, 400 V, 50 Hz, 7 kW, plastic wired belt, belt width: 520 mm, total dimensions: 5370 mm x 1800 mm x 1800 mm.	1500

Nr	Title	Description	Start €
377	Multipond	Multipond multihead weigher, 10 heads, type: MP1024, number: 557, year of construction: 1993, weighing capacity: 2400 gram, dimensions: 1560 mm x 1340 mm x 2120 mm. Without control screen.	1000
378	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420872, year of construction: 2024, capacity: 100 m³ per hour, dimensions: 700 mm x 400 mm x 290 mm.	1000
379	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420875, year of construction: 2024, capacity: 100 m³ per hour, dimensions: 700 mm x 400 mm x 280 mm.	1000
380	Busch	Busch vacuum pump, type: KB 0016 E 3ZO, serial number: CZM124130037, year of construction: 2024, capacity: 19 m³ per hour, dimensions: 290 mm x 220 mm x 200 mm.	400
381	Busch	Busch vacuum pump, type: KB 0016 E 3ZO, serial number: CZM124130042, year of construction: 2024, capacity: 19 m³ per hour, dimensions: 290 mm x 220 mm x 200 mm.	400
382	Busch	Busch vacuum pump, type: KB 0016 E 3ZO, serial number: CZM124130040, year of construction: 2024, capacity: 19 m³ per hour, dimensions: 290 mm x 220 mm x 200 mm.	400
383	Busch	Busch vacuum pump, type: RA 0100 F 4R3, serial number: DEM124420871, year of construction: 2024, capacity: 100 m³ per hour, dimensions: 700 mm x 400 mm x 290 mm.	1000
384	Busch	Busch vacuum pump, type: RD 0200 A 5H1, serial number: DEM124140050, year of construction: 2024, capacity: 160 m³ per hour, dimensions: 800 mm x 600 mm x 430 mm.	1000
385	Busch	Busch vacuum pump, type: RA 0040 F 5R3, serial number: DEM124430384, year of construction: 2024, capacity: 40 m³ per hour, dimensions: 620 mm x 270 mm x 260 mm.	1000
386	Lock Inspection Systems Ltd.	Lock Inspection Systems Ltd. pipe line metal detector head, serial number: 35651-1, year of construction: 03-08, 100-240 V, 50/60 Hz, 3 A, diameter pipe: 55 mm, total dimensions: 400 mm x 500 mm x 790 mm.	100
387	Mesutronic	Mesutronic s/s pipeline metal detector, type: MN 5.2 PW 300, serial number: 1213-PW, year of construction: 2017, 100-240 V, 50/60 Hz, 1.25 A, clearance: Ø 300 mm, total dimensions: 600 mm x 550 mm x 650 mm.	750
388	PF Pumps und Feuerlöschtechnik GmbH	2 PF Pumps und Feuerlöschtechnik GmbH pumps, type: AFJ 15.1LB, year of construction: 2003, dimensions: (2x) 180 mm x 970 mm x 240 mm.	400

Nr	Title	Description	Start €
389	Busch	Busch vacuum pump, type: RA 0400 B 461 DUBI, number: C9937000579, capacity: 400 m³ per hour, dimensions: 1300 mm x 850 mm x 1400 mm.	500
390	Laska	Laska double shaft paddle mixer-grinder, type: WMW 160/800 2A, serial number: 5312, 380 V, 50 Hz, 8/11 A, 3.3/4 kW, plate diameter: 160 mm, volume: 800 liter, total dimensions: 2300 mm x 2150 mm x 3450 mm.	5000
391	Busch	Busch vacuum pump, type: RA 0040 F 5R3, serial number: DEM124430385, year of construction: 2024, capacity: 40 m³ per hour, dimensions: 620 mm x 270 mm x 260 mm.	1000
392	Becker	Becker vacuum pump, type: VT 3.40, number: F 1258056, year of construction: 2013, capacity: 40 m³ per hour, dimensions: 500 mm x 230 mm x 360 mm.	200
393	Busch	Busch vacuum pump, type: RA 0100 F 503, serial number: 080039633, year of construction: 2008, capacity: 0.1 mbar, dimensions: 700 mm x 400 mm x 700 mm.	400
394	Becker	Becker vacuum pump, type: VT 4.40, number: A 2619468, year of construction: 2012, 50/60 Hz, capacity: 40/48 m³ per hour, dimensions: 570 mm x 270 mm x 300 mm.	100
395	Dansensor	2 Dansensor gas mixing stations, model: Module TGC-2 225, serial number: 33060829 and 33091025, year of construction: 2006, 207-253 V, 1 Ph, 50/60 Hz, 180 W, dimensions: (2x) 400 mm x 350 mm x 300 mm.	200
396	CV Valentin	Box with CV Valentin barcode printer for packaging machines, type: Dynacode 53-12, serial number: 12580926, 110-230 V, 50-60 Hz, 3/1.5 A, dimensions: 600 mm x 450 mm x 350 mm.	75
397	Ishida	Ishida multihead weigher, 14 heads, model: CCW-R-214W-S/20-SS, serial number: 557127, year of construction: 05/2007, 240 V, 1 Ph, 50 Hz, 3.6 A, machine weight: 645 kg, dimensions: 1150 mm x 1150 mm x 1700 mm. Including pallet box with parts, dimensions: 1200 mm x 800 mm x 540 mm.	4000
398	Yamato Scale Gmbh/ Dataweigh	Yamato Scale Gmbh/Dataweigh 14-heads multihead weigher, model: ADW-514SWH, serial number: WG020585, 220-240 V, 1Ph, 50/60 Hz, 10 A, weight range: 20-2000 gram, dimensions: 1350 mm x 1350 mm x 1300 mm. Including 2 pallets with parts.	2500
399	Ishida	Ishida multihead weigher, 14 heads, model: CCW-Z-214/30, serial number: 9717854, year of construction: 1997, 230 V, 1 Ph, 50 Hz, 7.3 A, weight: 415 kg, dimensions: 1150 mm x 1150 mm x 1700 mm.	1000

Nr	Title	Description	Start €
400	RKR Gebläse und Verdichter GmbH	2 RKR Gebläse und Verdichter GmbH positive displacement blowers, type: S85/3P-BS35AT, fabrication number: 994881AT and 0103135, 26.0-65.0 kW, dimensions: 1730 mm x 1500 mm x 1500 mm. Including 3 pallets with extra parts, dimensions: 1600 mm x 1570 mm x 620 mm, 1700 mm x 900 mm x 480 mm, 1200 mm x 800 mm x 500 mm.	2000
401	Behälter kg - Bremen	2 Behälter kg - Bremen s/s tanks on steel frames, tank dimensions: (2x) Ø 1100 mm x 1400 mm, dimensions frame: (2x) 1150 mm x 1150 mm x 1750.	200
402	NN vegetable washer	Vegetable washer, 400 V, 3 Ph, 50 Hz, 8.82 A, 16 kW, inside dimensions: 350 mm x 2700 mm x 420 mm, total dimensions: 4900 mm x 1000 mm x 1540 mm.	4000
403	Loma	Loma metal detector with rejector, serial number: MH308-100001D, 230 V, 1 Ph, 50 Hz, 0.3 A, year of construction: 2009, plastic mesh belt, belt width: 570 mm, total dimensions: 6800 mm x 1900 mm x 2350 mm.	1500
404	Burg's Machinefabriek	Burg's Machinefabriek brush belt, s/s frame, brush width: 800 mm, total dimensions: 2170 mm x 1060 mm x 1850 mm.	500
405	Intocon NV	Intocon NV transport belt, s/s frame, type: TD50, serial number: 08-311-01, year of construction: 2009, plastic belt, belt width: 1070 mm, total dimensions: 3000 mm x 1300 mm x 1950 mm.	500
406	NN roller conveyor	Roller conveyor, s/s frame, plastic rollers, roller width: 450 mm, total dimensions: 2250 mm x 600 mm x 850 mm.	100
407	NN tilting device	S/s tilting device for pallet boxes, clearance: 670 mm x 990 mm x 670 mm, total dimensions: 2500 mm x 1900 mm x 2750 mm.	800
409	NN lifter for pallet boxes	Lifter for pallet boxes, clearance: 1100 mm x 1350 mm, lifting height: 2200 mm, total dimensions: 2400 mm x 2200 mm x 4100 mm.	2500
410	Syspal	Syspal lifter for 200 liter meat bins, type: GE100-1018, serial number: K3574-2, year of construction: 2011, safe working load: 200 kg, lifting height: 2650 mm, total dimensions: 1150 mm x 1150 mm x 4170 mm. Damaged.	750
411	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 6150 mm x 900 mm x 300 mm.	200
412	NN extendable roller conveyor	Mobile extendable roller conveyor, s/s frame, s/s rollers, total conveyor width: 500 mm, total dimensions: 1550 mm x 680 mm x 800 mm.	100

Nr	Title	Description	Start €
413	Boldt Systems	Boldt Systems elevating screw on weighing cells, elevating height: 3100 mm, total dimensions: 6500 mm x 1800 mm x 4000 mm.	2500
414	New Motion B.V.	New Motion B.V. elevating belt, type: Elevatorbandtransporteur, plastic belt with dividers, belt width: 460 mm, divider height: 100 mm, distance between dividers: 250 mm, elevating height: 2100 mm, total dimensions: 3600 mm x 650 mm x 1750 mm.	500
415	New Motion B.V.	New Motion B.V. elevating belt, type: Elevatorbandtransporteur, serial number: 12014-09-000, year of construction: 2012, plastic belt with dividers, belt width: 460 mm, divider height: 100 mm, distance between dividers: 250 mm, elevating height: 2100 mm, total dimensions: 3600 mm x 650 mm x 1750 mm.	500
416	Ammeraal Beltech	Ammeraal Beltech transport belt, s/s frame, number: ZND S-3, plastic belt, belt width: 500 mm, total dimensions: 7900 mm x 800 mm x 600 mm.	300
417	Murre Techniek b.v.	Murre Techniek b.v. s/s vibrating gutter with blower, model: 25203003, year of construction: 2007, weight: 220 kg, dimensions: 3400 mm x 2200 mm x 3100 mm.	2000
418	Metaalbewerking JDK	Metaalbewerking JDK shuttle conveyor, year of construction: 2012, plastic belt, belt width: 500 mm, total dimensions: 2900 mm x 1000 mm x 530 mm. Including switch cabinet, dimensions: 620 mm x 250 mm x 750 mm.	200
419	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 7100 mm x 850 mm x 950 mm.	500
420	Metaalbewerking JDK	Metaalbewerking JDK transport belt, s/s frame, plastic belt, belt width: 800 mm, total dimensions: 6100 mm x 1200 mm x 300 mm.	200
421	BPI	BPI pump, type: BPI 4DNL1, serial number: 2285181, year of construction: 2022, 1-2 m³/hour, 123 rpm, pressure: 1 bar, dimensions: 1170 mm x 250 mm x 250 mm.	200
422	NN table	S/s table with roller conveyor, dimensions: 1900 mm x 1100 mm x 900 mm.	150
423	Kramer + Grebe	Kramer + Grebe cutter, type: SM 65, number: 178/552/1 81, steel bowl, model: 65 liter, dimensions: 1550 mm x 1300 mm x 1500 mm.	1000
424	NN vibrating gutter	Vibrating gutter, gutter width: 500 mm, total dimensions: 1600 mm x 1000 mm x 1370 mm.	400
425	Burg's Machinefabriek	Burg's Machinefabriek transport belt, s/s frame, plastic belt, belt width: 1200 mm, total dimensions: 1780 mm x 1450 mm x 1770 mm.	400

Nr	Title	Description	Start €
427	Systemate Namufa B.V.	Systemate Namufa B.V. crate washing line, consisting of: Systemate Numafa B.V. crate washer, type: 19.50.015.400, year of construction: 2002, 400 V, 63 A, dimensions: 6000 mm x 1400 mm x 2600 mm. Infeed belt, dimensions: 4200 mm x 700 mm x 400 mm. De-stacker, dimensions: 2200 mm x 1200 mm x 1900 mm. Elevating belt, dimensions: 4800 mm x 900 mm x 2300 mm. Buffer belt, dimensions: 4800 mm x 800 mm x 1300 mm.	3000
428	Metaalbewerking JDK	Metaalbewerking JDK transport belt, s/s frame, plastic belt with dividers, divider height: 60 mm, distance between dividers: 200 mm, total dimensions: 6800 mm x 1000 mm x 700 mm.	1000
429	NN table	S/s table, dimensions: 1900 mm x 700 mm x 930 mm.	100
430	K+G wetter	K+G wetter grinder, machine number: 400/1147, year of construction: 1996, 400 V, 50 Hz, 45/50 A, 20 kW, diameter plate: 130 mm, total dimensions: 1500 mm x 1000 mm x 2100 mm. Incomplete.	1500
431	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 485 mm, elevating height: 1300 mm, total dimensions: 3000 mm x 700 mm x 1300 mm.	250
432	Colleluori Remo	Colleluori Remo infeed bunker, model: BUNKER DI ACCUMULO PRODOTTO, machine number: 011, year of construction: 2011, 380 V, 50 Hz, 0.37 kW, plastic belt, belt width: 600 mm, total dimensions: 2050 mm x 910 mm x 1370 mm.	400
433	NN elevating belt	Elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 1100 mm, total dimensions: 3150 mm x 500 mm x 1100 mm.	400
434	LAC	LAC elevating belt, type: Weigher Infeed, serial number: FI0359-4A, year of construction: June 2011, plastic belt, belt width: 500 mm, elevating height: 1050 mm, total dimensions: 4400 mm x 650 mm x 1060 mm.	400
435	Superior	Superior vibrating gutter, type: OWV 1600, year of construction: 1992, s/s gutter, gutter width: 600, total dimensions: 2000 mm x 1000 mm x 1100 mm.	400
436	RKR Gebläse und Verdichter GmbH	Motor for RKR Gebläse und Verdichter GmbH positive displacement blower, type: BS 35, dimensions: 800 mm x 450 mm x 420 mm.	400
437	Handtmann	Handtmann coextrusion machine on s/s trolley, type: 150-01, number: 11900653, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 0.9 A, 0.2 kW, dimensions: 950 mm x 700 mm x 1180 mm. With plastic tub, dimensions: Ø 570 mm x 630 mm.	400

Nr	Title	Description	Start €
438	Handtmann	Handtmann mobile linking and hanging line, consisting of: Handtmann linking machine, type: KVLSH162, number: 43226, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 8.3 A, 5.5 kW, dimensions: 1350 mm x 720 mm x 1270 mm, Handtmann hanging line, type: AHF242-16, number: 10903825, year of construction: 2019, dimensions: 2600 mm x 700 mm x 1400 mm. Including pallet with parts.	3000
439	Yamato Scale Gmbh/ Dataweigh	Yamato Scale Gmbh/Dataweigh multihead weigher, 14 heads, model: ADW-514SWH, serial number: WG020586, 220/240 V, 1 Ph, 50/60 Hz, 10 A, min: 20 gram, max: 2000 gram, max speed: 120P/min, dimensions: 1400 mm x 1400 mm x 1250 mm. Including pallet box with parts, dimensions pallet box: 1200 mm x 1000 mm x 1250 mm.	2500
440	NN multihead weigher	10-heads multihead weigher, dimensions: 1150 mm x 1150 mm x 1450 mm.	750
441	Avercon	Avercon carton erector with Robatech glue unit, machine type: AVC-CE710 L/H, number: 532, year of construction: 12-2003, 3x400 V, 18.5 A, dimensions carton erector: 3500 mm x 1800 mm x 2400 mm, dimensions infeed unit: 1800 mm x 1400 mm x 1250 mm.	1500
442	NN multihead weigher	10-heads multihead weigher, dimensions: 1200 mm x 1390 mm x 1550 mm.	750
443	NN part for multihead weigher	Batcher for multihead weigher, dimensions: 850 mm x 600 mm x 410 mm.	250
444	Yamato Scale Gmbh/ Dataweigh	Yamato Scale Gmbh/Dataweigh 14-heads multihead weigher, model: ADW-414SD, serial number: WG020347, 220-240 V, 1Ph, 50/60 Hz, 5 A, weight range: 8-1000 gram, dimensions: 13000 mm x 1200 mm x 1600 mm.	2500
445	Groba	Groba cheese defoiling machine with infeed system for slicer and buffer belt, type: PHDM-520, number: 199910103, year of construction: 2000, weight: 600 kg, plastic rollers, roller width: 520 mm, plastic belt, belt width: 550 mm, roll width: 550 mm, dimensions infeed system: 3000 mm x 1250 mm x 2250 mm, dimensions defoiling machine: 2650 mm x 1000 mm x 2130 mm and dimensions buffer belt: 2330 mm x 750 mm x 2230 mm.	2000
446	ABC Hekwerk Brabant	ABC Hekwerk Brabant manually operated cantilever sliding gate, number: EN 13241-1 0063, year of construction: 2023, weight: 360 Kg, dimensions: 11000 mm x 170 mm x 2000 mm.	500

Nr	Title	Description	Start €
447	K+G Wetter	K+G Wetter grinder, type: WW E130-442, number: 442/1042, year of construction: 2021, 230 V, 50 Hz, 35 A, 16 kW, diameter plate: 130 mm, total dimensions: 1400 mm x 1400 mm x 1850 mm. Including crate with parts.	15000
448	Rational	Rational combi steamer, type: iCombi Pro, model: LM100FE.AXXXX, serial number: E21SJ22072985535, year of construction: 2022, 400 V, 3 Ph, 50/60 Hz, 37.2 kW, water pressure: 150-600 kpa, dimensions: 890 mm x 850 mm x 1900 mm. Including trolley.	5000
449	N&N Nadratowski sp.j.	N&N Nadratowski sp.j. lifter for meat bins, type: Column loader pm-2/250, serial number: 1660, year of construction: 2019, 400 V, 50 Hz, 0.75 kW, weight: 380 Kg, elevating height: 1900 mm, total dimensions: 1400 mm x 1400 mm x 3000 mm.	2000
450	Multivac	Multivac thermoformer, type: R245, machine number: 124685, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 18 A, 7 kW, film width: 356 mm, dye: 100 mm x 90 mm, with batcher, Busch vacuum pump, total dimensions: 9090 mm x 1000 mm x 2500 mm. And pallet with parts. Without rollies and vacuum pump skid.	16000
451	Busch	Skid with 3 Busch vacuum pumps, type: (3x) RD 0360 A 503, serial numbers: CHM121400262 / CHM121400261 / CHM121380166, year of construction: 2021, capacity: (3x) 300 m ³ per hour, weight: 775 Kg, dimensions: 1200 mm x 1180 mm x 2300 mm.	4000
452	Scanvaegt	Scanvaegt 14-heads multihead weigher, type: 5418-2L-AD, serial number: BMT00202, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 2.0 A, 750 kg, dimensions: 1300 mm x 800 mm x 2000 mm.	3000
453	Multivac	Multivac traysealer, type: T300, serial number: 310724, year of construction: 2021, 400/230 V, 3 Ph, 50 Hz, 34.7 A, 8.8 kW, Busch vacuum pump, capacity: 100 m ³ per hour, dimensions dyes: 247 mm x 314 mm, 230 mm x 145 mm, 175 mm x 228 mm and 256 mm x 175 (for skin packing), dimensions: 3200 mm x 1100 mm x 1700 mm.	30000

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
 - To consolidate articles into lots, to split lots and take lots from the auction;
 - To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
 - Lots whether or not to allocate;
 - To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;
- 8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
- 8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings on the paper.

Notes

[illegible]

Notes

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings on the paper.

