1936: Online auction machinery and tanks for the food processing and pharmaceutical industry in Lynge (DK)

END DATE

07 October 2025 14:00

General terms and conditions of the online auction

07 October 2025 from 14:00 hrs. End date

Viewing days

Organising company Industrial Auctions BV

Loovenbeemd 11

5652 BH Eindhoven, Netherlands

Tel.: +31 (0)40 2409 208

E-mail: info@industrial-auctions.com

Buyers premium 18% over the highest bid

VAT 25% over the highest bid including premium Pick up days 14 October 2025 from 09:00 till 16:00 hrs.

Pick up address Nordkranvei 5-9

> 540 Lynge Denmark

Pick up instructions You are fully responsible for the dismantling, loading and transportation of

the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets. furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.

Payment details Before pick up of the goods your payment has to be fulfilled. It is possible to

transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL), IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC:

GENODED1GBM, indicating invoice- and buyer number.

General terms and On the auction general terms and conditions of the online auction are conditions of sale

applicable concerning the (possible) purchase of moveable assets,

furthermore these specific terms and conditions.

Combinations All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will

open after all individual lots are closed. If the combination is sold it overrules

the individual bids, if not the individual bids are applicable.

If a bid is placed in the last 5 minutes the lot closes, the closing time of that Prolongation

lot will be extended by 5 minutes until no more bids are placed.

| Nr | Title | Description | Start € |
|----|-----------------------|---|---------|
| 1 | Alfa Laval | Alfa Laval double jacketed cheese tank, type: 650 L, number: 34013-04, volume tank: 650 liter, dimensions: 2600 mm x 800 mm x 2000 mm. | 1500 |
| 2 | Alfa Laval | Alfa Laval double jacketed cheese tank, type: 650 L, number: 34013-01, volume tank: 650 liter, dimensions: 2600 mm x 800 mm x 2000 mm. | 1500 |
| 3 | Fryma | Fryma jacketed universal process vessel with agitator, type: 400, number: F-49.4164, year of construction: 1979, volume: 450 liter, dimensions: 2250 mm x 1500 mm x 2100 mm. Without control unit. | 1000 |
| 4 | Bergs Maskin AS | Bergs Maskin AS double jacketed s/s cheese vat with agitator, type: 6211B-1-1, serial number: 77-04, 380 V, volume: 2000 liter, dimensions: 3000 mm x 1300 mm x 2600 mm. | 2500 |
| 5 | NN processing vessel | Mobile s/s processing vessel with agitator, 400 V, 50 Hz, 1,74 A, 0.75 kW, insulated and electrically heated, capacity: 50 liter, working pressure vessel: 0.8 bar, inside diameter: Ø 400 mm, total dimensions: 1020 mm x 1000 mm x 2180 mm. | 1500 |
| 6 | NN processing vessel | Mobile s/s processing vessel with agitator, 400 V, 50 Hz, 1,36 A, 0.55 kW, insulated and electrically heated, capacity: 25 liter, working pressure vessel: 0.8 bar, inside diameter: Ø 300 mm, total dimensions: 900 mm x 850 mm x 2100 mm. | 1500 |
| 7 | Zeuya | Zeuya 200g spiral down filling machine, type: MG-200, serial number: 20181204-05, year of construction: 2018-12-04, 220 V, 200 W, dimensions: 400 mm x 350 mm x 590 mm. | 100 |
| 8 | LAF | LAF filling machine, serial number: 10542.1.58, 220 V, 50 Hz, 0.7 A, infeed clearance: Ø 25 mm, output diameter: Ø 70 mm, total dimensions: 600 mm x 580 mm x 725 mm. | 100 |
| 9 | Farmseparator | Farmseparator cream separator, type: 50S, serial number: FD 006, capacity: 225 liter per hour, dimensions: 350 mm x 350 mm x 650 mm. Including box with maintenance parts. | 500 |
| 10 | Vamdrup Rustfrit Stål | Vamdrup Rustfrit Stål s/s mixing tank, double jacket, serial number: 16015-20010125-003, year of construction: 2001, volume: 8200 liter, temperature: min: -10°C / max +143°C , dimensions: 5250 mm x 2100 mm x 2250 mm. | 8000 |
| 11 | Vamdrup Rustfrit Stål | Vamdrup Rustfrit Stål s/s mixing tank, double jacket, serial number: 16015-20010125-001, year of construction: 2001, volume: 8200 liter, temperature: min: -10°C / max +143°C , dimensions: 5250 mm x 2100 mm x 2250 mm. | 8000 |

| Nr | Title | Description | Start € |
|----|-----------------------|--|---------|
| 12 | Vamdrup Rustfrit Stål | Vamdrup Rustfrit Stål s/s mixing tank, double jacket, serial number: 16015-20010125-005, year of construction: 2001, volume: 8200 liter, temperature: min: -10°C / max +143°C, dimensions: 5250 mm x 2100 mm x 2250 mm. | 8000 |
| 13 | CFS / GEA | CFS s/s lifter for pallet boxes, type: 1200D, serial number: 10448, year of construction: 2003, 400 V, 50 Hz, 5.4 A, 3.7 kVA, maximum weight: 1200 kg, lifting height: approximately 2850 mm, lifter inside dimensions: 1160 mm x 1100 mm x 800 mm, total dimensions: 1650 mm x 1600 mm x 4500 mm. | 1000 |
| 14 | NN Tank | S/s tank with frame agitator, insulated and double jacket, capacity: 6500 liter, inside diameter: Ø 1700 mm, output: 70 mm / 2.5 inch, total dimensions: 3800 mm x 1850 mm x 2170 mm. | 1500 |
| 15 | Xinhua | Xinhua bottle packaging line, consisting of: infeed regulation conveyor, plastic belt, belt width: 90 mm, working width: 75 mm, dimensions: 2850 mm x 900 mm x 1350 mm, shrink sleeve labelling machine, model: XHL-150, serial number: 20240823XHE, year of construction: 01-12-2024, 400 V, 3 Ph, 50 Hz, 32 kW, foil output: 72 mm, s/s belt, belt width: 75 mm, divider with: Ø 40 mm, distance between dividers: 150 mm, dimensions: 2000 mm x 1100 mm x 2240 mm, shrink tunnel with heating and cooling option, dimensions: 4500 mm x 980 mm x 1700 mm, total dimensions line: 9350 mm x 1100 mm x 2240 mm. With extra foil roll and spare foil spreader. | 5000 |
| 16 | Jouan | Jouan centrifuge, type: KR4-22, serial number; 29111356, year of construction: 11/1991, 220 V, 50 Hz, 3800 W, 4900 rpm, maximum capacity: 6400 ml, dimensions: 900 mm x 800 mm x 950 mm. Including spare dyes. | 500 |
| 17 | Heinkel | Heinkel s/s filter centrifuge, type: HF600, machine number: 1042/11, year of construction: 11/1984, maximum capacity: 65 KG / 52 liter, including swich cabinet, frame and Hydronorma hydraulic unit, hydraulic unit type: dSKHF71DH, 24 V, 1,085 A, dimensions filter centrifuge: 3000 mm x 1500 mm x 1600 mm, dimensions switch cabinet: 1350 mm x 650 mm x 2200 mm, dimensions hydraulic unit: 800 mm x 700 mm x 1000 mm, dimensions frame: 2800 mm x 930 mm x 1350 mm. | 6000 |
| 18 | Becker Coulter | Becker Coulter centrifuge, model: Allegra 25 R, serial number: AJD08E010, 230 V, 50 Hz, 13 A, suitable for 6x 250 ml, maximum speed: 15000 rpm, maximum relative centrifugal force: 25160, dimensions: 700 mm x 650 mm x 400 mm. | 500 |

| Nr | Title | Description | Start € |
|----|----------------------|--|---------|
| 19 | Hettich | Hettich centrifuge, type: 1601, number: 0007027-01-00, year of construction: 1998, 230/240 V, 50 Hz, 0.6 A, 140 W, maximum of 6000 rpm, dimensions: 450 mm x 400 mm x 300 mm. | 100 |
| 20 | Westfalia | Westfalia separator, type: BKA6-86-076, machine number: 1690 782, year of construction: 1987, dimensions: 1200 mm x 800 mm x 900 mm. Including trolley. | 500 |
| 21 | Gaco | Gaco low pressure homogenizer, type: AL, 220/380 V, 1 stage, capacity: 600 liter per hour, dimensions: 700 mm x 350 mm x 600 mm. Never used. | 1500 |
| 22 | Gaco | Gaco low pressure homogenizer, type: 2, dimensions: 700 mm x 350 mm x 600 mm. | 500 |
| 23 | APV Homogenisers AS | APV Homogenisers AS homogenizer, type: BT.12.56VH, serial number: 1.99.118, year of construction: 1999, 380 V, maximum pressure: 1500 bar, capacity: 40-120 liter per hour, 1650 mm x 900 mm x 1500 mm. Including s/s cabinet with homogeniseringsunit, type: DAN 11109, number: 2H-P7-C1, year of construction: 1999. | 2000 |
| 24 | NN processing vessel | Mobile s/s processing vessel with agitator, 400 V, 50 Hz, 1,74 A, 0.75 kW, insulated and electrically heated, capacity: 50 liter, working pressure vessel: 0.8 bar, inside diameter: Ø 400 mm, total dimensions: 1100 mm x 1000 mm x 2140 mm. | 1500 |
| 25 | Rannie | Rannie homogenizer, type: Lab 12.50, serial number: 4312/69, year of construction: 1969, 230 V, 10 A, 2.2 kW, 1 stage, dimensions: 1000 mm x 700 mm x 1300 mm. | 750 |
| 26 | APV+D58B2B27:D57 | APV homogenizer, type: 15M-6BA, serial number: 15/6686, 220/380 V, 2 stage, capacity: 57 liter per hour, dimensions: 1000 mm x 700 mm x 1300 mm. | 1500 |
| 28 | Benzlers | Benzlers s/s mixing tank with horizontal frame agitator, type: BS 50, double jacket, capacity: 200 liter, inside dimensions: Ø 692 mm x 620 mm, total dimensions: 1100 mm x 810 mm x 1325 mm. | 500 |
| 29 | Manesty | Manesty tablet compressing machine, serial number: 1252269, dimensions: 840 mm x 880 mm x 1780 mm. | 1500 |
| 30 | Allgaier | Allgaier vibrating sorting sieve, type: TSM 400/2, serial number: 10958, year of construction: 2010, 400 V, 6.1 A, infeed funnel diameter: Ø 400 mm, sieve diameter: Ø 410 mm, total dimensions: 1200 mm x 950 mm x 1750 mm. Including trolley with extra sieves, trolley dimensions: 1040 mm x 410 mm x 1870 mm. | 1500 |
| 31 | Wolfking | Wolfking s/s grinder, steel screw and plates, plate dimensions: approximately 246 mm, total dimensions: 1700 mm x 150 mm x 1470 mm. Including extra parts. Needs maintenance, technical condition unknown. | 750 |

| Nr | Title | Description | Start € |
|----|---|---|---------|
| 32 | Manesty | Manesty tablet compressing machine, type: BB3B, number; 2A163, capacity: 91.200 tablets per hour, dimensions: 1600 mm x 900 mm x 1900 mm. | 2000 |
| 33 | Manesty | Manesty tablet compressing machine, type: BB3B, number; 2A157, capacity: 91.200 tablets per hour, dimensions: 1600 mm x 900 mm x 1900 mm. Including incomplete Manesty tablet compressing machine for spare parts. | 2000 |
| 35 | Kilian | Kilian tablet compressing machine, dimensions: 1200 mm x 1100 mm x 2000 mm. | 1500 |
| 36 | Fette | Fette compressing machine, model: Perfekta 1000, 380 V, capacity: 72.600 tablets per hour, 22 stations, clearance stations: Ø 19 mm, dimensions: 1500 mm x 1150 mm x 1750 mm. Including control cabinet. | 5000 |
| 37 | Pfeiffer Automation | Pfeiffer Automation pump testing device, serial number: 35 955 / 93, 230 V, 50 Hz, dimensions: 320 mm x 235 mm x 365 mm. | 100 |
| 38 | Axon AB | Axon AB granulator / palletizer, type: MG-Lab, serial number: 96 357, year of construction: 1996, dimensions: 420 mm x 420 mm x 350 mm. | 150 |
| 39 | NOS Chemicals AS | NOS Chemicals AS capping machine, serial number: CK202083, year of construction: 2020-06, 380 V, 50 Hz, 3 kW, rubber belts, belt width: (2x) 60 mm, 8 stamps, stamp diameter: Ø 100 mm, weight: 700 kg, capacity: 5000 bottles/hour, total dimensions: 2200 mm x 1300 mm x 2150 mm. | 1500 |
| 40 | Weiss | Weiss filling machine, type: WNF-6, serial number: 1097-2938, year of construction: 1997, 220 V, 10 A, 6 bar, plastic belt, belt width: 190 mm, working width: 140 mm, 6 filling heads, filling head diameter: Ø 20 mm, total dimensions: 4050 mm x 1650 mm x 2350 mm. | 1500 |
| 41 | Shanghai Npack Automation Equipment CO.,LTD | Shanghai Npack Automation Equipment CO.,LTD spindle capping machine, model: NP-LC, 1.6 kW, working width: 100 mm, 6 stamps, stamp diameter: Ø 100 mm, total dimensions: 1200 mm x 800 mm x 1750 mm. | 1500 |
| 42 | Ellerwerk | Ellerwerk separator, drum dimensions: Ø 500 mm x 200 mm, perforations diameter: Ø 10, total dimensions: 800 mm x 700 mm x 1300 mm. | 500 |

| Nr | Title | Description | Start € |
|-----|-----------------------|---|---------|
| 43 | GE healthcare | GE high pressure liquid chromatography (HPLC) with | 5000 |
| | | pumps and valves, serial number: 2470, year of | |
| | | construction: 2008, 230/400 V, 3 Ph, 50 Hz, 7.7 A, 4.0 | |
| | | kW, Internal free volume: 1000 liters. Minimum purging | |
| | | flow rate: 150 l/min. Minimum amount of purge time: | |
| | | 30 minutes. Minimum over pressure: 0,8 mBar. | |
| | | Minimum air supply pressure for purge air: 2,5 bar. | |
| | | Maximum air supply pressure for purge air: 3,5 bar. | |
| | | Maximum, total dimensions: 2150 mm x 1100 mm x | |
| | | 2050 mm. Missing vacuum pump. | |
| 44 | Niro | Niro coater / fluid bed, type: Combi Coata II, spray | 2500 |
| | | function 20 liter product container, dimensions: 1300 | |
| | | mm x 950 mm x 2250 mm. | |
| 45 | Niro | Niro coater / fluid bed, type: CC2 P/T, number: 0013, | 2000 |
| | 1 | spray function 20 liter product container, dimensions: | |
| | | 1400 mm x 1100 mm x 2200 mm. | |
| 46 | Contrec / Liquid | Contrec / Liquid controls Europe fuelling station, type: | 750 |
| 10 | controls Europe | Exe410 / Exe810 used for ethanol, dimensions: 1400 | / 30 |
| | controls Europe | mm x 900 mm x 1550 mm. Including 2 fuel hoses with | |
| | | fuel guns. | |
| 47 | R.Frimodt Pedersen a/ | R.Frimodt Pedersen a/s mixer, 400/690/460/795 V, | 500 |
| 7, | S | 50/60 Hz, 37/42.5 kW, mixer diameter: Ø 360, pipe | 300 |
| |] 3 | length: 1650 mm, total dimensions: 2500 mm x 560 | |
| | | mm x 500 mm. | |
| 48 | Detectronic | Detectronic metal detector on lamella conveyor with | 1000 |
| 40 | Detectionic | rejector, type: 606-250-1010-2, 220 V, clearance: 200 | 1000 |
| | | mm x 110 mm, plastic belt, belt width: 150 mm, total | |
| | | dimensions: 2600 mm x 900 mm x 1100 mm. | |
| 49 | Guhl + Schreibler AG | | 1000 |
| 49 | Guni + Schreibier AG | Guhl + Schreibler AG double labelling machine, type: | 1000 |
| | | Collamat 70, serial number: 2252177, 220 V, 50 Hz, | |
| | | 100 W, maximum label height 150 mm, plastic belt, | |
| | | belt width: 100 mm, total dimensions: 2050 mm x 1100 mm x 1750 mm. | |
| | T.A. | | 250 |
| 50 | TIA | TIA capsule tightener, type; Malaseb fyldelinie, serial | 250 |
| | | number: 0037-01, 230 V, 50 Hz, 0.6 kW, maximum cap | |
| | | diameter: Ø 60 mm, dimensions: 750 mm x 650 mm x | |
| F.4 | | 1600 mm. | 200 |
| 51 | Scantool | Scantool capsule machine, type: 16A, year of | 200 |
| | | construction: 1989, 380 V, 0.5 hp, maximum diameter | |
| | | capsules: Ø 16 mm, dimensions: 600 mm x 500 mm x | |
| | | 1500 mm. | |
| 53 | NN capsule elevator | S/s capsule elevator, 380 V, plastic belt, belt width: 150 | 500 |
| | | mm, divider height: 15 mm, distance between dividers: | |
| | | 90 mm, elevating height: 2730 mm, total dimensions: | |
| | | 1500 mm x 650 mm x 2400 mm. | |

| | Title | Description | Start € |
|----|---|---|---------|
| 55 | Shanghai Npack Automation Equipment CO.,LTD | Shanghai Npack Automation Equipment CO.,LTD cap feeder, model: NP-LC, 1.6 kW, belt width: 300 mm, divider height: 15 mm, distance between dividers: 100 mm, elevating height: 2220 mm, capacity; 12000 pcs/h, | 750 |
| | | total dimensions: 1000 mm x 800 mm x 2300 mm. | |
| 58 | Soco System | Soco System lid sealing machine, 380 V, 2 lanes, plastic belt, belt width: 280 mm, dimensions: 2050 mm x 700 mm x 1850 mm. | 25 |
| 59 | NN lid sealing machine | Lid sealing machine, 380 V, gutter width: 140 mm, total dimensions: 2050 mm x 700 mm x 1850 mm. | 750 |
| 61 | Alka cap tightener | Alka cap tightener, type: LR16, serial number: 4198, 220/380 V, 0,37 kW, dimensions: 700 mm x 700 mm x 1300 mm. | 250 |
| 62 | NN filling machine | S/s filling machine, 380 V, 12 stations, station width: Ø 67 mm, dosing range: 0-300 ml, total dimensions: 2200 mm x 1050 mm x 1400 mm. | 500 |
| 63 | Vollenda | Vollenda s/s pneumatic filling machine, type: CA 3000, serial number: 440.300.22, year of construction: 1985, dosing range: 0-500 ml, dimensions: 1150 mm x 900 mm x 1900 mm. Including plastic pipes. | 500 |
| 64 | Trepko A/S | Trepko A/S filling machine with Lamella conveyor, serial number: 2405, 380 V, dosing range: 100-1500 ml, s/s belt, belt width: 80 mm, total dimensions: 2200 mm x 1300 mm x 1800 mm. | 1200 |
| 66 | Orbut | Orbut s/s pneumatic filling machine, serial number: NMD608988, dosing range: 0-540 ml , foot control, dimensions: 1200 mm x 650 mm x 1250 mm. | 750 |
| 67 | Minab | Minab s/s filling machine, 380 V, 4 filling heads, nozzle diameter: Ø 18 mm, total dimensions: 1250 mm x 950 mm x 2100 mm. | 800 |
| 68 | Hamba | Hamba pneumatic filling machine, dosing range: 0-350 ml , foot control, dimensions: 900 mm x 850 mm x 1950 mm. | 250 |
| 69 | Trepko A/S | Trepko A/S filling machine, type: 620, serial number: 1318, 380 V, dosing range: 0-1500 ml, dimensions: 1100 mm x 700 mm x 1700 mm. | 600 |
| 71 | Trepko A/S | Trepko A/S s/s filling machine serial number: 1937, dosing range: 0-750 ml, dimensions: 1100 mm x 900 mm x 1200 mm. | 250 |
| 72 | Trepko A/S | Trepko A/S filling machine, 380 V, dosing range: 0-200 ml, dimensions: 950 mm x 800 mm x 1250 mm. | 250 |
| 73 | Trepko A/S | Trepko A/S filling machine, type: 620, 380 V, dosing range: 0-620 ml, dimensions: 1200 mm x 650 mm x 1700 mm. | 600 |
| 74 | Günther + Walker | Günther + Walker filling machine, serial number: 162, year of construction: 1969, 220 V, dosing range: 0-550 ml, dimensions: 1100 mm x 600 mm x 1850 mm. | 250 |

| Nr | Title | Description | Start € |
|----|--------------------------|--|---------|
| 75 | Recomatic | Recomatic pneumatic filling machine, type: 1159, serial number: 11851, with SSP 100 NDM lobe pump, foot control, dimensions: 750 mm x 550 mm x 350 mm. | 600 |
| 76 | Hunden | Hunden filling machine, 380 V, dosing range: 1-25 liter, filling nozzle diameter: Ø 30 mm, total dimensions: 1450 mm x 1000 mm x 2750 mm. | 750 |
| 77 | Alwid | Alwid s/s filling machine, type: NWIDUNIVERSAL-D, serial number: 200489, 380 V, dosing range 0-12.5 liter, prepared for conveyor, total dimensions: 1850 mm x 1400 mm x 2750 mm. | 1500 |
| 78 | Flowcip | Flowcip filling and closing machine, 380 V, 2 filling nozzles, dosing range: 0-300 ml, plastic belt, belt width: 100 mm, dimensions: 2750 mm x 1200 mm x 1900 mm. | 10000 |
| 80 | AB Åkerlund & Rausing | AB Åkerlund & Rausing pneumatic s/s filling machine, type: LKF, serial number: 2351-12, dosage: 0-1000 ml, dimensions: 900 mm x 450 mm x 1850 mm. | 400 |
| 81 | AB Åkerlund & Rausing | AB Åkerlund & Rausing pneumatic s/s filling machine, type: LKF 100, serial number: 2880-12, dosage: 0-1000 ml, dimensions: 900 mm x 450 mm x 1850 mm. | 400 |
| 84 | J. Kugler & Co. | J. Kugler & Co. filling machine, type: Minimat, serial number: 11877, year of construction: 1979, 220 V, 2 filling heads, filling head diameter: Ø 10 mm, plastic belt, belt width: 85 mm, total dimensions: 2000 mm x 650 mm x 1550 mm. | 900 |
| 86 | Paxall | Paxall bottle filling and closing machine, type: FSS 6000, number: 2209, 380 V, 3 Ph, 50 Hz, 1500 W, vertical turning type with double dosing, input of cork and capsules, s/s belt, belt width: 60 mm, total dimensions: 1900 mm x 1250 mm x 2000 mm. Including s/s control panel, dimensions control panel: 670 mm x 480 mm x 1110 mm. | 1500 |
| 87 | Seal-O-Matic | Seal-O-Matic s/s filling and sealing machine with former, filling and sealing machine, model: 240, serial number: 1208, former type: 140, serial number: 67 452, 380 V, clearance infeed: 310 mm x 160 mm, total dimensions carton: 95 mm x 70 mm x 220 mm, total dimensions former: 2000 mm x 850 mm x 1950 mm, dimensions filling and sealing machine: 2400 mm x 2000 mm x 800 mm. | 4000 |

| Nr | Title | Description | Start € |
|-----|----------------------|--|---------|
| 88 | Gastri | Gastri s/s cup filling machine, type: DOGAtherm 41 S, | 1500 |
| | | serial number: W81.401, year of construction: 1981, | |
| | | capacity: 2500-4000 pcs./h, 2 formats, Ø 80 mm and Ø | |
| | | 91 mm, 2 filling ranges: 25-280 ml and 55-550 ml, 380 | |
| | | V, 50 Hz, 25 A, total dimensions: 4750 mm x 1250 mm x | |
| | | 2300 mm. Including Ganzhorn + Stirn Schwäbisch Hall | |
| | | double jacket product tank, serial number: 00859059, | |
| | | year of construction: 1981, maximum temperature: | |
| | | 130°C, maximum pressure: 2 bar, volume: 50 liter. | |
| 90 | Uhlmann | Uhlmann s/s bag filling machine, type: HS III/S, year of | 750 |
| | | construction: 1965, 220/380 V, 50 Hz, 3.2 A, | |
| | | dimensions: 1000 mm x 950 mm x 1750 mm. | |
| 91 | Uhlmann | Uhlmann s/s bag filling machine, type: HS III/S, year of | 750 |
| | | construction: 1967, 220/380 V, 4.2 A, 50 Hz, | |
| | | dimensions: 1150 mm x 900 mm x 1400 mm. | |
| 93 | Groninger | Groninger uncrambler, type: ZSK1500. number: 5847, | 1500 |
| | | year of construction: 2003, 380 V, dimensions: 1600 | |
| | | mm x 1600 mm x 1950 mm. | |
| 94 | Groninger | Groninger uncrambler, type: ZSK1500, number: 5860, | 1500 |
| | | year of construction: 2003, 380 V, dimensions: 1600 | |
| | | mm x 1600 mm x 1950 mm. | |
| 95 | Groninger | Groninger uncrambler, type: ZSB600. number: 5354, | 1500 |
| | | year of construction: 200, 380 V, dimensions: 1600 mm | |
| | | x 1600 mm x 1950 mm. | |
| 97 | NN volumetric feeder | S/s volumetric feeder, 380 V, 0.75 kW, clearance: 210 | 250 |
| | | mm x 220 mm, outlet dimensions: 220 mm x 80 mm, | |
| | | total dimensions: 1000 mm x 750 mm x 1900 mm. | |
| 98 | All-fill | 2 s/s All-fill auger fillers, type: S10, year of construction: | 4000 |
| | | 2011, serial numbers: 10895 / 10913, capacity: 25 | |
| | | doses per minute, screw diameter: Ø 36 mm, | |
| | | dimensions: (2x) 1150 mm x 600 mm x 2050 mm. | |
| | | Including 2 control panels and 2 switch cabinets. 1 | |
| | | control panel has a broken screen. | |
| 100 | NN dosing machine | S/s hopper with auger doser, volume: 125 liter, foot | 150 |
| | | control, dimensions: 1000 mm x 600 mm x 950 mm. | |
| 101 | NN dosing machine | S/s hopper with auger doser, volume: 150 liter, foot | 150 |
| | | control, dimensions: 1000 mm x 600 mm x 1050 mm. | |
| 102 | Gasti / Ganzhorn + | Gasti / Ganzhorn + Stirn tube filling machine, type: | 150 |
| | Stirn | GNOM 900 B, serial number: 191.74, 380 V, 50 Hz, 2.5 | |
| | | A, 6 stations, output: Ø 13 mm, dimensions: 1100 mm x | |
| | | 600 mm x 1500 mm. Including box with parts. | |
| 103 | Promec | Promec rotary bottle rinser, type: Evolution | 3000 |
| | | 1S+1A.3.9.251, serial number: M1113/009, year of | |
| | | construction: 2007, 230 V, 50 Hz, 4.5 hp, belt width: 50 | |
| | | mm, capacity: 3600 bottles/hour, 9 stations, total | |
| | | dimensions: 2300 mm x 1450 mm x 2200 mm. Belt | |
| | | missing. | |
| | | l o. | L |

| Nr | Title | Description | Start € |
|-----|------------------|---|---------|
| 104 | Engelhardt | Engelhardt vibrating weighing machine, type: AQ120/A-DSP-2, serial number: 767, year of construction: 1991, 220 V, 50 Hz, 2 lanes, lane width: (2x) 110 mm, weighing range: 0-1000 gram, dimensions: 2150 mm x 1150 mm x 2150 mm. | 750 |
| 105 | Pester | Pester bundler, type: PEWO-pack 200 SN, serial number: V-1171-3A, year of construction: 1984, 220 V, 50 Hz, pressure: 5.2 bar, dimensions:1300 mm x 950 mm x 1800 mm. | 600 |
| 109 | NOS Chemicals AS | NOS Chemicals AS labelling machine, serial number: CK202084, year of construction: 06-2020, 380 V, 50 Hz, 3 kW, weight: 300 kg, label speed: 80-120 pcs per minute, label height: 190 mm, plastic belt, belt width: 80 mm, total dimensions: 3000 mm x 1500 mm x 1700 mm. | 2000 |
| 111 | EME | EME labelling machine, type: 3 valse 120/S4, 230 V, 600 W, maximum label height: 120 mm, total dimensions: 1115 mm x 2200 mm x 1450 mm. | 1500 |
| 112 | King | King capping machine, serial number: CAP 60 HO 152, 220-380 V, 1-3 Ph, 50 Hz, plastic belt, belt width: 100 mm, capacity: 4800 pcs per minute, total dimensions: 2820 mm x 1450 mm x 1750 mm. | 1500 |
| 113 | Eurokett | Eurokett double labelling machine, type: system 612, serial number: 240, year of construction: 1992, 220 V, 50 Hz, 2 kW, pressure: 6 bar, maximum label height: 160 mm, plastic belt, belt width: 110 mm, total dimensions: 2500 mm x 1500 mm x 1900 mm. | 1000 |
| 114 | Eurokett | Eurokett labelling machine, 380 V, maximum label height 160 mm, plastic belt, belt width: 85 mm, total dimensions: 2000 mm x 1300 mm x 1500 mm. | 750 |
| 115 | EME | EME labelling machine, type: EME serie 1000, 220/240 V, 50/60 Hz, 250 W, plastic belt, belt width: 300 mm, maximum label height: 250 mm, total dimensions: 1350 mm x 1100 mm x 1450 mm. | 600 |
| 119 | Wolfking | Wolfking s/s ribbon mixer, serial number: 3031802, year of construction: 2003, 380 V, capacity: 1000 liter, dimensions: 2450 mm x 1700 mm x 2400 mm. | 250 |
| 120 | Wolfking | Wolfking s/s ribbon mixer, serial number: 0304903, year of construction: 2003, capacity: 750 liter, 230/400 V, dimensions: 1800 mm x 850 mm x 1100 mm. | 1500 |
| 123 | Japanica A/S | Japanica A/S rapid cone mixer, type: 125-S, serie: B-83, number: 1026, 380 V, 50 Hz, dimensions: 1250 mm x 1000 mm x 1950 mm. | 1500 |
| 124 | Japanica A/S | Japanica A/S rapid cone mixer, type: 125-S, 380 V, 50 Hz, dimensions: 1250 mm x 1000 mm x 1950 mm. | 1500 |

| Nr | Title | Description | Start € |
|------|-----------------------|--|---------|
| 126 | Hematronic | Hematronic s/s sourdough speed fermenter with agitator, type: BRSSF 100, serial number: 102901/1130, | 250 |
| | | 380 V, 50 Hz, 1.5 kW, volume: 100 liter, inside | |
| | | dimensions: Ø 470 mm x 640 mm, total dimensions: | |
| | | 700 mm x 650 mm x 1400 mm. Including switch | |
| | | cabinet. | |
| 128 | Diosna | Diosna pharma mixer, type: P 250 A, serial number: | 4000 |
| | | 255-037, 380 V, 3 Ph, 50 Hz, 38 A, volume: 250 liter, | |
| | | diameter tank: Ø 890 mm, total dimensions: 2350 mm | |
| | | x 1115 mm x 2000 mm. Including switch cabinet. | |
| 129 | Ystral | Ystral in-line mixer, type: Z-2400SL / W3DGA-66, serial | 500 |
| | | number: 15342 1192, 380 V, 50 Hz, 0.86/0,87 A, | |
| | | 2.0/2.4 kW, dimensions: 650 mm x 450 mm x 450 mm. | |
| 130 | Ross Equipment Co., | Ross Equipment Co., Ltd mixer, model: DPM-IP, serial | 1000 |
| | Ltd | number: 05162F, 380 V, volume: 1.5 liter, dimensions: | |
| | | 850 mm x 750 mm x 1650 mm. | |
| 131 | Kek | Kek cone mill, model: 340C, number: 12063, 380 V, | 1500 |
| | | dimensions: 2150 mm x 900 mm x 2150 mm. | |
| 135 | NN mixer | Z-blade mixer, 230/400 V, tiltable, volume: 1.6 liter, | 600 |
| | | dimensions: 700 mm x 350 mm x 450 mm. | |
| 139 | Ytron | Ytron powder / liquid mixer, type: Zyclon, 380 V, 5.5 | 900 |
| | | kW, 2915 rpm, mixing head with flushed shaft sealing, | |
| | | dimensions: 1300 mm x 700 mm x 1700 mm. | |
| 141 | Wolfking | Wolfking s/s double shaft ribbon mixer, capacity: 2300 | 2000 |
| | | liter, 230/400 V, dimensions: 2200 mm x 1400 mm x | |
| | | 3100 mm. | |
| 143 | Ystral | Ystral inline mixer with Cuno filter, type mixer: Z7.500 | 1250 |
| | | SL, 7.5 kW, mechanical Cuno filter, dimensions filter: Ø | |
| | | 320 mm x 600 mm, total dimensions: 1950 mm x 500 | |
| | | mm x 1350 mm. | |
| 144 | IKA-Maschinenbau | IKA-Maschinenbau powder / fluid mixer, type: 1000/50, | 250 |
| | | number: 95-1534, volume: 45 liter, dimensions: 500 | |
| 1.45 | C | mm x 500 mm x 1200 mm. | 1000 |
| 145 | Surmet | Surmet universal creme mixer, serial number: 1170, | 1000 |
| | | year of construction: 16-5-80, working pressure: vessel: static, jacket: 40 psig, volume: 250 liter, dimensions: | |
| | | 1400 mm x 1150 mm x 2000 mm. | |
| 146 | Bear | Bear s/s bowl mixer, type: R30, serial number: 6637, | 250 |
| 140 | Bear | year of construction: 1981, 380 V, volume: 33 liter, | 230 |
| | | bowl diameter: Ø 350 mm, total dimensions: 800 mm x | |
| | | 700 mm x 1150 mm. Including 2 paddles. | |
| 147 | Planet | Planet mobile bowl mixer, type: SV 40/20, number: | 150 |
| , | direc | 3825, s/s bowl, volume bowl: 40 liter, dimensions: 800 | -30 |
| | | mm x 550 mm x 1400 mm. | |
| 148 | Crypto peerless LTD. | Crypto peerless LTD. bowl mixer, model: EG20, serial | 150 |
| 170 | C. ypto pecifess Lib. | number: 266781.HB, 220 V, 1 Ph, 50 Hz, volume bowl: | 130 |
| | | 20 liter, diameter bowl: Ø 320 mm, total dimensions: | |
| | | 600 mm x 450 mm x 850 mm. Including paddle. | |
| | 1 | 1 | I |

| Nr | Title | Description | Start € |
|-----|--|--|---------|
| 149 | Wodschow & Co. | Wodschow & Co. planetary mixer, type: R27, number: 1198, s/s bowl, volume bowl: 27 liter, total dimensions: | 150 |
| | | 850 mm x 550 mm x 1150 mm. Including paddle. | |
| 152 | Stuart Scientific | Stuart Scientific magnet stirrer, type: SM8 serial number: 5851, 220-240 V, 50 he, 3 A, variable speed 50-700 rpm, dimensions: 360 mm x 360 mm x 120 mm. | 5 |
| 153 | F. Aoustin & Cie | F. Aoustin & Cie laboratory mixer, type: Novimix 1L, serial number: AOUSTIN 2476, number: UTV 1091, year of construction: 1993, 220 V, 50 Hz, capacity: 1 liter, variable speed, double jacketed, dimensions: 850 mm x 700 mm x 2000 mm. | 900 |
| 154 | Baker Perkins | Baker Perkins laboratory mixer, type: Novamix, machine number: 65490, capacity: 1 liter, variable speed, double jacketed, total dimensions: 700 mm x 550 mm x 1600 mm. | 900 |
| 155 | Pressindustria Chemical Equipment S.p.a. | Pressindustria Chemical Equipment S.p.a. vacuum mixer, model: LDM-2, serial number: 4864, dimensions: 900 mm x 650 mm x 700 mm. | 900 |
| 161 | Effort Maskinfabrik | Effort Maskinfabrik planetary mixer, type: F45, serial number: 1952011, 380 V, 3 Ph, weight: 225 kg, 4 speeds, s/s bowl, volume bowl: 45 liter, dimensions: 850 mm x 750 mm x 1300 mm. | 200 |
| 162 | Effort Maskinfabrik | Effort Maskinfabrik planetary mixer, type: F45, serial number: 18993LS, 380 V, 3 Ph, weight: 225 kg, 4 speeds, s/s bowl, volume bowl: 45 liter, dimensions: 850 mm x 750 mm x 1300 mm. | 200 |
| 163 | Erweka | Erweka mobile cube mixer, type: KB 30S, number: 55602, 380 V, 50 Hz, volume: 25 liter, dimensions: 800 mm x 500 mm x 1300 mm. | 400 |
| 164 | Strømmen | Strømmen s/s tiltable Z-blade mixer, serial number: 21048, capacity: 750 liter, 380 V, dimensions: 2800 mm x 1000 mm x 2700 mm. | 1500 |
| 169 | Mettler-Toledo Garvens GmbH | Mettler-Toledo Garvens GmbH checkweigher with rejector and turning table, type: C 3350, serial number: 83000171, year of construction: 2018, 100-240 V, 50-60 Hz, maximum weight: 50 gram, minimum weight: 7 gram, e=d=0.1 gram, T=-45 gram, plastic belt, belt width: 140 mm, diameter turning table: 600 mm, total dimensions: 1400 mm x 800 mm x 1350 mm. | 2000 |

| Nr | Title | Description | Start € |
|-----|----------------------|--|---------|
| 170 | Mettler-Toledo | Mettler-Toledo Garvens GmbH checkweigher with | 2000 |
| | Garvens GmbH | turning table rejector, type: XE 2, serial number: | |
| | | 34003884, year of construction: 2014, 100-240 V, | |
| | | 50-60 Hz, maximum weight: 300 gram, minimum | |
| | | weight: 7 gram, e=d=0.1 gram, T=-270 gram, plastic | |
| | | belt, belt width: 150 mm, dimensions checkweigher: | |
| | | 800 mm x 630 mm x 1420 mm, turning table rejector, | |
| | | diameter turning table: 600 mm, plastic belt, belt | |
| | | width: 150 mm, total dimensions rejector: 1140 mm x | |
| | | 830 mm x 880 mm. | |
| 171 | Mettler-Toledo | Mettler-Toledo Garvens GmbH checkweigher with | 2000 |
| | Garvens GmbH | turning table rejector, type: XE 2, serial number: | |
| | | 34001072, year of construction: 2010, 230 V, 50-60 Hz, | |
| | | maximum weight: 300 gram, minimum weight: 5 gram, | |
| | | e=d=0.1 gram, T=-270 gram, plastic belt, belt width: | |
| | | 125 mm, dimensions checkweigher: 800 mm x 630 mm | |
| | | x 1420 mm, turning table rejector, diameter turning | |
| | | table: 600 mm, plastic belt, belt width: 130 mm, total | |
| | | dimensions rejector: 1140 mm x 830 mm x 880 mm. | |
| 172 | Garvens Automation | Garvens Automation GmbH checkweigher with rejector, | 250 |
| | GmbH | type: VS 2, serial number: 120806, year of construction: | |
| | | 2000, 230 V, 50 Hz, maximum weight: 300 gram, plastic | |
| | | belt, belt width: 100 mm, total dimensions: 1400 mm x | |
| | | 700 mm x 1400 mm. | |
| 173 | Garvens Automation | Garvens Automation GmbH checkweigher with rejector, | 250 |
| | GmbH | type: VC 2, serial number: 9189, year of construction: | |
| | | 1996, 230 V, 50 Hz, maximum weight: 600 gram, plastic | |
| | | belts, belt width: 105 mm and 80 mm, total | |
| | | dimensions: 800 mm x 700 mm x 1500 mm. | |
| 184 | Zeva | Zeva shrink packaging machine, type: SSG-400, number: | 250 |
| | | 570, year of construction: 1988, 380 V, 3 Ph, 3650 W, | |
| | | film width: 365 mm, seal length: 400 mm and 430 mm, | |
| | | plastic rollers, roller width: 350 mm, clearance: 370 | |
| | | mm x 230 mm, total dimensions: 2100 mm x 800 mm x | |
| | | 1320 mm. | |
| 185 | Österbergs | Österbergs shrink packaging machine, number: 6661, | 1000 |
| | | 380 V, 11 kW, Teflon belt, belt width: 700 mm, | |
| | | clearance: 670 mm x 320 mm, total dimensions: 3450 | |
| | | mm x 1400 mm x 1800 mm. | |
| 186 | Flodins Verkstads AB | Flodins Verkstads AB shrink tunnel, type: K-52+TRM 70, | 250 |
| | | machine number: 401480, year of construction: 1984, | |
| | | 380 V, 50 Hz, 25 A, 12 kW, s/s belt, belt width: 550 mm, | |
| | | clearance: 580 mm x 400 mm, total dimensions: 1850 | |
| | | mm x 850 mm x 1750 mm. | |
| 187 | Elwis | Elwis mobile shrink tunnel, type: 14 S 065, number: | 500 |
| | | 76377, 380 V, 3 Ph, 25 A, 15000 W, belt width: 680 | |
| | | mm, clearance: 750 mm x 310 mm, total dimensions: | |
| | | 3150 mm x 1100 mm x 1750 mm. | |

| Nr | Title | Description | Start € | | |
|-----|---------------------------|---|---------|--|--|
| 188 | Italdibipack S.p.A. | Italdibipack S.p.A. mobile packaging machine, model: 4255 CONF. TERM., serial number: 562-96, 220 V, 50/60 Hz, 3500 W, weight: 90 kg, seal length: 560 mm and 520 mm, total dimensions: 1250 mm x 800 mm x 1250 mm. | | | |
| 190 | Sollas SB | Sollas SB stretch film packaging machine, type: SB 250, serial number: 21-7, 220-380 V, 600 W, foot control, working width: 270 mm, total dimensions: 1700 mm x 650 mm x 1550 mm. | | | |
| 191 | Pester | Pester stretch film shrink packaging machine, type: PEWO-Pack 450 SN, machine number: V-2530-0A, year of construction: 1990, 380 V, air pressure: 5.2 bar, plastic belt, belt width: 100 mm, clearance: 410 mm x 330 mm, s/s rollers, roller width: 310 mm, total dimensions: 2500 mm x 2300 mm x 2100 mm. Including pallet with parts. | 1500 | | |
| 197 | Soco System | Soco System box closing machine with top and bottom taper, type: T10 7-8-7, 380 V, plastic rollers, roller width: (2x) 340 mm, maximum dimensions box: 725 mm x 815 mm, total dimensions: 1100 mm x 1000 mm x 2050 mm. | 250 | | |
| 210 | Wexiödisk AB | Wexiödisk AB dishwasher, type: SD 6 E, number: 96J215, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 16 A, 0.75 kW, clearance: 530 mm x 530 mm, total dimensions: 800 mm x 800 mm x 1450 mm. | 250 | | |
| 212 | KEN Hygiene Systems | KEN Hygiene Systems laboratory dishwasher, type: 211 LAB, number: 47242 05, 400 V, 3 Ph, 50 Hz, 15 A, 10.1 kW, dimensions: 600 mm x 600 mm x 870 mm. | 250 | | |
| 213 | Netzsch Newamatic GmbH | Netzsch Newamatic GmbH washing machine for vials, type: 1-570, machine number: 1086, year of construction: 1973, 220-380 V, 3 Ph, 50 Hz, 18 A, 11.5 kW, dimensions: 960 mm x 750 mm x 1530 mm. | | | |
| 222 | NN volumetric vat | Volumetric vat, capacity: 200 liter, 230/400 V, output diameter: Ø 150 mm, total dimensions: 1850 mm x 1000 mm x 1200 mm. | | | |
| 227 | Gerstenberg & Agger | Gerstenberg & Agger scraped surface heat exchanger, type: LABO-PERFEKTOR 1x57 B/G, serial number: 10.732, year of construction: 1980, primair section: maximum working pressure: 5000 Kpa, maximum temperature: 100 °C, medium: spisefeut, secundair section: maximum working pressure: 600 Kpa, maximum temperature: 60 °C, medium: vand / glycol, dimensions: 1200 mm x 600 mm x 1200 mm. | 150 | | |
| 228 | APV | APV s/s scraped surface heat exchangers, type: SSHE 2 HD 672, serial number: 80164-01, 220/380 V, tube dimensions: (2x) Ø 160 mm x 1500 mm, total dimensions: 3500 mm x 1200 mm x 1300 mm. | 2000 | | |

| Nr | Title | Description | Start € |
|-----|---------------------|---|---------|
| 229 | Votator | Votator s/s scraped surface heat exchangers, type: 1C624L, serial number: 70-130 V2, year of construction: 1968, 230/400 V, total dimensions: 2650 mm x 1150 mm x 2150 mm. | |
| 236 | DDS Microfiltration | DDS Microfiltration s/s UF-Filter, type: 38-27-1.GR60PP-PSO 3.872.015, serial number: 112-57.165-88, dimensions: 1650 mm x 500 mm x 1550 mm. | 300 |
| 245 | Kieselgur | Kieselgur mobile filtration pump, 380 V, consisting of: Elutriane tank with agitator, Product pump, Elutriate filter and coarse filter, total dimensions: 1300 mm x 650 mm x 1450 mm. | 600 |
| 247 | Union Oiltech | Union Oiltech belt filter / oil filter, type: UE500, 400 V, dimensions: 100 mm x 850 mm x 650 mm. | |
| 248 | Union Oiltech | Union Oiltech belt filter / oil filter, type Unifil 1000, serial number: 0156 / 0157, year of construction: 2002, capacity 250-400 l/min, 400 V, weight: 110 KG, dimensions: 1300 mm x 1350 mm x 750 mm. | 400 |
| 249 | Hans Jessens | Hans Jessens powder/granulate sieve, type: 200/650, 380 V, Sieve diameter: Ø 200 x 650 mm, dimensions: 1850 mm x 600 mm x 550 mm. | |
| 261 | ALA | ALA vacuum pump, dimensions: 1300 mm x 750 mm x 600 mm. | |
| 262 | Bran & Lübbe | Bran & Lübbe feed pump / dosing machine, type: V-J 33, number: 51-66258, 4 heads, dimensions: 950 mm x 650 mm x 1250 mm. | |
| 271 | ALA | ALA s/s ice crusher, hydraulically powered, dimensions: 2500 mm x 1800 mm x 3000 mm. | |
| 278 | Ant Systems | Ant Systems s/s double jacketed fermentation tank, capacity: 6000 liter, tank: Ø 2000 mm, total dimensions: 2200 mm x 2200 mm x 4100 mm. | |
| 279 | Ant Systems | Ant Systems s/s double jacketed fermentation tank, capacity: 6000 liter, tank: Ø 2000 mm, total dimensions: 2200 mm x 2200 mm x 4100 mm. | |
| 280 | Ant Systems | Ant Systems s/s double jacketed fermentation tank, capacity: 6000 liter, tank: Ø 2000 mm, total dimensions: 2200 mm x 2200 mm x 4100 mm. | |
| 281 | Premier | Premier s/s double jacketed tank, serial number: 18139-6, year of construction: 03/2018, capacity: 2000 liter, maximum pressure: 0.49 bar, maximum working temperature: 40°C, tank: Ø 1400 mm, total dimensions: 1500 mm x 1500 mm x 2875 mm. | 2500 |
| 282 | Premier | Premier s/s double jacketed tank, serial number: 18139-4, year of construction: 03/2018, capacity: 2000 liter, maximum pressure: 0.49 bar, maximum working temperature: 40°C, tank: Ø 1400 mm, total dimensions: 1500 mm x 1500 mm x 2875 mm. | 2500 |

| Nr | Title | Description | Start € |
|-----|-----------------------|---|---------|
| 283 | Premier | Premier s/s double jacketed tank, serial number: | 2500 |
| | | 18139-2, year of construction: 03/2018, capacity: 2000 | |
| | | liter, maximum pressure: 0.49 bar, maximum working | |
| | | temperature: 40°C, tank: Ø 1400 mm, total dimensions: | |
| | | 1500 mm x 1500 mm x 2875 mm. | |
| 284 | Ant Systems | Ant Systems s/s double jacketed mash tun with mixer, | 2500 |
| | | year of construction: 2018, 380 V, capacity: 2000 liter, | |
| | | tank: Ø 1850 mm, total dimensions: 2000 mm x 2000 | |
| | | mm x 2875 mm. | |
| 285 | Ant Systems | Ant Systems s/s double jacketed kettle whirlpool tank, | 2500 |
| | | year of construction: 2018, capacity: 2000 liter, | |
| | | dimensions: 2500 mm x 2000 mm x 3000 mm. | |
| 286 | Ant Systems | Ant Systems s/s double jacketed hot water tank, year of | 2500 |
| | | construction: 2018, 380 V, capacity: 2000 liter, tank: Ø | |
| | | 1850 mm, total dimensions: 1500 mm x 1500 mm x | |
| | | 2475 mm. | |
| 313 | SRS a.s. | SRS a.s tiltable mixer, type: KDA-1200, serial number: | 2000 |
| | | 4725, year of construction: 2003, volume: 1200 liter, | |
| | | dimensions: 2700 mm x 1800 mm x 1700 mm. With | |
| | | separate electric motor. | |
| 314 | Jøni Foodline A/S | Jøni Foodline A/S tiltable cooking vessel, type: 30 LTR, | 400 |
| | , | factory number: 61550 , 380 V, 3 Ph, 50 A, 12 kW, s/s | |
| | | vessel, volume: 30 liter, total dimensions: 1000 mm x | |
| | | 700 mm x 900 mm. | |
| 315 | Vesta | Vesta tiltable cooking vessel, number: 775, 380 V, 3 Ph, | 250 |
| | | 13000 W, s/s vessel, volume vessel: 70 liter, dimensions: | |
| | | 1050 mm x 450 mm x 1000 mm. | |
| 316 | Elektro-Helios | Elektro-Helios tiltable cooking vessel, type: 31074, | 150 |
| | | number: 58059, year of construction: 18/2/1958, 380 | |
| | | V, 3 Ph, s/s vessel, volume: 50 liter, dimensions: 850 mm | |
| | | x 400 mm x 850 mm. | |
| 317 | QVF Engineering | QVF Engineering GmbH glass reactor, type: BHKDE | 1500 |
| 01, | GMBH | 100E-1, number: 50508101, year of construction: | 1300 |
| | | 2005, weight: 93.5 kg, spherical, variable speed, | |
| | | clearance: Ø 600 mm, dimensions: 730 mm x 730 mm x | |
| | | 1935 mm. | |
| 318 | NN mixing tank | S/s double jacketed mixing tank with agitator, | 1000 |
| 310 | TVIVIII ZIII G COIII | removable lids, capacity: 800 liter, 400 V, dimensions: | 1000 |
| | | 2600 mm x 1380 mm x 2100 mm. | |
| 319 | NN mixing tank | S/s double jacketed mixing tank with agitator, | 1000 |
| 313 | ININ IIIIAIII E COIIK | removable lids, capacity: 800 liter, 400 V, dimensions: | 1000 |
| | | 2600 mm x 1380 mm x 2100 mm. | |
| 320 | NN mixing tank | S/s double jacketed mixing tank with agitator, | 1000 |
| 320 | ININ IIIIXIIIB LAIIK | removable lids, capacity: 800 liter, 400 V, dimensions: | 1000 |
| | | 2600 mm x 1380 mm x 2100 mm. | |
| | | 2000 Hilli x 1380 Milli x 2100 Milli. | |

| Nr | Title | Description | Start € |
|-----|-------------------|---|---------|
| 334 | Thermo King | Thermo King 40 feet high cube insulated cooling container, type: RC40/C386, serial number: 188595, year of construction: 2001, 380 V, weight: 4650 Kg, dimensions: 12190 mm x 2440 mm x 2900 mm. | 2000 |
| 336 | Electrolux | Electrolux cooking vessel, model: EBV-C 100, number: 92-336248, year of construction: 2000, volume: 100 liter, dimensions: 1200 mm x 1000 mm x 1300 mm. | 400 |
| 337 | Jøni Foodline A/S | Jøni Foodline A/S cooking vessel, type: H250, number: 9336027, year of construction: 1997, 380/220 V, 3 Ph, 50 Hz, 80 A, 45 kW, volume: 250 liter, dimensions: 1800 mm x 1100 mm x 1400 mm. | 500 |
| 338 | Jøni Foodline A/S | Jøni Foodline A/S cooking vessel, model: Multi-Mix Gryta, number: 011456-1076, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 21.7 A, 15 kW, volume: 60 liter, steam volume: 22 liter, dimensions: 1200 mm x 1200 mm x 1500 mm. | 400 |
| 341 | Jøni Foodline A/S | Jøni Foodline A/S cooking vessel, model: Multi-Mix Gryta, number: 011456-1073, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 43.3 A, 30 kW, volume: 150 liter, steam volume: 49 liter, dimensions: 1450 mm x 1350 mm x 1500 mm. | 500 |
| 342 | Termaks | Termaks incubator, type: KBP 6151, number: 95137, 230 V, 1000 W, maximum temperature: 70 °C, inside dimensions: 450 mm x 450 mm x 745 mm, total dimensions: 845 mm x 615 mm x 1280 mm. | 200 |
| 343 | Termaks | Termaks incubator, type: KBP 6151, number: 95178, 230 V, 1000 W, maximum temperature: 70 °C, inside dimensions: 450 mm x 450 mm x 745 mm, total dimensions: 845 mm x 615 mm x 1280 mm. | 200 |
| 355 | Spicer | Spicer s/s drum mixer, dimensions: 600 mm x 500 mm x 500 mm. | 100 |
| 356 | Skiold A/S | Skiold A/S hammer mill for wet products, type: DM6-WM number: 089809, year of construction: 02-2018, 18.5 kW, dimensions inlet: Ø 8.45", dimensions outlet: Ø 3", total dimensions: 1200 mm x 1200 mm x 1650 mm. Including crate with parts. | 300 |
| 358 | NN grater | Grater, 415 V, 390-1950 rpm, inside dimensions: Ø 120 mm x 180 mm, total dimensions: 1200 mm x 1200 mm x 1550 mm. | |
| 359 | Wolfking | Wolfking mixer, type: SILO, number: 59107, year of construction: 1997, 380 V, 50 Hz, 5.0 A, 1.8 kW, weight: 800 kg, volume: 1500 liter, total dimensions: 2600 mm x 1200 mm x 1430 mm. | 1500 |
| 360 | Jørgen Jørgensen | Jørgen Jørgensen granulate mixer, machine number: 49, 380 V, 3 Ph, inside diameter: 600 mm, total dimensions: 1200 mm x 900 mm x 1650 mm. | 400 |

| Nr | Title | Description | Start € | | |
|-----|-----------------------------|--|---------|--|--|
| 361 | Karl Schnell | Karl Schnell mobile emulsifier, type: B22, 380 V, 50 Hz, 36 A, 18.5 kW, volume: 325 liter, dimensions: 1300 mm | 2500 | | |
| 362 | Lenze | x 1100 mm x 1700 mm. Lenze twin screw mixer, type: 11.710.04.00, number: 3/7000/0443, 0.55 kW, 4.5/12 Nm, variable speed, coated mixing chamber, prepared for vacuum, electric heated, dimensions: 700 mm x 350 mm x 500 mm. | 75 | | |
| 364 | A. Berents GmbH + Co. KG | A. Berents GmbH + Co. KG universal mixer, type: RW 125, factory number: 011/3-359/00, year of construction: 1990, volume: 215 liter, dimensions: 1250 mm x 1250 mm x 2300 mm. | | | |
| 371 | Etipack | Etipack labelling machine, model: S1FORIGINAL13, serial number: 03/000002810, year of construction: 2004, 230 V, 50/60 Hz, 2.00 A, plastic belt, belt width: , total dimensions: 3100 mm x 1600 mm x 1900 mm. Including box with parts. | 1500 | | |
| 372 | AB Åkerlund & Rausing | AB Åkerlund & Rausing pneumatic s/s filling machine, type: LKF 101, serial number: 3295-12, dosage: 0-1000 ml, foot control, dimensions: 1050 mm x 650 mm x 2050 mm. | 1000 | | |
| 373 | Axomatic Jolly | Axomatic Jolly pneumatic filling machine, type: JOLLY DPL 2, serial number: 01 JOLLY DPL22007, year of construction: 2007, maximum air pressure: 8 bar, filling nozzles Ø: 18 mm, dosage 0-1000 ml. per stroke, weight: 63 Kg, foot control, dimensions: 1100 mm x 8500 mm x 1500 mm. Including table. | 1000 | | |
| 374 | Trepko | Trepko aluminium seal welder, type: 21, serial number: 2102, 0,6 kW, 220 V, dimensions: 800 mm x 600 mm x 1650 mm. | | | |
| 375 | NN tube closing machine | S/s tube closing machine, closing by welding, maximum welding length: 70 mm, maximum tube height: 125 mm, dimensions: 900 mm x 1000 mm x 1350 mm. | 500 | | |
| 377 | Lindner Industrie B.V. | Lindner Industrie B.V. capsule machine, type: PP 436, number: 265-69, plastic belt, belt width: 80 mm, total dimensions: 1600 mm x 1100 mm x 2650 mm. | | | |
| 379 | Flexicon | Flexicon automatic filling machine, type: Flexfeed 10, serial number: 89190152, 220 V, dosage 0,5 / 250 ml, belt width: 350 mm, total dimensions: 1500 mm x 750 mm x 1250 mm. Belt broken. | | | |
| 380 | Hawo Gerätebau GmbH | Hawo Gerätebau GmbH s/s rotary sealing unit, type: HM 500 DEL, serial number: 964304, 220/240 V, 50 Hz, 0.5 kW, weight: 15 Kg, dimensions: 600 mm x 300 mm x 150 mm. | 1500 | | |
| 381 | Lindeløv & Striegler A/S | Lindeløv & Striegler A/S s/s filling machine, serial number: 88 / D43287, year of construction: 1973, 220 V, 1 Ph, 50 Hz, 2.35 A, 0.32 hp, dimensions: 550 mm x 500 mm x 800 mm. | 1500 | | |

| Nr | Title | Description | Start € |
|-----|-------------------|---|---------|
| 382 | ADA | ADA filling machine, 10 filling nozzles, dimensions: 1450 mm x 1350 mm x 2300 mm. | 750 |
| 386 | Kronjysk Stål ApS | Kronjysk Stål ApS double jacketed s/s mixing tank with agitator and scraper, type: 81956-01, year of construction: 2003, 230/400 V, working temperature: 20-143° C, weight 1200 Kg, dimensions: 3200 mm x 2100 mm x 1500 mm. | 2000 |
| 406 | MMM GmbH | MMM GmbH autoclave, type: TTS 0612-1 A SL, serial number: 88 221, year of construction: 1988, working temperature: 141°C, working pressure: 2.8 bar, 380/220 V, 6.3 A, 3.0 kW, 50 Hz, inside dimensions: 650 mm x 1230 mm x 650 mm, total dimensions: 1800 mm x 1650 mm x 1850 mm | 2000 |
| 407 | DAN process | DAN process purification system, dimensions: 1950 mm x 820 mm x 2120 mm. | 2000 |
| 416 | VÅV SCAN-VIBRO | VÅV SCAN-VIBRO vibrating sieve, number: 26721, year of construction: 1996, gutter width: 920 mm, sieve opening dimensions: 4 mm x 25 mm / 8 mm x 8 mm / 10 mm x 10 mm, total dimensions: 3670 mm x 1350 mm x 1320 mm. | 750 |
| 422 | VÅV SCAN-VIBRO | VÅV SCAN-VIBRO vibrating sieve, number: 27844, year of construction: 1997, gutter width: 310 mm, total dimensions: 1600 mm x 650 mm x 1600 mm. | 750 |
| 424 | Busch-Werke AG | Busch-Werke AG checkweigher, model: MINIPOND 25, number: 105196, year of construction: 1999, maximum weight: 15 kg, minimum weight: 0.1 kg, e=d=d: 0.005 kg, T=-15 kg, plastic belt, belt width: 250 mm, total dimensions: 860 mm x 600 mm x 1280 mm. | |
| 425 | Kuka | Kuka packing robot arm, type: KR40 PA (Sp), serial number: 767304, year of construction: 03/2010, range: 2091 mm, maximum load capacity: 40 kg, weight: 720 kg, dimensions: 1750 mm x 1000 mm x 1660 mm. | |
| 428 | Reo-pack | Reo-pack pallet wrapper, type: Reo-pack-fix 14, serial number: 14.010.422, 380 V, 3 Ph, 50 Hz, 2.0 A, 0,55 kW, platform dimensions: Ø1500 mm, total dimensions: 2700 mm x 1550 mm x 2330 mm. | |
| 429 | Bjørnkjær | Bjørnkjær autoclave, type: rørautoklave, serial number: 5559 and 5558, year of construction: 1999, maximal temperature: 100/234°C, capacity: 5/8 liter, working pressure: 6/30 bar, dimensions: 3400 mm x 1300 mm x 1750 mm. | 1000 |
| 430 | Bjørnkjær | Bjørnkjær test plant for bio mass on a small laboratory scale, year of construction: 2006, serial number: 368021/5, capacity: 70 liter, maximum pressure: 22 bar, maximum temperature: 220°C, dimensions: 2500 mm x 1920 mm x 2300 mm. | 2000 |

| Nr | Title | Description | Start € |
|-----|--|--|---------|
| 431 | Ant Systems | Ant Systems s/s double jacketed fermentation tank, | 4000 |
| | | capacity: 6000 liter, tank: Ø 2000 mm, total | |
| | | dimensions: Ø 2200 mm x 2200 mm x 4100 mm. | |
| 432 | Ant Systems | Ant Systems s/s double jacketed fermentation tank, | 4000 |
| | | capacity: 6000 liter, tank: Ø 2000 mm, total | |
| | | dimensions: 2200 mm x 2200 mm x 4100 mm. | |
| 433 | Ant Systems | Ant Systems s/s double jacketed fermentation tank, | 4000 |
| | | capacity: 6000 liter, tank: Ø 2000 mm, total | |
| | | dimensions: 2200 mm x 2200 mm x 4100 mm. | |
| 434 | Premier | Premier s/s double jacketed tank, serial number: | 3000 |
| | | 18139-3, year of construction: 03/2018, capacity: 2000 | |
| | | liter, maximum pressure: 0.49 bar, maximum working | |
| | | temperature: 40°C, tank: Ø 1400 mm, total dimensions: | |
| | | 1500 mm x 1500 mm x 2875 mm. | |
| 435 | Premier | Premier s/s double jacketed tank, serial number: | 3000 |
| | | 18139-1, year of construction: 03/2018, capacity: 2000 | |
| | | liter, maximum pressure: 0.49 bar, maximum working | |
| | | temperature: 40°C, tank: Ø 1400 mm, total dimensions: | |
| | | 1500 mm x 1500 mm x 2875 mm. | |
| 436 | 1500 mm x 1500 mm x 2875 mm. Premier Premier s/s double jacketed tank, serial number: | | 3000 |
| | | 18139-5, year of construction: 03/2018, capacity: 2000 | |
| | | liter, maximum pressure: 0.49 bar, maximum working | |
| | | temperature: 40°C, tank: Ø 1400 mm, total dimensions: | |
| | | 1500 mm x 1500 mm x 2875 mm. | |
| 437 | Zybrew | Zybrew double jacketed fermentation tank, model: HD- | 2000 |
| | | FJ-0.8, serial number: 2018-01-02, year of construction: | |
| | | 2018-01, netto volume: 800 liter, total volume: 1170 | |
| | | liter, weight: 340 Kg, dimensions: Ø 1160 mm x 2350 | |
| | | mm. | |
| 438 | Zybrew | Zybrew double jacketed fermentation tank, model: HD- | 2000 |
| | | FJ-0.8, serial number: 2018-01-01, year of construction: | |
| | | 2017-01, netto volume: 800 liter, total volume: 1170 | |
| | | liter, weight: 340 Kg, dimensions: Ø 1160 mm x 2350 | |
| | | mm. | |

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

 $\label{purchase} \textit{Price}: \textit{the amount of the highest-allocated-bid increased by the Buyers Premium above the} \\$

highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website:

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction; Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods; Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven:

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

- 3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.
- 3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.
- 3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.
- 3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.
- 3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request. Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

- 4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.
- 4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.
- 4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.
- 4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:
- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party:
- Acts of the seller after the user has concluded a purchase agreement;
- 4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

- 5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.
- 5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.
- 5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

- 6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.
- 6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or aplied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

- 7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annuled clause, as far as possible the scope of the invalid/annuled clause shall be respected.
- 7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.
- 7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.
- 7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

- 8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.
- 8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:
- Not to recognize a bid as such;

- To exclude one or more users from the auction:
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate:
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;
- 8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
- 8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

- 9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.
- 9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.
- 9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.
- 9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.
- 9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).
- 9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.
- 9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

- 9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.
- 9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.
- 9:10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

- 11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions. 11.2. The buyer is not entitled to any settlement or suspension.
- 11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.
- 11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.
- 11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

- 13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expence and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.
- 13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.
- 13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).
- 13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.
- 13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herselve is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to €5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buver:
- 15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.
- 15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

 $16.1\,\textrm{All agreements between Industrial Auctions and third parties is governed by Dutch law.}$

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

Notes

Notes