

1941: Online auction machinery for the food
industry in Emmeloord (NL)

END DATE

09 October 2025 14:00

General terms and conditions of the online auction

End date	09 October 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	16 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Bedrijfsweg 7 8304 AA Emmeloord Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Lumacon	Lumacon mobile elevating belt, s/s frame, type: RC850x3650 Easy clean, serial number: 21-00298-009A, year of construction: 2021, 360-440 / 200-250 V, 50 Hz, 0.44 kW, plastic belt with dividers, belt width: 850 mm, divider height: 20 mm, distance between dividers: 320 mm, elevating height: 2350 mm, total dimensions: 3600 mm x 1060 mm x 2400 mm.	1750
2	Lumacon	Lumacon mobile transport belt, s/s frame, type: RC350x2650 Easy clean duo, serial number: 21-00054-008-C, year of construction: 2020, 360-440 / 200-250 V, 50 Hz, 0.3 kW, plastic belts, belt width: (2x) 350 mm and (2x) 300 mm, total dimensions: 3420 mm x 1200 mm x 2300 mm.	1250
3	Lumacon	Lumacon automatic crate filling line, 4 Ohaus weighing scales, model: D60VL, s/s frame, s/s rollers, roller width: 500 mm and 1080 mm, total dimensions: 4650 mm x 1750 mm x 1240 mm.	4500
4	Lumacon	Lumacon s/s switch cabinet with control panel for filling line, type: YC-2, serial number: 21-00054-021, year of construction: 2021, 380 V, 32 A, dimensions: 950 mm x 450 mm x 1800 mm.	250
5	Sealpac GmbH	Sealpac GmbH traysealer, model: SEALPAC 800+, serial number: TVG 01 1341 01, year of construction: 2006, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, plastic infeed wire belt, belt width: 180 mm, dye: (3x) 288 mm x 220 mm, outfeed chain conveyor, conveyor width: 200 mm, total dimensions: 7400 mm x 1000 mm x 2100 mm.	3500
6	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH slice and portion cutter, model: FALCON, machine number: 046007.182518.128730, year of construction: 2016, 380-480 V, 3 Ph, 50/60 Hz, 25 A, 7/9.52 kW, weight: 780 kg, operating hours: 234.2, plastic belt, belt width: 240 mm, clearance: 210 mm x 155 mm, total dimensions: 2700 mm x 1350 mm x 2020 mm. Including extra knives.	15000
7	Multipond	Multipond mobile 14-heads multihead weigher, type: MP 1424-FF, serial number: M1722, year of construction: 2002, 400 V, 3 Ph, 50 Hz, maximum weight: 10 kg, minimum weight: 200 g, d=1/2 g, dimensions: 1950 mm x 1650 mm x 1650 mm.	7500
8	Multipond	Multipond mobile 14-heads multihead weigher, dimensions: 1850 mm x 1650 mm x 1800 mm.	7500

Nr	Title	Description	Start €
9	Newtec	Newtec linear weigher, type: 2013M, number: 6134, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 9 A, 1.4 kW, 6 lanes, lane width: 85 mm, total dimensions: 2000 mm x 1900 mm x 1460 mm.	5000
10	Townsend	Townsend mobile skinning machine, type: 7620, serial number: 1817, year of construction: 1998, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 510 mm, total dimensions: 930 mm x 820 mm x 1030 mm.	500
11	Kinco	Kinco checkweigher, plastic belt, belt width: 220 mm, total dimensions: 1100 mm x 650 mm x 1500 mm.	150
12	Record	Record flowpacker, model: Panda 1000, serial number: 03-99-299, year of construction: 1999, 4 kW, weight: 810 kg, film width: 320 mm, seal length: 250 mm, plastic belt, belt width: 200 mm, total dimensions: 4650 mm x 1100 mm x 1600 mm.	500
13	Ulma	Ulma mobile shrink packaging machine, model: SLAU 80x60, machine number: 4515104, year of construction: 2014, 400 V, 50 Hz, 8.5 A, 4.5 kW, plastic belt, belt width: 570 mm, seal length: 600 mm x 865 mm, total dimensions: 2350 mm x 1100 mm x 1700 mm.	4000
14	Ulma	Ulma mobile shrink tunnel, model: TR 65x100 H400, machine number: 4515117, year of construction: 2014, 400 V, 50 Hz, 31.1 A, 21.5 kW, steel belt, belt width: 645 mm, clearance: 640 mm x 430 mm, total dimensions: 1800 mm x 1400 mm x 1800 mm.	1500
15	Mettler Toledo	Mettler Toledo checkweigher with labeller and STD double rejector, plastic belt, belt width: (2x) 300 mm, 260 mm, model rejector: Productuitwerper, number: 17085L21, year of construction: 2017, 400 V, total dimensions: 2040 mm x 1250 mm x 1750 mm.	1500
16	Ulma	Ulma packaging machine, model: Compact, serial number: 2201002, year of construction: 2005, 400 V, 50 Hz, 5 A, 1.2 kW, plastic belts, belt width: 175 mm and 195 mm, total dimensions: 1150 mm x 1100 mm x 1300 mm.	500

Nr	Title	Description	Start €
17	AEW Delford	AEW Delford checkweighing and labelling machine, type: 8060, fabrication number: 86229, year of construction: 2006, 230 V, 50 Hz, maximum weight: 4000 gram, minimum weight: 40 gram, e= 2 gram, T= -1000 gram, capacity: 100 pieces per minute, top and bottom labeller, plastic belt, belt width: (2x) 90 mm and (1x) 195 mm, total dimensions: 1200 mm x 700 mm x 1600 mm and 1500 mm x 680 mm x 2000 mm. Missing screen.	250
18	AEW Delford	AEW Delford checkweighing and labelling machine, type: 8060, fabrication number: 8812, year of construction: 2004, 230 V, 50 Hz, maximum weight: 4000 gram, minimum weight: 40 gram, e= 2 gram, T= -1000 gram, capacity: 60 pieces per minute, top and bottom labeller, plastic belt, belt width: (2x) 90 mm and 195 mm, total dimensions: 900 mm x 3200 mm x 1800 mm.	500
19	AEW Sortaweigh LTD	AEW Sortaweigh LTD weighing and labelling machine, type: 8060, factory number: 86125, year of construction: 2004, temperature range: 0/+35 °C, maximum: 4000 gram, minimum: >40 gram, e= 2 grams, weighing speed: 58 pieces per minute, BBK labeller, serie: Rapid "S", serial number: SR 120/0404-3115 S, machine number: 24201118, year of construction: 2004, belt width: 200 mm and (2x) 90 mm, total dimensions: 3100 mm x 1000 mm x 1850 mm.	500
20	Multiweigh	Multiweigh 14-heads multiweigher, dimensions: 1500 mm x 1500 mm x 1340 mm. Incomplete, technical condition unknown.	750
21	Safeline / Mettler-Toledo Garvens GmbH	Safeline / Mettler-Toledo Garvens GmbH metal detector with checkweigher, type metal detector: R Series Profile, serial number: 108910, type checkweigher: XS 3 CC, fabrication number: 35002725, year of construction: 2011, 100-240 V, 50-60 Hz, maximum weight: 1000 gram, minimum weight: 7 gram, e=d=0.5 gram, T=900 gram, plastic belt, belt width: 250 mm, total dimensions: 2450 mm x 1300 mm x 1780 mm.	2500

Nr	Title	Description	Start €
22	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH weighing and labelling machine, type: PAS3012, fabrication number: 17000530, year of construction: 2007, 230 V, 1 Ph, 50/60 Hz, maximum weight: 6000 gram, minimum weight: 20 gram, e=d=: 1 gram, capacity: 100 pieces per minute, plastic belt, belt width: 290 mm, total dimensions: 2350 mm x 850 mm x 1700 mm.	1500
23	VWS Nederland B.V.	VWS Nederland B.V. labelling machine, model: Top/Base labelling R>>L, serial number: 170809, year of construction: 2017, 220-240 V, 50-60 Hz, 10 A, plastic belt, belt width: 300 mm, 270 mm, total dimensions: 1560 mm x 780 mm x 1720 mm.	1500
24	Loma Systems	Loma Systems mobile metal detector Jasa with elevating belt, model metal detector head: IQ3, serial number: MD304-11290D, year of construction: 2009, 230 V, 1 Ph, 50 Hz, 0.3 A, type elevating belt: AUTO/M400, machine number: 11754, year of construction: 2009, 400 V, 3 Ph, 16 A, 2 kW, elevating height: 1120 mm, clearance: 445 mm x 225 mm, total dimensions: 2440 mm x 925 mm x 1150 mm. Without belt.	750
25	OCS / Wipotec	OCS / Wipotec checkweigher, type: EC 3000, serial number: 0010246, year of construction: 1998, maximum capacity: 1500 / 3750 / 7500 gram, e = 0.2 / 0.5 / 1.0 gram, plastic belt, belt width: 140 mm, total dimensions: 860 mm x 600 mm x 1750 mm.	400
26	Proseal	Proseal mobile traysealer, type: FastPack F40, serial number: 1750, year of construction: 2008, 230 V, 50 Hz, 6 bar, dye: (2x) 165 mm x 125 mm, plastic wire belt, belt width: 180 mm, total dimensions: 2700 mm x 800 mm x 2000 mm.	1000
27	Jasa Packaging Systems	Jasa Packaging Systems vertical form-fill- and seal machine, type: QP350/90, machine number: 10720 MOD.1, year of construction: 2001, 400 V, 3 Ph, 16 A, 4.5 kW, infeed belt width: 150 mm, diameter infeed pipe: 170 mm, horizontal seal length: 970 mm, vertical seal length: 390 mm, total dimensions: 1850 mm x 2950 mm x 2190 mm.	1000
28	Niro-tech	Niro-tech tiltable paddle-mixer, type: RX-150, inside dimensions: 520 mm x 500 mm x 500 mm, total dimensions: 700 mm x 1400 mm x 1640 mm.	2500

Nr	Title	Description	Start €
29	Proseal	Proseal mobile traysealer, model: Revolution, serial number: PR30-1005, 240 V, 50 Hz, dimensions dye: (x2) 170 mm x 130 mm, film width: 320 mm, total dimensions: 1100 mm x 1100 mm x 1680 mm.	1000
30	Henneken	Henneken mobile flattener, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 1.5 kW, 16 A, plastic belt, belt width: 415 mm, total dimensions: 1960 mm x 830 mm x 1590 mm.	1250
31	Packaging Automation Ltd	Packaging Automation Ltd mobile rotary traysealer, type: 182/5 MK2, serial number: E158918213456, 240 V, 50 Hz, dimensions dye: (2x) 200 mm x 135 mm, total dimensions: 1300 mm x 1200 mm x 1670 mm.	750
32	EME	EME labelling machine, type: EME Serie 1000, serial number: SEE Label head, 220-240 VAC, 50/60 Hz, 250 W, belt width: 235 mm, total dimensions: 2200 mm x 750 mm x 1550 mm.	200
33	Beldos	Beldos mobile depositor, diameter infeed funnel: 385 mm, diameter output: 40 mm, total dimensions: 700 mm x 960 mm x 1500 mm.	750
34	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S mobile depositor, model: DPD 20, machine number: 7863, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 3.0/16 A, dimensions: 700 mm x 900 mm x 1800 mm. Incomplete.	75
36	Thermo Goring Kerr	Thermo Goring Kerr mobile metal detector with rejector, type: TEK21, serial number: 60951, year of construction: 2002, 220 V, 50/60 Hz, 0.4 A, plastic belt, belt width: 340 mm, clearance: 500 mm x 105 mm, total dimensions: 1670 mm x 1000 mm x 1130 mm.	1000
37	Tehabo	Tehabo mobile labelling machine, plastic wire belt, total belt width: 170 mm, total dimensions: 1470 mm x 700 mm x 1900 mm.	200
38	Lock Inspection Systems	Lock Inspection Systems mobile metal detector, model: MET30+, serial number: 26811/1, year of construction: 12-12-05, 380 V, 3 Ph, 50 Hz, 0.8 A, plastic mesh belt, belt width: 350 mm, clearance: 370 mm x 120 mm, total dimensions: 870 mm x 500 mm x 1260 mm.	500
39	G. Mondini S.p.a.	G. Mondini S.p.a. traysealer, model: CV/VG-S, machine number: 2307-03/1, year of construction: 2003, 400 V, 3 Ph, 50 Hz, Busch vacuum pump, type: RA 0040 E 501, film width: 330 mm, dimensions dye: (3x) oval 170 mm x 110 mm, total dimensions: 950 mm x 1150 mm x 1650 mm.	500

Nr	Title	Description	Start €
40	Ceia	Ceia metal detector, metal: THS/3F, serial number: 20700214055, 230 V, 50/60 Hz, 1 KVA, plastic belt, belt width: 300 mm, clearance: 350 mm x 125 mm, total dimensions: 1480 mm x 760 mm x 1100 mm.	500
41	VWS Nederland B.V.	VWS Nederland B.V. labelling machine, model: LPX_Blow 4/300R/H statief_800mmbelt, serial number: LP142791, year of construction: 2014, 230 V, 50-60 Hz, plastic belt, belt width: 300 mm, total dimensions: 750 mm x 800 mm x 1750 mm.	500
42	Ceia	Ceia metal detector, model: THS/3F, serial number: 20300248020, plastic belt, belt width: 400 mm, clearance: 450 mm x 130 mm, total dimensions: 1500 mm x 850 mm x 1430 mm. Last calibrated: 2023.	500
43	VWS Nederland B.V.	VWS Nederland B.V. labelling machine, model: LPX_Blow 4/300R / H statief_800mmbelt, serial number: LP142852, year of construction: 2014, 230 V, 50-60 Hz, plastic belt, belt width: 295 mm, total dimensions: 700 mm x 800 mm x 1700 mm.	500
44	Zomerdam	Zomerdam checkweighing and labelling machine with 3 top labellers and 1 bottom labeller, type checkweigher: DCW- 0.5/1, fabrication number: 3682-1, year of construction: 2018, 230 V, 50 Hz, maximum weight: 0.125 - 1.2 kg, minimum weight: 40 gram, d = e = 0.5 / 1 gram, belt width: 200 mm, total dimensions: 4520 mm x 1150 mm x 2000 mm.	2500
45	NN part for labelling machine	S/s part for labelling machine, dimensions: 650 mm x 650 mm x 770 mm.	75
46	Marel	Marel labelling machine, model: CONCEPT 500, serial number: 10427440, year of construction: 2019, 230 V, 50/60 Hz, 4 A, 1 kW, plastic belt, belt width: (2x) 110 mm, total dimensions: 1700 mm x 750 mm x 1950 mm.	1500
47	Marel	Marel labelling machine, model: CONCEPT 500, serial number: LA0698, year of construction: 2016, 230 V, 50/60 Hz, 4 A, 1 kW, plastic belt, belt width: (2x) 110 mm, total dimensions: 1750 mm x 850 mm x 1830 mm.	1500
48	EME	EME labelling machine, type: EME Serie 4000, year of construction: 2013, 220-240 VAC, 50/60 Hz, 250 W, belt width: 90 mm, total dimensions: 2000 mm x 800 mm x 1720 mm.	300
49	Herma	Herma labelling machine, type: HERMA 500, serial number: 50506454/611, year of construction: 2022, 100-240 V, 50-60 Hz, 400 W, dimensions: 900 mm x 840 mm x 1300 mm.	150

Nr	Title	Description	Start €
50	HENK MAAS Scales	HENK MAAS Scales checkweigher, type: CW-100, serial number: 73304449, 230 V, maximum: 6 kg, minimum: 100 gram, e - 5 gram, total dimensions: 820 mm x 650 mm x 1510 mm.	250
51	Jasa Packaging Systems	Jasa Packaging Systems mobile tray filling machine, type: VULSTATION, machine number: 12492, year of construction: 2015, 230 V, 6 bar, weight: 250 mm, clearance outfeed: 150 mm x 145 mm, total dimensions: 950 mm x 900 mm x 2100 mm.	750
52	Flensted	Flensted labelling machine with top and bottom labeller, name: Etiketapplikator + Printer (Bund) - Ulma-linje 1, number: 13.100.750, plastic belt, belt width: 240 mm, total dimensions: 2100 mm x 800 mm x 1720 mm.	750
53	Sealpac	Sealpac traysealer, model: SEALPAC 350, serial number: TVO 02 955 01, year of construction: 2004, 230/400 V, 3 Ph, weight: 450 kg, chain infeed belt, belt width: 70 mm, dye: 290 mm x 160 mm, string outfeed belt, belt width: 145 mm, film width: 220 mm, total dimensions: 2560 mm x 670 mm x 1770 mm. Without vacuum pump. Plastic cover damaged.	750
54	Multivac	Multivac traysealer, type: T700, serial number: 269525, year of construction: 2018, 400/230 V, 3 Ph, 50 Hz, 26.4 A, 8.2 kW, operating hours: 10862, chain infeed belt, belt width: 185 mm, dye: (3x) Ø 120 mm, plastic outfeed belt, belt width: 245 mm, film width: 225 mm, total dimensions: 4900 mm x 1040 mm x 2050 mm. Without vacuum pump.	7500
55	ABL S.R.L.	ABL S.R.L. mango destoning machine, type: MNG 24, serial: 05, year of construction: 2012, weight: 650 kg, total dimensions: 2200 mm x 2050 mm x 2200 mm.	1500
56	Record	Record flowpacker, model: Scorpion, serial number: 09-10-024, year of construction: 2010, 6 kW, weight: 750 kg, seal length: 350 mm, plastic belt, belt width: 190 mm, total dimensions: 3900 mm x 1400 mm x 1900 mm.	1000
57	Record	Record flowpacker with infeed belt, model: Scorpion mec.SP, serial number: 09-06-572, year of construction: 2006, machine weight: 850 kg, 4 kW, film width: 580 mm, seal width: 350 mm, belt width: 225 mm, total dimensions: 4350 mm x 1430 mm x 1800 mm.	1000

Nr	Title	Description	Start €
58	Ulma	Ulma flowpacker, model PV350LSHIX, machine number: 1217894, year of construction: 2004, 380 V, 50 Hz, 15 A, 3.5 kW, plastic belt, belt width: 280 mm, seal width: 380 mm, total dimensions: 3300 mm x 1450 mm x 1650 mm. Including infeed belt, plastic belt, belt width: 290 mm, total dimensions infeed belt: 4600 mm x 1200 mm x 1300 mm.	7500
59	MultiWeigh	MultiWeigh multihead weigher, type: HDW 10-2.0-60°, serial number: X0760, year of construction: 2014, 230 V, 50 Hz, weighing range: 40-1000 g, dimensions: 1300 mm x 1300 mm x 1800 mm. Incomplete.	7500
60	Select	Select optical sorting machine, type: AGROSELECTOR 6T-3, machine number: 1115, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 0,75 KV, plastic infeed belt, belt width: 80 mm, plastic outfeed belt, belt width: 940 mm, total dimensions: 2900 mm x 1250 mm x 2040 mm. Missing selection arm.	8000
61	Marco	Marco weighing scale on s/s frame, model: LMIII, serial number: 49586, 90-250 V, 50-60 Hz, 0.8 A, maximum: 20000 gram, minimum: 20 gram, e= 1 gram, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	100
62	Marel	Marel labelling machine with top and bottom labeller, model: CONCEPT 500, serial number: LA0697, year of construction: 2016, 230 V, 50/60 Hz, 4 A, 1 kW, weight: 160 kg, plastic belt, belt width: (2x) 110 mm, total dimensions: 1400 mm x 780 mm x 1830 mm.	750
63	Deca	Deca mobile depositor with trolley with parts, year of construction: 2019, dimensions depositor: 1400 mm x 1450 mm x 2050 mm, dimensions trolley for parts: 1250 mm x 700 mm x 1300 mm.	500
64	Genie	Genie scissor lift, model: GS-1932, serial number: GS30P167973, year of construction: 2017, weight: 1636 kg, maximum working height: 11750 mm, maximum capacity: 227 kg, total dimensions: 1850 mm x 750 mm x 2100 mm.	1500
65	Townsend	Townsend mobile skinning machine, type: 7620, serial number: 2373, year of construction: 2000, 380 V, 3 Ph, 50 Hz, 2 A, working width: 510 mm, total dimensions: 930 mm x 820 mm x 1030 mm.	750

Nr	Title	Description	Start €
66	AEW Delford	AEW Delford checkweigher, type: 8060, fabrication number: 81056, year of construction: 2004, 230 V, 50 Hz, weighing range: 40-4000 g, e=2g, temperature range: 0-35 °C, plastic belt, belt width: 195 mm, total dimensions: 700 mm x 1200 mm x 1600 mm.	250
67	Mettler Toledo / Safeline	Mettler Toledo / Safeline metal detector head, type: R Series Profile, serial number: 891456, 100-240 V, 50-60 Hz, 340 W, clearance: 300 mm x 175 mm, total dimensions: 830 mm x 280 mm x 420 mm.	200
68	Jadever	Jadever pallet weighing scale, type: JWI-586, serial number: 4109842, maximum weight: 2000 kg, minimum weight: 0.5 kg, dimensions scale: 1220 mm x 1100 mm x 100 mm, dimensions indicator: 500 mm x 500 mm x 970 mm. Technical condition unknown.	250
69	EasyPack Technologies	EasyPack Technologies bag filling machine, type: ELS, serial number: 0151, year of construction: 05-2018, 400 V, 50 Hz, plastic mesh belt, belt width: 220 mm, total dimensions: 5200 mm x 2000 mm x 1800 mm.	1500
70	Cavanna	Cavanna flowpacker, model: ZERO 1/E, serial number: 4308, year of construction: 2005, 400 V, 3 Ph, 50 Hz, width infeed lane: 80 mm, distance between dividers: 300 mm, seal width: 250 mm, plastic outfeed belt, belt width: 180 mm, total dimensions: 4600 mm x 1200 mm x 1540 mm.	1500
71	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with rejecter, type: XE3, serial number: 35002399, year of construction: 2010, 100-240 V, 50-60 Hz, maximum weight: 1000 gram, minimum weight: 7 gram, e=d=: 0.1 gram, T=: -900 gram, plastic belt, belt width: 200 mm, total dimensions: 1050 mm x 700 mm x 1500 mm.	1000
72	Airpress	Airpress compressed air dryer, model: ADR 32, serial number: 2200143993, year of construction: 2009, 230 V, 1 Ph, 50 Hz, dimensions: 650 mm x 500 mm x 750 mm.	400
73	Rietschle	Rietschle suction device for rest film, type: CEVF 3718-3, serial number: 2507953, year of construction: 2005, 220-240 / 380-415 V, 50/60 Hz, 9.5 / 5.5 A, maximum capacity: 470/555 m ³ /h, dimensions: Ø 450 mm x 430 mm.	75
74	Bandall	Bandall mobile binding machine, type: BA 32-102, machine number: 9142045, 230 V, 50 Hz, clearance: 400 mm x 210 mm, total dimensions: 660 mm x 810 mm x 1890 mm.	2500

Nr	Title	Description	Start €
75	Marel	Marel checkweigher with rejector, model: MCheck2, serial number: M0223, year of construction: 2017, 100-120/200-240 V, 50/60 Hz, plastic belt, belt width: 235 mm, total dimensions: 1430 mm x 1170 mm x 2020 mm.	750
76	Kiremko	Kiremko peeler, dimensions: 1400 mm x 950 mm x 1300 mm.	250
77	OCS	OCS checkweigher, type: HC, serial number: 1006720, year of construction: 2014, 230 V, 50 Hz, e=0.5 g, d=0.5 g, minimum weight: 20 g, maximum weight: 3750 g, capacity: 100 pcs/min, plastic belt, belt width: 300 mm, total dimensions: 1550 mm x 750 mm x 1520 mm.	750
78	ROGROEP	ROGROEP transport belt on s/s frame, type: 9, year of construction: 2011, plastic belt, belt width: 280 mm, total dimensions: 1450 mm x 800 mm x 1800 mm.	250
79	Marel	Marel labelling machine, model: CONCEPT 500, serial number: LA0533, year of construction: 2012, 230 V, 50/60 Hz, 4 A, 1 kW, plastic belt, belt width: (2x) 110 mm, total dimensions: 750 mm x 850 mm x 1830 mm.	1000
80	Steven BV	Steven BV dosing machine for cups, serial number: CUPJESDOSEUR, machine number: 16016, year of construction: 2016, 400 V, dimensions: 1000 mm x 1250 mm x 1950 mm.	250
81	DIGI / Hasma	DIGI checkweigher with Hasma labeller, type: LA46, serial number: LA02220058, year of construction: 2002, 200-240 V, 50/60 Hz, e=1 g, T=-999 g, minimum weight: 50 g, maximum weight: 2000 g, capacity: 100 pcs/min, type labeller: LAP BL, serial number: 28-05, year of construction: 2002, plastic belt, belt width: 250 mm and (2x) 100 mm, total dimensions: 2030 mm x 980 mm x 1560 mm.	300
82	NN mixer	Mobile mixer, dimensions: 1550 mm x 660 mm x 1800 mm.	250
83	GKS Packaging	GKS Packaging mobile vertical form-fill- and seal machine, type: UP3001-T, serial number: 04321, year of construction: 09-2010, 230 V, 50 Hz, 1000 W, film width: 600 mm, dimensions filling pipe: 205 mm x 130 mm, vertical seal length: 480 mm,	2000
84	Ilapak	Ilapak 14-heads multihead weigher, type: WA 14/25, serial number: 0630880177, year of construction: 05/17, 230 V, 50 Hz, 1600 W, dimensions: 1250 mm x 1250 mm x 1750 mm. Including pallet and pallet box with parts.	5500

Nr	Title	Description	Start €
85	Stork Townsend B.V.	Stork Townsend B.V. meat harvester, model: DMM 10, serial number: B09021, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 12 kW, 1860 kg, ø chamber: 215 mm, length: 450 mm, ø filter: 5 mm, total dimensions: 3200 mm x 1000 mm x 2000 mm, Denison hydraulics hydraulic unit, type: N19 - 01334-A, year of construction: 15-09-2006, dimensions: 1650 mm x 800 mm x 1900, including s/s switch cabinet, dimensions: 850 mm x 400 mm x 1800 mm.	3000
86	Ishida	Ishida checkweigher with rejecter, type: DACS-W-030-SB/WP-I-N, serial number: 562484, year of construction: 2012, 240 V, 50 Hz, 2A, maximum weight: 3300 mm, minimum weight: 125 gram, plastic belt, belt width: 300 mm, total dimensions: 1800 mm x 810 mm x 1600 mm.	1500
87	Thermo Scientific	Thermo Scientific checkweigher, model VERSA WEIGH GVW) V312, serial number: E 307, year of construction: 2019, 230 V, 50/60 Hz, minimum weight: 35 gram, maximum weight: 300 gram, e=d=0.5 gram, total dimensions: 1150 mm x 920 mm x 1550 mm. Without transport belt.	2000
88	Ishida	Ishida checkweigher with rejecter, type: DACS-W-030-SB/WP-I-N, serial number: 562485, year of construction: 2012, 240 V, 50 Hz, 2A, maximum weight: 3300 mm, minimum weight: 125 gram, plastic belt, belt width: 300 mm, total dimensions: 1800 mm x 810 mm x 1600 mm.	1500
89	Marel	Marel bottem labelling machine, model: Concept 500, serial number: LA0754, year of construction: 2018, 230 V, 50/60 Hz, 1 kW, weight: 160 kg, plastic belt, belt width: (2x) 110 mm, total dimensions: 1320 mm x 780 mm x 1800 mm.	1500
90	PFM	PFM flowpacker, model: SHAMAL INOX S, serial number: C. 7506, year of construction: 2005, 380 V, 50 Hz, 13.4 A, 7.5 kW, weight: 1050 kg, plastic belt, belt width: 350 mm, seal length: 350 mm, total dimensions: 3300 mm x 1500 mm x 1800 mm.	1000
91	MultiWeigh	Multiweigh multihead weigher, 14-heads, dimensions: 1100 mm x 1110 mm x 1470 mm. Incomplete.	1500
92	Multipond	Multipond multihead weigher, 14-heads, dimensions: 1450 mm x 1700 mm x 1820 mm.	1500

Nr	Title	Description	Start €
93	Record	Record flowpacker, model: PANDA MD, serial number: 15-04-173, year of construction: 2004, 6 kW, 20/150 rpm, weight: 1050 kg, film width: 440 mm, seal width: 350 mm, plastic belt, belt width: 220 mm, total dimensions: 3050 mm x 1400 mm x 1750 mm. Incomplete.	500
94	Record	Record flowpacker, model: Scorpion MEQ.SP, serial number: 09-06-602, year of construction: 2007, 4 kW, 20/100 rpm, weight: 825 kg, infeed belt, belt width: (2x) 25 mm, seal width: 350 mm, outfeed belt, belt width: 220 mm, total dimensions: 3100 mm x 1400 mm x 1770 mm.	500
95	Leximat	Leximat sleever, type: ASM60, machine number: 15001, year of construction: 2015, dimensions: 1850 mm x 1200 mm x 1500 mm.	1500
96	Jasa Packaging Systems	Jasa Packaging Systems vertical form-fill and seal machine, type: J350 O, machine number: 11217, year of construction: 2005, 400 V, 3 Ph, 16 A, 4.51 kW, film width: 610 mm, dimensions clearance: 160 mm x 100 mm, seal length: 360 mm, seal width: 390 mm, total dimensions: 2100 mm x 1230 mm x 2400 mm. Cover broken.	4500
97	Jasa	Jasa vertical form- fill- and seal machine, type: QUATRO350/90, machine number: 10819, year of construction: 2002, 400 V, 3 Ph, 16 A, 4.5 kW, funnel dimensions: 115 mm x 100 mm, vertical seal length: 360 mm, horizontal seal length: 280 mm, total dimensions: 2050 mm x 1050 mm x 2100 mm.	1500
98	Jasa	Jasa vertical form- fill- and seal machine, type: J350 Q, machine number: 11256, year of construction: 2005, 400 V, 3 Ph, 16 A, funnel dimensions: 165 mm x 100 mm, vertical seal length: 360 mm, horizontal seal length: 280 mm, total dimensions: 2150 mm x 1250 mm x 2250 mm.	1500
99	Jasa	Jasa vertical form- fill- and seal machine, type: J350-QUATRO, machine number: 11341, year of construction: 2006, 400 V, 3 Ph, 16 A, funnel dimensions: 115 mm x 100 mm, vertical seal length: 360 mm, horizontal seal length: 280 mm, Markem-Imaje SmartDate X60 inkjet printer, total dimensions: 2050 mm x 1050 mm x 2100 mm.	1500

Nr	Title	Description	Start €
100	Racupack	Racupack case packer, model: RTC 250 Catamaran, serial number: 0709285R2 709096, year of construction: 2000, 3 x 400 V, 50 Hz, Robatech glue unit, type: CONECT 4/2 3phasig, year of construction: 02-37-05, 400 C, 3 Ph, 50 Hz, 20 A, Busch vacuum pump, dimensions: 5500 mm x 1400 mm x 1980 mm.	1500
101	Bizerba	Bizerba weighing and labelling machine, type: GS, serial number: 1819084, 230 V, 50 Hz, weighing range: 40-10000 g, e= 2 g, T= -10000 g, plastic belt, belt width: (2x) 95 mm, (2x) 135 mm, total dimensions: 2420 mm x 760 mm x 1960 mm.	1000
102	Bizerba	Bizerba weighing and labelling machine, model: GS, number: 10117883, 230 V, 50 Hz, 2.4 A, maximum: 6 kg, minimum: 20 gram, e = 1 gram, plastic belt, belt width: (2x) 135 mm, (2x) 90 mm, total dimensions: 2620 mm x 630 mm x 1090 mm.	750
103	Lock Inspection Systems	Lock Inspection Systems metal detector, model: MET30+, year of construction: 2003, 400/230 V, 50 Hz, plastic belt, belt width: 300 mm, clearance: 360 mm x 220 mm, total dimensions: 2100 mm x 850 mm x 1350 mm.	500
104	Zebra	Pallet with Zebra control screens.	100
105	Betti S.r.l.	Betti S.r.l. packaging machine used for potatoes, machine model: NB/70/24-W.DX, serial number: 2040, 400 V, 3 Ph, 50 Hz, 18 A, s/s rollers, roller width: 215 mm and 225 mm, chain belt with dividers, divider height: 120 mm, distance between dividers: 370 mm, total dimensions: 6250 mm x 1700 mm x 2080 mm.	2500
106	Stahl	Stahl electrical chain hoist, type: T405M, number: 1417077, year of construction: 1992, 380 V, 50 Hz, 3.9/2.2 A, 1.2/0.18 kW, dimensions: 650 mm x 500 mm x 300 mm.	300
107	Meca Plastic	Meca Plastic traysealer, type: Meca2003, number: 5433, year of construction: 03.03, chain infeed conveyor with pegs, belt width: 450 mm, distance between dividers: 380 mm, divider height: 20 mm, film width: 450 mm, dimensions dye: (2x) 285 mm x 185 mm, total dimensions: 4080 mm x 1050 mm x 1950 mm. Incomplete, missing outfeed belt.	750
108	Kronen	Kronen slicer, type: GS 5, dimensions: 750 mm x 750 mm x 1425 mm.	1500
109	Tehabo	Tehabo labelling machine, plastic belt, belt width: 240 mm, total dimensions: 1700 mm x 550 mm x 1560 mm.	400

Nr	Title	Description	Start €
110	Felcon	Felcon centrifuge, model: FE-500, inside dimensions: Ø 500 mm x 500 mm, total dimensions: 1750 mm x 1300 mm x 2650 mm.	10000
111	Marco	Marco weighing scale on s/s frame, model: LineMaster IV, serial number: 169527, 110-230 V, weighing range: 20-20000g, e=1g, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	100
112	Risco	Risco mobile portioning machine for minced meat, type: RS 914, serial number: P510003, year of construction: 2010, 400 V, 3 Ph, 50 Hz, plastic belt, belt width: 180 mm, knife width: 180 mm, total dimensions: 1450 mm x 600 mm x 1580 mm.	1000
113	Schib Packaging S.r.l	Schib Packaging S.r.l flowpacker, model: CO 130, number: 96612, year of construction: 1996, 380/220 V, 3 Ph, 50 Hz, dimensions: 5090 mm x 950 mm x 1700 mm.	750
114	Newtec	Newtec linear weigher, 9 lanes, lane width: (9x) 160 mm, total dimensions: 1970 mm x 1100 mm x 1120 mm. Including pallet with bins, dimensions pallet: 1200 mm x 800 mm x 550 mm.	5000
115	Eillert B.V.	Eillert B.V. slicer, type: G 4400 VS, 230 V, 1 Ph, 10.9 A, plastic belt, belt width: 250 mm, diameter knife: 365 mm, total dimensions: 2900 mm x 2000 mm x 2380 mm. Incomplete.	2000
116	Eillert B.V.	Eillert B.V. vegetable washer, vibrating gutter, gutter width: 600 mm, dimensions washer: 500 mm x 3120 mm x 450 mm, total dimensions: 5000 mm x 1300 mm x 1450 mm.	5000
117	Carsoe	Carsoe tray denester, type: Buffer Light 2000, serial number: SO-11154 SO11158, year of construction: 2014, 230 V, 0.12 kW, 7 bar, plastic belt, belt width: 340 mm, diameter cups: 115 mm, total dimensions: 2050 mm x 1350 mm x 2130 mm.	1500
118	Eagle	Eagle x-ray scanner with rejector, type: Eagle Pack 240 Pro, serial number: E152801, year of construction: 2011, 230 V, 1 Ph, 50/60 Hz, 10/16 A, plastic belt, belt width: 300 mm, clearance: 300 mm x 100 mm, total dimensions: 1600 mm x 1000 mm x 1900 mm.	750

Nr	Title	Description	Start €
119	Smiths detection	Smiths detection X-Ray scanner, type: Pack 320/430, X-ray tube assembly type: HI-RAY 7, serial number: 101285, year of construction: 05-2008, plastic belt, clearance: 455 mm x 240 mm, total dimensions: 1550 mm x 900 mm x 2100 mm.	750
120	Marco	Marco weighing scale on s/s frame, model: LineMaster V, serial number: 226984, year of construction: 2017, 110-230 V, weighing range: 20-20000g, e=1g, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	100
121	Marco	Marco weighing scale on s/s frame, model: LineMaster IV, serial number: 169524, year of construction: 2014, 110-230 V, weighing range: 20-20000g, e=1g, dimensions scale: 440 mm x 400 mm, total dimensions: 1280 mm x 550 mm x 1780 mm.	100
122	AEW Sortaweigh LTD	AEW Sortaweigh LTD weighing and labelling machine, type: 8060, factory number: 86125, year of construction: 2004, temperature range: 0/+35 °C, maximum: 4000 gram, minimum: > 40 gram, e= 2 grams, weighing speed: 58 pieces per minute, BBK labeller, serie: Rapid "S", serial number: SR 120/0404-3115 S, machine number: 24201118, year of construction: 2004, belt width: 200 mm and (2x) 90 mm, total dimensions: 3100 mm x 1000 mm x 1850 mm.	500
123	Meca Plastic	Meca Plastic traysealer, type: MECA 2003, number: 6421, year of construction: 04.07, dimensions: 4250 mm x 1000 mm x 2050 mm. Incomplete.	500
124	Prewa Verpackungsmaschinenbau GmbH	Prewa Verpackungsmaschinenbau GmbH vertical form- fill- and seal machine, type: 360, number: 346, year of construction: 1993, 380 V, 3 Ph, 50 Hz, 16 A, vertical seal length: 410 mm, horizontal seal length: 270 mm, film width: 470 mm, total dimensions: 2000 mm x 1170 mm x 1900 mm.	500
125	Leventi	Leventi combi steamer, model: COMBIMAT DGT, 6 floors, dimensions each floor: 550 mm x 400 mm, total dimensions: 980 mm x 880 mm x 1880 mm.	750
126	Jasa Packaging Systems	Jasa Packaging Systems vertical form-fill and seal machine, type: J350/QUATRO, machine number: 10814, year of construction: 2002, 400 V, 3 Ph, 16 A, 2.5 kW, film width: 520 mm, seal length: 350 mm, seal width: 270 mm, total dimensions: 2000 mm x 1300 mm x 2550 mm.	4000

Nr	Title	Description	Start €
127	Scuderia Rossa Snc	Scuderia Rossa Snc elevating belt, model: NDZ ALU, machine number: NDZ0160, year of construction: 2018, 380 V, plastic belt with dividers, belt width: 190 mm, divider height: 55 mm, distance between dividers: 530 mm, elevating height: 1000 mm, total dimensions: 2350 mm x 900 mm x 1050 mm.	350
128	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher, type: E3, factory number: 33004862, year of construction: 2006, 230 V, 50/60 Hz, plastic belts, belt width: 400 mm, total dimensions: 2550 mm x 900 mm x 1700 mm.	1500
129	Loma Systems	Loma Systems metal detector, model: IQ3, serial number: MC304-18129D, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 0.3 A, plastic belt, belt width: 400 mm, clearance: 450 mm x 210 mm, total dimensions: 1050 mm x 900 mm x 1350 mm.	700
130	Anritsu	Anritsu checkweigher, type: KW5304AW3R, serial number: K119048, year of construction: 1999, 100-120/200-240 V, 50/60 Hz, 480 VA, maximum weight: 1200 g, minimum weight: 20 g, e=d= 0.5 g, T=1200 g, plastic belt, belt width: 220 mm, total dimensions: 900 mm x 700 mm x 1750 mm.	400
131	OCS	OCS checkweigher, type: HC, serial number: 1007086, year of construction: 2015, 230 V, 1 Ph, 50 Hz, belt width: 600 mm, total dimensions: 970 mm x 830 mm x 1230 mm. Missing belt.	500
132	Newtec	Newtec bag filling and closing machine, type: VB40CAE, number: 6622, year of construction: 2003, 400 V, 3 Ph, 4 A, 1.1 kW, plastic belt, belt width: 150 mm, total dimensions: 1900 mm x 1350 mm x 1520 mm.	500
133	Linx	Linx inkjet printer, dimensions: 570 mm x 450 mm x 240 mm.	150
134	Linx	Linx inkjet printer, dimensions: 570 mm x 450 mm x 240 mm.	150
135	MACS Machinebouw bv	MACS Machinebouw bv mobile transport belt, type: LEESBAND, machine number: 15055-2, year of construction: 2015, 230 V, 2 Ph, 50 Hz, s/s frame, plastic belt, belt width: 570 mm, total dimensions: 1880 mm x 800 mm x 1200 mm.	350
136	MACS Machinebouw bv	MACS Machinebouw bv mobile transport belt, type: LEESBAND, machine number: 15055-1, year of construction: 2015, 230 V, 2 Ph, 50 Hz, s/s frame, plastic belt, belt width: 570 mm, total dimensions: 1880 mm x 800 mm x 1200 mm.	350

Nr	Title	Description	Start €
137	DIWAC B.V.	DIWAC B.V. weighing scale, type: IT1000, serial number: 051971, 110-240 VAC, 50/60 Hz, 0.2 A, dimensions scale: 500 mm x 400 mm, total dimensions: 560 mm x 1180 mm x 780 mm.	100
138	Novelis	Novelis lid folder, type: L1973, number: 116, year of construction: 1992, 400 V, 50 Hz, 3.8 A, 1.6 kW, s/s mesh belt, belt width: 250 mm, total dimensions: 2550 mm x 1300 mm x 2800 mm.	600
139	H. Glass	H. Glass tumbler with agitator with scrapers, type: VSM 570F, machine number: 1733, 220/380 V, 0.7 kW, inside dimensions: Ø 1000 mm x 850 mm, total dimensions: 1550 mm x 1250 mm x 1950 mm.	1500
140	Eillert B.V.	Eillert B.V. mobile slicer, type: BL1000, serial number: 036-0452, year of construction: 1994, 380 V, 3 Ph, 3.8 A, diameter clearance: 250 mm, total dimensions: 1400 mm x 850 mm x 1850 mm. Including trolley with various knife sets.	1500
141	Newtec	Newtec linear weigher on s/s platform, type: 2013M, number: 6404, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 9 A, 1.4 kW, 6 lanes, lane width: 85 mm, total dimensions: 1900 mm x 2000 mm x 3320 mm.	5000
142	Marel	Marel labelling machine, model: CONCEPT 500, serial number: LA0700, year of construction: 2016, 230 V, 50/60 Hz, 4 A, 1 kW, weight: 160 kg, plastic belt, belt width: 240 mm, total dimensions: 900 mm x 700 mm x 1800 mm.	500
143	Multivac	Multivac mobile traysealer, type: T200, machine number: 121012, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 20 A, 3.8 kW, dimensions dye: (2x) 245 mm x 150 mm, Busch vacuum pump, type: RA 0063 F, year of construction: 2007, capacity: 63 m³ per hour, total dimensions: 1250 mm x 800 mm x 1610 mm.	2500
144	Kronen	Kronen belt slicer, plastic belt, belt width: 120 mm, total dimensions: 1500 mm x 550 mm x 1300 mm. Missing knife. Switch cabinet incomplete.	1000
145	MultiWeigh	MultiWeigh 20-head multi head weigher, type: HDW20-4.0-60-TWIN, serial number: X0592, year of construction: 02.2012, 400 V, 50 Hz, weighing range: 230-5000 g, scale interval dw: 5.0 g, scale interval d: 10.0 g, temperature range: 0 C°-15 C°, dimensions: 1600 mm x 1600 mm x 1820 mm.	10000

Nr	Title	Description	Start €
146	Ulma	Ulma traysealer, model: TAURUS 300, serial number: 7130092, year of construction: 2010, 400 V, 50 Hz, 19 A, 5 kW, barcode printer, belt width: (2x) 160 mm, clearance: 520 mm x 240 mm, dye: (2x) 175 mm x 175 mm, index: 280 mm, plastic belt, belt width: 450 mm, total dimensions: 4150 mm x 1100 mm x 2100 mm. Without vacuum pump.	3500
147	Zomerdam	Zomerdam metal detector, type: MN 5.1 CI 450/300, serial number: 920921-CI, 240 V, 50/60 Hz, 2 A, 0.5 kW, plastic belt, belt width: 400 mm, clearance: 350 mm x 260 mm, total dimensions: 2650 mm x 950 mm x 1400 mm.	1000
148	Newtec	Newtec linear weigher on s/s platform, type: 2009PC, number: 4230, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 5 A, 1 kW, 9 lanes, dimensions: 2350 mm x 2250 mm x 2500 mm. Including infeed elevating belt, s/s frame, plastic belt with dividers.	7500
149	Multivac	Multivac thermoformer, model: R240, serial number: 351, year of construction: 2005, 400 V, 50 Hz, 11 A, 4 kW, film width: 422 mm, dye: 400 mm x 300 mm, total dimensions: 3850 mm x 1050 mm x 2100 mm. Without vacuum pump.	9500
150	Busch	Busch vacuum pump, model: RA 0063 F 5K3, serial number: DEM121140473, year of construction: 2021, capacity: 63 m ³ per hour, dimensions: 600 mm x 340 mm x 400 mm.	500
152	MF Packaging S.r.l.	MF Packaging S.r.l. 4-lane vertical form- fill- and seal machine (stick packaging machine), model: MF STICK4B700, machine number: 180103103-180225, year of construction: 2018, 400 V, 3 Ph, 50/60 Hz, 18 A, weight: 2200 kg, diameter filling heads: (4x) 30 mm, Videojet inkjet printer, model: 1530, serial number: 18220036C44ZH, total dimensions: 2900 mm x 1800 mm x 2700 mm.	8000
160	NN elevating belt	Elevating belt, plastic mesh belt, belt width: 340 mm, elevating height: 1000 mm, total dimensions: 3000 mm x 600 mm x 1150 mm.	500
161	FOODEQ	FOODEQ elevating belt, type: TRB 400/11000, number: 2014-189-090, year of construction: 2014, s/s frame, plastic belt, belt width: 400 mm, elevating height: 3740 mm, total dimensions: 11100 mm x 500 mm x 3860 mm.	1000
163	NN sink	S/s sink with faucet, knee control, dimensions: 550 mm x 480 mm x 670 mm.	50

Nr	Title	Description	Start €
164	NN transport belt	Transport belt, plastic belt, belt width: 250 mm, total dimensions: 2500 mm x 650 mm x 500 mm.	500
165	Turbo Systems LTD	Turbo Systems LTD mobile 4-heads depositor, type: D152P, machine number: D152P5903029, year of construction: 2009, dimensions: 1540 mm x 1250 mm x 2240 mm.	1500
166	REA	Plastic REA rack, dimensions: 1500 mm x 600 mm x 570 mm.	150
167	Colasit Holland B.V.	2 Colasit Holland B.V. blowers on s/s frame, dimensions: 1100 mm x 700 mm x 2350 mm.	200
168	Jay-Craft	Jay-Craft Food Machinery mobile slicer, plate diameter: 180 mm, working width: 140 mm, total dimensions: 1550 mm x 750 mm x 1550 mm.	400
169	Colasit Holland B.V.	Colasit Holland B.V. blowers, type: CMVeco 250/250, number: W-20-1649-01, capacity: 4750 m³ per hour, dimensions: 800 mm x 700 mm x 810 mm.	75
170	PND s.r.l.	PND s.r.l. dip tank for fruit, type: Universal Dipping System, code: VT10 041 GB, year of construction: 2016, plastic mesh belt with dividers, belt width: 600 mm, total dimensions: 2500 mm x 1150 mm x 2050 mm.	2500
171	NN frame	S/s frame, dimensions: 2030 mm x 740 mm x 1150 mm.	75
172	BEMEI	BEMEI chair, model: LUICI, dimensions: 640 mm x 640 mm x 910 mm.	5
173	Feltracon	Feltracon roller conveyor with weighing scale, type: 72K, number: 3582-72K, year of construction: 2008, plastic rollers, roller width: 400 mm, total dimensions: 3160 mm x 500 mm x 650 mm.	250
174	Feltracon	Feltracon roller conveyor with weighing scale, type: 72K, number: 3578-72K1, year of construction: 2008, plastic rollers, roller width: 400 mm, 110 mm, total dimensions: 3350 mm x 750 mm x 1100 mm.	250
176	NN cap feeder	Vibrating cap feeder on s/s frame, dimensions: 1020 mm x 1020 mm x 1530 mm.	300
177	Lumacon	Lumacon automatic crate filling line, type: YC-3, serial number: 21-00054-021, year of construction: 2021, 380 V, 4 Ohaus weighing scales, s/s and plastic rollers, roller width: 500 mm, plastic belt, belt width: 300 mm, total dimensions: 4650 mm x 2000 mm x 2000 mm.	4500

Nr	Title	Description	Start €
178	Dalmec S.p.A.	Dalmec S.p.A. industrial manipulator, maximum weight: 60 kg, dimensions frame: 340 mm x 340 mm x 2350 mm, dimensions arm: 1700 mm x 2000 mm x 380 mm.	750
179	De Jager BV	4 De Jager BV trolleys with 2 fans, type: 07-1144-01, year of construction: 2008, dimensions: (4x) 860 mm x 800 mm x 1730 mm.	200
180	NN meat bins	2 s/s meat bins, volume: 300 liter.	200
181	NN meat bins	2 s/s meat bins, volume: 300 liter.	200
182	SysTec Systemtechnik und Industrieautomation GmbH	SysTec Systemtechnik und Industrieautomation GmbH weighing scale, type: IT1-AC, serial number: 1811256, year of construction: 2018, 110-240 V AC, 50-60 Hz, 0.25-0.1 A, dimensions scale: 660 mm x 550 mm, total dimensions: 800 mm x 650 mm x 1520 mm.	100
183	TECHNOCONTROL GmbH	TECHNOCONTROL GmbH floor weighing scale, type: IT 1 / IT 3, serial number: 02-17-028, year of construction: 2017, 110-240 V, 50/60 Hz, 400mA, dimensions scale: 660 mm x 550 mm, total dimensions: 800 mm x 650 mm x 1520 mm.	100
184	Turbo Systems LTD	Turbo Systems LTD mobile 4-heads depositor, model: D152P, number: D152P5903030, year of construction: 2009, dimensions: 1600 mm x 1100 mm x 2300 mm.	1500
185	Pannekeet Machine Techniek b.v.	Pannekeet Machine Techniek b.v. turning table, type: AUDT, number: 11395, year of construction: 2006, 400 V, 3 Ph, 1.0 A, 0.25 kW, dimensions: Ø 1500 mm x 845 mm.	200
186	Bodijn	Bodijn vibrating gutter, gutter width: 500 mm, total dimensions: 2000 mm x 1000 mm x 1100 mm.	500
187	Newtec	Newtec tray filler, type: NBM61, number: 8581, year of construction: 2007, 400 V, 3 Ph, 3 A, 0.6 kW, plastic belt with dividers, plastic belt, belt width: 150 mm, divider height: 120 mm, distance between dividers: 220 mm, total dimensions: 3600 mm x 900 mm x 1380 mm. Technical condition unknown and incomplete.	500
188	Feltracon / Mettler Toledo	Feltracon roller conveyor with Mettler Toledo weighing scale, roller conveyor type: 72K, number: 3575-72K1, year of construction: 2008, plastic rollers, roller width: 410 mm, Mettler Toledo weighing scale type: ICS4x9-1, serial number: 3304966, total dimensions: 3160 mm x 750 mm x 1600 mm.	500

Nr	Title	Description	Start €
189	TAG	TAG punnet denester, model: TAG Egenore, serial number: TAG Guendalina 00220-3/11, year of construction: 2020, chain belt with dividers, belt width: 550 mm, distance between dividers: 250 mm, divider height: 40 mm, total dimensions: 2200 mm x 1400 mm x 1750 mm.	1250
190	Eillert B.V.	Eillert B.V. belt slicer, type: G 1500, serial number: 074-9948, 400 V, 3 Ph, 3.4 A, plastic belt, belt width: 150 mm, total dimensions: 1700 mm x 700 mm x 1280 mm.	1000
191	NN elevating belt	Elevating belt, plastic belt with dividers, belt width: 280 mm, divider height: 80 mm, distance between dividers: 190 mm, total dimensions: 2650 mm x 400 mm x 1050 mm.	200
192	LETS BV	LETS BV crate washing and drying machine, model: K564 HE ST / D564 HE, pump 1: 5.5 kW, 11.5 A, 72 m³ per hour, pump 2: 11 kW, 30.5 A, 8 m³ per hour, pump 3: 11 kW, 22 A, 72 m³ per hour, blowers: 3 x 5.5 kW, total dimensions: 9650 mm x 1350 mm x 2600 mm.	3000
195	Romonta BV	Romonta BV elevating belt, machine number: 7, year of construction: 2012, plastic sieve belt, belt width: 270 mm, elevating height: 1050 mm, total dimensions: 3600 mm x 450 mm x 1180 mm.	500
196	NN elevating belt	Elevating belt, plastic belt, belt width: 300 mm, total dimensions: 2250 mm x 420 mm x 1050 mm.	400
197	Fortress Technology / Easiweigh	Fortress Technology elevating metal detector with Easiweigh checkweigher, serial number checkweigher: 10020-10358, year of construction: 2010, plastic mesh belt, belt width: 310 mm, clearance: 355 mm x 135 mm, elevating height: 1000 mm, total dimensions: 3200 mm x 1000 mm x 1550 mm.	1000
198	NN tumbler	S/s tumbler, tub dimensions: Ø 1850 mm x 3200 mm, total dimensions: 4000 mm x 1850 mm x 2200 mm.	1500
199	NN tank	S/s tank, inside dimensions: Ø 800 mm x 950 mm, total dimensions: Ø 800 mm x 1900 mm.	100
200	NN table	S/s table, dimensions: 800 mm x 700 mm x 880 mm.	100
202	Ulma	Ulma flowpacker, model: FR-305, machine number: 1610739, year of construction: 2011, 400 V, 50 Hz, 16 A, 10.5 kW, dimensions: 6500 mm x 1500 mm x 1700 mm.	1750
203	FOODEQ	FOODEQ vibrating gutter, year of construction: 2011, gutter width: 350 mm, total dimensions: 1200 mm x 800 mm x 1300 mm.	750

Nr	Title	Description	Start €
204	FOODEQ	FOODEQ vibrating gutter, year of construction: 2011, gutter width: 350 mm, total dimensions: 1200 mm x 800 mm x 1300 mm.	750
206	Multivac	Multivac mobile double chamber vacuum machine, type: C500, 400 V, 3 Ph, 50 Hz, 26 A, 7 kW, Busch vacuum pump, type: RA 0250 D 5ZI, capacity: 250 m³ per hour, dimensions: 1650 mm x 1100 mm x 1100 mm.	1250
207	Webomatic	Webomatic traysealer, type: TL 300, number: E 9021TK275, 400 V, 3 Ph, 50 Hz, 7.5 A, 4.5 kW, dye: 320 mm x 260 mm, Busch vacuum pump, type: RA 0055 F 503, capacity: 55 m³ per hour, total dimensions: 1000 mm x 800 mm x 600 mm.	1500
208	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, model: VF200B, number: 1112, 420 V, 50 Hz, 17.4 A, dimensions: 1800 mm x 1400 mm x 2100 mm. Including Handtmann linking and case holding device, model: 34-4 / 60-7.	3500
250	Robert Pack / Fanuc	Robert Pack / Fanuc pick- and place robot, type: 1008-00-00, serial number: RP6208-200, year of construction: 10-2006, plastic belt, belt width: 200 mm, infeed belt for crates, belt width: 460 mm, steel rollers, roller width: 470 mm, total dimensions: 2300 mm x 2900 mm x 2700 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	2000
251	Robert Pack / Fanuc	Robert Pack / Fanuc pick- and place robot, type: 008-01-01/01, serial number: RP6201-100, year of construction: 03-2006, dimensions: 2500 mm x 1900 mm x 2210 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	2000
252	Rev Packaging Solutions	Rev Packaging Solutions horizontal clip netting machine, model: VEGA, serial number: 1290, year of construction: 2018, 400 V, 50 Hz, 1.5 kW, weight: 460 kg, plastic belt, belt width: 240 mm, total dimensions: 2400 mm x 800 mm x 1700 mm. Incomplete. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	250
253	Dick	Dick knife sharpener, type: SM-250, number: 0002, year of construction: 2003, 400 V, 3 Ph, 50/60 Hz, 12.2 A, 2.7 kW, 1400 rpm, dimensions: 1050 mm x 600 mm x 1400 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	400

Nr	Title	Description	Start €
254	Soco System	Soco System mobile box closing machine with only top taper, model: T-10, number: 051-14, year of construction: 1985, 380 V, 3 Ph, dimensions: 1130 mm x 840 mm x 1640 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	50
255	Sealpac	Sealpac traysealer, type: SEALPAC 800, serial number: TVG 01 1497 01, year of construction: 2006, 400/230 V, 3 Ph, 10 kW, weight: 2000 kg, plastic wire belt, belt width: 180 mm, dimensions traysealer: 3600 mm x 900 mm x 2200 mm. Incomplete. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	2000
256	Jesma	Jesma checkweigher, type: IT8000E, plastic belt, belt width: 420 mm, total dimensions: 700 mm x 600 mm x 1700 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	300
257	NN silo	S/s silo, number: 5050, infeed pipe: Ø 200 mm and Ø 135 mm, Ø funnel: 845 mm, depth: 2050 mm, total dimensions: 1530 mm x 1120 mm x 2480 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	200
258	Schur Technology a/s	Schur Technology a/s bagging machine, type: 2040-C, number: 513 Y061, year of construction: 2010, plastic belt, belt width: 200 mm, seal length: 300 mm, total dimensions: 7100 mm x 1000 mm x 1550 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	2000
259	Sacmi Packaging	Sacmi Packaging carton erector, type: TF 40, serial number: 10141465, year of construction: 2011, maximum box size: 460 mm x 390 mm, Robatech glue unit, total dimensions: 5400 mm x 1500 mm x 2400 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1500
260	NN pallet rack	6 pallets with large amount of uprights, beams and layers for pallet rack, dimensions: (3x) 5000 mm x 1600 mm x 1400 mm, (3x) 2900 mm x 800 mm x 1000 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	300

Nr	Title	Description	Start €
261	Viscon	Viscon palletizer, s/s rollers, roller width: 1270 mm, total dimensions: 5300 mm x 2400 mm x 3200 mm. Including turning device, steel chain belt, belt width: 250 mm, dimensions turning device: 1450 mm x 950 mm x 1150 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	2500
262	Viscon	Viscon palletizer, s/s rollers, roller width: 1270 mm, total dimensions: 5300 mm x 2400 mm x 3200 mm. Including turning device, steel chain belt, belt width: 250 mm, dimensions turning device: 1450 mm x 950 mm x 1150 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	2500
263	Rev Packaging Solutions	Rev Packaging Solutions net loader, model: Rev-Vortex-Ves, serial number: 1235, 400 V, 50 Hz, 0.36 kW, weight: 124 kg, dimensions: 800 mm x 1600 mm x 1830 mm. Incomplete. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	350
264	NN tub	S/s mobile dispenser tub for plates, inside dimensions: 1060 mm x 660 mm, total dimensions: 1130 mm x 710 mm x 1020 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	150
265	NN transport belt	Transport belt, plastic belt, belt width: 295 mm, total dimensions: 1360 mm x 500 mm x 900 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	50
266	NN labelling machine	Labelling machine, plastic belt, belt width: 300 mm, total dimensions: 1600 mm x 800 mm x 2100 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	150
267	Yang srl	Yang srl mobile traysealer, model: OLYMPUS VAC, serial number: 075042, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 4.6 kW, weight: 250 kg, dye: (4x) 120 mm x 100 mm, total dimensions: 950 mm x 720 mm x 1440 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	450

Nr	Title	Description	Start €
268	NN infeed slide	S/s mobile infeed slide, slide length: 1540 mm, outfeed height: 1100 mm, total dimensions: 1540 mm x 800 mm x 1560 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	150
269	Graf	Graf plastic tank used for demineralized water on steel platform, volume: 200 liter, dimensions: 1000 mm x 660 mm x 1000 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	30
270	NN cabinet	S/s switch cabinet, dimensions: 800 mm x 550 mm x 300 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	50
271	NN floor weighing scale	Steel floor weighing scale, total dimensions: 1700 mm x 1300 mm x 1100 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	50
272	Eillert B.V.	Eillert B.V. salad spinner, type: CH-IN-R, number: 1164 2001+36, 400 V, 3 Ph, 2.1 A, dimensions: 1100 mm x 600 mm x 800 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	300
273	Perfotec	Perfotec chemical filter, model: PER100, serial number: PER100/0034, year of construction: December 2010, 230 V, 50/60 Hz, 1.5 A, dimensions: 1200 mm x 800 mm x 500 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	100
274	NN frame	S/s frame, dimensions: 800 mm x 600 mm x 880 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	50
275	Foodeq	Wooden crate with new parts for Foodeq vibrating gutter, dimensions: 800 mm x 600 mm x 500 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	250
276	Kiekens	Kiekens mobile dust Hoover, type: A190, 220-240 V, 50/60 Hz, 1000 W, dimensions: 700 mm x 400 mm x 1000 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	50

Nr	Title	Description	Start €
277	NN transport belt	Transport belt, plastic belt, belt width: 280 mm, total dimensions: 2140 mm x 500 mm x 400 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	150
278	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 1320 mm, elevating height: 2220 mm, total dimensions: 3200 mm x 1550 mm x 2400 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	950
279	Lumacon	Lumacon mobile double transport belt, type: RC350x2650 Easy clean duo, serial number: 21-00054-008-A, year of construction: 2020, speed: 0.20 m/sec, plastic belt, belt width: (2x) 355 mm, total dimensions: 2650 mm x 1100 mm x 1970 mm. Missing belt. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	750
280	Lumacon	Lumacon mobile double transport belt, type: RC350x2650 Easy clean duo, serial number: 21-00054-008-D, year of construction: 2020, speed: 0.20 m/sec, plastic belt, belt width: (2x) 355 mm, total dimensions: 2650 mm x 1100 mm x 1970 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	750
281	NN elevating belt	Mobile elevating belt, plastic mesh belt, belt width: 400 mm and 300 mm, elevating height: 1700 mm, total dimensions: 3100 mm x 1000 mm x 2050 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	750
282	Cabinplant	Cabinplant transport belt, plastic mesh belt, belt width: 700 mm, total dimensions: 2140 mm x 1250 mm x 1300 mm. Including extra plastic mesh belt. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	200
283	De Groot International BV	De Groot International BV mobile infeed belt, 3 lanes, plastic belt, belt width: (3x) 1000 mm, total dimensions: 1500 mm x 3700 mm x 1200 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1500

Nr	Title	Description	Start €
284	Lumacon	Lumacon mobile elevating belt, type: RC850x3650 Easy clean, serial number: 21-00298-009, year of construction: 2021, speed: 0.16 m/sec, plastic belt with dividers, belt width: 850 mm, distance between dividers: 315 mm, divider height: 20 mm, elevating height: 2200 mm, total dimensions: 3400 mm x 1100 mm x 2300 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	950
285	Lumacon	Lumacon mobile double transport belt, type: RC350x2650 Easy clean duo, serial number: 21-00054-008-B, year of construction: 2020, speed: 0.20 m/sec, plastic belt, belt width: (2x) 355 mm, total dimensions: 2650 mm x 1100 mm x 1970 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	750
286	Eillert B.V.	Eillert B.V. transport belt, type: TR 2000, number 345, year of construction: 2001, 400 V, 3 Ph, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 2100 mm x 800 mm x 1000 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	200
287	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt, belt width: 300 mm, elevating height: 700 mm, total dimensions: 2700 mm x 500 mm x 800 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	250
288	Belektronik	Belektronik checkweigher with rejector, type: BANDSTYRING, serial number: A6287301, 230 Vac, 50 Hz, 5 A, string belt, belt width: 220 mm, plastic belt, belt width: 235 mm, total dimensions: 1050 mm x 1000 mm x 1770 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	250
289	AFT	AFT mobile slicer, 10 knives, distance between knives: 20 mm, total dimensions: 680 mm x 680 mm x 1100 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	750

Nr	Title	Description	Start €
290	JB I A/S	JB I A/S manual tomato slicer, dimensions: 200 mm x 550 mm x 300 mm. Some knives are broken. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	100
291	JB I A/S	JB I A/S manual tomato slicer, dimensions: 200 mm x 550 mm x 300 mm. Some knives are broken. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	100
292	JB I A/S	JB I A/S manual tomato slicer, dimensions: 200 mm x 550 mm x 300 mm. Some knives are broken. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	100
293	Ohaus	Ohaus weighing scale, model: T32XW, serial number: B919622653, 100/400 V, 50/60 Hz, 1 A, maximum: 15 kg, minimum: 0.1 kg, e= 0.005 kg, scale dimensions: 355 mm x 315 mm, total dimensions: 530 mm x 315 mm x 560 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	25
294	Kronen	Kronen vegetable dicer, type: 198-1001, dimensions: 650 mm x 220 mm x 270 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	500
295	Kronen	Kronen vegetable dicer, type: 198-1001, number: 198-297, year of construction: 2016, dimensions: 650 mm x 220 mm x 270 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	300
296	NN table	S/s table, dimensions: 1900 mm x 900 mm x 880 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	75
297	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 880 mm, divider height: 5 mm, elevating height: 2280 mm, total dimensions: 4400 mm x 1160 mm x 2280 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	950

Nr	Title	Description	Start €
298	Eillert B.V.	Eillert B.V. belt slicer, type: G3300VS, serial number: 485-9515, year of construction: 1995, 220 V, 1 Ph, 11.8 Amp, plastic belt, belt width: 240 mm, clearance: 265 mm x 295 mm, diameter knife: 800 mm, total dimensions: 2220 mm x 980 mm x 1600 mm. Including 2 knives and 3 plastic belts. Incomplete. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1000
299	NN stairs	S/s stairs, dimensions: 3700 mm x 1000 mm x 1300 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	250
300	NN tiltable cooking vessel	Tiltable double jacketed cooking vessel, inside dimensions: Ø 840 mm x 550 mm, total dimensions: 1800 mm x 2050 mm x 1700 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1000
301	Feltracon	Feltracon melon slicer, type: 61D, number 3814-61D1, year of construction: 2010, 230/400 V, 0.6 kW, plastic belt, belt width: 400 mm, working width: 300 mm, distance between knives: 40 mm, vibrating gutter, gutter width: 330 mm, total dimensions: 2000 mm x 1400 mm x 1860 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1500
302	Key Technologie	Pallet with cloth transport belt and Key Technologie sieve belt. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	50
303	Detectronic	Detectronic mobile elevating metal detector, type: 606-250-2700-1, plastic belt, belt width: 350 mm, clearance: 400 mm x 200 mm, total dimensions: 2600 mm x 840 mm x 1100 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	650
304	NN feeder	Mobile s/s feeder used for herbs, diameter outfeed: 30 mm, total dimensions: 800 mm x 800 mm x 1630 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	300

Nr	Title	Description	Start €
305	NN elevating belt	Elevating belt, s/s frame and plastic belt, belt width: 250 mm, elevating height: 800 mm, total dimensions: 1100 mm x 700 mm x 1160 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	100
306	NN vibrating gutter	Vibrating gutter, gutter width: 200 mm, total dimensions: 1600 mm x 700 mm x 2200 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	500
307	Mettler Toledo Garvens GmbH	Mettler Toledo Garvens GmbH checkweigher with rejector, type: XE3, serial number: 35002093, year of construction: 2010, 100-240 V, 50-60 Hz, weighing range: 10 g- 5500 g, e= 2 g, d= 2 g, speed: 65 m/min, capacity: 94 pieces/min, plastic belt, belt width: 400 mm, total dimensions: 900 mm x 2400 mm x 1650 mm. Technical condition unknown. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	750
308	Jorgensen	Jorgensen vegetable washer, inside dimensions: 2600 mm x 580 mm x 530 mm, total dimensions: 3100 mm x 1100 mm x 1440 mm, with vibrating gutter, gutter length: 1220 mm, gutter width: 600 mm, total dimensions: 1700 mm x 1450 mm x 1120 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	2000
309	Cabinplant	Cabinplant linear weighing line, consisting of: Cabinplant vibrating gutter, type: CS 042/180-BTE, year of construction: 2012, weight: 153 kg, gutter width: 420 mm, total dimensions: 1880 mm x 1100 mm x 2100 mm, Cabinplant batch weigher, year of construction: 2012, weight: 150 kg, dimensions: 1120 mm x 860 mm x 1670 mm, Cabinplant s/s switch cabinet, dimensions: 800 mm x 300 mm x 1780 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	2500
310	NN elevating belt	Elevating belt, plastic belt, belt width: 600 mm, elevating height: 1200 mm, total dimensions: 2300 mm x 900 mm x 1240 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	400

Nr	Title	Description	Start €
311	NN elevating belt	Mobile elevating belt, plastic mesh belt, belt width: 400 mm and 300 mm, elevating height: 1700 mm, total dimensions: 3100 mm x 1000 mm x 2050 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	750
312	Eillert B.V.	2 Eillert B.V. salad spinners, inside dimensions: Ø 430 mm x 300 mm, total dimensions: (2x) 830 mm x 600 mm x 840 mm, dimensions switch cabinet: 600 mm x 400 mm x 200 mm. Without baskets. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	500
313	DWC	DWC checkweigher, model: VSM-12, serial number: 20190891, year of construction: 2019, 240 V, 5 A, 12 lanes, plastic belt, belt width: (12x) 75 mm, total dimensions: 1850 mm x 1000 mm x 1600 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	300
314	NN crate packaging belt	Crate packaging belt, plastic belt, belt width: 370 mm, total dimensions: 2400 mm x 700 mm x 1400 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	650
315	Detectronic	Detectronic elevating metal detector, type/ number: 606-350-1218-1, plastic belt, belt width: 340 mm, clearance: 405 mm x 170 mm, elevating height: 800 mm, total dimensions: 2600 mm x 800 mm x 900 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	500
316	Sealing System / Ohaus / Mettler Toledo	Sealing System depositor with Ohaus / Mettler Toledo weighing scale, model: +A1, serial number: 18-3974, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 16 Amp, 6 Ka, diameter pipe: 25 mm, Ohaus weighing scale, model: TD52XW, serial number: B831202962, 100/240 V, 50/60 Hz, 0.5 A, scale dimensions: 350 mm x 350 mm, total dimensions: 1550 mm x 570 mm x 1330 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	150

Nr	Title	Description	Start €
317	NN vibrating gutter	Mobile elevating belt with outfeed vibrating gutter, plastic belt with dividers, belt width: 330 mm, distance between dividers: 150 mm, divider height: 40 mm, gutter width: 385 mm, outfeed height: 1260 mm, total dimensions: 1200 mm x 1020 mm x 1810 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	500
318	NN tub	S/s mobile dispenser tub for plates, inside dimensions: 1060 mm x 660 mm, total dimensions: 1130 mm x 710 mm x 1020 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	150
319	Skals brushing machine	Skals brushing machine, type: 616SS, year of construction: 1996, brush width: 550 mm, total dimensions: 3500 mm x 1700 mm x 1980 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	450
320	NN preparation table	S/s preparation table with light, electric height adjustable, dimensions: 1270 mm x 700 mm x 1950 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	75
321	NN preparation table	S/s preparation table with light, electric height adjustable, dimensions: 1270 mm x 700 mm x 1950 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	75
322	NN preparation table	S/s preparation table with light, electric height adjustable, dimensions: 1270 mm x 700 mm x 1950 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	75
323	NN preparation table	S/s preparation table with light, electric height adjustable, dimensions: 1270 mm x 700 mm x 1950 mm. Without plastic tops. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	75
324	Burg's Machinefabriek	Burg's Machinefabriek infeed station for fruit and vegetables, plastic belt, belt width: 1270 mm, total dimensions: 2900 mm x 2350 mm x 1900 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	750

Nr	Title	Description	Start €
325	Abar Automation B.V.	Abar Automation B.V. part for robot installation, type: FP160, serial number: 01257 Line 803, year of construction: 2013, 415 V, 3 Ph, 50 Hz, 3 kVA, dimensions: 2750 mm x 1500 mm x 1750 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	400
326	Abar Automation B.V.	Abar Automation B.V. part for robot installation, type: FP160, serial number: 01258 Line 802, year of construction: 2013, 415 V, 3 Ph, 50 Hz, 3 kVA, dimensions: 2750 mm x 1500 mm x 1750 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	400
327	Abar Automation B.V.	Abar Automation B.V. part for robot installation, type: FP160, serial number: 01155 Line 2 Cell 2, year of construction: 2009, 415 V, 3 Ph, 50 Hz, 3 kVA, dimensions: 2750 mm x 1500 mm x 1750 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	400
328	NN pallet rack	Steel pallet rack, total dimensions: 2750 mm x 1900 mm x 1300 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	150
329	NN transport belt with rejectors	Transport belt with double rejector, plastic belt, belt width: 250 mm, total dimensions: 700 mm x 700 mm x 1050 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	200
331	SKAKO Vibration	SKAKO Vibration vibrating gutter, type: 50D, number: 397107, 400 V, 50 Hz, 10 kA, gutter width: 400 mm, total dimensions: 2900 mm x 1100 mm x 1200 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	500
332	FOODEQ	FOODEQ vibrating gutter, type: VCM-FC50-350, serial number: 22017-010.01, year of construction: 2022, gutter width: 490 mm, total dimensions: 3700 mm x 1100 mm x 1280 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1750

Nr	Title	Description	Start €
333	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt with dividers, belt width: 370 mm, distance between dividers: 595 mm, height dividers: 20 mm, elevating height: 1550 mm, total dimensions: 3100 mm x 800 mm x 1650 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	400
334	NN elevating belt	Mobile elevating belt with dividers, s/s frame, plastic belt with dividers, belt width: 300 mm, distance between dividers: 300 mm, height dividers: 30 mm, elevating height: 1950 mm, total dimensions: 2100 mm x 1050 mm x 2130 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	500
335	Ceia	Ceia mobile metal detector, model: THS, serial number: 20300242023, 230 V, 50-60 Hz, plastic belt, belt width: 300 mm, clearance: 350 mm x 125 mm, total dimensions: 1450 mm x 800 mm x 1500 mm. Last calibrated: 2018. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	500
336	Primodan	Primodan filling machine, plastic belt, belt width: 130 mm, total dimensions: 2700 mm x 2000 mm x 2600 mm. Including two pallets with parts, machine incomplete. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1000
337	Veenstra	Veenstra agitator, type: FRR-150, number: 2010.327, dimensions: ø 270 mm x 2050 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	150
338	Carnitech a/s	Carnitech a/s lifter for 200 liter meat bins, type: L 25, number: 371200, year of construction: 1990, 220/380 V, 50 Hz, 3.45/2 A, 0.25 kW, lifting height: 5020 mm, total dimensions: 1500 mm x 800 mm x 6000 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1000
339	NN lifter for meat bins	S/s lifter for 200 liter meat bins, lifting height: 5044 mm, total dimensions: 1500 mm x 900 mm x 5144 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1000

Nr	Title	Description	Start €
340	NN elevating belt	Mobile elevating belt, plastic belt with dividers, belt width: 400 mm, divider height: 10 mm, distance between dividers: 300 mm, elevating height: 600 mm, total dimensions: 1700 mm x 550 mm x 700 mm. Lot located on other location in Urk (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	150

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
 - To consolidate articles into lots, to split lots and take lots from the auction;
 - To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
 - Lots whether or not to allocate;
 - To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;
- 8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
- 8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings present.

Notes

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings present.

Notes

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook paper or a document template. There are no margins, text, or other markings present.

