



**Industrial
Auctions**

1944: Online auction food processing machinery,
bakery and catering equipment in Eindhoven (NL)

END DATE
14 October 2025 12:00

WWW.INDUSTRIAL-AUCTIONS.COM

General terms and conditions of the online auction

End date	14 October 2025 from 12:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	21 October 2025 from 09:00 till 16:00 hrs. 22 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Looyenbeemd 11 5652 BH Eindhoven Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.



Nr	Title	Description	Start €
1	GEA Food Solutions	GEA Food Solutions vacuum mixer on weighing cells for tempering frozen meat, type: GEA Coldsteam M 5000, machine number: E011140605007, year of construction: 2017, 380-415 V, 3 Ph, 50 Hz, 82 A, 45 kW, volume: 5000 liter, dimensions: 5700 mm x 2400 mm x 2800 mm. With s/s platform, dimensions platform: 3600 mm x 700 mm x 2300 mm, s/s switch cabinet, dimensions: 1200 mm x 480 mm x 2100 mm, and Busch vacuum pump, type: RA 0302, capacity: 300 m ³ per hour, dimensions: 1200 mm x 800 mm x 700 mm.	75000
2	Altotek	Altotek case erecting and filling machine with FlexPicker, machine number: 754867, year of construction: 31/01-2003, 400 V, 3 Ph, 50 Hz, 35 A, Nordson glue unit, minimum box sizes: 175 mm x 115 mm x 100 mm, maximum box sizes: 350 mm x 250 mm x 250 mm, s/s chain conveyor with dividers, belt width: 200 mm, distance between dividers: 350 mm, divider height: 50 mm, plastic belts, belt width: 130 mm, total dimensions: 4500 mm x 2000 mm x 2600 mm. With ABB control panel and cabinet for robot, type: IRB340 M2000, serial number: 34-20212, year of construction: 19-08-2002, dimensions: 900 mm x 550 mm x 1100 mm.	5000
3	Koma	Koma proofer, dimensions: 1900 mm x 1300 mm x 2370 mm.	300
4	Rühle	Rühle mobile dicer, number: 807, dimensions chamber: 80 mm x 80 mm, total dimensions: 900 mm x 550 mm x 900 mm. With additional grids.	750
5	Mainca	Mainca cutter, model: CM-41, serial number: CM41223846, year of construction: 2022, 400 V, 3 Ph, 50 Hz, 19 A, 8.6 kW, s/s bowl, volume bowl: 41 liter, s/s knives, dimensions: 1280 mm x 840 mm x 1100 mm.	3500
6	Fords Duckworth	Fords Duckworth pocket filling and sealing machine, model: 1002, serial number: 574, 240 V, 3 Ph, 50 Hz, 1.1 kW, dimensions dye: 90 mm x 40 mm, total dimensions: 1150 mm x 900 mm x 1750 mm.	1500
7	Vemag	Vemag vacuum filling machine with lifter for meat bins, model: HP20E, number: 1630035, year of construction: 2007, 400-460/575 V, 3 Ph, 50/60 Hz, 31/35/29 A, 25 kW, dimensions: 2200 mm x 1400 mm x 2150 mm. Incomplete, screen broken, technical condition unknown.	1500
8	Maja	Maja mobile skinning machine, type: SAM500, machine number: 22052, working width: 430 mm, total dimensions: 800 mm x 550 mm x 1000 mm.	250



Nr	Title	Description	Start €
9	Carsoe	Carsoe denester, model: Anytray Buffer 1500 Cleanline (L) Pneumatic, year of construction: 2020, 230 V, 1 Ph, 0.12 kW, plastic belt, belt width: 270 mm, total dimensions: 1800 mm x 700 mm x 1700 mm.	1500
10	L'Unite Hermetique / Tecumseh	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CEJ2428Z BR, serial number: 07G24 115135 4278430203, 220/240 V, 1 Ph, 50 Hz, 3.8 A, refrigerant: R404A, dimensions: 650 mm x 630 mm x 460 mm.	200
11	Roller	Roller evaporator, type: HVS 20, dimensions: 600 mm x 500 mm x 500 mm.	10
12	Busch	Busch vacuum pump, type: RA 0250 C 4611 QMXX, number: OE01190101, year of construction: 1997, capacity: 250 m ³ per hour, dimensions: 950 mm x 500 mm x 500 mm.	250
13	Windjammer Oy	Windjammer Oy pounding machine, model: Pound.O.Matic 800, 400 V, 3 Ph, 50 Hz, diameter pounder: 260 mm, total dimensions: 700 mm x 430 mm x 730 mm.	300
14	Simo	Simo microcutter, type: 175/115PFD175, serial number: 97-041132, year of construction: 1997, diameter plate: 210 mm, total dimensions: 1400 mm x 700 mm x 1450 mm.	3500
15	Loma Systems	Loma Systems metal detector with rejecter, model: IQ ³ , serial number: G7B3CC2LS-25282D, year of construction: 2014, 220-240 V, 1 Ph, 50/60 Hz, 3 A, plastic mesh belt, belt width: 300 mm, clearance: 350 mm x 140 mm, total dimensions: 2000 mm x 1100 mm x 1450 mm.	1000
16	Multivac	Multivac mobile traysealer, type: T300, serial number: 152157, year of construction: 2011, 400/230 V, 3 Ph, 50 Hz, 21 A, 5.5 kW, s/s chain and pin conveyor, belt width: 470 mm, distance between dividers: 400 mm, divider height: 20 mm, dimensions dye: 280 mm x 240 mm, total dimensions: 3300 mm x 1150 mm x 1700 mm. With trolley with additional dye, dimensions: 1150 mm x 800 mm x 1150 mm.	8000
17	Bastra	Bastra smoke generator for wood chips, type: BRN200, fabrication number: 1754, year of construction: 03-1991, 380-230 V, 3 Ph, 50 Hz, 2.8 kW, dimensions: 1000 mm x 750 mm x 1670 mm.	500
18	Lutetia	Lutetia injector, model: IMPB, number: 11353, year of construction: 2000, 400 V, 50 Hz, 6.5 A, 670 kg, s/s mesh belt, belt width: 370 mm, total dimensions: 2400 mm x 700 mm x 1900 mm. Incomplete.	500
19	Handtmann	Handtmann mobile portioning machine, type: 99-2, number: 35477, year of construction: 2015, plastic	1500



Nr	Title	Description	Start €
		belt, belt width: 250 mm, working width: 250 mm, total dimensions: 1400 mm x 650 mm x 1250 mm.	
20	Loma Systems	Loma Systems metal detector, model: IQ ³ , serial number: MC304-12529D, year of construction: 2010, 230 V, 1 Ph, 50 Hz, 0.3 A, plastic belt, belt width: 400 mm, clearance: 450 mm x 200 mm, total dimensions: 1120 mm x 960 mm x 1370 mm.	1000
21	Espera	Espera label printer with bottom and side labeller, model: ES 1220, plastic belt, belt width: 300 mm, total dimensions: 1650 mm x 1350 mm x 1900 mm.	400
22	Zomerdam	Zomerdam mobile inliner, serial number: 3665, year of construction: 2012, 240 V, 5 A, 1 kW, plastic belt, belt width: 340 mm and (2x) 150 mm, total dimensions: 1650 mm x 970 mm x 1000 mm.	250
23	Vestergaard	Vestergaard s/s electric pallet lifter, type: HHPT, serial number: 1869, year of construction: November 2016, capacity: 1000 kg, fork length: 1200 mm, total dimensions: 1700 mm x 560 mm x 1220 mm. Electrical lifting defect.	200
24	Henk Maas	Henk Maas floor weighing scale, type: ISC-V, serial number: HM2115461, minimum weight: 10 kg, maximum weight: 1500 kg, e=: 0.5 kg, dimensions: 1200 mm x 1400 mm x 170 mm.	500
25	NN frame	S/s frame, dimensions: 1200 mm x 700 mm x 1100 mm.	50
26	Juno Großküchen GmbH	Juno Großküchen GmbH fryer, type: 7535-3, 400 V, 3 Ph, 50 Hz, dimensions basket: 600 mm x 500 mm x 200 mm, total dimensions: 1100 mm x 800 mm x 1200 mm. With pallet with additional baskets.	250
27	Electrolux	Electrolux centrifugal dryer, model: ELX65, number: 27071 0513 0002, 400/230 V, 3 Ph, 50 Hz, 3.2/1.6 A, 750 W, inside dimensions: Ø 470 mm x 400 mm, total dimensions: 820 mm x 600 mm x 1030 mm.	500
28	Unifiller	Unifiller depositor, model: ELF 400 SV, serial number: ELFV-098318-001-01, year of construction: 08/04/2020, dimensions: 700 mm x 420 mm x 670 mm.	500
29	Bakon Food Equipment	Bakon Food Equipment mobile depositor, model: Multi Depositor, serial number: 29003, year of construction: 2019, inside dimensions: 1200 mm x 800 mm x 650 mm, total dimensions: 1600 mm x 850 mm x 1200 mm.	1000
30	Beerepoot	Beerepoot 90° curve conveyor, type: R40, project number: KC900228, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 1270 mm x 920 mm x 1000 mm.	250
31	Handtmann	Handtmann mobile portioning machine, type: 99-2, number: 24844, year of construction: 2008, plastic	1500



Nr	Title	Description	Start €
		belts, belt width: 250 mm, working width: 280 mm, total dimensions: 1420 mm x 650 mm x 1270 mm.	
32	Marvu	Marvu mobile S-shaped conveyor, type: 360, serial number: 10090153, year of construction: 03/2020, 230-400 V, 50 Hz, 1.26-0.72 A, 0.25 kW, s/s frame, plastic mesh belts, belt width: 150 mm and 380 mm, total dimensions: 3000 mm x 1500 mm x 1850 mm.	500
33	ALTech	ALTech mobile labelling machine, model: Albelt, serial number: 1903020022434, year of construction: 2019, 230 V, 1 Ph, 50/60 Hz, 800 W, plastic belt, belt width: 100 mm, total dimensions: 1600 mm x 1250 mm x 1970 mm.	4000
34	Rühle	Rühle mobile cooled vacuum tumbler, type: MKR 220, number: 64, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 16 A, 3 kW, Busch vacuum pump, type: KB 0010 E 300, serial number: CZM121311738, year of construction: 2021, capacity: 10 m ³ per hour, dimensions: 1300 mm x 1100 mm x 1800 mm.	3000
35	Ittec	Ittec hygiene station with sole cleaner, hand disinfection station and tourniquet, type: DSR100011XII248, year of construction: 2011, 400/230 V, 3 A, 1.0 kW, brush length: 420 mm, total dimensions: 1400 mm x 860 mm x 1750 mm.	700
36	Multipond	Multipond 10-head multihead weigher with Bodijn vibrating gutter and Bodijn elevating belt with dividers, type multihead weigher: MP 1024-D, fabrication number: M 521, year of construction: 1992, 230 V, 50 Hz, maximum weight: 2400 gram, minimum weight: 20e, e=d= 2 gram, dimensions multihead weigher: 1720 mm x 1770 mm x 3450 mm, type vibrating gutter, trilgoot, serial number: TRG218061/1, 230 V, 1 Ph, 0.55 kW, dimensions vibrating gutter: 1530 mm x 855 mm x 1050 mm and type elevating belt, type: transporteur, serial number: TRA 218061/2, year of construction: 2018, 230/400 V, 50 Hz, 0.55 kW, weight: 410 kg, plastic belt, belt width: 270 mm, elevating height: 3300 mm, distance between dividers: 240 mm, divider height: 75 mm, dimensions elevating belt: 4100 mm x 700 mm x 3400 mm.	14500
37	Kortlever	Kortlever mobile transport belt, s/s frame, dimensions: 1500 mm x 600 mm x 950 mm. Incomplete.	75
38	Verbufa	Verbufa mobile forming machine with flattener, diameter depositors: (2x) Ø 80 mm, plastic belts, belt width: 400 mm, total dimensions: 1900 mm x 1100 mm x 1550 mm.	4000
39	Handtmann		2000



Nr	Title	Description	Start €
		Handtmann vacuum filling machine with lifter for meat bins, type: VF300B, number: 2781, year of construction: 1997, 400 V, 50 Hz, 22.6 A, 9.5 kW, dimensions: 2150 mm x 1350 mm x 2000 mm. Incomplete, missing vacuum pump, rotor and veins.	
40	NN mesh belt	Mobile mesh belt, s/s frame, s/s mesh belt, belt width: 400 mm, total dimensions: 2200 mm x 600 mm x 1200 mm.	500
41	Koppens	Koppens mobile coating machine, type: ER200, machine number: 1063, 415 V, 3 Ph, 50 Hz, 1.2 A, 0.27 kW, 67 kg, s/s mesh belt, belt width: 200 mm, total dimensions: 2200 mm x 860 mm x 1600 mm.	1000
42	NN transport belt	Mobile transport belt, s/s frame, plastic belt with dividers, belt width: 180 mm, divider height: 20 mm, distance between dividers: 200 mm, total dimensions: 1100 mm x 700 mm x 1200 mm.	200
43	NN turning table	S/s turning table, dimensions: Ø 1250 mm x 800 mm.	400
44	NN slicer	Automatic slicer, dimensions: 850 mm x 660 mm x 520 mm.	400
45	Vaahto	Vaahto s/s tank, manufacturing number: 10109700, year of construction: 1999, dimensions tank: Ø 900 mm x 930 mm, total dimensions: 1000 mm x 900 mm x 1800 mm.	500
46	Maja Maschinenfabrik	Maja Maschinenfabrik mobile skinning and derinding machine, type: SBA3420, number: 44541, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 2.2 A, 0.88 kW, plastic belt, belt width: 440 mm, working width: 470 mm, total dimensions: 1800 mm x 820 mm x 1350 mm.	1500
47	Schröter	Schröter s/s switch cabinet, dimensions: 800 mm x 340 mm x 1300 mm.	100
48	Minipack Torre	Minipack Torre mobile vertical bag form-, fill-, and seal machine, model: XBAG, serial number: 0115, year of construction: 2011, 230 V, 50 Hz, 2.2 A, 500 W, seal width: 250 mm, total dimensions: 850 mm x 800 mm x 1600 mm. With box with additional parts.	3000
51	VDL / GEA	VDL / GEA mobile vibrating gutter, type: 1275270-00, serial number: 70818-01, year of construction: 2019, weight: 1750 kg, gutter width: 900 mm, length gutter: 2700 mm, total dimensions: 2700 mm x 1500 mm x 1000 mm.	6000
52	Jasa Packaging Systems	Jasa Packaging Systems vertical bag form-, fill-, and seal machine, type: 350 Vezet, machine number: 11249, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 16 A, 4.5 kW, seal width: 370 mm, total dimensions: 1700 mm x 2000 mm x 2300 mm. With 2 pallets with parts.	1500
53	NN evaporator		250



Nr	Title	Description	Start €
		Evaporator, 2 fans, dimensions: 3600 mm x 1150 mm x 780 mm.	
54	Ammeraal Beltech	Ammeraal Beltech transport belt, number: D 44, s/s frame, plastic belt, belt width: 1300 mm, total dimensions: 1950 mm x 1850 mm x 800 mm.	500
55	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 500 mm, total dimensions: 1850 mm x 800 mm x 930 mm.	200
56	Marvu	Marvu slicer, type: 322, year of construction: 02-2001, 4 knives ,diameter knives: 170 mm, plastic mesh belt, belt width: (3x) 90 mm and (2x) 60 mm, total dimensions: 4500 mm x 1000 mm x 1700 mm.	1000
57	Pro-Line	S/s cabinet with Pro-Line fire hose, dimensions: 960 mm x 850 mm x 360 mm.	25
58	Marel	Marel weighing scale, dimensions scale: 400 mm x 400 mm, total dimensions: 520 mm x 500 mm x 1300 mm.	75
59	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 280 mm, total dimensions: 1000 mm x 420 mm x 800 mm.	100
60	Itec	Itec hand disinfection unit, type: 23700, number: 0240, year of construction: 04/01, 230 V, 50 Hz, 0.1 kW, dimensions: 560 mm x 640 mm x 320 mm.	75
61	NN mesh belts	2 s/s mesh belts, belt width: 660 mm.	200
62	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG clipper, type: PCD 8026, number: 1262, year of construction: 2015, 6-8 bar, 36 kg, dimensions: 1300 mm x 400 mm x 1000 mm.	400
63	NN meat press	Mobile meat press, diameter press: 100 mm, total dimensions: 1800 mm x 580 mm x 1460 mm.	1000
64	NN blower	Mobile blower, width: 450 mm, total dimensions: 1200 mm x 450 mm x 1400 mm.	75
65	Marvu	Marvu mobile belt for skewers, plastic belt with holder for skewers, belt width: 300 mm, total dimensions: 4900 mm x 900 mm x 1150 mm.	500
66	NN sink	S/s sink with faucet, dimensions: 450 mm x 450 mm x 400 mm.	10
67	NN curve conveyor	Mobile 90° curve conveyor, plastic rollers, roller width: 400 mm, total dimensions: 1150 mm x 650 mm x 1030 mm.	150
68	Gardner Denver	Gardner Denver vacuum pump, type: R VWP 500, serial number: SC10228871001, year of construction: 2014, capacity: 485 m³ per hour, dimensions: 950 mm x 550 mm x 800 mm.	150
69	Dometic	Dometic refrigerated container for vans, model: CF 850 Van, serial number: 4440001, 220-240 V, 50-60 Hz, 1.33 A, 360 W, refrigerant: R134a, 0.135 kg,	375



Nr	Title	Description	Start €
		volume: 850 liter, GEA evaporator, dimensions: 1400 mm x 1100 mm x 1000 mm.	
70	Kärcher	Kärcher floor scrubbing machine, model: B 120 W BP Fleet, serial number: 010004, year of construction: 2017, 220-240 V, 50/60 Hz, 1800 W, 570 kg, dimensions: 1800 mm x 960 mm x 1200 mm.	250
71	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	1500
72	Wewo	Wewo automatic pallet lifter, type: Pallet mover, serial number: 001, year of construction: 2017, s/s forks, fork length: 1300 mm, total dimensions: 2000 mm x 1100 mm x 970 mm.	1500
73	NN filling pipes	8 s/s filling pipes, various sizes.	10
74	NN screw	S/s screw for grinder, dimensions: Ø 100 mm x 600 mm.	20
75	Formcook	Formcook AB infrared conveyor grill, model: IR 6180401, year of construction: 2004, s/s mesh belt, belt width: 600 mm, total dimensions: 4150 mm x 1330 mm x 2400 mm	20000
76	Easyweigh	Easyweigh linear weigher, 3 lanes, type: Maxi, serial number: 080105/080106/080107, year of construction: 2008, 3 s/s vibrating gutters, total dimensions: 1500 mm x 1500 mm x 2100 mm.	5000
77	S.A. Balpe	S.A. Balpe blintz machine, s/s mesh belt, belt width: 300 mm, diameter roller: 800 mm, total dimensions: 3500 mm x 1800 mm x 2300 mm. With additional parts.	4500
78	NN grinder	Grinder, diameter plate: 100 mm, total dimensions: 1200 mm x 1350 mm x 1960 mm. Missing plates.	1500
79	Rational	Rational combisteamer, model: CPC G, inside dimensions: 850 mm x 750 mm x 1530 mm, gas heated, total dimensions: 1350 mm x 1070 mm x 2100 mm.	1250
80	Ishida	Ishida 16-heads multihead weigher, model: CCW-NZ-216B-4M/20WP, number: 27588, year of construction: June 1998, 220 V, 50 Hz, 12.5 A, dimensions: 1500 mm x 1500 mm x 2000 mm.	5000
81	Bilwinco	Bilwinco 14-heads multihead weigher, type: BW114-W, number: 5322, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 10 A, dimensions: 1500 mm x 1300 mm x 1400 mm.	5000
82	NN meat bins	14 s/s meat bins, volume: 200 liter.	910
83	Schröter	Schröter smoke generator for friction smoke, type: RF, fabrication number: 214-0907.1164 139, dimensions: 1800 mm x 850 mm x 1400 mm,	550



Nr	Title	Description	Start €
		dimensions switch cabinet: 700 mm x 400 mm x 300 mm.	
84	ELS	ELS labelling machine for Variovac thermoformer, OP2-SL4210-SMSK202, machine number: 7611/2009, 230 V, 50/60 Hz, dimensions: 1000 mm x 900 mm x 1400 mm.	400
85	Mettler Toledo Safeline	Mettler Toledo Safeline metal detector with retracting rejecter conveyor, plastic belt, belt width: 600 mm, clearance: 650 mm x 100 mm, total dimensions: 2500 mm x 1000 mm x 1050 mm.	800
86	Helmut Günther	Helmut Günther mobile injector, type: PI 8, machine number: 141286, 380 V, 0.55 kW, plastic mesh belt, belt width: 250 mm, 8 needles, total dimensions: 1260 mm x 450 mm x 1600 mm.	450
87	Günther	Günther mobile injector, type: PI 17, machine number: 26839, year of construction: 2001, 400 V, 16 A, 1.5 kW, plastic mesh belt, belt width: 250 mm, 17 needles, total dimensions: 1400 mm x 600 mm x 1800 mm.	900
88	Treif	Treif mobile slicer, model: Fox-CE, type: 1821, machine number: 182103.61429.0340, year of construction: 1996, 380-220 V, 50 Hz, 4 A, 1.5 kW, 195 kg, dimensions chamber: 200 mm x 170 mm, total dimensions: 1900 mm x 720 mm x 1300 mm.	1800
89	Franz	Franz mobile strip cutter, type: MST.64.300, machine number: 02.04.6430064, year of construction: 2002, 400 V, 50 Hz, 1.1 kW, (2x) 40 knives, distance between knives: 10 mm, total dimensions: 950 mm x 700 mm x 1000 mm.	200
90	Kolbe	Kolbe mobile mixer-grinder, number: 125 978, plate diameter: 100 mm, total dimensions: 1200 mm x 850 mm x 1360 mm.	2600
91	Maja	Maja mobile skinning machine, working width: 430 mm, total dimensions: 860 mm x 760 mm x 1000 mm.	400
92	NN smoke trolleys	2 s/s smoke trolleys, 5 floors, dimensions: (2x) 910 mm x 700 mm x 1440 mm.	150
93	Urschel	Urschel mobile dicer, model: G, serial number: 1053, dimensions drum: Ø 300 mm x 180 mm, total dimensions: 2000 mm x 850 mm x 1360 mm.	2800
94	Knecht	Knecht sharpening machine, type: USK 230 B, machine number: 350294, year of construction: 1994, 380 V, 50 Hz, 3.86 A, 1.57 kW, dimensions: 1500 mm x 1200 mm x 1400 mm.	200
95	Kolbe	Kolbe bandsaw, type: K 200, machine number: 45911, year of construction: 1988, 380 V, 3 Ph, dimensions: 500 mm x 530 mm x 1000 mm.	400
96	Supervac		1700



Nr	Title	Description	Start €
		Supervac mobile double chamber vacuum machine, type: GK-289, fabrication number: 960696, year of construction: 1996, 400 V, 3 Ph, 50 Hz, 20.5 A, 9.2 kW, seal width: (4x) 670 mm, dimensions chamber: 800 mm x 750 mm x 200 mm, total dimensions: 1660 mm x 950 mm x 1100 mm. With Busch vacuum pump, type: RA 0250-B, number: CE00120604, capacity: 250 m ³ per hour, dimensions pump: 1050 mm x 500 mm x 730 mm.	
97	ZTP Tepro	ZTP Tepro traysealer, type: SPP6, serial number: 010, year of construction: 2017, 400 V, 50 Hz, 3 kW, dimensions dye: (4x) 180 mm x 120 mm, total dimensions: 1120 mm x 700mm x 1460 mm. Missing bottom plates.	1500
98	HM Systems	HM Systems labelling machine, type: Top Etikettering, serial number: 42565-42-01, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 500 W, plastic belt, belt width: 300 mm, total dimensions: 1500 mm x 750 mm x 1900 mm.	250
99	Webomatic	Webomatic mobile vacuum machine, type: E 30, machine number: 117NI264, 400 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, capacity vacuum: 65 m ³ per hour, seal width: 450 mm, total dimensions: 800 mm x 530 mm x 1000 mm.	390
100	Frey	Frey vacuum filling machine with linking attachment, type: Konti-C40, machine number: JK 50 07 07 99, 230 V, 60 Hz, dimensions: 1150 mm x 700 mm x 1600 mm.	2000
101	Bizerba	Bizerba mobile grinder, model: FW-N 32S/2, number: 11310004, year of construction: 2016, 400 V, 3 Ph, 50 Hz, 5.6 A, diameter plate: 100 mm, total dimensions: 900 mm x 530 mm x 1150 mm.	800
102	Variovac	S/s switch cabinet for Variovac thermoformer, dimensions: 1550 mm x 400 mm x 900 mm.	250
103	Gardner Denver	Gardner Denver mobile suction device for rest film, number: BN 10265726 002, dimensions: Ø 600 mm x 1200 mm.	100
104	Inauen Maschinen AG	Inauen Maschinen AG mobile vacuum machine, type: VC999/03 P, machine number: 0392 717, 380 V, 3 Ph, 50 Hz, 15 A, 10 kW, seal width: (1x) 1000 mm and (2x) 450 mm, Rietschle vacuum pump, type: CLFH 220 V (01), fabrication number: 1414623, year of construction: 1991, capacity: 220 m ³ per hour, total dimensions: 1130 mm x 750 mm x 1030 mm.	800
105	Soco Systems	2 boxes with Soco Systems taper for box closing machine, dimensions: (2x) 420 mm x 80 mm x 220 mm.	50
106	Loma Systems		2500



Nr	Title	Description	Start €
		Loma Systems pipeline metal detector with rejecter, model: IQ ³ + Pipeline, serial number: JPL161003-35553D, year of construction: 2016, 230 V, 1 Ph, 50 Hz, 1.2 A, pipe diameter: 100 mm, total dimensions: 900 mm x 600 mm x 1400 mm.	
107	Mosca	Mosca mobile strapping machine, type: RO-TRP-4, number: 84144, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 20 A, 1.5 kW, clearance: 650 mm x 500 mm, total dimensions: 1100 mm x 850 mm x 1450 mm.	150
108	Airwell	Airwell air cooled water chiller, model: AQL 100 CO B Coil STD Pump, serial number: 2761411578, 400 V, 3 Ph, 50 Hz, 30.8 A, 49.2 kW, refrigerant: R407C, 18 kg, 2 fans, dimensions: 2550 mm x 1180 mm x 1800 mm.	1250
109	Bizerba	Bizerba mobile grinder, model: FW-N 32T/2, number: 11190681, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 5.6 A, plate diameter: 100 mm, total dimensions: 1050 mm x 600 mm x 1330 mm.	1000
110	Bastra	Bastra cooking vessel, type: 8110, year of construction: 2006, 230 V, 50 Hz, 1.5 kW, volume: 500 liter, gas heated, dimensions: 1700 mm x 1350 mm x 1100 mm.	750
111	Sepamatic	Sepamatic separator, type: SEPA 1200, machine number: 195559, 400 V, 50 Hz, 6 kW, diameter drum: 300 mm, diameter perforations: 2 mm, total dimensions: 1300 mm x 1170 mm x 1800 mm.	8000
112	Dorit	Dorit mobile meat press, type: Combi-press, clearance: Ø 100 mm x 495 mm, total dimensions: 1800 mm x 700 mm x 1420 mm. Including 2 extra outfeed pipes, dimensions outfeed pipes: (1x) 90 mm and (1x) 120 mm.	750
113	Koneteollisuus OY	Koneteollisuus OY mobile mixer-grinder, type: LM-42A, number: 133710, year of construction: 10/2006, 380/420 V, 3 Ph, 50 Hz, 16.7+3.1 A, 7.5+1.1 kW, weight: 390 kg, plate diameter: 125 mm, total dimensions: 1070 mm x 720 mm x 1300 mm.	1250
114	PSS Svidnik a.s.	PSS Svidnik a.s. grinder, type: SG 200, serial number: 04, year of construction: 2013, 30.5 kW, weight: 1600 kg, plate diameter: 200 mm, total dimensions: 2700 mm x 1300 mm x 2350 mm. Including s/s trolley with parts, dimensions: 1250 mm x 1000 mm x 1050 mm.	15000
115	Talsa	Talsa mobile piston filler, model: H26P, serial number: 998598, year of construction: 1999, 400/220 V, 3 Ph, 50 Hz, 3.1/5.3 A, 1.2 kW, dimensions: 700 mm x 450 mm x 1150 mm.	1000
116	Fatosa	Fatosa mobile piston filler, type: E-25-1, number: 1614, year of construction: 9-1997, 220 V, 3 Ph, 50	1000



Nr	Title	Description	Start €
		Hz, 5.3 A, 1.1 kW, dimensions: 550 mm x 330 mm x 1250 mm.	
117	Nieros	Nieros mobile crate washer, model: CL-T 250, 400 V, 3 Ph, 50 Hz, 33 kW, capacity: 250 crates per hour, clearance: 450 mm x 400 mm, total dimensions: 2800 mm x 1000 mm x 2000 mm.	1500
118	Henkovac	Henkovac mobile thermoformer, model: TH-Flex, serial number: 42-10-166, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 11 kW, 1250 kg, Busch vacuum pump, type: RA 0100 F 503, number: 110011963, year of construction: 2011, capacity: 100 m ³ per hour, dimensions dye: (4x) 175 mm x 135 mm, film width: 422 mm, tier: 306 mm, total dimensions: 4300 mm x 1100 mm x 1900 mm. With box with parts.	5000
119	Busch	Busch vacuum pump, type: RA 0400 B 4ZI DUZZ, number: C0408000023, capacity: 400 m ³ per hour, dimensions: 1400 mm x 900 mm x 1200 mm.	400
120	Mettler Toledo Safeline	Mettler Toledo Safeline pipeline metal detector, clearance: Ø 200 mm, total dimensions: 400 mm x 300 mm x 420 mm and 550 mm x 300 mm x 200 mm.	500
121	Mettler Toledo Safeline	Mettler Toledo Safeline pipeline metal detector, clearance: Ø 200 mm, total dimensions: 400 mm x 300 mm x 420 mm and 550 mm x 300 mm x 200 mm.	500
122	Seval	Seval mobile vertical bag form-, fill- and seal machine, serial number: 07050418, year of construction: 200705, 220 V, 16 A, 3.5 kW, diameter filling pipe: 75 mm, vertical seal length: 315 mm, horizontal seal length: 250 mm, machine weight: 550 kg, total dimensions: 1580 mm x 1140 mm x 1660 mm. Including extra filling pipes, diameter pipes: (1x) 40 mm, (1x) 50 mm.	3000
123	Seval	Seval vertical bag form-, fill- and seal machine, diameter filling pipe: 75 mm, vertical seal length: 320 mm, horizontal seal length: 250 mm, total dimensions: 1600 mm x 1150 mm x 1670 mm. Including extra filling pipes, diameter filling pipes: (1x) 55 mm, (1x) 70 mm.	3000
124	Nordic Light (Suzhou) Co. Ltd	Nordic Light (Suzhou) Co. Ltd steel pallet wrapper, type: PL 500-LT, serial number: 070500031, diameter platform: 1650 mm, total dimensions: 2650 mm x 1650 mm x 2650 mm. Technical condition unknown.	500
125	Mettler Toledo Safeline	Mettler Toledo Safeline pipeline metal detector, clearance: Ø 200 mm, total dimensions: 400 mm x 300 mm x 420 mm and 550 mm x 300 mm x 200 mm.	500
126	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile slicer, type: 056, machine number: 05604.62331.1225-1, year of construction: 1985, 380/220 V, 50 Hz, 7 A,	500



Nr	Title	Description	Start €
		dimensions chamber: 200 mm x 180 mm, total dimensions: 1650 mm x 800 mm x 1300 mm.	
127	Düker / Rex	Düker / Rex piston filler, model: FAN 30, volume: 30 liter, dimensions: 820 mm x 600 mm x 1200 mm.	500
128	Frey	Frey piston filler, dimensions: 800 mm x 700 mm x 1150 mm.	1500
129	Meissner	Meissner cutter, steel bowl, dimensions bowl: Ø 850 mm x 150 mm, total dimensions: 1300 mm x 900 mm x 1220 mm.	500
130	Krämer+Grebe	Krämer+Grebe cutter, type: SM 45, machine number: 68.1958 79, steel bowl, volume: 45 liter, dimensions: 1100 mm x 1000 mm x 1150 mm.	500
131	NN smoke trolley	S/s smoke trolley, Z-profile, 5 floors, dimensions each floor: 900 mm x 900 mm, total dimensions: 910 mm x 900 mm x 1800 mm.	75
132	NN smoke trolleys	3 s/s smoke trolleys, Z-profile, 4 floors, dimensions each floor: 900 mm x 900 mm, total dimensions: (3x) 900 mm x 900 mm x 1800 mm.	225
133	NN smoke trolleys	2 s/s smoke trolleys, Z-profile, 4 floors, dimensions each floor: 900 mm x 900 mm, total dimensions: (2x) 900 mm x 900 mm x 1800 mm.	150
134	NN smoke trolley	S/s smoke trolley, Z-profile, 4 floors, dimensions each floor: 900 mm x 900 mm, total dimensions: 900 mm x 900 mm x 1800 mm.	75
135	Demag	Demag hoist, type: PK2L, fabrication number: 5118873, year of construction: 1990, 220/380 V, 50 Hz, 3.1/1.8 A, capacity: 500 kg, dimensions: 600 mm x 400 mm x 260 mm.	150
136	Webomatic	Webomatic mobile vacuum machine, type: I 18 D, machine number: 177AJ2673, 220/380 V, 50 Hz, 6.4/3.7 A, 1.5 kW, Busch vacuum pump, type: 063-122 336008, capacity: 63 m ³ per hour, seal length: (2x) 470 mm, dimensions chamber: 600 mm x 470 mm, total dimensions: 670 mm x 620 mm x 1200 mm. Lid damaged.	500
137	Multivac	Multivac thermoformer, type: R 230, machine number: 1373, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 27 A, 9 kW, Busch vacuum pump, index: 270 mm, plastic outfeed belt, belt width: 350 mm, total dimensions: 4000 mm x 1100 mm x 2200 mm. With suction device for rest film and 2 pallets with parts, dimensions dyes: (3x) 257 mm x 120 mm, (6x) 185 mm x 75 mm and (6x) 120 mm x 120 mm.	5000
138	Henkelman	Henkelman mobile double chamber vacuum machine, type: Polar 2-50, machine number: HOP30190107, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 11 A, 2.6 kW, Busch vacuum pump, type: RA 0100 F 5R3, serial number: DEM119290234, year	2000



Nr	Title	Description	Start €
		of construction: 2019, capacity: 100 m ³ per hour, seal width: (2x) 620 mm, dimensions chamber: 680 mm x 650 mm, total dimensions: 1500 mm x 1000 mm x 1050 mm.	
139	Rühle	Rühle mobile cooled vacuum tumbler, Busch vacuum pump, type: KC 0010 D IZO, number: 05012119, year of construction: 2005, capacity: 10 m ³ per hour, inside dimensions: Ø 680 mm x 420 mm, total dimensions: 1300 mm x 1000 mm x 1650 mm.	3000
140	K+G Wetter	K+G Wetter mixer-grinder, type: MWW E130, machine number: 419/1225, year of construction: 2014, 400/230 V, 3 Ph, 50 Hz, 40 A, 19 kW, plate diameter: 130 mm, total dimensions: 1400 mm x 1100 mm x 1300 mm. Missing plates and knives.	6000
141	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double clipper, dimensions: 900 mm x 700 mm x 2000 mm.	2000
142	Gaser	Gaser mobile meat ball machine, model: S-1500-P, serial number: 4703-5434, year of construction: 2016, dimensions: 650 mm x 500 mm x 1500 mm.	1250
143	Kolbe	Kolbe mobile portioning machine with interleaver, type: PM 150, machine number: 75 0060, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.25 kW, plastic belt, belt width: 200 mm, total dimensions: 1300 mm x 700 mm x 1100 mm.	1500
144	Rühle	Rühle mobile injector, type: PR 10, number: 2448, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 16 A, 1.1 kW, 10 needles, s/s belt, belt width: 270 mm, total dimensions: 1200 mm x 400 mm x 1600 mm.	750
145	Jungheinrich	Jungheinrich steel pallet lifter, type: HPT-A20, serial number: 763921006/0058, year of construction: 2015, capacity: 2000 kg, fork length: 1150 mm, total dimensions: 1550 mm x 520 mm x 1350 mm.	150
148	Kibani	Kibani mobile air compressor, type: DOF1500x2-100, serial number: 2025-04-004, 230 V, 50 Hz, 2600 W, capacity: 480 liter per minute, dimensions: 1100 mm x 500 mm x 700 mm.	250
150	Eversteel	Eversteel mobile high pressure cleaner, model: ESHPW7300, serial number: 36078-00044-SM2400123-2024/26-028, 400 V, 3 Ph, 50 Hz, 7300 W, fuel: Diesel, dimensions: 1100 mm x 600 mm x 800 mm.	1325
151	Lutetia	Lutetia vacuum tumbler, type: 40, number: 15276, year of construction: 1996, 220 V, 50 Hz, 6.6 kW, 1500 kg, volume: 2200 liter, dimensions: 3400 mm x 1700 mm x 2130 mm. Technical condition unknown, without vacuum pump, with crate with parts.	3500
152	Rational	Rational combisteamer, model: CPC, dimensions: 900 mm x 800 mm x 850 mm. Incomplete.	750



Nr	Title	Description	Start €
153	Metos / Rational	Metos / Rational combisteamer, gas heated, dimensions: 850 mm x 800 mm x 1050 mm.	1000
154	Frima	Frima VarioCooking Center, model: VCC 112+, serial number: E11PG09058005166, 400 V, 3 Ph, 19.4 kW, dimensions: 1200 mm x 800 mm x 1050 mm.	3000
155	NN sink	S/s double sink, dimensions: 1600 mm x 700 mm x 950 mm.	100
156	Rational	Rational combisteamer, model: CPC 61 G, serial number: G61CC00121038126, 230 V, 1 Ph, 50 Hz, 1.0 kW, gas heated, dimensions: 900 mm x 800 mm x 850 mm.	750
157	Lutetia	Lutetia vacuum tumbler, number: 6772, inside dimensions: Ø 1150 mm x 1800 mm, total dimensions: 3000 mm x 1500 mm x 2000 mm. Technical condition unknown, without vacuum pump.	3000
158	Lutetia	Lutetia vacuum tumbler, number: 7581, inside dimensions: Ø 1000 mm x 1500 mm, total dimensions: 2600 mm x 1400 mm x 1800 mm. Technical condition unknown, without vacuum pump.	3250
159	Reich	Control panel for Reich cooking vessel, dimensions: 1000 mm x 420 mm x 400 mm. Incomplete.	50
160	Henkovac	Henkovac mobile double chamber vacuum machine, Busch vacuum pump, type: RA 0100 R 5Z1, number: 00012048, capacity: 100 m ³ per hour, seal length: (2x) 620 mm, dimensions chamber: 750 mm x 650 mm, total dimensions: 1600 mm x 850 mm x 1100 mm.	1000
161	Stephan	Stephan mobile emulsifier, type: MVH150KVS, machine number: M11051, year of construction: 2011, 400 V, 50 Hz, 53 A, 30 kW, dimensions: 2800 mm x 1200 mm x 2450 mm.	15000
162	Vakona	Vakona mobile cooled vacuum tumbler, type: ESK 250 STL-C, machine number: 3282, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 16 A, 4.4 kW, 375 kg, Vakona vacuum pump, type: 008943, serial number: D14281002, year of construction: 2014, capacity: 12 m ³ per hour, volume tub: 250 liter, dimensions: 1500 mm x 1500 mm x 2100 mm.	10000
163	Sperling	Sperling control panel, model: VAT 50, dimensions: 800 mm x 340 mm x 200 mm.	150
164	NN lockers	3 steel 15-door lockers, dimensions: (3x) 1500 mm x 500 mm x 2000 mm.	225
165	NN lockers	2 steel 15-door lockers, dimensions: (2x) 1500 mm x 500 mm x 2000 mm.	150
166	Gram	Gram blast-chiller, inside dimensions: 700 mm x 410 mm x 1485 mm, total dimensions: 900 mm x 1100 mm x 2050 mm. Damaged, without cooling compressor.	500



Nr	Title	Description	Start €
167	Convotherm	Convotherm combisteamer, model: OSP 6.10, number: O1R01090536, 14-16 A, 9-11 kW, 4 floors, dimensions: 1200 mm x 900 mm x 1600 mm.	150
168	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH dicer with lifter for meat bins, model: Cubemat 120-CE EC, machine number: 300002.93167.0107, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 11 A, 5.5 kW, dimensions chamber: 120 mm x 120 mm, total dimensions: 4000 mm x 1500 mm x 2300 mm.	4000
169	Copeland Scroll	Copeland Scroll compressor rack with 3 cooling compressors, model: ZF24K4E-TWD-551, serial number: 18K929803, 17C929753 and 18H916422, refrigerant: R449, dimensions: 2150 mm x 600 mm x 1200 mm.	750
170	Sealpac	Sealpac thermoformer, type: RE20, machine number: 2065131, year of construction: 2014, 400/230 V, 3 Ph, 50 Hz, 27 A, 12 kW, film width: 422 mm, dimensions dye: 250 mm x 355 mm, index: 270 mm, total dimensions: 6900 mm x 1100 mm x 2100 mm. With DTE chiller, type: K004.9, machine number: D0757, year of construction: 02-10-2014, and pallet with parts.	7000
171	Fri-Jado / Linde / Bitzer	Fri-Jado / Linde compressor rack with 5 Bitzer K�hlmaschinenbau GmbH cooling compressors, type: 4N-12.2Y-40P, 4NES-121Y-40P, 4P-10.2 Y, 4PES-10Y-40P and 4N-12.2Y, year of construction: 2000, dimensions: 2600 mm x 800 mm x 1900 mm.	1500
172	Carrier	Carrier compressor rack with 5 Bitzer K�hlmaschinenbau GmbH cooling compressors, type: 4J-22.2Y-40P, (2x) 4J-13.2Y-40P, 4PCS-10.2Y-40P and 4PES-12Y-40P, year of construction: June 2010, refrigerant: R507, 387 kg, dimensions: 3200 mm x 920 mm x 1900 mm.	1500
173	Fri-Jado B.V.	Fri Jado B.V. compressor rack with 5 cooling compressors, dimensions: 2200 mm x 920 mm x 1850 mm, dimensions switch cabinet: 2000 mm x 900 mm x 500 mm.	750
174	TipperTie technopack	TipperTie technopack mobile double clipper, model: KDCR, number: 4259.125.294, dimensions: 1250 mm x 700 mm x 1800 mm.	2500
175	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF610, number: 18270, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 5.1 A, 3.5 kW, Busch vacuum pump, type: KC 0016 E 3Z0, serial number: V17050494, year of construction: 2017, capacity: 16 m ³ per hour, dimensions: 850 mm x 850 mm x 1750 mm.	8000
176	NN tilting device		750



Nr	Title	Description	Start €
		Mobile s/s tilting device, fork length: 800 mm, tilting height: 800 mm, total dimensions: 1650 mm x 1130 mm x 1300 mm. Without hydraulic unit.	
177	Wolfking	Wolfking grinder, type: C.160-UNI, number: 50490, diameter plate: 160 mm, total dimensions: 1700 mm x 950 mm x 2100 mm. Without switch cabinet.	2500
178	NN lifter for meat bins	Lifter for 120 liter meat bins, capacity: 350 kg, lifting height: 1550 mm, total dimensions: 2900 mm x 970 mm x 1150 mm.	1000
179	NN meat bins	3 s/s meat bins, volume: 120 liter, dimensions: (3x) 700 mm x 570 mm x 800 mm.	150
180	NN meat bins	3 s/s meat bins, volume: 200 liter.	150
181	NN hamburger forming attachment	Hamburger forming attachment, diameter perforations: (4x) 90 mm, total dimensions: 400 mm x 200 mm x 330 mm.	250
182	Handtmann	Control panel for Handtmann vacuum filling machine, dimensions: 400 mm x 350 mm x 150 mm.	1500
183	Inotec	Inotec mobile sausage cutter, type: WT 97-S, machine number: 006-005, year of construction: 2005, 200/240/400/460 V, 2 Ph, 50/60 Hz, 12/10/6/5 A, 2 kW, plastic belt, working width: 70 mm, belt width: 125 mm, total dimensions: 1900 mm x 850 mm x 1750 mm.	2000
184	Weber	Weber ice machine with bunker, type: WIC 400, number: 306, year of construction: 2008, 400 V, 50 Hz, 1.6 A, refrigerant: R404a, capacity: 400 kg per 24 hours, L'Unite Hermetique cooling compressor, dimensions: 1200 mm x 800 mm x 2000 mm.	750
185	Sealpac	Sealpac traysealer, model: Sealpac 750, serial number: TVG 04 1329 01, year of construction: 2006, 400/230 V, 3 Ph, 6.5 kW, 800 kg, plastic chain conveyor, belt width: 260 mm, total dimensions: 3200 mm x 700 mm x 1900 mm. Incomplete, technical condition unknown.	100
186	Mado	Mado bandsaw, model: Selekt 3, number: 653 32 916 0, dimensions: 900 mm x 900 mm x 2000 mm. Including extra saw blades.	950
187	NN meat press	Mobile meat press, dimensions: 1800 mm x 600 mm x 950 mm.	500
188	NN bandsaw	Bandsaw, dimensions: 770 mm x 650 mm x 1600 mm.	500
189	Siat	Siat mobile box closing machine with top and bottom taper, model: SM35-S, serial number: 50305, year of construction: 2007, 380/400 V, 3 Ph, 50 Hz, 1.08 A, 260 W, plastic rollers, roller width: 350 mm, total dimensions: 2000 mm x 1200 mm x 1600 mm.	250
190	NN elevating belt	Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 500 mm, distance between dividers: 200 mm, divider height: 20 mm, elevating	250



Nr	Title	Description	Start €
		height: 1270 mm, total dimensions: 2700 mm x 800 mm x 1300 mm.	
191	NN sink	S/s sink with 4 faucets and 3 soap dispensers, dimensions: 2000 mm x 460 mm x 750 mm.	100
192	Vemag	Vemag vacuum filling machine with grinding head, model: R 500, number: 128 3333, year of construction: 2005, 220-240/400-460 V, 3 Ph, 50/60 Hz, 17.8/20 A, dimensions: 1000 mm x 800 mm x 1830 mm. Including crate with parts.	2000
193	CT Cliptechnik	CT Cliptechnik mobile double clipper, model: CDC-800 S, number: 901 519 136, year of construction: 2016, dimensions: 1100 mm x 600 mm x 1800 mm.	3000
194	Nowicki	Nowicki crate washing and drying machine, clearance: 770 mm x 250 mm, dimensions washing machine: 2450 mm x 1350 mm x 2050 mm, dimensions dryer: 2450 mm x 1350 mm x 2050 mm.	3500
195	NN injector	Injector, 25 needles, s/s mesh belt, belt width: 400 mm, total dimensions: 1500 mm x 700 mm x 1900 mm.	750
196	EFM	EFM mobile depositor, type: VD 1000 1, year of construction: 2005, 1 head, diameter head: 20 mm, total dimensions: 1750 mm x 450 mm x 1830 mm.	500
197	Bitzer Kühlmaschinenbau GmbH	Compressor rack with 6 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: 4HTE-20K-40P, (3x) 4JTC-15K-40P and (2x) 2HSL-3K-40S, year of construction: 06-2014, dimensions: 3400 mm x 1200 mm x 2300 mm.	3000
198	Bitzer Kühlmaschinenbau GmbH	Compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type: (3x) 4NCS-12.2Y-40P and (2x) 4EC-4.2Y-40S, dimensions: 2400 mm x 800 mm x 2100 mm.	2250
199	Boleto	Boleto trout gutting machine, type: SM44, serial number: 44, year of construction: 2008, s/s conveyor with holders for fish, belt width: 90 mm, total dimensions: 2600 mm x 700 mm x 1770 mm.	5000
200	Multivac	Multivac mobile labelling machine with bottom and top labeller and rejector, model: MR335 TQ3019BA40000RG, type: MR335, machine number: 242158, year of construction: 2017, 230 V, 50 Hz, 2500 VA, plastic belt, belt width: (2x) 190 mm, total dimensions: 2700 mm x 1200 mm x 2300 mm.	6500
201	Mado	Mado cutter with lifter for 200 liter meat bins and ejector, type: MSM 769 SL, number: 30155, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 80.0 kW, 125.0 A, bowl volume: 220 liter, dimensions: 3400 mm x 2550 mm x 2150 mm. Can be upgraded with cooling, heating and vacuum.	27500



Nr	Title	Description	Start €
202	Krämer + Grebe	Krämer + Grebe grinder, type: SC-WW, number: 282/118, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 117/160 A, plate diameter: 200 mm, total dimensions: 1750 mm x 1350 mm x 2550 mm.	6500
203	Handtmann	Handtmann vacuum filling machine, type: VF200, number: 11764-1, Becker vacuum pump, type: U 1.16SA-31, number: B 2772918, capacity: 16/19 m ³ per hour, dimensions: 950 mm x 900 mm x 1860 mm.	2700
204	Multivac	Multivac thermoformer, type: R7000 PC, machine number: 10192/33, year of construction: 1991, 380 V, 3 Ph, 50 Hz, 48 A, 18 kW, film width: 455 mm, dye: (12x) 85 mm x 150 mm, total dimensions: 7350 mm x 1100 mm x 1950 mm. Including suction device for rest film, dimensions: 530 mm x 530 mm x 1060 mm.	3000
205	Sirman S.p.A.	Sirman S.p.A. mobile double shaft paddle mixer, model: IP 180 BA XP CE, serial number: 16L02328, year of construction: 2016/08, 400 V, 3 Ph, 50 Hz, 2.7 A, 1840 W, weight: 157 kg, dimensions: 1300 mm x 740 mm x 1200 mm.	2300
206	NN paraffine tunnel	S/s paraffine melting tunnel, s/s mesh belt, belt width: 430 mm, clearance: 430 mm x 180 mm, total dimensions: 3200 mm x 870 mm x 1800 mm.	100
207	OK Packaging Systems	OK Packaging Systems box closing machine, type: HF-7, machine number: 99-74376, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 2.0 A, weight: 200 kg, plastic belt, belt width: 100 mm, s/s rollers, roller width: 580 mm and 390 mm, total dimensions: 2250 mm x 1400 mm x 2070 mm.	2500
208	Bizerba	Bizerba weighing and labelling unit, type: GLM-I, number: 10807907, 400 V, 3 Ph, 50 Hz, 6 A, type labeller: GLI, number: 10807930, plastic belt, belt width: (3x) 580 mm, total dimensions: 2500 mm x 1400 mm x 1900 mm.	2000
209	Mohn & Co. GmbH	Mohn & Co. GmbH smoke stick washer, type: RSWA-L, machine number: 53-06, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 9 kW, diameter drum: 600 mm, total dimensions: 2150 mm x 920 mm x 1030 mm.	4200
210	Still	Still electric pallet lifter, type: SU 20, serial number: F21610G00172, year of construction: 2016, working hours: 548.5 hour, capacity: 2000 kg, weight: 697 kg, battery voltage: 24 V, battery weight: min. 352 kg / max. 475 kg, rated drive power: 2.0 kW, fork length: 1140 mm, fork width: 170 mm, total dimensions: 1980 mm x 800 mm x 1330 mm.	1500
211	NN ham press	S/s ham press, dimensions: 1000 mm x 1000 mm x 1300 mm.	1100
212	Henkelman		200



Nr	Title	Description	Start €
		Henkelman vacuum machine, type: Mini Jumbo, number: 00207317, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 3 A, 0.6 kW, chamber dimensions: 280 mm x 270 mm, seal length: 275 mm, total dimensions: 400 mm x 335 mm x 300 mm.	
213	Lăcovac	Lăcovac injector, type: Jet, number: 168, 380 V, dimensions: 400 mm x 200 mm x 260 mm.	150
214	Sealpac	Sealpac traysealer, model: SP-M3, serial number: M3 01 1439, year of construction: 2006, 400/230 V, 3 Ph, 3 kW, 270 kg, dimensions dye: 315 mm x 265 mm, Busch vacuum pump, total dimensions: 950 mm x 1200 mm x 1770 mm.	2300
215	Talsa	Talsa mobile mixer, type: MIX 60P, serial number: 112250, 230/400 V, 3 Ph, 50 Hz, 1.55 A, 0.43 kW, s/s bowl, volume: 60 liter, dimensions: 800 mm x 600 mm x 1000 mm.	1200
216	NN paraffine tunnel	S/s paraffine tunnel, s/s mesh belt, belt width: 430 mm, clearance: 430 mm x 180 mm, plastic outfeed belt, belt width: 430 mm, total dimensions: 2100 mm x 900 mm x 2900 mm.	300
217	EDT	EDT apron cleaning machine, type: SRSI07, number: 292, year of construction: 2007, 400 V, 1 Ph, 50 Hz, 2/10 A, 0.5 kW, brush length: 35 mm, total dimensions: 1420 mm x 480 mm x 980 mm.	500
218	NN dishwasher	Dishwasher, clearance: 510 mm x 440 mm, total dimensions: 600 mm x 600 mm x 1480 mm.	200
219	Rühle	Rühle mobile traysealer with label printer, type: VR 1, number: 71, year of construction: 2004, 230 V, 50 Hz, 1.5 kW, dimensions dye: 300 mm x 240 mm, film width: 335 mm, with Busch vacuum pump, type: PC 0008 A, total dimensions: 650 mm x 700 mm x 1700 mm. Including 1 extra dye. Screen broken.	250
220	Still	Still electric tow tractor, type: CX-T, serial number: 711050A01016, year of construction: 2010, working hours: 4037 hour, towing capacity: 4000 kg, unladen weight: 740 kg, battery voltage: 24 V, battery weight: min. 489 kg, rated drive power: 3 kW, towing force: 4000 N, front axle load (N°05): 572 kg, rear axle load (N°05): 578 kg, dimensions: 1650 mm x 800 mm x 1300 mm.	1000
221	NN smoke sticks	S/s trolley with approximately 600 Y-shaped aluminium smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
222	NN smoke sticks	S/s trolley with approximately 600 Y-shaped aluminium smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	350
223	NN smoke sticks		350



Nr	Title	Description	Start €
		S/s trolley with approximately 600 Y-shaped aluminium smoke sticks, length sticks: 1020 mm, total dimensions: 600 mm x 400 mm x 1160 mm.	
224	Proseal	Proseal traysealer, type: Fastpack F45, serial number: 1202, 50 Hz, wire belt, belt width: 175 mm, film width: 215 mm, total dimensions: 2980 mm x 850 mm x 1950 mm. Incomplete, missing dye.	500
225	Mondomix	Mondomix continuous aerating machine, type: UA15, dimensions: 1900 mm x 800 mm x 1550 mm. Incomplete.	200
226	E. Olsson's Maskinfabrik ApS	E. Olsson's Maskinfabrik ApS paraffine tunnel, model: BOVM 400, serial number: 02.190.01, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 16 A, clothed infeed belt, belt width: 350 mm, brush length: 400 mm, s/s mesh belt, belt width: 410 mm, clearance: 400 mm x 30 mm, total dimensions: 4100 mm x 950 mm x 2200 mm.	150
227	GVN	GVN steel pressure vessel, model: N283-1040, serial number: GVN0518038370, year of construction: 14.05.2018, volume: 100 liter, dimensions: 510 mm x 600 mm x 1860 mm.	150
228	NN paraffine tank	S/s paraffine tank, dimensions: 1150 mm x 530 mm x 880 mm.	50
229	NN paraffine tank	S/s paraffine tank, dimensions: 900 mm x 870 mm x 600 mm.	75
230	Danfoss	Danfoss cooling compressor, model: SC12GXT0, serial number: 2917153954, 220/240 V, 50 Hz, refrigerant: R134A, max pressure: 20 bar, dimensions: 450 mm x 320 mm x 430 mm.	75
231	Cabinplant	Cabinplant elevating belt, type: DRAINSYSTEM, number: 8252-04, year of construction: 2002, 400 V, 3 Ph, plastic mesh belt, belt width: 710 mm, elevating height: 1200 mm, total dimensions: 3200 mm x 1350 mm x 1530 mm.	500
232	NN paraffine tank	S/s paraffine tank, dimensions: 1250 mm x 830 mm x 1000 mm.	50
233	Delaval	Delaval cooling compressor with condenser, type: ASR500 SD, 360/420 V, 3 Ph, 50 Hz, dimensions: 900 mm x 940 mm x 820 mm.	75
234	Stork	Stork flow pump, type: 100 C4, number: A 02 46, 380/660 V, 50 Hz, 2.2 kW, N: 1390, dimensions: 1650 mm x 750 mm x 500 mm.	250
235	Record	Record flowpacker, model: Panda 1000, serial number: 03-97-203, year of construction: 1997, 4 kW, weight: 810 kg, seal width: 250 mm, plastic belt, belt width: 200 mm, total dimensions: 3450 mm x 1150 mm x 1540 mm.	1000
236	Ulma		1500



Nr	Title	Description	Start €
		Ulma flowpacker, model: ATLANTA, machine number: 1110595, year of construction: 2002, 380 V, 50 Hz, 9 A, 1.5 kW, plastic belt, belt width: 300 mm, seal width: 375 mm, total dimensions: 3350 mm x 1150 mm x 1640 mm and 1300 mm x 800 mm x 1600 mm.	
237	Freshtech Solutions	Freshtech Solutions tray denester, clearance: 400 mm x 300 mm, plastic belt, belt width: 380 mm, total dimensions: 1600 mm x 1030 mm x 1560 mm.	250
238	Freshtech Solutions	Freshtech Solutions tray denester, clearance: 400 mm x 300 mm, plastic belt, belt width: 380 mm, total dimensions: 1600 mm x 1030 mm x 1560 mm.	250
239	LR Rimopack S.L.	LR Rimopack S.L. flowpacker, type: AGRO, seal width: 250 mm, plastic belt width: 250 mm and 50 mm, total dimensions 6450 mm x 1100 mm x 1500 mm.	500
240	Henkelman	Henkelman dip tank, type: Diptank 200A, machine number: HOD20200003, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 32 A, 23 kW, plastic mesh belt, belt width: 575 mm, clearance: 600 mm x 380 mm, total dimensions: 1550 mm x 1150 mm x 1420 mm.	2500
241	Wagner	Wagner autoclave, type: KORIMAT KA160, factory number: 991608, year of construction: 1999, 230/400 V, 3 Ph, 9 kW, volume: 120 liter, dimensions: 1150 mm x 800 mm x 1250 mm.	2500
242	Ishida	Ishida metal detector and checkweigher with rejecters, model: DACS-W-012-SB-WP-I, serial number: 551513, year of construction: 2001, 240 V, 1 Ph, 50 Hz, 2 A, clearance: 270 mm x 100 mm, plastic belt, belt width: (3x) 220 mm, total dimensions: 1670 mm x 1000 mm x 1470 mm.	500
243	Dantherm	Dantherm mobile air dryer, type: CD-E 3000e, 380/420 V, 3 Ph, 50 Hz, 10 A, 5.5/9.8 kW, dimensions: 680 mm x 610 mm x 1030 mm.	75
244	Jungheinrich	Jungheinrich electric pallet lifter, type: EJD 16 G-20-119-166 ZT, serial number: 7988367 04, year of construction: 1991, capacity: 1600 kg, weight: 720 kg, battery weight min/max: 150/166 kg, fork length: 1170 mm, fork width: 570 mm, total dimensions: 1950 mm x 700 mm x 1280 mm.	250
245	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor and condensing unit, type: 4CC-9.2Y-40S, serial number: 1678908515, dimensions: 1300 mm x 900 mm x 1000 mm.	250
246	Mai	Mai bandsaw, type: 51 A, number: 650013, year of construction: 1987/1988, 380 V, 3 Ph, 50 Hz, 6.2 A, dimensions: 1000 mm x 820 mm x 2000 mm.	750
247	Henkovac/HFE vacuum Systems bv	Henkovac/HFE vacuum Systems bv mobile double chamber vacuum machine, type: E-503 XL, serial number: 20090159, year of construction: 2009,	4000



Nr	Title	Description	Start €
		380-400 V, 3 Ph, 50 Hz, 20 A, weight: 807 kg, seal length: (4x) 960 mm, chamber dimensions: (2x) 2100 mm x 1200 mm x 1320 mm, Busch vacuum pump, type: RA 0302 D 5Z1 QMXX, capacity: 300 m ³ per hour, total dimensions: 2100 mm x 1200 mm x 1320 mm.	
248	Bizerba	Bizerba weighing and bottom labelling system with rejector, type: GLM-I, number: 10808032, 230 V, 50 Hz, 2.4 A, type Bizerba labeller: GLI, number: 10808031, plastic belt, belt width: (6x) 295 mm, total dimensions: 4300 mm x 1000 mm x 2130 mm.	2000
249	Bergmann	Bergmann waste press, type: PS 8100-29 SB F, factory number: 01 4443 3270 / 91, year of construction: 01.1991, weight: 800 kg, dimensions: 1640 mm x 1300 mm x 2500 mm.	1000
250	Zetterströms Rostfria AB	Zetterströms Rostfria AB vessel with plate heat exchanger, model: SHG · 300 · LR, serial number: 89115, year of construction: 1989, volume: 300 liter, max pressure: 8 bar, max temperature: 175 C°, dimensions: 870 mm x 950 mm x 2380 mm.	200
251	Handtmann	Handtmann vacuum filling machine with linking attachment, type: VF610, number: 30865, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 3.5 kW, number attachment: 34-5/13325773, Busch vacuum pump, type: KC 0016 E 3Z0, number: 120001169, year of construction: 2011, capacity: 16 m ³ per hour, dimensions: 870 mm x 780 mm x 1770 mm.	10000
252	Serman & Tipsmark A/S	Serman & Tipsmark A/S mobile filling station, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 16 A, 6 kA, dimensions mixing drum: Ø 390 mm x 500 mm, Fristam lobe pump, type: FKFNH 40, number: 0620470006, total dimensions: 1350 mm x 900 mm x 1720 mm.	500
253	Stephan	Stephan mobile vacuum mixer, type: VM 100, machine number: 718.949.01, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 3.1 A, 1.1 kW, volume: 100 liter, dimensions: 1100 mm x 1400 mm x 1400 mm. Missing vacuum pump.	1000
254	Sander	Sander mobile strapping machine, model: TZ/3, number: 0075722, year of construction: 2002, 230 V, 1 Ph, 50 Hz, 1.0 kW, clearance: 850 mm x 600 mm, total dimensions: 1420 mm x 630 mm x 1570 mm.	250
255	Holac	Holac mobile dicer, chamber dimensions: 90 mm x 90 mm, total dimensions: 1050 mm x 550 mm x 1000 mm. Missing button.	750
256	Rühle	Rühle injector, 56 needles, s/s walking beam, beam width: 345 mm, clearance: 350 mm x 170 mm, total dimensions: 1350 mm x 900 mm x 2040 mm.	1000



Nr	Title	Description	Start €
257	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF200B, number: 4517, year of construction: 1999, 400 V, 50 Hz, 17 A, 6.5 kW, Becker vacuum pump, type: U 1.16 SA-31, number: B 1563649, year of construction: 1999, dimensions: 1900 mm x 1320 mm x 2300 mm.	3500
258	Inject Star	Inject Star mobile injector, type: BI 13 B, number: 161, 380 V, 3 Ph, 50 Hz, 2200 Watt, 13 needles, s/s belt, belt width: 300 mm, dimensions: 1350 mm x 550 mm x 1750 mm.	500
259	Maja Maschinen Fabrik GmbH	Maja Maschinen Fabrik GmbH flake ice machine, type: RVE 1500 S, serial number: I-40477, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 1.07 A, 0.28 kW, refrigerant: R 404a, working width: 680 mm, total dimensions: 1550 mm x 550 mm x 500 mm.	1300
260	HFE vacuum systems bv	HFE vacuum systems bv mobile traysealer, model: TPS COMPACT XL, serial number: 08131, year of construction: 2008, 400 V, 3 Ph, 50 Hz, 5 A, weight: 132 kg, film width: 420 mm, dye: (2x) 221 mm x 163 mm, Busch vacuum pump, type: KB 0020 D I00, capacity: 20 m ³ per hour, total dimensions: 850 mm x 600 mm x 1300 mm.	750
261	Frey	Frey mobile vacuum filling machine, type: KONTI A50, machine number: KA 80038221, 400 V, 50 Hz, 3.0 kW, dimensions: 1000 mm x 750 mm x 1650 mm.	1000
262	MAPE	MAPE flowpacker, model: VB-1BIS, S4, serial number: 190303, year of construction: 2003, 220 V, 1500 W, 450 kg, seal width: 250 mm, plastic belts, belt width: 220 mm and 50 mm, total dimensions: 5920 mm x 850 mm x 1670 mm.	1500
263	Miromatic	Miromatic mobile mixing unit, type: MRA 1-2-C-K, 380 V, IKA head reactor, type: 1000/25, number: 96-2138, year of construction: 1996, ORLITA pump, type: MF 15.30, serial number: 660124, volume tank: 30 liter, dimensions: 1560 mm x 910 mm x 1800 mm.	500
264	Ilpra	Ilpra cup filling and sealing machine, model: 4000 cip, number: FS 502, year of construction: 2003, 380 V, cup diameter: 70 mm, plastic belt, belt width: 210 mm, total dimensions: 1800 mm x 1600 mm x 1700 mm. Including s/s tank, dimensions: 1100 mm x 500 mm x 600, and pallet with s/s pipes, dimensions: 2700 mm x 1100 mm x 450 mm.	4000
265	Jungheinrich	Jungheinrich electric pallet lifter, fork length: 1140 mm, fork width: 550 mm, total dimensions: 1600 mm x 720 mm x 1300 mm. Technical condition unknown.	100
266	Still	Still electric pallet lifter, type: EGU - 16, serial number: 710115017930, year of construction: 2000, capacity: 1600 kg, weight: 310 kg, battery weight:	250



Nr	Title	Description	Start €
		165 kg, fork length: 1140 mm, fork width: 560 mm, total dimensions: 1600 mm x 700 mm x 1400 mm.	
267	Vemag	Vemag vacuum filling machine, model: Robby, type: 134, number: 1340691, year of construction: 1996, 220-240/380-460 V, 3 Ph, 50/60 Hz, 25/20 A, dimensions: 950 mm x 900 mm x 1700 mm.	2500
268	Reepack	Reepack mobile traysealer, model: Reetray 25SKIN, serial number: 3812045, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 16 A, dye: (2x) 175 mm x 130 mm, Busch vacuum pump, type: RA 0040 F 4S3, capacity: 40 m ³ per hour, total dimensions: 1050 mm x 700 mm x 1600 mm.	1500
269	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double clipper, type: FCA 3 441, number: 513, year of construction: 1998, 400 V, 50 Hz, 4 A, dimensions: 1200 mm x 650 mm x 1880 mm.	3500
270	APV Crepaco	APV Crepaco lobe rotor pump on s/s platform with plastic infeed hopper specially for cheese, serial number: F-0272, capacity: 100 liter per hour, dimensions: 1400 mm x 1400 mm x 1500 mm.	200
271	NN cooking vessel	Cooking vessel, inside dimensions: 540 mm x 540 mm x 500 mm, total dimensions: 840 mm x 780 mm x 860 mm.	100
272	NN pneumatic cylinders	4 pneumatic cylinders, length: 770 mm, diameter: 90 mm.	100
273	Treif	Treif mobile dicer, type: 1322, machine number: 132201.68021.0958, year of construction: 1993, 380/220 V, 3 Ph, 50 Hz, 3.5/10 A, chamber dimensions: 85 mm x 85 mm, total dimensions: 1070 mm x 620 mm x 1000 mm. Without grid sets.	900
274	Unika	Unika grinder, model: S-32, number: 1996-0628, 220/380 V, 7.4 A, 3 kW, maximum worm dimensions: Ø 60 mm, total dimensions: 610 mm x 410 mm x 400 mm. Incomplete.	100
275	Stephan	Stephan mobile microcutter, type: MC10, machine number: 727.581.01, year of construction: 2001, 230 V, 50 Hz, 27.5 A, 7.5 kW, dimensions: 650 mm x 630 mm x 1070 mm.	3000
276	Bandall	Bandall mobile binding machine, type: BA72-30, machine number: 11185255, year of construction: 2005, 230 V, 50 Hz, clearance: 680 mm x 360 mm, dimensions: 1300 mm x 520 mm x 1450 mm.	1000
277	Mactech	Mactech mobile strapping machine, type: MTZ600, number: 071950, year of construction: 1999, 230 V, 1 Ph, 50 Hz, clearance: 700 mm x 610 mm, total dimensions: 1260 mm x 520 mm x 1530 mm.	250
278	M-Tek		1000



Nr	Title	Description	Start €
		M-Tek modified atmospheric packaging machine, serial number: 533, seal length: 1350 mm, total dimensions: 1440 mm x 900 mm x 2100 mm.	
280	LETS bv	LETS bv hygiene station with sole cleaner, hand disinfection unit and tourniquet, type: LHE9, serial number: 174201007, year of construction: 06/2021, total dimensions: 1820 mm x 900 mm x 1600 mm.	4000
281	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins and linking attachment, type: VF300B, number: 965, 380 V, 50 Hz, 23.6 A, 9.5 kW, numbers attachment: 34-4/1071 and 60-6/4898, Becker vacuum pump, type: U 1.16 SA-31, number: B1076841, capacity: 16 m³ per hour, dimensions: 1650 mm x 1250 mm x 2020 mm. Including crate with parts.	4000
282	DWM Copeland	DWM Copeland compressor rack consisting of: 4 DWM Copeland cooling compressor type: (1x) D4DH3-2500-EWM, capacity: 70.9 m³ per hour, (1x) D3DC5-100X-AWM/D, capacity: 38 m³ per hour, (1x) D3DA5-75X-AWM/D, capacity: 32.2 m³ per hour, (1x) DKSJP-15X-EWL, capacity: 6.33 m³ per hour, dimensions compressor rack: 3150 mm x 1100 mm x 1400 mm, dimensions pressure vessel: 480 mm x 480 mm x 1450 mm, dimensions switch cabinet: 1680 mm x 420 mm x 2200 mm.	500
283	Fessman	Fessman cooking vessel, type: NOVA 809, number: 160, year of construction: 1985, 220 V, 50 Hz, 6 A, gas heated, volume: 400 liter, dimensions: 1380 mm x 1320 mm x 1120 mm.	500
284	Fessman	Fessman cooking vessel, type: K G 809, number: 143, year of construction: 1998, 230 V, 1 Ph, 36 kW, gas heated, volume: 400 liter, dimensions: 1380 mm x 1320 mm x 1120 mm.	500
285	Fessman	Fessman cooking vessel, type: NOVA 809, number: 106, year of construction: 1990, 220 V, 50 Hz, 6 A, 36 kW, gas heated, volume: 400 liter, dimensions: 1380 mm x 1320 mm x 1120 mm.	500
286	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector, model: FGM 80 / 320 F DW, machine number: 8539, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 20 A, s/s walking beam, beam width: 675 mm, 320 needles, total dimensions: 2460 mm x 1080 mm x 1940 mm. Including mobile s/s Fomaco Food Machinery Company A/S filter tub, model: PFS 200 RC, number: 8605, year of construction: 2001, 4.5 A, dimensions: 1540 mm x 840 mm x 850 mm. Including Fomaco Food Machinery Company A/S UV filter, type: FM 80/UV/OZON, number: 8540, year of	6500



Nr	Title	Description	Start €
		construction: 2001, 400 V, 3 Ph, 50 Hz, 2.0 A, dimensions: 740 mm x 650 mm x 1240 mm.	
288	NN trolley	S/s trolley with parts for multihead weigher, dimensions: 1350 mm x 600 mm x 1100 mm.	60
289	Rgdmape	Rgdmape flowpacker, model: VR-6 genio, serial number: 285110, year of construction: 2010, 220 V, 1500 W, max weight: 600 kg, max rpm: 120, plastic velt, belt width: 250 mm, s/s chain belt with dividers: belt width: 20 mm, distance between dividers: 260 mm, divider height: 35 mm, total dimensions: 3750 mm x 1000 mm x 1580 mm. Technical condition unknown.	1000
290	IDM	IDM kebab grill, model: IDM 2R07, serial number: 536, year of construction: 12/08/16, 220 V, 50/60 Hz, 2 A, 450 W, clearance: Ø 500 mm x 1100 mm, total dimensions: 1150 mm x 1100 mm x 1800 mm.	400
291	Senking	Senking mobile tiltable braising pan, inside dimensions: 870 mm x 760 mm x 180 mm, total dimensions: 1070 mm x 1300 mm x 970 mm.	400
292	K+G Wetter	K+G Wetter paddle mixer-grinder with lifter for 200 liter meat bins, type: MWW E130-443, machine number: 443/1030, year of construction: 2018, 230/400 V, 3 Ph, 50 Hz, 40/50 A, 19 kW, plate diameter: 130 mm, total dimensions: 2600 mm x 1750 mm x 1840 mm.	25000
293	Günther Maschinenbau GmbH	Günther Maschinenbau GmbH mobile cooled vacuum tumbler, type: GPA 200 K , machine number: 33298, year of construction: 2012, 400 V, 16 A, 2 kW, capacity: 200 liter, total dimensions: 1800 mm x 850 mm x 1800 mm.	2000
294	Inauen Maschinen AG	Inauen Maschinen AG mobile traysealer, model: VC999/TS 300 N, serial number: 0431133, 400 V, 3 Ph, 50 Hz, 16 A, dye: (2x) 185 mm x 135 mm, operating air pressure: 6–8 bar, Rietschle vacuum pump, type: VCA 40 (00), number: 602608440003, year of construction: 2004, capacity: 10 m ³ per hour, total dimensions: 1120 mm x 600 mm x 1610 mm.	2500
295	HPSL	HPSL weighing scale on s/s frame, serial number: H5108515, year of construction: 2011, 230 V, 50 Hz, scale dimensions: 275 mm x 225 mm, total dimensions: 820 mm x 520 mm x 1610 mm.	150
296	NN transport belt	Mobile s/s transport belt, plastic belt, belt width: 250 mm, total dimensions: 1630 mm x 500 mm x 1000 mm.	250
297	Vemag	Vemag mobile linking machine, model: LPG208, number: 2080203, year of construction: 2010, 400-460 V, 3 Ph, 50-60 Hz, 9 A, 6 kW, dimensions: 1550 mm x 800 mm x 1330 mm.	5000



Nr	Title	Description	Start €
298	NN mixer	Mobile s/s mixer, model: MIXER, number: 96/4/1295, year of construction: 1995, dimensions: 850 mm x 700 mm x 1950 mm.	300
299	Packaging Automation Ltd	Packaging Automation Ltd weigh cell unit, serial number: WEIGHCELL-00023, year of construction: 2018, 24 V, dimensions: 900 mm x 800 mm x 1660 mm.	250
300	Packaging Automation Ltd	Packaging Automation Ltd weigh cell unit, serial number: WEIGHCELL-00020, year of construction: 2018, 24 V, dimensions: 900 mm x 800 mm x 1660 mm.	250
301	NN pie/pizza/cake slicer	Mobile pie/pizza/cake slicer, dimensions: 870 mm x 800 mm x 1700 mm. Including crate with extra knives.	400
302	Blake & Boughton	Blake & Boughton weighing station with labelling machine, machine number: 83287, min/max kg: 0.4/60 kg, e= 0.02 kg, scale dimensions: 600 mm x 500 mm, total dimensions: 950 mm x 700 mm x 1880 mm.	250
303	TAP Machinebouw	TAP Machinebouw mobile double lane transport belt with denester, type: TRBON2, serial number: 042-011161, year of construction: 2015, mobile double transport belt with denester, tray size: 230 mm x 100 mm, belt width top belt: 305 mm, bottom belt width: 105 mm, total dimensions: 4150 mm x 1400 mm x 1800 mm.	500
304	Mondomix Howden B.V.	Mondomix Howden B.V. continuous aeration mixer, type: A15L, year of construction: 1996, 415 V, 3 Ph, 50 Hz, 18 A, weight: 600 kg, dimensions: 1980 mm x 670 mm x 1730 mm.	1000
305	Polimoon	Polimoon traysealer, model: 1911VG, serial number: 1203007, year of construction: 2003, 220 V, 3 Ph, 50 Hz, 31 A, dye: (2x) 250 mm x 150 mm, film width: 430 mm, total dimensions: 5550 mm x 1000 mm x 1900 mm.	1250
306	Pronova Specialmaskiner	Pronova Specialmaskiner mobile continuous bag sealer, type: 425 UR, number: 2227, plastic belt, belt width: 190 mm, seal length: 1170 mm, total dimensions: 4540 mm x 800 mm x 1620 mm.	400
307	Schur	Schur mobile continuous bag sealer, type: Joker 225, 400 V, 3 Ph, 50 Hz, 16/9 A, plastic belt, belt width: 200 mm, total dimensions: 3700 mm x 1000 mm x 1600 mm.	850
308	Sealpac	Sealpac traysealer, type: SEALPAC 350, serial number: TVG 01-90-01, year of construction: 1997, 400/230 V, 50-60 Hz, 1.5 kW, weight: 450 kg, dye: (2x) 215 mm x 130 mm, total dimensions: 4250 mm x 900 mm x 1800 mm. Technical condition unknown.	1500



Nr	Title	Description	Start €
309	Rademaker	Rademaker mobile depositor, type: DEPOSITOR, serial number: 7138-708, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2 A, weight: 395 kg, dimensions: 920 mm x 1400 mm x 2100 mm.	750
310	Rademaker	Rademaker mobile 2 head depositor, type: DEPOSITOR, serial number: 6320-712, year of construction: 2003, weight: 260 kg, outfeed diameter: 25 mm, total dimensions: 920 mm x 1400 mm x 2100 mm.	500
311	Key	Key mobile vibrating gutter, type: MVTDV, number: 12758, year of construction: 2002, gutter width: 400 mm, total dimensions: 3150 mm x 1130 mm x 2400 mm.	500
312	NN tray filling belt	Tray filling belt with infeed funnel, plastic mesh belt with rollers, belt width: 390 mm, total dimensions: 3300 mm x 750 mm x 1880 mm.	150
313	Muvero	Muvero cooking vessel, type: MKR 200, number: 981243, year of construction: 23-3-1999, 230 V, 50 Hz, gas heated, volume: 200 liter, dimensions: 950 mm x 950 mm x 1200 mm.	300
314	Tecnovac	4 pallets with trays, tray dimensions: 150 mm x 130 mm and 205 mm x 150 mm.	10
315	Desa	Desa mobile tiltable mixer, type: D60, fabrication number: 0910, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 1.2 A, volume: 60 liter, dimensions: 840 mm x 500 mm x 980 mm.	950
316	CFS	CFS mobile steaker, type: TRC 400 SCR, machine number: 141, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 135 kg, s/s mesh belt, belt width: 400 mm, working width: 400 mm, total dimensions: 1800 mm x 600 mm x 1230 mm.	1000
317	H.Glass	H.Glass mobile vacuum tumbler, type: VSM 150, machine number: 2065, year of construction: 1999, 220/380 V, 1 Ph, 50 Hz, 1.12 kW, volume: 150 liter, Busch vacuum pump, type: 016-116, number: 343191, capacity: 16 m ³ per hour, total dimensions: 950 mm x 750 mm x 1400 mm.	1000
318	Webomatic	Webomatic mobile dip tank, dimensions: 850 mm x 620 mm x 1130 mm.	500
319	FPC	FPC mobile tilting device for pallet boxes, model: Loader 750/1300, type: 140 1912 001 01, serial number: O 200428 03, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.5 kW, weight: 725 kg, dimensions: 2000 mm x 1500 mm x 2050 mm.	1750
320	Stephan	Stephan universal machine, type: UM 40, year of construction: 1985, 380 V, 50 Hz, 10.5 / 13.8 A, 4 / 5.5 kW, volume: 40 liter, dimensions: 900 mm x 650 mm x 1220 mm.	800



Nr	Title	Description	Start €
321	Stephan	Stephan mixer, model: Bäcker-Boy, type: BB 100, number: 1267699, 380 V, 50 Hz, dimensions bowl: Ø 650 mm x 380 mm, total dimensions: 1200 mm x 1050 mm x 1100 mm.	850
322	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile double automatic clipper, type: DFC 8161, number: 12879, 380 V, 1 Ph, 50 Hz, 5/7 bar, plastic belt, belt width: 185 mm, total dimensions: 2200 mm x 1100 mm x 1950 mm.	750
323	Inject Star	Inject Star cooled vacuum tumbler, type: ES-800-COOL, number: K-101, year of construction: 1999, 400/230 V, 3 Ph, 50 Hz, 3.3 kW, volume: 800 liter, Rietschle vacuum pump, type: VCE 15, number: 1976467, capacity: 15/18 m ³ per hour, dimensions: 2550 mm x 1100 mm x 1600 mm. Including cooling unit, dimensions: 750 mm x 820 mm x 1300 mm.	2000
324	Tender Star	Tender Star mobile tenderizer, model: T.S.E. serial number: 2012344, year of construction: 2001, 220/380 V, 3 Ph, 50 Hz, 0.9 kW, clearance: 400 mm x 160 mm, total dimensions: 970 mm x 850 mm x 1800 mm.	500
325	Townsend	Townsend mobile skinning and derinding machine, model: 9000EURO, number: 4813, year of construction: 2002, 380 V, 3 Ph, 50 Hz, 3.8 A, plastic mesh belt, belt width: (2x) 505 mm, working width: 490 mm, total dimensions: 2150 mm x 900 mm x 1350 mm.	1000
326	Easy Systems	Easy Systems transport belt, s/s frame, serial number: 20210134, year of construction: 2021, plastic belt, belt width: 370 mm, total dimensions: 1800 mm x 700 mm x 1440 mm.	200
327	Ishida	Ishida checkweigher with rejector, model: QC220-VT-1B-F-R-HD-RL, serial number: 560011122, year of construction: 10/2016, 240 V, 1 Ph, 50 Hz, 5 A, weight: 450 kg, plastic belts, belt width: 220 mm, total dimensions: 1950 mm x 1000 mm x 1680 mm.	600
328	Rühle	Rühle injector and tenderizer, type: IR 56, 56 needles, s/s walking beam, beam width: 290 mm, clearance: 340 mm x 150 mm, total dimensions: 1350 mm x 800 mm x 2030 mm.	1500
329	Alco	Alco mobile flattening machine, type: ASP 250, serial number: 19301213, year of construction: 2002, 400 V, (2x) 0.18 kW, 260 kg, plastic belt, belt width: (1x) 245 mm, (1x) 250 mm, total dimensions: 1600 mm x 650 mm x 1410 mm. Technical condition unknown.	1000
330	Alco	Alco mobile breading machine, type: APT 250 N, serial number: 01798225, year of construction: 2015, 400 V, 50 Hz, 16 A, s/s mesh belt, belt width: (3x) 250	4000



Nr	Title	Description	Start €
		mm, total dimensions: 2200 mm x 900 mm x 1810 mm.	
331	APV-Rannie	APV-Rannie homogenizer, number: 1-94-198, dimensions: 1300 mm x 900 mm x 1450 mm.	5000
332	Bock	Bock condensing unit with cooling compressor, type: AM2/58-4S, number: W24452, year of construction: 1990, 220/380 V, 50 Hz, 5.4/3.1 A, capacity: 4.93 m³ per hour, dimensions: 650 mm x 550 mm x 630 mm.	100
333	NN turning table	S/s turning table, diameter table: 1250 mm, height table: 750 mm.	500
334	FPC	FPC mobile tilting device for pallet boxes, model: Loader 750/1300, type: 140 1912 001 01, serial number: O 200428 02, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 1.5 kW, weight: 725 kg, dimensions: 2000 mm x 1500 mm x 2050 mm.	1750
335	Mafo Howden B.V.	Mafo Howden B.V. crate washing machine, serial number: MAFO 230 SN, year of construction: 1993, clearance: 860 mm x 530 mm, total dimensions: 3800 mm x 1100 mm x 1630 mm. Incomplete.	1000
336	Henkovac	Henkovac mobile dip tank, dimensions: 950 mm x 760 mm x 1330 mm.	1500
337	TVM	TVM mobile portioning machine, plastic outfeed belt, belt width: 200 mm, total dimensions: 1700 mm x 1150 mm x 2100 mm.	500
338	Vestergaard	Vestergaard s/s pallet lifter, fork length: 1150 mm, total dimensions: 1530 mm x 520 mm x 1150 mm.	400
339	Belca	Belca flowpacker, model: BF 300 H plus inox, serial number: B-7013 M, year of construction: 2022, 220 V, 3 kW, distance between dividers: 445 mm, clearance: 125 mm x 160 mm, s/s rollers, roller width: 330 mm, seal width: 260 mm, plastic belt, belt width: 280 mm, film width: 560 mm, total dimensions: 5000 mm x 1350 mm x 1680 mm.	2500
340	Sealpac	Sealpac traysealer, type: Sealpac 350, serial number: TVG 0122901, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 1.5 kW, film width: 305 mm, dye: 300 mm x 260 mm, total dimensions: 4050 mm x 800 mm x 1850 mm.	2000
341	Wilux	Wilux mobile labelling machine, type: LP-40/S, serial number: ZP/1501508, 230 V, 50/60 Hz, 125 W, plastic infeed belt, belt width: 40 mm, s/s rollers, roller width: 125 mm, total dimensions: 2270 mm x 1200 mm x 1900 mm.	800
342	Fillpack	Fillpack mobile infeed hopper, type: DV2, number: 90105, year of construction: 1999, plastic belt, belt width: 680 mm, gutter width: 210 mm, total dimensions: 840 mm x 900 mm x 1800 mm.	1500
343			100



Nr	Title	Description	Start €
	MBM Deutschland GmbH	MBM Deutschland GmbH dishwasher, model: MK 6 1P, serial number: 990 29192, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 15 A, 6750 W, dimensions: 800 mm x 700 mm x 1480 mm.	
344	Risco S.P.A.	Risco S.P.A. vacuum filling machine with lifter for 200 liter meat bins, model: RS 4001, serial number: 0398008, year of construction: 1998, 220 V, 3 Ph, 60 Hz, 7.7 kW, weight: 900 kg, Busch vacuum pump, type: RB 0018 D 100, capacity: 18 m³ per hour, dimensions: 1950 mm x 1250 mm x 1900 mm.	2700
345	Poly-Clip System GmbH & Co. KG	Poly-Clip System GmbH & Co. KG mobile double clipper, type: PDC 700 F, number: 2019, year of construction: 2007, 5-7 bar, dimensions: 1120 mm x 860 mm x 1910 mm. Damaged.	1000
346	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile automatic clipper, type: FCA 3411, number: 84768, 380 V, 50 Hz, 4 A, 5/7 bar, dimensions: 1450 mm x 1400 mm x 2050 mm.	750
348	NN spraying belt	Spraying belt, s/s belt, belt width: 590 mm, clearance: 550 mm x 440 mm, total dimensions: 1850 mm x 1300 mm x 1750 mm.	500
349	Pierre Guerin	Pierre Guerin homogenizer, type: ALM 10 LISSEUSE, number: B8180680, s/s tub, inside dimensions: Ø 700 mm x 700 mm, total dimensions: 1500 mm x 950 mm x 1900 mm.	2000
350	NN sieve	S/s sieve, sieve width: 600 mm, total dimensions: 1250 mm x 700 mm x 1930 mm.	750
351	Alexanderwerk	Alexanderwerk vacuum filling machine with linking attachment, type: NFV 50, machine number: 04808669, 230/400 V, 50 Hz, 6.9 A, 3 kW, dimensions: 1000 mm x 630 mm x 1600 mm.	2500
352	Hoyer	Hoyer continuous ice-cream machine, type: KF400, serial number: 1139/65, dimensions: 1850 mm x 650 mm x 1650 mm.	1000
353	Treif	Treif dicer, type: 1304, machine number: 130400.67241.0396, year of construction: 1988, 220-380 V, 3 Ph, 50 Hz, 3.5/10 A, dimensions chamber: 85 mm x 85 mm, total dimensions: 1000 mm x 665 mm x 795 mm. Including extra grids.	1250
354	Mobility Engineering Limited	Mobility Engineering Limited transport belt, type: Merge Unit, serial number: CN9403879, year of construction: November 2009, plastic belt with rollers, belt width: 920 mm, total dimensions: 1850 mm x 1300 mm x 1315 mm.	200
355	Krämer+Grebe	Krämer+Grebe cutter, steel bowl, machine number: 68/1644/75, bowl dimensions: Ø 750 mm x 120 mm, total dimensions: 1170 mm x 1000 mm x 1150 mm.	300
356	Unimasz		500



Nr	Title	Description	Start €
		Unimasz boot cleaning station, type: MPB-05, factory number: 084/05, year of construction: 08/2005, brush length: (3x) 350 mm, total dimensions: 1150 mm x 900 mm x 1100 mm.	
357	Herma	Herma labelling machine with Videojet date printer, type: 152 CP, machine number: 837113, year of construction: 2022, plastic belt, belt width: 950 mm, total dimensions: 2050 mm x 1350 mm x 1320 mm. With s/s turning table, dimensions top: Ø 990 mm, total dimensions: Ø 1270 mm x 1040 mm.	2500
358	SNL	SNL 45° curve conveyor, machine number: 10454-2-00, year of construction: 2015-02, plastic mesh belt, belt width: 150 mm, total dimensions: 3800 mm x 1200 mm x 970 mm.	500
359	Nijal	Nijal vacuum filling machine with lifter for 200 liter meat bins, type: PSV 330 N, serial number: 0790304, year of construction: March 2004, dimensions: 2050 mm x 1600 mm x 1950 mm.	950
360	Proseal	Proseal dye for Proseal GT1V, model: Weizoplast 1-6 GM-50H, dimensions: 800 mm x 350 mm x 470 mm.	150
361	Karl Schnell GmbH & Co.	Karl Schnell GmbH & Co. vacuum filling machine with lifter for 200 liter meat bins, type: 595, machine number: 21598, year of construction: 2001, 400 V, 3 Ph, 50 Hz 18.2 A, dimensions: 1700 mm x 1400 mm x 1880 mm.	4000
362	Electro Calorique	Electro Calorique regeneration cabinet, 6 floors, floor dimensions: 300 mm x 225 mm, total dimensions: 580 mm x 440 mm x 1330 mm. 1 floor is missing.	50
363	Holac	Holac dicer, type: AUT 30, number: 202-30-35, year of construction: 2001, 400 V, 50 Hz, chamber: 175 mm x 160 mm, total dimensions: 2450 mm x 1600 mm x 2150 mm.	1900
364	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF 300 B, number: 635, 380 V, 50 Hz, 25.7 A, 11 kW, dimensions: 2100 mm x 1300 mm x 2020 mm.	2500
366	Kronen	Kronen corer used for cabbages and lettuce, type: CORER 3 B, number: 164, year of construction: 2009, 400 V, 3 Ph, 50 Hz, 2.6 kW, 3 lanes, maximum diameter product: 240 mm, total dimensions: 3500 mm x 1500 mm x 2200 mm.	8000
367	TVI Entwicklung & Produktion GmbH	TVI Entwicklung & Produktion GmbH portioning machine, type: GMS 1200, serial number: 113, year of construction: 2017, 400 V, 3 Ph, 11.5 kW, 25 A, weight: 2200 kg, plastic mesh belt, belt width: 250 mm, 650 mm, total dimensions: 1750 mm x 2900 mm x 2150 mm. Including 2 s/s trolleys and pallet box with parts, trolley dimensions: (2x) 1050 mm x 1000	5000



Nr	Title	Description	Start €
		mm x 1300 mm, pallet box dimensions: 1200 mm x 1000 mm x 760 mm.	
368	Multivac	Multivac thermoformer with suction device for rest film, type: R 230, machine number: 1182, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 27 A, 8 kW, dye: (2x) 387 mm x 174 mm, plastic belt, belt width: 350 mm, total dimensions: 4250 mm x 1050 mm x 2050 mm, dimensions suction device: 700 mm x 520 mm x 1150 mm. Without vacuum pump.	8000
369	Stephan	Stephan universal machine, type: UM / VM 44, machine number: 724640.01, year of construction: 1999, 400 V, 3 Ph, 50 Hz, 9.4/12.4, 50 Hz, inside dimensions: Ø 500 x 300 mm, total dimensions: 920 mm x 665 mm x 1100 mm. Including extra mixing arm, without vacuum pump.	2500
370	Hofelmeyer	Hofelmeyer weigher for 200 liter meat bins, type indicator: HTF200, serial number: 1209421, 110-240 V, 50/60 Hz, 100 mA, dimensions: 1200 mm x 900 mm x 1200 mm.	150
371	Frey	Frey vacuum filling machine, type: KONTI-EP80E, machine number: KEP80E/070800, 400 V, 50 Hz, dimensions: 950 mm x 700 mm x 1620 mm. Without rotor and vanes.	2000
372	Vemag	Vemag mobile linking machine, model: LPG208 Servo, number: 2080626, year of construction: 2017, 400-460 V, 3 Ph, 50/60 Hz, 7 A, 4.5 kW, 517 kg, dimensions: 1500 mm x 850 mm x 1270 mm. Incomplete, without pipes and belts.	26000
373	Handtmann	Handtmann vacuum filling machine with lifter for 200 liter meat bins, type: VF100B, number: 12164, year of construction: 1999, 400 V, 50 Hz, 14.4 A, 5.5 kW, Becker vacuum pump, type: U1.16SA-31, number: B3312970, year of construction: 2019, 16/19 m ³ per hour, dimensions: 1650 mm x 1350 mm x 2100 mm.	2000
374	Winterhalter	Winterhalter dishwasher, model: GS 502, serial number: 520454, 400 V, 3 Ph, 50 Hz, 20.5 A, 10.8 kW, clearance: 500 mm x 500 mm, total dimensions: 800 mm x 740 mm x 1530 mm.	200
375	Turbo Tools	Turbo Tools mobile depositor, model: Obrut, serial number: SD234680, dimensions: 1300 mm x 710 mm x 1820 mm.	450
376	Convotherm	Convotherm combisteamer, model: OSP 12.20, number: O5R04030507, 380-415 V, 3 Ph, 50/60 Hz, 46-50 A, 30-36 kW, inside dimensions: 710 mm x 660 mm x 1000 mm, total dimensions: 1100 mm x 1280 mm x 1370 mm.	650
377	NN switch cabinet	S/s switch cabinet, dimensions: 1300 mm x 560 mm x 2320 mm.	250



Nr	Title	Description	Start €
378	BL Products AB	BL Products AB vertical packaging machine, type: BLP-X9/S, serial number: X9/S-008, with Crizaf elevating belt with dividers, model: LD, serial number: 27905, year of construction: 06/2002, Rietschle side channel vacuum pump, type: SAP 150 (01), capacity: 150 m³ per hour, belt width: 380 mm, distance between dividers: 150 mm, divider height: 100 mm, total dimensions: 3200 mm x 800 mm x 2900 mm.	1000
379	Groba BV	Groba horizontal cheese divider, type: HHDM 520-S, year of construction: 1999, belt width: 340 mm and 235 mm, roll width: 2 x 250 mm, consisting of 2 parts, dimensions: 3250 mm x 1100 mm x 2100 mm and 2800 mm x 1100 mm x 2080 mm.	1000
380	Garos	Garos tumbler for 200 liter meat bins, type: GAT 300, machine number: 41015048, year of construction: 2000, 380/220 V, 50 Hz, 2.3 A, weight: 685 kg, capacity: 400 kg, dimensions: 1750 mm x 1600 mm x 1300 mm. Without rollies.	3500
381	Marel	Marel part for batch weigher, s/s frame, plastic belt, belt width: 530 mm, total dimensions: 2120 mm x 950 mm x 2230 mm.	750
382	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S injector with filter tub, model: FGM 48 SC, machine number: 10450-2006, 400 V, 3 Ph, 50 Hz, 22/63 A, 6 bar, 192 needles, plastic mesh belt, belt width: 390 mm, total dimensions: 2400 mm x 950 mm x 2300 mm, dimensions filter tub: 2000 mm x 750 mm x 900 mm.	3700
383	NN cooking vessel	Cooking vessel, inside dimensions: 850 mm x 850 mm x 450 mm, total dimensions: 1050 mm x 1400 mm x 1000 mm.	400
384	Glass	Glass cooking vessel with lifter for meat bins and oil heater, type: WOK 300, machine number: 2894, year of construction: 2006, 400 V, 50 Hz, 6.3 A, 2.44 kW, volume: 300 liter, dimensions cooking vessel: 2400 mm x 1600 mm x 1650 mm, dimensions lifter: 1300 mm x 750 mm x 2300 mm, dimensions heater: 1700 mm x 600 mm x 1550 mm.	10000
385	NN denester	Denester, dimensions dye: (1x) 190 mm x 130 mm, (1x) 120 mm x 120 mm, total dimensions: 1265 mm x 770 mm x 1800 mm.	150
386	NN vacuum machine	Belt vacuum machine, plastic belts, belt width: 400 mm, seal length: 1070 mm, dimensions chamber: 1070 mm x 500 mm, total dimensions vacuum machine: 1600 mm x 700 mm x 1050 mm, dimensions transport belt: 1450 mm x 900 mm x 1250 mm. Technical condition unknown, incomplete, electrical cabinet inside missing.	500



Nr	Title	Description	Start €
387	Multivac	Multivac thermoformer, type: R 230 MC, machine number: 179, year of construction: 1997, 400 V, 3 Ph, 50 Hz, 15 kW, 36 A, film width: 340 mm, dimensions dye: (2x) 310 mm x 215 mm, total dimensions: 5500 mm x 950 mm x 2000 mm. Without vacuum pump and outfeed belt. Including Multivac suction device for rest film, type: F-CEVF 3718-3, dimensions: 600 mm x 700 mm x 1400 mm. Machine will be provided with steel transport support beam.	2000
388	Ilapak	Ilapak flowpacker, model: Carrera 1000 M, serial number: 99 171, 400 V, 3 Ph, 50 Hz, 8 A, plastic belts, belt width: (2x) 60 mm, (1x) 250 mm, distance between dividers: 300 mm, seal length: 280 mm, total dimensions: 4050 mm x 1300 mm x 1550 mm.	1000
389	Steck	Steck mobile depositor, tub dimensions: Ø 660 mm x 550 mm, total dimensions: 1600 mm x 700 mm x 1220 mm.	750
390	NN pallet box	Plastic pallet box with large amount of electric parts, dimensions: 1200 mm x 1000 mm x 750 mm.	500
391	Berkel	Berkel bandsaw, type: BS 1750 RN, number: 50450, year of construction: 2007, 230/400 V, 3 Ph, 50 Hz, 4.7/2.7 A, 1.1 kW, table dimensions: 500 mm x 540 mm, total dimensions: 500 mm x 540 mm x 1000 mm.	300
392	Kolbe	Kolbe bandsaw, type: K310, serial number: 916071, year of construction: 1987, 380 V, 3 Ph, 50 Hz, 3.6 A, 1.5 kW, dimensions: 830 mm x 740 mm x 1700 mm.	750
393	Seydelmann	Seydelmann cutter with lifter for 200 liter meat bins, ejector and s/s switch cabinet, type: K120U, machine number: 97235-1, 400 V, 50 Hz, 100 A, s/s bowl, volume: 120 liter, cutter dimensions: 1900 mm x 1300 mm x 1750 mm, lifter dimensions: 1250 mm x 1100 mm x 1200 mm, switch cabinet dimensions: 800 mm x 800 mm x 260 mm. Including extra knives.	7500
394	Treif	Treif mobile dicer, type: 06603, machine number: 08032.66511.0880-1, year of construction: 1987, 380/220 V, 3 Ph, 50 Hz, 2.7/16 A, chamber: 85 mm x 85 mm, total dimensions: 1100 mm x 600 mm x 980 mm.	1500
395	Kramer + Grebe	Kramer + Grebe cutter with s/s switch cabinet, type: SM 65, machine number: 1 8/623/1 83, year of construction: 1983, 380/220 V, 3 Ph, 50 Hz, 53 A, steel bowl, volume: 65 liter, dimensions: 1600 mm x 1150 mm x 1400 mm, dimensions switch cabinet: 1000 mm x 300 mm x 850 mm. Including extra knives.	2000
396	Garos	Garos injector and tenderizer, type: 128/576 PLC, machine number: 39910026, 400/480 V, 50/60 Hz, 6	4500



Nr	Title	Description	Start €
		bar, 1670 kg, 128 needles, clearance: 550 mm x 310 mm, s/s walking beam, beam width: 550 mm, total dimensions: 3200 mm x 920 mm x 2170 mm.	
397	Kilia	Kilia cutter with ejector and switch cabinet, model: 120 1 EX 2000S, machine number: 18710870, year of construction: 1987, 380 V, 57/68 A, 28/25 kW, steel bowl, volume: 120 liter, dimensions: 2050 mm x 1750 mm x 1950 mm, dimensions switch cabinet: 660 mm x 200 mm x 760 mm.	2500
398	Treif	Treif mobile slicer, model: Jaguar, machine number: 342307.61683.0109, year of construction: 2001, 230/400 V, 50 Hz, 6,2/10 A, 2,6 kW, chamber: 200 mm x 200 mm, total dimensions: 1850 mm x 800 mm x 1300 mm.	2000
399	Mettler Toledo Garvens	Mettler Toledo Garvens checkweigher with rejecter, type: C 3331, fabrication number: 1433743880010, year of construction: 2019, 100-240 V, 50-60 Hz, maximum weight: 500-2000 gram, minimum weight: 30 gram, e=d=: 0.5-1 gram, T=- 500 gram, plastic belt, belt width: 280 mm, total dimensions: 3000 mm x 900 mm x 1200 mm.	3000
400	Allround Engineering B.V.	Allround Engineering B.V. transport belt for depositor, serial number: 22345, year of construction: 2022, s/s frame, plastic belt, belt width: 150 mm, total dimensions: 2950 mm x 550 mm x 1550 mm.	500
401	Krämer + Grebe	Krämer + Grebe grinder, type: WW130, machine number: 223/524/1, year of construction: 1985, diameter plate: 130 mm, total dimensions: 1250 mm x 900 mm x 1280 mm.	2500
402	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 2JC-07.2Y-40S, serial number: 1676906585, capacity: 5.2/6.3 m³ per hour, total dimensions: 600 mm x 600 mm x 600 mm.	150
403	Reepack	Reepack traysealer, model: ReeMarket, serial number: 2518003, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 20 A, dye: (4x) 220 mm x 180 mm, (2x) 180 mm x 135 mm, plastic mesh belt, belt width: (2x) 255 mm, total dimensions: 4100 mm x 930 mm x 1820 mm. With Busch vacuum pump, type: RA 0100 F 4S3, number: 130021742, year of construction: 2013, capacity: 100 m³ per hour and 2 crates with spare parts.	5500
404	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with labeller, type checkweigher: PAS 3012, serial number: 17000505, year of construction: 2007, 230 V, 50 Hz, maximum: 7.5 kg, minimum: 0.020 kg, e=: 0.001 kg, d=: 0.001 kg, T=-: 7.5 kg, plastic belt, belt width: (3x)	1500



Nr	Title	Description	Start €
		300 mm, total dimensions: 2250 mm x 850 mm x 730 mm.	
405	Galdi / Variopak	Galdi / Variopak forming and filling machine, model: RG 21, serial number: 200012, year of construction: 2000, 380 V, 50 Hz, 9 kW, weight: 1600 kg, package size: 74 mm x 74 mm, total dimensions: 1630 mm x 3250 mm. With outfeed roller conveyor, roller width: 50 mm, total dimensions: 1100 mm x 300 mm x 160 mm and s/s double jacketed infeed pipe, diameter infeed: 150 mm, total dimensions: 1300 mm x 250 mm x 350 mm and pallet with spare parts, dimensions: 800 mm x 600 mm x 700 mm.	2000
406	Garvens Automations GmbH	Garvens Automations GmbH metal detector with checkweigher with double rejectors, type: S3 combi, serial number: 330069, year of construction: 1999, 230 V, 50 Hz, weighing range: 20-3500 gram, e=d= 0.5 gram, T= - 3500 gram, plastic belt, belt width: 290 mm, clearance: 350 mm x 210 mm, total dimensions: 1300 mm x 700 mm x 1850 mm and 1100 mm x 950 mm x 1370 mm.	1500
407	Innotec	Innotec mobile sausage cutter, type: WI 93 S3/1, machine number: 1310, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 5 A, 2 kW, dimensions: 1000 mm x 600 mm x 1150 mm.	1500
408	Easy Systems	Easy Systems transport belt, s/s frame, serial number: 20210135, year of construction: 2021, plastic belt, belt width: 370 mm, total dimensions: 1200 mm x 900 mm x 1270 mm.	200
409	NN transport belt	Transport belt with rejector, s/s frame, plastic belt, belt width: 285 mm, total dimensions: 1600 mm x 650 mm x 1350 mm.	250
411	Ulma	Ulma mobile vertical bag form-, fill- and seal machine, model: ETNAHI-TECH 380, machine number: 60381054, year of construction: 2005, 380 V, 50 Hz, 24 A, 9 kW, film width: 800 mm, filling pipe diameter: 200 mm, vertical seal length: 400 mm, horizontal seal length: 400 mm, total dimensions: 2200 mm x 1600 mm x 2450 mm.	2000
412	Herco	Herco mobile pressure vessel for adding oxygen, type: MD 005-2, serial number: 521-149, year of construction: 2007, minimum/maximum working pressure: -1/+15 bar, minimum/maximum working temperature: 0/20 °C, volume: 109 liter, dimensions: 900 mm x 600 mm x 1100 mm.	250
413	Charvet	Charvet pasta cooker, model: CPMDG2-12, number: 079127XG11, year of construction: 2019, 220-250 V, 1 Ph, 50 Hz, gas heated, dimensions baskets: (2x) 460	700



Nr	Title	Description	Start €
		mm x 400 mm x 450 mm, total dimensions: 1600 mm x 940 mm x 1300 mm.	
414	Trapo Nederland B.V.	Trapo Nederland B.V. 90° curve conveyor, plastic rollers, roller width: 200 mm, total dimensions: 1100 mm x 670 mm x 900 mm.	250
415	Holac	Holac lifter for 200 liter meat bins, type: HE 4/3, machine number: 4.032.00.4, year of construction: 2004, 400 V, 50 Hz, 2.6 A, 1.1 kW, lifting height: 1950 mm, total dimensions: 1750 mm x 1250 mm x 2750 mm.	1500
416	Laska Maschinenfabrik	Laska Maschinenfabrik grinder, type: WW 280 2 GX, number: 12325, year of construction: 2007, 400 V, 3 Ph, 50 Hz, 230 A, 127 kW, weight: 2700 kg, plate diameter: 280 mm, total dimensions: 2400 mm x 1910 mm x 2200 mm.	50000
417	KTC	KTC air compressor, model: COMPACK 2 SP 90, serial number: AK100014397, year of construction: 2021, 400 V, 3 Ph, 50 Hz, 3 kW, weight: 78 kg, maximum working pressure: 10 bar, dimensions: 1160 mm x 480 mm x 930 mm.	400
418	CSL SRL	CSL SRL pressure tank, type: 0060, number: 10467, year of construction: 2010, volume: 500 liter, max pressure: 11 bar, max temperature: 120 C°, dimensions: Ø 600 mm x 2170 mm.	400
419	ALUP	ALUP chiller, type: ADQ 21 (0), serial number: ITJ471519, year of construction: 2021, 230 V, 1 Ph, 50 Hz, 0.173 kW, weight: 19 kg, max pressure: 15 bar, refrigerant: R513A, dimensions: 500 mm x 350 mm x 440 mm.	400
420	Wessamat Eismaschinenfabrik GmbH / Follett	Wessamat Eismaschinenfabrik GmbH / Follett ice machine with bunker on s/s frame, type ice machine: M 400 ZP-1, serial number: 52366, year of construction: 2012, 400 V, 50 Hz, 1.5 A, refrigerant: R404a / 1500 g, model bunker: E-ITS700SG-30, total dimensions: 1220 mm x 800 mm x 2450 mm.	1250
421	Rudolf Schad	Rudolf Schad mobile binding machine, type: E, number: 40, year of construction: 1985, dimensions: 800 mm x 700 mm x 1200 mm.	250
422	Röschermatic	Röschermatic mobile mixer, number: 344, 380/220 V, 0.85 kW, inside dimensions: Ø 750 mm x 750 mm, total dimensions: 1300 mm x 1000 mm x 1600 mm. Defect.	300
423	NN tumbler	S/s tumbler, dimensions tumbler: Ø 600 mm x 950 mm, total dimensions: 1050 mm x 800 mm x 1450.	500
424	Marel	Marel mobile hanging line, model: H04030, serial number: 10453380, year of construction: 2020, 400-480 V, 3 Ph, 50/60 Hz, 370 kg, dimensions: 3700 mm x 650 mm x 1450 mm.	5000



Nr	Title	Description	Start €
425	Marel	Marel mobile linking machine, model: FL 0240, serial number: 10445932, year of construction: 2020, 480 V, 3 Ph, 60 Hz, dimensions: 3000 mm x 800 mm x 1860 mm.	15000
426	Schröder	Schröder meat press, type: HAMAX 800, number: HA 805 03, year of construction: 2003, 400 V, 50 Hz, 10 A, 4 kW, pipe diameter: 95 mm, total dimensions: 2750 mm x 850 mm x 1700 mm.	2500
427	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, model: VC10, number: AS 116 RH, s/s rollers, roller width: 300 mm, chamber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	350
428	Maja-Maschinenfabrik GmbH	Maja-Maschinenfabrik flake ice machine with bunker, type: RVE 700 S, machine number: 34586, inside dimensions bunker: 1350 mm x 900 mm x 1150 mm, total dimensions: 1520 mm x 1200 mm x 2400 mm.	1800
429	Gamar	Gamar sole cleaner with hand disinfection station, model: Steriplus, serial number: 10095433, year of construction: 2010, 230/115 V, 1 Ph, 50/60 Hz, 0.5 A, 20 W, dimensions: 1620 mm x 1000 mm x 1440 mm.	500
430	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: CLS 200, number: 60000011, year of construction: 2013, 230 V, 50 Hz, plastic belt, belt width: 300 mm, clearance: 300 mm x 35 mm, total dimensions: 1800 mm x 1200 mm x 1700 mm.	1500
431	NN curve conveyor	90° curve conveyor, plastic belt, belt width: 1200 mm, total dimensions: 3100 mm x 1600 mm x 1100 mm.	400
432	Atlas Copco	Atlas Copco mobile air compressor, 220 V, 1 Ph, 50 Hz, 7.3 A, 1.1 kW, dimensions: 730 mm x 370 mm x 900 mm.	400
433	Crimex Compressor	Crimex Compressor mobile air compressor, type: CMV 460, fabric number: 1368 85, year of construction: 1985, stroke volume in liter per minute: 460, max pressure: 10 bar, dimensions: 1300 mm x 500 mm x 1130 mm.	400
434	NN curve conveyor	90° curve conveyor, plastic belt, belt width: 1200 mm, total dimensions: 2750 mm x 1700 mm x 1250 mm.	400
435	OCS	OCS mobile metal detector, type: MN 5.0 CI 700/400, serial number: 950322-CI, 100-240 V, 50/60 Hz, 50-300 mA, plastic belt, belt width: 470 mm, clearance: 700 mm x 360 mm, total dimensions: 2200 mm x 1100 mm x 1350 mm. Technical condition unknown.	750
436	Carnitech	Carnitech fish filleting machine, type: CT 2611, number: 854400, year of construction: 2002, 400 V, 3	4000



Nr	Title	Description	Start €
		Ph, 260 kg, s/s gutter, working width: 50 mm, total dimensions: 2100 mm x 800 mm x 1690 mm.	
437	Holvrieka	Holvrieka s/s tank, fabrication number: 041.013, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	1000
438	Bizerba	Bizerba mobile slicer, type: A 500, number: 10354430, 400 V, 3 Ph, 50 Hz, s/s mesh belt, belt width: 300 mm, total dimensions: 2300 mm x 800 mm x 1800 mm.	5000
439	NN drip tray	Plastic drip tray, dimensions: 1300 mm x 1300 mm x 900 mm.	75
440	Holvrieka	Holvrieka s/s tank, fabrication number: 041.014, year of construction: 2004, weight: 130 kg, volume: 500 litres, dimensions: 900 mm x 900 mm x 2100 mm.	1000
441	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: C 2351, fabrication number: 1456891930010, year of construction: 2023, 230 V, 1 Ph, 50-60 Hz, 4.3 A, temperature range: 0-40 °C, weighing range: 0-15 kg, plastic belt, belt width: 450 mm, total dimensions: 850 mm x 700 mm x 1700 mm. Screen broken, already dismantled.	1500
442	Pökomat	Pökomat mobile injector, type: P 18/320, serial number: 3870, 400 V, 3.5 A, 1.5 kW, 255 kg, 18 needles, plastic mesh belt, belt width: 300 mm, total dimensions: 1500 mm x 600 mm x 1870 mm.	500
443	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher with scanner, type: IND 439 40, fabrication number: 14003144, year of construction: 2008, 230 V, 50 Hz, maximum: 20000 gram, minimum: 200 gram, e- 10 gram, belt width: 500 mm, total dimensions: 2300 mm x 1100 mm x 1900 mm.	1250
444	Anema	Anema centrifugal pump, capacity: 55 m ³ per hour, dimensions: 760 mm x 500 mm x 600 mm.	150
445	Memmert	Memmert universal heating and drying oven, type: U 30, fabrication number: 871 947, 220 V, 50/60 Hz, 1400 W, working temperature: 300 °C, dimensions: 550 mm x 510 mm x 680 mm.	200
446	Memmert	Memmert heating and drying oven, type: ULE 400, fabrication number: g402.0684, 230 V, 50/60 Hz, 6.1 A, 1400 W, dimensions: 550 mm x 550 mm x 670 mm.	200
447	Nicotra	Pallet with Nicotra blower, model: ADH E2-0500+P1, dimensions: 800 mm x 800 mm x 1100 mm.	250
448	Reflex	Reflex steel pressure vessel, type: Refix DE 100, serial number: 1820955 00322, year of construction: 02.2023, volume: 100 litre, dimensions: Ø 500 mm x 800 mm.	50
449	Aquacare Europe B.V.		100



Nr	Title	Description	Start €
		Aquacare Europe B.V. water softener, dimensions: 500 mm x 400 mm x 1500 mm.	
450	Stork	Stork centrifugal pump, dimensions: 1000 mm x 400 mm x 900 mm.	75
451	ABB	Pallet with 5 ABB motors, dimensions: 1200 mm x 800 mm x 500 mm.	200
452	Meiko	Meiko washing machine, type: BTA 160, serial number: 10381724, year of construction: 03/2018, 400 V, 3 Ph, 50 Hz, 51.22 A, 32.99 kW, clearance: 330 mm x 80 mm, dimensions: 8700 mm x 5200 mm x 1850 mm.	1500
453	Grundfos	Pallet with Grundfos pump, mixer for tanks and 2 motors, dimensions: 1200 mm x 800 mm x 500 mm.	200
454	Endress+Hauser	Endress+Hauser mass flow meter, type: PROMASS F, serial number: 6B0A5002000, DN80.	100
455	ABB / Lenze / Grundfos	Pallet with 3 ABB / Lenze motors and Grundfoss pump, dimensions: 1200 mm x 800 mm x 450 mm.	150
456	VEM / Flowserve SIHI Germany GmbH	Pallet with 2 Flowserve SIHI Germany GmbH parts for liquid ring vacuum pumps, type: LPHX 45316 AB, year of construction: 2024 and 2 VEM motors , dimensions: 1200 mm x 800 mm x 400 mm.	400
457	KTN	Pallet with KTN s/s chains, various sizes, total dimensions: 1200 mm x 800 mm x 400 mm.	100
458	Lenze / SEW Eurodrive	Pallet with 3 Lenze / SEW Eurodrive motors, dimensions: 1200 mm x 800 mm x 750 mm.	250
459	Anema	Anema centrifugal pump, capacity: 5.8 m ³ per hour, dimensions: 600 mm x 250 mm x 500 mm.	150
460	APV	APV centrifugal pump, serial number: B 4298 MT, dimensions: 700 mm x 300 mm x 400 mm.	150
461	VEM / Demag	Pallet with 3 VEM / Demag motors, dimensions: 1200 mm x 800 mm x 450 mm.	175
462	NN motors	Pallet with 9 motors, dimensions: 1200 mm x 800 mm x 600 mm.	450
463	APV / Endress+Hauser	Pallet with various APV valves and Endress+Hauser flowmeters, dimensions: 1400 mm x 950 mm x 800 mm.	100
464	Foodmate	Foodmate chicken thigh deboner with outfeed belt and deboning belt, model: OPTI THIGH DEBONER, serial number: FM.00.620.030, year of construction: 2017, weight: 2275 kg, plastic belts, belt width: (2x) 370 mm, total dimensions deboner: 7600 mm x 1800 mm x 2200 mm, 90° curved outfeed belt, plastic mesh belt, belt width: 210 mm, total dimensions: 6100 mm x 2850 mm x 1300 mm. Deboning belt, 8 work stations, plastic belts, belt width: (1x) 150 mm, (1x) 370 mm, total dimensions: 4700 mm x 1050 mm x 1800 mm.	35000



Nr	Title	Description	Start €
465	MDM	MDM centrifugal pump with filter, type: 80H190/AS15K, dimensions: 930 mm x 440 mm x 800 mm.	150
466	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 500 mm x 920 mm x 350 mm.	200
467	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 2710, machine number: 271004.69131.0495, year of construction: 1999, 400/230 V, 50 Hz, 3 A, 1.0 kW, 174 kg, dimensions chamber: 95 mm x 95 mm, total dimensions: 1000 mm x 620 mm x 1000 mm.	3000
468	Reflex	Reflex steel pressure vessel, type: refix DT5, volume: 200 liter, dimensions: ø 600 mm x 1050 mm.	50
469	Reflex	Reflex steel pressure vessel on s/s frame, dimensions tank: ø 600 mm x 1050 mm, total dimensions: 700 mm x 700 mm x 2030 mm.	75
475	NN platform	S/s platform, working height: 2000 mm, total dimensions: 2850 mm x 4500 mm x 3100 mm.	950
476	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 1051, machine number: 105103.67131.0515-1, year of construction: 1989, 380-220 V, 3 Ph, 50 Hz, 5.5 A, dimensions chamber: 85 mm x 85 mm, total dimensions: 1300 mm x 700 mm x 1500 mm.	1250
477	Ulma	Ulma vertical bag form-, fill-, and seal machine, model: Etna HI-TE, machine number: 60281057, year of construction: 2003, 400 V, 50 Hz, 7 A, 6.5 kW, seal width: 300 mm, total dimensions: 2000 mm x 1500 mm x 2000 mm.	2000
478	CMS	CMS mobile vertical bag form-, fill-, and seal machine, model: MV100Small, serial number: 1067/06, year of construction: 2006, 380 V, 50 Hz, film width: 500 mm, seal width: 320 mm, total dimensions: 1400 mm x 1000 mm x 1400 mm.	1000
479	PMR System Group	PMR System Group labelling machine with top and bottom labeller, model: M3000.100.15, serial number: 6991/12, 230 V, 50/60 Hz, plastic belt, belt width: 225 mm, total dimensions: 1300 mm x 800 mm x 1600 mm.	1000
480	Scanvaegt	Scanvaegt checkweigher, type: 411, serial number: BPE05478E, year of construction: 2008, plastic belt, belt width: 470 mm, total dimensions: 700 mm x 660 mm x 1500 mm. Including Scanvaegt s/s switch cabinet on s/s frame, dimensions: 700 mm x 500 mm x 1900 mm.	750
481	SIG Packaging Technology	SIG Packaging Technology s/s vibrating gutter, serial number: MV 1059, gutter width: 300 mm, total dimensions: 1600 mm x 800 mm x 950 mm.	500
482	SIG Packaging Technology	SIG Packaging Technology s/s vibrating gutter, serial number: MV 1058, gutter width: 500 mm, total dimensions: 1800 mm x 900 mm x 1100 mm.	750



Nr	Title	Description	Start €
483	NN oil-water separator	Oil-water separator, model: Puro-CT3, fabrication number: 9703001022, year of construction: 10-2017, dimensions: 470 mm x 230 mm x 400 mm.	50
484	CO.Inox	CO.Inox steel pressure vessel, volume: 500 liter, dimensions: Ø 570 mm x 2200 mm.	150
485	Scanvaegt	Scanvaegt elevating belt, type: 100346, year of construction: 06.02.10, s/s frame, plastic belt with dividers, belt width: 350 mm, distance between dividers: 200 mm, divider height: 100 mm, elevating height: 1800 mm, total dimensions: 4500 mm x 600 mm x 2300 mm.	750
486	Nieros	Nieros washing machine for meat bins, model: CL K 200 D, article number: 4530-077, serial number: N3T25-04, year of construction: 2006, 400 V, 3 Ph, 50 Hz, 9.5 kW, dimensions: 2300 mm x 900 mm x 2100 mm.	1500
487	Schutten Machines BV	Schutten Machines BV water cup filling and closing machine, model: TML-250-1 number: 01005, year of construction: 2002, diameter cutps: 75 mm, total dimensions: 4160 mm x 1690 mm x 2210 mm.	500
488	Hobart	Hobart dishwasher with infeed and outfeed roller conveyor, dimensions: 4800 mm x 4000 mm x 2100 mm. Lot located on other location in Heerlen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1000
489	VIB	VIB refrigeration sliding door, width: 150 mm, dimensions door: 2000 mm x 2560 mm, rail length: 4350 mm. Lot located on other location in Heerlen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	250
527	Scanvaegt / Marel	Scanvaegt / Marel double lane portion cutter, type: B-22, serial number: 80.0790, year of construction: 2008, 400 V, 3 Ph, 50/60 Hz, 16/32 A, 8 kW, dimensions: 8300 mm x 1500 mm x 2000 mm.	5000
560	Pfeiffer Vacuum	3 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, serial number: 21577376, year of construction: 2010, capacity: 2.9 m³ per hour, weight: 10.5 kg, dimensions: (3x) 310 mm x 120 mm x 190 mm.	200
561	Pfeiffer Vacuum	2 Pfeiffer Vacuum pumps, model: DUO 2.5 and DUO 2.6, serial number: 21482229, year of construction: 2010 and 2006, capacity: 2.9 m³ per hour, weight: 10.5 kg, dimensions: (2x) 310 mm x 120 mm x 190 mm.	100
562	Pfeiffer Vacuum	Pfeiffer Vacuum pump, model: DUO 3, serial number: 22064160, year of construction: 2010, capacity: 2.9 m³ per hour, weight: 10.5 kg, dimensions: 310 mm x 120 mm x 190 mm.	50
563	Wamma		50



Nr	Title	Description	Start €
		Wamma s/s UV disinfection cabinet, model: WH03510STAL, year of construction: 2021, 230 V, 30 W, dimensions: 1000 mm x 650 mm x 150 mm.	
564	Dell	2 stands for Dell computer monitors.	10
565	Kromer	Crate with 4 Kromer balancers.	200
566	Handtmann	Handtmann case spooling device, type: 78-6, number: 712, code: 1997, 230 V, 50 Hz, 0.67 A, 0.19 kW.	200
567	Elmo Rietschle	Elmo Rietschle vacuum pump, dimensions: 1500 mm x 750 mm x 460 mm.	400
568	SEW-Eurodrive	SEW-Eurodrive motor, dimensions: 650 mm x 300 mm x 450 mm.	100
569	NN ham moulds	Plastic pallet box with large amount of s/s ham moulds, ham mould dimensions: 550 mm x 115 mm x 75 mm, total dimensions: 1200 mm x 1000 mm x 750 mm.	150
570	Cubigel	Cubigel cooling compressor, type: CMX18TB3M, dimensions: 500 mm x 460 mm x 340 mm.	75
571	Electrolux	Electrolux cooling compressor, dimensions: 450 mm x 500 mm x 460 mm.	75
572	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, compressor type: 2EC-3.2Y-40S, serial number: 1680402324, capacity: 11.4/13.7 m³ per hour, dimensions: 700 mm x 980 mm x 920 mm.	400
573	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1828021 0007, year of construction: 2017, capacity: 500/1000 kg with Kratos balancer.	150
574	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1917771 0003, year of construction: 2018, capacity: 500/1000 kg with Kratos balancer.	150
575	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1876721 0052, year of construction: 2017, capacity: 500/1000 kg with Kratos balancer.	150
576	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1828021 0001, year of construction: 2017, capacity: 500/1000 kg with Kratos balancer.	150
577	L'unite Hermetique	L'unite Hermetique cooling compressor, dimensions: 550 mm x 350 mm x 400 mm.	40
578	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 2KES-05Y-40S, capacity: 4,1/4,9 m³ per hour, dimensions: 850 mm x 850 mm x 600 mm.	400
579	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, condensing unit type: LH44E, serial number: 1692308937, type cooling compressor: 2EES-2Y-40S, serial number:	400



Nr	Title	Description	Start €
		1692306160, capacity: 11.2/13.7 m ³ per hour, dimensions: 1050 mm x 800 mm x 630 mm.	
580	NN rollie	Plastic rollie for container trolley, dimensions: 800 mm x 700 mm x 250 mm.	10
581	NN chairs	2 chairs.	10
582	TVH	TVH pallet lifter, type: CBD25, serial number: 12091395-13/176, year of construction: 2012, weight: 62 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1600 mm x 530 mm x 1250 mm.	75
583	NN locker	Steel locker, dimensions: 360 mm x 480 mm x 1820 mm.	10
584	NN transport belt	Plastic transport belt, dimensions: 880 mm x 850 mm x 560 mm.	50
585	NN tables	2 steel tables, dimensions: (2x) Ø 700 mm x 720 mm.	10
586	KSB	KSB circulation pump, type: ETABLOC-MN 40-200/154, serial number: 0005046887 001000 04, year of construction: 2004, dimensions: 460 mm x 280 mm x 300 mm.	30
587	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with Bitzer Kühlmaschinenbau GmbH cooling compressor, type cooling compressor: 2JC-07.2Y-40S, serial number: 1683008954, capacity: 5.2/6.3 m ³ per hour, dimensions: 670 mm x 500 mm x 570 mm.	200
588	NN ham moulds	Plastic pallet box with large amount of s/s ham moulds, ham mould dimensions: 550 mm x 115 mm x 75 mm, total dimensions: 1200 mm x 1000 mm x 750 mm.	150
589	NN cooling compressor	Cooling compressor, dimensions: 830 mm x 730 mm x 750 mm.	40
590	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type: 20-4.2, capacity: 22/14 m ³ per hour, dimensions: 1250 mm x 650 mm x 6830 mm.	150
591	Kovu B.V.	Kovu B.V. cooling unit, year of construction: 2015, dimensions: 850 mm x 570 mm x 530 mm.	50
592	Mitsubishi	Mitsubishi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 3005070, year of construction: 2013, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	200
593	Mitsubishi	Mitsubishi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 4017762, year of construction: 2014, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	200



Nr	Title	Description	Start €
594	Mitsubishi	Mitsubishi inside and outside air conditioning unit, type outside unit: MUZ-HJ25VA, 230 V, 50 Hz, dimensions: 800 mm x 300 mm x 230 mm, type inside unit: MSZ-HJJ25VA, serial number: 3005028, year of construction: 2013, 230 V, 50 Hz, refrigerant: R410A, dimensions: 700 mm x 270 mm x 530 mm.	200
600	Repak	Repak thermoformer, type: RF 3, machine number: 21006, year of construction: 2002, 220/380 V, 3 Ph, 50 Hz, 26 A, 11 kW, bottom film width: 425 mm, dye: (8x) 165 mm x 80 mm, top film width: 416 mm, plastic belt, belt width: 375 mm, Rietschle vacuum pump, type: V05 100 0017, capacity: 100/120 m³ per hour, total dimensions: 8800 mm x 1100 mm x 2100 mm. Including s/s trolley with 3 dye's, dye: (6x) 182 mm x 112 mm, (6x) 182 mm x 112 mm, (16x) 82 mm x 77 mm, total dimensions: 700 mm x 700 mm x 1750 mm. Transport rollies not included.	750
601	Espera	Espera checkweigher with top labeller, type machine: ES 5000, type checkweigher: ESW 2514, maximum weight: 6 kg, minimum weight: 40 gram, e = 2 gram, T = -6000 kg, type labeller, type: ESG 334, plastic belt, belt width: (2x) 150 mm, total dimensions: 1500 mm x 900 mm x 1500 mm.	1750
602	NN frame	S/s frame, dimensions: 1500 mm x 480 mm x 400 mm.	25
603	Voltman	Voltman mobile coating machine, s/s mesh belt, belt width: 400 mm, total dimensions: 3700 mm x 950 mm x 1640 mm.	500
604	NN vacuum machine	Mobile vacuum machine, number: 199053156, year of construction: 1994, 380 V, 3 Ph, 50 Hz, 5.3 A, 2.1 kW, Busch vacuum pump, seal length: 590 mm, dimensions chamber: 590 mm x 450 mm, total dimensions: 670 mm x 600 mm x 1030 mm.	250
605	Möller & Co	Möller & Co mobile vacuum machine, type: SB 500, number: 85025509, 220/380 V, 3 Ph, 50 Hz, 11.4/8.2 A, seal length: (2x) 510 mm, chamber dimensions: 510 mm x 450 mm, Busch vacuum pump, type: 063-122 123150, capacity: 63 m³ per hour, total dimensions: 650 mm x 700 mm x 1120 mm.	250
606	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, type: RCA, number: 136, year of construction: 2002, 5-7 bar, diameter pipe: 60 mm, total dimensions: 860 mm x 1060 mm x 1930 mm.	1750
607	Townsend	Townsend mobile skinning machine, model: 7620, serial number: 571, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 2.0 A, working width: 510 mm, total dimensions: 900 mm x 850 mm x 1100 mm.	650
608			2000



Nr	Title	Description	Start €
	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH shock cooling installation for 40 m ² , consisting of: Bitzer Kühlmaschinenbau GmbH compressor rack with twin cooling compressor, type: 6GE-34Y-40P, capacity: 127/153 m ³ per hour, dimensions compressor rack: 1700 mm x 1100 mm x 1650 mm, switch cabinet, dimensions switch cabinet: 1000 mm x 450 mm x 2000 mm.	
609	SPXFlow	SPXFlow cylinder for scraped surface heat exchanger, dimensions: 2540 mm x 370 mm x 280 mm. Including extra parts.	200
610	Alexanderwerk	Alexanderwerk grinder, type: WSL 130II, machine number: 04503009, 400 V, 50 Hz, 25.2/21.4 A, 8.1/13.2 kW, plate diameter: 130 mm, total dimensions: 1050 mm x 1000 mm x 1260 mm.	3500
611	NN flattener	Mobile flattener, plastic belts, belt width: 250 mm, total dimensions: 1800 mm x 650 mm x 1910 mm.	150
612	NN cooking vessel	Cooking vessel, inside dimensions: Ø 840 mm x 600 mm, total dimensions: 1650 mm x 810 mm x 2000 mm. Incomplete.	250
613	Magurit	Magurit frozen block flaker, model: 345, year of construction: 1994, maximum block size: 550 mm x 820 mm, total dimensions: 2150 mm x 1070 mm x 1850 mm.	3000
614	NN belt grill	Mobile belt grill, s/s mesh belt, belt width: 610 mm, clearance: 800 mm x 55 mm, total dimensions: 2380 mm x 1330 mm x 1300 mm.	750
615	Jansen Techniek	Jansen Techniek checkweigher, model: JCS 50, 200-240 V, 50/60 Hz, capacity: 135 pieces per minute, maximum weight: 4000 gram, minimum weight: 50 gram, e=d= 2 gram, plastic mesh belt, belt width: 260 mm, total dimensions: 2200 mm x 1100 mm x 1420 mm.	250
616	Maja Maschinen Fabrik GmbH	Maja Maschinen Fabrik GmbH flake ice machine on s/s frame with plastic mobile tub, type: RVE400S, machine number: I-37826, working width: 190 mm, total dimensions: 990 mm x 900 mm x 1180 mm.	400
617	Katridg Pak Co. Anyl-ray	Katridg Pak Co. Anyl-ray mobile fat analyser, model: M201-4, serial number: F-8, year of construction: 08-1987, 220 V, 50 Hz, 1 Ph, 1.0 A, 1000 Amps max, dimensions pipe: 200 mm x 200 mm x 230 mm, total dimensions: 670 mm x 500 mm x 1720 mm.	75
618	NN flattener	Mobile flattener, plastic belts, belt width: 250 mm, total dimensions: 1300 mm x 750 mm x 1630 mm.	100
619	Handtmann	Handtmann mobile linking machine, type: 115-21, number: 524, year of construction: 2001, 400 V, 3 Ph, 50 Hz, 3.5 A, 2.5 kW, dimensions: 1300 mm x 720 mm x 1280 mm.	700



Nr	Title	Description	Start €
620	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS76, serial number: 1676702501, type cooling compressor: 2CES-3Y-40S, serial number: 1696313488, capacity: 16.2/19.4 m³ per hour, dimensions: 900 mm x 1070 mm x 930 mm.	400
621	Digi/Tereoka Seiko Co. LTD	Digi/Tereoka Seiko Co. LTD packaging machine, model: FX-3600 XL, serial number: 01164105, 400 V, 3 Ph, 50/60 Hz, 1.5 kW, maximum weight: 3/6 kg, minimum weight: 20 gram, e = 1/2 gram, T = 0.999 kg, dimensions: 860 mm x 940 mm x 1390 mm.	150
622	Schuy	Schuy mobile CIP installation with 2 s/s tanks, type: CIP, machine number: 7023, inside dimensions tanks: (2x) Ø 800 mm x 900 mm, total dimensions: 2550 mm x 1100 mm x 1950 mm.	2000
623	Henkovac	Henkovac mobile vacuum machine, type: H-2000, machine number: 208089165, 220/380 V, 3 Ph, 50 Hz, seal length: (2x) 505 mm, chamber dimensions: 510 mm x 610 mm, Busch vacuum pump, type: 063-122, capacity: 63 m³ per hour, total dimensions: 650 mm x 680 mm x 1080 mm.	400
624	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS36, serial number: 1678304237, type cooling compressor: 2JC-07.2Y-40S, serial number: 1678309172, capacity: 5.2/6.3 m³ per hour, dimensions: 680 mm x 900 mm x 635 mm.	350
625	Röscherwerke GmbH	Röscherwerke GmbH mobile double chamber vacuum machine, type: VM-61/2/C, number: 6311007, year of construction: 06/99, 230/400 V, 50 Hz, 6.2 kW, weight: 640 kg, seal length: (4x) 860 mm, chamber: (2x) 880 mm x 640 mm, Busch vacuum pump, type: RA 0250 D 561 QMZZ, number: C9920000012, capacity: 250 m³ per hour, total dimensions: 1950 mm x 920 mm x 1100 mm.	1500
626	Kolbe	Kolbe mobile bandsaw, dimensions table: 880 mm x 780 mm, total dimensions: 900 mm x 940 mm x 1860 mm. Incomplete.	750
627	ITEC	ITEC knife holder washing machine, type: 22510, serial number: 22510-0021, year of construction: 03/2017, 400 V, 3 Ph, 50-60 Hz, 16 kW, dimensions: 1350 mm x 1100 mm x 1820 mm.	1500
628	Bandall	Bandall mobile banding machine, type: BA-24-60, machine number: 9132640, 230 V, 50 Hz, dimensions: 1020 mm x 650 mm x 1820 mm.	1200
629	Bewo	Bewo saw on working bench, type: CPO 250 LT 400V, serial number: 23059801, year of construction: 2003,	250



Nr	Title	Description	Start €
		diameter saw: 285 mm, total dimensions: 800 mm x 550 mm x 1780 mm.	
630	Elbanton	Elbanton water bath, type: WATERBAD spec., serial number: 9911668, year of construction: 1999, 230 V, 16 A, refrigerant: R 134 A, 1100 g, clearance: (4x) Ø 160 mm x 230 mm, total dimensions: 1250 mm x 580 mm x 920 mm.	150
631	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type condensing unit: FS76, serial number: 1678310039, type cooling compressor: 2CC-3.2Y-40S, serial number: 1677012201, capacity: 16.2/19.6 m³ per hour, dimensions: 670 mm x 940 mm x 920 mm.	400
632	Prestcold	Prestcold cooling unit with Prestcold cooling compressor, model: I2HL, serial number: AUW 01113, dimensions: 1100 mm x 1800 mm.	400
633	NN bandsaw	Mobile bandsaw, model: KSH 2020, serial number: 12HL7305-006, year of construction: 25-12-2012, 380 V, 1 PH, 50 Hz, 1500 W, dimensions table: 650 mm x 570 mm, total dimensions: 650 mm x 580 mm x 1560 mm. Without saw.	600
634	NN dicer	Dicer, plastic belt, belt width: 450 mm, working width: 420 mm, distance between knives: 20 mm x 20 mm, total dimensions: 1400 mm x 900 mm x 2000 mm.	750
635	Magurit	Magurit frozen block cutter, working width: 485 mm x 230 mm, total dimensions: 1950 mm x 750 mm x 1580 mm. Incomplete.	2000
636	Stephan Alvac	Stephan Alvac mobile vacuum machine, seal length: (2x) 500 mm, dimensions chamber: 500 mm x 460 mm, built-in vacuum pump, total dimensions: 650 mm x 600 mm x 1100 mm.	350
637	Tender Star	Tender Star mobile tenderizer, model: T.S.E., serial number: 200308, year of construction: 2000, 220/380 V, 3 Ph, 50 Hz, 6.4/3.7 A, 0.9 kW, working width: 250 mm, total dimensions: 1220 mm x 570 mm x 1800 mm.	850
638	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile double clipper, model: DCE6410, number: 194, year of construction: 1998, dimensions: 1100 mm x 750 mm x 1450 mm.	1900
639	Ross Industries, Inc.	Ross Industries, Inc. mobile slicer, model: 950-6, serial number: 1648, year of construction: 4/2015, 380/415 V, 3 Ph, 50 Hz, 20/13/8 A, plastic mesh belts, belt width: (2x) 180 mm, total dimensions: 1660 mm x 800 mm x 1660 mm. Including extra knife and parts.	1250
640	Tramatic	Tramatic electric pallet lifter, fork length: 1200 mm, lifting height: 1400 mm, total dimensions: 1650 mm x	800



Nr	Title	Description	Start €
		900 mm x 2000 mm. Including De Drie B.V. battery charger, 220 V, 12 DC and VARTA battery.	
641	Sealpac	Sealpac traysealer, type: Sealpac MINI, serial number: TVG0218001, year of construction: 1999, 400/230 V, 3 Ph, 1.5 kW, weight: 160 kg, dye: (2x) 210 mm x 155 mm, film width: 305 mm, total dimensions: 1000 mm x 980 mm x 1550 mm. Without vacuum pump.	150
642	Digi Europe LTD	Digi Europe LTD checkweigher, model: HI3600, serial number: 030851001, 230 V, 1 Ph, 50 Hz, plastic belt, belt width: 200 mm, total dimensions: 1600 mm x 700 mm x 1400 mm.	50
643	Strapex	Strapex mobile strapping machine, type: DBC 101s, dimensions: 1460 mm x 630 mm x 1880 mm.	350
644	Innotec	Innotec mobile sausage cutter, type: WT 99, machine number: 9110, year of construction: 2002, 200/240/400/460 V, 50/60 Hz, 12/10/6/5 A, 2 kW, plastic belts, belt width: 30 mm, total dimensions: 900 mm x 750 mm x 1500 mm.	1000
645	Tender Star	Tender Star mobile tenderizer, working width: 205 mm, dimensions: 810 mm x 520 mm x 1600 mm. Technical condition unknown.	400
646	NN transport belt	Transport belt with display, plastic belt, belt width: 120 mm, total dimensions: 1250 mm x 950 mm x 1650 mm.	100
647	Fomaco Food Machinery Company A/S	Fomaco Food Machinery Company A/S mobile injector, model: FGM 20 40, machine number: 3520 1986, s/s mesh belt, belt width: 235 mm, clearance: 280 mm x 240 mm, total dimensions: 1450 mm x 580 mm x 1880 mm.	1000
648	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: FCA 3462, number: 161, year of construction: 1998, 400 V, 50 Hz, 16 A, plastic belt, belt width: 120 mm, total dimensions: 1450 mm x 1450 mm x 2000 mm.	2600
649	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG System double clipper, type: FCA 3461, number: 22339, 380 V, 50 Hz, 20 A, 6/7 bar, dimensions: 1100 mm x 1400 mm x 2100 mm.	500
650	NN sieve	Electric driven scraped filter tubular sieve, 6 steel scraper blades, dimensions sieve drum: Ø 300 mm x 650 mm, perforations: 2 mm, total dimensions: 770 mm x 770 mm x 1600 mm.	1250
651	Cryovac	Cryovac shrink tunnel, model: CJ51T LH, serial number: 03103, year of construction: 1995, 380 V, 50 Hz, 23 A, 15 kW, roller belt, belt width: 280 mm, clearance: 280 mm x 150 mm, total dimensions: 2100 mm x 880 mm x 1450 mm.	500
652	Marel TVM		200



Nr	Title	Description	Start €
		Marel TVM mobile portioning machine, type: TVM - Portio 4000, serial number: 08010-00305, year of construction: 2002, weight: 380 kg, plastic belt, belt width: 200 mm, total dimensions: 2350 mm x 760 mm x 2150 mm.	
653	SCHWARTE	SCHWARTE milk reception unit, with 2 hydraulic self-priming pumps, air eliminator, flow meter, milk filter and interconnecting piping, capacity: 30000 liter per hour, CIP cleanable, inside dimensions: Ø 600 mm x 600 mm, total dimensions: 1500 mm x 800 mm x 1050 mm.	1000
654	Baeten	Baeten insulated mobile mixer, inside dimensions: Ø 750 mm x 750 mm, total dimensions: 1050 mm x 900 mm x 1500 mm. Incomplete.	800
655	NN mesh belt	Mobile transport belt, s/s mesh belt, belt width: 600 mm, total dimensions: 2000 mm x 800 mm x 1000 mm.	400
656	Vemag	Vemag vacuum filling machine, model: Robot 500, type: 128/40, number: 128.1087-1, 380/280 V, 50 Hz, 25 A, Rietschle vacuum pump, type: VVL I5 (01), capacity: 15 m ³ per hour, dimensions: 580 mm x 1020 mm x 1320 mm.	4000
657	Samag	Samag s/s pallet lifter, fork length: 1150 mm, total dimensions: 1450 mm x 470 mm x 170 mm. Defect.	400
658	Pökomat	Pökomat mobile injector, type: P8/270, serial number: 335.1, 400 V, 1.5 A, 550 W, weight: 98 kg, 8 needles, plastic belt, belt width: 260 mm, total dimensions: 1250 mm x 500 mm x 1720 mm.	650
659	Wolfking Belam B.V.	Wolfking Belam B.V. mobile steaker with mobile infeed belt, infeed belt, 400 V, 50 Hz, plastic belt, belt width: 410 mm, steaker type: IT-4 S, machine number: 9801-953.0032, year of construction: 1998, 400 V, 50 Hz, 6 A, working width: 440 mm, total dimensions: 3650 mm x 1400 mm x 1370 mm.	3000
660	Rühle	Rühle mobile traysealer with label printer, type: VR 1, number: 0322 G, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 16 A, 1.5 kW, dye: (2x) 232 mm x 186 mm, total dimensions: 700 mm x 600 mm x 1720 mm.	800
661	Strapex	Strapex mobile strapping machine, type: Canaria V, serial number: 01071, year of construction: 1999, 230 V, 1 Ph, 50 Hz, 4.0 A, clearance: 650 mm x 650 mm, total dimensions: 1320 mm x 850 mm x 1870 mm.	350
662	Iseco	Iseco regeneration cabinet, type: Energis Compact 6 D, serial number: 12 07 4192, 230 V, 1 Ph, 50 Hz, 14.7 A, 3.4 kW, dimensions: 560 mm x 560 mm x 900 mm.	50
663	Marel	Marel Opticut portion cutter, type: OptiCut, serial number: A039404, year of construction: 2006,	2500



Nr	Title	Description	Start €
		380/480 V, 3 Ph, 50/60 Hz, 5/11 A, 7 kW, plastic belt, belt type: intralox 1100 FTAC, belt width: 250 mm, total dimensions: 2050 mm x 750 mm x 2630 mm.	
664	Henkovac	Henkovac mobile vacuum machine, type: H2000, machine number: 208077793, 220/380 V, 3 Ph, 50 Hz, 8.9/8.7 A, 2.5 kW, Busch vacuum pump, type: 063-122, number: 154573, capacity: 63 m ³ per hour, seal length: (2x) 500 mm, dimensions chamber: 550 mm x 500 mm, total dimensions: 700 mm x 620 mm x 1100 mm.	500
665	Siat	Siat box folding and closing machine, model: F145 SX, serial number: 50131, year of construction: 2005, 400 V, 3 Ph, 50 Hz, 4.84 A, 1200 W, 5 infeed chains, chain width: 900 mm, plastic belts, belt width: 80 mm, total dimensions: 2300 mm x 2000 mm x 1800 mm.	250
666	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 142, year of construction: 1999, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	500
667	Ulma	Ulma mobile traysealer, model: SCORPIUS 600, number: 7500195, year of construction: 2011, 400 V, 50 Hz, dye: (4x) 120 mm x 170 mm, plastic belts, belt width: (2x) 310 mm, total dimensions: 2500 mm x 1200 mm x 2050 mm. Including pallet with parts and Busch vacuum pump, type: RA 0100 B and RA 0302 D 5S1 CUZZ, number: 178966 and C1033000032, capacity: 100 m ³ and 300 per hour and infeed belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 2150 mm x 800 mm x 1100 mm.	4000
668	Schröter	Schröter s/s switch cabinet for smoke chamber, type: KR-5, factory number: 250-1212, year of construction: 01/13, dimensions: 750 mm x 450 mm x 1050 mm.	300
669	NN switch cabinet	Steel switch cabinet, dimensions: 1090 mm x 360 mm x 1780 mm.	50
670	NN injector	Mobile injector, 14 needles, s/s mesh belt, belt width: 300 mm, total dimensions: 1430 mm x 600 mm x 1830 mm. Cover damaged.	100
671	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1270 11, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	750
672	Läcovac	Läcovac mobile vacuum machine, type: CV-super, number: 1585, 220/380 V, 1.5 kW, Busch vacuum pump, seal length: 460 mm, dimensions chamber:	500



Nr	Title	Description	Start €
		490 mm x 490 mm, total dimensions: 750 mm x 570 mm x 1100 mm.	
673	Apple	Apple mobile mixing and dosing machine, model: MR 900, serial number: 1268, year of construction: 2003, inside dimensions: 1140 mm x 740 mm x 540 mm, total dimensions: 1480 mm x 1070 mm x 1060 mm.	750
674	Cryovac	Cryovac shrink tunnel, s/s rollers, roller width: 430 mm, clearance: 480 mm x 330 mm, total dimensions: 1020 mm x 850 mm x 1920 mm.	1000
675	Garos	Garos injector, type: GSI 160, machine number: 67100001, 400 V, 50 Hz, 30 A, weight: 1200 kg, s/s walking beam, beam width: 550 mm, 160 needles, total dimensions: 2350 mm x 980 mm x 2350 mm. Including mobile filter tub, dimensions: 1950 mm x 750 mm x 800 mm.	1250
676	AHS	AHS mobile extendable roller conveyor, s/s rollers, roller width: 600 mm, total dimensions: 13500 mm x 870 mm x 830 mm.	500
677	Transvac / Swissvac	Transvac / Swissvac belt vacuum machine, type: SYSTEMATIC, serial number: 2991, year of construction: 1987, 3x 400 V, 50 Hz, plastic belts, belt width: 535 mm / 410 mm, total dimensions: 3350 mm x 1180 mm x 1950 mm.	750
678	Espera	Espera weighing and top and bottom labelling machine, type weigher: ESW 2514, maximum weight: 6 kg, e=d= 2 gram, T=-6 kg, minimum weight: 40 gram, plastic belt, belt width: (8x) 140 mm, type top labeller: ESD 524, type bottom labeller: ESD 564, total dimensions: 1900 mm x 700 mm x 1680 mm.	1250
679	Mettler Toledo	Mettler Toledo weighing scale, plastic string belt, belt width: 120 mm, total dimensions: 1200 mm x 680 mm x 700 mm. Incomplete.	50
680	Loma	Loma checkweigher with metal detector, type: 6000, serial number: CB22554, year of construction: 1995, 220 V, 1 Ph, 50 Hz, weight: 173 kg, maximum weight: 1500 gram, minimum weight: 200 gram, e=d= 1 g. T= 300 g, plastic belt, belt width: 245 mm, clearance: 350 mm x 70 mm, total dimensions: 1300 mm x mm x 950 mm.	450
681	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH compressor rack with 5 Bitzer Kühlmaschinenbau GmbH cooling compressors, type compressors: (3x) 4FES-5Y-40S, serial number: 1684813915, 1684904907 and 1684614500, capacity: 18.1/21.8 m³ per hour and type: (2x) 2GES-2Y-40S, serial number: 1684901824, 1684901823, capacity: 7.6/9.1 m³ per hour, 220-240/265-290 380-420/440-480 V, 3 Ph, 50/60 Hz,	1500



Nr	Title	Description	Start €
		10.8 A, total dimensions: 2000 mm x 910 mm x 1900 mm.	
682	Grunwald GmbH	Grunwald GmbH cup filling and closing machine, type: HITPAC AKH-019SE/1, number: 23/11, year of construction: 2011, 400 V, 3 Ph, 50 Hz, 22 A, 14 kW, diameter cups: 100 mm, total dimensions: 5000 mm x 2100 mm x 2800 mm. Including pallet with parts.	5000
683	Rademaker	Rademaker mobile depositor, type: DEPOSITOR, serial number: 7138-709, year of construction: 2007, 240 V, 1 Ph, 50 Hz, 2 A, weight: 395 kg, dimensions: 1050 mm x 1500 mm x 1970 mm.	750
684	Unimasz	Unimasz sole cleaning station, type: MPB-02, factory number: 121/05, year of construction: 11/2005, brush length: (2x) 1000 mm, total dimensions: 1400 mm x 1100 mm x 1100 mm.	400
685	NN lifting device	Lifting device used for apples, 5 lanes, dimensions lifting platform: 140 mm x 160 mm, total dimensions: 1280 mm x 1200 mm x 3000 mm. Missing motor.	200
686	Maxima	Maxima potato peeler, serial number: 17HL7045-684, 230 V, 1 Ph, 50 Hz, 950 W, capacity: 20 kg, dimensions: 620 mm x 470 mm x 1130 mm.	100
687	Huckepack	Huckepack vacuum pump, type: 437 013, machine number: 2065, year of construction: 1980, capacity: 400 m ³ per hour, dimensions: 1400 mm x 850 mm x 1300 mm.	400
688	Fiorini	Fiorini tank with insulated jacket, type: ACC AC TFB 2000L VERT + 2x2" COIB #, serial number: 6518 4 092015 1, capacity: 2054.1 liter, dimensions: Ø 1300 mm x 2500 mm.	350
689	Ariana Technology LTD	Ariana Technology LTD packaging machine, serial number: 3481-3481, year of construction: 2004, plastic belts, belt width: (2x) 250 mm, (1x) 570 mm, 16 heads, head diameter: Ø 120 mm, total dimensions: 3400 mm x 1040 mm x 1800 mm.	750
690	NN refrigerated counter	Refrigerated counter, dimensions: 1055 mm x 680 mm x 710 mm. Without cooling compressor.	150
691	Sollas	Sollas packaging machine, type: AB50 M.P.C. serial number: 010-003, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 6 A, clearance: 340 mm x 175 mm, total dimensions: 2160 mm x 970 mm x 1430 mm. With pallet with parts.	300
692	Unica	Unica oil / water separator, dimensions: 450 mm x 350 mm x 820 mm.	5
693	Multivac	Multivac thermoformer, type: R530, machine number: 498, year of construction: 1995, 400 V, 3 Ph, 50 Hz, 42 A, 16 kW, film width: 422, dye: (4x) 220 mm x 182 mm, plastic belt, belt width: 380 mm, total	8000



Nr	Title	Description	Start €
		dimensions: 6700 mm x 1050 mm x 2000 mm. Including extra parts.	
694	NN breaker	Breaker, working width: 540 mm, total dimensions: 720 mm x 430 mm x 870 mm. Without knife.	500
695	Scharff Techniek BV / DP Industries	Water softener consisting of 2 Scharff Techniek BV cylinders, plastic tub for salt bricks, and DP Industries break unit, type: HUV2 DW Megacontrol DOL, dimensions: 1200 mm x 800 mm x 2100 mm.	300
696	Viscon	Viscon lid applicator, type: Dekselmachine, serial number 67331-430, year of construction: 2007, weight: 270 kg, plastic belt, belt width: 195 mm, lid size: 120 mm x 140 mm / 190 mm x 150 mm, total dimensions: 3800 mm x 1000 mm x 2000 mm.	1000
697	Unimasz	Unimasz hygiene station, type: KSH-01, number: 123/05, year of construction: 11-2005, dimensions: 1750 mm x 850 mm x 1420 mm.	300
698	NN homogenizer	Homogenizer, dimensions: 1200 mm x 850 mm x 1130 mm.	500
699	Detectronic	Detectronic X-ray scanner, type: Detex-30 400, serial number: 2651-6, year of construction: September 2014, 80 kV, weight: 400 kg, plastic belt, belt width: 400 mm, clearance: 440 mm x 160 mm, total dimensions: 1270 mm x 640 mm x 1780 mm.	400
700	Maja Maschinenfabrik GmbH	Maja Maschinenfabrik GmbH flake ice machine, type: SA 400, machine number: 28102, working width: 190 mm, Maneurop cooling compressor, model: MTZ28JE4AVE, serial number: KF 2759193, 460/400 V, 3 Ph, 50/60 Hz, 7.5/23 A, refrigerant: R134a-R1507-R404A-R407C, dimensions: 800 mm x 650 mm x 1080 mm.	150
701	GEI Turbo	GEI Turbo mobile depositor, type: D100P, machine number: D100P4909500, year of construction: 1999, s/s hopper, hopper dimensions: Ø 280 mm x 470 mm, total dimensions: 1200 mm x 620 mm x 1820 mm.	750
702	Marel	Marel Opticut portion cutter, type: OptiCut, serial number: A039406, year of construction: 2006, 380/480 V, 3 Ph, 50/60 Hz, 5/11 A, 7 kW, plastic belt, belt type: intralox 1100 FTAC, belt width: 250 mm, total dimensions: 2050 mm x 750 mm x 2150 mm.	2500
703	Berko	Berko air compressor, type: BL30/90/10, number: ITRO722973, year of construction: 2013, 2.2 kW, 10 bar, dimensions: 1000 mm x 550 mm x 1000 mm.	150
704	NN extraction unit	S/s extraction unit for rest film, dimensions: 960 mm x 1000 mm x 1390 mm.	250
705	Alfa Laval	Alfa Laval chiller, model: DXD/S 505 SX H2O FL. CE, serial number: 1078095, year of construction: 04/05/2009, dimensions: 2900 mm x 700 mm x 810 mm.	500



Nr	Title	Description	Start €
706	KG	KG s/s lifter for 200 liter meat bins, type: SKV 200 C1T-V, number: 9935, year of construction: 2003, capacity: 250 kg, lifting height: 1600 mm, dimensions: 1150 mm x 550 mm x 2700 mm.	750
707	Ilpra	Ilpra traysealer, model: 400 V/G, number: FP 5433, year of construction: 2003, 400 V, film width: 315 mm, Busch vacuum pump, type: RA 0063 E 5K3, capacity: 63 m ³ per hour, total dimensions: 1000 mm x 960 mm x 1420 mm.	1000
708	FDI Sambron	FDI Sambron forklift attachment, capacity: 700 kg.	100
709	Cryovac / W.R. Grace & Co	Cryovac / W.R. Grace & Co belt vacuum machine with clipper, s/s rollers, roller width: 300 mm, camber: 530 mm x 370 mm, maximum belt width: 320 mm, total dimensions: 1750 mm x 800 mm x 1300 mm.	350
710	HPSL	HPSL weighing scale with label printer on s/s frame, serial number scale: HS108814, year of construction: 2011, 230 V, 50 Hz, maximum capacity: 3 kg, minimum capacity: 0.02 kg, e= 0.001 kg, T= -1.000 kg, scale dimensions: 275 mm x 225 mm, total dimensions: 860 mm x 520 mm x 1575 mm.	400
711	Meyn Egg Handling B.V.	Meyn Egg Handling B.V. egg shell centrifuge, type: MC-2, machine number: 3102, year of construction: 1982, dimensions: 1000 mm x 1000 mm x 1600 mm.	1000
712	FAM	FAM vegetable slicer, type: FV, number: 10044/2013, year of construction: 2013, 400 V, 3 Ph, 50 Hz, 6 A, 2.2 kW, weight: 280 kg, working width: 120 mm, total dimensions: 1330 mm x 800 mm x 1140 mm.	4000
713	Capsulcn	Capsulcn fully automatic capsule filling machine, model: NJP-400C, serial number: 93695, year of construction: 06/2021, 380 V, 3 Ph, 50 Hz, 3.7 kW, dimensions: 850 mm x 750 mm x 1930 mm. Including extraction unit for dust, dimensions: 750 mm x 450 mm x 1150 mm.	15000
714	Guangzhou Ming Rui Trading Co.,Ltd	Guangzhou Ming Rui Trading Co.,Ltd mobile ultrasonic welding machine, model: MR 1604, serial number: 20200610, year of construction: 2020.05.30, 320 V, 1.5 kW, packing size: 1200 mm x 780 mm x 1400 mm, chain belt with dividers, belt width: 175 mm, dividers height: 20 mm, distance between dividers: 15 mm, total dimensions: 890 mm x 600 mm x 1460 mm.	200
715	Alfa Laval	Alfa Laval separator, type: 2171 M, dimensions: 1000 mm x 650 mm x 1350 mm.	1000
716	Altech s.r.l.	Altech s.r.l. labelling machine with turning table, serial number: 2207040028071, 400 V, 3 Ph, 50/60 Hz, 5 A, 2000 W, plastic belts, belt width: (2x) 55 mm, (1x) 115 mm, total dimensions: 2850 mm x 1150 mm x 1900 mm. With s/s turning table, diameter: 800	15000



Nr	Title	Description	Start €
		mm, total dimensions: 1050 mm x 900 mm x 930 mm.	
717	Rademaker	Rademaker mobile 2 head depositor, type: DEPOSITOR, serial number: 6320-709, year of construction: 2003, weight: 260 kg, outfeed diameter: 25 mm, total dimensions: 920 mm x 1400 mm x 2100 mm.	500
718	Kolbe	Kolbe mobile bandsaw, dimensions table: 880 mm x 780 mm, total dimensions: 880 mm x 950 mm x 1880 mm. Incomplete.	1250
719	Hema	Hema volumetric filling machine, type 3.2, serial number: 877, dimensions: 1600 mm x 1500 mm x 1900 mm.	750
720	Eillert	Eillert mobile vegetable slicer, type: G3300, serial number: 382-9037, 220 V, 4.2 A, plastic belt, belt width: 250 mm, total dimensions: 4170 mm x 1140 mm x 1900 mm.	1000
721	NN keg filling station	Mobile keg filling station for 2 kegs, Lowara pump, type: CEAM70/5/A-V, serial number: 02463, year of construction: 20120719, 220-240 V, 1 Ph, 50 Hz, 4.55 A, 0.97 kW, dimensions: 850 mm x 850 mm x 1460 mm.	250
722	Air Liquide	Air Liquide nitrogen freezing tunnel, type: ZIP-FREEZE, serial number: 712, 300 V, 111 kW, belt width: 650 mm, clearance: 670 mm x 360 mm, total dimensions: 6750 mm x 1200 mm x 1450 mm.	1000
723	Poly-clip system GmbH & Co. KG	Poly-clip System GmbH & Co. KG automatic clipping and sealing machine, type: TSA 120 HS, number: 133, year of construction: 1998, 400 V, 50 Hz, 16 A, air pressure: 5/7 bar, dimensions: 1400 mm x 980 mm x 1660 mm.	500
724	Helios / Xu-Yuan	Helios / Xu-Yuan packaging, labelling, shrinking and cooling line for pots, consisting of: Helios packaging and labelling machine, model: XYL-250S, serial number: HSA-250S-026, 380 V, 3 Ph, 0.75 kW, maximum belt width: 90 mm, clearance: 130 mm x 480 mm, dimensions: 3650 mm x 1050 mm x 2250 mm. Xu-Yuan steam shrinking tunnel, model: ST-2280, number: 1201167, 380 V, 3 Ph, clearance: 200 mm x 480 mm, total dimensions: 2800 mm x 500 mm x 1150 mm. Pneumatic cooling machine for pots, clearance: dimensions: 1500 mm x 1000 mm x 2000 mm. Including transport belts with uprights, pallet with blower and pallet extra parts.	1000
725	Iseco	Iseco regeneration cabinet, type: Energis Compact 6D, serial number: 12 07 4198, 230 V, 1 Ph, 50 Hz, 14.7 A, 3.4 kW, dimensions: 560 mm x 560 mm x 900 mm.	50



Nr	Title	Description	Start €
726	Poly-clip System GmbH & Co. KG	Poly-clip System GmbH & Co. KG mobile automatic double clipper, type: DFC-8161, number: 33819, 380 V, 1 Ph, 50 Hz, 6 A, 5/7 bar, dimensions: 2400 mm x 1100 mm x 1950 mm.	2000
727	Stephan	Stephan mobile micro cutter, type: MCH-D50C, machine number: 724.794.02, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 95 A, 55 kW, dimensions: 2000 mm x 1050 mm x 840 mm. Without switch cabinet.	5000
728	Adelphi Manufacturing Ltd	Adelphi Manufacturing Ltd mobile depositor, model: ADELPHI RESPONSE, serial number: R3-0181, year of construction: 2008, dimensions: 1050 mm x 940 mm x 2470 mm.	1000
729	Tipper Tie technopack	Tipper Tie technopack mobile automatic clipper, model: TCV 1590, number: 4330.1161.067, 230 V, 50 Hz, dimensions: 1600 mm x 800 mm x 1900 mm.	500
730	Steck	Steck mobile depositor, tub dimensions: Ø 660 mm x 550 mm, total dimensions: 1600 mm x 700 mm x 1220 mm.	750
731	New Motion B.V.	New Motion B.V. s-shaped curve conveyor, type: MBC-C, serial number: 21416-03-000, year of construction: 2022, plastic mesh belt, belt width: 190 mm, total dimensions: 1870 mm x 900 mm x 670 mm.	400
732	APV / Crepaco	APV / Crepaco scraped surface cooler with built-in Freon compressor, serial number: 02213, dimensions: 1600 mm x 1000 mm x 1450 mm.	300
733	Krämer + Grebe	Krämer + Grebe grinder, type: WW 130, machine number: 223/266/1 81, plate diameter: 130 mm, total dimensions: 1200 mm x 900 mm x 1360 mm. Including crate with plates and knives.	2000
734	Marel	Marel checkweigher, type: M-Check RF8 8023.30, serial number: E014590, type load cell: Z6F C3, serial number: 31036805, maximum: 31036805, minimum: 0.05 kg, e= 0.001 kg, T= -Max, plastic belt, belt width: 230 mm, total dimensions: 1400 mm x 850 mm x 1680 mm. Missing one transport belt.	100
735	Cintex LTD	Cintex LTD metal detector with 2 metal detector heads and rejecting belt, type: KHRB30, serial number: 79959, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 3 A, plastic mesh belt, belt width: 300 mm, total dimensions: 2720 mm x 880 mm x 1100 mm. Damaged.	750
736	NN checkweigher with labeller	Checkweigher with labeller, plastic belts, belt width: 500 mm, total dimensions: 1700 mm x 900 mm x 1670 mm.	500
737	Spako	Spako smoking / cooking chamber, with aditec control panel, type: MRA 810, 7 floors, dimensions	500



Nr	Title	Description	Start €
		each floor: 695 mm x 615 mm, total dimensions: 970 mm x 840 mm x 2000 mm. Technical condition unknown.	
738	Foss	Foss mobile analyser, model: MeatMaster, type: 78010, serial number: 2309200501, 370-420 V, 3 Ph, 50-60 Hz, 2000 VA, plastic belt, belt width: 650 mm, total dimensions: 5350 mm x 1150 mm x 2700 mm. Screen damaged.	1000
739	Digi Europe LTD	Digi Europe LTD mobile double heads labelling machine, model: HC-700, serial number: 100654003, 230 V, 50 Hz, 1.15 / 0.4 A, maximum speed: 285 packages per minute, plastic belt, belt width: (2x) 100 mm, total dimensions: 1800 mm x 800 mm x 1800 mm. Technical condition unknown.	500
740	Frey	Frey vacuum filling machine with linking attachment, type: Konti-E120, machine number: KE1201111320GU, year of construction: 2010, 400 V, 50 Hz, 4.8 kW, Busch vacuum pump, operating hours: 28406, dimensions: 950 mm x 700 mm x 1620 mm.	5500
741	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 3000 mm x 700 mm x 1020 mm. Technical condition unknown.	200
742	NN transport belt	Transport belt, s/s frame, plastic mesh belt, belt width: 500 mm, total dimensions: 2100 mm x 700 mm x 1000 mm.	250
743	NN cooking vessel	Cooking vessel, inside dimensions: Ø 530 mm x 510 mm, total dimensions: 800 mm x 800 mm x 880 mm. Missing lid.	150
744	Still	Still battery charger, dimensions: 550 mm x 500 mm x 700 mm.	250
745	NN electrical components	Pallet with large amount of electrical components, dimensions: 1200 mm x 800 mm x 500 mm.	100
746	Zumtobel	2 pallet boxes with large amount of Zumtobel lamps, dimensions each lamp: Ø 550 mm x 800 mm, total dimensions: (2x) 1200 mm x 1000 mm x 1200 mm.	200
747	NN meat hooks	Pallet with large amount of s/s meat hooks, dimensions each hook: 1600 mm x 110 mm x 40 mm.	150
748	Meca Plastic	Meca Plastic traysealer, type: S3000, number: 7178, year of construction: 07.10, s/s chain and pin conveyor, belt width: 460 mm, distance between dividers: 380 mm, total dimensions: 3750 mm x 1000 mm x 2000 mm. Incomplete.	250
749	Flamco	Flamco expansion vessel, type: Flexcon Premium 80, dimensions: Ø 450 mm x 500 mm.	50
750	Initial Hokatex	2 steel 4-door Initial Hokatex lockers, dimensions: (2x) 500 mm x 420 mm x 1900 mm. Without keys.	50
751	Ecolab	Ecolab mobile plastic pressure vessel, dimensions: 400 mm x 400 mm x 1030 mm. Missing wheel.	25



Nr	Title	Description	Start €
752	Mohn	4 Mohn s/s wall cabinets, dimensions: (4x) 300 mm x 300 mm x 260 mm.	100
753	TVM	6 TVM tailer stands, dimensions: (6x) 1000 mm x 250 mm x 250 mm.	100
754	VEM / WEG	Pallet with 4 VEM / WEG motors, dimensions: 1200 mm x 800 mm x 500 mm.	250
755	Grundfos	Grundfos centrifugal pump, type: MGE112MC 1 FT130-JA-400, dimensions: 400 mm x 300 mm x 300 mm.	75
756	APV	Pallet with 3 APV centrifugal pumps, dimensions: 1200 mm x 800 mm x 600 mm. Technical condition unknown.	250
757	NN plates for heat exchangers	Pallet with plates for heat exchanger, dimensions 1 plate: 1150 mm x 400 mm, total dimensions: 1200 mm x 800 mm x 600 mm.	100
758	Interroll	Pallet with 6 Interroll drum motors, roller width: 600 mm, 500 mm and 450 mm, total dimensions: 1200 mm x 800 mm x 270 mm.	500
759	Samson	Samson pneumatic actuator, type: 3277.	75
760	SEW-Eurodrive	Pallet with SEW-Eurodrive motor, dimensions: 450 mm x 200 mm x 170 mm.	300
761	NN traysealer	Rotary traysealer, dimensions dye: (2x) 105 mm, total dimensions: 1600 mm x 1200 mm x 1600 mm. Missing cover.	600
762	Ilpra	Ilpra rotary traysealer, model: FP 800 NL, serial number: FP3383, year of construction: 2000, 380 V, film width: 147 mm, dimensions dye: (2x) 85 mm, total dimensions: 2200 mm x 1600 mm x 1650 mm.	750
763	Mayekawa TORIDAS MARK II	Mayekawa TORIDAS MARK II automatic chicken whole leg deboning machine, model: MT-04L, serial number: 2397, year of construction: 12.6, capacity: 1000 pieces per hour, plastic outfeed belt, belt width: 200 mm, total dimensions: 1600 mm x 1600 mm x 2350 mm. With 2 pallets with parts.	72500
764	Mayekawa TORIDAS MARK II	Mayekawa TORIDAS MARK II automatic chicken whole leg deboning machine, model: MT-04R, serial number: 2384, year of construction: 12.6, capacity: 1000 pieces per hour, plastic outfeed belt, belt width: 200 mm, total dimensions: 1600 mm x 1600 mm x 2350 mm.	72500
765	Kalmeijer	Kalmeijer bread line, consisting of: Kalmeijer dough divider, plastic outfeed belt, belt width: 260 mm, total dimensions: 1700 mm x 600 mm x 1900 mm, Kalmeijer proofer, number: 9486, 400 V, 3 Ph, 50 Hz, 14.1 A, 7.25 kW, approximately 270 baskets, dimensions each basket: 500 mm x 100 mm, total dimensions: 3000 mm x 1200 mm x 2700 mm, Kalmeijer long moulder, year of construction: 2003, cloth belt,	2000



Nr	Title	Description	Start €
		belt width: 120 mm, total dimensions: 1400 mm x 900 mm x 1600 mm.	
766	Reepack	Reepack traysealer, model: Reeflex, serial number: 0402025, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 21 A, s/s chain and pin conveyor, belt width: 360 mm, distance between dividers: 440 mm, divider height: 20 mm, 2 lanes, lane width: 140 mm, film width: 400 mm, dimensions dyes: (2x) 220 mm x 140 mm, plastic outfeed belt, belt width: 420 mm, total dimensions: 3550 mm x 900 mm x 1750 mm. With additional dye, dimensions dye: (2x) 220 mm x 140 mm, and Busch vacuum pump, type: RA 0100 E 503, number: 03018852.	3000
767	Feltracon	Feltracon melon peeler for 6 melons, type: 61M, number: 3615-61M1, year of construction: 2009, 230/400 V, 0.6 kW, diameter each station: 105 mm, total dimensions: 1450 mm x 980 mm x 2050 mm.	3500
768	Poly-clip system GmbH & Co. KG	Poly-clip system GmbH & Co. KG mobile automatic clipper, type: SFC, number: 125, year of construction: 2016, 400 V, 3 Ph, 50/60 Hz, 4.3 A, 2.4 kW, 5/7 bar, weight: 310 kg, dimensions: 1850 mm x 900 mm x 1800 mm.	5900
769	NN sorting belt	Sorting belt, s/s frame, plastic belt, belt width: 420 mm, 4 rejecters, total dimensions: 9500 mm x 1000 mm x 1150 mm.	1000
770	Scanvaegt	Scanvaegt weighing and sorting line, type: 4717.275.10, serial number: BOE00095, year of construction: 2006, 400 V, 3 Ph, 50/60 Hz, 16.0 A, s/s frame, plastic belts, belt width: 260 mm, 12 rejecters, total dimensions: 1000 mm x 800 mm x 1750 mm and 7200 mm x 1100 mm x 1600 mm.	1500
771	Pisces	Pisces fish filletting machine, model: FR 200, working width: 45 mm, total dimensions: 1750 mm x 950 mm x 1650 mm.	4000
772	CFS	CFS mobile mesh belt, type: TRC 1000/400, machine number: 1872, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 0.72 A, 0.18 kW, 85 kg, s/s frame, s/s mesh belt, belt width: 400 mm, total dimensions: 1100 mm x 600 mm x 1050 mm.	500
773	Grundfos	Pallet with 2 Grundfos sewage pumps, type: SEV.65.65.22.2.50D, capacity: 45 m ³ per hour, dimensions: 1200 mm x 800 mm x 1000 mm.	100
774	Leroy Somer	Leroy Somer pump, type: CB 323 SB3, number: 728914101/001, dimensions: 1050 mm x 350 mm x 400 mm.	100
775	J&E Hall	J&E; Hall outside unit for airco, model: JEHSU-0500-M-3, serial number: N000114, year of construction:	75



Nr	Title	Description	Start €
		2010/05, 380-420 V, 3 Ph, 50 Hz, 12.5 A, dimensions: 1300 mm x 600 mm x 1000 mm.	
776	Copeland Scroll	Copeland Scroll cooling compressor and condensing unit, model: ZB58KCE-TFD-651, dimensions: 1100 mm x 900 mm x 1000 mm.	150
777	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2JC-07.2Y-40S, serial number: 1684106484, dimensions: 650 mm x 550 mm x 500 mm.	100
778	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2FC-3.2Y-40S, serial number: 1270802615, dimensions: 650 mm x 550 mm x 500 mm.	100
779	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, dimensions: 800 mm x 500 mm x 500 mm.	100
780	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor, type: 6F.2 Y, serial number: 662701057, dimensions: 800 mm x 500 mm x 500 mm.	100
781	Bock Compressors	Bock Compressors cooling compressor, type: HGX4/465-4S, number: AL11054A008, capacity: 40.5/48.6 m ³ per hour, dimensions: 750 mm x 400 mm x 400 mm.	100
782	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH cooling compressor with condenser, type: 2JES-07Y-40S, serial number: 1691206382, dimensions: 650 mm x 550 mm x 500 mm.	100
783	NN cooling compressor	Cooling compressor, dimensions: 500 mm x 500 mm x 400 mm.	100
784	NN cooling compressor	Cooling compressor, dimensions: 500 mm x 500 mm x 400 mm.	100
785	L'Unite Hermetique	L'Unite Hermetique cooling compressor with condenser, model: CAJN4492Y HR, serial number: 10G29 121407, 220-240 V, 50 Hz, 5.9 A, refrigerant: R134a, dimensions: 500 mm x 500 mm x 400 mm.	100
786	Gardner Denver	Gardner Denver side channel vacuum pump, number: BN 10315780, dimensions: 700 mm x 500 mm x 600 mm.	250
787	Rietschle	Rietschle vacuum pump, type: DTA 100/1(01), year of construction: 2007, serial number: 2553547, capacity: 100 m ³ per hour, dimensions: 950 mm x 450 mm x 600 mm.	300
788	Rietschle	Rietschle vacuum pump, type: DTA 100/1(01), serial number: 000202430003, year of construction: 2006, capacity: 100 m ³ per hour, dimensions: 950 mm x 450 mm x 400 mm.	300
789	Pomac B.V.		500



Nr	Title	Description	Start €
		Pomac B.V. centrifugal pump, type: P16644/1302, number: 7849, capacity: 5 m³ per hour, dimensions: 500 mm x 350 mm x 500 mm.	
790	Nash Elmo	Nash Elmo side channel vacuum pump, dimensions: 520 mm x 380 mm x 400 mm.	50
791	Frascold	Frascold cooling compressor, type: F 7 25 Y, number: 2B0001703, year of construction: 2000, capacity: 25.2 M³ per hour, dimensions: 480 mm x 250 mm x 350 mm. Incomplete.	25
792	Waukesha Cherry-Burrell	Waukesha Cherry-Burrell multistage centrifugal pump, model: MS, dimensions: 1350 mm x 450 mm x 700 mm.	250
793	Gebr. Creemers B.V.	Gebr. Creemers B.V. air compressor, type: GS 220 L, factory number: 28095.84, year of construction: 1984, vessel capacity: 90 liter, dimensions: 1100 mm x 300 mm x 850 mm.	150
794	Rietschle Thomas	Rietschle Thomas side channel vacuum pump, type: SAP 1060 1012, number: 2609852, 1200 m³ per hour, dimensions: 1050 mm x 600 mm x 750 mm.	250
796	Bock Compressors	Bock Compressors cooling compressor, type: HGX4/465-4S, number: AL11055A008, capacity: 40.5/48.6 m³ per hour, dimensions: 750 mm x 400 mm x 400 mm.	200
797	L'Unite Hermetique	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CAET4440Y HR, serial number: 06F01 195956 3B66230202, 220/240 V, 1 Ph, 50 Hz, 3.8 A, refrigerant: R134A, dimensions: 650 mm x 630 mm x 460 mm.	200
798	L'Unite Hermetique	L'Unite Hermetique / Tecumseh condensing unit with cooling compressor, type: CEJ2428Z BR, serial number: 07G24 115320 4278430203, 220/240 V, 1 Ph, 50 Hz, 3.8 A, refrigerant: R404A, dimensions: 650 mm x 630 mm x 460 mm.	200
799	Boge	Boge air compressor, type: SK 46, number: 5022427, year of construction: 2008, 11,0 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	350
800	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B04-EM-VA, serial number: 10218619, year of construction: 10/2012, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, floor dimensions: 610 mm x 400 mm, total dimensions: 1200 mm x 930 mm x 2070 mm. Glass broken.	600
801	Talleres Ramon S.L.	Talleres Ramon S.L. mixer on trolley, type: AMH, number: 2077, year of construction: 1994, 380 V, 50 Hz, 1.1 kW, dimensions: 1070 mm x 680 mm x 1250 mm.	500
802			750



Nr	Title	Description	Start €
	Ismar Maschinenbau GmbH	Ismar Maschinenbau GmbH mobile bread crumber, type: mini, machine number: 0986-777, year of construction: 1986, dimensions: 610 mm x 510 mm x 1510 mm.	
803	Bakon B.V.	Bakon B.V. mobile whipped cream mixer, model: TC 2/10C, serial number: 7.210.135, year of construction: 2004, 230 V, 50 Hz, 1.5 kW, inside dimensions: Ø 350 mm x 450 mm, total dimensions: 800 mm x 500 mm x 1160 mm.	750
804	NN trolleys	2 s/s trolleys, 14 floors each, floor dimensions: 810 mm x 630 mm, total dimensions: (2x) 870 mm x 650 mm x 1940 mm.	200
805	VLB	VLB mobile bread slicer, type: A Wave, number: 5800, year of construction: 2006, 230/400 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 10 mm, total dimensions: 750 mm x 630 mm x 1280 mm.	250
806	NN trolley	S/s trolley, 14 floors, floor dimensions: (14x) 810 mm x 610 mm, total dimensions: 860 mm x 625 mm x 1940 mm.	100
807	NN tank	S/s tank, dimensions: 1210 mm x 1010 mm x 1150 mm.	300
808	Bakon B.V.	Bakon B.V. jelly machine, model: JELLY JUNIOR, serial number: 1.02.2581, year of construction: 2000, 220 V, 50 Hz, 2000 W, dimensions: 500 mm x 250 mm x 350 mm.	50
809	Hoshizaki	Hoshizaki freezer, type: HOSHIZAKI F 410 RG L, number: 10164325, 230 V, 50 Hz, 1.01 A, 141 kW, refrigerant: R600a, 6 floors, floor dimensions: (6x) 430 mm x 480 mm, total dimensions: 650 mm x 600 mm x 1880 mm. Technical condition unknown.	250
810	JAC	JAC mobile bread slicer, model: SFN 450/10, machine number: 13100698, year of construction: 27/03/2013, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, weight: 230 kg, 42 knives, distance between knives: 10 mm, total dimensions: 610 mm x 600 mm x 1290 mm.	350
811	JAC	JAC mobile bread slicer, model: ECH 450/12.5, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
812	Imperial-Werke GmbH & Co.	Imperial-Werke GmbH & Co. oven, type: OD10.10P, number: 820667353, year of construction: 1996, 380/220 V, 3 Ph, 50 Hz, 23.4 A, 15.4/15 kW, weight: 170 kg, 10 floors, floor dimensions: 530 mm x 325 mm, total dimensions: 1100 mm x 860 mm x 1640 mm.	200
813	W&VE		25



Nr	Title	Description	Start €
		W&VE; mobile jelly machine, type: MDS-2-0, number: 91093820, 220 V, 50 Hz, 10 A, 2030 W, dimensions: 580 mm x 370 mm x 820 mm.	
814	Hovmand A/S	Hovmand A/S mobile lifter for bowls, model: Easylift 30-60 universal, serial number: 23745, year of construction: 11/2018, dimensions: 710 mm x 480 mm x 1230 mm.	200
815	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 09/3935/18, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
816	VLB	VLB mobile bread slicer, type: A Wave, number: 5506, year of construction: 2005, 230/400 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 10 mm, total dimensions: 750 mm x 630 mm x 1280 mm.	250
817	Zela	Zela mobile spraying machine, dimensions: 1100 mm x 800 mm x 900 mm.	500
818	JAC	JAC mobile bread slicer, model: ECH 450/12.5, machine number: 11/1942/14, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
819	VLB	VLB mobile bread slicer, type: A Wave, number: 5801, year of construction: 2006, 230/400 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 10 mm, total dimensions: 750 mm x 630 mm x 1280 mm.	250
820	VLB	VLB mobile bread slicer, type: A Wave, number: 5802, year of construction: 2006, 230/400 V, 50 Hz, 0.56 kW, 30 knives, distance between knives: 10 mm, total dimensions: 750 mm x 630 mm x 1280 mm.	250
821	Wiesheu GmbH	Wiesheu GmbH mobile double stacked oven, model: B08-B4-EM-Vario, serial number: 10316027, year of construction: 10/2009, 400 V, 3 Ph, 50 Hz, 32 A, 20.8 kW, 5 and 10 floors, floor dimensions: 610 mm x 400 mm, total dimensions: 1200 mm x 930 mm x 2070 mm.	600
822	Wiesheu GmbH	Wiesheu GmbH double stacked oven, model top oven: B4-E2, serial number: 10186400, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, year of construction: 12/2011, inside dimensions: 700 mm x 400 mm x 450 mm, model bottom oven: B8-E2, serial number: 10186397, year of construction: 12/2011, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, inside dimensions: 700 mm x 400 mm x 850 mm, total dimensions: 1150 mm x 950 mm x 2140 mm. With Wiesheu GmbH s/s loading trolley, serial number: 18428144, year of construction: 07/2019, 14 floors, floor dimensions:	740



Nr	Title	Description	Start €
		600 mm x 370 mm, total dimensions: 740 mm x 600 mm x 1930 mm.	
823	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020153037, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
824	NN mixer	Mobile mixer, s/s bowl, dimensions bowl: Ø 740 mm x 430 mm, total dimensions: 910 mm x 880 mm x 1300 mm.	400
825	Kemper	Kemper mobile mixer, fabrication number: 92203, 220/380 V, 50 Hz, 11 A, 2.2 kW, s/s bowl, dimensions bowl: Ø 740 mm x 430 mm, total dimensions: 1040 mm x 960 mm x 1120 mm.	1250
826	JAC	JAC mobile bread slicer, model: SFN 450/10, machine number: 14100257, year of construction: 21/03/2014, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, weight: 230 kg, 42 knives, distance between knives: 10 mm, total dimensions: 610 mm x 600 mm x 1230 mm.	350
827	JAC	JAC mobile bread slicer, model: ECH 450/99, machine number: 09/3935/19, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
828	JAC	JAC mobile bread slicer, model: EFL 450/12, machine number: 08/0406/01, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 180 kg, 26 knives, distance between knives: 12 mm, total dimensions: 750 mm x 600 mm x 1300 mm.	350
829	DEBAG	DEBAG loading trolley, 10 floors, floor dimensions: 620 mm x 355 mm, total dimensions: 765 mm x 530 mm x 1985 mm.	50
830	NN refrigerated pie display	Mobile refrigerated pie display, model: PVK400R, 220/240 V, 50 Hz, 2.8 A, 480 W, weight: 125 kg, 4 floors, floor dimensions: Ø 530 mm, total dimensions: Ø 690 mm x 1750 mm.	300
831	Bakon B.V.	Bakon B.V. mobile jelly spraying machine, model: Jelly 2000, serial number: 1.55.014, year of construction: 1998, 220 V, 50 Hz, 3000 W, dimensions: 550 mm x 630 mm x 1080 mm.	500
833	NN counter	Wooden counter, dimensions: 2160 mm x 750 mm x 910 mm.	50
834	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	200
835	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	200
836	JAC		350



Nr	Title	Description	Start €
		JAC mobile bread slicer, model: BFL 450/11, machine number: 08/6219/01, 230 V, 1 Ph, 50 Hz, 4.0 A, 0.49 kW, 170 kg, 26 knives, distance between knives: 20 mm, total dimensions: 750 mm x 650 mm x 1380 mm. Missing some knives.	
837	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020150144, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
838	JAC	JAC mobile bread slicer, model: ECH 450/12.5, machine number: 11/0352/28, year of construction: 7/04/2011, 230 V, 1 Ph, 50 Hz, 4.5 A, 0.49 kW, 180 kg, 34 knives, distance between knives: 11 mm, total dimensions: 590 mm x 650 mm x 1320 mm.	350
839	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	200
840	JAC	JAC mobile bread slicer, model: SFN 450/10, machine number: 12103859, year of construction: 06/08/2012, 230 V, 1 Ph, 50-60 Hz, 4.5 A, 0.49 kW, weight: 230 kg, 42 knives, distance between knives: 10 mm, total dimensions: 610 mm x 600 mm x 1290 mm.	350
841	AW	AW mixer, inside dimensions: Ø 550 mm x 350 mm, total dimensions: 700 mm x 650 mm x 1200 mm.	500
842	NN trolley for bread trays	Mobile trolley for bread trays, dimensions: 1260 mm x 900 mm x 1820 mm.	200
843	Ziegma-Eismaschinen	Ziegma-Eismaschinen ice machine, type: ZBE 550 EV, serial number: 116929, 400 V, 3 Ph, 50 Hz, 6 A, refrigerant: R 404A, dimensions: 800 mm x 660 mm x 1550 mm.	350
844	Werner & Pfleiderer-Haton	Werner & Pfleiderer-Haton mobile dough divider, plastic belt, belt width: 220 mm, total dimensions: 1300 mm x 900 mm x 1800 mm.	350
845	Wiesheu	Wiesheu oven, type: 5L 04, number: 1772, 380 V, 50 Hz, 0.12/8 kW, 2 floors, floor dimensions: 640 mm x 400 mm, total dimensions: 1020 mm x 700 mm x 1350 mm.	100
846	W&VE	W&VE; mobile jelly machine, dimensions: 770 mm x 380 mm x 1000 mm.	200
847	Primus	Primus washing machine, model: FF07-MNOALL, serial number: 5700, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 16 A, 9.75 kW, capacity: 7 kg, dimensions: 750 mm x 870 mm x 1080 mm.	200
848	NN trolley	Trolley with large amount of grill racks and plate dimensions, rack/plate dimensions: 400 mm x 600 mm, total dimensions: 800 mm x 665 mm x 1900 mm.	50



Nr	Title	Description	Start €
849	Kaplanlar	Kaplanlar refrigerated showcase, model: Granizado - DL, serial number: 26350002200330, year of construction: 02/2020, 230 V, 1 Ph, 50 Hz, 4.18 A, 962 W, refrigerant: R290, 300 gram, 4 floors, floor dimensions: 1130 mm x 260 mm, total dimensions: 1200 mm x 580 mm x 2200 mm.	200
850	Benier	Benier dough divider, type: Afwegger-B84, number: 20834A/801761, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 4 A, plastic belt, belt width: 220 mm, total dimensions: 1450 mm x 720 mm x 1630 mm.	1000
851	IPSO	IPSO double stacked dryer, inside dimensions: (2x) Ø 705 mm x 770 mm, total dimensions: 760 mm x 1120 mm x 1990 mm.	300
852	Asskühl	Asskühl refrigerator, model: AF06MIDMTN, serial number: 20126291A, year of construction: 2012, 1 Ph, 50 Hz, refrigerant: R 507, inside dimensions: 590 mm x 580 mm x 1500 mm, total dimensions: 720 mm x 720 mm x 1030 mm.	200
853	Diamond	Diamond cooling tub, inside dimensions: 625 mm x 510 mm x 215 mm, total dimensions: 790 mm x 610 mm x 435 mm.	50
854	Ein Ullmann Gerat	Ein Ullmann Gerat mobile plate washing machine, type: 8904188, working width: 430 mm, total dimensions: 950 mm x 700 mm x 1020 mm.	20
855	Diamond	Diamond cooling tub, type: IN/RCX08-P, 220/240 V, 50 Hz, 310 W, refrigerant: 452A, 185 gr, inside dimensions: 625 mm x 505 mm x 640 mm, total dimensions: 795 mm x 615 mm x 640 mm.	50
856	Hobart	Hobart mixer, type: HN020562, s/s bowl, inside dimensions: Ø 400 mm x 380 mm, total dimensions: 670 mm x 720 mm x 1430 mm. Without mixing hook/paddle.	250
857	Winterhalter	Winterhalter dishwasher, type: GR 62-2 24-5, serial number: 2924 96, machine number: 342 874, 400 V, 3 Ph, 50 Hz, 15.0 A, 10.0 kW, dimensions: 820 mm x 720 mm x 1580 mm.	200
858	Pelgrim	Pelgrim 6-pits stove with oven, model: 01BN22E, type: L9N., serial number: S/10384988, 230 V, 50/60 Hz, 2469 W, oven 4 floors, floor dimensions: (4x) 660 mm x 420 mm, total dimensions: 900 mm x 700 mm x 1000 mm.	100
859	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10232536, year of construction: 01-2013, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B8-E2, serial number: 10232505, year of construction: 10-2013, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, dimensions: 765 mm x 530 mm x 1985 mm.	700



Nr	Title	Description	Start €
860	GGMGastro cooler	GGM Gastro cooled cabinet, type: AGG154END, 220-240 V, 50 Hz, 0.8 A, refrigerant: R600a, 35 gram, volume: 41 liter, total dimensions: 1510 mm x 400 mm x 290 mm.	75
861	DEBAG	DEBAG double stacked oven, type: DiLa 5, serial numbers: D 317013/D 317014, year of construction: 12/2012, 400 V, 50 Hz, 14.5/16 A, 9.5 kW, inside dimensions: (2x) 700 mm x 440 mm x 440 mm, total dimensions: 1150 mm x 950 mm x 2100 mm.	450
862	NN machine parts	Various machine parts, among others: 2 motors.	10
863	Rieberwerke	Rieberwerke mobile plate dispenser, type: RRR-2, number: 5603056, 220 V, 1340 Watt, plate diameter: 300 mm, total dimensions: 940 mm x 480 mm x 910 mm.	20
864	Gram	Gram refrigerator, type: K 181 US, serial number: 461/4, 230 V, 50 Hz, 100 W, refrigerant: R134a, 60 g, dimensions: 600 mm x 600 mm x 800 mm.	75
865	Gastro Hero GmbH	Gastro Hero GmbH freezer, model: SFH60V, serial number: SK2222GH44432SF6V051, year of construction: 2022, 220/240 V, 50 Hz, 2.8 A, refrigerant: R290, 140 gr, 5 floors, floor dimensions: 620 mm x 520 mm, total dimensions: 720 mm x 775 mm x 1850 mm.	200
866	Manitowoc	Manitowoc mobile ice machine with outfeed bunker, model: INDIGO (TM) SERIES, serial number: 1120070600, year of construction: 2015, 230 V, 1 Ph, 50 Hz, 7.1 A, refrigerant: R290 / 0.14 kg, model bunker: B570D, serial number: 1120037336, dimensions: 1000 mm x 780 mm x 1880 mm.	850
867	Imperial-Werke GmbH & Co.	Imperial-Werke GmbH & Co. 2 pits stove, type: VEHT2000, number: 26044, 400 V, 3 Ph, 50 Hz, 6.5 kW, stove dimensions: (2x) 300 mm x 300 mm, total dimensions: 900 mm x 560 mm x 900 mm.	75
868	Gastro Hero GmbH	Gastro Hero GmbH refrigerator, model: GNH650TN, serial number: SK2220GH44AG650T243, year of construction: 2020, 220/240 V, 50 Hz, 1.9 A, refrigerant: R290, 120 gram, 5 floors, floor dimensions: 620 mm x 520 mm, total dimensions: 720 mm x 775 mm x 1850 mm. Door is broken.	200
869	Fagor	Fagor dryer, inside dimensions: 540 mm x 515 mm x 11200 mm, total dimensions: 740 mm x 595 mm x 1845 mm.	200
870	Aux	Aux air conditioning, consisting of: outside unit and inside unit, type outside unit: AS-H18B4/HSAR, year of construction: 2004, 220-240 V, 50 Hz, 9.5/10 A, 2.0/2.2 kW, refrigerant: R407c / 1.96 kg, dimensions outside unit: 800 mm x 300 mm x 720 mm, type indoor unit: ASW-H18B4/HSAR, year of construction:	200



Nr	Title	Description	Start €
		2004, 220-240 V, 50 Hz, 9.5/10 A, refrigerant: R407c / 1.95 kg, dimensions indoor unit: 980 mm x 230 mm x 300 mm.	
871	Ultra Tools	Ultra Tools diesel generator, model: TP6500DGS/3, power: 5.0 kW, dimensions: 900 mm x 540 mm x 680 mm.	550
872	HBM Machines	HBM Machines milling machine, type: HBM BF 30 Vario, serial number: ST 30-210B5, year of construction: 03 2023, 230 V, 50 Hz, 5.2 A, dimensions: 920 mm x 710 mm x 1000 mm.	1350
873	NN trolleys	2 s/s trolleys, 14 floors each, floor dimensions: 810 mm x 630 mm, total dimensions: (2x) 870 mm x 650 mm x 1940 mm.	200
874	Faber	Faber s/s trolley, 14 floors, floor dimensions: 820 mm x 610 mm, total dimensions: 780 mm x 670 mm x 1940 mm.	50
875	NN tables	8 wooden foldable tables, steel frame, dimensions: (8x) Ø 870 mm x 700 mm.	60
876	NN mixer	Mobile mixer, steel bowl, dimensions bowl: Ø 830 mm x 620 mm, total dimensions: 1200 mm x 870 mm x 1400 mm. Missing cover.	450
877	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA0020150882, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
878	Lainox	Lainox mobile pre-cooking cabinet, type: HOEN072, number: LA020153580, year of construction: 2019, 400 V, 3 Ph, 50 Hz, 4.5 kW, 7 floors, floor dimensions: 660 mm x 530 mm, total dimensions: 1180 mm x 1000 mm x 1730 mm.	400
879	Wiesheu GmbH	Wiesheu GmbH mobile oven, model: B08-EM, serial number: 10151301, year of construction: 07/2010, 400 V, 3 Ph, 50 Hz, 17.4 A, 12.5 kW, 10 floors, floor dimensions: 610 mm x 400 mm, total dimensions: 1200 mm x 930 mm x 2070 mm.	600
880	Wiesheu GmbH	Wiesheu GmbH double stacked oven, type top oven: B4-E2, serial number: 10210843, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 13 A, 9.2 kW, type bottom oven: B8-E2, serial number: 10210841, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 26.6 A, 18.4 kW, dimensions: 765 mm x 530 mm x 1985 mm.	600
881	IndelB	IndelB refrigerator, serial number: 0530W181625218510149, 220/240 V, 50/60 Hz, 65 W, volume: 32 liter, refrigerant: R600a, weight: 13.2 kg, dimensions: 410 mm x 440 mm x 540 mm.	50
882	May		50



Nr	Title	Description	Start €
		2 May 2-pits induction stoves, model: PCCT-63ET, number: 19050739, 400 V, 2 Ph, 50/60 Hz, 3 kW, dimensions: (2x) 610 mm x 300 mm x 380 mm.	
883	Primus	Primus washing machine, model: C8, serial number: 8C000267JV, year of construction: 2006, 380-415 V, 3 Ph, 50 Hz, 16 A, 6 kW, capacity: 7.5 kg, dimensions: 690 mm x 650 mm x 1070 mm.	200
884	VDH	Mobile VDH scaffolding, model: HO75 Basic, maximum working height: 1815 mm, total dimensions: 2000 mm x 850 mm x 1945 mm.	150
885	NN trolley	S/s trolley, 14 floors, floor dimensions: (14x) 810 mm x 610 mm, total dimensions: 860 mm x 625 mm x 1940 mm.	100
886	MKN	MKN double fryer, inside dimensions: (2x) 370 mm x 170 mm x 150 mm, total dimensions: 700 mm x 500 mm x 400 mm.	100
887	NNZ B.V.	Pallet with 13 NNZ B.V. film rolls, film width: 560 mm (13x), total dimensions: 1210 mm x 810 mm x 995 mm.	200
888	Midac	Pallet with Midac battery for electrical pallet lifter and 2 switch cabinets, type: 12/4MDL140, serial number: N1005241, 24 V, 560 A.	150
889	Bos	Saft Nife battery charger, type: 24SPR50-34A, serial number: 51152, 230 V, 1 Ph, 50 Hz, 12.2 A, dimensions: 410 mm x 310 mm x 1070 mm.	150
890	NN water softener	Water softener, model: VDR 30-400, serial number: 7238890-18137-1004, year of construction: 2011, dimensions: 600 mm x 450 mm x 1250 mm.	50
891	Robejo	Robejo metal saw, dimensions: 1000 mm x 700 mm x 1630 mm.	150
892	Leventi	Leventi oven, type: NM.TUT.CP, number: 94200045, year of construction: 24-5-94, 380 V, 3 Ph, 50 Hz, 9,5 kW, 5 floors, floor dimensions: 360 mm x 615 mm, total dimensions: 720 mm x 980 mm x 885 mm.	150
893	Huvema	Huvema circular saw, model: TRS275DV, number: 43184, year of construction: 1999, dimensions: 500 mm x 820 mm x 1560 mm.	150
894	Primus	Primus washing machine, model: P06, serial number: 6P011239NC, year of construction: 2008, 380-415 V, 3 Ph, 50 Hz, 16 A, capacity: 6 kg, dimensions: 640 mm x 685 mm x 1260 mm.	200
895	IPSO	IPSO double dryer, capacity: 13.6 kg and 6.8 kg, dimensions: 1120 mm x 760 mm x 1990 mm.	300
896	Automatic Products	Automatic Products vending machine, dimensions: 850 mm x 700 mm x 820 mm.	350
897	Berkel	Berkel weighing scale, number: 54 023, maximum weight: 75 kg, dimensions: 700 mm x 670 mm x 1200 mm.	150



Nr	Title	Description	Start €
898	IPSO	IPSO double dryer, dimensions: 1120 mm x 760 mm x 1990 mm.	300
899	NN refrigerated display	Refrigerated display, dimensions: 2150 mm x 1250 mm x 920 mm.	75
900	Haka	Haka frying pan, type: EBT600, year of construction: 09/2014, 400 V, 3 Ph, 6 kW, dimensions: 650 mm x 600 mm x 1000 mm.	150
901	Gram	Gram mobile freezer, type: Baker F 950 LCG C1 2, serial number: 10221759, 230 V, 50 Hz, 4.57 A, 736 W, refrigerant: R290, 149 gram, dimensions: 1050 mm x 800 mm x 2180 mm.	100
902	SKNG Trading Srl	SKNG Trading Srl mobile mixer, model: 80 A, serial number: 9205131, 380 V, 50 Hz, s/s bowl, dough hook, inside dimensions bowl: ø 670 mm x 370 mm, total dimensions: 1200 mm x 600 mm x 1200 mm.	500
903	Abo	Abo mobile bread slicer, model: Atom II, machine number: 1400169, year of construction: 2014, 400 V, 1 kW, plastic belt, belt width: 380 mm, 30 knives, distance between knives: 13 mm, total dimensions: 1800 mm x 800 mm x 1200 mm.	400
904	WP Haton	WP Haton mixer, type: SF 50, fabrication number: 225257, 400 V, 3 Ph, 50 Hz, 14.8 A, s/s bowl, dough hook, inside dimensions: ø 630 mm x 380 mm, total dimensions: 1000 mm x 700 mm x 1300 mm.	750
905	Terlouw Engineering	Terlouw Engineering mobile depositor, type: DPS-5, serial number: 103-0009-296, 220-230 V, 50-60 Hz, 60 W, diameter head: 18 mm, total dimensions: 1250 mm x 700 mm x 480 mm.	500
906	Bakon	Bakon mobile jelly machine, type: Jelly Satellite I, serial number: 1-57-01-06-050, year of construction: 2006, 230 V, 50 Hz, 2660 W, dimensions: 630 mm x 400 mm x 1400 mm.	350
907	Beko	Beko refrigerator-freezer combination, model: B5RCNA365HDXBR, 220-240 V, 72 KG, no-frost, colour: dark inox, dimensions: 765 mm x 640 mm x 1930 mm. New.	200
908	Beko	Beko refrigerator-freezer combination, model: RCSA270K30SN, 220-240 V, 72 KG, colour: silver, dimensions: 600 mm x 575 mm x 1765 mm. New.	195
909	Beko	Beko refrigerator-freezer combination, model: B5RCNA406LXBRW, 220-240 V, 79 KG, no-frost, colour: silver, dimensions: 765 mm x 640 mm x 2100 mm. New.	200
910	Beko	Beko refrigerator-freezer combination, model: B3RCNA404HXBR1, 220-240 V, 79 KG, no-frost, colour: Dark Inox, dimensions: 765 mm x 640 mm x 2100 mm. New.	200
911	Beko		200



Nr	Title	Description	Start €
		Beko refrigerator-freezer combination, model: B5RCNA366LXBRW, 220-240 V, 72 KG, no -frost, colour: silver dimensions: 765 mm x 640 mm x 1930 mm. New.	
912	Beko	Beko refrigerator-freezer combination, model: B3XRCNA364HXB, 220-240 V, 72 KG, no-frost, colour: silver, dimensions: 765 mm x 640 mm x 1930 mm. New.	200
913	NN oven	Oven, 10 floors, dimensions each floor: 530 mm x 320 mm, total dimensions: 860 mm x 750 mm x 1700 mm. With 5 plates.	150
914	Bakon B.V. Food Equipment	Bakon B.V. Food Equipment mobile jelly machine, model; Jelly 2000, serial number: 1.66.390, year of construction: 2000, 220 V, 50 Hz, 2.5 kW, hose length: 1900 mm, total dimensions: 610 mm x 520 mm x 1080 mm.	400
915	Sanomat B.V.	Sanomat B.V. whipped cream machine, model: EuroCream-Auto TBA, number: 55, 230 V, 50 Hz, 850 W, refrigerant: R134a, 75 gram, dimensions: 600 mm x 300 mm x 550 mm.	250
916	NN counter	Mobile s/s counter, dimensions: 2000 mm x 740 mm x 1760 mm.	100
917	NN table	Mobile table, s/s top, wooden drawers, dimensions: 1520 mm x 1100 mm x 930 mm.	100
918	Rösen & Robbert	Rösen & Robbert mobile bread slicer, type: SPA 38, machine number: S 9665-221, 400 V, 50 Hz, 750 W, dimensions chamber: 170 mm x 120 mm, total dimensions: 1000 mm x 650 mm x 1150 mm.	250
919	Leventi	Leventi oven on mobile s/s frame, type: BM MM Q2, serial number: 08020059, 380-415 V, 3 Ph, 50/60 Hz, 9.5 kW, 6 floors, dimensions each floor: 600 mm x 410 mm, total dimensions: 1000 mm x 800 mm x 1850 mm.	750
920	NN hose reel	S/s hose reel with hose, dimensions: 800 mm x 600 mm x 300 mm.	25
921	NN sink	S/s sink with 3 faucets and 2 soap dispensers, sensor operated, dimensions: 1950 mm x 520 mm x 1000 mm.	100
922	NN sink	S/s sink with 3 faucets and 2 soap dispensers, sensor operated, dimensions: 1950 mm x 520 mm x 1000 mm.	100
923	NN rack	S/s rack, dimensions: 1600 mm x 530 mm x 2000 mm.	50
924	NN rack	Mobile s/s rack, dimensions: 1600 mm x 530 mm x 2000 mm.	50
925	Boku	Boku cooled mixer, DWM Copeland cooling compressor, inside dimensions: Ø 360 mm x 460 mm, total dimensions: 900 mm x 600 mm x 1250 mm.	250



Nr	Title	Description	Start €
926	Nuaire	Nuaire containment ventilated enclosure, model: NU-813-400, serial number: 163034043014, year of construction: 2014, 115 VAC, 1 Ph, 60 Hz, 5 A, dimensions: 1200 mm x 700 mm x 1360 mm.	250
927	Nuaire	Nuaire containment ventilated enclosure, model: NU-813-400, serial number: 163035043014, year of construction: 2014, 115 VAC, 1 Ph, 60 Hz, 5 A, dimensions: 1200 mm x 700 mm x 1360 mm.	250
928	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 140w, serial number: 50769/02, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 1.3 kg, dimensions: 560 mm x 500 mm x 1470 mm. Incomplete.	100
929	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 385w, serial number: 41558/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 0.88 kg, dimensions: 560 mm x 500 mm x 1340 mm. Incomplete.	100
930	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 815w, serial number: 321381, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 0.950 kg, dimensions: 640 mm x 500 mm x 1470 mm. Incomplete.	100
931	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 390w, serial number: 40451/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 2.22 kg, dimensions: 720 mm x 600 mm x 1470 mm. Incomplete.	100
932	Huber	Huber mobile circulation thermostat for open baths and closed systems, model: Unistat 385w, serial number: 49414/99, 400-440 V, 3 Ph, 50/60 Hz, 9.5 A, refrigerant: R507, 2.2 kg, dimensions: 560 mm x 500 mm x 1340 mm. Incomplete.	100
933	Tromp	Tromp mobile depositor, 5 heads, diameter heads: 30 mm, total dimensions: 1350 mm x 1200 mm x 1500 mm.	1000
934	Benier	Benier dough divider, type: Dought Assist M. number: 20937A-801211, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 10 A, plastic outfeed belt, belt width: 300 mm, total dimensions: 1700 mm x 1300 mm x 1650 mm.	2000
935	Talsa	Talsa mobile mixer, s/s bowl, model: Mix 80P, serial number: 121642, year of construction: 2012, 230/400 V, 3 Ph, 50 Hz, 2.35/4.1 A, 0.8 kW, volume: 80 liter, dimensions: 900 mm x 700 mm x 1100 mm.	750
936	Icem	Icem electrical pallet lifter, s/s forks, model: TPX 20 JP, serial number: 20570, year of construction: 2012, capacity: 2000 kg, fork length: 1000 mm, total	750



Nr	Title	Description	Start €
		dimensions: 1500 mm x 770 mm x 1300 mm. With BT battery charger, type: BTE 24/30, serial number: 97060309.	
937	Westfalia	Westfalia mixer, type: MDN4, year of construction: 1992, s/s bowl, inside dimensions: Ø 1050 mm x 700 mm, total dimensions: 1800 mm x 1100 mm x 1700 mm.	1000
938	Miwe	Miwe oven with hood, type: CBA 3 0406, serial number: 601972, year of construction: 2014, 220 V, 3 Ph, 50 Hz, 5 kW, electrical heated, dimensions: 970 mm x 800 mm x 650 mm.	400
939	Miwe	Miwe oven with hood, dimensions: 800 mm x 750 mm x 770 mm.	200
940	Fagor	Fagor saladette, dimensions: 1400 mm x 400 mm x 250 mm.	75
941	NN refrigerated counter	S/s refrigerated counter, dimensions: 1780 mm x 700 mm x 830 mm.	100
942	Alto Shaam	Alto Shaam oven, model: VMC-H4H, serial number: 3016241-1, year of construction: 2021, 380-415 V, 3 Ph, 50/60 Hz, 10800-12700 W, 4 floors, dimensions each floor: 500 mm x 370 mm x 120 mm, total dimensions: 900 mm x 500 mm x 1100 mm.	4000
943	Royal Vendors	Royal Vendors vending machine, model: 8000X, serial number: 1501DK-01502, 230 V, 1 Ph, 50 Hz, refrigerant: R134a, 0.17 kg, dimensions: 950 mm x 880 mm x 2130 mm.	200
944	Framec	Framec freezer, model: 4120000, serial number: 40463, 220 V, 50 Hz, 400 W, refrigerant: R22, 0.340 kg, capacity: 634 dm ³ , dimensions: 2000 mm x 920 mm x 900 mm.	100
945	Carpigiani	Carpigiani soft ice machine, serial number: IC40940, 380-415 V, 3 Ph, 50 Hz, 2.1 kW, refrigerant: R404a, 0.7 kg, dimensions: 750 mm x 500 mm x 700 mm.	600
946	Gamko	Gamko refrigerated display, type: AV/MU84N, year of construction: 2010, 220-240 V, 50 Hz, 2.5 A, 380 W, dimensions: 850 mm x 600 mm x 750 mm.	100
947	Fri-Jado	Fri-Jado refrigerated cabinet, model: CSD 23Cold, number: 100037920, 230 V, 50 Hz, 2.3 A, 424 W, dimensions: 750 mm x 450 mm x 1050 mm.	100
948	Howden Food Equipment B.V.	Howden Food Equipment B.V. mobile traysealer, type: TPS, number: RPS.R.906358, 400 V, 3 Ph, 50 Hz, 5.0 A, 3 kW, Busch vacuum pump, type: 040 132 319599, capacity: 40 m ³ per hour, dimensions dye: (2x) 250 mm x 150 mm, index: 440 mm, total dimensions: 1000 mm x 650 mm x 1350 mm.	500
949	Sinmag	Sinmag mixer, model: SM200, serial number: 203013, year of construction: 02/09, 220 V, 1 Ph, 50 Hz, 8 A,	250



Nr	Title	Description	Start €
		s/s bowl, dimensions: 650 mm x 500 mm x 800 mm. With dough hook, paddle and whisk.	
950	Ilpra	Ilpra traysealer, model: Speedy II V/G, serial number: FP5851, year of construction: 2004, 380 V, chain and pin conveyor, belt width: 670 mm, distance between dividers: 400 mm, divider height: 40 mm, 4 lanes, lane width: 70 mm, film width: 485 mm, dimensions dye: (4x) 100 mm x 80 mm, steel outfeed rollers, roller width: 600 mm, total dimensions: 4500 mm x 900 mm x 1600 mm. Without vacuum pump.	2500
951	Hobart	Hobart dishwasher, model: AUPLS-10A, serial number: 866057664, year of construction: 2018, 400 V, 3 Ph, 50 Hz, 33.9 A, 17.5 kW, dimensions: 950 mm x 750 mm x 1600 mm.	200
952	Friulinox	Friulinox refrigerator, model: PY14+2 IN, serial number: 970723/0025, year of construction: 1997, 230 V, 50 Hz, refrigerant: R22, 460 gram, dimensions: 1430 mm x 800 mm x 2000 mm.	200
953	Brökelmann	Brökelmann cooking vessel, type: Kochkessel 300E, 400 V, 3 Ph, 50 Hz, 17.5 kW, volume: 300 liter, dimensions: 1150 mm x 1100 mm x 1100 mm.	500
954	Treif Maschinenbau GmbH	Treif Maschinenbau GmbH mobile dicer, type: 0803, machine number: 08032.66511.0957-1, year of construction: 1987, 380/220 V, 3 Ph, 50 Hz, 2.7 A, dimensions chamber: 85 mm x 85 mm, total dimensions: 1000 mm x 600 mm x 1000 mm. Without plastic worktop.	500
955	APV BAKER AS	APV BAKER AS plate heat exchanger, type: N 35, serial number: 34753, year of construction: 1993, dimensions: 650 mm x 500 mm x 1600 mm.	350
956	Desa	Desa mobile tiltable mixer, type: D60L, fabrication number: 0606, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 1.2 A, volume: 60 liter, dimensions: 950 mm x 500 mm x 1000 mm.	250
957	NN table	S/s table, dimensions: 2000 mm x 700 mm x 850 mm.	100
958	Foodlogistik	Foodlogistik piston filler, type: 763, machine number: 970314, year of construction: 1993/97, 380 V, 3 Ph, 50 Hz, 3.3 kW, dimensions: 800 mm x 750 mm x 1200 mm. With crate with parts.	500
977	EFA	5 boxes with EFA saws for splitting saws, 10 per box, dimensions saws: 19x0.56x2904.	100
978	Scale House	Scale House weighing scale, model: AFW, serial number: T76079, dimensions scale: 520 mm x 420 mm, total dimensions: 650 mm x 430 mm x 900 mm.	75
979	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2319E120531, 100-240 V, 50-60 Hz, 2.1-1.1 A, dimensions: 350 mm x 250 mm x 1200 mm.	50
980	Toshiba		50



Nr	Title	Description	Start €
		Toshiba label printer, model: B-SA4TP, serial number: 2318K120134, 100-240 V, 50-60 Hz, 2.1-1.1 A, dimensions: 350 mm x 250 mm x 1200 mm.	
981	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2305P120585, 100-240 V, 50-60 Hz, 2.1-1.1 A, dimensions: 350 mm x 250 mm x 1200 mm.	50
982	ReflexSystems	ReflexSystems registration terminal, model: flex 3000 CT, 220-240 VAC, 50/60 Hz, 80 W, dimensions: 300 mm x 450 mm x 420 mm.	50
983	Rotor Lips AG	Rotor Lips AG vegetable slicer, type: RGS, 230 V, 50-60 Hz, 400 W, dimensions: 550 mm x 220 mm x 600 mm.	100
984	NN switch cabinets	3 steel switch cabinets, dimensions: 550 mm x 650 mm x 220 mm, 550 mm x 950 mm x 220 mm and 550 mm x 1250 mm x 220 mm.	75
985	Kärcher	Kärcher mobile high pressure cleaner, type: HDS 995, number: 150572, year of construction: 2002, 400 V, 3 Ph, 50 Hz, 6.8 kW, dimensions: 1400 mm x 600 mm x 900 mm.	100
986	Itho Daalderop	Itho Daalderop boiler, model: Comfort Classic 38/80+, serial number: #CCL181570028, year of construction: 2018, gas heated, dimensions: 1450 mm x 500 mm x 550 mm.	125
987	Faicom	Faicom hose reel, model: AX4H3815ST, dimensions: 600 mm x 600 mm x 150 mm.	100
988	K.E.W.	K.E.W. high pressure cleaner, model: 1702KSA, number: 9005142	100
989	NN thermobox	Mobile thermobox, dimensions: 650 mm x 450 mm x 1400 mm.	50
990	NN fish stall	Refrigerated mobile fish stall, 230 V, 50 Hz, dimensions: 1050 mm x 700 mm x 2100 mm.	100
991	NN fish stall	Refrigerated mobile fish stall, 230 V, 50 Hz, dimensions: 1050 mm x 700 mm x 2100 mm.	100
992	Electrolux	Electrolux dishwasher, model: NUC1DP, serial number: 33610011, year of construction: 2013, 230 V, 1 Ph, 50 Hz, 3.65 kW, dimensions: 650 mm x 600 mm x 800 mm.	250
993	NN motor	Motor and part from motor.	10
994	Pfeiffer	8 Pfeiffer vacuum pumps, model: Duo 2.5, number: PK D41 064F, capacity: 2.9 m³ per hour, dimensions: (8x) 300 mm x 120 mm x 150 mm.	250
995	Hendi	Hendi rice cooker and warmer, serial number: 662191-00053, 230 V, 50 Hz, dimensions: 480 mm x 400 mm x 350 mm.	50
996	Tefal	Tefal kitchen machine, type: 6762.35, 220-240 V, 50/60 Hz, 600 W, dimensions: 400 mm x 200 mm x 300 mm.	5



Nr	Title	Description	Start €
997	NN strip cutter	Strip cutter, 220 V, 550 W, capacity: 110 kg per hour, 38 knives, distance between knives: 5 mm, working width: 175 mm, total dimensions: 300 mm x 270 mm x 320 mm.	75
998	Ling Xia Yi Qi	Ling Xia Yi Qi traysealer, diameter dye: 90 mm, total dimensions: 450 mm x 250 mm x 700 mm. With 2 boxes with cups and seals.	40
999	Henkelman	Henkelman vacuum machine, type: Mini Jumbo, machine number: J000411060, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 3 A, 0.4 kW, seal length: 280 mm, dimensions chamber: 340 mm x 280 mm, total dimensions: 450 mm x 330 mm x 300 mm.	400
1000	Kuka	Kuka packaging robot, type: KR 30-3, serial number: 704809, year of construction: 05/2018, capacity: 30 kg, range: 2033 mm, touchpad control, dimension robot: 1400 mm x 1150 mm x 2050 mm, dimensions: platform: 1100 mm x 1100 mm x 1400 mm, dimensions switch cabinet: 800 mm x 700 mm x 1000 mm. Never used. Lot located in Nuenen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	10000
1002	Electrolux	Electrolux washing machine, model: W365H, serial number: 04500624, 220/240 V, 1 Ph, 50 Hz, 10 A, 900 W, capacity: 6.5 kg, total dimensions: 720 mm x 680 mm x 1155 mm.	300
1003	Electrolux	Electrolux washing machine, model: W365H, serial number: 00520 / 0085074, year of construction: 06-2011, 230 V, 1 Ph, 50 Hz, 10 A, capacity: 6.5 kg, total dimensions: 720 mm x 680 mm x 1155 mm.	300
1004	Electrolux	Electrolux washing machine, model: W365H, serial number: 04500626, 220/240 V, 1 Ph, 50 Hz, 10 A, 900 W, capacity: 6.5 kg, total dimensions: 720 mm x 680 mm x 1155 mm.	250
1005	IPSO	IPSO washing machine, type: HW 64, number: 64007638, year of construction: 2003, 220 V, 1 Ph, 50 Hz, 6 A, 0.75 kW, capacity: 6 kg, weight: 200 kg, dimensions: 660 mm x 820 mm x 1030 mm.	350
1006	IPSO	IPSO washing machine, type: HW 64, number: 64007642, year of construction: 2003, 220 V, 1 Ph, 50 Hz, 6 A, 0.75 kW, capacity: 6 kg, weight: 200 kg, dimensions: 660 mm x 820 mm x 1030 mm.	350
1007	IPSO	IPSO double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1150 mm x 755 mm x 1980 mm.	300
1008	Bako	Bako freezer, model: Bako line BHS 86, 380 V, inside dimensions: 780 mm x 700 mm x 1310 mm, total dimensions: 1070 mm x 860 mm x 2260 mm.	50
1009	Zanussi		100



Nr	Title	Description	Start €
		Zanussi grill plate, dimensions: 710 mm x 360 mm x 1000 mm.	
1010	Funke	Funke plate heat exchanger, type: FP 22-23-1-NH-0 10.0 bar, serial number: 761177, year of construction: 06.2014, PS min/max: 0/10.0 bar, TS min 0.0 °C, TS max 110.0 °C, volume: 4.8 liter, dimensions: 330 mm x 350 mm x 1150 mm.	400
1011	NN cabinet	S/s cabinet with plastic worktop, dimensions: 2000 mm x 700 mm x 1000 mm.	275
1012	Laska	Crate with Laska cutter knives for type KH330.	40
1013	Boppas	Boppas tiltable braising pan, inside dimensions: 720 mm x 700 mm x 170 mm, total dimensions: 1270 mm x 950 mm x 900 mm.	300
1014	Electrolux	Electrolux washing machine, model: W365H, serial number: 04500631, 220/240 V, 1 Ph, 50 Hz, 10 A, 900 W, capacity: 6.5 kg, dimensions: 740 mm x 840 mm x 1220 mm.	400
1015	NN bar stools	3 wooden bar stools, dimensions: (3x) 440 mm x 410 mm x 1050 mm.	15
1016	Winterhalter	Winterhalter dishwasher, type: GR 62/2, dimensions: 810 mm x 720 mm x 1580 mm.	150
1017	Kassel	Kassel refrigerated cabinet, inside dimensions: 560 mm x 550 mm x 950 mm, total dimensions: 1000 mm x 740 mm x 1100 mm.	200
1018	Otis	Otis cooking vessel, inside dimensions: Ø 400 mm x 500 mm, total dimensions: 860 mm x 800 mm x 1150 mm.	250
1019	IPSO	IPSO double stacked dryer, inside dimensions: (2x) Ø 690 mm x 760 mm, total dimensions: 1150 mm x 755 mm x 1980 mm.	400
1020	Solia	Solia salad washer and dryer, type: SWA 75 D, machine number: 82/05 0337 08, 230 V, 50 Hz, 1.5 kW, dimensions washer: Ø 420 mm x 350 mm, working dimensions: Ø 395 mm x 290 mm, total dimensions: 1000 mm x 700 mm x 865 mm.	1250
1021	Ifooma / Freund Maschinenfabrik GmbH	Ifooma / Freund Maschinenfabrik GmbH grinder, type: TGR 103, number: 700286, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 1.5/3.5 kW, diameter plate: 80 mm, total dimensions: 500 mm x 500 mm x 490 mm. Without housing, worm, knives and plates. Never used.	900
1022	Electrolux	Electrolux double stacked dryer, model: T4300, serial number: 23300 / 0015492, inside dimensions: (2x) Ø 760 mm x 710 mm, dimensions: 1140 mm x 795 mm x 1935 mm.	400
1023	Hupfer	Hupfer mobile plate dispenser, tray dimensions: 560 mm x 560 mm x 140 mm, total dimensions: 880 mm x 750 mm x 920 mm.	50



Nr	Title	Description	Start €
1024	Bottarini	Bottarini mobile air compressor, serie: CP530F10B, model: FORTEK 500/200, serial number: 1112390001, year of construction: 2011, 400 V, 50 Hz, 3.0 kW, 10 bar, tank volume: GB500, dimensions: 1450 mm x 500 mm x 1050 mm.	200
1025	Robot Coupe	Robot Coupe vegetable slicer, total dimensions: 340 mm x 360 mm x 315 mm. Including extra knife.	50
1027	TKT	TKT insulated trolley, dimensions: 820 mm x 730 mm x 1750 mm.	25
1028	Groku Kampen	Groku Kampen refrigerated showcase with plastic roller shutter, dimensions: 1200 mm x 1000 mm x 1440 mm.	250
1029	NN restaurant inventory	Steel trolley with large amount of restaurant inventory, among others: pizza oven, Elite slicer, Prima Donna chocolate fountain.	100
1031	CombiSteel	CombiSteel refrigerated showcase, model: 7472.0140, serial number: 111190100, 220/240 V, 50 Hz, 0.93 A, refrigerant: R290, 0.095 kg, 8 compartments, dimensions compartments: (8x) 335 mm x 140 mm, total dimensions: 1210 mm x 850 mm x 1280 mm.	250
1032	AIII	AIII ZHEJIANG APOLLO MOTORCYCLE 200cc quad, type: AGA-16-T3B, commercial name: commander 200, year of construction: 06/2019, dimensions: 1800 mm x 1000 mm x 1300 mm. Never used, including COC declaration.	1625
1033	Unox S.p.A.	Unox S.p.A. oven, model: XF030-TG, serial number: 27158, year of construction: 11/10/2007, 220-230 V, 50/60 Hz, 2.6 kW, 4 floors, dimensions floors: (4x) 430 mm x 330 mm, total dimensions: 600 mm x 570 mm x 570 mm.	100
1034	Rieber Werke	Rieber Werke heated trolley, type: ZUB 8-B, number: 152 2482, 220 V, 1400 W, inside dimensions: (2x) 510 mm x 300 mm x 200 mm, total dimensions: 750 mm x 550 mm x 880 mm.	25
1035	Caterchef	Caterchef oven, model: 0130IU, number: 1011145, 400 V, 5.4 kW, 4 floors, floor dimensions: 530 mm x 330 mm, total dimensions: 900 mm x 680 mm x 570 mm.	250
1036	Lido-Bertuch GmbH	Lido-Bertuch GmbH grill, number: 1043, year of construction: 7/1982, 380/220V, 2.8/3.2/6.0 kW, grill dimensions: 450 mm x 450 mm, total dimensions: 660 mm x 600 mm x 880 mm.	50
1037	NN ice machine	Ice machine, 220 V, dimensions: 620 mm x 420 mm x 430 mm.	100
1038	Ifooma / Freund Maschinenfabrik GmbH	Ifooma / Freund Maschinenfabrik GmbH grinder, type: TGR 103, number: 700294, year of construction: 2020, 400 V, 3 Ph, 50 Hz, 1.5/3.5 kW,	900



Nr	Title	Description	Start €
		diameter plate: 80 mm, total dimensions: 500 mm x 500 mm x 490 mm. Without housing, worm, knives and plates. Never used.	
1039	Rosières	Rosières stove with 2 ovens, dimensions: 1170 mm x 650 mm x 980 mm.	200
1040	Bizerba	Bizerba automatic slicer, type: A404, number: 1426499, 230 V, 1 Ph, 50 Hz, 3.1 A, dimensions: 1050 mm x 700 mm x 800 mm.	1000
1041	Frigoglass	Frigoglass refrigerator, type: S5, serial number: RO0061665213, year of construction: 18/06/14, 230 V, 50 Hz, 1.66 A, 272 W, refrigerant: R290 / 0.05 kg, volume: 103 liter, dimensions: 600 mm x 500 mm x 890 mm. Technical condition unknown.	15
1042	Kolbe	Kolbe grinder, type: LW 82, serial number: 78 1415, year of construction: 2017, 230 V, 3 Ph, 50 Hz, 5.3 A, 1.25 kW, diameter plate: 82 mm, total dimensions: 450 mm x 400 mm x 450 mm.	500
1043	Amana	Amana microwave, model: HDC518, serial number: 11374573EG, 230/240 V, 1 Ph, 50 Hz, 2900 W, inside dimensions: 300 mm x 330 mm x 170 mm, total dimensions: 580 mm x 430 mm x 350 mm.	150
1044	ACP, Inc.	ACP, Inc. microwave, model: DEC21E2, serial number: 1601120602, year of construction: 1/2016, 230/240 V, 1 Ph, 50 Hz, 16 A, 3100 W, inside dimensions: 300 mm x 330 mm x 170 mm, total dimensions: 580 mm x 430 mm x 350 mm.	150
1045	Maja	Maja ice machine, type: SA 70, machine number: 29799, year of construction: 2001, 230 V, 50 Hz, 3.9 A, 0.53 kW, refrigerant: R 404, 0.7 kg, capacity: 70 kg per 24 hours, dimensions: 1000 mm x 850 mm x 1150 mm.	500
1046	MKN	MKN 4 pits stove, type: 845096, 220 V, 1.0 kW, dimensions: 860 mm x 800 mm x 900 mm.	350
1047	S.A.M.	S.A.M. automatic slicer, model: S.A.M. 329 f, serial number: 17064, year of construction: 1998, 400 V, 50 Hz, 1.36 A, dimensions: 940 mm x 600 mm x 500 mm.	200
1048	S.A.M.	S.A.M. slicer, model: 308aXL A, number: 11311, 220 V, 180 W, dimensions: 670 mm x 600 mm x 450 mm.	100
1049	Winterhalter	Winterhalter dishwasher, type: GS 315, serial number: 536168, 400 V, 3 Ph, 50 Hz, 13.6 A, 5.6 kW, dimensions: 690 mm x 600 mm x 820 mm.	200
1050	Landig+Lava GmbH & Co. KG	Landig+Lava GmbH & Co. KG dry-aging cabinet, type: DX 1000 PREMIUM, serial number: 85.546.580.1, 220/240 V, 1 Ph, 50 Hz, 2.0 A, capacity: 495 liter, refrigerant: R600a, 45 g, 11 floors, floor dimensions: 575 mm x 455 mm, total dimensions: 780 mm x 700 mm x 1650 mm.	500



Nr	Title	Description	Start €
1051	NN parts	Plastic crate with various parts, fan, type fan: HCFB/4-355/H-A and various electric plugs.	10
1052	Mobile Containing	Mobile Containing mobile plate dispenser, model: THN-MS 310, serial number: 12440, year of construction: 2007, 230 V, 1 Ph, 50 Hz, 600 W, clearance: Ø 310 mm, total dimensions: 500 mm x 470 mm x 980 mm.	50
1053	Inventum	Inventum refrigerator, model: KK550, serial number: 15220269, 220-240 V, 50 Hz, 0.21 A, 70 W, refrigerant: R600a / 18 gram, volume: 136 liter, dimensions: 570 mm x 550 mm x 850 mm.	50
1054	Merco Savory	Merco Savory rotisserie grill on s/s trolley, model: SP-5, type: Panorama 5, 6 kW, 1 grill basket, dimensions basket: 450 mm x 160 mm, total dimensions: 860 mm x 625 mm x 1100 mm.	350
1055	NN lockers	4x 2 steel lockers, dimensions: 760 mm x 380 mm x 380 mm.	10
1056	DEBAG	DEBAG loading trolley, type: ZBL000164-E, serial number: P-00-0445, dimensions: 770 mm x 500 mm x 2000 mm.	50
1057	NN dry-aging cabinet	Dry-aging cabinet, dimensions: 900 mm x 510 mm x 900 mm.	100
1058	L'unite Hermetique	L'unite Hermetique cooling compressor, type: CAET 4448Y HR, serial number: 06F06 121918 3B86630260, refrigerant: R134A, dimensions: 540 mm x 480 mm x 400 mm. Never used.	75
1059	L'unite Hermetique	L'unite Hermetique cooling compressor, type: CAET 9460T MHR, serial number: 03K14 185823 3B85930202, refrigerant: R22/R502, dimensions: 540 mm x 480 mm x 400 mm. Never used.	75
1060	Calpeda	7 Calpeda centrifugal pumps, model: NM 50/12A-60/B, capacity: 75 m³ per hour, dimensions: (7x) 500 mm x 260 mm x 300 mm.	700
1061	Küpperbusch	Küpperbusch 6 pits stove, type: KCN 007, 50 Hz, dimensions: 1200 mm x 860 mm x 870 mm.	250
1062	Iseco	Iseco regeneration trolley, type: 8 2 fresh, serial number: 09 07 21 97, 400 V, 3 Ph, 50 Hz, 8.1 kW, refrigerant: R404A, 850 g, 22 floors, floor dimensions: (14x) 530 mm x 325 mm, (8x) 465 mm x 275 mm, total dimensions: 1450 mm x 680 mm x 1400 mm.	50
1064	MKN	MKN grill plate, type: 2021107-00, machine number: 08795, 400 V, 3 Ph, 7.2 kW, dimensions: 850 mm x 600 mm x 850 mm.	80
1065	Gamko	Gamko refrigerator, type: ECO/22GVSCS-CC, serial number: 201635 536941, year of construction: 2016, 220-240 V, 50 Hz, 0.5 A, 75 W, refrigerant: R134A, dimensions: 1160 mm x 510 mm x 860 mm. Glass is broken.	75



Nr	Title	Description	Start €
1066	NN press	S/s almond press on mobile frame, dye: (10x) 20 mm, total dimensions: 1420 mm x 430 mm x 1000 mm.	20
1067	Helkama	Helkama refrigerator, type: F85G V LB EXTRA COLD, number: 707022723, year of construction: 06.04.2007, 230/240 V, 1 Ph, 50 Hz, refrigerant: R134A, 75 g, 2 floors, floor dimensions: 270 mm x 430 mm, total dimensions: 500 mm x 500 mm x 950 mm.	150
1068	Select Cuisine	Select Cuisine oven, model: HL10950DK, type: 2/3, serial number: 15090637, 230 V, 2.6/2 kW, 4 floors, floor dimensions: 430 mm x 330 mm, total dimensions: 700 mm x 680 mm x 550 mm.	100
1069	IFO	IFO heated showcase on mobile wooden counter, model: KVS-14, serial number: 108905119, year of construction: 1997, 3 floors, dimensions floors: (3x) 970 mm x 400 mm, total dimensions IFO: 1400 mm x 720 mm x 710 mm, dimensions wooden counter: 1360 mm x 940 mm x 890 mm.	250
1070	Diamond	Diamond refrigerated cabinet, model: SR2/R6, 230 V, 50 Hz, 1.2 A, 155 W, refrigerant: R600a, 70 gram, volume: 285 liter, dimensions: 900 mm x 700 mm x 1080 mm.	150
1071	Vito AG	Vito AG mobile oil filter, model: Vito XS, serial number: 754, 220-240 V, 50/60 Hz, dimensions: 550 mm x 550 mm x 680 mm.	200
1073	Diamond	Diamond rotisserie grill on mobile s/s frame, model: 315, gas heated, 3 skewers, skewer length: 800 mm, dimensions: 1000 mm x 800 mm x 1800 mm.	100
1074	Eurocool	Eurocool refrigerator, model: KSE 1472, serial number: 11094924, 230 V, 50 Hz, 3.8 A, refrigerant: R404a, inside dimensions: (2x) 630 mm x 540 mm x 1500 mm, total dimensions: 1480 mm x 810 mm x 2080 mm.	250
1075	Liebherr	Liebherr refrigerator, type: 2 3097 4, serial number: 76.346.095.0, 220/230 V, 50 Hz, 180 W, refrigerant: R 600 a, 55 g, 5 floors, floor dimensions: 520 mm x 670 mm, total dimensions: 660 mm x 750 mm x 1630 mm.	175
1076	NN cabinet	Mobile s/s cabinet, 2 floors, floor dimensions: 545 mm x 1050 mm, total dimensions: 1300 mm x 820 mm x 1055 mm.	150
1077	Red Bull	Red Bull refrigerator, model: RBI-OBC1 ECO LED, serial number: RBI-OBC1ECO LED09050637, year of construction: 05.2009, 220/240 V, 50 Hz, 0.5 A, 80 W, refrigerant: R600a, 16 g, 1 floor, floor dimensions: 200 mm x 220 mm, total dimensions: 360 mm x 300 mm x 580 mm.	50
1078	TKT		25



Nr	Title	Description	Start €
		TKT insulated trolley, dimensions: 820 mm x 730 mm x 1750 mm.	
1079	NN cabinet	Mobile cabinet, 17 floors, floor dimensions 850 mm x 610 mm, total dimensions: 880 mm x 700 mm x 2030 mm. Without key.	40
1080	Mitsubishi	Mitsubishi pallet lifter with weighing option, number: 201501462, fork length: 1150 mm, total dimensions: 1500 mm x 520 mm x 1220 mm. Technical condition unknown.	100
1081	NN table	Table, steel frame, wooden top, dimensions: Ø 1190 mm x 740 mm.	1
1082	NN counter	Mobile wooden bar counter, dimensions: 2380 mm x 920 mm x 1170 mm.	50
1083	Rhima/Wexiodisk AB	Rhima/Wexiodisk AB dishwasher, type: WD-7, number: 1021762, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 16 A, 10.8 kW, dimensions: 750 mm x 700 mm x 1500 mm.	200
1084	Gram	Gram mobile laboratory refrigerator, type: ER 930 LG E 11213041, serial number: 101887221, year of construction: 2015, 230 V, 50 Hz, 2.75 A, 464 W, refrigerant: R290, 126 gram, dimensions: 1070 mm x 780 mm x 2150 mm.	500
1085	Liebherr	Liebherr freezer, model: GS 5203, number: 77.204.421.9, 220-230 V, 50 Hz, 220 W, refrigerant: R600a, 110 gram, volume: 520 liter, dimensions: 750 mm x 700 mm x 1700 mm.	200
1086	Liebherr	Liebherr freezer, model: GS 5203, number: 77.204.420.2, 220-230 V, 50 Hz, 220 W, refrigerant: R600a, 110 gram, volume: 520 liter, dimensions: 750 mm x 700 mm x 1700 mm.	200
1087	Thermo Scientific	Thermo Scientific laboratory freezer, type: HFU 586 Basic, fabrication number: 41327159, 230 V, 1 Ph, 50 Hz, 6.3 A, 0.61 kW, refrigerant: R507, 0.580 kg, R170, 0.084 kg, up to -86° C, dimensions: 900 mm x 1000 mm x 1980 mm.	1000
1088	Panasonic	Panasonic Ultra-Low temperature freezer, model: MDF-DU700VH-PE, serial number: 14090224, 230/240 V, 50 Hz, 4.2/4.5 A, 790/820 W, refrigerant: R-290/R-170, 135:90 gram, dimensions: 1090 mm x 1050 mm x 2000 mm.	1000
1089	Liebherr	Liebherr laboratory refrigerator, model: Lkexc 3910, serial number: 81.202.866.7, 220-240 V, 50 Hz, 1.5 A, refrigerant: R600a, 55 gram, volume: 344 liter, dimensions: 620 mm x 600 mm x 1840 mm.	150
1090	Liebherr	Liebherr freezer, dimensions: 660 mm x 600 mm x 1850 mm.	200
1091	Liebherr	Liebherr laboratory refrigerator, model: LKUv 1610, serial number: 83.042.962.0, 220-240 V, 50 Hz, 1.0 A,	150



Nr	Title	Description	Start €
		refrigerant: R600a, 24 gram, volume: 130 liter, dimensions: 620 mm x 600 mm x 840 mm.	
1092	Vemag	Vemag housing with screws for vacuum filling machine, housing number: FO 618, screw numbers: 1310048 / 911310048.	250
1093	VHH	VHH coffee machine, type: 8.080.020.31021, model: C60-002, 230 V, 50-60 Hz, 2100 W, dimensions: 420 mm x 380 mm x 670 mm.	50
1094	Radwag	Radwag weighing scale with indicator and Honeywell label printer, scale model number: PUE 5.15, maximum: 15 kg, minimum: 0.100 kg, e = 0.005 kg, dimensions scale: 300 mm x 300 mm x 100 mm, dimensions indicator: 490 mm x 40 mm x 250 mm, Honeywell label printer, serial number: 31321745113, dimensions printer: 440 mm x 280 mm x 290 mm.	350
1095	Frey	Frey casing sealer, type: CLIPEX, machine number: CXC1202900, year of construction: 2010, 230 V, 50/60 Hz, 0.5 kW, dimensions: (1x) 350 mm x 150 mm x 220 mm, (1x) 400 mm x 100 mm x 120 mm.	250
1096	DELL	4 DELL monitors, models: P2210f, (2x) E2417H, P2311Hb, screen dimensions: (4x) 530 mm x 295 mm.	40
1097	Vaiotec GmbH	Vaiotec GmbH ice machine, model: ZB-28, serial number: PO24VG07019, 220/240 V, 50 Hz, 190 W, weight: 25 kg, refrigerant: R290, 55 g, capacity: 28 kg per 24 hours, bunker volume: 5 kg, dimensions: 550 mm x 330 mm x 580 mm.	150
1098	NN soap dosing machine	S/s soap dosing system, dimensions: 450 mm x 100 mm x 310 mm.	25
1099	Handtmann	Rotor for Handtmann vacuum filling machine, model: VF 612.	250
1100	NN wine opener	Electric wine opener, dimensions: Ø 100 mm x 480 mm.	5
1101	Jarvis	Jarvis pneumatic leg cutter, type: 3HD SPEC, serial number: 102537, dimensions: 1100 mm x 400 mm x 200 mm.	200
1102	NN tub	Plastic tub, dimensions: Ø 500 mm x 830 mm.	10
1103	Proline	Proline air conditioning unit, model: PAC1790, serial number: 122000037, 220-240 V, 1 Ph, 50 Hz, 2.6 A, 560 W, refrigerant: R290, 0.09 kg, dimensions: 400 mm x 400 mm x 800 mm.	120
1104	J.P. Selecta, s.a.	J.P. Selecta, s.a. souce vide, serial number: 0540278, 230 V, 50/60 Hz, 8.6 A, 2000 W, inside dimensions: 500 mm x 300 mm x 120 mm, total dimensions: 630 mm x 380 mm x 280 mm.	100
1105	GEA	Discs for GEA 500 liter cutter, diameter each: 285 mm.	75



Nr	Title	Description	Start €
1106	Brex	Brex grill, model: AT-360A, number: 07/09/SW09-6HB-13B/AT-360/14, year of construction: 21/07/2009, 220 V, 50 Hz, 2550 W, weight: 9.75 kg, 2 floors, floor dimensions: 320 mm x 200 mm, total dimensions: 470 mm x 250 mm x 370 mm. Never used.	80
1107	Maxima	Maxima table model grinder, model: 09300445, serial number: MMM12-S597-01202410-015, 230 V, 1 Ph, 50 Hz, 750 W, weight: 23 kg, plate diameter: 70 mm, total dimensions: 440 mm x 250 mm x 460 mm.	175
1108	Dahongying	Dahongying weighing scale, maximum weight: 40 kg, minimum weight: 200 gram, e=d= 5 gram, dimensions scale: 320 mm x 240 mm, total dimensions: 370 mm x 140 mm x 40 mm.	100
1109	Espera	Espera label printer, model: ESD 234, serial number: 263 01 00117, dimensions: 500 mm x 270 mm x 300 mm.	10
1110	NN drawers	5 s/s drawers, dimensions: (5x) 500 mm x 440 mm x 100 mm.	10
1111	Avtech	2 Avtech security cameras, dimensions: 240 mm x 120 mm x 410 mm and 260 mm x 90 mm x 220 mm.	45
1112	Innotech	5 timing belts for Innotech packaging machine, type: 50H72V-RNC-6SX.	50
1113	Urschel	4 cylinder protectors for Urschel Quanticut model Q, usable for 50 mm cylinders.	50
1114	Urschel	12 knives for Urschel Quanticut model Q.	90
1115	Urschel	12 knives for Urschel Quanticut model Q.	90
1116	Urschel	12 knives for Urschel Quanticut model Q.	90
1117	Urschel	20 knives for Urschel Quanticut model Q.	90
1118	Urschel	Urschel crosscut knife for Urschel Quanticut model Q, distance between knives: 9 mm, total dimensions: 325 mm x 127 mm.	200
1119	Urschel	Urschel crosscut knife for Urschel Quanticut model Q, distance between knives: 9 mm, total dimensions: 337 mm x 140 mm.	200
1120	Urschel	Urschel circular knife for Urschel Quanticut model Q, distance between knives: 8 mm, total dimensions: 325 mm x 127 mm.	190
1121	Urschel	Urschel crosscut knife for Urschel Quanticut model Q, distance between knives: 13 mm, total dimensions: 337 mm x 140 mm.	190
1122	NN mixing head	Mixing head for immersion bender, dimensions: Ø 125 mm x 500 mm.	5
1123	A/S Wodschow & Co	A/S Wodschow & Co mixer, model: AR005, machine number: 5723313, year of construction: 06-17, 230 V, 1 Ph, 50/60 Hz, 1.7 A, 500 W, dimensions: 370 mm x 270 mm x 450 mm. Without bowl.	20



Nr	Title	Description	Start €
1124	S.A.M.	S.A.M. slicer, dimensions: 740 mm x 600 mm x 700 mm.	200
1125	Bizerba	Bizerba slicer, model: VS 8, number: 1299462, 220/380 V, 3 Ph, 50 Hz, 1.25/0.72 A, 0.300 kW, dimensions: 500 mm x 560 mm x 440 mm.	100
1126	Robot Coupe	Robot Coupe vegetable slicer, model: CL 50 E Ultra, serial number: L4520195501, 230 V, 1 Ph, 50 Hz, 5.7 A, 550 W, dimensions: 400 mm x 340 mm x 630 mm.	50
1127	Robot Coupe	Robot Coupe vegetable cutter, model: R 301 Ultra C, serial number: Y26802189 01, 230 V, 1 Ph, 50 Hz, 5.7 A, 650 W, dimensions: 400 mm x 340 mm x 630 mm.	50
1128	Selbach	Selbach cooling machine, model: BK70 Mini, serial number: SJ 215226, year of construction: 2018, 230 V, 50 Hz, 3.5 A, 510 W, refrigerant: R290a, 100 gram, dimensions: 700 mm x 360 mm x 600 mm.	110
1129	Bizerba	Bizerba slicer, model: VS 8, number: 1244405, 230 V, 50 Hz, 1.7 A, 0.300 kW, dimensions: 630 mm x 520 mm x 450 mm.	90
1130	NN pump	Fuel pump, serial number: 1602015009, dimensions: 260 mm x 140 mm x 180 mm.	10
1131	NN hand truck	Steel hand truck, dimensions: 520 mm x 500 mm x 1200 mm.	25
1132	Ziegra	Ziegra ice machine, serial number: 105484, dimensions: 800 mm x 650 mm x 1570 mm.	350
1133	Meiko	Meiko dishwasher, type: M-iClean UL, serial number: 10362868, year of construction: 2017, 400 V, 3 Ph, 50 Hz, 15 A, 6.8 kW, dimensions: 710 mm x 600 mm x 820 mm.	100
1134	Ariston	Ariston 6-pits stove with oven, model: XC 902 GH DC 3 NL, type: C9S 51BM2063, serial number: 403050130, 230 V, 50-60 Hz, 3100 Watt, gas heated, dimensions: 900 mm x 600 mm x 980 mm.	150
1135	NN slicer	Slicer, dimensions: 600 mm x 600 mm x 450 mm.	150
1136	OMPI	OMPI s/s hose reel with hose and spray pistol, dimensions: 460 mm x 230 mm x 480 mm.	100
1137	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
1138	Theodor Henrichs GmbH	Theodor Henrichs GmbH s/s hose reel, model: ST30/10e, serial number: 150535, year of construction: 07/2018, dimensions: 500 mm x 250 mm x 500 mm.	100
1139	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood,	400



Nr	Title	Description	Start €
		dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	
1140	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
1141	Silko	Silko show kitchen consisting of: Silko kitchen with pasta cooker and (2x) induction wok, dimensions kitchen: 2000 mm x 800 mm x 1300 mm, s/s hood, dimensions hood: 1900 mm x 1300 mm x 1200 mm, and s/s cabinet with vessel, dimensions cabinet: 300 mm x 270 mm x 800 mm.	400
1142	NN hose reel	S/s hose reel with spray pistol, dimensions: 440 mm x 340 mm x 440 mm.	100
1143	Ramex	Ramex s/s hose reel with hose and spray pistol, model: AV1100, serial number: 26 2014, dimensions: 430 mm x 320 mm x 430 mm.	100
1144	NN hose reel	S/s hose reel with spray pistol, dimensions: 440 mm x 340 mm x 440 mm.	100
1145	NN hose reel	S/s hose reel with spray pistol, dimensions: 440 mm x 340 mm x 440 mm.	100
1146	Ramex	Ramex s/s hose reel with hose and spray pistol, model: AV1100, serial number: 12 2015, dimensions: 430 mm x 320 mm x 430 mm.	100
1147	NN pump	Dosing pump, dimensions: 500 mm x 200 mm x 270 mm.	25
1148	NN boot racks	3 s/s boot racks for 3 pairs each, dimensions: (3x) 750 mm x 140 mm x 300 mm.	10
1149	NN boot racks	3 s/s boot racks for 4 pairs each, dimensions: (3x) 750 mm x 140 mm x 300 mm, with 4 coat racks.	20
1150	NN meat bins	2 s/s meat bins, volume: 200 liter.	100
1151	NN tenderizer	Tenderizer, working width: 200 mm, total dimensions: 430 mm x 350 mm x 450 mm.	50
1152	NN sharpening machine	Sharpening machine, dimensions: 350 mm x 350 mm x 250 mm.	50
1153	Zenith	Zenith weighing scale, model: Equa 5000, serial number: 120950250, maximum weight: 12 kg, minimum weight: 40 gram, e=: 2 gram, T=-9.998 kg, 110-230 V, 50/60 Hz, dimensions: 400 mm x 350 mm x 600 mm.	25
1154	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 1404213090112, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	500



Nr	Title	Description	Start €
1155	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 2003213090973, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	400
1156	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 1404213090113, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	500
1157	Merrychef	Merrychef turbo oven, model: Eikon e3, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	350
1158	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 1409213090752, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	700
1159	Merrychef	Merrychef turbo oven, model: Eikon e3, serial number: 1210213090324, 400 V, 2 Ph, 50 Hz, inside dimensions: 350 mm x 320 mm x 320 mm, total dimensions: 600 mm x 550 mm x 500 mm.	500
1160	Zuma	Zuma mobility scooter, dimensions: 1500 mm x 650 mm x 1100 mm.	75
1161	Hobart	Hobart dishwasher, dimensions: 600 mm x 600 mm x 800 mm.	200
1162	Carimali	Carimali espresso machine, model: ETA Beta 2.3 LM, number: CA232836, year of construction: 5/2016, 400 V, 3 Ph, 50 Hz, 4500+350 W, dimensions: 880 mm x 500 mm x 520 mm.	600
1163	Bartscher	Bartscher refrigerated counter, type: S901, article number: 110136/0909, 230 V, 50 Hz, 1.5 A, 0.25 kW, refrigerant: R134a, 200 gram, dimensions: 900 mm x 700 mm x 1000 mm.	150
1164	NN heater	Heater, electrically heated, dimensions: 800 mm x 400 mm x 800 mm.	20
1165	Rubbermaid	2 Rubbermaid plastic tubs with 1 gripper, dimensions: (2x) 950 mm x 800 mm x 670 mm.	50
1166	Hupfer	Hupfer s/s trolley with various gastronorm bins, dimensions: 1150 mm x 900 mm x 1100 mm.	150
1167	Saint Romain	Saint Romain mobile waste bin, dimensions: 600 mm x 490 mm x 1010 mm.	25
1168	Inde Plastic	Inde Plastik traysealer, article number: IP 245, serial number: 2421, year of construction: 2010, 230 V, 50 Hz, 1000 W, dimensions dye: (2x) 105 mm x 105 mm and (1x) 225 mm x 125 mm, film width: 245 mm, total dimensions: 700 mm x 340 mm x 320 mm.	75
1169	GGM Gastro	GGM Gastro conveyor toaster, model: DTKB300, serial number: KB23DTK30020120080, 220-240 V, 50 Hz, 2.6 kW, s/s mesh belt, belt width: 370 mm, total dimensions: 570 mm x 470 mm x 395 mm.	75



Nr	Title	Description	Start €
1170	Jura	Jura coffee machine, dimensions: 450 mm x 230 mm x 340 mm.	20
1171	Mado	Mado grinder, type: MEW 613, number: 9630127, 230/400 V, 3 Ph, 50 Hz, 5.4/3.2 A, 1.45 kW, diameter plate: 70 mm, total dimensions: 500 mm x 300 mm x 440 mm.	250
1172	Bizerba	Bizerba grinder, diameter plate: 80 mm, total dimensions: 400 mm x 350 mm x 470 mm.	250
1173	NN stove	4-pits stove, gas heated, dimensions: 700 mm x 700 mm x 1050 mm.	75
1174	Pitco	Pitco fryer, model: SG14, serial number: G11EB019340, gas heated, inside dimensions: 350 mm x 370 mm x 130 mm, total dimensions: 900 mm x 400 mm x 1170 mm.	100
1175	Convotherm	Convotherm oven, model: OES 6.06, number: ES8DC0436, 230 V, 1 Ph, 50/60 Hz, 13.1 A, 3.0 kW, 12 floors, dimensions each floor: 325 mm x 325 mm, total dimensions: 650 mm x 620 mm x 730 mm. Technical condition unknown.	50
1176	Compact	Compact water softener, dimensions: 550 mm x 300 mm x 1100 mm.	100
1177	Kärcher	Kärcher mobile high pressure cleaner, type: HDS 895 SX 1.027-320, number: 162231, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 6.8 kW, dimensions: 1300 mm x 600 mm x 800 mm.	100
1178	NN oven	Mobile oven, inside dimensions: 550 mm x 500 mm x 800 mm, total dimensions: 1550 mm x 600 mm x 1300 mm.	400
1179	Lubron	Lubron water softener, model: Compact C-30, serial number: 10071605, year of construction: 07/2010, capacity: 400 liter per hour, dimensions: 500 mm x 300 mm x 600 mm.	50
1180	Elframo	2 Elframo dishwashers, type: 02PL, 400 V, 3 Ph, 50 Hz, dimensions: (2x) 600 mm x 600 mm x 850 mm. 1 defect.	50
1181	NN pasta machine	Pasta machine on rollie, dimensions: 1000 mm x 450 mm x 880 mm.	400
1182	Meiko	Meiko dishwasher, model: DV80T, dimensions: 850 mm x 690 mm x 1300 mm.	300
1183	Friulinox	Friulinox saladette, model: Alzatina R, serial number: F200405260000034, year of construction: 2004, 230 V, 1 Ph, 50 Hz, 1.0 A, 155 W, refrigerant: R134a, 70 gram, dimensions: 1600 mm x 300 mm x 300 mm.	75
1184	NN kitchen inventory	Kitchen inventory, consisting of: large amount of gastronom bins and 3 sieves.	50
1185	Hendi BV	Hendi BV au-bain marie, model: Ecoline, serial number: 202569-000041, 230 V, 50 Hz, 1300 W, dimensions: 540 mm x 340 mm x 240 mm.	75



Nr	Title	Description	Start €
1186	NN stove	1-pits stove, diameter: 450 mm, total dimensions: 500 mm x 500 mm x 150 mm.	50
1187	Royal	Royal coffee machine, model: Vallengunga, type: 1GP EL, serial number: 080626451, year of construction: 2008, 400 V, 50 Hz, 2600 W, dimensions: 600 mm x 400 mm x 500 mm. With bean grinder and coffee cups.	200
1188	Cavaria	Cavaria slicer, type: 195, number: 11598, year of construction: 1996, 230 V, 50 Hz, 0.12 kW, dimensions: 350 mm x 350 mm x 350 mm.	50
1189	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163013C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1190	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163012C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1191	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163023C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1192	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163018C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1193	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163016C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1194	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163017C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1195	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163015C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1196	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163020C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1197	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163022C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz, 2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	1200
1198	Videojet	Videojet inkjet printer, model: 1860, serial number: 19163024C49ZH, 100-120/200-240 V, 1 Ph, 50/60 Hz,	1200



Nr	Title	Description	Start €
		2 A, 70 W, toner: V7206L, make-up: V901Q- 1l, ink: V4211-L, dimensions: 370 mm x 400 mm x 610 mm.	
1199	Henkelman	Henkelman vacuum machine, type: Mini Jumbo, machine number: H00J00161510, year of construction: 2016, 220/230 V, 1 Ph, 50/60 Hz, 4 A, 0.5 kW, seal length: 280 mm, dimensions chamber: 340 mm x 280 mm, total dimensions: 450 mm x 330 mm x 300 mm.	400
1200	Tramper	4 Tramper denester sets, dyes: (3x) 260 mm x 177 mm, (3x) 190 mm x 150, (3x) 240 mm x 185 mm and (3x) 190 mm x 140 mm.	25
1201	Waterloo	Waterloo tool trolley, dimensions: 750 mm x 420 mm x 800 mm.	50
1202	Endress+Hauser	Endress+Hauser flowmeter, model: AT70, serial number: 72-5385, dimensions: 120 mm x 110 mm x 480 mm.	25
1203	ABB	ABB pressure transmitter, model: 265AS, number: 265AS6502000247, year of construction: 2004, dimensions: 140 mm x 200 mm x 100 mm.	25
1204	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854189, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	20
1205	Schupa/Holec/Eaton	Schupa and Holec earth leakage circuit breaker and Eaton kWh meter.	20
1206	Bizerba	Bizerba weighing scale with label printer, type: SC II 800, serial number: 11854190, 120/240 V, 50/60 Hz, 0.35-0.25 A, minimum weight: 40 gram, maximum weight: 6/15 Kg, e= 2/5 gram, scale dimensions: 350 mm x 270 mm, total dimensions: 480 mm x 350 mm x 560 mm.	20
1207	Lamers	Lamers floor sweeping machine, type: 700ET, machine number: 1023, year of construction: 02.88, dimensions: 1600 mm x 900 mm x 900 mm.	75
1208	NN electric parts	Pallet with various electric parts, dimensions: 1100 mm x 1000 mm x 400 mm.	90
1209	NN vacuum pump	Vacuum pump, dimensions: 1180 mm x 600 mm x 460 mm.	250
1210	Solia	Solia slicer, type: M3.2, 400 V, 50 Hz, dimensions: 850 mm x 310 mm x 600 mm. Missing knife.	250
1211	Graef GmbH & Co. KG	Graef GmbH & Co. KG slicer, type: Euro 3010 Fleischerei, serial number: 6264082, year of construction: 2007, 400 V, 50 Hz, 2.2 A, 500 W, dimensions: 600 mm x 600 mm x 400 mm.	150
1212	Sweco		100



Nr	Title	Description	Start €
		Sweco motor for vibrating sieve, number: 0101547, 220/240/380/415 V, 50 Hz, dimensions: 500 mm x 300 mm x 300 mm.	
1213	NN hose reel	Hose reel with hose, dimension: 450 mm x 250 mm x 470 mm.	75
1214	Videojet	Videojet inkjet printer, model: EXCEL 2000, serial number: 052241014WD, P/N: 390540-23, 100-240 V, 50/60 Hz, 2-1 A, psi: 1.2 m ³ per hour, dimensions: 600 mm x 250 mm x 700 mm.	75
1215	NN plastic trays	7 pallets with plastic trays and plastic lids, dimensions: (6x) 1200 mm x 800 mm x 1650 mm, (1x) 1200 mm x 800 mm x 500 mm.	1
1216	NN filling pipe	S/s filling pipe, clearance: 190 mm x 165 mm, total dimensions: 620 mm x 300 mm x 1200 mm.	10
1217	Rietschle	Rietschle vacuum pump, type: VCEH 250(01), number: 1575009, year of construction: 1994, capacity: 250 m ³ per hour, dimensions: 900 mm x 650 mm x 460 mm.	250
1218	Protaurus	Protaurus lifting trolley, year of construction: 2019, capacity: 150 Kg, dimensions: 950 mm x 450 mm x 930 mm.	10
1219	L'Unite Hermetique	L'Unite Hermetique condensing unit, model: 4G68730236, serial number: 13D30 114222 4G68730236, dimensions: 740 mm x 740 mm x 800 mm.	1
1220	SKF / AKN	SKF / AKN bearings, dimensions: 800 mm x 600 mm x 350 mm.	160
1221	Videojet	Videojet inkjet printer, model: EXCEL 2000, serial number: 072901017WD, P/N: 390540-119, 100-240 V, 50/60 Hz, 2-1 A, psi: 1.2 m ³ per hour, dimensions: 600 mm x 250 mm x 700 mm.	75
1222	Norbro	Pallet with 6 Norbro pneumatic actuators.	75
1223	NN frequency converters	Plastic pallet box with large amount of various frequency converters, dimensions: 1200 mm x 800 mm x 800 mm.	600
1224	NN chairs	2 Chairs, dimensions: (2x) 620 mm x 800 mm x 770 mm.	5
1225	C.V. v/h Fa. B. Lammers	C.V. v/h Fa. B. Lammers laboratory centrifuge, number: 13369, dimensions: 670 mm x 720 mm x 380 mm.	100
1226	Glunz & Jensen	Glunz & Jensen chiller, type: KA 134A-2-23050, serial number: 59115-0784, 230 V, 1 Ph, 50 Hz, 1.8 A, 315 W, dimensions: 460 mm x 430 mm x 360 mm.	25
1227	Glunz & Jensen	Glunz & Jensen chiller, model: 07-0301-01, serial number: E01655, year of construction: 07/2004, 220-240 V, 1 Ph, 50/60 Hz, 3.5 A, 600 W, refrigerant: R134A, weight: 170 g, dimensions: 620 mm x 380 mm x 350 mm.	25



Nr	Title	Description	Start €
1228	BORA s.r.l.	BORA s.r.l. vacuum booster, type: 363 FP, serial number: 2829, year of construction: 2014, 1.5 kW, capacity: 360 m ³ per hour, dimensions: 870 mm x 330 mm x 460 mm.	50
1229	Viking	Viking lawn mower, type: MB 555 M, number: 42525490, year of construction: 1999, 3.3 kW, dimensions: 1600 mm x 550 mm x 1100 mm.	50
1230	NN bearings	Pallet with large amount of bearings, dimensions: 1200 mm x 800 mm x 400 mm.	125
1231	Grundfos	Grundfos pump, type: CRN4-40A-P-G-BUBV, capacity: 6 m ³ per hour, dimensions: 300 mm x 220 mm x 800 mm.	75
1232	NN water softeners	5 water softeners and other parts for coffee machine.	10
1233	NN drip tray	Steel drip tray, dimensions: 1210 mm x 620 mm x 130 mm.	10
1234	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566/175X15, number: 15117, 460/690 V, 50 Hz, 11 kW, capacity: 50 m ³ per hour, dimensions: 880 mm x 500 mm x 350 mm.	200
1235	Pomac B.V.	Pomac B.V. self-priming centrifugal pump , number: 10291, dimensions: 620 mm x 360 mm x 460 mm.	200
1236	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566-170X15, number: 109574, 230/660 V, 50 Hz, capacity: 60 m ³ per hour, dimensions: 800 mm x 420 mm x 420 mm.	150
1237	Waesche	Waesche dual channel diverter valve, type: WZK 71 P CR, factory number: 45421 01, year of construction: 1992, dimensions: 670 mm x 450 mm x 280 mm.	150
1238	Lenze	Lenze motor, dimensions: 300 mm x 120 mm x 160 mm.	50
1239	Lenze	Lenze motor, dimensions: 300 mm x 120 mm x 160 mm.	50
1240	Lenze	Lenze motor, dimensions: 250 mm x 140 mm x 200 mm.	50
1241	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	50
1242	Lenze	Lenze motor, dimensions: 480 mm x 200 mm x 220 mm.	50
1243	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	50
1244	Lenze	Lenze motor, dimensions: 420 mm x 200 mm x 260 mm.	50
1245	Lenze	Lenze motor, dimensions: 480 mm x 200 mm x 220 mm.	50
1246	Pomac B.V.	Pomac B.V. centrifugal pump, type: 23566/165X15, number: 15119, 400/690 V, 50 Hz, capacity: 50 m ³ per hour, dimensions: 800 mm x 380 mm x 440 mm.	250
1247	Pomac B.V.		250



Nr	Title	Description	Start €
		Pomac B.V. centrifugal pump, type: 23566/165X15, number: 15118, 400/690 V, 50 Hz, capacity: 50 m ³ per hour, dimensions: 800 mm x 380 mm x 440 mm.	
1248	Fristam	Fristam centrifugal pump, type: FP742, number: 345230007, dimensions: 920 mm x 430 mm x 400 mm.	250
1249	Waterloo	Waterloo tool trolley, dimensions: 890 mm x 530 mm x 790 mm.	50
1250	Westfalia	Westfalia inline dynamic mixer, model: MZA10, number: 80 149, number: 1200 mm x 450 mm x 600 mm.	300
1251	Fristam Pumpen	Fristam centrifugal liquidring pump equipped with heating/cooling shell, model: FZ 20L, number: 18829071, dimensions: 980 mm x 350 mm x 450 mm.	300
1252	Jado	Jado manual injector, 220/380 V, 0.25 kW, dimensions: 420 mm x 210 mm x 280 mm.	50
1253	NN parts	Pallet with various workplace inventory parts, dimensions: 1200 mm x 800 mm x 600 mm.	100
1254	NN workbench	Wooden workbench, steel frame, 2 steel vises, dimensions: 1500 mm x 800 mm x 800 mm.	20
1255	Stiga S.p.A.	Stiga S.p.A. lawn mower, type: CP1.484 WSQE, dimensions: 1650 mm x 550 mm x 1070 mm. Incomplete, missing battery and charger.	100
1256	Boge	Boge air compressor, type: SK 46, number: 5019460, year of construction: 2007, 11 kW, maximum pressure: 10 bar, dimensions: 1370 mm x 700 mm x 900 mm.	300
1257	NN electric parts	Pallet with various electric parts, dimensions: 1200 mm x 800 mm x 400 mm.	150
1258	NN frequency converters	Wooden pallet box with large amount of various frequency converters, dimensions: 1100 mm x 800 mm x 800 mm.	575
1259	Bitzer Kühlmaschinenbau GmbH	Bitzer Kühlmaschinenbau GmbH condensing unit with cooling compressor, type cooling compressor: BHS 802, number: 84 028, 220/240/380/415 V, 3 Ph, 50 Hz, 20.8/12 A, capacity: 18.6 m ³ per hour, dimensions: 1200 mm x 800 mm x 830 mm.	150
1260	KSB	KSB multistage pump, model: MOVICHROM N CN 3/2 2 R, number: 1-P30-917173, capacity: 3 m ³ per hour, dimensions: 550 mm x 250 mm x 220 mm.	50
1261	Pedrollo	Pedrollo irrigation pump, type: JSW 3AL, year of construction: 09-03, 220-230 / 380-400 V, 3 Ph, 50 Hz, 9 / 5.2 A, 2.2 kW, capacity: 10-160 liter/minute, dimensions: 550 mm x 250 mm x 375 mm.	150
1262	Pomac B.V.	Pomac B.V. centrifugal pump, dimensions: 750 mm x 400 mm x 460 mm.	300
1263	Foras	Foras self priming jet water pump, type: JA200, year of construction: 05/11, 230 V, 50 Hz, 10.3 A, 1.65 kW,	150



Nr	Title	Description	Start €
		capacity: 20-110 liter / minute, dimensions: 650 mm x 220 mm x 480 mm.	
1264	Anema	Anema centrifugal pump, dimensions: 520 mm x 250 mm x 530 mm.	150
1265	Rannie	Rannie homogenizer, number: 4074/67, dimensions: 900 mm x 720 mm x 920 mm.	1500
1266	Cell-O	Cell-O air cushion machine, type: FL-041, year of construction: 07-2001, 230 V, 50 Hz, 1 A, dimensions: 1000 mm x 680 mm x 1350 mm.	50
1267	Apex	Apex mobile tool trolley, model: XXL, dimensions: 820 mm x 460 mm x 955 mm. New, never used.	350
1268	Daikin Europe NV	Daikin Europe NV condensing unit for air conditioning, model: RY22DA7V19, number: 3611374, year of construction: 1996, 220/240 V, 1 Ph, 50 Hz, 5.5/6.1 A, 1.1/1.2 kW, refrigerant: R22, 0.85 kg, dimensions: 750 mm x 300 mm x 550 mm.	50
1269	Helpman	Helpman evaporator, type: LEX-08-7RI-230-E, serial number: 532183-09, year of construction: 2004, machine weight: (empty) 35 kg, 230 V, 1 Ph, 50 Hz, 1 fan, volume: 6 liter, dimensions: 820 mm x 620 mm x 550 mm.	75
1270	Husky	Husky evaporator, 2 fans, dimensions: 1160 mm x 670 mm x 470 mm. Missing cover.	20
1271	DKC	DKC evaporator, 1 fan, dimensions: 1250 mm x 1200 mm x 400 mm.	75
1272	NN lockers	(4x) 2-door steel lockers, dimensions: (3x) 765 mm x 380 mm x 765 mm and (1x) 765 mm x 380 mm x 465 mm.	10
1273	DKC	DKC evaporator, 1 fan, dimensions: 1250 mm x 1200 mm x 400 mm.	75
1274	Danfoss	Danfoss frequency converter, model: VLT, serial number: 031404G237, 380/480 V, 3 Ph, 50/60 Hz, 22/19 A, dimensions: 250 mm x 270 mm x 520 mm.	100
1275	Danfoss	Danfoss frequency converter, model: VLT, serial number: 017304G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	100
1276	Danfoss	Danfoss frequency converter, model: VLT, serial number: 018404G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	100
1277	Danfoss	Danfoss frequency converter, model: VLT, serial number: 017704G247, 380/480 V, 3 Ph, 50/60 Hz, 11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	100
1278	Danfoss	Danfoss frequency converter, model: VLT, serial number: 08204G247, 380/480 V, 3 Ph, 50/60 Hz,	100



Nr	Title	Description	Start €
		11.7/9.9 A, dimensions: 250 mm x 200 mm x 450 mm.	
1279	Fighter	Fighter garden tools, type: FT-687, volume: 16 liter, dimensions: 390 mm x 200 mm x 490 mm.	50
1280	Scheppach	Plastic pallet box with various parts and Scheppach ventilator, model: ha 3210, number: 75210901, year of construction: 2011, 230 V, 1 Ph, 50 Hz, 4.85 A, 1.04/0.75 kW, dimensions: 1200 mm x 1000 mm x 800 mm.	150
1281	NN centrifugal pump	Centrifugal pump, dimensions: 720 mm x 370 mm x 500 mm.	250
1282	NN electro motor	Electro motor, 380 V, 3 Ph, 50 Hz, 9.6 A, 0.85 kW, dimensions: 750 mm x 280 mm x 390 mm.	100
1283	NN electric parts and fuses	Pallet with large amount of electric parts and fuses, dimensions: 1200 mm x 800 mm x 650 mm.	100
1284	LG	LG television, model: 42PX4RV, serial number: 508MAYY38330, 100-240 V, 50/60 Hz, dimensions: 1250 mm x 300 mm x 710 mm. Technical condition unknown.	45
1285	AEG	AEG motor, type: AM 100 LT6, number: 4808362, 220/380 V, 3 Ph, 50 Hz, 7.5/4.3 A, 1.5 kW, 920 rpm, dimensions: 400 mm x 300 mm x 200 mm.	50
1286	Swedic	Swedic welding, air compressor and generating tool, model: PWC7.0-200A, aggregate 230 V, welding machine 200 A, air compressor 7 Bar, dimensions: 850 mm x 600 mm x 950 mm. Never used.	1000
1287	Allit	Allit empty plastic tool case, dimensions: 580 mm x 270 mm x 280 mm.	10
1288	Stanley	Stanley bandsaw, serial number: 1A202200320166, 230 V, 50/60 Hz, 3.6 A, 750 W, dimensions: 740 mm x 400 mm x 500 mm.	350
1289	NN motors	2 motors, dimensions: (2x) 600 mm x 400 mm x 170 mm.	50
1290	Chubb	Chubb motion sensor alarm.	10
1291	NN terrace heater	Terrace heater, gas heated, dimensions: Ø 600 mm x 1950 mm.	50
1292	NN water softeners	2 water softeners and other parts for coffee machine.	10
1293	Kis	Kis cabinet, model: Excellence, dimensions: 650 mm x 450 mm x 1810 mm, dimensions box: 800 mm x 400 mm x 550 mm.	30
1294	Kis	Kis cabinet, model: Up, dimensions: 680 mm x 390 mm x 930 mm, dimensions box: 800 mm x 400 mm x 300 mm.	30
1295	Kis	Kis cabinet, model: Up, dimensions: 680 mm x 390 mm x 1730 mm, dimensions box: 800 mm x 400 mm x 200 mm.	30
1296	NN dyes	Dye, (4x) 188 mm x 177 mm.	50



Nr	Title	Description	Start €
1297	Tronic	Tronic CCTV system with 4 camera's, dimensions: 280 mm x 180 mm x 260 mm.	100
1298	Boxer Tools	Boxer Tools rotary hammer, 230 V, 50 Hz, 3150 W, 0-1100 r/min, dimensions: 420 mm x 310 mm x 120 mm.	60
1299	Kraftroyal	Kraftroyal gasoline generator, model: PS9000, dimensions: 610 mm x 440 mm x 410 mm.	150
1300	Onex	Onex water pump, model: OX-7777, 230 V, 1 Ph, 50 Hz, 3750 W, capacity: 20 m ³ per hour, dimensions: 460 mm x 280 mm x 230 mm.	45
1301	Allit	Allit empty plastic tool case, dimensions: 500 mm x 220 mm x 300 mm.	10
1302	Mitari	Mitari chain hoist, type: CH2 500.8-1 1000.4-2, serial number: 1828021 0006, year of construction: 2017, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	150
1303	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 187621 0053, year of construction: 2017, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	150
1304	Mitari	Mitari chain hoist, type: MVK2 500.8-1 1000.4-2, serial number: 1917771 0008, year of construction: 2018, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	150
1305	Mitari	Mitari chain hoist, type: CH2 500.8-1 1000.4-2, serial number: 1828021 0005, year of construction: 2017, 380/415 V, 3 Ph, 50 Hz, 0.95/2.10 A, 0.18/0.75 kW, capacity: 500/1000 kg, dimensions: 370 mm x 320 mm x 400 mm.	150
1306	Grundfos	Parts for Grundfos pump, (2x) spare, O-ring, number: 97757659, (2x) spare. Shaft Seal, number: 98434904.	10
1307	NN grinding plates	3 grinding plates and tool for grinder, plate diameter: 112 mm.	10
1308	Champion	Champion flap disc, type: CP-124, grit 80, dimensions: diameter: 125 mm x 90 mm.	8
1309	Champion	Champion flap disc, type: CP-124, grit 80, dimensions: diameter: 125 mm x 90 mm.	8
1310	Yokota	Yokota balancer, model: TW-0, capacity: 0.5-1.5 kg, dimensions: Ø 140 mm x 50 mm.	20
1311	Allit	Allit empty plastic tool case, dimensions: 400 mm x 300 mm x 150 mm.	10
1312	Skandia	4 Skandia plastic tool cases, dimensions: (4x) 350 mm x 200 mm x 120 mm.	10
1313	Erro tools		20



Nr	Title	Description	Start €
		Erro tools workbench, capacity: 100 KG, total dimensions workbench: 605 mm x 635 mm x 800 mm.	
1314	Erro tools	Erro tools workbench, capacity: 100 KG, total dimensions workbench: 605 mm x 635 mm x 800 mm.	20
1315	Erro tools	Erro tools sawhorse, capacity: 100 KG, dimensions: 780 mm x 480 mm x 780 mm.	20
1316	Erro tools	Erro tools workbench, capacity: 100 KG, total dimensions workbench: 605 mm x 635 mm x 800 mm.	20
1317	Powerplus	Powerplus roller support stand, capacity: 60 KG.	10
1318	NN storage bin organizer	Plastic storage bin organizer, dimensions: 600 mm x 70 mm x 115 mm.	5
1319	Skandia	20 Skandia plastic storage bins, dimensions: (20x) 110 mm x 90 mm x 60 mm.	10
1320	Allit	Allit empty plastic tool case, dimensions: 630 mm x 260 mm x 300 mm.	10
1321	Steinel	Steinel hot air gun, 230 V, 1800 W, dimensions: 250 mm x 280 mm x 100 mm. Technical condition unknown	15
1322	KIS	KIS plastic cabinet, dimensions: 680 mm x 390 mm x 1730 mm, box dimensions: 800 mm x 400 mm x 300 mm.	30
1323	Allit	Allit empty plastic tool case, dimensions: 630 mm x 260 mm x 300 mm.	10
1324	Kratos	Kratos balancer, serial number: AJ 1600057, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	40
1325	Kratos	Kratos balancer, serial number: AJ 1600058, year of construction: 06/2016, capacity: 250 kg, dimensions: 480 mm x 170 mm x 90 mm.	40
1326	Euromax	Euromax coffee machine, type: President espresso, dimensions: 270 mm x 340 mm x 310 mm.	5
1327	Güde	Güde automatic battery charger, serial number: 79062-2204-0852, year of construction: 2022, 230 V, 50 Hz, 4 A, 104 W, 0.7 kg, dimensions: 140 mm x 270 mm x 60 mm.	90
1328	Bull Tech	Bull Tech welding helmet, operating temperature: 10 °C - 65 °C.	15
1329	Onex	Onex drill, dimensions: 260 mm x 240 mm x 70 mm.	10
1330	Onex	Onex drill, dimensions: 260 mm x 240 mm x 70 mm.	10
1331	Höffttech	Höffttech endoscope, dimensions: 180 mm x 230 mm x 110 mm.	20
1332	Boxer	Boxer digital hanging scale, model:"BX-9025, maximum capacity: 20 kg, weight: 4.75 kg, dimensions: 290 mm x 190 mm x 120 mm.	20



Nr	Title	Description	Start €
1333	Maginon	Maginon radio, Bluetooth, dimensions: 250 mm x 240 mm x 230 mm.	35
1334	Alma	Alma reciprocating saw, 1000-2200 rpm, 1500 W, weight: 4.35 kg, dimensions: 630 mm x 320 mm x 110 mm.	60
1335	Boxer	Boxer digital hanging scale, model: BX-9023, dimensions: 250 mm x 120 mm x 50 mm.	20
1336	Aertec	Aertec fire pistol, model: DP310-PRO, 6.3 bar, weight: 1 kg, dimensions: 370 mm x 140 mm x 60 mm.	15
1337	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 60 mm.	10
1338	Switzner	Switzner kitchen knife set, dimensions: 370 mm x 140 mm x 60 mm.	10
1339	Boxer	Boxer rotary hammer, model: SR-087, 230 V, 50 Hz, 3150 W, dimensions: 430 mm x 120 mm x 320 mm.	45
1340	Ultimate speed	Ultimate speed car battery charger, 12-6 A, 2/6/17 A, dimensions: 350 mm x 150 mm x 345 mm.	90
1341	Husqvarna	Husqvarna leaf blower, model: 125BV, dimensions: 950 mm x 350 mm x 200 mm.	40
1342	Smartsorb	Crate with 12 Smartsorb absorption granules, (12x) 25 liter, dimensions: 1200 mm x 800 mm x 530 mm.	125
1343	Ferm	Ferm column drill, model: FM16, serial number: 21780, year of construction: 1978, capacity: 16 mm, dimensions: 280 mm x 600 mm x 1030 mm.	60
1344	Alup-Kompressoren GmbH	Alup-Kompressoren GmbH air-dryer, model: DTE 300, serial number: 023/15814/26, 220-230 V, 1 Ph, 50 Hz, 16 A, 0.82 kW, refrigerant: R134a 0.95 kg, dimensions: 600 mm x 600 mm x 910 mm.	75
1345	NN switch cabinet	Switch cabinet with power sockets, dimensions: 700 mm x 300 mm x 1100 mm.	125
1346	Batavus	Batavus bike, dimensions: 1720 mm x 660 mm x 1070 mm.	35
1347	MTD	MTD lawnmower, model: SMART 42 SPO, 1.6 kW, weight: 25 kg, dimensions: 1750 mm x 500 mm x 1050 mm.	50
1348	Royalty Line	Royalty Line mobile wet-dry vacuum cleaner, model: WDVC-30, 220-240 V, 50/60 Hz, 1200 W, dimensions: 320 mm x 350 mm x 550 mm.	50
1349	Champion	Champion circular saw, model: CP-1066, 220 V, 50 Hz, 2400 W, dimensions: 320 mm x 240 mm x 215 mm.	45
1350	ToolCraft	ToolCraft 61 piece tool set, dimensions: 300 mm x 70 mm x 230 mm.	50
1351	4F Maschinetechnik	4F Maschinetechnik sweeping machine, type: Limpar 80, machine number: FKB-G505470, dimensions: 1900 mm x 800 mm x 1050 mm.	250
1352	StahlKaiser	StahlKaiser retractable air hose, dimensions: 390 mm x 200 mm x 360 mm.	65



Nr	Title	Description	Start €
1353	UltraToolz	UltraToolz tool trolley, dimensions: 885 mm x 460 mm x 950 mm.	350
1354	Schwartzmann	Schwartzmann 269 pieces tool trolley, dimensions: 975 mm x 465 mm x 925 mm.	450
1355	BKW	BKW 170 pieces drill set, dimensions: 360 mm x 290 mm x 40 mm.	20
1356	MSA	MSA 610 pieces tool set, dimensions: 370 mm x 225 mm x 510 mm.	75
1357	Schwartzmann	Schwartzmann retractable air hose, dimensions: 540 mm x 290 mm x 505 mm.	65
1358	Wörstahl	Wörstahl wet-dry vacuum cleaner, model: WT007, dimensions: 545 mm x 505 mm x 1055 mm.	150
1359	A-Quality Tool	A-Quality Tool tool box, dimensions: 450 mm x 370 mm x 100 mm.	55
1360	UltraToolz	UltraToolz mobile jack, capacity: 4000 kg, dimensions: 780 mm x 385 mm x 200 mm.	125
1361	Metabo	Metabo cool / thermo box, model: KB 18 BL, dimensions: 435 mm x 330 mm x 530 mm.	90
1400	NN elevating belt	Mobile elevating belt with dividers, plastic belt, belt with: 370 mm, distance between dividers: 410 mm, divider height: 75 mm, elevating height: 950 mm, total dimensions: 2450 mm x 750 mm x 1020 mm.	350
1401	NN frame	S/s frame for pallets, dimensions: 1220 mm x 820 mm x 820 mm.	10
1402	NN frame	S/s frame for pallets, dimensions: 1220 mm x 820 mm x 820 mm.	10
1403	NN frame	S/s frame for pallets, dimensions: 1220 mm x 820 mm x 520 mm.	10
1404	Rivacold	Rivacold condensing unit with cooling compressor, type: HCM250ZD31252000, serial number: 15160173, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 15.53 A, refrigerant: R404A, dimensions: 1700 mm x 800 mm x 1550 mm.	300
1405	Alfa Laval	Alfa Laval evaporator, model: M.O. 1110951, serial number: AP 5004734. 1 fan, dimensions: 800 mm x 600 mm x 550 mm.	100
1406	NN cooling compressor	Cooling compressor for cooling cell, dimensions: 720 mm x 480 mm x 450 mm.	50
1407	Helpman	Helpman evaporator, type: LEX-6-E, 1 fan, 220/240 V, 1 Ph, 50 Hz, dimensions: 690 mm x 670 mm x 450 mm.	100
1408	Tino Cabero	Tino Cabero roof condenser, type: ACM / 0080 A35.D, factory number: 94.4275, dimensions: 4500 mm x 1000 mm x 1300 mm.	500
1409	NN curve conveyor	Curve conveyor, plastic mesh belt, belt width: 230 mm, total dimensions: 3140 mm x 800 mm x 1260 mm.	300



Nr	Title	Description	Start €
1410	Ibonhart	Ibonhart bag blower, dimensions: 1200 mm x 500 mm x 980 mm.	100
1411	Kemco	Kemco elevating belt with infeed hopper, plastic belt with dividers, belt width: 600 mm, distance between dividers: 305 mm, divider height: 50 mm, elevating height: 2200 mm, total dimensions: 4150 mm x 950 mm x 2560 mm.	1000
1412	Apple International	Apple International mobile depositor, model: MR 900, serial number: 1269 11, year of construction: 2008, pressure: 55 bar, diameter head: 70 mm, total dimensions: 1450 mm x 950 mm x 1040 mm.	750
1413	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 340 mm, total dimensions: 2660 mm x 700 mm x 1600 mm.	300
1414	NN trays	Steel trolley with large amount of s/s trays, dimensions tray: 295 mm x 150 mm x 60 mm, total dimensions: 810 mm x 670 mm x 1770 mm	100
1415	NN outside airco unit	Outside airco unit, dimensions: 1100 mm x 1200 mm x 1250 mm.	100
1416	NN roller conveyor	Electric driven roller conveyor, s/s rollers, roller width: 600 mm, total dimensions: 2100 mm x 1120 mm x 980 mm.	250
1417	Koppens	Koppens elevating belt with dividers, s/s frame, plastic belt, type: AVK 3200/450, machine number: AVK 3200/450-94, 380 V, 3 Ph, 50 Hz, 0.87 A, 0.18 kW, weight: 185 kg, belt width: 450 mm, distance between dividers: 330 mm, divider height: 50 mm, elevating height: 2100 mm, total dimensions: 3000 mm x 1100 mm x 2200 mm.	600
1418	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 340 mm, total dimensions: 3530 mm x 500 mm x 1010 mm.	100
1419	Delta	Delta evaporator, 2 fans, model: FMC-3528 E, serial number: O17503/1, year of construction: 2002, 230 V, 50 Hz, 1.2 A, 260 W, dimensions: 1310 mm x 680 mm x 450 mm.	25
1420	GEA	GEA evaporator, 1 fan, type: SPB 021 C HOCHLEIDSTUNGS-L MARKET PLUS, number: 6357773, year of construction: 1/99, volume: 1.70 liter, dimensions: 1170 mm x 630 mm x 370 mm.	100
1421	LU-VE S.p.A.	LU-VE S.p.A. evaporator, model: F30HC 621 E 7, serial number: 279578, year of construction: 2011, 230 V, 50 Hz, dimensions: 1170 mm x 630 mm x 370 mm.	100
1422	Daikin	Daikin roof condenser, type: REMQ16P8Y1B, year of construction: 09/2012, 380-415 V, 3 Ph, 50 Hz, refrigerant: R410A, 2 fans, dimensions: 1250 mm x 780 mm x 1700 mm.	250
1423	Carrier		100



Nr	Title	Description	Start €
		Carrier condensing unit with L'Unite Hermetique cooling compressor, dimensions: 1100 mm x 550 mm x 730 mm.	
1424	Searle	Searle evaporator, model: DSR62-4 AL, serial number: 270055, 220-240 V, 1 Ph, 50 Hz, 0.78-0.84 A, dimensions: 1820 mm x 930 mm x 400 mm.	100
1425	NN platform	Aluminium platform, 2 steps, working height: 450 mm, total dimensions: 1500 mm x 950 mm x 1560 mm.	50
1426	NN infeed conveyor	Infeed conveyor, type: M8002, plastic belt, belt width: (2x) 350 mm, total dimensions: 3050 mm x 720 mm x 820 mm.	250
1427	Muvero	Muvero aluminium mobile tub, dimensions: 1230 mm x 600 mm x 800 mm.	50
1428	Stork	Stork pump installation, type: (2x) 2.MVR 403, capacity: 8 m ³ per hour, dimensions: 1150 mm x 700 mm x 1270 mm.	250
1429	Ishida	Ishida checkweigher, model: DACS-G-S060-45-WP-1-S, serial number: 56416, year of construction: 07/2014, 240 V, 1 Ph, 50 Hz, 4.5 A, maximum capacity: 6000 g, plastic belt, belt width: 400 mm, total dimensions: 1000 mm x 900 mm x 1540 mm. Including extra parts. Incomplete.	25
1430	NN belt grill	Belt grill, maximum belt width: 700 mm, total dimensions: 3300 mm x 1150 mm x 1900 mm. Incomplete.	1250
1431	Syspal	Syspal boot rack for 36 pairs, dimensions: 1200 mm x 500 mm x 1800 mm	100
1432	NN trolley	Container trolley, dimensions: 800 mm x 725 mm x 1685 mm.	10
1433	NN tool trolley	S/s tool trolley with 2 denesters, dye: (3x) 190 mm x 150 mm, total dimensions: 1750 mm x 800 mm x 300 mm.	50
1434	Copeland GmbH	Copeland GmbH condensing and cooling unit, model: MC-M9-ZB45KE-TFD OHNE H/N, serial number: 42883, refrigerant: R 404a, 8 kg, dimensions: 1000 mm x 850 mm x 1770 mm.	250
1435	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 460 mm, total dimensions: 1000 mm x 600 mm x 770 mm.	10
1436	Silensys	Silensys outside airco unit with L'unite Hermetique cooling compressor, type: SILAJ9480ZFZ, serial number: 15E20 135745 S981130202, 220/240 V, 1 Ph, 50 Hz, 4.6 A, refrigerant: R404A, dimensions: 920 mm x 450 mm x 820 mm.	150
1437	Hausas	Hausas s/s tank in galvanized steel frame, maximum pressure: 0.2 bar, dimensions: 1230 mm x 1030 mm x 1660 mm.	200
1438	Hausas		200



Nr	Title	Description	Start €
		Hausas s/s tank in galvanized steel frame, maximum pressure: 0.2 bar, dimensions: 1230 mm x 1030 mm x 1660 mm.	
1439	Wiesheu GmbH	2 Wiesheu GmbH loading trolleys, type: BS_EUROMAT_Besch system, year of construction: 04/2011, dimensions: (2x) 750 mm x 600 mm x 1930 mm.	100
1440	Wiesheu GmbH	2 Wiesheu GmbH loading trolleys, type: BS_EUROMAT_Besch system, year of construction: 08/2017, dimensions: (2x) 750 mm x 600 mm x 1930 mm.	100
1441	Helpman	Helpman evaporator, type: PX 1-7, serial number: 624-005, year of construction: 2000, 220 V, 1 Ph, 50 Hz, refrigerant: R22 / R134a, dimensions: 750 mm x 670 mm x 270 mm.	100
1442	Nieros	Nieros s/s sink with faucet (3x), type: HL-WR3, serial number: 2530-037, 24/230 V, 50 Hz, year of construction: 2004, dimensions: 1500 mm x 540 mm x 650 mm.	25
1443	NN roller conveyor	Roller conveyor, plastic rollers, roller width: 380 mm, total dimensions: 3520 mm x 760 mm x 1050 mm.	100
1444	Mueller	Mueller s/s double jacketed tank with mixing arm, serial number: 30607, dimensions: 3300 mm x 2000 mm x 1700 mm.	2000
1445	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 1000 mm, total dimensions: 6050 mm x 1400 mm x 1850 mm.	500
1446	Electrolux	Electrolux condensing unit: type: GCU401N0170E, number: 110024A, 400 V, 3 Ph, 50 Hz, 5.00 A, 2.40 kW, refrigerant: R404a / 6 kg, dimensions: 1160 mm x 580 mm x 600 mm.	150
1447	NN heater	Salamander heater, dimensions: 1400 mm x 600 mm x 130 mm.	20
1448	NN fan	Steel fan, dimensions: Ø 1000 mm x 400 mm.	25
1449	Carrier	Carrier condensing unit with L'Unite Hermetique cooling compressor, dimensions: 1200 mm x 1000 mm x 1120 mm.	150
1451	Matco	Matco pallet wrapper, type: TVA753, film width: 615 mm, diameter platform: Ø 1800 mm, roller width: 1200 mm, total dimensions: 3300 mm x 2200 mm x 2550 mm.	400
1452	Profroid	Profroid evaporator, 2 fans, type: WSL 08A DE/BN2256 R404A, serial number: 105647/140/469263, year of construction: 2006, 230 V, 1 Ph, 50 Hz, refrigerant: R404A, dimensions: 880 mm x 520 mm x 230 mm.	100
1453	Electrolux	Electrolux condenser, dimensions: 1650 mm x 650 mm x 650 mm.	150



Nr	Title	Description	Start €
1454	NN table	Table with plastic working top, dimensions: 1250 mm x 600 mm x 950 mm.	75
1455	ECO Refrigerazione	ECO Refrigerazione evaporator, model: CTE181-6, serial number: C200002244, 230 V, 1 Ph, 50 Hz, dimensions: 2600 mm x 650 mm x 500 mm.	100
1456	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 300 mm, total dimensions: 3550 mm x 600 mm x 1400 mm.	150
1457	Skako	Skako transport belt, steel frame, plastic belt, belt width: 650 mm, total dimensions: 7000 mm x 1300 mm x 900 mm.	350
1458	Altrex	Altrex working platform, product number: 820000459/T09023/OVERSTAP, year of construction: 04/2009, max capacity: 150 kg, working height: 820 mm, total dimensions: 1230 mm x 540 mm x 820 mm.	50
1459	Denios	Steel container with Denios drip trays, type: 2G 314.OTE, year of construction: 2007, dimensions: 3050 mm x 1450 mm x 3100 mm.	160
1460	NN smoke trolleys	3 s/s smoke trolleys, 6 floors, floor dimensions: (6x) 1000 mm x 930 mm, dimensions trolley: (3x) 1000 mm x 1000 mm x 1970 mm.	225
1461	Profoid / DWM Copeland	Cooling cell with Profoid condensing unit and DWM Copeland cooling compressor, type condensing unit: B90-R0031FCZAC, serial number: 108847/140/49853, year of construction: 2006, 400 V, 3 Ph, 50 Hz, dimensions: 1295 mm x 740 mm x 760 mm, type cooling compressor: DKLP-15X-EWL, serial number: 08G000949 M, capacity: 7.35 m ³ per hour, dimensions: 840 mm x 930 mm x 540 mm, dimensions pallets with cooling panels: (1x) 2600 mm x 1200 mm x 300 mm, (1x) 3060 mm x 1350 mm x 1020 mm.	350
1462	NN chiller	Chiller, dimensions: 9750 mm x 2200 mm x 2500 mm. Including 3 fans, dimensions: (3x) Ø 2000 mm x 1150 mm.	2000
1463	Groba BV	Groba BV cheese divider for hard cheese, type: HVED-350, plastic rollers, roller width: 400 mm, total dimensions: 1700 mm x 1150 mm x 2130 mm.	2500
1464	TVH	TVH pallet lifter, type: CBD25, serial number: 12091395-13/180, year of construction: 2012, weight: 62 kg, capacity: 2500 kg, fork length: 1150 mm, total dimensions: 1600 mm x 530 mm x 1250 mm.	20
1465	Silensys	Silensys condensing unit with L'Unite Hermetique cooling compressor, type: 6981330202, serial number: 11J21 114907 S981330202, 220/240 V, 1 Ph,	150



Nr	Title	Description	Start €
		50 Hz, refrigerant: R404A, dimensions: 900 mm x 670 mm x 870 mm.	
1466	NN trolley	Container trolley, dimensions: 700 mm x 800 mm x 1700 mm.	25
1467	LSA	LSA air conditioning indoor unit, dimensions: 1500 mm x 460 mm x 480 mm.	25
1468	NN pallet stacker	Pallet stacker, dimensions: 3250 mm x 1120 mm x 1790 mm.	100
1469	Kaltenbach	Kaltenbach mitre box saw, type: SKL 370, number: 28160, 380 V, 50 Hz, 9.7 A, dimensions: 1270 mm x 950 mm x 1620 mm.	750
1470	NN cabinet	S/s cabinet, dimensions: 800 mm x 600 mm x 1750 mm.	50
1471	Ohaus	Ohaus floor weighing scale with indicator, type indicator: Defender3000, model: T31P, serial number: B404256202, 9/12 V, 0.5 A.	50
1472	NN chain conveyor	Mobile s/s double chain conveyor with dividers, distance between dividers: 195 mm, divider height: 25 mm, chain width: 160 mm, total dimensions: 6250 mm x 800 mm x 950 mm.	400
1473	Schouten	Schouten de-stoner, working width: 750 mm, total dimensions: 4650 mm x 1200 mm x 1230 mm.	50
1474	Carrier	Carrier condensor with Danfoss cooling compressor, type: MTZ40JH4AVE, dimensions: 1250 mm x 480 mm x 740 mm.	100
1475	Hausas	Hausas s/s tank in galvanized steel frame, maximum pressure: 0.2 bar, dimensions: 1230 mm x 1030 mm x 1660 mm.	200
1476	TVM	TVM mobile portion cutter, type: TVM-Portio 4000, serial number: 02-00.26566 187, year of construction: 2000, weight: 380 kg, plastic belt, belt width: 200 mm, total dimensions: 1700 mm x 1250 mm x 2580 mm. Technical condition unknown, incomplete.	200
1477	NN evaporator	Evaporator, 2 fans, dimensions: 2700 mm x 1650 mm x 460 mm.	75
1478	Apollo VTS B.V. / Zlatorog Oprema d.o.o.	Apollo VTS B.V. / Zlatorog Oprema d.o.o. driven roller conveyor system for pallets, steel rollers, roller width: 1080 mm, total dimensions: (2x) 3300 mm x 1150 mm x 530 mm, 1500 mm x 1300 mm x 620 mm, (2x) 3000 mm x 1150 mm x 530 mm, (2x) 1450 mm x 1300 mm x 530 mm and 1200 mm x 800 mm x 550 mm.	3000
1479	Ventic	Ventic air curtain, dimensions: 1500 mm x 600 mm x 400 mm.	50
1480	NN rollers	3 pallets with large amount of rollers, various roller width: 800 mm, 400 mm and 200 mm, total dimensions: (3x) 1200 mm x 800 mm x 600 mm.	500



Nr	Title	Description	Start €
1481	Alfa Laval	Alfa Laval double jacketed cooling tank with agitator, type: HCA-C 3500, number: 10266, volume: 3500 liter, dimensions: 3200 mm x 1780 mm x 2050 mm.	2000
1482	NN doors	1 refrigerated door, dimensions: 2470 mm x 1500 mm x 120 mm. 1 glass door, dimensions: 2140 mm x 1120 mm x 170 mm.	20
1483	NN chain conveyor	Mobile s/s chain conveyor with dividers, distance between dividers: 220 mm, divider height: 25 mm, maximum width: 225 mm, total dimensions: 3550 mm x 850 mm x 1720 mm.	100
1484	NN depositor	Mobile 2-heads depositor, dimensions: 1050 mm x 1200 mm x 1900 mm. Technical condition unknown, incomplete.	150
1485	Upmann Verpackungsmaschinen	Upmann Verpackungsmaschinen packaging machine, type: 2002, machine number: 05 90 946, year of construction: 1990, rubber belt, belt width: 160 mm, total dimensions: 3150 mm x 750 mm x 1850 mm.	100
1486	NN tub	Cooled tub with agitator, dimensions: 1850 mm x 950 mm x 1260 mm.	350
1487	NN trolley	S/s trolley, dimensions: 1380 mm x 790 mm x 1110 mm.	25
1488	EuroKraft	EuroKraft mobile platform, year of construction: 07/2013, weight: 30 kg, capacity: 150 kg, working height: 950 mm, total dimensions: 1300 mm x 1150 mm x 2050 mm.	75
1489	Carrier / L'Unite Hermetique	Carrier condensing unit with L'Unite Hermetique cooling compressor, type compressor: FH2480Z, year of construction: 12/2014, 220-240 V, 50 Hz, refrigerant: R404A, dimensions: 1200 mm x 1000 mm x 1120 mm.	75
1490	NN trolley	Container trolley, dimensions: 800 mm x 725 mm x 1685 mm.	10
1491	Carrier	Carrier roof condenser, type: QUIETS WPH17A, serial number: 167461/140/99103, year of construction: 48/2013, 400 V, 3 Ph, 50 Hz, refrigerant: R404A, dimensions: 1200 mm x 500 mm x 735 mm.	150
1492	Alfa Laval	Alfa Laval evaporator, type: LEX 16-7 230-E2, serial number: 1012-0500001735-8814-21702, year of construction: 2010, machine weight: (empty) 61 kg, 230 V, 1 Ph, 50 Hz, 1 fan, volume: 4 liter, dimensions: 1100 mm x 780 mm x 700 mm.	150
1493	NN trolleys	2 container trolleys, dimensions: (2x) 800 mm x 725 mm x 1685 mm.	20
1494	NN trolley	Steel trolley, 3 floors, floor dimensions: 1020 mm x 670 mm, total dimensions: 1150 mm x 700 mm x 1770 mm.	50
1495	NN trolley	Steel trolley, maximum capacity: 500 kg, total dimensions: 1250 mm x 800 mm x 1500 mm.	75



Nr	Title	Description	Start €
1496	NN mixing tub	S/s mixing tub, inside dimensions: Ø 970 mm x 1100 mm, total dimensions: 1000 mm x 1100 mm x 1850 mm.	200
1497	Helpman	Helpman evaporator, type: LEX-6-E CB, 220/240 V, 1 Ph, 50 Hz, dimensions: 670 mm x 660 mm x 450 mm.	75
1498	NN mixing tub	S/s mixing tub, inside dimensions: Ø 1200 mm x 1000 mm, total dimensions: 1400 mm x 1250 mm x 1950 mm.	200
1499	NN tub	S/s tub, dimensions: 1400 mm x 950 mm x 900 mm.	100
1500	NN stretching device	Stretching device on air pressure, dimensions: 500 mm x 680 mm x 240 mm.	20
1501	Tein	Tein chain pipe clamp, model: Astxe, number: 2124599, 220 V, 50 Hz, 3.7 A, 750 W, dimensions: 700 mm x 200 mm x 260 mm.	20
1502	NN demolition hammer	Demolition hammer, dimensions: 600 mm x 200 mm x 140 mm.	20
1503	Krupp	Krupp demolition hammer, dimensions: 730 mm x 240 mm x 110 mm.	20
1504	York	York condensing unit, dimensions: 1050 mm x 800 mm x 800 mm.	150
1505	Wintsys / L'Unite Hermetique	Wintsys condensing unit with L'Unite Hermetique cooling compressor, type: WINAJ2464ZTZ, serial number: 19M16 094603 DK21930202, 400/440 V, 3 Ph, 50/60 Hz, 2.5/2.42 A, refrigerant: R452A/R404A, dimensions: 950 mm x 670 mm x 670 mm.	150
1506	NN trolley	S/s trolley, 19 floors, dimensions floors: (19x) 640 mm x 420 mm, total dimensions: 650 mm x 470 mm x 1840 mm.	20
1507	Sydmezano AB	Sydmezano AB mobile elevating belt, serial number: 145, year of construction: 2016, s/s frame, plastic belt with dividers, belt width: 540 mm, divider height: 75 mm, distance between dividers: 700 mm, elevating height: 2700 mm, total dimensions: 5700 mm x 900 mm x 2850 mm.	250
1508	BT Products AB	BT Products AB pallet lifter, type: BT L 2000/10, fork length: 1000 mm, total dimensions: 1450 mm x 530 mm x 1250 mm.	25
1509	Italcar	Italcar golf buggy, type: EG2046, serial number: 07060031, year of construction: 12-06-2000, dimensions: 3400 mm x 1200 mm x 1900 mm. Incomplete, defect.	300
1510	Strautmann	Strautmann baler type: PP 1207, serial number: 533 02 122, year of construction: 2002, 400 V, 50 Hz, 4 kW, dimensions: 1850 mm x 1100 mm x 2250 mm.	1500
1511	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: FC38SZi 64457-230 E, manufacturing number: PJV120917.VK1200779, year of construction: 2012, 4 fans, dimensions: 3400 mm x 650 mm x 650 mm.	250



Nr	Title	Description	Start €
1512	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: FC38SZi 64457-230 E, manufacturing number: PJV120917.VK1200779, year of construction: 2012, 4 fans, dimensions: 3400 mm x 650 mm x 650 mm.	250
1513	GEA Goedhart B.V.	GEA Goedhart B.V. evaporator, type: PACi 42457, manufacturing number: PJV142786.VK1402148, 2 fans, dimensions: 2500 mm x 1200 mm x 600 mm.	250
1514	Tecumseh	Cabinet with 3 Tecumseh cooling compressors, model: TFHP4540X, refrigerant: R507, dimensions: 2400 mm x 750 mm x 800 mm.	250
1515	Tecumseh / Smeva	Cabinet with 4 Tecumseh cooling compressors, model: TFHP2480Z, TAGP4561X and (2x) TAGP4561Z, refrigerant: R507, 30 and 10 kg, dimensions: 2300 mm x 750 mm x 1550 mm. 1 compressor defect.	250
1516	Carrier	Carrier condenser, model: Quietis WPH40A, year of construction: 2009, 400 V, 3 Ph, 50 Hz, refrigerant: R404a, dimensions: 1100 mm x 600 mm x 750 mm.	100
1517	Carrier	Carrier condensor, year of construction: 2007, dimensions: 1200 mm x 600 mm x 1300 mm.	250
1518	Silensys	Silensys outside unit for airconditioning, dimensions: 900 mm x 800 mm x 900 mm.	100
1519	Carrier	Carrier outside unit for airconditioning, type: WPH25V, number: 11085224, year of construction: 2018, refrigerant: R134a, dimensions: 1150 mm x 500 mm x 750 mm.	100
1520	Carrier	Carrier outside unit for airconditioning, refrigerant: R404a, dimensions: 1150 mm x 1000 mm x 850 mm.	100
1521	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1522	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm. 1 trolley damaged.	1000
1523	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1524	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1525	NN smoke trolleys	10 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (10x) 960 mm x 910 mm x 1800 mm.	1000
1526	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm.	2000
1527	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm.	2000



Nr	Title	Description	Start €
1528	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm.	2000
1529	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm.	2000
1530	NN smoke trolleys	20 s/s smoke trolleys, 5 floors each, dimensions each floor: 960 mm x 900 mm, total dimensions: (20x) 960 mm x 910 mm x 1800 mm.	2000
1531	Silensys	Silensys outside unit for airconditioning, refrigerant: R404a, dimensions: 850 mm x 600 mm x 850 mm.	100
1532	Carrier	Carrier outside unit for airconditioning, dimensions: 1000 mm x 400 mm x 800 mm.	100
1533	Silensys	Silensys outside unit for airconditioning, refrigerant: R404a, dimensions: 850 mm x 600 mm x 850 mm.	100
1534	Silensys	Silensys outside unit for airconditioning, refrigerant: R404a, dimensions: 1000 mm x 400 mm x 800 mm.	100
1535	Tecumseh	Cabinet with Tecumseh cooling compressor, model: TFHT2480Z, refrigerant: R452a_R404a, dimensions: 750 mm x 750 mm x 800 mm.	100
1536	Silensys	Silensys outside unit for airconditioning, refrigerant: R449a, dimensions: 1000 mm x 400 mm x 800 mm.	100
1537	Silensys	Silensys outside unit for airconditioning, refrigerant: R449a, dimensions: 1000 mm x 500 mm x 1550 mm.	250
1538	Carrier	Carrier outside unit for airconditioning, type: WPH11V, year of construction: November 2018, refrigerant: R134a, dimensions: 1000 mm x 500 mm x 700 mm.	100
1539	Euro Plast	10 Euro Plast plastic pallet boxes, dimensions: (10x) 1200 mm x 1000 mm x 740 mm.	750
1540	STAPRO Liften B.V.	STAPRO Liften B.V. goods elevator, serial number: NQ000-1, year of construction: 2024, capacity: 1000 kg, lifting height: 3500 mm, total dimensions: 3100 mm x 1450 mm x 5200 mm. Lot located on other location in Born (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	4000
1541	Beko	Beko dryer, model: WMB 51221, serial number: 12-601318-12, 230 V, 50 Hz, 16 A, 2200 Watt, capacity: 5 kg, dimensions: 600 mm x 450 mm x 840 mm.	50
1590	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	3000
1591	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of	3000



Nr	Title	Description	Start €
		construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	
1592	Grundfos/Pentair	Grundfos/Pentair Osmosis water system on s/s frame with plastic buffer tank on s/s frame, year of construction: 2021, 400/230 V, 50 Hz, 23 A, 6 kA, dimensions C.I.P. installation: 2600 mm x 1100 mm x 1650 mm and dimensions buffer tank: 1500 mm x 1200 mm x 1950 mm.	3000
1593	Boge Kompressoren	Boge Kompressoren screw air compressor with bluecat and air dryer, screw compressor type: SLF 125-3, machine number: 5136273, year of construction: 2018, 90+4 kW, 10 bar, capacity: 4.73/13.96 m ³ per hour, dimensions: 2450 mm x 1400 mm x 1780 mm, bluecat type: BC160V, serial number: SV15-047, year of construction: 2019, 400 V, 10 kW, 16 bar, dimensions: 1650 mm x 950 mm x 2120 mm, type air dryer: DS180, serial number: 399670900002, 400V, 3 Ph, 50 Hz, 5.24 A, 3.02 kW, dimensions: 1100 mm x 720 mm x 1080 mm. Lot located in Best (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	3000
1594	Boge Kompressoren	Boge Kompressoren screw air compressor with bluecat and air dryer, screw compressor type: SDF 100-3, machine number: 5136271, year of construction: 2018, 75+2.20 kW, 10 bar, capacity: 2.58/11.00 m ³ per hour, dimensions: 2100 mm x 1100 mm x 1950 mm, bluecat type: BC160V, serial number: SV15-048, year of construction: 2019, 400 V, 10 kW, 16 bar, dimensions: 1650 mm x 950 mm x 2120 mm. Lot located in Best (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	3000
1595	Boge Kompressoren	Boge Kompressoren screw air compressor with bluecat and air dryer, screw compressor type: SDF 100-3, machine number: 5136272, year of construction: 2018, 75+2.20 kW, 10 bar, capacity: 2.58/11.00 m ³ per hour, dimensions: 2100 mm x 1100 mm x 1950 mm, bluecat type: BC160V, serial number: SV15-049, year of construction: 2019, 400 V, 10 kW, 16 bar, dimensions: 1650 mm x 950 mm x 2120 mm. Lot located in Best (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	3000
1596	NN container	Container, dimensions: 12150 mm x 2450 mm x 4150 mm. Lot located in Best (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	2500
1597	Crone	Crone boiler with Puriper burner, type: CLM 115, serial number: 9715120, year of construction: 1997,	5000



Nr	Title	Description	Start €
		capacity: 4600 kg per hour, estimated weight: 12000/15000 kg, gas/diesel heated, total dimensions: 7000 mm x 3000 mm x 3200 mm. Lot located on other location in Monster (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	
1598	NN storage bins	60 steel storage bins for workshop, dimensions: (60x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	550
1599	NN storage bins	60 steel storage bins for workshop, dimensions: (60x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	550
1600	NN storage bins	60 steel storage bins for workshop, dimensions: (60x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	550
1601	NN storage bins	60 steel storage bins for workshop, dimensions: (60x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	550
1602	NN storage bins	60 steel storage bins for workshop, dimensions: (60x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	550
1603	NN storage bins	120 steel storage bins for workshop, dimensions: (120x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1100
1604	NN storage bins	120 steel storage bins for workshop, dimensions: (120x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1100
1605	NN storage bins	120 steel storage bins for workshop, dimensions: (120x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1100
1606	NN storage bins	180 steel storage bins for workshop, dimensions: (180x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1650
1607	NN storage bins	180 steel storage bins for workshop, dimensions: (180x) 500 mm x 310 mm x 200 mm. Lot located on other location in Groningen (NL). Viewing and pick-up in consultation with Industrial Auctions BV.	1650

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: website www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control off. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
- To consolidate articles into lots, to split lots and take lots from the auction;
- To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
- Lots whether or not to allocate;
- To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;

8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)

8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind.

Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery

days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e- mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial Auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitles to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

[illegible]

[illegible]

CONTACT

 info@industrial-auctions.com

 +31 (0)40 240 9208

