

1974: Online auction machinery for the food
industry in Sevenum (NL)

END DATE

20 October 2025 14:00

General terms and conditions of the online auction

End date	20 October 2025 from 14:00 hrs.
Viewing days	
Organising company	Industrial Auctions BV Looyenbeemd 11 5652 BH Eindhoven, Netherlands Tel.: +31 (0)40 2409 208 E-mail: info@industrial-auctions.com
Buyers premium	18% over the highest bid
VAT	21% over the highest bid including premium
Pick up days	28 October 2025 from 09:00 till 16:00 hrs.
Pick up address	Spoorstraat 7 5975 RK Sevenum Netherlands
Pick up instructions	You are fully responsible for the dismantling, loading and transportation of the bought lots. On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of movable assets, furthermore these specific terms and conditions. Pick up (of the bought lots) is only possible on the mentioned pick up date, time and place.
Payment details	Before pick up of the goods your payment has to be fulfilled. It is possible to transfer the amount due to our account at Rabobank, account number 157198367 in Best (NL), IBAN: NL80RABO0157198367, BIC: RABONL2U or to transfer the amount due to our account with ING-bank, account number 005033999 in Best (NL). IBAN: NL34INGB0005033999, BIC: INGBNL2A or to our account at Gladbacher Bank AG in Mönchengladbach (DE), account number 87176010, BLZ 310 601 81, IBAN: DE83310601810087176010, BIC: GENODED1GBM, indicating invoice- and buyer number.
General terms and conditions of sale	On the auction general terms and conditions of the online auction are applicable concerning the (possible) purchase of moveable assets, furthermore these specific terms and conditions.
Combinations	All lots in a combination will be sold individually first. The starting bid of the combination is the total amount of the individual bids. The combination will open after all individual lots are closed. If the combination is sold it overrules the individual bids, if not the individual bids are applicable.
Prolongation	If a bid is placed in the last 5 minutes the lot closes, the closing time of that lot will be extended by 5 minutes until no more bids are placed.

Nr	Title	Description	Start €
1	Kalfass GmbH & Co	Kalfass GmbH & Co shrink packaging line, consisting of: Kalfass packing machine, type: etracta 600, machine number: 7.79.617, year of construction: 1979, 220/380 V, 50 Hz, 16 A, 2,4 kW, film width: 400 mm, plastic belt width: 500 mm, total dimensions: 1900 mm x 1300 mm x 2600 mm, Kalfass shrinktunnel, type: Universal 650 N, clearance: 650 mm x 450 mm, total dimensions: 2600 mm x 1300 mm x 2600 mm.	2500
2	Imball SRL	Imball SRL carton sleever machine, model: Multipack 200 R P340 DX, serial number: 909080040, 400 V, 50 Hz, 11 kW, weight: 2500 kg, clearance: 275 mm x 250 mm, plastic lane with dividers, lane width: 90 mm, distance between dividers: 350 mm, plastic outfeed belt, belt width: 90 mm, with Nordson glue unit, model: Series 3500 V, total dimensions: 7000 mm x 1400 mm x 2500 mm.	7500
3	Edelstahl Maschinenbau Engler	Edelstahl Maschinenbau Engler 12-heads can filling machine, type: Kolbenfüller K12 links, serial number: 981026, year of construction: 04-1998, belt width: 82 mm, suitable for cans Ø 71 mm / 212-270 ml, total dimensions: 2750 mm x 1980 mm x 2450 mm.	14500
4	Hema Technologies	Hema Technologies volumetric inline can filler, machine: GPF.3, serial number: 114, year of construction: 1992, 6 filling heads, plastic belt width: 80 mm, diameter cans: 73 mm, total dimensions machine: 2600 mm x 2400 mm x 2200 mm, including J. Legendre outfeed belt used for cans, s/s frame, s/s belt, belt width: 80 mm, total dimensions outfeed belt: 6600 mm x 350 mm x 1750 mm, s/s trolley with spare parts, dimensions trolley: 1270 mm x 770 mm x 1100 mm.	6500
5	EFM Machinery	EFM Machinery dewatering press, type: 190HDA, serial number: PRB0114-0001-P, year of construction: 2005, diameter infeed screw: 180 mm, tier: 180 mm, sieve perforations: 3 mm, total dimensions: 3800 mm x 800 mm x 2000 mm.	1000
6	RWS	RSW mobile depositor, type: Füllomat, model: DO-H2500, machine number: 115684 ZK, number of fillings per hour: 240-1020, output: Ø 35 mm, total dimensions: 1400 mm x 800 mm x 2220 mm.	350
7	Albagnac	Albagnac labelling machine, type: GATA, serial number: 659, year of construction: 01/14, s/s belt, belt width: 115 mm, clearance: 130 mm x 430 mm, total dimensions: 4750 mm x 1040 mm x 1950 mm. Including boxes with parts.	3500

Nr	Title	Description	Start €
8	NN forks	4 steel forks, (2x) hydraulic, dimensions: (2x) 1000 mm x 120 mm, (2x) 1200 mm x 80 mm.	150
9	Kalfass GmbH & Co	Kalfass GmbH & Co packaging machine, type: Super Wrap 650, machine number: K 7.90.187, year of construction: 1990, 380 V, 50 Hz, 15/20 A, 7,5 kW, plastic belt width: (2x) 250 mm, (2x) 125 mm, (1x) 500 mm, working width: 95 mm, total dimensions: 3900 mm x 1750 mm x 1750 mm. Including suction device for rest film, cool unit and pallet with parts. Missing 1 suction device.	1150
10	Turbochef	Turbochef speed oven, model: C3/Multi, serial number: C331691, year of construction: March 2003, 380-415 V, 3 Ph, 50 Hz, 15 A, 2.1/5.2 kW, inside dimensions: 450 mm x 350 mm x 180 mm, total dimensions: 700 mm x 750 mm x 700 mm.	150
11	Krones	Krones labelling machine for cans, type: canmatic K.730-154, year of construction: 1989, 380 V, 50 Hz, can Ø 75 mm, total dimensions: 2300 mm x 2200 mm x 2100 mm. Including pallet with parts.	2500
12	E-packaging	E-packaging labelling machine, serial number: 4212, year of construction: 2010, plastic belt, belt width: (1x) 350 mm, (1x) 250 mm, total dimensions: 2150 mm x 850 mm x 1750 mm.	1250
13	J. Kugler & Co. GmbH	J. Kugler & Co. GmbH closing machine, model: VA58, number: 15.105, year of construction: 1993, dimensions: 2700 mm x 1500 mm x 2300 mm.	1500
14	RE-ON LAS	RE-ON LAS mobile welding machine, type: MIG 280 C, serial number: 2889504 C, 380 V, 3 Ph, 50 Hz, 40-300 A, weight: 150 kg, dimensions: 1000 mm x 700 mm x 500 mm.	150
15	Elektrosta	Elektrosta welding machine, type: 160PM, number: 02C056, dimensions: 1000 mm x 700 mm x 500 mm.	75
16	Smitweld	Smitweld mobile welding machine, type: LGCC 303, number: 90464, dimensions: 1400 mm x 750 mm x 1850 mm.	100
17	Lubeca	Lubeca rotating autoclave for 4 baskets, type: LW 2020, manufacturing number: 4218, year of construction: 1999, 400 V, 50 Hz, 40 A, permissible working pressure: 6 bar, permissible working temperature: 164°C, capacity: 3300 liter, for basket with dimensions 700 mm x 700 mm, Alfa Laval heat exchanger, type: CB76-80H, serial number: 18538341, year of construction: 2008, total dimensions autoclave: 1700 mm x 4500 mm x 2600 mm.	6500

Nr	Title	Description	Start €
18	PFM S.p.a	PFM S.p.a. flowpacker, model: TORNADO BB LD, serial number: C.6561, year of construction: 2002, 380 V, 50 Hz, 33.5 A, 19.5 kW, weight: 1680 kg: s/s rollers, roller width: 240 mm: plastic belt, belt width: 150 mm: seal length: 220 mm: dimensions roller conveyor: 2750 mm x 600 mm x 1420 mm: dimensions flowpacker: 5700 mm x 1150 mm x 1750 mm: dimensions film holder: 3350 mm x 1050 mm x 1050 mm: dimensions switch cabinet: 1700 mm 620 mm x 2380 mm: Including 2 mobile suction devices for rest films, dimensions: (2x) 500 mm x 500 mm x 1150 mm. Including s/s platform, dimensions: 1600 mm x 600 mm x 350 mm.	6000
19	A. van Kaick Ettlingen	A. van Kaick Ettlingen mobile colloid mill, type; KMR 5642, serial number: 111500, 380 V, 8.5 A, 4 kW, 2875 U/min, dimensions: 800 mm x 600 mm x 1220 mm.	750
20	LETS bv	LETS bv hygiene station with sole cleaner, hand sanitizer and tourniquet, type: DSR 100010, number: 78, year of construction: 2010, 400/230 V, 3/10 A, 1.0 kW, brush length: (2x) 1550 mm, total dimensions: 2700 mm x 900 mm x 1740 mm.	1500
21	Turbo Systems	Turbo Systems mobile depositor, machine number: D9001431668, output: Ø 19 mm, total dimensions: 1050 mm x 1550 mm x 1870 mm. Including crate with parts.	2000
22	F.A.M. n.v.	F.A.M. n.v. 7-heads can filling machine, type: RP 607 RH, serial number: 18794.1972, maximum suitable can diameter: Ø 157 mm, total dimensions: 1350 mm x 1530 mm x 2200 mm.	8500
23	Proseal	Proseal traysealer, model: AP60, serial number: 1701, 415 V, 50 Hz, 2 lane dyes, inside dimensions dye: Ø 95 mm, outside dimensions dye: 115 mm x 115 mm, total dimensions: 4300 mm x 1000 mm x 1950 mm. Including pallet with spare parts.	2750
24	OCME	OCME filling line for barrels, machine type: LFT 300, serial number: 1/116/90, 380 V, 50 Hz, 40 A, diameter barrel: 600 mm, height barrel: 885 mm, dimensions filling line: 5900 mm x 2000 mm x 2900 mm, dimensions control panel: 600 mm x 500 mm x 970 mm, dimensions switch cabinet: 2000 mm x 500 mm x 2000 mm, including pallet with spare parts.	3500
25	Veenstra / Asea	Veenstra / Asea agitators, Veenstra type: fra25, axle dimensions: 750 mm, Asea agitator with rvs support, axle dimensions: 650 mm, total dimensions: 1200 mm x 800 mm x 144 mm.	250

Nr	Title	Description	Start €
26	Sterling Fluid Systems	Sterling Fluid Systems centrifugal pump, type: ZLND080160 AB, year of construction: 2005, dimensions: 950 mm x 350 mm x 450 mm.	400
27	Johnson Pump Water B.V.	Johnson Pump Water B.V. centrifugal pump, type: CN80-160 G1S2L2, number: 08-1852271B, dimensions: 950 mm x 350 mm x 450 mm.	400
28	Johnson Pump Water B.V.	Johnson Pump Water B.V. centrifugal pump, type: CN80-160 G1S2L2, number: 09-1898511B, dimensions: 950 mm x 350 mm x 450 mm.	400
29	Niko	Niko can filling machine, type: V-22, number: 0033.90, 220/380 V, 50 Hz, can Ø 70 mm, total dimensions: 2000 mm x 1400 mm x 2300, Sterling fluid systems vacuum pump, type: LEL A 250 AB, year of construction: 2008, 5.1/7.4 kW, pressure: 33 mbar, capacity range: 245/285 m3 per hour, total dimensions: 1300 x 750 mm x 1300 mm. Including pallet with parts.	2500
30	Procomac	Procomac rinser for empty bottles, machine: GRIPSTAR, type: 1R 8.32.131, serial number: P573, year of construction; 1986, 415 V, 50 Hz, 1.5 kW, for bottles of 300 and 500 ml, 32 stations, total dimensions: 3100 mm x 2400 mm x 2300 mm. Including pallet with parts and Siemens control, dimensions pallet: 3100 mm x 1200 mm x 500 mm.	4500
31	Hoppmann International	Hoppmann International centrifugal cap feeder, model: FT30, fabrication number: 00/9186, dimensions: Ø 1030 mm x 650 mm.	400
32	Label Aire	Label Aire mobile labelling machine, height adjustable, label width: 60 mm, total dimensions: 1200 mm x 1000 mm x 1700 mm.	750
33	Label Aire	Label Aire mobile labelling machine, height adjustable, label width: 60 mm, total dimensions: 1200 mm x 1000 mm x 1700 mm.	750
34	Ferrum	Ferrum 30 size sets for destoners, used for abricots, top: Ø 49 mm, bottom: Ø 28 mm.	300
35	Garvens	Garvens checkweigher, type: E3-DMS, serial number: 333351, year of construction: 2005, 230 V, 50 Hz, 6 kPa, maximum weight: 1000 gram, minimum weight: 20 gram, e= 1 gram, d= 1 gram, T=1000 gram, plastic belt, belt width: 130 mm, total dimensions: 1020 mm x 700 mm x 1500 mm.	1250
36	Label Aire	Label Aire mobile labelling machine, height adjustable, label width: 60 mm, total dimensions: 1200 mm x 1000 mm x 1700 mm.	750

Nr	Title	Description	Start €
37	NN roller conveyor	Pallet with 4 roller conveyors, steel frame, plastic rollers, roller width: 495 mm, length: (4x) 2470 mm, total dimensions: 2470 mm x 800 mm x 430 mm.	200
38	Gherri Gino	Gherri Gino pocket filler, type: RCP/120/12, serial number: 102, year of construction: 1988, 12 heads, diameter: 85 mm, total dimensions: 1850 mm x 1900 mm x 1900 mm.	1800
39	NN sieve	S/s sieve with centrifugal pump, working width: 400 mm, pump type: CL 40-4-1.5/B.T31, serial number: 19782, 220/380 V, 50 Hz, total dimensions: 1100 mm x 850 mm x 730 mm.	150
40	Soco System	25 Soco System galvanised parts, dimensions: (25x) 670 mm x 200 mm x 380 mm, total dimensions: 1200 mm x 850 mm x 1200 mm.	50
41	NN mixer	Mixer, dimensions: 1280 mm x 1450 mm x 1700 mm.	125
42	SIAT	SIAT automatic box closing machine, model: AS24 HS, serial number: 50021, year of construction: 2012, 400 V, 3 Ph, 50 Hz, 3.8 A, 660 W, s/s and plastic rollers, roller width: 560 mm / 500 / mm / 430 mm, plastic belt, belt width: 300 mm, total dimensions: 3600 mm x 1150 mm x 1980 mm. Including switch cabinet, dimensions: 600 mm x 400 mm x 1200 mm.	3250
43	LETS bv	LETS bv hygiene station with sole cleaner, hand sanitizer and tourniquet, type: DSR 100010, number: 80, year of construction: 2010, 400/230 V, 3/10 A, 1.0 kW, brush length: (2x) 1550 mm, total dimensions: 2700 mm x 900 mm x 1740 mm.	1500
44	Stork Bepak B.V.	Stork Bepak B.V. palletizer consisting of roller conveyor, steel roller, roller width: 920 mm, dimensions roller conveyor: 2700 mm x 1250 mm x 1170 mm, Stork Bepak B.V. pallet loader, type: Centurion 4000, number: 03567601, year of construction: 1990, 380 V AC, 24 V DC, steel rollers, roller width: 1380 mm, dimensions pallet loader: 2900 mm x 2200 mm x 3400 mm, pallet turning device, steel rollers, roller width: 1300 mm, 1100 mm, 650 mm, dimensions turning device: 2000 mm x 1950 mm x 600 mm, pallet stacking machine, steel rollers, roller width: 1300 mm, dimensions stacking machine: 2100 mm x 1700 mm x 1400 mm and switch cabinet, dimensions: 1200 mm x 480 mm x 1160 mm.	2500
45	Bibus Hydraulik AG	Bibus Hydraulik AG hydraulic pump, serie: 10603, number: 14, dimensions: 1200 mm x 800 mm x 1000 mm.	500

Nr	Title	Description	Start €
46	Ahlborn	Pallet with 3 centrifugal pumps among others: Ahlborn centrifugal pump, type: 46/3022, number: 5504, dimensions: 1200 mm x 800 mm x 750 mm.	150
47	Serac	Serac rotating can filling and closing machine, type: R12 V6 / 1080, serial number: 165, year of construction: 1990, 380 V, 3 Ph, 50 Hz, 6 bar, plastic belt, belt width: 80 mm, 12 and 6 heads, clearance: 230 mm x 130 mm, total dimensions: 4550 mm x 2680 mm x 2770 mm. Including control panel, dimensions control panel: 700 mm x 620 mm x 2140 mm, Switch cabinet, dimensions switch cabinet: 1200 mm x 410 mm x 2330 mm, 3 racks with parts, dimensions racks: (3x) 1400 mm x 1000 mm x 1680 mm, 2 pallets with worms and s/s parts, dimensions pallets: (2x) 1200 mm x 800 mm x 450 mm and 2 lid feeders, dimensions: (2x) 1000 mm x 700 mm x 2160 mm.	7500
48	Unikar	Unikar mobile lifter for boxes, capacity: 170 kg, lifting height: 600 mm, total dimensions: 720 mm x 580 mm x 1380 mm.	150
49	Webe	Webe de-palletizing machine, type: MCC33, pallet size: 1200 mm x 1000 mm, s/s rollers, roller width: 1100 mm, total dimensions: 3150 mm x 2450 mm x 4700 mm.	4000
50	NN depositor	Mobile s/s depositor, s/s frame, diameter pipe: 65 mm, total dimensions: 700 mm x 1000 mm x 1750 mm.	950
51	IMC	IMC automatic can seamer, type: 478, serial number: 335, can diameter: 127 mm, total dimensions: 1900 mm x 2700 mm x 2700 mm.	2250
53	NN cap feeder	Cap feeder, dimensions: 900 mm x 650 mm x 470 mm.	250
54	Veenstra B.V.	2 Veenstra B.V. mixing arms, type: FRA-25, machine numbers: 98.037/98.111, dimensions: (2x) 760 mm x 140 mm x 140 mm.	250
55	NN pumps	3 pumps, dimensions: (1x) 200 mm x 200 mm x 600 mm, (2x) 240 mm x 240 mm x 650 mm.	300
56	Metaal van Breugel N.V.	Metaal van Breugel N.V. wall mixer, dimensions: 1000 mm x 700 mm x 600 mm.	50
57	Plochingen	Plochingen cap feeder, type: VSZ 650 GU, number: 167 86, 220 V, 50 Hz, 2 A, diameter input: (3x) 20 mm, total dimensions: 740 mm x 650 mm x 490 mm.	500
58	NN roller conveyor	Roller conveyor, steel frame, plastic rollers, roller width: 600 mm, total dimensions: 2000 mm x 670 mm x 900 mm.	50

Nr	Title	Description	Start €
59	NN magnetic belts	Pallet with s/s magnetic belts, belt width: 825 mm, 190.5 mm, belt length: 3048 mm / 10 feet, total dimensions: 1200 mm x 800 mm x 500 mm.	250
60	KEY technology b.v.	Key technology vibrating gutter sieve, vibrating gutter width: 560 mm, sieve: 3 mm, total dimensions: 1350 mm x 1300 mm x 600 mm.	250
61	NN belts	Pallet with various plastic belts, various belt widths, total dimensions: 1200 mm x 800 mm x 650 mm.	100
62	Rietschle	Pallet with Rietschle blower, type: SKG 300, number: 491231, 220/380 V, 50 Hz, 8.4/4.9 A, 2.2 kW, dimensions: 520 mm x 450 mm x 610 mm. Including extra blower.	150
63	NN roller conveyors	6 roller conveyors, steel frame, steel rollers, roller width: 400 mm, total dimensions: (3x) 1960 mm x 500 mm x 740 mm, (2x) 1470 mm x 500 mm x 740 mm and (1x) 980 mm x 500 mm x 740 mm.	250
64	Lenze	Pallet with 5 pumps among others: Lenze pump, type: 11.710.05.00, number: 977000/3651, 1.5 kW, dimensions: 1200 mm x 1000 mm x 470 mm.	200
65	NN belts	Pallet with various belts, various belt widths, total dimensions: 1200 mm x 800 mm x 960 mm.	200
66	NN screw	S/s screw, infeed clearance: 500 mm x 270 mm, diameter screw: Ø 150 mm, tier: 125 mm, total dimensions: 1900 mm x 430 mm x 460 mm.	100
67	NN curve conveyor	45° curve conveyor, plastic rollers, roller width: (3x) 200 mm, total roller width: 600 mm, total dimensions: 2010 mm x 650 mm x 100 mm.	25
68	Stork Bepak B.V.	Stork Bepak B.V. 16 heads can filling station, type: VD 16, serial number: 02133000, year of construction: 1984, 380 V, diameter dye: Ø 48 mm, total dimensions: 2290 mm x 1750 mm x 1990 mm. Missing belt.	1500
69	Gray Company, Inc.	Gray Company, Inc. pneumatic barrel pump, model power head: 204640, series: 6B2, model pump: 204924, series: 6 A 2, ratio: 20-1, dimensions: 1200 mm x 800 mm x 1650 mm.	450
70	Langguth & Co.	Langguth & CO pallet unloading station consisting of infeed chain conveyor for pallets, distance between chains: 800 mm, dimensions infeed conveyor: 1500 mm x 1000 mm x 650 mm, tilting device for pallets, clearance: 1200 mm x 1000 mm, with outfeed belt for cans, steel mesh belt, belt width: 1250 mm, total dimensions: 7000 mm x 2000 mm x 2300 mm, switch cabinet, dimensions: 1200 mm x 450 mm x 1400 mm.	2000

Nr	Title	Description	Start €
71	NN strip cutter	Strip cutter, plastic belt width: 425 mm, working width: 250 mm, 51 knives, distance between knives: 5 mm, total dimensions: 1300 mm x 700 mm x 2140 mm.	750
72	NN labeller	Mobile labeller, plastic rollers, roller width: 200 mm, total dimensions: 2150 mm x 940 mm x 1380 mm.	750
73	Groninger + Co GmbH	Groninger + Co GmbH 6-heads filling machine, machine type: DFV 6000, serial number: 5488, year of construction: 2001, total dimensions: 2200 mm x 1800 mm x 2800 mm, switch cabinet, dimensions: 800 mm x 500 mm x 2000 mm.	4250
74	Urschel Laboratories Inc.	Urschel Laboratories Inc. mobile slicer, model: RA-A, serial number: 2538, year of construction: 2003, clearance infeed: 500 mm x 450 mm, working width: 100 mm, distance between knives: 10 mm, total dimensions: 1350 mm x 1100 mm x 1890 mm.	2500
75	Mettler Toledo Garvens Automation GmbH	Mettler Toledo Garvens Automation GmbH checkweigher, type: S3, serial number: 331648, year of construction: 2002, 230 V, 50 Hz, max: 300 gram, min: 10 gram, e= 0.2 gram, T= -300 gram, dimensions scale: 430 mm x 150 mm, plastic belt, belt width: 150 mm, dimensions checkweigher: 1140 mm x 610 mm x 1610 mm, dimensions control panel: 580 mm x 440 mm x 1400 mm.	2000
76	Steinle	Steinle magnetic tray loader, type: RE120P2, machine number: 9012100, year of construction: 11/90, 220/380 V, 50 Hz, 8 kW, pressure: 5 bar, plastic magnetic belt, belt width: 600 mm, dimensions: 2500 mm x 2000 mm x 2750 mm, switch cabinet, dimensions: 3500 mm x 400 mm x 1850 mm.	950
77	Keystone / Fisher Controls S.p.A. / J. C. Eckardt A.G.	Keystone / Fisher Controls S.p.A. / J. C. Eckardt A.G. pallet with different parts among others, Keystone pneumatic actuator, model: 790-070, Keystone pneumatic actuator, model: F79U 024 DOUBLE AACTING, serial number: 157362, year of construction: 05/2005, J. C. Eckardt A.G. positioner, serial number: 6 981511, dimensions: 1200 mm x 800 mm x 670 mm.	100
78	NN drum motors	Pallet with large amount of various sizes drum motors, total dimensions: 1200 mm x 1150 mm x 800 mm.	150
79	Loma Systems	Loma Systems metal detector head, model: IQ2, serial number: NDO4EUDF-OO4E1D, clearance: 450 mm x 250 mm, total dimensions: 900 mm x 400 mm x 450 mm.	500

Nr	Title	Description	Start €
80	Videojet	Videojet inkjet printer, model: EXCEL 2000, serial number: 051521014WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 800 mm x 600 mm x 900 mm. Including box with repair set.	150
81	Talsa	Talsa mobile mixer, model: MIX90ST*28, serial number: 30472, year of construction: 1993, 380/220 V, 3 Ph, 50 Hz, 2/3.5 A, 0.7 kW, volume: 90 liter, dimensions: 630 mm x 900 mm x 1100 mm.	850
82	Weber	Weber labelling unit, model: Geset, type: 141, serial number: 50026077, year of construction: 13/06/18, dimensions: 900 mm x 430 mm x 440 mm.	1950
83	Mettler Toledo Garvens Automation GmbH	Mettler Toledo Garvens Automation GmbH checkweigher, type: S3, fabric number: 331647, year of construction: 2002, 230 V, 50 Hz, maximum weight: 300 g, minimum weight: 5 g, e= 0.2 g, d= 0.2 g, T= -300 g, belt width: 135 mm, dimensions checkweigher: 1120 mm x 640 mm x 1660 mm, dimensions mobile display: 500 mm x 560 mm x 1450 mm.	2000
84	NN chain belts	Steel chain belts with plastic rollers, belt width: 370 mm, total dimensions: 1200 mm x 800 mm x 910 mm.	250
85	NN chain belts	Steel container with steel chain belts, belt width: 320 mm, total dimensions: 1240 mm x 840 mm x 980 mm.	250
86	Vredestein	2 Vredestein tires, size: 6 -9, diameter: (2x) 500 mm.	10
87	Ecolab	2 plastic vessels filled with Ecolab P3-horolith, vessel dimensions: (2x) Ø 580 mm x 940 mm.	25
88	RR-industrietechnik GmbH	RR-industrietechnik GmbH container dumper, inside dimensions: 1500 mm x 1000 mm x 700 mm, total dimensions: 1580 mm x 1160 mm x 1030 mm.	450
89	Kongsilde	Kongsilde blower, type: TRL.20 w/motor 3x 400V-50Hz, serial number: 17330005, year of construction: 2002, dimensions: 660 mm x 450 mm x 670 mm.	200
90	NN transport belts	3 s/s frames for transport belt, (1x) 90° curve conveyor, dimensions: 1400 mm x 700 mm x 350 mm, (2x) S-shaped conveyor, dimensions: 2000 mm x 600 mm x 350 mm.	150

Nr	Title	Description	Start €
91	Beck Packautomaten GmbH & Co. KG	Beck Packautomaten GmbH & Co. KG mobile shrink tunnel, type: HV601 HPLS, number: 0216 2970, year of construction: 2016, 230/400 V, 3 Ph, 50 Hz, 28 A, clearance: 680 mm x 280 mm, belt width: 600 mm, total dimensions: 2150 mm x 1060 mm x 1600 mm.	1500
92	Audion Elektro	Audion Elektro shrink packaging line, consisting of: Audion Elektro shrink wrapper, model: AUDION L-SEALER L 500 SA, serial number: 59814, year of construction: 2016, 220-240 V, 1 Ph, 50-60 Hz, 12 A, 2500 W, seal length: 590 mm and 420 mm, film width: 510 mm, plastic belt, belt width: 360 mm, total dimensions shrink wrapper: 1600 mm x 800 mm x 1060 mm and Audion Elektro shrink tunnel, model: TE-MATIC 18, serial number: 57734, year of construction: 2016, 380-415 V, 3 Ph, 50-60 Hz, 11.5 A, 8000 W, clearance: 470 mm x 250 mm, belt width: 440 mm, total dimensions: 1800 mm x 800 mm x 1460 mm.	2500
93	Strapex	Strapex mobile strapper, machine number: 5887, 220/240 V, 1 Ph, 50 Hz, 2.2 A, working width: 760 mm, total dimensions: 950 mm x 600 mm x 850 mm.	50
94	Herbert Grunwald GmbH	Herbert Grunwald GmbH cup filling and closing machine, type: Rotary 2500/2, number: 43/00, year of construction: 2000, 400 V, 3 Ph, 50 Hz, 9.5 A, 2.7 kW, 8x 2 dye's, dimensions dye's: Ø 80 mm, plastic outfeed belt, belt width: 100 mm, total dimensions: 1800 mm x 1380 mm x 2400 mm. Including pallet with parts.	5000
95	Hugo Beck	Hugo Beck flowpacker, type: Standard 500 S, serial number: 14 733, year of construction: 04/2008, 400 V, 50 Hz, 5 A, 3 kW, film width: 420 mm, seal width: 480 mm, plastic belt, belt width: 380 mm, total dimensions: 3050 mm x 1500 mm x 1500 mm.	2500
96	NN belts	Pallet with plastic mesh belts, belt width: 82 mm and 137 mm, total dimensions: 1200 mm x 800 mm x 400 mm.	100
97	Berendsen	Berendsen hydraulic unit, dimensions: 500 mm x 360 mm x 700 mm.	200
98	Videojet	Videojet inkjet printer, model: EXCEL 2000, serial number: 073621019WD, 100-240 V, 1 Ph, 50/60 Hz, 2-1 A, dimensions: 950 mm x 700 mm x 1100 mm.	150

Nr	Title	Description	Start €
99	Guk Falzmashinen	Guk Falzmashinen folding machine, type: FA 23/4 - R1-AS 23 Automatic 720, machine number: 31621, year of construction: 1992, 220 V, 50 Hz, 1,7 A, 0.2 kW, working width: 235 mm, total dimensions: 1200 mm x 800 mm x 700 mm. Including parts.	250
100	NN roller conveyor	Electrically driven roller conveyor, plastic rollers, roller width: 450 mm, total dimensions: 1200 mm x 450 mm x 1200 mm.	150
101	NN drum motors	Pallet with large amount of various sizes drum motors, total dimensions: 1200 mm x 1380 mm x 720 mm.	150
102	IMC	IMC automatic can seamer, dimensions lid: Ø 90 mm, total dimensions: 1550 mm x 1150 mm x 2150 mm.	1750
103	Bretech	Bretech elevating belt, number: 70714, s/s belt with dividers, belt width: 200 mm, dividers height: 10 mm, distance between dividers: 110 mm, elevating height: 3300 mm, infeed clearance: 980 mm x 510 mm, total dimensions: 1600 mm x 1050 mm x 3300 mm.	750
104	Enbe	Enbe s/s belt slicer, plastic belt, belt width: 265 mm, clearance: 265 mm x 85 mm, working width: 210 mm, 39 knives, distance between knives: 5 mm, total dimensions: 1550 mm x 550 mm x 980 mm.	950
105	NN belts	2 pallets with plastic mesh belts, belt width: 303 mm, total dimensions: 1200 mm x 800 mm x 1510 mm.	250
106	Urschel Laboratories, Inc	Urschel Laboratories, Inc. segment cutter, model: VSC, serial number: 170, year of constructions: 95, knife width: 110 mm, outfeed diameter: Ø 95 mm, plastic belt, belt width: 125 mm, clearance: 230 mm x 210 mm, total dimensions: 3300 mm x 800 mm x 2250 mm. Including infeed belt, plastic belt, belt width: (2x) 100 mm, dimensions: 2450 mm x 650 mm x 440 mm.	9500
107	Stork	Stork mobile transport belt, s/s frame, number: 67-034079, plastic belt, belt width: 680 mm, total dimensions: 3850 mm x 880 mm x 1570 mm.	250
108	Clemens & Vogl	Clemens & Vogl mobile can seamer, model: VHST-B469, serial number: 72157, year of construction: 1972, diameter cans: 230 mm, total dimensions: 1100 mm x 900 mm x 2100 mm.	3500
109	Calumatic	Calumatic metal lid feeder, diameter cups: 85 mm, total dimensions: 1300 mm x 1300 mm x 900 mm.	100

Nr	Title	Description	Start €
110	Sneyders	Sneyders plastic can closing machine with elevating belt, type: ASE-DSTER, machine number: 005/00, year of construction: 10/00, belt width: 200 mm, distance between dividers: 150 mm, divider height: 4 mm, elevating height: 2100 mm, total dimensions elevating belt: 1000 mm x 1900 mm x 2800 mm, total dimensions machine: 3000 mm x 1650 mm x 2300 mm. Including pallet with belt and parts.	3500
111	Coeman Packaging	Coeman Packaging mobile box closing machine, model: EXC-103SD, serial number: C1051427, 230 V, 50 Hz, s/s rollers, roller width: 670 mm, total dimensions: 920 mm x 950 mm x 1570 mm. Including parts.	450
112	Mailbox	5 Mailbox tubs, year of construction: 2013, steel frame, plastic tubs, dimensions tub: Ø 800 mm x 780 mm, total dimensions: (5x) 800 mm x 1150 mm.	375
113	NN testing unit	Homogenizing testing unit, consisting of: 2 plate heat exchangers, 1 tube heat exchanger and several pumps, dimensions: 2900 mm x 1000 mm x 3050 mm. Incomplete, missing homogenizer.	950
114	Bonino	Bonino elevating belt, type: AUXILIARY FEEDER, number: 42363, year of construction: 31/10/13, 380 V, 50 Hz, 1 A, 0.18 kW, plastic belt with dividers, belt width: 200 mm, distance between dividers: 120 mm, divider height: 45 mm, elevating height: 2720 mm, total dimensions: 2620 mm x 1200 mm x 3700 mm.	1250
115	NN concrete mixer	Concrete mixer, clearance: 390 mm, total dimensions: 1400 mm x 860 mm x 1350 mm.	25
116	Linx	Linx laser coding machine, model: XYMARK BB2, year of construction: November 2001, dimensions: 1200 mm x 1000 mm x 800 mm.	250
117	Mettler-Toledo Garvens GmbH	Mettler-Toledo Garvens GmbH checkweigher, type: C 3570, number: 1438016140010, year of construction: 2020, 100-240 V, 1 Ph, 50-60 Hz, maximum weight: 1400 gram, minimum weight: 360 gram, e= 1 gram, d= 1 gram, T=-1260 gram, maximum belt speed: 100 meter per minute, plastic belt, belt width: 200 mm, total dimensions: 1200 mm x 1000 mm x 2000 mm.	4000
119	NN lifting platform	Lifting platform, with hydraulic unit, belt width: 1040 mm, total dimensions: 2550 mm x 1250 mm x 700 mm, dimensions hydraulic unit: 750 mm x 450 mm x 900 mm.	200

Nr	Title	Description	Start €
120	KSB	KSB centrifugal pump on steel frame, model: MOVI 50/24 C4.60.G1G, dimensions: 1550 mm x 500 mm x 550 mm.	750
121	Massi Services	Massi Services mobile cap feeder with magnetic elevating belt, type: Alimentateur, serial number: 06119, year of construction: 1999, inside dimensions bunker: 650 mm x 1300 mm x 500 mm, clearance: 55 mm x 15 mm, elevating height: 3600 mm, total dimensions: 1200 mm x 1500 mm x 4000 mm.	1250
122	NN oat crusher	Steel oat crusher on s/s frame, dimensions: 1050 mm x 1020 mm x 620 mm.	175
123	NN pipes	Pallet with various s/s filter casings, dimensions: 1300 mm x 800 mm x 750 mm.	200
125	NN turning table	Turning table, steel frame, s/s top, diameter top: 1300 mm, total dimensions: 1400 mm x 1350 mm x 1080 mm.	250
127	Soco System	Soco System mobile transport belt, plastic belt, belt width: 380 mm, total dimensions: 4000 mm x 630 mm x 900 mm.	250
128	NN divider belt	Divider belt, type: Z800, machine number: 5.414, year of construction: 1995, s/s frame, plastic belt, belt width: 800 mm, total dimensions: 2200 mm x 1300 mm x 1300 mm.	1750
129	Atlet AB	Atlet AB electric pallet lifter, model: PLL/145, serial number: PLL40253/01, year of construction: 2006, 24 V, loading capacity: 1450 kg, distance between forks: 600 mm, fork length: 1000 mm, Fronlus loading station, model: Active Inverter 2020E, serial number: 20031144, 230 V, 50/60 Hz, 20 A, total dimensions: 1460 mm x 680 mm x 1430 mm.	350
130	Atlet AB	Atlet AB electric pallet lifter, model: PLL/145, serial number: PLL40254/01, year of construction: 2006, 24 V, loading capacity: 1450 kg, distance between forks: 600 mm, fork length: 1000 mm, total dimensions: 1460 mm x 680 mm x 1430 mm. Missing loading station.	300
131	Unikar	Unikar mobile lifter for boxes, capacity: 170 kg, lifting height: 600 mm, total dimensions: 720 mm x 580 mm x 1380 mm.	80
132	Soco System	Soco System mobile transport belt, plastic belt, belt width: 380 mm, total dimensions: 4000 mm x 630 mm x 900 mm.	250

Nr	Title	Description	Start €
133	Novexx Solutions	Novexx Solutions mobile labelling machine, type: LA-CE Wipe RH, serial number: N400562.1279.0518, plastic belt, belt width: 270 mm, label width: 95 mm, total dimensions: 2050 mm x 1300 mm x 1450 mm. With 2 pallets with labels.	1850
134	NN roller conveyors	Roller conveyors, steel rollers, roller width: 850 mm, 800 mm and 630 mm.	950
135	Dinnissen Process Technology	Dinnissen Process Technology platform for vibrating gutter, type: 136, serial number: 110972, year of construction: 2011, platform dimensions: 1400 mm x 1080 mm x 100 mm, total dimensions: 1400 mm x 1640 mm x 500 mm.	750
136	Vac control	Vac control control panel with rejector, model: vacCONTROL 810-M5, serial number: 1276, panel dimensions: 630 mm x 450 mm x 180 mm, total dimensions: 800 mm x 700 mm x 310 mm.	250
139	Wolfking A/S	Wolfking A/S cheese-breaker, type: CHEESE-BREAKER, number: 56130, 415/660 V, 50 Hz, 22-20/13 A, 11 kW, width outfeed belt: 500 mm, including elevating belt with dividers, belt width: 500 mm, divider height: 30 mm, distance between dividers: 520 mm, total dimensions: 3600 mm x 1500 mm x 3200 mm.	1950
140	NN tumbler	S/s tumbler on weighing cells with outfeed roller conveyor, dimensions mixer: 800 mm x 1250 mm x 2650 mm, roller conveyor, steel frame, plastic rollers, roller width: 500 mm, dimensions roller conveyor: 2070 mm x 720 mm x 400 mm. Without indicator.	950
141	NN tumbler	S/s tumbler on Tedeo-Huntleigh weighing cells with outfeed roller conveyor, dimensions mixer: 1800 mm x 1250 mm x 2650 mm, roller conveyor, steel frame, plastic rollers, roller width: 500 mm, dimensions roller conveyor: 2070 mm x 720 mm x 400 mm. Without indicator.	950
142	Lowara / Pomac B.V.	Pallet with various centrifugal pumps, various brands among others Lowara and Pomac B.V, dimensions pallet: 1120 mm x 890 mm x 450 mm.	600
144	Shuttleworth	Shuttleworth slip-torque roller conveyor with 90° angle, roller width: 230 mm, total dimensions: 1600 mm x 1050 mm x 1100 mm.	400
145	Shuttleworth	Shuttleworth slip-torque roller conveyor with 90° angle, roller width: 230 mm, total dimensions: 1600 mm x 1050 mm x 1100 mm.	400

Nr	Title	Description	Start €
146	BFB S.p.A.	BFB S.p.A. overwrapping machine, model: 3701u, serial number: 3970, 380 V, 3 Ph, 50 Hz, 12 A, 10 kA, belt width: 190 mm, total dimensions: 2600 mm x 1500 mm x 1800 mm. Including transport belt, plastic belt, belt width: 200 mm, total dimensions: 2550 mm x 550 mm x 400 mm.	1950
147	Etipack	Etipack mobile labeller, model: STAMPETICHETT, serial number: 04/000002528, year of construction: 2004, 230 V, 1 Ph, 50-60 Hz, 2 A, plastic belt, belt width: 190 mm, total dimensions: 1050 mm x 750 mm x 1680 mm.	1250
148	NN roller conveyor	Electric roller conveyor, s/s rollers, roller width: 500 mm, total dimensions: 700 mm x 500 mm x 740 mm.	125
149	NN can seamer	Semi-automatic can seamer, total dimensions: 900 mm x 370 mm x 780 mm.	2000
150	Hydrosplex Cylap BV	Hydrosplex Cylap BV hydraulic lifter, type: 8845-045, serial number: 90106 SY, dimensions pump: 660 mm x 480 mm x 1000 mm, dimensions lifter: 1000 mm x 550 mm x 1500 mm.	250
151	GNB	GNB charger, type: 3SGM24/50-NG, serial number: 201022 3 SGM917, 230 V, 50 Hz, 8.05/50 A, 1852 VA, dimensions: 480 mm x 280 mm x 310 mm.	50
152	NN mixer	Mixer, inside dimensions: Ø 800 mm x 460 mm, total dimensions: 1400 mm x 900 mm x 1350 mm.	200
153	NN electro motors	Pallet with various brands of electro motors, among others: HEW, 0.55 kW, Lenze, 0.55 kW, Stober Antriebstechnik, 0.25 kW, Hans Ströter KG, Nord, VEM, dimensions pallet: 1200 mm x 800 mm x 450 mm.	500
154	NN heater	Heater, dimensions: 1170 mm x 650 mm x 1280 mm.	150
155	NN cooking screw	Cooking screw, plastic belt, belt width: 200 mm, total dimensions: 5800 mm x 2100 mm x 2550 mm.	2250
156	Walker Hagou	2 Walker Hagou magnets, dimensions: 1300 mm x 1100 mm x 350 mm and 1230 mm x 1050 mm x 320 mm.	750
157	Nedpack	Nedpack box lifter, type: Verticon-99726, serial number: Lijn 6, year of construction: 1999, weight: 1000 kg, 400 V, 50 Hz, 1.1 kW, maximum capacity: 50 kg, elevating height: 3250 mm, total dimensions: 1330 mm x 1260 mm x 4150 mm.	500
158	Superior B.V.	Superior B.V. s/s vibrating gutter, year of construction: 1986, WOS: 5008, gutter width: 500 mm, total dimensions: 1400 mm x 800 mm x 1370 mm.	500
159	Fujitsu/HP	4 Fujitsu and 1 HP computer screens.	50

Nr	Title	Description	Start €
160	TurboChef	TurboChef speed oven, model: C3/Multi, serial number: C331694, year of construction: March 2003, 380-415 V, 3 Ph, 50 Hz, 15 A, 2.1/5.2 kW, inside dimensions: 450 mm x 190 mm x 370 mm, total dimensions: 700 mm x 800 mm x 550 mm.	150
161	B+B Systemen BV	B+B Systemen BV mobile can washing machine for bottles or cans, type: ML 18 BL, number: 517 R, year of construction: 2001, clearance: 750 mm x 130 mm, s/s belt, belt width: 80 mm, total dimensions: 3250 mm x 750 mm x 1450 mm. Including 3 extra spirals.	1250
162	Polyketting	Polyketting 45° curve conveyor, steel frame, plastic rollers, roller width: 395 mm, total dimensions: 1300 mm x 800 mm x 450 mm.	150
163	Fimer S.N.C.	Fimer S.N.C. monoblock filler for liquids with 12 filling heads and bottle closer, model: DRT 2-12-1PK, serial number: 2506, year of construction: 2007, 380 V, 50 Hz, 5.5 kW, 3-6 bar, input bottle: 9 mm, Canelli Tech srl. elevating belt with dividers, model: VB-CAP, serial number: A07000600, year of construction: 2007, 400 V, 50 Hz, 0.37 kW, s/s frame, plastic belt with dividers, belt width: 150 mm, distance between dividers: 130 mm, elevating height: 3500 mm, total dimensions: 2800 mm x 1420 mm x 3350 mm. Including 2 trolleys with 6 crates of parts.	7250
164	NN electro motors	Pallet with electro motors, among others: Elsto, VEB, Stöber, SITI, Titan, Van der Graaf B.V. Dimensions pallet: 1200 mm x 800 mm x 450 mm.	250
165	NN electric driven roller conveyor	Steel electric roller conveyor, steel rollers, roller width: 600 mm, total dimensions: 850 mm x 1060 mm x 1060 mm.	200
166	Wacker Hatz	Wacker vibratory plate, Hatz diesel engine, engine type: ES 75, 3000 / 60 rpm, power: 6 hp, plate dimensions: 640 mm x 700 mm, total dimensions: 1500 mm x 640 mm x 700 mm.	450
167	Polyketting	Polyketting roller conveyor, type: ARB, fabrication number: 981016, year of construction: 1998, 0.25 kW, chain driven, roll width: 400 mm, total dimensions: 1600 mm x 850 mm x 1550 mm, dimensions switch cabinet: 520 mm x 250 mm x 500 mm.	250
168	Stiletto	Stiletto infeed bunker with vibrating gutter used for spaghetti, type: VR 70, number: 8870, 220 V, 2 A, 3000 vibration per minute, dimensions infeed: 920 mm x 920 mm, total dimensions: 1000 mm x 1000 mm x 1930 mm.	500

Nr	Title	Description	Start €
169	SEW Eurodrive	Pallet with 6 SEW Eurodrive motors, dimensions: 1200 mm x 1000 mm x 440 mm.	150
170	Metal products	Metal products pressure cylinder, type: H90/15, serial number: EF 10229, year of construction: 1993, 15 bar, 90 liter, total dimensions: 1200 mm x 800 mm x 1000 mm.	50
171	Bardani Valvole Spa	10 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	500
172	Bardani Valvole Spa	4 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	400
173	Van der Lande	2 Van der Lande transport belts, plastic belt width: (2x) 650 mm, total dimensions: (2x) 1040 mm x 770 mm x 310 mm.	400
174	PestWest	PestWest insect killer, model: Chameleon 4x4 White, serial number: 0407440018, 230 V, 50 Hz, 190 W, dimensions: 650 mm x 170 mm x 620 mm.	15
175	PestWest	PestWest insect killer, model: Chameleon 4x4 White, serial number: 0407440017, 230 V, 50 Hz, 190 W, dimensions: 650 mm x 170 mm x 620 mm.	15
176	Endress+Hauser	Pallet with 2 Endress+Hauser valves and crate with parts.	300
177	Bardani Valvole Spa	12 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	600
178	Anker	Anker labelling machine, s/s belt, belt width: 85 mm, 8 heads, diameter head: (8x) 20 mm, total dimensions: 3600 mm x 1600 mm x 1650 mm.	1250
179	Soco System	Soco System mobile transport belt, plastic belt, belt width: 380 mm, total dimensions: 6000 mm x 630 mm x 790 mm.	250
180	TechnoPack Hund GmbH	TechnoPack Hund GmbH tube sealing machine, type: TSG, machine number: 183, year of construction: 1995, seal length: 430 mm, total dimensions: 1300 mm x 500 mm x 800 mm. Including box with forms.	150
181	Soco System	Soco System mobile transport belt, plastic belt, belt width: 380 mm, total dimensions: 6000 mm x 630 mm x 790 mm.	250
182	Festo	Pallet with various Festo pneumatic parts, dimensions: 1200 x 1000 mm x 800 mm.	200
183	Scheppach	Scheppach saw table, with 2 circle saws, width adjustable, diameter saw: 395 mm, total dimensions: 2300 mm x 1300 mm x 850 mm.	250
184	Ishida	Ishida checkweigher, model: DACS-W-180-SB/WP-N-N (CTS), serial number: 560905, year of construction: 02/2011, 240 V, 1 Ph, 50 Hz, 3 A, maximum weight: 18000 gram, plastic belt, belt width: 400 mm, total dimensions: 780 mm x 650 mm x 1490 mm.	850

Nr	Title	Description	Start €
185	Sihi / Nijhuis	Pallet with Nijhuis NV centrifugal pump, type: 1-80235, number: 18-55, capacity: 21 m³ per hour and Sihi centrifugal pump, type: NOWA8016A, year of construction: 2002, total dimensions pallet: 1200 mm x 800 mm x 500 mm.	400
186	Krones	Krones bottle labelling machine, type: 480-12, machine number: K 747-554, year of construction: 2001, 380 V, 3 Ph, 50 Hz, 12 A, 1.26 kA, plastic mesh in/outfeed belt, belt width: 80 mm, Ø bottles: 35 mm, total dimensions: 5000 mm x 3200 mm x 2300 mm, 1 pallet with labeller, 1 pallet with roll on unit, dimensions switch cabinet: 800 mm x 650 mm x 2370 mm.	3000
187	ENJA	ENJA carriage, adjustable chair, dimensions: 2800 mm x 1450 mm x 1800 mm.	950
188	Sihi-Masters B.V. / Johnson Pump B.V.	Sihi-Masters B.V. centrifugal pump, type: NOWA 4032/285, serial number: 3434527, capacity: 2-16.5 m³ per hour, dimensions: 1000 mm x 400 mm x 600 mm, Johnson Pump B.V. multistage pump, type: MCVS14AC1,5, number: 99/87141801, dimensions: 370 mm x 300 mm x 800 mm.	250
189	Van Wijk en Boerma pompen B.V.	Van Wijk en Boerma pompen B.V. progressive cavity pump, type: NM0388Y02S123, serial number: I02737, total dimensions: 1725 mm x 290 mm x 320 mm.	250
190	NN stairs	Aluminium stairs, 6 steps, dimensions: 2700 mm x 650 mm x 750 mm.	150
191	Linde	Linde electric pallet lifter, fork length: 1150 mm, total dimensions: 1720 mm x 730 mm x 1300 mm. Including Hawker battery charger, dimensions battery charger: 410 mm x 250 mm x 260 mm.	950
192	Caterpillar	Caterpillar electric pallet lifter, model: NPP16M, serial number: 2AMO1299, year of construction: 2009, capacity: 1600 kg, lifting height: 200 mm, fork length: 1140 mm, total dimensions: 1600 mm x 700 mm x 1300 mm. With Benning battery charger.	750
193	NN 90° curve conveyor	90° curve conveyor, s/s frame, plastic rollers, roller width: 300 mm, total dimensions: 1890 mm x 750 mm x 170 mm.	75
195	Hermann Waldner GmbH & Co.	Hermann Waldner GmbH & Co. cup filling and closing machine, type: DOSOMAT 1/1, machine number: 421, year of construction: 1986, 220/380 V, 50 Hz, 6 A, 3000 W, capacity: 2700 pcs/h, weight: 970 kg, 8 dye's, diameter dye: (8x) 85 mm, plastic outfeed belt, belt width: 100 mm, total dimensions: 1900 mm x 1750 mm x 1900 mm.	3500

Nr	Title	Description	Start €
196	PVS	PVS breaker, working width: 480 mm, dimensions infeed bunker: 750 mm x 600 mm x 700 mm, total dimensions: 1250 mm x 1000 mm x 1900 mm.	8500
197	NN elevating belt	Mobile elevating belt, plastic infeed belt, belt width: 910 mm, plastic elevating belt with dividers, belt width: 920 mm, distance between dividers: 200 mm, divider height: (2x) 30 mm, elevating height: 2250 mm, total dimensions: 1800 mm x 1520 mm x 2500 mm.	750
198	Steven BV	Steven BV s/s turning table, serial number: DT-48-1250, machine number: 12059, year of construction: July 2012, 400 V, diameter table: 1250 mm, total dimensions: 1260 mm x 1260 mm x 1200 mm.	400
199	Kettner	Kettner bottle packing line consisting of: infeed transport belt, s/s belt, belt width: (5x) 80 mm, Kettner packing robot, type: Rob. E2/C-H, year of construction: 1985, 12 suckers, diameter each sucker: 90 mm, outfeed transport belt, plastic belt, belt width: (4x) 50 mm, total dimensions: 4900 mm x 3200 mm x 2660 mm.	1250
200	NN carriage	Carriage, dimensions: 2700 mm x 1720 mm x 2450 mm.	950
201	Bardani Valvole Spa	12 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	600
202	Seepex	Seepex progressive cavity pump, type: BN 2-6L, serial number: 245377, dimensions: 1080 mm x 300 mm x 350 mm.	250
203	Hagra	Hagra melting machine for lead, volume: 300 kg, 220-380 V, 3x 2400 W, maximum heat: 450° C, 3 forms, dimensions forms: (3x) 645 mm x 70 mm x 45 mm, total dimensions: 1200 mm x 650 mm x 1150 mm.	300
204	Epson	Epson printer, model: L522A, 220-240 v, 50/60 Hz, 4.2 A, dimensions: 380 mm x 400 mm x 250 mm.	10
205	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 600 mm, total dimensions: 1500 mm x 720 mm x 300 mm.	100
206	NN curved roller conveyor	45° curved roller conveyor, steel frame, plastic rollers, roller width: 600 mm, total dimensions: 2050 mm x 900 mm x 630 mm.	150
207	Bardani Valvole Spa	11 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	550
208	SEW Eurodrive	Pallet with 7 SEW Eurodrive motors, dimensions: 1200 mm x 1000 mm x 400 mm.	150
209	NN belts	Pallet with plastic mesh belts, belt width: 500 mm and 400 mm, dimensions pallet: 1200 mm x 800 mm x 640 mm.	250

Nr	Title	Description	Start €
210	NN chain conveyor	Chain conveyor, conveyor width: 730 mm, total dimensions: 1400 mm x 850 mm x 560 mm.	250
211	NN separator	Water separator with press, outfeed diameter: 30 mm, total dimensions: 2500 mm x 600 mm x 1500 mm.	350
212	Simplex	Simplex depositor on mobile s/s frame, diameter depositor: 9 mm and 21 mm, foot control, dimensions: 1000 mm x 700 mm x 2100 mm.	400
213	Bardani Valvole Spa	12 Bardani Valvole Spa valves, dimensions pallet: 1200 mm x 800 mm x 300 mm.	600
214	Sneyders	Sneyders capping machine, type: ASE-DSTER, machine number: 15.03, year of construction: 02.03, Ø caps: 60 mm, total dimensions: 1800 mm x 1600 mm x 2300 mm. Including pallet with frames for transport belts and pallet with transport belt, belt width: 150 mm. Missing cap grabber.	3750
216	Vector / SEW Eurodrive / Lenze	Vector / SEW Eurodrive / Lenze motors, Vector motor, type: DFT90L2, serial number: 90.1301128201.000109, SEW Eurodrive motor, type: R72-D34/EF, serial number: 010345193.7.01.03002, Lenze motor, type: 11.512.08.00, number: KMR 87220227, dimensions: 1200 mm x 800 mm x 560 mm.	150
217	Multipond	Multipond 10-heads multihead weigher, type: 1012, fabrication number: 827, year of construction: 1995, total dimensions: 1700 mm x 1800 mm x 2700 mm.	1500
218	NN curve conveyor	45° curve conveyor, steel frame, plastic rollers, roll width: 400 mm, total dimensions: 1900 mm x 800 mm x 900 mm.	75
219	Beerepoot BV	Beerepoot BV double transport belt, steel frame, type: BE, serial number: 042256, plastic belts, belt width: (2x) 500 mm, total dimensions: 2900 mm x 750 mm x 940 mm.	500
220	Sussmeyer	Sussmeyer mixer, type: TB3, number: 29881, year of construction: 20-08-1962, including 2 s/s tubs, tub dimensions: Ø 1070 mm x 1200 mm, dimensions mixer: 1500 mm x 2000 mm x 3000 mm. Including pallet with extra parts.	1500
221	Impulse hs KEY	Impulse hs KEY vibrating gutter, type: MV-E, year: 2010, serial number: S-100501, inside dimensions: 1450 mm x 400 mm x 130 mm, total dimensions: 1490 mm x 470 mm x 450 mm.	400

Nr	Title	Description	Start €
222	Herbert	Herbert mobile strip cutter for leafy vegetables, machine type: 130, machine number: 77, year of construction: 1992, working width: 250 mm, distance between knives: 5 mm, plastic belt, belt width: 260 mm, total dimensions: 2100 mm x 700 mm x 2100 mm.	3500
223	NN curved roller conveyor	45° curved roller conveyor, plastic rollers, roller width: 600 mm, total dimensions: 2100 mm x 900 mm x 870 mm.	150
224	NN strip cutter	Mobile strip cutter, working width: 150 mm, distance between knives: 5 mm, plastic belt, belt width: 150 mm, total dimensions: 1800 mm x 700 mm x 1700 mm. Including crate with knives.	950
225	Komen+Kuin B.V.	Komen+Kuin B.V. 2 heads decorer, Ø: (2x) 50 mm, total dimensions: 1000 mm x 550 mm x 2100 mm.	1250
226	Signode	3 Signode steel strapping trolleys, dimensions: (3x) 500 mm x 530 mm x 1000 mm, including 2 steel boxes with clips.	75
227	SEW Eurodrive / Vector	Pallet with 8 motors among others: SEW Eurodrive and Vector motors, dimensions: 1200 mm x 800 mm x 410 mm.	150
228	Linde AG	Linde AG electrical forklift, type: E 15 C, serial number: 322 G 05 0 673 15, year of construction: 20019965, capacity: 1500 kg, unladen mass: 2280 kg, weight battery: 988/894 kg, fork length: 1090 mm, total dimensions: 2930 mm x 1060 mm x 2050 mm. Including Varta battery charger, dimensions charger: 550 mm x 440 mm x 910 mm.	2500
229	NN curved roller conveyor	90° curved roller conveyor with Teco control panel, steel frame, plastic rollers, roller width: 485 mm, total dimensions: 2300 mm x 1000 mm x 950 mm. Control panel type: E510, 220 v, 1.5 kW, 1 Ph.	250
230	Stork	Stork centrifugal pump, type: CIN 65-160/4, number: Z 507250, dimensions: 560 mm x 300 mm x 330 mm.	50
231	NN water pump	Water pump, dimensions: 350 mm x 350 mm x 500 mm.	25
232	SEW Eurodrive	Pallet with 4 SEW Eurodrive motors, dimensions: 1200 mm x 800 mm x 540 mm.	150
233	Intralox	Intralox transport belt, s/s frame, type: Passieve Transporteur, number: E2010PAT152, plastic belt with rollers, belt width: 510 mm, total dimensions: 4780 mm x 770 mm x 1040 mm.	1250
234	Apollo	Apollo 45° curve conveyor, type: RB, steel frame, plastic rollers, roller width: 500 mm, total dimensions: 1900 mm x 800 mm x 900 mm.	200

Nr	Title	Description	Start €
235	SEW Eurodrive /Vector	Pallet with 4 motors among others: SEW Eurodrive and Vector, dimensions: 1200 mm x 800 mm x 540 mm.	150
236	Benzlers	Benzlers drum with valve, drum dimensions: Ø 600 mm x 500 mm, total dimensions: 1050 mm x 800 mm x 700 mm.	150
237	Kaltenbach Maschinenfabrik KG	Kaltenbach Maschinenfabrik KG circular sawing machine, dimensions: 1100 mm x 950 mm x 1650 mm.	350
238	NN mixing tanks	2 s/s heated mixing tanks with pumps on s/s platform, dimensions tanks: Ø 600 mm x 1030 mm, working height: 750 mm, total dimensions: 2350 mm x 1500 mm x 2450 mm.	750
239	Soco Systems	Soco System mobile box closing machine with bottom and top taper, number: 1.029.06, roller width: 510 mm and 560 mm, belt width: 380 mm, total dimensions: 2400 mm x 850 mm x 1860 mm.	250
240	Elektromotorenfabr. / VEM / Rotor	Pallet with 4 motors among others: Elektromotorenfabr. / VEM / Rotor, dimensions: 1200 mm x 800 mm x 450 mm.	150
241	EFM	EFM mobile overflow briner, inside dimensions: 780 mm x 900 mm, perforations: 1 mm, total dimensions: 860 mm x 1400 mm x 1450 mm.	950
242	Breda Packaging	Breda Packaging tray stacker, belt width: 360 mm, stacker length: 1100 mm, total dimensions: 2350 m x 1200 mm x 1550 mm.	500
243	NN elevating screw	S/s elevating screw, s/s screw, screw width: 380 mm, tier: 200 mm, total dimensions: 5550 mm x 1210 mm x 1780 mm.	850
244	Sacmo	Sacmo elevating belt with infeed bunker, serial number: CG04071/1, year of construction: 2006, dimensions infeed: 760 mm x 760 mm, plastic belt with dividers, belt width: 200 mm, divider width: (2x) 45 mm and (1x) 70 mm, divider height: 45 mm, distance between dividers: 150 mm, total dimensions: 1900 mm x 800 mm x 2200 mm.	1950
245	Inmarco AG	Inmarco AG carton erector, type: T-900, fabrication number: 05.106, year of construction: 1990, maximum tray width: 645 mm, with Valco Cincinnati glue unit, total dimensions: 4800 mm x 1650 mm x 2600 mm.	1500
246	Lowara	Pallet with 2 submersible pumps, type lower pump: DL125/A, number: 01157, year of construction: 2018, capacity: 200-700 l/min, dimensions pallet: 800 mm x 600 mm x 1000 mm.	250

Nr	Title	Description	Start €
247	NN roller conveyors	(2x) 45° curved roller conveyors, steel frame, plastic rollers, roller width: 310 mm and 400 mm, total dimensions: 1140 mm x 500 mm x 150 mm and 1750 mm x 700 mm x 90 mm.	150
248	Harland Machine Systems	Harland Machine Systems rotary labelling machine with 12 heads, type: EUROPA, serial number: J17305/02, year of construction: 2007, 240 V, 50 Hz, 20 A, weight: 3000 kg, (2x) plastic mesh belt, belt width: 80 mm, belt width: 60 mm, total dimensions: 3500 mm x 2380 mm x 2230 mm.	1500
250	Kongsilde	Kongsilde blower, type: TRL.20 w/motor 3x 400V-50Hz, serial number: 17330006, year of construction: 2002, dimensions: 660 mm x 450 mm x 670 mm.	200
251	Würschum GmbH	Würschum GmbH mobile depositor for 500 ml cream or liquid, type: H 500 , machine number: 92 01-4 28 8, tube dimensions: Ø 200 mm x 300 mm, output dimensions: 4 mm, foot control, total dimensions: 1100 mm x 700 mm x 1560 mm. Including crate with parts	450
252	NN transport belt	Transport belt with rejector, type: Z800 / 1992, serial number: 5.328, belt width: 800 mm, plastic belt, 3 lanes: 240 mm x 350 mm, 320 mm x 350 mm and 200 mm x 350 mm, total dimensions: 2200 mm x 1400 mm x 1300 mm.	500
253	NN hydraulic unit	Hydraulic unit, dimensions: 600 mm x 450 mm x 850 mm.	150
254	NN trolley	S/s trolley with plastic top, dimensions: 600 mm x 400 mm x 660 mm.	50
255	NN cable gutters	Pallet box with flexible cable gutters in various widths, dimensions: 1000 mm x 1200 mm x 800 mm.	150
256	NN trolley	S/s trolley with plastic top, dimensions: 600 mm x 400 mm x 660 mm.	50
257	Bosch-Strunk	Bosch-Strunk capping machine with cap feeder, type: VSRE01, plastic belt, working width: 300 mm, infeed belt for caps, belt width: 40 mm, total dimensions: 3000 mm x 1000 mm x 2300 mm, dimensions cap feeder: 1100 mm x 1100 mm x 1800 mm.	2750
258	Machinebouw Ter Hart Ulft	Machinebouw Ter Hart Ulft punching machine, type: E.P. 25, number: 86310, cap pressure: 25000 kg, 140 punches per minute, dimensions: 700 mm x 900 mm x 1900 mm.	500

Nr	Title	Description	Start €
259	Numafa	Numafa washing machine for buckets and jerry cans, type: VWC 100, serial number: 600809, year of construction: 2000, Lowara centrifugal pump, type pump: HTS 25-160/22, capacity: 7.5 - 20 m ³ per hour, 2.2 kW, dimensions: 1500 mm x 1300 mm x 1950 mm.	1750
260	Krones	Krones labelling machine, number: 047-U03, year of construction: 1997, 230/400 V, 3 Ph, 50 Hz, 3 A, s/s belt, belt width: 80 mm, label width: 150 mm, total dimensions: 3500 mm x 1300 mm x 1800 mm.	2250
261	Soco System	Soco System box closing machine with top and bottom taper, model: T-01, number: 052-05, year of construction: 1980, maximum clearance: 460 mm x 620 mm, total dimensions: 2400 mm x 900 mm x 1800 mm. Incomplete.	550
262	NN tank	Steel tank, dimensions: 1700 mm x 1050 mm x 1200 mm. Contains bio diesel.	50
263	Eshuis BV	Eshuis BV mobile labelling machine with Kortho Labeler, type labeler: 80680 4 08 94, plastic rollers, roller width: 200 mm, labelling width: 75 mm, total dimensions: 2350 mm x 900 mm x 1850 mm.	750
264	NN mixing tank	S/s mixing tank with agitator and outfeed pump, project number: 98 44 185, year of construction: 1999, weight: 375 kg, dimensions tank: Ø1050 mm x 740 mm, total dimensions: 2750 mm x 1100 mm x 2000 mm.	1950
265	Fuji	Fuji flowpacker, model: WRAPPER II, type: FW3400, seal width: 200 mm, plastic belt, belt width: 160 mm, total dimensions: 4400 mm x 1000 mm x 1500 mm.	2500
266	NN hydraulic unit	Hydraulic unit, dimensions: 600 mm x 450 mm x 700 mm.	150
267	Siat S.p.a.	Siat S.p.a mobile box closing machine, model: SM8/4.P, type: A, serial number: 25771, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 1 A, 180 W, maximum clearance: 490 mm x 400 mm, total dimensions: 920 mm x 850 mm x 1750 mm.	450
268	Burt	Burt labelling machine, serial number: 801999, 220/380 V, 50 Hz, 6 A, 1450 W, clearance: 130 mm x 45 mm, total dimensions: 2000 mm x 800 mm x 1500 mm.	1250
269	Pester	Pester Verpackungsmaschinen shrink packaging machine, type: PEWO-PACK 450 SN, machine number: V-2778, year of construction: 1992, 380 V, 3 Ph, 50 Hz, 75 A, 32.7 kW, plastic mesh belt, belt width: 450 mm, film width: 400 mm, total dimensions: 4400 mm x 2900 mm x 2700 mm.	1250

Nr	Title	Description	Start €
270	NN Blower	Blower and 2 air filters, dimensions blower: 800 mm x 400 mm x 570 mm, dimensions filters: (2x) Ø 320 mm x 670 mm.	150
271	Langguth GmbH & Co	Langguth GmbH & Co labelling machine, model: Unomatic 7000, 380 V, s/s belt, belt width: 80 mm, working width: 170 mm, total dimensions: 3300 mm x 850 mm x 1400 mm.	2250
272	Pulsarr Industrial Research BV / Barco Machine	Pulsarr Industrial Research BV / Barco Machine Vision optical sorting machine with 6 black and white camera's, machine type: Mira-B-1600, machine number: LMB006, serie: ALG-5, year of construction: 2001, 400 V, 3 Ph, 50 Hz, belt width: 1100 mm, total dimensions: 4400 mm x 2500 mm x 2500 mm.	7500
273	Fetak	Fetak transport belt, number: 92144, s/s frame, plastic belt, belt width: 190 mm, total dimensions: 3350 mm x 650 mm x 950 mm.	650
275	NN wooden frames	5 pallet boxes with wooden frames, frame dimensions: 1000 mm x 400 mm (75 pieces), 1000 mm x 800 mm (42 pieces), 1150 mm x 800 mm (42 pieces), total dimensions per box: 1200 mm x 1000 mm.	250
276	Schrader	Schrader lid applicator, plastic belt, belt width: 80 mm, total dimensions: 4300 mm x 1400 mm x 2680 mm.	3750
277	Avercon	Avercon packaging machine, type: WRAP AROUND/ TRAY PACKER, number: 663, year of construction: 2009, 380 V, 3 Ph, 50 Hz, 25 A, clearance denester: 480 mm x 560 mm, belt with dividers, clearance belt: 350 mm x 290 mm, plastic rollers, roller width: 550 mm, total dimensions: 4100 mm x 2700 mm x 2420 mm. Product: Apple sirup, 2 types of trays: 350 gram, Ø 94 mm, height: 82 mm, speed: 80 pcs / minute and 450 gram, Ø 94 mm, height: 103 mm, speed: 80 pcs/minute,	6500
278	Voltman	2 Voltman mixers, dimensions: (2x) Ø 140 mm x 1220 mm, total dimensions: 1900 mm x 280 mm x 280 mm.	250
279	Stork Pompen	Stork Pompen circulation pump, type: MCV125X4, number: R604500, dimensions: 270 mm x 270 mm x 970 mm.	15
280	NN roller conveyor	Mobile electric driven roller conveyor, plastic rollers, roller width: 320 mm, total dimensions: 4500 mm x 400 mm x 850 mm.	800

Nr	Title	Description	Start €
281	Gröninger	Gröninger IBC discharging and cleaning line consisting of: 5 IBC discharging and cleaning stations on Denios drip trays, 5 cleaning heads for spray cleaning and residue gas extraction on Tecna balancer, 2 CSF pumps, type: A 41-4-1.5/BD.PZ0T8B, dimensions drip trays: 1400 mm x 1350 mm x 1900 mm, dimensions s/s cleaning frame: 7550 mm x 1800 mm x 4300 mm, dimensions platform: 7500 mm x 2100 mm x 2800 mm. Without blower for gas extraction.	9500
282	Pall	2 pall filters and 1 pressure vessel, filter type: DMS011G16J, filter dimensions (2x): 500 mm x 500 mm x 520 mm pressure vessel dimensions: 450 mm x 400 mm x 1300 mm.	450
283	Webe	Webe de-palletizing machine, type: MCC33, pallet size: 1200 mm x 1000 mm, s/s rollers, roller width: 1100 mm, total dimensions: 3150 mm x 2450 mm x 4700 mm.	4000
284	NN chain conveyor	Chain conveyor, steel frame, steel chains.	300
285	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 300 mm, distance between dividers: 290 mm, divider height: 10 mm, elevating height: 1750, total dimensions: 3800 mm x 600 mm x 2050 mm.	750
286	Becker / P. Lemmens	3 Blowers, Becker type: SV 2.130/2, number: E 959029, year of construction: 1987, capacity: 70 m ³ per hour, dimensions: 600 mm x 300 mm x 250 mm, P. Lemmens type: DD 9-7 TH TAC2 1/2, number: 720064, dimensions: 800 mm x 400 mm x 450 mm, blower dimensions: 500 mm x 500 mm x 500 mm.	150
287	NN elevating belt	Elevating belt with dividers, s/s frame, plastic belt, belt width: 480 mm, distance between dividers: 185 mm, divider height: 40 mm, elevating height: 2200, total dimensions: 2500 mm x 750 mm x 2300 mm.	750
288	Lubeca	Lubeca can seamer, type: 210, number: 51118, diameter cans: 230 mm, foot control, total dimensions: 1100 mm x 970 mm x 1850 mm.	950
289	EFM Machinery	EFM Machinery s/s mixing tank, type: MENGANK, serial number: 1164, year of construction: 2006, inside dimensions: 2000 mm x 1000 mm x 920 mm, total dimensions: 2150 mm x 1110 mm x 1620 mm.	250
290	Samson	Pallet with valves of various brands of which among others Samson, dimensions pallet: 1200 mm x 970 mm x 700 mm.	250

Nr	Title	Description	Start €
291	Lock Inspection Systems LTD	Lock Inspection Systems LTD metal detector, model: Metal check 20, serial number: 88691, year of construction: 18-09-95, 240 V, 1 Ph, 50/60 Hz, 0.11 A, clearance: 230 mm x 85 mm, plastic belt, belt width: 210 mm, total dimensions: 3640 mm x 920 mm x 1180 mm.	950
292	Vector	Pallet with 7 Vector motors, dimensions: 1200 mm x 800 mm x 400 mm.	150
293	Polyketting	Polyketting curve roller conveyor, steel frame, 45°, type: ARBB, factory number: 953119-102, 0.37 kW, speed: 0.42 m/s, plastic rollers, roller width: 600 mm, total dimensions: 1650 mm x 770 mm x 970 mm.	200
294	Holland Food Machinery	Holland Food Machinery transport belt, year of construction: 1997, s/s frame, plastic belt, belt width: 330 mm, total dimensions: 5800 mm x 500 mm x 550 mm.	750
295	NN transport belt	Transport belt, s/s frame, plastic belt, belt width: 400 mm, total dimensions: 6300 mm x 700 mm x 450 mm.	750
296	Superfos	Superfos mobile bucket sealing machine with gassing option, year of construction: 1993, dimensions dye: Ø 205 mm, film width: 210 mm, s/s rollers, roller width: 350 mm, total dimensions: 1200 mm x 980 mm x 2260 mm.	3500
297	Multi-Homo	Multi-Homo homogenizer, type: MH-150, inside dimensions: Ø 600 mm x 800 mm, total dimensions: 1550 mm x 1380 mm x 2050 mm.	1250
299	Blom & Maters Machinefabriek NV	Blom & Maters Machinefabriek NV turning table, type: DER-RGL-2000, number: 77-9-344, s/s top, diameter top: 2000 mm, total dimensions: Ø 2050 mm x 1120 mm.	350
300	NN transport belt	Transport belt, steel frame, plastic belt, belt width: 400 mm, total dimensions: 6200 mm x 900 mm x 700 mm.	950
301	Vector / SEW Eurodrive	pallet with 6 motors among others: Vector / SEW Eurodrive, dimensions: 1200 mm x 800 mm x 420 mm.	150
302	SEW	Pallet with 9 electro motors of which 8 SEW electro motors, 1x 1.5 kW, 4x 1.1 kW, 3x 0.37 kW, 1x 0.55 kW, dimensions: 1200 mm x 800 mm x 450 mm.	450
303	Kwang Dah Enterprise Co., Ltd.	Kwang Dah Enterprise Co., Ltd. capsules and tablet inspection machine, model: KDI-1, serial number: F-180, year of construction: 1998, 220 V, 50 Hz, belt width: 240 mm, total dimensions: 1800 mm x 500 mm x 1350 mm.	200

Nr	Title	Description	Start €
304	MG2	MG2 vibrating/sorting gutter, serial number: 2621, 380 V, 50 Hz, 1.6 KW, gutter width: 250 mm, total dimensions: 1200 mm x 600 mm x 700 mm.	750
305	NN tablet grading machine	Tablet grading machine, dimensions: 650 mm x 300 mm x 850 mm.	100
306	Lowara	Pallet with various centrifugal pumps, among others: (3x) Lowara type: CEA210/4/A V, 1,84 kW, 220/380 V, 6.04/3.49 A, 120-300l/min, dimensions pallet: 1200 mm x 800 mm x 550 mm.	950
307	SEW	Pallet with 3 SEW electro motors, 3x 1.1 kW, 118 rpm, total dimensions: 1200 mm x 800 mm x 450 mm.	200
308	Jungheinrich	Jungheinrich mast for forklift, dimensions: 650 mm x 280 mm x 2300 mm.	650
309	NN depositor	Mobile depositor with 2 mobile infeed hoppers, dimensions hoppers: (2x) 880 mm x 880 mm x 850 mm, diameter pipe: 30 mm, dimensions depositor: 800 mm x 1500 mm x 1260 mm.	1250
310	Bebo Plastik	Bebo Plastik traysealer, type: 500, number: 312, year of construction: 05-92, film width: 360 mm, dimensions dye: 210 mm x 150 mm, total dimensions: 750 mm x 670 mm x 740 mm.	300
311	Herz Electromechanick GmbH	Herz Electromechanick GmbH suction device with filter, type: 4040, serial number: 2003102, 400 V, 50 Hz, 4.0 kW, dimensions: 640 mm x 510 mm x 1850 mm.	200
312	NN vibrating infeed bunker	S/s vibrating infeed bunker, dimensions bunker: 910 mm x 710 mm x 500 mm, gutter width: 100 mm, total dimensions: 1350 mm x 730 mm x 1550 mm.	300
313	Rotodyne	Rotodyne blower, type: CA-160-2T-3, year of construction: 1996, dimensions: 1000 mm x 900 mm x 1300 mm.	500
314	Hobart	Hobart high speed cooker, model: 21, serial number: 86 033561, 380 V, 3 Ph, 50 Hz, 25 A, 16.5 kW, diameter infeed: 270 mm, inside dimensions: 370 mm x 280 mm x 280 mm, total dimensions: 850 mm x 460 mm x 1500 mm.	400
315	NN tank	S/s mobile tank with agitator, diameter: 630 mm, height: 960 mm, total dimensions: 950 mm x 950 mm x 1640 mm. Including part.	300
316	J. u. Ch. Straßmayr	J. u. Ch. Straßmayr crack-sealing machine, type: RWK 100, number: 1362, year of construction: 1980, dimensions: 2000 mm x 700 mm x 1400 mm.	150

Nr	Title	Description	Start €
317	Koppens	Koppens mobile breading machine, type: EPR200, machine number: EPR200-164, 380 V, 3 Ph, 50 Hz, 2.98 A, 0.655 kW, weight of machine: 145 kg, s/s mesh belt, belt width: 200 mm, total dimensions: 1500 mm x 550 mm x 1600 mm.	450
318	Soco Systems	Soco Systems mobile roller conveyor, plastic rollers, roller width: 600 mm, total dimensions: 800 mm x 650 mm x 800 mm.	100
319	NN blanching screw	Blanching screw, screw Ø 280 mm, tier: 220 mm, elevating height: 640 mm, total dimensions: 2250 mm x 750 mm x 1050 mm.	750
321	Casepacking Systems	Casepacking Systems electric driven roller conveyor, order number: 05.1279, number: 15712, year of construction: 05.2005, s/s frame and s/s rollers, roller width: 390 mm, total dimensions: 810 mm x 780 mm x 420 mm.	100
322	ENTEK / Pomac / APV	Pallet with 3 centrifugal pumps, 1x ENTEK, 1.1 kW, dimensions 760 mm x 200 mm x 450 mm, 1x Pomac, 30 m3/h, 380 V, 50 Hz, 7A, dimensions: 620 mm x 340 mm x 400 mm, 1x APV, type: W-30/25-220N 150, serial number: 12232324041207, dimensions: 760 mm x 340 mm x 400 mm, dimensions pallet: 1200 mm x 800 mm x 600 mm.	300
323	DMN Westinghouse	DMN Westinghouse high duty rotary valve, type: AL 175 2, serial number: 02-3329, valve Ø 179 mm, total dimensions: 600 mm x 550 mm x 350 mm.	100
324	SEW Eurodrive	Pallet with 11 SEW Eurodrive motors, dimensions: 1200 mm x 800 mm x 380 mm.	150
325	Würschum GmbH	Würschum GmbH depositor for 200 ml cream or liquid, type: H200, number: 92 01/4287, foot control, full pneumatic, dimensions: 1100 mm x 400 mm x 650 mm.	500
326	Jpack	Jpack traysealer, model: TSS102-R, serial number: 01-258, year of construction: 01-2011, 230 V, 50 Hz, 4 A, 750 W, dye: 180 mm x 245 mm, total dimensions: 300 mm x 460 mm x 600 mm.	350
327	Debem S.r.l	2 Debem S.r.l air driven diaphragm pumps, type: (2x) IB15-PCNTTPD-C, year of construction: 10/2020, dimensions: (2x) 150 mm x 80 mm x 170 mm.	50
329	Ditzler Dornach	Ditzler Dornach PVC welding device, dimensions: 400 mm x 220 mm x 300 mm.	15
330	BDL Maschinenbaugesellschaft mbh	2 BDL Maschinenbaugesellschaft mbh drum motors, type: VD 0530, dimensions drum: Ø 220 mm x 960 mm, total dimensions: 1200 mm x 800 mm x 370 mm.	450

Nr	Title	Description	Start €
331	Anker	Anker labelling machine, type: Variant 3, fabrication number: 285, year of construction: 1983, 220/380 V, 50 Hz, 4 A, s/s belt, belt width: 80 mm, working width: 190 mm, total dimensions: 3050 mm x 1060 mm x 1410 mm.	1250
332	NN drum motors	Pallet with 8 drum motors, length drums: 3x 800 mm, 1x 740 mm, 1x 1050 mm, 1x 300 mm, 2 x 260 mm.	450
333	Variolux	Variolux pump, type: 1100 GP Inox, article number: 101192250, 230 V, 50 Hz, 5.0 A, 1100 W, capacity: 70 liter per minute, dimensions: 430 mm x 220 mm x 300 mm.	25
334	Novopac	Novopac bundling machine with side sealing group, model: CD1 110 + SL 070, machine number: 1243397, year of construction: 1997, 380 V, 50 Hz, 10 kW, seal length: (3x) 700 mm, steel mesh belt, belt width: 615 mm, total dimensions: 3000 mm x 2100 mm x 2000 mm.	4500
335	NN shrink caps	2 shrink caps for oil drums.	25
336	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: LPe-GT, serial number: 2894545, 100-240 V, 50/60 Hz, 250-100 mA, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 350 mm x 280 mm, total dimensions: 480 mm x 400 mm x 530 mm.	30
337	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: LPe-GT, serial number: 2894548, 100-240 V, 50/60 Hz, 250-100 mA, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 350 mm x 280 mm, total dimensions: 480 mm x 400 mm x 530 mm.	30
338	Mettler Toledo	Mettler Toledo weighing scale with indicator and label printer, type: LPe-GT, serial number: 2894546, 100-240 V, 50/60 Hz, 250-100 mA, maximum capacity: 6 kg, minimum capacity: 40 gram, scale dimensions: 350 mm x 280 mm, total dimensions: 480 mm x 400 mm x 530 mm.	30
339	Ets Bernhardt & Cie	Ets Bernhardt & Cie bag sealer, type: B370BE, number: 85042, 220/380 V, 50 Hz, 5 A, 1100 W, seal length: (2x) 360 mm, total dimensions: 650 mm x 600 mm x 1100 mm.	200
340	Tecno S.r.l.	Tecno S.r.l. coding conveyor, model: NA0038-00, serial number: C-0140/98, year of construction: 1998, plastic belt, belt width: (2x) 150 mm, total dimensions: 970 mm x 750 mm x 1270 mm.	250
341	SEW Eurodrive	Pallet with 6 SEW Eurodrive motors, dimensions: 1200 mm x 800 mm x 400 mm.	300

Nr	Title	Description	Start €
342	Petric	Container with Petric boiler, boiler type: K11 (pp 27 A), serial number: 5-16-007, year of construction: 2016, boiler power: 33 kW, fuel type: C1, wooden pallets, normal heat output: 32,97 kW, minimal heat output: 9,15 kW, power supply: 230 V, 50 Hz, 1,5 A, wattage: 341 W, water content: 85 L, maximum operating water temperature: 80 degrees Celsius, maximum allowable operating pressure: 2 bar, mass of boiler: 315 kg, total dimensions: 2450 mm x 1450 mm x 2650 mm.	2850
343	NN hoses and valves	Pallet with s/s hoses and valves, DN32, PN 63, dimensions: 1200 mm x 1000 mm x 500 mm.	500
344	Supertape	Supertape box closing machine, type: SO-7000-K, code number: 138-306, number: 86-70761, 220 V, 50 Hz, 2 A, dimensions: 1000 mm x 950 mm x 1780 mm.	300
345	KSB	KSB submersible pump, type: AMAREX F80-210, number: 2-L27-930054, capacity: 13.76 l/sec., dimensions: 550 mm x 280 mm x 550 mm.	150
346	KEY technology b.v.	2 KEY technology b.v. vibrator motors, type BX 150-6, year of construction: 2008, dimensions: (2x) 500 mm x 230 mm x 300 mm.	400
347	Kaup	Kaup part for forklift truck, dimensions: 1050 mm x 600 mm.	200
348	Complimac	Complimac feeder, drum diameter: Ø 400 mm, total dimensions: 480 mm x 480 mm x 500 mm.	50
349	KMG Systems Limited	KMG Systems limited vibrating gutter, serial number: 9524035688, 220 V, 50 Hz, gutter width: 300 mm, total dimensions: 2370 mm x 750 mm x 580 mm.	450
350	Label Aire	2 Label Aire mobile labelling machines, height adjustable, label width: 60 mm, total dimensions: (2x) 1200 mm x 1000 mm x 1700 mm. Including pallet with labellers.	2000
351	Pomac B.V. / Elmo	Pallet with 4 centrifugal pumps, among others: 2x Pomac B.V. pump and 1x Elmo pump, dimensions pallet:: 1200 mm x 800 mm x 600 mm.	450
352	NN writing desk	S/s mobile writing desk, dimensions: 600 mm x 570 mm x 1220 mm.	75
353	Klinger	2 Klinger valves, model: PN40, dimensions: (2x) 600 mm x 390 mm x 700 mm.	200
354	Berendsen / NAWI	Berendsen / Nawi hydraulic unit, type: 40 LTR 4.3CC 1.5K, serial number: 993675, year of construction: 1999, dimensions: 620 mm x 420 mm x 700 mm.	375

Nr	Title	Description	Start €
355	Label Aire	Pallet with Label Aire labeller, type: 2111CE, year of construction: 15-12-2015, film width: 45 mm, dimensions labeller: 850 mm x 520 mm x 900 mm, total dimensions: 1200 mm x 800 mm x 650 mm.	250
356	Frigotecnica Industriale Chiavenna SpA	Frigotecnica Industriale Chiavenna SpA mobile double jacketed tank, year of construction: 1995, inside dimensions: Ø 1130 mm x 610 mm, total dimensions: 1700 mm x 1200 mm x 1170 mm.	800
357	NN can seamer	Mobile can seamer, lid dimensions: Ø 90 mm, can dimensions: Ø 90 mm x 180 mm, total dimensions: 1000 mm x 520 mm x 1740 mm.	2500
358	NN carriage	Carriage, year of construction: 20-03-1926, dimensions: 2200 mm x 1520 mm x 2100 mm.	300
359	NN lifting platform	S/s lifting platform, dimensions: 1250 mm x 1000 mm x 350 mm.	450
361	NN roller conveyor	Electric driven roller conveyor, steel frame, s/s rollers, roller width: 520 mm, total dimensions: 920 mm x 680 mm x 1040 mm.	250
362	KMG Systems Limited	KMG Systems limited vibrating gutter, serial number: 952436389, 220 V, 50 Hz, gutter width: 300 mm, total dimensions: 2370 mm x 750 mm x 580 mm.	450
363	Cascade	Cascade forks for forklift with side shift, fork length: 930 mm, total dimensions: 1660 mm x 1100 mm x 520 mm.	200
364	Jespers machinebouw	Jespers machinebouw 1-heads pressure closer, diameter upper stations: 35 mm, diameter lower stations: 60 mm, plastic belt, belt width: 90 mm, clearance: 100 mm x 320 mm, total dimensions: 2900 mm x 1100 mm x 2300 mm. Including pallet with spare parts.	1000
365	Samson / RTK	Pallet with Samson pneumatic actuator, model number: 3277 1010638, serial number: 0066, dimensions: 1000 mm x 450 mm x 450 mm, Regeltechnik Kornwestheim GmbH pneumatic actuator, model number: SR-3300 LSN 1201S, serial number: AN1070320, explosion proof, dimensions: 900 mm x 450 mm x 450 mm.	100
366	HP	6 HP printers, model: (6x) LaserJet Pro 400 M401dw, 220-240 V, 50/60 Hz, 3.5 A, dimensions: (6x) 370 mm x 370 mm x 280 mm. 3 printers missing paper drawers.	25
367	NN valves	Pallet with 10 various valves, DN: 50 / 40-65. dimensions: 1200 mm x 1000 mm x 450 mm.	250
368	NN hoses and valves	Pallet with s/s hoses and valves, dimensions: 1200 mm x 1000 mm x 500 mm.	250
369	Terlet	Terlet tank with agitator and scrapers, dimensions: 1500 mm x 1370 mm x 3300 mm.	750

Nr	Title	Description	Start €
370	NN elevating belt	S/s mobile elevating belt, plastic belt with dividers, belt width: 180 mm, dividers height: 60 mm, distance between dividers: 250 mm, elevating height: 2900 mm, infeed clearance: 930 mm x 510 mm, total dimensions: 2900 mm x 960 mm x 3370 mm.	750
371	Heraeus	W.C. Heraeus Hanan 1150 °C chamber furnace, type: KR 170, fabrication number: 0002423, 220 V, 1 Ph, 50 Hz, 14 A, maximum temperature: 1150 °C, dimensions chamber: 230 mm x 175 mm x 90 mm, total dimensions: 720 mm x 630 mm x 780 mm.	275
372	NN sieve	S/s sieve, diameter sieve: 270 mm, length sieve: 450 mm, holes: 10 mm, total dimensions: 800 mm x 600 mm x 900 mm.	100
375	NN brush belt	S/s brush belt, 5 brushes, brush length: 1500 mm, width: 680 mm, total dimensions: 2070 mm x 980 mm x 1100 mm.	600
376	Lubot & Wakker	Lubot & Wakker s/s vibrating gutter, type: VIBRATOR, number: 21.055.07, year of construction: 1991, 380 V, gutter length: 1970 mm, gutter width: 900 mm, total dimensions: 2150 mm x 1450 mm x 1210 mm.	800
377	Soco System	Soco System mobile box closing machine, plastic rollers, roller width: (2x) 250 mm, plastic belt, belt width: 40 mm, total dimensions: 1550 mm x 750 mm x 1660 mm.	500
378	Holke	Holke vertical milling machine, type: F-10-V, dimensions: 1650 mm x 1550 mm x 2110 mm.	1200
379	Langguth	Langguth labelling machine for jars, machine number: Wetlan120-240, serial number: 120 0009, year of construction: 2009, 230/400 V, 50 Hz, 15/16 A, diameter jars: 120 mm, total dimensions: 2950 mm x 1500 mm x 2200 mm.	5000
381	NN elevating belt	Mobile elevating belt, plastic belt, belt width: 800 mm, elevating height: 1580 mm, total dimensions: 770 mm x 1020 mm x 1670 mm.	500
382	NN elevating belt	Elevating belt, s/s belt, dividers height: 10 mm, distance between dividers: 110 mm, elevating height: 3750 mm, total dimensions: 1900 mm x 960 mm x 4100 mm.	650
383	NN tubs	2 plastic tubs with drains, inside dimensions: (2x) 2450 mm x 2450 mm x 2000 mm, total dimensions: (2x) 2455 mm x 2455 mm x 2180 mm.	350
384	NN transport belt	Mobile transport belt, s/s frame, plastic belt, belt width: 410 mm, total dimensions: 5950 mm x 1250 mm x 2600 mm.	500

Nr	Title	Description	Start €
385	Becker	Becker blower, type: SV 5.250/1, serial number: E 2073466, year of construction: 2006, capacity: 250 m³ per hour, dimensions: 520 mm x 340 mm x 820 mm.	200
388	CML	CML mobile hardness tester for peas, working width: 100 mm, maximum weight: 180 kg, total dimensions: 800 mm x 600 mm x 1750 mm.	150
389	DIA	DIA pump, dimensions: 530 mm x 340 mm x 530 mm.	50
390	MEZ	MEZ centrifugal pump, dimensions: 750 mm x 350 mm x 410 mm.	50
391	NN tilting device	S/s tilting device, clearance: 1300 mm x 1050 mm, total dimensions: 2100 mm x 1350 mm x 1700 mm.	450
392	NN turning table	Turning table, s/s top, diameter top: 1000 mm, total dimensions: 1060 mm x 1000 mm x 1000 mm.	350
393	Juki	Juki sewing machine, number: DDL-555-4, dimensions: 1060 mm x 600 mm x 1100 mm.	175
394	Siemerink B.V. Geertruidenberg	Siemerink B.V. Geertruidenberg vertical autoclave, model: 5013/2, serial number: 1001100, year of construction: 1991, pressure: 5 bar, inside dimensions: 1200 mm x 1200 mm x 1650 mm, dimensions autoclave: 2100 mm x 1550 mm x 2500 mm, with s/s platform, 6 steps, platform height: 1320 mm, dimensions platform: 1850 mm x 2700 mm. With 3 trolleys, 2 empty baskets and 1 wooden pallet box with spare parts.	3500
395	Pomac B.V. / Ahlborn / Alfa laval	3 centrifugal pumps, Alfa Laval type: LKH-10/150 SSS, 1.5 kW, dimensions: 500 mm x 300 mm x 380 mm, Pomac B.V. dimensions: 650 mm x 300 mm x 420 mm, Ahlborn type: 1.440.112, 3 kW, dimensions: 580 mm x 300 mm x 460 mm, pallet dimensions: 1200 mm x 800 mm x 600 mm.	450
396	Prym	Pallet with Prym electro motor, type: U3, dimensions: 1000 mm x 340 mm x 360 mm, Mafa carl Rehfuß electromotor, type: D2, dimensions: 560 mm x 260 mm x 300 mm, 2x 0,55kW SEW motor, dimensions: 350 mm x 160 mm x 200 mm.	200
397	NN waste press	S/s waste press, infeed clearance: 590 mm x 520 mm, inside dimensions: 600 mm x 400 mm x 1030 mm, press platform: 580 mm x 370 mm, total dimensions: 700 mm x 460 mm x 1930 mm.	450
398	Prominet	Prominet plastic tank, fabrication number: 6009002078-A, year of construction: 2009, filling height: 700 mm, total dimensions: 1800 mm x 1400 mm x 1250 mm.	100

Nr	Title	Description	Start €
400	NN screen filter	S/s screen filter, sieve: 3 mm, total dimensions: 2430 mm x 1450 mm x 1850 mm.	700
402	NN mast for forklift	Mast for forklift, dimensions: 1150 mm x 250 mm x 2420 mm.	650
403	NN mixing tank	S/s mixing tank with steel outer frame, Ø 1600 mm x 2800 mm.	650
404	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2609K560236, 100-240 V, 50-60 Hz, 2.1-1.1 A, label width: 105 mm, total dimensions: 340 mm x 240 mm x 330 mm.	200
405	Toshiba	Toshiba label printer, model: B-SA4TP, serial number: 2609K560233, 100-240 V, 50-60 Hz, 2.1-1.1 A, label width: 105 mm, total dimensions: 340 mm x 240 mm x 330 mm.	200
406	NN double labeller	Mobile double labeller, plastic belt width: 100 mm, total dimensions: 1700 mm x 1900 mm x 1580 mm.	500
407	NN tilting device	Hydraulic tilting device for pallet boxes, infeed dimensions: 1400 mm x 1200 mm x 1300 mm, total dimensions: 2700 mm x 2200 mm x 2700 mm. Technical condition unknown.	950
408	NN tank	S/s tank, dimensions: Ø 1500 mm x 2900 mm.	350
409	DAF Trucks N.V.	DAF Trucks N.V. truck, type: FT CF75, chassis number: XL RTE75 PCOE849087, motor number: 12932, year of construction: 2009, fuel: Diesel, cylinder volume: 9186 cm ³ , weight: 6745 kg, mileage: 145.321 km (still used at the moment).	14500
410	Krone	Krone trailer, type: SD, inside dimensions: 13550 mm x 2480 mm x 3100 mm, total dimensions: 13860 mm x 2550 mm x 4000 mm.	6500
411	Ultra-Lite	Ultra-Lite aluminium ramps, capacity: 12000 kg, dimensions: (2x) 4000 mm x 480 mm x 150 mm.	750
412	NN cooking kettle	Double cooking kettle, volume: (2x) 1400 liter, total dimensions: 3700 mm x 2300 mm x 2800 mm.	2250
413	NN plastic chairs	26 plastic chairs, dimensions: (26x) 450 mm x 500 mm x 800 mm.	100
414	Vector / SEW Eurodrive	Pallet with 7 motors, among others: Vector and SEW Eurodrive, dimensions: 1200 mm x 800 mm x 350 mm.	150
415	NN trolley	Trolley, dimensions: 1100 mm x 530 mm x 1200 mm.	10
416	Loher / Lenze	Pallet with large amount of various motors, among others: Hans Ströter KG / Lebel-Simplabelt / Robert Stahlschmidt / Mafa Carl Rehfuß / Loher / Lenze, dimensions: 1200 mm x 800 mm x 470 mm.	150

Nr	Title	Description	Start €
417	Emco	Emco lathe bench, model: Maximat Mentor 10, dimensions: 1200 mm x 600 mm x 1700 mm.	1000
418	NN roller conveyor	Bag compactor, steel frame, aluminium rollers, roller width: 340 mm, total dimensions: 820 mm x 860 mm x 670 mm.	50
419	G&M Engineering	G&M; Engineering s/s double jacked tank with mixing arm, type GV-300, number: 002/2007, year of construction: 2007, weight: 350 kg, total dimensions: Ø 1000 mm x 2300 mm.	950
420	Steinbach Erraini	Steinbach Erraini packaging machine, type: UL 300, machine number: 2/13/047/94, 220 V, 50 Hz, 1.2 kW, working width: 350 mm, total dimensions: 870 mm x 660 mm x 1200 mm.	200
421	NN vibrating gutter with sorting belt	S/s vibrating gutter with sorting belt, gutter width: 850 mm, plastic belts, belt width: (2x) 200 mm, (1x) 700 mm, (1x) 300 mm, total dimensions: 2820 mm x 2400 mm x 1900 mm.	1250
422	SEW / Stephan	Pallet with 9 SEW electro motors and 1 Stephan electro motor, 4x 0.37 kW, 2x 0.55, 1x 0.25 kW, dimensions pallet: 1200 mm x 800 mm x 400 mm.	150
423	Stöber / Benzlers	Pallet with 5 electro motors, among others: 3x Stöber and 1x Benzlers, dimensions pallet: 1200 mm x 800 mm x 450 mm.	150
424	Hydrosplex Cylap BV	Hydrosplex Cylap BV hydraulic lifter, type: 8845-045, serial number: 90106 SY, dimensions pump: 660 mm x 480 mm x 1000 mm, dimensions lifter: 1000 mm x 550 mm x 1500 mm.	250
425	Lenze / Sarok / Flender	Pallet with large amount of various motors, among others: Lenze / Sarok / Flender, dimensions: 1200 mm x 800 mm x 480 mm.	250
428	OMZ	2 OMZ circulation blowers, type: S25/A, year of construction: 2020, 230/400 V, 50 Hz, 0.18 kW, dimensions: (2x) 550 mm x 460 mm x 440 mm.	200
430	Variostep-system	Variostep-system platform, working height: 1000, total dimensions 1840 mm x 670 mm x 2000 mm.	450
431	Imaco	Imaco closing machine, 6 heads, model: Hermes, serial number: 627, year of construction: 2005, 400/230 V, 3 Ph, 50 Hz, 4 A, closing head diameter: Ø 60 mm, clearance: 140 mm x 140 mm, total dimensions: 2100 mm x 1350 mm x 2200 mm.	2000
432	NN transport belt	Transport belt, s/s frame, s/s mesh belt, belt width: 1000 mm, total dimensions: 1850 mm x 1200 mm x 850 mm.	1000
433	NOHA	2 NOHA fire hose reels with hose, dimensions: (2x) 600 mm x 180 mm and 1 s/s hose reel.	200

Nr	Title	Description	Start €
434	SIAT	SIAT mobile box closing machine, model: SM8.P, type: A, serial number: 30112, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 1 A, 180 W, s/s rollers, roller width: 500 mm, total dimensions: 2000 mm x 800 mm x 160 mm.	500
435	SIAT	SIAT mobile box closing machine, model: SM8.P, type: A, serial number: 33015, year of construction: 1997, 380 V, 3 Ph, 50 Hz, 1 A, 180 W, s/s rollers, roller width: 500 mm, total dimensions: 2000 mm x 800 mm x 160 mm.	500
437	NN cap closing machine	Trigger spray cap closing machine, plastic belt, belt width: 90 mm, total dimensions: 2400 mm x 560 mm x 1300 mm.	500
438	NN curve conveyor	45° curve conveyor, s/s frame, s/s rollers roller width: 300 mm, total dimensions: 1800 mm x 900 mm x 900 mm.	150
439	SEW	Pallet with 7 SEW electro motors, 2x 0,55 kW, 1x 0,12 kW, 1x 0,88 kW, dimensions pallet: 1200 mm x 1000 mm x 400 mm.	175
440	A.P.v.d.Berg	A.P.v.d.Berg wood splitter, type: ASM / 50, serial number: A78 / 018, 3 hp, 20/140 kg/cm ² , dimensions: 2200 mm x 900 mm x 1300 mm. Including pallet with hydraulic unit.	950
441	Rexnord	Pallet with Rexnord plastic mesh belts, belt width: 680 mm, dimensions pallet: 1400 mm x 1020 mm x 1200 mm.	300
443	Cabinplant	Cabinplant rotating filling machine, type: Rotation filler, number: 7395-03, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 8/30/50 A, s/s infeed bunker, plastic belt, belt width: 800 mm, total dimensions: 2200 mm x 1140 mm x 650 mm, s/s vibrating gutter with plastic outfeed belt, belt width: 740 mm, total dimensions: 2100 mm x 700 mm x 280 mm, s/s rotating station, dye: Ø 50 mm, clearance: 340 mm x 360 mm, total dimensions: Ø 2300 mm x 1800 mm, rotating station, dye: 130 mm, plastic belt, belt width: 120 mm, transport belt with s/s belt, belt width: 120 mm, total dimensions: 7700 mm x 5000 mm x 3600 mm. Including 3 pallets with parts.	9500
445	SEW	Pallet with 7 SEW electro motors, 1x 0,37 kW, 1x 0,15 kW, 2x 0,55 kW, 1x 0,75 kW, dimensions pallet: 1200 mm x 800 mm x 450 mm.	175

Nr	Title	Description	Start €
446	Meypack	Meypack bottle packaging line consisting of divider/infeed belt, plastic mesh belt, belt width: 680 mm, 6 lanes, lane width: (6x) 85 mm, clearance: 85 mm x 280 mm, total dimensions: 1240 mm x 1600 mm x 2000 mm, Meypack shrink wrapper, model: SW90 M40-2, serial number: 858308, year of construction: 2003, s/s mesh belt, belt width: 900 mm, clearance: (6x) 65 mm x 230 mm, plastic buffer and outfeed belt, belt width: 800 mm, film width: 500 mm, total dimensions: 5700 mm x 2600 mm x 2200 mm, Meypack shrink tunnel, model: STU 10040-32, serial number: 853660, year of construction: 2003, s/s mesh belt, belt width: 950 mm, clearance: 950 mm x 350 mm, total dimensions: 4850 mm x 1650 mm x 1950 mm, dimensions switch cabinet: 2400 mm x 650 mm x 2150 mm. Capacity: up to 40 cycles per minute.	19500
448	NN tank	S/s tank, tank dimensions: Ø 2300 mm x 3000 mm, total dimensions: 2400 mm x 2400 mm x 6000 mm.	750
449	NN elevating belt	Steel mobile elevating belt, plastic belt, belt width: 360 mm, elevating height: 1300 mm, total dimensions: 5500 mm x 850 mm x 1900 mm.	500
450	NN rotating sieve	S/s rotating sieve, sieve diameter: Ø 450 mm, perforations: Ø 10 mm, total dimensions: 3130 mm x 630 mm x 1300 mm. Incomplete.	500
452	NN table saw	Table saw, knife diameter: 80 mm, table top dimensions: 400 mm x 360 mm, total dimensions: 640 mm x 470 mm x 340 mm.	25
453	NN washing drum	S/s washing drum, drum diameter: Ø 800 mm, total dimensions: 3600 mm x 1200 mm x 1900 mm.	2000
454	NN tub	plastic tub with drain, inside dimensions: 2450 mm x 2450 mm x 2000 mm, total dimensions: 2455 mm x 2455 mm x 2180 mm.	175
455	N.V. Terlet-Zutphen Holland	N.V. Terlet-Zutphen Holland tank, number: 86659, dimensions: Ø 1150 mm x 3500 mm.	1000
456	NN platform	Steel platform, working height: 1300 mm, total dimensions: 3400 mm x 800 mm x 2300 mm.	150
457	NN table saw	Table saw, knife diameter: 100 mm, total dimensions: 310 mm x 200 mm x 270 mm.	25
458	Toshiba	Toshiba table grinding machine, 200 V, 2.2/1.9 A, 1440/1730 rpm, 50/60 Hz, total dimensions: 600 mm x 300 mm x 400 mm.	25
459	NN platform	Steel platform, working height: 1440 mm, total dimensions: 3000 mm x 600 mm x 2300 mm.	150

Nr	Title	Description	Start €
460	Ekwo	Ekwo trolley, dimensions: 800 mm x 500 mm x 870 mm.	10
461	Ten Brink Epe	Ten Brink Epe s/s sorting drum with 5 outfeed stations, type: FS/5500, number: 857, year of construction: 1985, 380 V, drum diameter: Ø 640 mm, perforations: 10 mm x 10 mm, total dimensions: 7000 mm x 900 mm x 1170 mm.	1250
462	Ten Brink Epe	Ten Brink Epe s/s sorting drum with 5 outfeed stations, type: GS/6000, number: 8513, year of construction: 1985, 380 V, drum diameter: Ø 640 mm, total dimensions: 5000 mm x 900 mm x 1170 mm.	1450
463	NN vibrating gutter	S/s vibrating gutter, gutter width: 1200 mm, total dimensions: 2460 mm x 1400 mm x 1080 mm.	250
464	NON	NON sorting machine for stone and glass, type: AUSTRAGBANDER, number: 0-119, year of construction: 1990, 220/380 V, 50 Hz, belt width: 390 mm, dimensions perforations: 4 mm x 4 mm, total dimensions: 3100 mm x 1400 mm x 1750 mm.	750
465	NN tank	Plastic tank, dimensions: 1750 mm x 1750 mm x 1230 mm.	150
466	SEW	Pallet with 11 SEW electro motors, among others: 2x 0.25 kW, 3x 0.37 kW, 2x 1.5 kW, 0.55 kW dimensions pallet: 1200 mm x 800 mm x 450 mm.	250
467	Becker	Becker vacuum pump, type: VT 3.25, serial number: G 1350492, year of construction: 1995, capacity: 25/30 m³/h, dimensions: 480 mm x 270 mm x 270 mm.	250
468	NN platform	Steel platform, working height: 1430 mm, total dimensions: 2880 mm x 740 mm x 2300 mm.	150
469	NN tank	S/s tank, dimensions: 1150 mm x 800 mm x 800 mm.	250
470	NN road train	2 Road train wagons, dimensions: (2x) 5500 mm x 1570 mm x 2400 mm.	600
471	Rietschle	Rietschle vacuum pump, dimensions: 700 mm x 400 mm x 275 mm.	250
472	Leibinger	Leibinger inkjet printer, type: Leibinger-Jet 2, serial number: 05 21 0286, year of construction: 2005, 100-240 V, 1 Ph, 50-60 Hz, 0.4 A, 50 VA, dimensions: 500 mm x 320 mm x 1500 mm.	200
473	NN blancher	S/s blancher, screw diameter: Ø 1200 mm, tier: 300 mm, s/s mesh belt, belt width: 500 mm, total dimensions: 9000 mm x 2800 mm x 2800 mm.	3000
474	NN blancher	S/s blancher, screw diameter: Ø 430 mm, tier: 400 mm, drum diameter: Ø 1700 mm, total dimensions: 9000 mm x 2600 mm x 2800 mm.	3500

Nr	Title	Description	Start €
475	Leibinger	Leibinger inkjet printer, type: Leibinger-Jet 2, serial number: 94-980 100 S_, year of construction: 2005, 100-240 V, 1 Ph, 50-60 Hz, 0.4 A, 50 VA, dimensions: 500 mm x 320 mm x 1500 mm.	200
476	NN plastic tubs	2 Plastic tubs with drain, dimensions: (2x) 1020 mm x 1020 mm x 1130 mm.	200
477	Nordson	Nordson glue unit, unit number: 3400-2AA12/A, serial number: AA91H01695, 220/240/380/415 V, 50/60 Hz, 18 A, dimensions: 670 mm x 340 mm x 570 mm.	100
478	Vector / SEW Eurodrive	Pallet with 5 motors, among others: Vector and SEW Eurodrive, dimensions: 1200 mm x 800 mm x 440 mm.	150
479	VEM / IVT-pumpen	Pallet with 2 VEM electro motors 1x 0.83 kW, 1x 0.85 kW, 2 IVT-pumpen pumps, dimensions VEM: 600 mm x 300 mm x 350 mm and 600 mm x 260 mm x 370 mm, dimensions pumps: (2x) 800 mm x 400 mm x 560 mm.	1400
480	Engels	7 Engels plastic waste containers, volume: 200 liter, dimensions: (7x) 720 mm x 760 mm x 950 mm.	35
481	Anema	Pallet with Anema 0,78 kW centrifugal pump and 2 other centrifugal pumps, dimensions pallet: 1200 mm x 800 mm x 550 mm.	350
482	NN roller conveyor	Roller conveyor, aluminium frame, plastic rollers, roller width: 500 mm, total dimensions: 2000 mm x 550 mm x 830 mm.	100
483	VH	VH marathon carriage single/double span, hand brake, mill brake, rear wheel brake, all around brake discs, seat adjustable suspension.	1100
484	Deltaplus	Deltaplus safety glasses, model: HEKLA2 CLEAR, 50 pieces, 5 boxes of which 10 pieces each.	50
485	NN scaffold clamps	2 crates with scaffold clamps.	75
486	NN screen filter	Screen filter, screen dimension: 590 mm, total dimensions: 2000 mm x 750 mm x 2300 mm.	500
487	Avery Maschinen GmbH	Avery Maschinen GmbH labeller, type: ALS330L, serial number: 08870-02-0648, year of construction: 1998, 240/220/110 V, 4.0 A, 250 W, dimensions: 800 mm x 1000 mm x 2000 mm.	750
489	Schmalbach-Lubeca GmbH	Schmalbach-Lubeca GmbH magnetic elevating belt, serial number: 04.51.32.032, elevating high: 3000 mm, dividers dimensions: 115 mm x 20 mm, total dimensions: 3450 mm x 1250 mm x 1100 mm.	2000
490	NN s/s tank	S/s tank, total dimensions: 900 mm x 450 mm x 2000 mm.	300

Nr	Title	Description	Start €
491	Bertolaso	Bertolaso lid closing machine, suitable for alcoa lids, lid diameter: Ø 32 mm x 24 mm, suitable for glass bottles with diameter: Ø80 mm, weight: 750 kg, total dimensions: 2100 mm x 1000 mm x 2100 mm.	2500
492	NN s/s tub	S/s tub, total dimensions: Ø 1240 mm x 1180 mm.	500
493	NN tank	Tank, tank dimensions: 1500 mm x 1400 mm x 1500 mm, total dimensions: 1500 mm x 1400 mm x 3400 mm.	950
494	NN s/s tub	S/s tub, (3x) total dimensions: 1400 mm x 1700 mm x 1030 mm.	600
495	NN screen filter	S/s screen filter, tank dimensions: 1500 mm x 1000 mm x 1500 mm, total dimensions: 1900 mm x 1300 mm x 3250 mm. filter screen is missing.	950
496	NN s/s tank	S/s tank, tank dimensions: 1500 mm x 1400 mm x 1500 mm, total dimensions: 1500 mm x 1400 mm x 2950 mm.	850
497	NN s/s sieve drum	S/s sieve drum, dimensions drum Ø: 580 mm x 1060 mm, perforation: 2 mm, total dimensions: 1600 mm x 900 mm x 1200 mm.	650
498	Dorr-oliver	Dorr oliver screen filter, working width: 600 mm, working height: 1840 mm, total dimensions: 1900 mm x 2650 mm x 3400 mm.	1250
499	NN screen filter	Screen filter, perforation: 30 x 5 mm, Ø screen: 130 mm, tier 160 mm, total dimensions: 1560 mm x 1870 mm x 2700 mm.	650
500	NN mobile s/s elevating screw	Mobile s/s elevating screw, Ø screw: 370 mm, tier: 200 mm, elevating height: 1800 mm, total dimensions: 5850 mm x 710 mm x 1920 mm.	950
501	NN screen filter	S/s screen filter, working width: 600 mm, perf: 20 x 5 mm, total dimensions: 680 mm x 1000 mm x 2000 mm.	200
506	G.v.d. Weijer	G.v.d. Weijer trailer, type: W2000, chassis number: 5688, year of construction: 1987, dimensions: 3900 mm x 2080 mm x 2100 mm.	750
507	NN Cobble stones	Cobble stones 6 pallets with various dimensions.	900
508	Ferrum	Ferrum size set for destoner, (30x) 33 hole plate dimensions: 40 mm, total dimensions: 1200 mm x 800 mm x 144 mm. (missing 9 knives).	300
509	NN stacker	Mobile stacker, 2x 2 forks, fork length: 650 mm, distance between forks: 940 mm, total dimensions: 1040 mm x 980 mm x 1760 mm.	250
510	NN stacker	Mobile stacker, 2x 2 forks, fork length: 650 mm, distance between forks: 940 mm, total dimensions: 1040 mm x 980 mm x 1760 mm.	250
511	NN electrical parts	Pallet with various electric parts, dimensions: 1200 mm x 800 mm x 650 mm.	100

Nr	Title	Description	Start €
512	Dibo	Dibo mobile high pressure cleaner, dimensions: 1500 mm x 650 mm x 950 mm.	250
513	Abarka	Abarka traysealer, type: HSA 90-v4, serial number: 17.90-E-037, year of construction: 2017, 230 V, 50 Hz, 2.5 A, film width: 190 mm, dimensions dye: Ø 90 mm, total dimensions: 430 mm x 340 mm x 650 mm.	250
514	Abarka	Abarka traysealer, type: HSA 90-v4, serial number: 17.90-E-023, year of construction: 2017, 230 V, 50 Hz, 2.5 A, film width: 190 mm, dimensions dye: Ø 90 mm, total dimensions: 430 mm x 340 mm x 650 mm. New in box.	300
515	GEA / Wedeco	GEA / Wedeco UV CIP unit, consisting of: 2 s/s double jacketed tanks and 1 s/s single jacketed tank, 2 circulation pump, 2 Domnick Hunter filters, Wedeco UV set with UV Monitor, model: E10-PH, serial number: VA88873.1, year of construction: 2008, 230 V, 50-60 Hz, an UV Reaktor, model: E10-PH, serial number: VA88873.1, year of construction: 2008, 230 V, 50 Hz, volume: 4.5 dm ³ , maximum pressure: 10 bar, maximum temperature: 30 °C (room) & 35 °C (water), total dimensions: 3800 mm x 1250 mm x 2600 mm. Including Ecolab hygiene unit with Ecolab pump, model: ELADOS EMP III, serial number; 149040, 230 V, 50 Hz, 0.8 A, capacity: 16,10 liter per hour, dimensions unit: 550 mm x 400 mm x 1440 mm.	1500
516	Roth Werke GmbH	Roth Werke GmbH plastic tub, serial number: 1503, dimensions: 1500 mm x 750 mm x 1450 mm.	100
517	Roth Werke GmbH	Roth Werke GmbH plastic tub, serial number: 10-10008, weight: 40.1 kg, volume: 1000 liter, dimensions: 1300 mm x 700 mm x 1350 mm.	100
518	Posimat S.A.	Posimat S.A. unscrambler / bottle feeder, model: master, serial number: OC 8282, year of construction: 1991, consisting of: Elevating belt, plastic belt with dividers, belt width: 360 mm, divider height: 60 mm, distance between dividers: 3850 mm x 1120 mm x 3100 mm, Unscrambler, dimensions: 2250 mm x 2000 mm x 2680 mm, Oufeed belt, plastic belt, belt width: 90 mm, total dimensions: 3200 mm x 550 mm x 1120 mm. Dimensions bottles: Ø 65 mm x 195 mm.	1750

General terms of the online auction

Article 1. Definitions

Delivery: the actual delivery of the lot to the buyer or to his authorized representative;

Bid: each by a user in the auction (for a lot) bid amount;

User: the one who has registered on the website;

User Agreement: the agreement between Industrial Auctions and the user;

Lot: an article, or a number of articles that are auctioned together (under one number);

Purchase Price: the amount of the highest -allocated- bid increased by the Buyers Premium above the highest bid and the VAT owed;

Purchase Agreement: the purchase agreement between buyer and seller;

Buyer: the user to whom the lot is allocated;

Registration: registration of the user on the website by completing the registration form found on the website;

Specific Online Auction Terms and Conditions: besides, in addition to or deviating from these General Terms and Conditions, applicable regulations that apply, as stated on the website for the specific auction;

Allocation: the declaration of Industrial Auctions that a lot or combination of lots has been allocated by payment of the purchase price to the highest bidder. Seller hereby irrevocably authorizes Industrial Auctions to assign and sell articles on behalf of the seller(s);

Auction: internet sales organized by Industrial Auctions of movable goods;

Seller: the person(s) a lot is being auctioned in whom/whose commission;

Website: www.Industrial-Auctions.com, which is maintained by Industrial Auctions, based in Eindhoven;

Article 2. Applicability

2.1 These General Terms and Conditions apply both to the relationship between sellers and Industrial Auctions, as the relationship between users/buyers and other third parties on the one hand and on the other hand Industrial Auctions. These conditions therefore apply to (being) organized auctions by Industrial Auctions and through the participation in auctions by users and/or buyers.

2.2 The applicability of other General Conditions than the present, and (where applicable) the Specific Online Auction Terms and Conditions is excluded.

Article 3. Registration on the website and the use

3.1 By registration on the website a user is able to follow the progress of auctions on the website. The user agreement is not transferable. By registration the user provides his personal details to Industrial Auctions and chooses his own password to access the website. The client's account and the associated password are strictly personal and may not be transferred by the client to a third party. The client must immediately inform Industrial Auctions if there is any suspicion that their password is known by a third party. Further access to the website will then be disabled to avoid any misuse.

3.2 Industrial Auctions confirms the registration by e-mail to the user on the specified e-mail address, after which user can gain access to the auction by using his chosen password. User is obliged to behave after granted access to the website and do not inflict damage to the website or to other users. User is liable for all activities that occur on the website after that access has been gained by using the password of user.

3.3 The client is responsible for the correctness and completeness of the personal data provided at the time of registration with Industrial Auctions. The client must immediately inform Industrial Auctions of any change to this personal data. Any bids submitted through the client's account will be regarded as being bids

made by, or on behalf of, the client themselves. The client is personally liable for the fulfillment of the obligations arising from the submission of any bid even if the bid is made as a result of the misuse of the client's account and/or password.

3.4 Industrial Auctions reserves the right to refuse registration and to terminate unilaterally, without giving a reason.

3.5 Industrial Auctions takes obtained personal data in records kept for that purpose. Through registration on the website, the user gives consent to the use and the storage and processing of the personal data recorded.

3.6 Clients are prohibited from reproducing or making available any part of the Industrial Auctions website (through deeplinking or otherwise) without prior written permission from Industrial Auctions. All associated Intellectual property is reserved to Industrial Auctions.

3.7 By (one-off) registration user accepts these General Terms and Conditions each time that user logs on to the website and whether or not bids.

3.8 Laws and regulations may impose (additional) obligations on Industrial Auctions, such as, for example, the Money Laundering and Terrorist Financing (Prevention) Act. At the same time, Industrial Auctions may also require further information. If in the opinion of Industrial Auctions any form of (client) research or information is desirable, user is obliged to provide all requested information upon first request. User is obligated to provide all information that Industrial Auctions (reasonably) requests by return, with underlying verifying data or records. This may include (but is not limited to): information about the client's identity and to further establish or verify this, to verify and establish the identity of the beneficial owner, to gather information about third parties (with whom the client has or is suspected to have ties), the purpose and nature of the assignment or transaction or to be able to exercise ongoing control over the business relationship or the natural person representing the client, or the person who is authorised to do so and whether the client is acting on their own behalf or on behalf of someone else. For example, to verify the identity of the user. If the user is a legal entity (such as a limited liability company or general partnership), Industrial Auctions may request to determine the ultimate beneficiaries or 'Ultimate Beneficial Owner' (UBO) and require data to be provided for that purpose. In the absence of delivery of the requested information and verifiable data or documents within 5 days after the initial request, Industrial Auctions may terminate the agreement immediately. Pending receipt of the data, Industrial Auctions may suspend or refuse to provide services. Industrial Auctions is not obliged or liable to pay compensation for damages.

Article 4. The auction

4.1 Industrial Auctions reserves the right to cancel an auction earlier than reported on the website or to extend one. In case of a technical malfunction of the website, causing it not complete and/or inaccessible to all users, Industrial Auctions reserves the right to extend the auction.

4.2 The effectiveness of the internet and its website depends on many factors and many others. Industrial Auctions is not in control of many factors and can accept no liability for things they are not in control of. User and seller declare themselves familiar with and agree with the special circumstances of an internet auction and with the technical imperfections that can arise. Industrial Auctions must therefore limit its liability. For example, it may involve downtime, interruptions, delays in the connection, maintenance, updates, viruses, limited accessibility, et cetera et cetera. Industrial Auctions is not liable for any damage that might result therefrom.

4.3 Industrial Auctions hereby exclude to both the user and the seller any liability for any damage directly and/or indirectly, in any way arise, including but not limited to the damage arising from the use of the website, unless there is intent or willful recklessness of Industrial Auctions.

4.4 Industrial Auctions also accepts no liability for any damage whatsoever that arises in any way by and/or arising from:

- Actions by the user that may have been prompted by information placed on the website;
- The impossibility of using the website (completely) and/or another malfunction in the website or the

supporting system;

- The failure of the lots to the specifications as reported on the website;
- The fact that the information on the website is incorrect, incomplete or out of date;
- Errors in the software and/or the supporting system of the website;
- The unlawful use of systems, including the website of Industrial Auctions by a third party;
- Acts of the seller after the user has concluded a purchase agreement;

4.5 Industrial Auctions organizes online auctions on behalf of sellers. She does not sell own products. Industrial Auctions reserves the right to cancel an auction, earlier than reported on the website, or to extend one.

Article 5. Security

5.1 Industrial Auctions strives to secure its systems against loss of data and/or any form of unlawful use and takes appropriate technical and organizational measures, including taking into account the state of the technology.

5.2 Industrial Auctions is not liable for loss of data, damage to files, unlawful access to computers or files, viruses spread via the website or other unlawful programs or files or any other consequence of the use made of the website.

5.3 The website may contain links to other websites. Industrial Auctions has no control over such sites and is not responsible for the content of those sites.

Article 6. Description lots

6.1 Industrial Auctions and the person on whose behalf the lot will be auctioned strive to achieve the greatest possible accuracy and clarity of the description of a lot on the website, auction catalogs, other auction brochures, advertisements and such, without any liability for damages arising from incorrect or incomplete descriptions or other damage.

6.2 Pipes, cables and/or other connections for energy, control or production that are located on/in a lot are to be, unless expressly stated in the Specific Online Auction Terms and Conditions stated, only sold to the first valve, fitting or applied mark. Underground or built-in connections never are part of the lot, unless explicitly stated otherwise in the Specific Online Auction Terms and Conditions.

Article 7. Adjustments; operation

7.1 If and insofar as any clause of these General Terms and Conditions is invalid or unenforceable, the remaining clauses of these General Terms and Conditions will remain valid. Industrial Auctions will then adopt a new clause to replace the invalid/annulled clause, as far as possible the scope of the invalid/annulled clause shall be respected.

7.2 Industrial Auctions can, in addition to these General Terms and Conditions, declare the Specific Online Auction Terms and Conditions applicable. They are therefore already accepted by the user. In case of contradiction prevails the clause of the Specific Online Auction Terms and Conditions over the clause in these General Terms and Conditions.

7.3 The present General Terms and Conditions may be deviated only when this is stipulated in writing by an authorized representative of Industrial Auctions.

7.4 Industrial Auctions reserves the right to modify these General Terms and Conditions. Changes take effect 24 hours after an e-mail is communicated to the user or if they (digital) have been accepted comes into effect.

Article 8. Auction organization by Industrial Auctions

8.1 The organization, preparation and execution of the auction lie with Industrial Auctions.

8.2 Industrial Auctions has the authority before, during or after the auction without assigning any reasons:

- Not to recognize a bid as such;

- To exclude one or more users from the auction;
 - To consolidate articles into lots, to split lots and take lots from the auction;
 - To repair mistakes made by Industrial Auctions in bids and/or allocations, without a user is able to make use of these errors and/or derive any rights from them;
 - Lots whether or not to allocate;
 - To implement other, in the opinion of Industrial Auctions, useful or necessary measures or changes;
- 8.3 Industrial Auctions is authorized before participation in certain auctions and/or bids on certain lots to require prior, from the user, a bank guarantee or other form of security to the choice and satisfaction of Industrial Auctions (to be judged by Industrial Auctions)
- 8.4 The judgment of Industrial Auctions concerning what has taken place before, during or after the auction, is binding.

Article 9. Bid; Purchase Agreement

9.1 The user can place a bid on the website on one or more lots. Every bid is unconditional, irrevocable and without reservation. Industrial Auctions and/or the seller is/are entitled, without giving any reason not to accept bids. Bids are placed exclusive buyers premium and VAT. Industrial Auctions is authorized to place bids on behalf of third parties.

9.2 If a lot is accompanied by one or several other lots as a combination in auction this shall be indicated on the page of the individual lot. In that case, there can be placed bids first on the individual lots of the combination and after the closing of all individual lots, offered on the combined lot. Individual lots can be allocated only if the total amount of the highest sustainable bids on the individual lots is higher than the highest sustainable bid on the combination. The combination will be allocated solely if the highest sustainable bid on the combination is higher than the total amount of the highest sustainable bids on the individual lots.

9.3 Bids can be placed in the form of a "static bid" or a "proxy bid". In a static bid, the user places a bid in the form of a fixed amount per lot. In a proxy bid the user indicates the maximum price he is willing to pay for the lot. The auction system then ensures that, after outbidding by a third party, in the name of the user, the minimally possible higher bid is introduced, as long as the maximum indicated by the user has not been reached. A proxy bid can only be disabled by the user by placing a static bid that at that moment is the highest bid.

9.4 The purchase agreement arises through allocation. Allocation is generally given to the user who has made the highest bid. By applying the clause of article 9.1, through conditions for allocation as included in the Specific Online Auction Terms and Conditions or for other reasons at the discretion of Industrial Auctions may be allocated to a different user than the user who has placed the highest sustainable bid instead.

9.5 The buyer will get within 48 hours after the auction has been closed, at least as quickly as possible (Saturday, Sunday and holidays not included) confirmed by e-mail on behalf of the seller(s) that the purchase agreement has been concluded. If the user does not get an e-mail within the period mentioned above, this means that his bid has not been allocated. Industrial Auctions reserves the right not to allocate or to allocate under suspensive condition(s).

9.6 The risk of the lot(s) is transferred from the seller to the buyer at the moment of allocation. The seller is up to the allocation obliged to properly insure the goods and maintain properly insured against fire, explosion and water damage and theft. Seller is also obliged to take out adequate insurance and liability insurance and maintain so. The policies and the proof of premium payment of these insurances (or at least copies of them) must be provided by seller on first request to Industrial Auctions.

9.7 Industrial Auctions is not a party to the purchase agreement but merely mediates in the creation of purchase agreements between buyer and seller. Its content is always precisely defined. Seller and buyer realize there on the part of Industrial Auctions may involve a conflict of interest. Buyer and seller hereby give permission to Industrial Auctions for simultaneously serving (the interests of) the buyer and seller.

9.8 If there is a forced sale, this will be stated in the Specific Online Auction Terms and Conditions.

9.9 In the event seller is a trustee in his capacity as receiver, article 7:19 Civil Code applies.

9.10 If the auction takes place in the presence of a notary or bailiff, he will supervise the auction and the bids placed there and allocations.

Article 10. Guarantees, claims and indemnities

10.1 Industrial Auctions sells third party products, for third parties. Seller and buyer realize that Industrial Auctions is unaware or may be of the nature, condition or similar of the sold. Industrial Auctions and/or the seller provide regarding the lots and possible claims of third parties to these, no warranties of any kind. Buyer waives all rights which do not belong to the buyer under mandatory law.

10.2 The lots are sold in the state in which they exist on the date of allocation with all its possible defects, benefits and burdens. Industrial Auctions and/or seller give in no indemnity for visible or hidden defects or warranty in connection with completeness, numbers, functioning, usability, saleability, the existence or absence of rights or claims of third parties and or the possibility of transfer to third parties. Defects of whatever kind, disappointed expectations of the buyer and/or receiving third parties do not provide any entitlement to (damage) compensation and/or settlement and/or suspension. The buyer shall be deemed to have carefully examined the lot bought by him beforehand.

10.3 If in respect of the lots claims of third parties arising from property reserved, (intellectual) property rights and/or other third party rights be exercised, Buyer shall keep the relevant lot(s) for those third party(ies), under the obligation to issue this first request to that third party(ies), or otherwise to make appropriate arrangements with such third parties.

10.4 The seller shall indemnify Industrial Auctions against each claim of third party(ies). The buyer indemnifies Industrial Auctions and/or the seller against each claim by a third party in connection with the purchase agreement.

Article 11. Payment obligations of the buyer

11.1 The buyer has the obligation to pay the purchase price within three days (not including Saturday, Sunday and holidays) after confirmation of the purchase agreement on a by Industrial Auctions indicated account number. Payment must be made in Euros or in another currency indicated by Industrial Auctions.

11.2. The buyer is not entitled to any settlement or suspension.

11.3 The buyer is obliged to first request to provide (additional) security (such as a bank guarantee and or pledge). The buyer hereby grants an irrevocable power of attorney to Industrial Auctions to (do) settle rights of pledge both before and after delivery on behalf of the buyer for the benefit of Industrial Auctions. The buyer declares to be authorized to do so.

11.4 In case of late payment of the purchase price 15% of the purchase price, being a fixed amount for collection costs and/or extrajudicial costs, will be charged to the buyer by Industrial Auctions plus the statutory interest on the outstanding amount plus 3% per year, with effect from the date the payment had to be made until the date of effective payment.

11.5 An obligation to pay cannot be fulfilled by anyone other than the debtor (buyer) / user. A third party is thus unable to meet the payment obligations of the buyer or user. Industrial Auctions shall never be obliged to repay any amount received by a third party and shall not be unjustly enriched by retaining it. However, Industrial Auctions is not obliged or required to receive payments from third parties. Payments from third parties will not be accepted as payment of any purchase price or payment obligation of the buyer or user.

Article 12. Viewing days, auction days, pick-up days

12.1 The seller and/or Industrial Auctions can organize viewing days and pick-up days. The parties realize that Industrial Auctions does not have any influence or control over the goods, the location or the circumstances in which the viewing days and pick-up days are being organized. Therefore, Industrial

Auctions can not accept any liability. Whoever enters buildings and/or grounds on viewing days or delivery days does so entirely at their own risk. It is compulsory to follow up instructions given by Industrial Auctions and/or by Industrial Auctions hired people. Industrial Auctions and the seller do not accept any liability for damage arising on viewing days, or entering the buildings or grounds or the consequences that that entails.

Article 13. Delivery

13.1 If and as soon as the buyer has met all his payment obligations, the buyer may pick up the lot(s) at the by Industrial Auctions determined times and place on presentation of a proper identification, being the delivery. The delivery is fully at the expense and risk of the buyer. The buyer is obligated to pick up the lot(s) not later than the date specified in the Specific Online Auction Terms and Conditions. Industrial Auctions can stipulate that (a) certain(e) lot(s) can be picked up only after the picking up of other lots.

13.2 Before delivery the buyer is deemed to have fully explored the lot well and buy the lot in the condition in which it is. After the delivery the purchase agreement can no longer be terminated or destroyed by the buyer. Pipes, cables and/or other connections that are located on/in a lot are to be, unless otherwise provided by law or Industrial Auctions expressly stated otherwise, only part of the purchased up to the first valve, fitting, or the applied mark. Underground or built-in pipes, cables or other connections are not part of the purchased, unless explicitly stated otherwise by Industrial Auctions.

13.3 If it appears that a lot can not be delivered because of claims by third parties or because of the fact that the delivery would cause unacceptable damage to the buildings or premises where the lot is situated or for other reasons appears to be objectionable (at the discretion of Industrial Auctions), Industrial Auctions is entitled to terminate the purchase agreement. This termination occurs by e-mail and/or registered letter to the buyer at the address supplied by the buyer, whereafter Industrial Auctions and/or the seller have no further obligation than to refund already made payments by the buyer to Industrial Auctions in respect of the purchase of the lot(s).

13.4 The buyer whose lot(s) obstructs the collection of other lots, is obliged immediately after e-mail and/or summons by Industrial Auctions to the address specified by the buyer to take care of the collection of his lot(s), failing which Industrial Auctions is entitled to make this collection and possible storage happen by third parties for the account of the buyer.

13.5. Ownership of the goods passes after delivery, but not before the buyer has fulfilled all his obligations (and the seller or other third parties have given their consent). After allocation the buyer is obliged to properly insure and maintain properly insured against fire, explosion, water damage and theft and to provide the insurance policy and proof of premium payment of this insurance on first request to Industrial Auctions. The buyer is obliged to respect rights of third parties.

Article 14. Termination

14.1 If the buyer fails to perform any obligation under the agreement with Industrial Auctions or the purchase agreement, including but not limited to failure to timely or complete payment of the purchase price; not picking up the lot(s) in time and/or not providing the required information for delivery, finds the buyer is legally in default without further notice being required, and Industrial Auctions may terminate the agreement between herself and the buyer. Industrial Auctions may terminate the purchase agreement on behalf of the seller. In that case Industrial Auctions is allowed to assign the lot(s) to another without Industrial Auctions and/or the seller is/are held to any (damage) compensation.

14.2 In the event of termination referred to in 14.1, the buyer owes Industrial Auctions in addition to the buyers premium a lump sum amount of 25% of the purchase price to cover administrative, storage, insurance and transport costs, etc., undiminished the right of Industrial Auctions and/or the seller to claim full compensation.

14.3 Products and goods are not delivered to (legal) persons in countries that are, or will appear, on the EU and/or OFAC sanctions list or other sanctions lists. If it appears before delivery that a client has purchased a

lot(s) for trade with or delivery to a (customer in a) country that has been placed on the EU and/or OFAC sanctions list or other sanctions list then this is sufficient reason for the cancellation of the purchase.

Article 15. Liability

15.1 Industrial Auctions works on locations which she has no control over, with things that are not hers. Therefore she must limit her liability, otherwise she runs too much risk, while she herself is not in a position to limit the risks. Industrial auctions is not in control of the sites, auctions, IT environments and auctioned goods. The liability of Industrial Auctions (if and when after application of the other provisions of the contract still remaining) is at all times and in all cases limited to the amount to which the liability insurance of Industrial Auctions in a given case entitlement to benefits. If Industrial Auctions is uninsured, the insurer will not cover grants or for whatever reason, no payment takes place, then the liability of Industrial Auctions in any case is limited to € 5,000.00. Any claim on Industrial Auctions (both property law and contract law), is not transferable or to encumber. This limitation does not apply to intent or gross negligence of Industrial Auctions.

15.2 Industrial Auctions is not liable for any indirect or consequential damages. Compensation for indirect damage is excluded at all times and in all cases, including at least but not limited to consequential damages, lost profits, lost savings and damage due (corporate) stagnation, loss of goodwill, loss of data, and such. Furthermore, any liability of Industrial Auctions is excluded in connection with any defect of the lot(s) or in respect of (alleged) infringement of the rights of (the intellectual property of) third parties. The buyer declares that he acknowledges that in respect of the lot(s) possibly rights (of intellectual property) rest with third parties.

15.3 Industrial Auctions and the seller are not liable for:

- Damage to persons or property or business prior to the closing of the purchase agreement or prior to allocation arising or resulting;
- Damage to on, through or in connection with the purchased goods caused (including the loss of the good itself);
- Visible and invisible defects. The buyer is required to do research. If the buyer neglects that, then the consequences are for the buyer;
- Damage caused by environmentally harmful substances in or on the purchased;
- Damage caused by computer failures (both in terms of hardware, software, viruses, files, internet, all in the broadest sense);
- Damage caused by power of disposition of the seller or rights of third parties which causes damage to the buyer;

15.4 In engaging third parties Industrial Auctions will always exercise due care. Industrial Auctions is not liable for any shortcomings of these third parties. For that the seller and the buyer safeguard Industrial Auctions.

15.5 Any right of the buyer or the seller shall expire two months after the allocation, notwithstanding the provisions to art. 6:89 BW.

Article 16. Applicable law

16.1 All agreements between Industrial Auctions and third parties is governed by Dutch law.

16.2 The Dutch text of the General Terms and Conditions is the original text. If the General Terms and Conditions are used in several languages, the Dutch text will therefore be given preference in case of ambiguities or contradictions.

16.3 In the event of a dispute, the competent court within the district of "Oost-Brabant" has jurisdiction to hear the dispute, notwithstanding the competence to Industrial Auctions to submit a dispute to the competent court according to the law.

Notes

[illegible]

Notes

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings on the paper.

Notes

[illegible]

Notes

[illegible]

